



Full wwPDB EM Validation Report ⓘ

Mar 12, 2026 – 04:03 PM UTC

PDB ID : 7JJJ / pdb_00007jjj
EMDB ID : EMD-22354
Title : Structure of SARS-CoV-2 3Q-2P full-length dimers of spike trimers
Authors : Bangaru, S.; Turner, H.L.; Ozorowski, G.; Antanasijevic, A.; Ward, A.B.
Deposited on : 2020-07-26
Resolution : 4.50 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	2937 (4.00 - 5.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1273	 82% 6% 12%
1	B	1273	 81% 5% 13%
1	C	1273	 81% 5% 13%
1	D	1273	 82% 6% 12%























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	1273	
1	F	1273	
2	0	2	
2	1	2	
2	2	2	
2	3	2	
2	4	2	
2	5	2	
2	7	2	
2	8	2	
2	9	2	
2	AA	2	
2	BA	2	
2	CA	2	
2	DA	2	
2	EA	2	
2	FA	2	
2	G	2	
2	GA	2	
2	H	2	
2	HA	2	
2	I	2	
2	IA	2	
2	J	2	
2	JA	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	K	2	
2	KA	2	
2	L	2	
2	LA	2	
2	M	2	
2	MA	2	
2	N	2	
2	NA	2	
2	O	2	
2	OA	2	
2	P	2	
2	PA	2	
2	Q	2	
2	QA	2	
2	R	2	
2	RA	2	
2	SA	2	
2	T	2	
2	TA	2	
2	U	2	
2	UA	2	
2	V	2	
2	VA	2	
2	W	2	
2	WA	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain	
2	X	2	100%	100%
2	Y	2	50%	100%
2	Z	2	50%	100%
2	a	2	50%	100%
2	b	2	50%	100%
2	c	2	100%	100%
2	d	2	100%	100%
2	e	2	50%	100%
2	f	2	50%	100%
2	g	2	50%	100%
2	h	2	50%	100%
2	i	2	100%	50%
2	j	2	50%	100%
2	k	2	50%	100%
2	l	2	100%	100%
2	m	2	50%	100%
2	n	2	100%	100%
2	o	2	100%	100%
2	p	2	100%	100%
2	q	2	50%	50%
2	r	2	100%	100%
2	s	2	100%	100%
2	u	2	50%	100%
2	v	2	50%	100%
2	w	2	50%	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	x	2	50% 100%
2	y	2	50% 100%
2	z	2	50% 100%
3	6	3	33% 67%
3	S	3	33% 67%
4	XA	4	50% 100%
4	t	4	50% 100%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 54614 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1120	Total	C	N	O	S	0	0
			8739	5570	1461	1668	40		
1	B	1109	Total	C	N	O	S	0	0
			8657	5516	1448	1653	40		
1	C	1108	Total	C	N	O	S	0	0
			8648	5511	1446	1651	40		
1	D	1120	Total	C	N	O	S	0	0
			8739	5570	1461	1668	40		
1	E	1109	Total	C	N	O	S	0	0
			8657	5516	1448	1653	40		
1	F	1108	Total	C	N	O	S	0	0
			8648	5511	1446	1651	40		

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	682	GLN	ARG	engineered mutation	UNP P0DTC2
A	683	GLN	ARG	engineered mutation	UNP P0DTC2
A	685	GLN	ARG	engineered mutation	UNP P0DTC2
A	986	PRO	LYS	engineered mutation	UNP P0DTC2
A	987	PRO	VAL	engineered mutation	UNP P0DTC2
B	682	GLN	ARG	engineered mutation	UNP P0DTC2
B	683	GLN	ARG	engineered mutation	UNP P0DTC2
B	685	GLN	ARG	engineered mutation	UNP P0DTC2
B	986	PRO	LYS	engineered mutation	UNP P0DTC2
B	987	PRO	VAL	engineered mutation	UNP P0DTC2
C	682	GLN	ARG	engineered mutation	UNP P0DTC2
C	683	GLN	ARG	engineered mutation	UNP P0DTC2
C	685	GLN	ARG	engineered mutation	UNP P0DTC2
C	986	PRO	LYS	engineered mutation	UNP P0DTC2
C	987	PRO	VAL	engineered mutation	UNP P0DTC2
D	682	GLN	ARG	engineered mutation	UNP P0DTC2
D	683	GLN	ARG	engineered mutation	UNP P0DTC2
D	685	GLN	ARG	engineered mutation	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	986	PRO	LYS	engineered mutation	UNP P0DTC2
D	987	PRO	VAL	engineered mutation	UNP P0DTC2
E	682	GLN	ARG	engineered mutation	UNP P0DTC2
E	683	GLN	ARG	engineered mutation	UNP P0DTC2
E	685	GLN	ARG	engineered mutation	UNP P0DTC2
E	986	PRO	LYS	engineered mutation	UNP P0DTC2
E	987	PRO	VAL	engineered mutation	UNP P0DTC2
F	682	GLN	ARG	engineered mutation	UNP P0DTC2
F	683	GLN	ARG	engineered mutation	UNP P0DTC2
F	685	GLN	ARG	engineered mutation	UNP P0DTC2
F	986	PRO	LYS	engineered mutation	UNP P0DTC2
F	987	PRO	VAL	engineered mutation	UNP P0DTC2

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
2	G	2	Total	C	N	O	0	0
			28	16	2	10		
2	H	2	Total	C	N	O	0	0
			28	16	2	10		
2	I	2	Total	C	N	O	0	0
			28	16	2	10		
2	J	2	Total	C	N	O	0	0
			28	16	2	10		
2	K	2	Total	C	N	O	0	0
			28	16	2	10		
2	L	2	Total	C	N	O	0	0
			28	16	2	10		
2	M	2	Total	C	N	O	0	0
			28	16	2	10		
2	N	2	Total	C	N	O	0	0
			28	16	2	10		
2	O	2	Total	C	N	O	0	0
			28	16	2	10		
2	P	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
2	Q	2	Total	C	N	O	0	0
			28	16	2	10		
2	R	2	Total	C	N	O	0	0
			28	16	2	10		
2	T	2	Total	C	N	O	0	0
			28	16	2	10		
2	U	2	Total	C	N	O	0	0
			28	16	2	10		
2	V	2	Total	C	N	O	0	0
			28	16	2	10		
2	W	2	Total	C	N	O	0	0
			28	16	2	10		
2	X	2	Total	C	N	O	0	0
			28	16	2	10		
2	Y	2	Total	C	N	O	0	0
			28	16	2	10		
2	Z	2	Total	C	N	O	0	0
			28	16	2	10		
2	a	2	Total	C	N	O	0	0
			28	16	2	10		
2	b	2	Total	C	N	O	0	0
			28	16	2	10		
2	c	2	Total	C	N	O	0	0
			28	16	2	10		
2	d	2	Total	C	N	O	0	0
			28	16	2	10		
2	e	2	Total	C	N	O	0	0
			28	16	2	10		
2	f	2	Total	C	N	O	0	0
			28	16	2	10		
2	g	2	Total	C	N	O	0	0
			28	16	2	10		
2	h	2	Total	C	N	O	0	0
			28	16	2	10		
2	i	2	Total	C	N	O	0	0
			28	16	2	10		
2	j	2	Total	C	N	O	0	0
			28	16	2	10		
2	k	2	Total	C	N	O	0	0
			28	16	2	10		
2	l	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
2	m	2	Total	C	N	O	0	0
			28	16	2	10		
2	n	2	Total	C	N	O	0	0
			28	16	2	10		
2	o	2	Total	C	N	O	0	0
			28	16	2	10		
2	p	2	Total	C	N	O	0	0
			28	16	2	10		
2	q	2	Total	C	N	O	0	0
			28	16	2	10		
2	r	2	Total	C	N	O	0	0
			28	16	2	10		
2	s	2	Total	C	N	O	0	0
			28	16	2	10		
2	u	2	Total	C	N	O	0	0
			28	16	2	10		
2	v	2	Total	C	N	O	0	0
			28	16	2	10		
2	w	2	Total	C	N	O	0	0
			28	16	2	10		
2	x	2	Total	C	N	O	0	0
			28	16	2	10		
2	y	2	Total	C	N	O	0	0
			28	16	2	10		
2	z	2	Total	C	N	O	0	0
			28	16	2	10		
2	0	2	Total	C	N	O	0	0
			28	16	2	10		
2	1	2	Total	C	N	O	0	0
			28	16	2	10		
2	2	2	Total	C	N	O	0	0
			28	16	2	10		
2	3	2	Total	C	N	O	0	0
			28	16	2	10		
2	4	2	Total	C	N	O	0	0
			28	16	2	10		
2	5	2	Total	C	N	O	0	0
			28	16	2	10		
2	7	2	Total	C	N	O	0	0
			28	16	2	10		
2	8	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
2	9	2	Total	C	N	O	0	0
			28	16	2	10		
2	AA	2	Total	C	N	O	0	0
			28	16	2	10		
2	BA	2	Total	C	N	O	0	0
			28	16	2	10		
2	CA	2	Total	C	N	O	0	0
			28	16	2	10		
2	DA	2	Total	C	N	O	0	0
			28	16	2	10		
2	EA	2	Total	C	N	O	0	0
			28	16	2	10		
2	FA	2	Total	C	N	O	0	0
			28	16	2	10		
2	GA	2	Total	C	N	O	0	0
			28	16	2	10		
2	HA	2	Total	C	N	O	0	0
			28	16	2	10		
2	IA	2	Total	C	N	O	0	0
			28	16	2	10		
2	JA	2	Total	C	N	O	0	0
			28	16	2	10		
2	KA	2	Total	C	N	O	0	0
			28	16	2	10		
2	LA	2	Total	C	N	O	0	0
			28	16	2	10		
2	MA	2	Total	C	N	O	0	0
			28	16	2	10		
2	NA	2	Total	C	N	O	0	0
			28	16	2	10		
2	OA	2	Total	C	N	O	0	0
			28	16	2	10		
2	PA	2	Total	C	N	O	0	0
			28	16	2	10		
2	QA	2	Total	C	N	O	0	0
			28	16	2	10		
2	RA	2	Total	C	N	O	0	0
			28	16	2	10		
2	SA	2	Total	C	N	O	0	0
			28	16	2	10		
2	TA	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
2	UA	2	Total	C	N	O	0	0
			28	16	2	10		
2	VA	2	Total	C	N	O	0	0
			28	16	2	10		
2	WA	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
3	S	3	Total	C	N	O	0	0
			38	22	2	14		
3	6	3	Total	C	N	O	0	0
			38	22	2	14		

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
4	t	4	Total	C	N	O	0	0
			49	28	2	19		
4	XA	4	Total	C	N	O	0	0
			49	28	2	19		

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
5	A	1	Total	C	N	O	0
			14	8	1	5	
5	A	1	Total	C	N	O	0
			14	8	1	5	
5	A	1	Total	C	N	O	0
			14	8	1	5	
5	B	1	Total	C	N	O	0
			14	8	1	5	
5	B	1	Total	C	N	O	0
			14	8	1	5	
5	C	1	Total	C	N	O	0
			14	8	1	5	
5	C	1	Total	C	N	O	0
			14	8	1	5	
5	C	1	Total	C	N	O	0
			14	8	1	5	
5	D	1	Total	C	N	O	0
			14	8	1	5	
5	D	1	Total	C	N	O	0
			14	8	1	5	
5	D	1	Total	C	N	O	0
			14	8	1	5	
5	E	1	Total	C	N	O	0
			14	8	1	5	
5	E	1	Total	C	N	O	0
			14	8	1	5	
5	F	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
5	F	1	Total	C	N	O	0
			14	8	1	5	
5	F	1	Total	C	N	O	0
			14	8	1	5	


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Spike glycoprotein



• Molecule 1: Spike glycoprotein





- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  100%
100%

 
MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  100%
50%


MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  100%
50%


MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  50%
100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  50%
100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:  50%
100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h:  50%
100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 0:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 1:  100%


MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 2:  100%
 50%



MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 3:  100%


MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 4:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 5:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 7:  100%
 100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain PA:  100%
100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain QA:  50%
100%




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain RA:  100%
100%




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain SA:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain TA:  100%




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain UA:  50%
50% 50%




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain VA:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain WA:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  33%
33% 67%

MAG1
MAG2
FUC3

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 6:  33%
33% 67%

MAG1
MAG2
FUC3

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain t:  50%
100%

MAG1
MAG2
BMA3
FUC4

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain XA:  50%
100%

MAG1
MAG2
BMA3
FUC4

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	15411	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TECNAI ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1600	Depositor
Magnification	36000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.030	Depositor
Minimum map value	-0.018	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.008	Depositor
Map size (Å)	529.0, 529.0, 529.0	wwPDB
Map dimensions	460, 460, 460	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.15, 1.15, 1.15	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FUC, BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.01	3/8945 (0.0%)	1.28	86/12182 (0.7%)
1	B	0.99	0/8859	1.29	88/12059 (0.7%)
1	C	1.02	0/8850	1.29	80/12047 (0.7%)
1	D	1.01	3/8945 (0.0%)	1.28	86/12182 (0.7%)
1	E	0.99	0/8859	1.29	88/12059 (0.7%)
1	F	1.02	0/8850	1.29	80/12047 (0.7%)
All	All	1.00	6/53308 (0.0%)	1.29	508/72576 (0.7%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	146	HIS	CB-CG	-5.29	1.42	1.50
1	A	351	TYR	CB-CG	-5.29	1.40	1.51
1	D	146	HIS	CB-CG	-5.29	1.42	1.50
1	D	351	TYR	CB-CG	-5.29	1.40	1.51
1	A	1019	ARG	NE-CZ	5.25	1.38	1.33
1	D	1019	ARG	NE-CZ	5.25	1.38	1.33

All (508) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	600	PRO	N-CA-C	-8.30	98.96	111.57
1	E	600	PRO	N-CA-C	-8.30	98.96	111.57
1	A	862	PRO	CA-C-N	7.96	127.89	119.85
1	A	862	PRO	C-N-CA	7.96	127.89	119.85
1	D	862	PRO	CA-C-N	7.96	127.89	119.85
1	D	862	PRO	C-N-CA	7.96	127.89	119.85
1	C	760	CYS	N-CA-C	-7.93	102.72	111.36
1	F	760	CYS	N-CA-C	-7.93	102.72	111.36
1	B	216	LEU	CA-C-N	7.91	127.86	120.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	216	LEU	C-N-CA	7.91	127.86	120.03
1	E	216	LEU	CA-C-N	7.91	127.86	120.03
1	E	216	LEU	C-N-CA	7.91	127.86	120.03
1	A	1139	ASP	CA-C-N	7.89	127.61	119.56
1	A	1139	ASP	C-N-CA	7.89	127.61	119.56
1	D	1139	ASP	CA-C-N	7.89	127.61	119.56
1	D	1139	ASP	C-N-CA	7.89	127.61	119.56
1	B	145	TYR	N-CA-C	7.86	123.37	112.45
1	E	145	TYR	N-CA-C	7.86	123.37	112.45
1	B	862	PRO	CA-C-N	7.84	127.77	119.85
1	B	862	PRO	C-N-CA	7.84	127.77	119.85
1	E	862	PRO	CA-C-N	7.84	127.77	119.85
1	E	862	PRO	C-N-CA	7.84	127.77	119.85
1	C	888	PHE	CA-CB-CG	7.79	121.59	113.80
1	F	888	PHE	CA-CB-CG	7.79	121.59	113.80
1	B	90	VAL	N-CA-C	7.76	118.98	108.11
1	E	90	VAL	N-CA-C	7.76	118.98	108.11
1	A	714	ILE	CA-C-N	7.69	127.68	119.76
1	A	714	ILE	C-N-CA	7.69	127.68	119.76
1	D	714	ILE	CA-C-N	7.69	127.68	119.76
1	D	714	ILE	C-N-CA	7.69	127.68	119.76
1	A	25	PRO	CA-C-N	7.63	127.59	120.03
1	A	25	PRO	C-N-CA	7.63	127.59	120.03
1	D	25	PRO	CA-C-N	7.63	127.59	120.03
1	D	25	PRO	C-N-CA	7.63	127.59	120.03
1	C	862	PRO	CA-C-N	7.60	127.52	119.85
1	C	862	PRO	C-N-CA	7.60	127.52	119.85
1	F	862	PRO	CA-C-N	7.60	127.52	119.85
1	F	862	PRO	C-N-CA	7.60	127.52	119.85
1	C	81	ASN	CA-C-N	7.49	127.45	120.03
1	C	81	ASN	C-N-CA	7.49	127.45	120.03
1	F	81	ASN	CA-C-N	7.49	127.45	120.03
1	F	81	ASN	C-N-CA	7.49	127.45	120.03
1	A	792	PRO	CA-C-N	7.37	127.00	119.56
1	A	792	PRO	C-N-CA	7.37	127.00	119.56
1	D	792	PRO	CA-C-N	7.37	127.00	119.56
1	D	792	PRO	C-N-CA	7.37	127.00	119.56
1	C	792	PRO	CA-C-N	7.27	126.91	119.56
1	C	792	PRO	C-N-CA	7.27	126.91	119.56
1	F	792	PRO	CA-C-N	7.27	126.91	119.56
1	F	792	PRO	C-N-CA	7.27	126.91	119.56
1	C	71	SER	N-CA-C	7.25	120.10	110.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	71	SER	N-CA-C	7.25	120.10	110.53
1	B	25	PRO	CA-C-N	7.16	127.08	119.85
1	B	25	PRO	C-N-CA	7.16	127.08	119.85
1	E	25	PRO	CA-C-N	7.16	127.08	119.85
1	E	25	PRO	C-N-CA	7.16	127.08	119.85
1	A	133	PHE	CA-CB-CG	7.13	120.93	113.80
1	D	133	PHE	CA-CB-CG	7.13	120.93	113.80
1	B	81	ASN	CA-C-N	7.08	127.04	120.03
1	B	81	ASN	C-N-CA	7.08	127.04	120.03
1	E	81	ASN	CA-C-N	7.08	127.04	120.03
1	E	81	ASN	C-N-CA	7.08	127.04	120.03
1	B	1074	ASN	CA-CB-CG	7.06	119.66	112.60
1	E	1074	ASN	CA-CB-CG	7.06	119.66	112.60
1	C	90	VAL	N-CA-C	7.05	117.98	108.11
1	F	90	VAL	N-CA-C	7.05	117.98	108.11
1	B	526	GLY	CA-C-N	7.03	128.00	120.83
1	B	526	GLY	C-N-CA	7.03	128.00	120.83
1	E	526	GLY	CA-C-N	7.03	128.00	120.83
1	E	526	GLY	C-N-CA	7.03	128.00	120.83
1	B	213	VAL	N-CA-C	6.96	118.02	111.48
1	E	213	VAL	N-CA-C	6.96	118.02	111.48
1	A	526	GLY	CA-C-N	6.93	127.90	120.83
1	A	526	GLY	C-N-CA	6.93	127.90	120.83
1	D	526	GLY	CA-C-N	6.93	127.90	120.83
1	D	526	GLY	C-N-CA	6.93	127.90	120.83
1	C	25	PRO	CA-C-N	6.87	126.79	119.85
1	C	25	PRO	C-N-CA	6.87	126.79	119.85
1	F	25	PRO	CA-C-N	6.87	126.79	119.85
1	F	25	PRO	C-N-CA	6.87	126.79	119.85
1	B	213	VAL	CB-CA-C	-6.81	105.92	111.71
1	E	213	VAL	CB-CA-C	-6.81	105.92	111.71
1	A	122	ASN	CA-CB-CG	6.77	119.37	112.60
1	D	122	ASN	CA-CB-CG	6.77	119.37	112.60
1	C	498	GLN	CA-C-N	6.71	126.85	119.87
1	C	498	GLN	C-N-CA	6.71	126.85	119.87
1	F	498	GLN	CA-C-N	6.71	126.85	119.87
1	F	498	GLN	C-N-CA	6.71	126.85	119.87
1	A	80	ASP	N-CA-C	6.69	119.18	108.41
1	D	80	ASP	N-CA-C	6.69	119.18	108.41
1	B	425	LEU	CA-C-N	6.64	126.61	120.03
1	B	425	LEU	C-N-CA	6.64	126.61	120.03
1	E	425	LEU	CA-C-N	6.64	126.61	120.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	425	LEU	C-N-CA	6.64	126.61	120.03
1	A	630	THR	CA-C-N	6.62	126.59	120.03
1	A	630	THR	C-N-CA	6.62	126.59	120.03
1	D	630	THR	CA-C-N	6.62	126.59	120.03
1	D	630	THR	C-N-CA	6.62	126.59	120.03
1	B	792	PRO	CA-C-N	6.59	126.53	119.28
1	B	792	PRO	C-N-CA	6.59	126.53	119.28
1	E	792	PRO	CA-C-N	6.59	126.53	119.28
1	E	792	PRO	C-N-CA	6.59	126.53	119.28
1	B	214	ARG	N-CA-C	6.58	119.78	111.69
1	E	214	ARG	N-CA-C	6.58	119.78	111.69
1	A	736	VAL	N-CA-C	6.54	117.27	108.11
1	D	736	VAL	N-CA-C	6.54	117.27	108.11
1	A	90	VAL	N-CA-C	6.53	117.25	108.11
1	D	90	VAL	N-CA-C	6.53	117.25	108.11
1	B	498	GLN	CA-C-N	6.53	126.66	119.87
1	B	498	GLN	C-N-CA	6.53	126.66	119.87
1	E	498	GLN	CA-C-N	6.53	126.66	119.87
1	E	498	GLN	C-N-CA	6.53	126.66	119.87
1	A	133	PHE	N-CA-C	6.49	120.04	109.59
1	D	133	PHE	N-CA-C	6.49	120.04	109.59
1	A	498	GLN	CA-C-N	6.47	126.60	119.87
1	A	498	GLN	C-N-CA	6.47	126.60	119.87
1	A	861	LEU	CA-C-N	6.47	124.32	119.66
1	A	861	LEU	C-N-CA	6.47	124.32	119.66
1	D	498	GLN	CA-C-N	6.47	126.60	119.87
1	D	498	GLN	C-N-CA	6.47	126.60	119.87
1	D	861	LEU	CA-C-N	6.47	124.32	119.66
1	D	861	LEU	C-N-CA	6.47	124.32	119.66
1	B	600	PRO	CA-C-N	-6.44	113.74	119.92
1	B	600	PRO	C-N-CA	-6.44	113.74	119.92
1	E	600	PRO	CA-C-N	-6.44	113.74	119.92
1	E	600	PRO	C-N-CA	-6.44	113.74	119.92
1	C	1078	ALA	CA-C-N	6.41	126.04	119.56
1	C	1078	ALA	C-N-CA	6.41	126.04	119.56
1	F	1078	ALA	CA-C-N	6.41	126.04	119.56
1	F	1078	ALA	C-N-CA	6.41	126.04	119.56
1	B	400	PHE	N-CA-C	6.39	117.93	108.60
1	E	400	PHE	N-CA-C	6.39	117.93	108.60
1	C	526	GLY	CA-C-N	6.35	127.31	120.83
1	C	526	GLY	C-N-CA	6.35	127.31	120.83
1	F	526	GLY	CA-C-N	6.35	127.31	120.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	526	GLY	C-N-CA	6.35	127.31	120.83
1	A	66	HIS	N-CA-C	6.32	117.82	108.60
1	D	66	HIS	N-CA-C	6.32	117.82	108.60
1	C	214	ARG	N-CA-C	6.31	121.38	113.43
1	F	214	ARG	N-CA-C	6.31	121.38	113.43
1	C	736	VAL	N-CA-C	6.31	116.94	108.11
1	F	736	VAL	N-CA-C	6.31	116.94	108.11
1	A	250	THR	CA-C-N	6.30	126.27	120.03
1	A	250	THR	C-N-CA	6.30	126.27	120.03
1	D	250	THR	CA-C-N	6.30	126.27	120.03
1	D	250	THR	C-N-CA	6.30	126.27	120.03
1	C	321	GLN	CA-C-N	6.26	126.20	119.76
1	C	321	GLN	C-N-CA	6.26	126.20	119.76
1	F	321	GLN	CA-C-N	6.26	126.20	119.76
1	F	321	GLN	C-N-CA	6.26	126.20	119.76
1	A	600	PRO	CA-C-N	-6.25	113.92	119.92
1	A	600	PRO	C-N-CA	-6.25	113.92	119.92
1	D	600	PRO	CA-C-N	-6.25	113.92	119.92
1	D	600	PRO	C-N-CA	-6.25	113.92	119.92
1	A	1068	VAL	CA-C-N	6.22	126.19	119.78
1	A	1068	VAL	C-N-CA	6.22	126.19	119.78
1	D	1068	VAL	CA-C-N	6.22	126.19	119.78
1	D	1068	VAL	C-N-CA	6.22	126.19	119.78
1	B	133	PHE	CA-CB-CG	6.21	120.01	113.80
1	E	133	PHE	CA-CB-CG	6.21	120.01	113.80
1	C	425	LEU	CA-C-N	6.19	126.16	120.03
1	C	425	LEU	C-N-CA	6.19	126.16	120.03
1	F	425	LEU	CA-C-N	6.19	126.16	120.03
1	F	425	LEU	C-N-CA	6.19	126.16	120.03
1	A	425	LEU	CA-C-N	6.17	126.14	120.03
1	A	425	LEU	C-N-CA	6.17	126.14	120.03
1	D	425	LEU	CA-C-N	6.17	126.14	120.03
1	D	425	LEU	C-N-CA	6.17	126.14	120.03
1	C	599	THR	CA-C-N	6.17	126.14	120.03
1	C	599	THR	C-N-CA	6.17	126.14	120.03
1	F	599	THR	CA-C-N	6.17	126.14	120.03
1	F	599	THR	C-N-CA	6.17	126.14	120.03
1	B	736	VAL	N-CA-C	6.16	116.73	108.11
1	E	736	VAL	N-CA-C	6.16	116.73	108.11
1	C	861	LEU	CA-C-N	6.15	124.09	119.66
1	C	861	LEU	C-N-CA	6.15	124.09	119.66
1	F	861	LEU	CA-C-N	6.15	124.09	119.66

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	861	LEU	C-N-CA	6.15	124.09	119.66
1	C	400	PHE	N-CA-C	6.13	117.56	108.60
1	F	400	PHE	N-CA-C	6.13	117.56	108.60
1	B	275	PHE	N-CA-C	6.08	119.11	109.50
1	E	275	PHE	N-CA-C	6.08	119.11	109.50
1	C	294	ASP	CA-C-N	6.08	126.53	119.47
1	C	294	ASP	C-N-CA	6.08	126.53	119.47
1	F	294	ASP	CA-C-N	6.08	126.53	119.47
1	F	294	ASP	C-N-CA	6.08	126.53	119.47
1	B	1078	ALA	CA-C-N	6.08	125.70	119.56
1	B	1078	ALA	C-N-CA	6.08	125.70	119.56
1	E	1078	ALA	CA-C-N	6.08	125.70	119.56
1	E	1078	ALA	C-N-CA	6.08	125.70	119.56
1	C	600	PRO	CA-C-N	-6.04	114.12	119.92
1	C	600	PRO	C-N-CA	-6.04	114.12	119.92
1	F	600	PRO	CA-C-N	-6.04	114.12	119.92
1	F	600	PRO	C-N-CA	-6.04	114.12	119.92
1	A	1078	ALA	CA-C-N	6.03	125.65	119.56
1	A	1078	ALA	C-N-CA	6.03	125.65	119.56
1	D	1078	ALA	CA-C-N	6.03	125.65	119.56
1	D	1078	ALA	C-N-CA	6.03	125.65	119.56
1	B	714	ILE	CA-C-N	6.01	125.97	119.78
1	B	714	ILE	C-N-CA	6.01	125.97	119.78
1	E	714	ILE	CA-C-N	6.01	125.97	119.78
1	E	714	ILE	C-N-CA	6.01	125.97	119.78
1	C	24	LEU	CA-C-N	6.00	126.56	120.38
1	C	24	LEU	C-N-CA	6.00	126.56	120.38
1	F	24	LEU	CA-C-N	6.00	126.56	120.38
1	F	24	LEU	C-N-CA	6.00	126.56	120.38
1	C	66	HIS	N-CA-C	-6.00	101.16	110.10
1	F	66	HIS	N-CA-C	-6.00	101.16	110.10
1	B	66	HIS	N-CA-C	5.99	118.96	109.50
1	E	66	HIS	N-CA-C	5.99	118.96	109.50
1	A	205	SER	N-CA-C	5.95	118.33	108.99
1	D	205	SER	N-CA-C	5.95	118.33	108.99
1	A	400	PHE	N-CA-C	5.92	117.25	108.60
1	D	400	PHE	N-CA-C	5.92	117.25	108.60
1	A	578	ASP	CA-C-N	5.86	125.48	119.56
1	A	578	ASP	C-N-CA	5.86	125.48	119.56
1	D	578	ASP	CA-C-N	5.86	125.48	119.56
1	D	578	ASP	C-N-CA	5.86	125.48	119.56
1	C	600	PRO	N-CA-C	-5.84	102.65	111.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	600	PRO	N-CA-C	-5.84	102.65	111.41
1	A	600	PRO	N-CA-C	-5.81	102.47	111.13
1	D	600	PRO	N-CA-C	-5.81	102.47	111.13
1	C	483	VAL	N-CA-C	5.80	116.22	107.75
1	F	483	VAL	N-CA-C	5.80	116.22	107.75
1	B	1139	ASP	CA-C-N	5.80	125.41	119.56
1	B	1139	ASP	C-N-CA	5.80	125.41	119.56
1	E	1139	ASP	CA-C-N	5.80	125.41	119.56
1	E	1139	ASP	C-N-CA	5.80	125.41	119.56
1	A	294	ASP	CA-C-N	5.78	126.17	119.47
1	A	294	ASP	C-N-CA	5.78	126.17	119.47
1	D	294	ASP	CA-C-N	5.78	126.17	119.47
1	D	294	ASP	C-N-CA	5.78	126.17	119.47
1	A	173	GLN	CA-C-N	5.76	125.69	119.76
1	A	173	GLN	C-N-CA	5.76	125.69	119.76
1	D	173	GLN	CA-C-N	5.76	125.69	119.76
1	D	173	GLN	C-N-CA	5.76	125.69	119.76
1	A	503	VAL	N-CA-C	5.75	116.49	110.62
1	D	503	VAL	N-CA-C	5.75	116.49	110.62
1	A	599	THR	CA-C-N	5.75	126.21	120.52
1	A	599	THR	C-N-CA	5.75	126.21	120.52
1	D	599	THR	CA-C-N	5.75	126.21	120.52
1	D	599	THR	C-N-CA	5.75	126.21	120.52
1	C	490	PHE	N-CA-C	-5.72	101.09	109.50
1	F	490	PHE	N-CA-C	-5.72	101.09	109.50
1	B	861	LEU	CA-C-N	5.69	123.76	119.66
1	B	861	LEU	C-N-CA	5.69	123.76	119.66
1	C	117	LEU	N-CA-C	5.69	118.01	108.73
1	E	861	LEU	CA-C-N	5.69	123.76	119.66
1	E	861	LEU	C-N-CA	5.69	123.76	119.66
1	F	117	LEU	N-CA-C	5.69	118.01	108.73
1	B	806	LEU	CA-C-N	5.69	125.62	119.76
1	B	806	LEU	C-N-CA	5.69	125.62	119.76
1	E	806	LEU	CA-C-N	5.69	125.62	119.76
1	E	806	LEU	C-N-CA	5.69	125.62	119.76
1	A	399	SER	N-CA-C	5.69	117.70	108.26
1	D	399	SER	N-CA-C	5.69	117.70	108.26
1	C	578	ASP	CA-C-N	5.66	125.28	119.56
1	C	578	ASP	C-N-CA	5.66	125.28	119.56
1	F	578	ASP	CA-C-N	5.66	125.28	119.56
1	F	578	ASP	C-N-CA	5.66	125.28	119.56
1	A	490	PHE	N-CA-C	-5.65	101.19	109.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	490	PHE	N-CA-C	-5.65	101.19	109.50
1	B	294	ASP	CA-C-N	5.64	126.01	119.47
1	B	294	ASP	C-N-CA	5.64	126.01	119.47
1	E	294	ASP	CA-C-N	5.64	126.01	119.47
1	E	294	ASP	C-N-CA	5.64	126.01	119.47
1	C	120	VAL	N-CA-C	5.64	116.24	108.12
1	F	120	VAL	N-CA-C	5.64	116.24	108.12
1	A	261	GLY	N-CA-C	-5.63	104.86	112.57
1	D	261	GLY	N-CA-C	-5.63	104.86	112.57
1	C	224	GLU	CA-C-N	5.63	126.00	119.47
1	C	224	GLU	C-N-CA	5.63	126.00	119.47
1	F	224	GLU	CA-C-N	5.63	126.00	119.47
1	F	224	GLU	C-N-CA	5.63	126.00	119.47
1	A	808	ASP	CA-C-N	5.61	125.28	119.56
1	A	808	ASP	C-N-CA	5.61	125.28	119.56
1	C	250	THR	CA-C-N	5.61	125.58	120.03
1	C	250	THR	C-N-CA	5.61	125.58	120.03
1	D	808	ASP	CA-C-N	5.61	125.28	119.56
1	D	808	ASP	C-N-CA	5.61	125.28	119.56
1	F	250	THR	CA-C-N	5.61	125.58	120.03
1	F	250	THR	C-N-CA	5.61	125.58	120.03
1	C	1139	ASP	CA-C-N	5.59	126.66	120.45
1	C	1139	ASP	C-N-CA	5.59	126.66	120.45
1	F	1139	ASP	CA-C-N	5.59	126.66	120.45
1	F	1139	ASP	C-N-CA	5.59	126.66	120.45
1	A	55	PHE	CA-CB-CG	5.59	119.39	113.80
1	D	55	PHE	CA-CB-CG	5.59	119.39	113.80
1	B	760	CYS	N-CA-C	-5.58	105.19	111.28
1	E	760	CYS	N-CA-C	-5.58	105.19	111.28
1	B	138	ASP	CA-C-N	5.58	125.49	119.85
1	B	138	ASP	C-N-CA	5.58	125.49	119.85
1	E	138	ASP	CA-C-N	5.58	125.49	119.85
1	E	138	ASP	C-N-CA	5.58	125.49	119.85
1	C	714	ILE	CA-C-N	5.56	125.48	119.76
1	C	714	ILE	C-N-CA	5.56	125.48	119.76
1	F	714	ILE	CA-C-N	5.56	125.48	119.76
1	F	714	ILE	C-N-CA	5.56	125.48	119.76
1	C	791	THR	CA-C-N	5.54	123.70	119.66
1	C	791	THR	C-N-CA	5.54	123.70	119.66
1	F	791	THR	CA-C-N	5.54	123.70	119.66
1	F	791	THR	C-N-CA	5.54	123.70	119.66
1	C	142	GLY	N-CA-C	5.53	119.15	110.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	142	GLY	N-CA-C	5.53	119.15	110.91
1	B	578	ASP	CA-C-N	5.51	125.13	119.56
1	B	578	ASP	C-N-CA	5.51	125.13	119.56
1	E	578	ASP	CA-C-N	5.51	125.13	119.56
1	E	578	ASP	C-N-CA	5.51	125.13	119.56
1	B	808	ASP	CA-C-N	5.51	125.60	119.87
1	B	808	ASP	C-N-CA	5.51	125.60	119.87
1	E	808	ASP	CA-C-N	5.51	125.60	119.87
1	E	808	ASP	C-N-CA	5.51	125.60	119.87
1	C	197	ILE	N-CA-C	5.49	115.89	107.77
1	F	197	ILE	N-CA-C	5.49	115.89	107.77
1	B	433	VAL	N-CA-C	5.48	115.78	108.11
1	E	433	VAL	N-CA-C	5.48	115.78	108.11
1	B	224	GLU	CA-C-N	5.48	125.83	119.47
1	B	224	GLU	C-N-CA	5.48	125.83	119.47
1	E	224	GLU	CA-C-N	5.48	125.83	119.47
1	E	224	GLU	C-N-CA	5.48	125.83	119.47
1	A	518	LEU	N-CA-C	5.48	119.79	113.38
1	D	518	LEU	N-CA-C	5.48	119.79	113.38
1	B	143	VAL	N-CA-C	5.46	120.70	109.34
1	E	143	VAL	N-CA-C	5.46	120.70	109.34
1	A	1138	TYR	N-CA-C	5.46	118.15	109.96
1	B	759	PHE	CA-C-N	5.46	127.60	120.28
1	B	759	PHE	C-N-CA	5.46	127.60	120.28
1	D	1138	TYR	N-CA-C	5.46	118.15	109.96
1	E	759	PHE	CA-C-N	5.46	127.60	120.28
1	E	759	PHE	C-N-CA	5.46	127.60	120.28
1	B	38	TYR	CA-C-N	5.42	125.50	119.32
1	B	38	TYR	C-N-CA	5.42	125.50	119.32
1	E	38	TYR	CA-C-N	5.42	125.50	119.32
1	E	38	TYR	C-N-CA	5.42	125.50	119.32
1	C	67	ALA	CA-C-N	-5.41	116.38	122.93
1	C	67	ALA	C-N-CA	-5.41	116.38	122.93
1	F	67	ALA	CA-C-N	-5.41	116.38	122.93
1	F	67	ALA	C-N-CA	-5.41	116.38	122.93
1	B	597	VAL	N-CA-C	5.41	115.68	108.11
1	E	597	VAL	N-CA-C	5.41	115.68	108.11
1	C	205	SER	N-CA-C	5.40	117.06	108.79
1	F	205	SER	N-CA-C	5.40	117.06	108.79
1	B	1068	VAL	CA-C-N	5.39	125.33	119.78
1	B	1068	VAL	C-N-CA	5.39	125.33	119.78
1	C	98	SER	N-CA-C	5.39	117.78	110.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	1068	VAL	CA-C-N	5.39	125.33	119.78
1	E	1068	VAL	C-N-CA	5.39	125.33	119.78
1	F	98	SER	N-CA-C	5.39	117.78	110.88
1	C	808	ASP	CA-C-N	5.39	125.47	119.87
1	C	808	ASP	C-N-CA	5.39	125.47	119.87
1	F	808	ASP	CA-C-N	5.39	125.47	119.87
1	F	808	ASP	C-N-CA	5.39	125.47	119.87
1	A	490	PHE	CA-C-N	5.38	125.00	119.56
1	A	490	PHE	C-N-CA	5.38	125.00	119.56
1	D	490	PHE	CA-C-N	5.38	125.00	119.56
1	D	490	PHE	C-N-CA	5.38	125.00	119.56
1	C	173	GLN	CA-C-N	5.38	125.30	119.76
1	C	173	GLN	C-N-CA	5.38	125.30	119.76
1	F	173	GLN	CA-C-N	5.38	125.30	119.76
1	F	173	GLN	C-N-CA	5.38	125.30	119.76
1	A	224	GLU	CA-C-N	5.37	125.70	119.47
1	A	224	GLU	C-N-CA	5.37	125.70	119.47
1	D	224	GLU	CA-C-N	5.37	125.70	119.47
1	D	224	GLU	C-N-CA	5.37	125.70	119.47
1	C	1101	HIS	N-CA-C	5.37	117.55	109.23
1	F	1101	HIS	N-CA-C	5.37	117.55	109.23
1	A	395	VAL	N-CA-C	5.36	116.30	108.58
1	D	395	VAL	N-CA-C	5.36	116.30	108.58
1	C	503	VAL	N-CA-C	5.35	116.08	110.62
1	F	503	VAL	N-CA-C	5.35	116.08	110.62
1	B	560	LEU	CA-C-N	5.35	125.67	119.47
1	B	560	LEU	C-N-CA	5.35	125.67	119.47
1	E	560	LEU	CA-C-N	5.35	125.67	119.47
1	E	560	LEU	C-N-CA	5.35	125.67	119.47
1	C	148	ASN	CA-C-N	5.34	130.99	121.75
1	C	148	ASN	C-N-CA	5.34	130.99	121.75
1	F	148	ASN	CA-C-N	5.34	130.99	121.75
1	F	148	ASN	C-N-CA	5.34	130.99	121.75
1	A	1101	HIS	N-CA-C	5.34	117.94	109.50
1	D	1101	HIS	N-CA-C	5.34	117.94	109.50
1	A	1096	VAL	N-CA-CB	-5.32	103.50	112.44
1	D	1096	VAL	N-CA-CB	-5.32	103.50	112.44
1	B	24	LEU	CA-C-N	5.32	125.86	120.38
1	B	24	LEU	C-N-CA	5.32	125.86	120.38
1	E	24	LEU	CA-C-N	5.32	125.86	120.38
1	E	24	LEU	C-N-CA	5.32	125.86	120.38
1	C	888	PHE	N-CA-C	-5.31	106.06	112.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	888	PHE	N-CA-C	-5.31	106.06	112.54
1	B	614	ASP	CA-CB-CG	-5.31	107.29	112.60
1	E	614	ASP	CA-CB-CG	-5.31	107.29	112.60
1	C	65	PHE	CA-CB-CG	-5.30	108.50	113.80
1	F	65	PHE	CA-CB-CG	-5.30	108.50	113.80
1	A	138	ASP	CA-C-N	5.30	125.20	119.85
1	A	138	ASP	C-N-CA	5.30	125.20	119.85
1	D	138	ASP	CA-C-N	5.30	125.20	119.85
1	D	138	ASP	C-N-CA	5.30	125.20	119.85
1	B	250	THR	CA-C-N	5.30	125.28	120.03
1	B	250	THR	C-N-CA	5.30	125.28	120.03
1	E	250	THR	CA-C-N	5.30	125.28	120.03
1	E	250	THR	C-N-CA	5.30	125.28	120.03
1	A	156	GLU	N-CA-C	5.30	117.24	109.24
1	D	156	GLU	N-CA-C	5.30	117.24	109.24
1	C	560	LEU	CA-C-N	5.28	125.60	119.47
1	C	560	LEU	C-N-CA	5.28	125.60	119.47
1	F	560	LEU	CA-C-N	5.28	125.60	119.47
1	F	560	LEU	C-N-CA	5.28	125.60	119.47
1	A	618	THR	N-CA-C	5.27	119.67	112.88
1	D	618	THR	N-CA-C	5.27	119.67	112.88
1	B	518	LEU	N-CA-C	5.26	119.53	113.38
1	E	518	LEU	N-CA-C	5.26	119.53	113.38
1	B	1097	SER	N-CA-C	5.25	117.06	109.07
1	E	1097	SER	N-CA-C	5.25	117.06	109.07
1	A	401	VAL	N-CA-C	5.25	115.52	108.17
1	D	401	VAL	N-CA-C	5.25	115.52	108.17
1	C	518	LEU	N-CA-C	5.25	119.26	112.86
1	F	518	LEU	N-CA-C	5.25	119.26	112.86
1	B	1101	HIS	N-CA-C	5.25	117.79	109.50
1	E	1101	HIS	N-CA-C	5.25	117.79	109.50
1	A	806	LEU	CA-C-N	5.22	125.14	119.76
1	A	806	LEU	C-N-CA	5.22	125.14	119.76
1	D	806	LEU	CA-C-N	5.22	125.14	119.76
1	D	806	LEU	C-N-CA	5.22	125.14	119.76
1	A	1097	SER	N-CA-C	5.22	117.12	109.24
1	D	1097	SER	N-CA-C	5.22	117.12	109.24
1	A	541	PHE	N-CA-C	5.22	117.00	109.07
1	D	541	PHE	N-CA-C	5.22	117.00	109.07
1	A	29	THR	CA-C-N	5.20	129.33	122.42
1	A	29	THR	C-N-CA	5.20	129.33	122.42
1	B	748	GLU	CA-C-N	5.20	127.20	120.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	748	GLU	C-N-CA	5.20	127.20	120.44
1	D	29	THR	CA-C-N	5.20	129.33	122.42
1	D	29	THR	C-N-CA	5.20	129.33	122.42
1	E	748	GLU	CA-C-N	5.20	127.20	120.44
1	E	748	GLU	C-N-CA	5.20	127.20	120.44
1	C	708	SER	N-CA-C	-5.20	101.95	109.59
1	F	708	SER	N-CA-C	-5.20	101.95	109.59
1	C	227	VAL	N-CA-C	5.17	117.49	108.90
1	F	227	VAL	N-CA-C	5.17	117.49	108.90
1	B	490	PHE	CA-C-N	5.16	124.77	119.56
1	B	490	PHE	C-N-CA	5.16	124.77	119.56
1	E	490	PHE	CA-C-N	5.16	124.77	119.56
1	E	490	PHE	C-N-CA	5.16	124.77	119.56
1	B	374	PHE	CA-CB-CG	-5.16	108.64	113.80
1	E	374	PHE	CA-CB-CG	-5.16	108.64	113.80
1	C	399	SER	N-CA-C	5.15	116.81	108.26
1	F	399	SER	N-CA-C	5.15	116.81	108.26
1	B	19	THR	N-CA-C	5.14	120.19	113.30
1	C	588	THR	CA-C-N	5.14	125.08	119.78
1	C	588	THR	C-N-CA	5.14	125.08	119.78
1	E	19	THR	N-CA-C	5.14	120.19	113.30
1	F	588	THR	CA-C-N	5.14	125.08	119.78
1	F	588	THR	C-N-CA	5.14	125.08	119.78
1	A	29	THR	N-CA-C	5.14	116.10	108.86
1	A	737	ASP	CA-C-N	5.14	127.12	120.44
1	A	737	ASP	C-N-CA	5.14	127.12	120.44
1	D	29	THR	N-CA-C	5.14	116.10	108.86
1	D	737	ASP	CA-C-N	5.14	127.12	120.44
1	D	737	ASP	C-N-CA	5.14	127.12	120.44
1	A	24	LEU	CA-C-N	5.13	125.67	120.38
1	A	24	LEU	C-N-CA	5.13	125.67	120.38
1	D	24	LEU	CA-C-N	5.13	125.67	120.38
1	D	24	LEU	C-N-CA	5.13	125.67	120.38
1	B	1046	GLY	N-CA-C	-5.12	104.51	112.45
1	E	1046	GLY	N-CA-C	-5.12	104.51	112.45
1	B	541	PHE	N-CA-C	5.12	116.85	109.07
1	E	541	PHE	N-CA-C	5.12	116.85	109.07
1	B	1121	PHE	CA-C-N	-5.12	116.44	123.14
1	B	1121	PHE	C-N-CA	-5.12	116.44	123.14
1	E	1121	PHE	CA-C-N	-5.12	116.44	123.14
1	E	1121	PHE	C-N-CA	-5.12	116.44	123.14
1	C	490	PHE	CA-C-N	5.12	124.73	119.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	490	PHE	C-N-CA	5.12	124.73	119.56
1	F	490	PHE	CA-C-N	5.12	124.73	119.56
1	F	490	PHE	C-N-CA	5.12	124.73	119.56
1	B	490	PHE	CA-CB-CG	-5.10	108.70	113.80
1	E	490	PHE	CA-CB-CG	-5.10	108.70	113.80
1	B	173	GLN	CA-C-N	5.10	125.01	119.76
1	B	173	GLN	C-N-CA	5.10	125.01	119.76
1	E	173	GLN	CA-C-N	5.10	125.01	119.76
1	E	173	GLN	C-N-CA	5.10	125.01	119.76
1	B	321	GLN	CA-C-N	5.08	124.98	119.85
1	B	321	GLN	C-N-CA	5.08	124.98	119.85
1	E	321	GLN	CA-C-N	5.08	124.98	119.85
1	E	321	GLN	C-N-CA	5.08	124.98	119.85
1	B	663	ASP	N-CA-C	-5.07	101.74	108.74
1	E	663	ASP	N-CA-C	-5.07	101.74	108.74
1	B	205	SER	N-CA-C	5.07	116.00	108.60
1	E	205	SER	N-CA-C	5.07	116.00	108.60
1	A	321	GLN	CA-C-N	5.04	124.94	119.85
1	A	321	GLN	C-N-CA	5.04	124.94	119.85
1	C	213	VAL	N-CA-C	5.04	116.14	111.81
1	D	321	GLN	CA-C-N	5.04	124.94	119.85
1	D	321	GLN	C-N-CA	5.04	124.94	119.85
1	F	213	VAL	N-CA-C	5.04	116.14	111.81
1	A	56	LEU	N-CA-C	-5.04	102.10	109.50
1	D	56	LEU	N-CA-C	-5.04	102.10	109.50
1	A	245	HIS	N-CA-C	5.03	117.77	109.72
1	D	245	HIS	N-CA-C	5.03	117.77	109.72
1	A	691	SER	N-CA-C	5.03	116.46	108.96
1	D	691	SER	N-CA-C	5.03	116.46	108.96
1	A	383	SER	CA-C-N	5.02	124.68	119.56
1	A	383	SER	C-N-CA	5.02	124.68	119.56
1	D	383	SER	CA-C-N	5.02	124.68	119.56
1	D	383	SER	C-N-CA	5.02	124.68	119.56
1	A	433	VAL	N-CA-C	5.01	115.13	108.11
1	D	433	VAL	N-CA-C	5.01	115.13	108.11
1	B	503	VAL	N-CA-C	5.00	115.72	110.62
1	E	503	VAL	N-CA-C	5.00	115.72	110.62

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8739	0	8502	14	0
1	B	8657	0	8418	17	0
1	C	8648	0	8410	18	0
1	D	8739	0	8502	13	0
1	E	8657	0	8418	20	0
1	F	8648	0	8410	16	0
2	0	28	0	25	0	0
2	1	28	0	25	0	0
2	2	28	0	25	0	0
2	3	28	0	25	0	0
2	4	28	0	25	0	0
2	5	28	0	25	0	0
2	7	28	0	25	0	0
2	8	28	0	25	0	0
2	9	28	0	25	0	0
2	AA	28	0	25	0	0
2	BA	28	0	25	0	0
2	CA	28	0	25	0	0
2	DA	28	0	25	0	0
2	EA	28	0	25	0	0
2	FA	28	0	25	0	0
2	G	28	0	25	0	0
2	GA	28	0	25	0	0
2	H	28	0	25	0	0
2	HA	28	0	25	0	0
2	I	28	0	25	0	0
2	IA	28	0	25	0	0
2	J	28	0	25	0	0
2	JA	28	0	25	0	0
2	K	28	0	25	0	0
2	KA	28	0	25	0	0
2	L	28	0	25	0	0
2	LA	28	0	25	0	0
2	M	28	0	25	0	0
2	MA	28	0	25	1	0
2	N	28	0	25	0	0
2	NA	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	O	28	0	25	0	0
2	OA	28	0	25	0	0
2	P	28	0	25	0	0
2	PA	28	0	25	0	0
2	Q	28	0	25	0	0
2	QA	28	0	25	0	0
2	R	28	0	25	0	0
2	RA	28	0	25	0	0
2	SA	28	0	25	0	0
2	T	28	0	25	0	0
2	TA	28	0	25	0	0
2	U	28	0	25	0	0
2	UA	28	0	25	1	0
2	V	28	0	25	0	0
2	VA	28	0	25	0	0
2	W	28	0	25	0	0
2	WA	28	0	25	0	0
2	X	28	0	25	0	0
2	Y	28	0	25	0	0
2	Z	28	0	25	0	0
2	a	28	0	25	0	0
2	b	28	0	25	0	0
2	c	28	0	25	0	0
2	d	28	0	25	0	0
2	e	28	0	25	0	0
2	f	28	0	25	0	0
2	g	28	0	25	0	0
2	h	28	0	25	0	0
2	i	28	0	25	1	0
2	j	28	0	25	0	0
2	k	28	0	25	0	0
2	l	28	0	25	0	0
2	m	28	0	25	0	0
2	n	28	0	25	0	0
2	o	28	0	25	0	0
2	p	28	0	25	0	0
2	q	28	0	25	1	0
2	r	28	0	25	0	0
2	s	28	0	25	0	0
2	u	28	0	25	0	0
2	v	28	0	25	0	0
2	w	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	x	28	0	25	0	0
2	y	28	0	25	0	0
2	z	28	0	25	0	0
3	6	38	0	34	1	0
3	S	38	0	34	1	0
4	XA	49	0	43	0	0
4	t	49	0	43	0	0
5	A	42	0	38	0	0
5	B	28	0	26	0	0
5	C	42	0	38	0	0
5	D	42	0	38	0	0
5	E	28	0	26	0	0
5	F	42	0	38	0	0
All	All	54614	0	52918	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:6:1:NAG:H4	3:6:3:FUC:H5	1.50	0.90
3:S:1:NAG:H4	3:S:3:FUC:H5	1.50	0.89
1:C:146:HIS:HE1	1:C:152:TRP:CE2	2.10	0.69
1:F:146:HIS:HE1	1:F:152:TRP:CE2	2.10	0.69
1:C:145:TYR:CD2	1:C:145:TYR:C	2.83	0.56
1:C:663:ASP:O	1:C:664:ILE:C	2.49	0.56
1:C:843:ASP:N	1:C:843:ASP:OD1	2.38	0.55
1:F:663:ASP:O	1:F:664:ILE:C	2.49	0.55
1:E:663:ASP:O	1:E:664:ILE:C	2.50	0.55
1:F:843:ASP:N	1:F:843:ASP:OD1	2.38	0.54
1:F:146:HIS:HE1	1:F:152:TRP:CD2	2.26	0.54
1:B:663:ASP:O	1:B:664:ILE:C	2.50	0.54
1:C:146:HIS:HE1	1:C:152:TRP:CD2	2.26	0.54
1:D:663:ASP:O	1:D:664:ILE:C	2.51	0.54
1:F:145:TYR:CD2	1:F:145:TYR:C	2.83	0.53
1:A:707:TYR:O	1:A:707:TYR:CG	2.61	0.53
1:A:663:ASP:O	1:A:664:ILE:C	2.51	0.52
1:D:707:TYR:CG	1:D:707:TYR:O	2.61	0.52
1:D:843:ASP:N	1:D:843:ASP:OD1	2.43	0.51
1:E:843:ASP:N	1:E:843:ASP:OD1	2.46	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:843:ASP:N	1:A:843:ASP:OD1	2.43	0.49
1:A:1084:ASP:OD2	1:A:1086:LYS:NZ	2.44	0.49
1:C:707:TYR:O	1:C:707:TYR:CG	2.65	0.48
1:F:707:TYR:CG	1:F:707:TYR:O	2.65	0.48
1:F:1096:VAL:HG13	1:F:1103:PHE:CE1	2.48	0.48
1:C:1096:VAL:HG13	1:C:1103:PHE:CE1	2.48	0.47
1:A:468:ILE:HB	2:q:1:NAG:H82	1.96	0.47
1:B:145:TYR:O	1:B:146:HIS:C	2.58	0.47
1:B:843:ASP:OD1	1:B:843:ASP:N	2.46	0.47
1:E:1084:ASP:OD2	1:E:1086:LYS:NZ	2.43	0.47
1:D:193:VAL:HG12	1:D:204:TYR:HB2	1.97	0.47
1:E:145:TYR:O	1:E:146:HIS:C	2.58	0.47
1:D:468:ILE:HB	2:UA:1:NAG:H82	1.96	0.46
1:E:664:ILE:O	1:E:664:ILE:HG22	2.16	0.46
1:A:193:VAL:HG12	1:A:204:TYR:HB2	1.97	0.45
1:F:600:PRO:O	1:F:601:GLY:C	2.58	0.45
1:B:664:ILE:O	1:B:664:ILE:HG22	2.16	0.45
1:A:79:PHE:CZ	1:A:242:LEU:HB2	2.52	0.45
1:C:266:TYR:CD1	1:C:266:TYR:N	2.85	0.44
1:D:1084:ASP:OD2	1:D:1086:LYS:NZ	2.44	0.44
1:D:79:PHE:CZ	1:D:242:LEU:HB2	2.52	0.44
1:A:1142:GLN:N	1:A:1143:PRO:CD	2.81	0.44
1:C:1028:LYS:O	1:C:1029:MET:C	2.60	0.44
1:F:266:TYR:CD1	1:F:266:TYR:N	2.85	0.44
1:F:710:ASN:HA	2:MA:1:NAG:H82	2.00	0.44
1:A:1096:VAL:HG13	1:A:1103:PHE:CE1	2.53	0.44
1:D:1142:GLN:N	1:D:1143:PRO:CD	2.81	0.44
1:D:1096:VAL:HG13	1:D:1103:PHE:CE1	2.53	0.43
1:F:76:THR:O	1:F:77:LYS:C	2.61	0.43
1:B:81:ASN:N	1:B:82:PRO:CD	2.81	0.43
1:B:600:PRO:O	1:B:601:GLY:C	2.60	0.43
1:C:76:THR:O	1:C:77:LYS:C	2.61	0.43
1:B:969:ASN:OD1	1:B:969:ASN:N	2.49	0.43
1:C:710:ASN:HA	2:i:1:NAG:H82	2.00	0.43
1:E:440:ASN:OD1	1:E:440:ASN:N	2.50	0.43
1:C:600:PRO:O	1:C:601:GLY:C	2.58	0.43
1:E:81:ASN:N	1:E:82:PRO:CD	2.81	0.43
1:E:1030:SER:HB3	1:F:1041:ASP:HB2	2.01	0.42
1:B:1030:SER:HB3	1:C:1041:ASP:HB2	2.01	0.42
1:E:657:ASN:OD1	1:E:657:ASN:N	2.52	0.42
1:A:1097:SER:HB3	1:A:1102:TRP:CD2	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:193:VAL:HG12	1:E:204:TYR:HB2	2.00	0.42
1:B:193:VAL:HG12	1:B:204:TYR:HB2	2.00	0.42
1:C:1097:SER:HB3	1:C:1102:TRP:CD2	2.54	0.42
1:D:1075:PHE:HB2	1:D:1096:VAL:CG2	2.50	0.42
1:B:707:TYR:O	1:B:707:TYR:CG	2.73	0.42
1:B:800:PHE:HB3	1:B:802:PHE:CE1	2.55	0.42
1:C:568:ASP:OD1	1:C:568:ASP:C	2.63	0.42
1:E:802:PHE:CE1	1:E:882:ILE:HD11	2.55	0.42
1:F:1097:SER:HB3	1:F:1102:TRP:CD2	2.54	0.42
1:A:1075:PHE:HB2	1:A:1096:VAL:CG2	2.50	0.42
1:E:707:TYR:O	1:E:707:TYR:CG	2.73	0.42
1:E:800:PHE:HB3	1:E:802:PHE:CE1	2.55	0.42
1:D:1097:SER:HB3	1:D:1102:TRP:CD2	2.55	0.41
1:A:440:ASN:OD1	1:A:440:ASN:N	2.53	0.41
1:C:146:HIS:CE1	1:C:152:TRP:CE2	3.01	0.41
1:E:969:ASN:OD1	1:E:969:ASN:N	2.49	0.41
1:B:1097:SER:HB3	1:B:1102:TRP:CD2	2.55	0.41
1:E:707:TYR:O	1:E:707:TYR:CD2	2.74	0.41
1:F:81:ASN:N	1:F:82:PRO:CD	2.83	0.41
1:E:1097:SER:HB3	1:E:1102:TRP:CD2	2.55	0.41
1:F:1028:LYS:O	1:F:1029:MET:C	2.60	0.41
1:B:133:PHE:HB2	1:B:135:PHE:CE1	2.56	0.41
1:B:151:SER:O	1:B:152:TRP:C	2.64	0.41
1:D:718:PHE:CD1	1:D:718:PHE:C	2.99	0.41
1:E:600:PRO:O	1:E:601:GLY:C	2.60	0.41
1:A:644:GLN:OE1	1:A:644:GLN:N	2.53	0.41
1:A:718:PHE:CD1	1:A:718:PHE:C	2.99	0.41
1:C:146:HIS:HD2	1:C:247:SER:CB	2.34	0.41
1:D:644:GLN:OE1	1:D:644:GLN:N	2.53	0.41
1:C:81:ASN:N	1:C:82:PRO:CD	2.83	0.41
1:B:802:PHE:CE1	1:B:882:ILE:HD11	2.55	0.40
1:E:133:PHE:HB2	1:E:135:PHE:CE1	2.56	0.40
1:E:151:SER:O	1:E:152:TRP:C	2.64	0.40
1:F:146:HIS:HD2	1:F:247:SER:CB	2.34	0.40
1:B:568:ASP:OD1	1:B:568:ASP:C	2.65	0.40
1:B:707:TYR:O	1:B:707:TYR:CD2	2.74	0.40
1:E:144:TYR:CG	1:E:145:TYR:N	2.90	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1116/1273 (88%)	1097 (98%)	19 (2%)	0	100	100
1	B	1103/1273 (87%)	1073 (97%)	30 (3%)	0	100	100
1	C	1102/1273 (87%)	1083 (98%)	19 (2%)	0	100	100
1	D	1116/1273 (88%)	1097 (98%)	19 (2%)	0	100	100
1	E	1103/1273 (87%)	1073 (97%)	30 (3%)	0	100	100
1	F	1102/1273 (87%)	1083 (98%)	19 (2%)	0	100	100
All	All	6642/7638 (87%)	6506 (98%)	136 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	973/1112 (88%)	972 (100%)	1 (0%)	88	88
1	B	964/1112 (87%)	963 (100%)	1 (0%)	88	88
1	C	963/1112 (87%)	963 (100%)	0	100	100
1	D	973/1112 (88%)	972 (100%)	1 (0%)	88	88
1	E	964/1112 (87%)	963 (100%)	1 (0%)	88	88
1	F	963/1112 (87%)	963 (100%)	0	100	100
All	All	5800/6672 (87%)	5796 (100%)	4 (0%)	87	88

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	ASN
1	B	1074	ASN
1	D	122	ASN
1	E	1074	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (69) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	52	GLN
1	A	69	HIS
1	A	81	ASN
1	A	173	GLN
1	A	188	ASN
1	A	245	HIS
1	A	437	ASN
1	A	506	GLN
1	A	580	GLN
1	A	641	ASN
1	A	690	GLN
1	A	856	ASN
1	A	913	GLN
1	A	955	ASN
1	A	1011	GLN
1	A	1036	GLN
1	B	52	GLN
1	B	437	ASN
1	B	506	GLN
1	B	606	ASN
1	B	710	ASN
1	B	784	GLN
1	B	856	ASN
1	B	920	GLN
1	B	1011	GLN
1	C	52	GLN
1	C	146	HIS
1	C	437	ASN
1	C	506	GLN
1	C	536	ASN
1	C	641	ASN
1	C	856	ASN
1	C	955	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	1010	GLN
1	C	1011	GLN
1	D	52	GLN
1	D	69	HIS
1	D	81	ASN
1	D	173	GLN
1	D	188	ASN
1	D	245	HIS
1	D	437	ASN
1	D	506	GLN
1	D	580	GLN
1	D	641	ASN
1	D	690	GLN
1	D	856	ASN
1	D	913	GLN
1	D	955	ASN
1	D	1011	GLN
1	D	1036	GLN
1	E	52	GLN
1	E	437	ASN
1	E	439	ASN
1	E	606	ASN
1	E	710	ASN
1	E	784	GLN
1	E	856	ASN
1	E	920	GLN
1	E	1011	GLN
1	F	146	HIS
1	F	437	ASN
1	F	506	GLN
1	F	536	ASN
1	F	641	ASN
1	F	856	ASN
1	F	955	ASN
1	F	1010	GLN
1	F	1011	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

166 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	0	1	1,2	14,14,15	2.27	5 (35%)	17,19,21	1.19	1 (5%)
2	NAG	0	2	2	14,14,15	2.11	4 (28%)	17,19,21	0.86	1 (5%)
2	NAG	1	1	1,2	14,14,15	2.20	6 (42%)	17,19,21	1.17	3 (17%)
2	NAG	1	2	2	14,14,15	1.97	6 (42%)	17,19,21	0.88	1 (5%)
2	NAG	2	1	1,2	14,14,15	2.22	5 (35%)	17,19,21	0.95	1 (5%)
2	NAG	2	2	2	14,14,15	2.06	7 (50%)	17,19,21	0.90	1 (5%)
2	NAG	3	1	1,2	14,14,15	2.14	6 (42%)	17,19,21	1.50	4 (23%)
2	NAG	3	2	2	14,14,15	2.15	5 (35%)	17,19,21	0.92	1 (5%)
2	NAG	4	1	1,2	14,14,15	2.27	6 (42%)	17,19,21	1.11	0
2	NAG	4	2	2	14,14,15	2.08	5 (35%)	17,19,21	0.88	1 (5%)
2	NAG	5	1	1,2	14,14,15	2.14	5 (35%)	17,19,21	1.27	3 (17%)
2	NAG	5	2	2	14,14,15	2.04	6 (42%)	17,19,21	1.03	1 (5%)
3	NAG	6	1	1,3	14,14,15	0.38	0	17,19,21	0.64	0
3	NAG	6	2	3	14,14,15	0.37	0	17,19,21	0.41	0
3	FUC	6	3	3	10,10,11	0.28	0	14,14,16	0.31	0
2	NAG	7	1	1,2	14,14,15	2.25	6 (42%)	17,19,21	1.19	1 (5%)
2	NAG	7	2	2	14,14,15	2.11	5 (35%)	17,19,21	0.90	2 (11%)
2	NAG	8	1	1,2	14,14,15	2.17	7 (50%)	17,19,21	1.12	1 (5%)
2	NAG	8	2	2	14,14,15	2.02	5 (35%)	17,19,21	0.87	1 (5%)
2	NAG	9	1	1,2	14,14,15	2.21	6 (42%)	17,19,21	1.18	2 (11%)
2	NAG	9	2	2	14,14,15	2.12	5 (35%)	17,19,21	0.91	1 (5%)
2	NAG	AA	1	1,2	14,14,15	2.20	6 (42%)	17,19,21	1.03	2 (11%)
2	NAG	AA	2	2	14,14,15	2.07	7 (50%)	17,19,21	0.94	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	BA	1	1,2	14,14,15	2.15	6 (42%)	17,19,21	0.91	1 (5%)
2	NAG	BA	2	2	14,14,15	2.12	6 (42%)	17,19,21	0.83	1 (5%)
2	NAG	CA	1	1,2	14,14,15	2.27	7 (50%)	17,19,21	1.11	2 (11%)
2	NAG	CA	2	2	14,14,15	2.12	4 (28%)	17,19,21	0.82	0
2	NAG	DA	1	1,2	14,14,15	2.32	7 (50%)	17,19,21	1.24	3 (17%)
2	NAG	DA	2	2	14,14,15	2.08	4 (28%)	17,19,21	0.96	1 (5%)
2	NAG	EA	1	1,2	14,14,15	2.32	5 (35%)	17,19,21	0.94	0
2	NAG	EA	2	2	14,14,15	2.00	6 (42%)	17,19,21	0.94	1 (5%)
2	NAG	FA	1	1,2	14,14,15	2.23	7 (50%)	17,19,21	1.12	2 (11%)
2	NAG	FA	2	2	14,14,15	2.05	7 (50%)	17,19,21	0.91	1 (5%)
2	NAG	G	1	1,2	14,14,15	2.18	5 (35%)	17,19,21	1.06	1 (5%)
2	NAG	G	2	2	14,14,15	2.01	6 (42%)	17,19,21	0.92	1 (5%)
2	NAG	GA	1	1,2	14,14,15	2.00	7 (50%)	17,19,21	1.34	1 (5%)
2	NAG	GA	2	2	14,14,15	2.12	5 (35%)	17,19,21	0.99	2 (11%)
2	NAG	H	1	1,2	14,14,15	2.11	7 (50%)	17,19,21	1.06	0
2	NAG	H	2	2	14,14,15	2.03	6 (42%)	17,19,21	0.93	1 (5%)
2	NAG	HA	1	1,2	14,14,15	2.16	5 (35%)	17,19,21	1.15	2 (11%)
2	NAG	HA	2	2	14,14,15	1.97	5 (35%)	17,19,21	0.84	1 (5%)
2	NAG	I	1	1,2	14,14,15	2.33	7 (50%)	17,19,21	1.22	2 (11%)
2	NAG	I	2	2	14,14,15	2.17	6 (42%)	17,19,21	0.93	1 (5%)
2	NAG	IA	1	1,2	14,14,15	2.13	6 (42%)	17,19,21	1.20	2 (11%)
2	NAG	IA	2	2	14,14,15	2.11	4 (28%)	17,19,21	0.90	1 (5%)
2	NAG	J	1	1,2	14,14,15	2.25	5 (35%)	17,19,21	1.38	3 (17%)
2	NAG	J	2	2	14,14,15	2.20	6 (42%)	17,19,21	0.92	1 (5%)
2	NAG	JA	1	1,2	14,14,15	2.19	5 (35%)	17,19,21	1.00	0
2	NAG	JA	2	2	14,14,15	2.08	5 (35%)	17,19,21	0.86	0
2	NAG	K	1	1,2	14,14,15	2.33	7 (50%)	17,19,21	1.06	2 (11%)
2	NAG	K	2	2	14,14,15	1.97	4 (28%)	17,19,21	0.87	1 (5%)
2	NAG	KA	1	1,2	14,14,15	2.23	5 (35%)	17,19,21	0.96	1 (5%)
2	NAG	KA	2	2	14,14,15	1.93	6 (42%)	17,19,21	2.12	2 (11%)
2	NAG	L	1	1,2	14,14,15	2.24	5 (35%)	17,19,21	0.98	0
2	NAG	L	2	2	14,14,15	1.91	6 (42%)	17,19,21	0.99	1 (5%)
2	NAG	LA	1	1,2	14,14,15	2.18	6 (42%)	17,19,21	1.15	1 (5%)
2	NAG	LA	2	2	14,14,15	2.02	5 (35%)	17,19,21	0.92	1 (5%)
2	NAG	M	1	1,2	14,14,15	2.27	5 (35%)	17,19,21	1.19	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	M	2	2	14,14,15	2.11	4 (28%)	17,19,21	0.86	1 (5%)
2	NAG	MA	1	1,2	14,14,15	2.30	7 (50%)	17,19,21	1.08	2 (11%)
2	NAG	MA	2	2	14,14,15	2.03	6 (42%)	17,19,21	0.89	1 (5%)
2	NAG	N	1	1,2	14,14,15	2.20	6 (42%)	17,19,21	1.17	3 (17%)
2	NAG	N	2	2	14,14,15	1.97	6 (42%)	17,19,21	0.88	1 (5%)
2	NAG	NA	1	1,2	14,14,15	2.29	7 (50%)	17,19,21	1.12	2 (11%)
2	NAG	NA	2	2	14,14,15	2.11	6 (42%)	17,19,21	0.98	1 (5%)
2	NAG	O	1	1,2	14,14,15	2.22	5 (35%)	17,19,21	0.95	1 (5%)
2	NAG	O	2	2	14,14,15	2.06	7 (50%)	17,19,21	0.90	1 (5%)
2	NAG	OA	1	1,2	14,14,15	2.19	6 (42%)	17,19,21	1.32	2 (11%)
2	NAG	OA	2	2	14,14,15	2.13	6 (42%)	17,19,21	0.90	1 (5%)
2	NAG	P	1	1,2	14,14,15	2.14	6 (42%)	17,19,21	1.50	4 (23%)
2	NAG	P	2	2	14,14,15	2.15	5 (35%)	17,19,21	0.92	1 (5%)
2	NAG	PA	1	1,2	14,14,15	2.37	7 (50%)	17,19,21	1.24	2 (11%)
2	NAG	PA	2	2	14,14,15	1.98	5 (35%)	17,19,21	0.95	1 (5%)
2	NAG	Q	1	1,2	14,14,15	2.27	6 (42%)	17,19,21	1.11	0
2	NAG	Q	2	2	14,14,15	2.08	5 (35%)	17,19,21	0.88	1 (5%)
2	NAG	QA	1	1,2	14,14,15	2.16	4 (28%)	17,19,21	1.06	1 (5%)
2	NAG	QA	2	2	14,14,15	2.03	6 (42%)	17,19,21	1.01	2 (11%)
2	NAG	R	1	1,2	14,14,15	2.14	5 (35%)	17,19,21	1.27	3 (17%)
2	NAG	R	2	2	14,14,15	2.04	6 (42%)	17,19,21	1.03	1 (5%)
2	NAG	RA	1	1,2	14,14,15	2.29	6 (42%)	17,19,21	1.04	2 (11%)
2	NAG	RA	2	2	14,14,15	2.05	7 (50%)	17,19,21	0.93	1 (5%)
3	NAG	S	1	1,3	14,14,15	0.37	0	17,19,21	0.64	0
3	NAG	S	2	3	14,14,15	0.39	0	17,19,21	0.42	0
3	FUC	S	3	3	10,10,11	0.29	0	14,14,16	0.30	0
2	NAG	SA	1	1,2	14,14,15	2.11	6 (42%)	17,19,21	1.32	2 (11%)
2	NAG	SA	2	2	14,14,15	1.96	4 (28%)	17,19,21	0.84	1 (5%)
2	NAG	T	1	1,2	14,14,15	2.25	6 (42%)	17,19,21	1.19	1 (5%)
2	NAG	T	2	2	14,14,15	2.11	5 (35%)	17,19,21	0.90	2 (11%)
2	NAG	TA	1	1,2	14,14,15	2.04	7 (50%)	17,19,21	1.16	2 (11%)
2	NAG	TA	2	2	14,14,15	1.99	5 (35%)	17,19,21	0.87	1 (5%)
2	NAG	U	1	1,2	14,14,15	2.17	7 (50%)	17,19,21	1.12	1 (5%)
2	NAG	U	2	2	14,14,15	2.02	5 (35%)	17,19,21	0.87	1 (5%)
2	NAG	UA	1	1,2	14,14,15	2.06	6 (42%)	17,19,21	1.23	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	UA	2	2	14,14,15	2.16	5 (35%)	17,19,21	0.97	1 (5%)
2	NAG	V	1	1,2	14,14,15	2.21	6 (42%)	17,19,21	1.18	2 (11%)
2	NAG	V	2	2	14,14,15	2.12	5 (35%)	17,19,21	0.91	1 (5%)
2	NAG	VA	1	1,2	14,14,15	2.10	5 (35%)	17,19,21	0.93	0
2	NAG	VA	2	2	14,14,15	1.88	5 (35%)	17,19,21	1.00	2 (11%)
2	NAG	W	1	1,2	14,14,15	2.20	6 (42%)	17,19,21	1.03	2 (11%)
2	NAG	W	2	2	14,14,15	2.07	7 (50%)	17,19,21	0.94	1 (5%)
2	NAG	WA	1	1,2	14,14,15	2.11	4 (28%)	17,19,21	1.27	2 (11%)
2	NAG	WA	2	2	14,14,15	2.09	5 (35%)	17,19,21	1.07	2 (11%)
2	NAG	X	1	1,2	14,14,15	2.15	6 (42%)	17,19,21	0.91	1 (5%)
2	NAG	X	2	2	14,14,15	2.12	6 (42%)	17,19,21	0.83	1 (5%)
4	NAG	XA	1	1,4	14,14,15	1.47	2 (14%)	17,19,21	1.08	1 (5%)
4	NAG	XA	2	4	14,14,15	2.05	6 (42%)	17,19,21	0.96	1 (5%)
4	BMA	XA	3	4	11,11,12	1.88	4 (36%)	15,15,17	0.71	0
4	FUC	XA	4	4	10,10,11	1.94	5 (50%)	14,14,16	0.61	0
2	NAG	Y	1	1,2	14,14,15	2.27	7 (50%)	17,19,21	1.11	2 (11%)
2	NAG	Y	2	2	14,14,15	2.12	4 (28%)	17,19,21	0.82	0
2	NAG	Z	1	1,2	14,14,15	2.32	7 (50%)	17,19,21	1.24	3 (17%)
2	NAG	Z	2	2	14,14,15	2.08	4 (28%)	17,19,21	0.96	1 (5%)
2	NAG	a	1	1,2	14,14,15	2.32	5 (35%)	17,19,21	0.94	0
2	NAG	a	2	2	14,14,15	2.00	6 (42%)	17,19,21	0.94	1 (5%)
2	NAG	b	1	1,2	14,14,15	2.23	7 (50%)	17,19,21	1.12	2 (11%)
2	NAG	b	2	2	14,14,15	2.05	7 (50%)	17,19,21	0.91	1 (5%)
2	NAG	c	1	1,2	14,14,15	2.00	7 (50%)	17,19,21	1.34	1 (5%)
2	NAG	c	2	2	14,14,15	2.12	5 (35%)	17,19,21	0.99	2 (11%)
2	NAG	d	1	1,2	14,14,15	2.16	5 (35%)	17,19,21	1.15	2 (11%)
2	NAG	d	2	2	14,14,15	1.97	5 (35%)	17,19,21	0.84	1 (5%)
2	NAG	e	1	1,2	14,14,15	2.13	6 (42%)	17,19,21	1.20	2 (11%)
2	NAG	e	2	2	14,14,15	2.11	4 (28%)	17,19,21	0.90	1 (5%)
2	NAG	f	1	1,2	14,14,15	2.19	5 (35%)	17,19,21	1.00	0
2	NAG	f	2	2	14,14,15	2.08	5 (35%)	17,19,21	0.86	0
2	NAG	g	1	1,2	14,14,15	2.23	5 (35%)	17,19,21	0.96	1 (5%)
2	NAG	g	2	2	14,14,15	1.93	6 (42%)	17,19,21	2.12	2 (11%)
2	NAG	h	1	1,2	14,14,15	2.18	6 (42%)	17,19,21	1.15	1 (5%)
2	NAG	h	2	2	14,14,15	2.02	5 (35%)	17,19,21	0.92	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	i	1	1,2	14,14,15	2.30	7 (50%)	17,19,21	1.08	2 (11%)
2	NAG	i	2	2	14,14,15	2.03	6 (42%)	17,19,21	0.89	1 (5%)
2	NAG	j	1	1,2	14,14,15	2.29	7 (50%)	17,19,21	1.12	2 (11%)
2	NAG	j	2	2	14,14,15	2.11	6 (42%)	17,19,21	0.98	1 (5%)
2	NAG	k	1	1,2	14,14,15	2.19	6 (42%)	17,19,21	1.32	2 (11%)
2	NAG	k	2	2	14,14,15	2.13	6 (42%)	17,19,21	0.90	1 (5%)
2	NAG	l	1	1,2	14,14,15	2.37	7 (50%)	17,19,21	1.24	2 (11%)
2	NAG	l	2	2	14,14,15	1.98	5 (35%)	17,19,21	0.95	1 (5%)
2	NAG	m	1	1,2	14,14,15	2.16	4 (28%)	17,19,21	1.06	1 (5%)
2	NAG	m	2	2	14,14,15	2.03	6 (42%)	17,19,21	1.01	2 (11%)
2	NAG	n	1	1,2	14,14,15	2.29	6 (42%)	17,19,21	1.04	2 (11%)
2	NAG	n	2	2	14,14,15	2.05	7 (50%)	17,19,21	0.93	1 (5%)
2	NAG	o	1	1,2	14,14,15	2.11	6 (42%)	17,19,21	1.32	2 (11%)
2	NAG	o	2	2	14,14,15	1.96	4 (28%)	17,19,21	0.84	1 (5%)
2	NAG	p	1	1,2	14,14,15	2.04	7 (50%)	17,19,21	1.16	2 (11%)
2	NAG	p	2	2	14,14,15	1.99	5 (35%)	17,19,21	0.87	1 (5%)
2	NAG	q	1	1,2	14,14,15	2.06	6 (42%)	17,19,21	1.23	2 (11%)
2	NAG	q	2	2	14,14,15	2.16	5 (35%)	17,19,21	0.97	1 (5%)
2	NAG	r	1	1,2	14,14,15	2.10	5 (35%)	17,19,21	0.93	0
2	NAG	r	2	2	14,14,15	1.88	5 (35%)	17,19,21	1.00	2 (11%)
2	NAG	s	1	1,2	14,14,15	2.11	4 (28%)	17,19,21	1.27	2 (11%)
2	NAG	s	2	2	14,14,15	2.09	5 (35%)	17,19,21	1.07	2 (11%)
4	NAG	t	1	1,4	14,14,15	1.47	2 (14%)	17,19,21	1.08	1 (5%)
4	NAG	t	2	4	14,14,15	2.05	6 (42%)	17,19,21	0.96	1 (5%)
4	BMA	t	3	4	11,11,12	1.88	4 (36%)	15,15,17	0.71	0
4	FUC	t	4	4	10,10,11	1.94	5 (50%)	14,14,16	0.61	0
2	NAG	u	1	1,2	14,14,15	2.18	5 (35%)	17,19,21	1.06	1 (5%)
2	NAG	u	2	2	14,14,15	2.01	6 (42%)	17,19,21	0.92	1 (5%)
2	NAG	v	1	1,2	14,14,15	2.11	7 (50%)	17,19,21	1.06	0
2	NAG	v	2	2	14,14,15	2.03	6 (42%)	17,19,21	0.93	1 (5%)
2	NAG	w	1	1,2	14,14,15	2.33	7 (50%)	17,19,21	1.22	2 (11%)
2	NAG	w	2	2	14,14,15	2.17	6 (42%)	17,19,21	0.93	1 (5%)
2	NAG	x	1	1,2	14,14,15	2.25	5 (35%)	17,19,21	1.38	3 (17%)
2	NAG	x	2	2	14,14,15	2.20	6 (42%)	17,19,21	0.92	1 (5%)
2	NAG	y	1	1,2	14,14,15	2.33	7 (50%)	17,19,21	1.06	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	y	2	2	14,14,15	1.97	4 (28%)	17,19,21	0.87	1 (5%)
2	NAG	z	1	1,2	14,14,15	2.24	5 (35%)	17,19,21	0.98	0
2	NAG	z	2	2	14,14,15	1.91	6 (42%)	17,19,21	0.99	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	0	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	0	2	2	-	0/6/23/26	0/1/1/1
2	NAG	1	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	1	2	2	-	0/6/23/26	0/1/1/1
2	NAG	2	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	2	2	2	-	0/6/23/26	0/1/1/1
2	NAG	3	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	3	2	2	-	0/6/23/26	0/1/1/1
2	NAG	4	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	4	2	2	-	0/6/23/26	0/1/1/1
2	NAG	5	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	5	2	2	-	0/6/23/26	0/1/1/1
3	NAG	6	1	1,3	-	4/6/23/26	0/1/1/1
3	NAG	6	2	3	-	2/6/23/26	0/1/1/1
3	FUC	6	3	3	-	-	0/1/1/1
2	NAG	7	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	7	2	2	-	0/6/23/26	0/1/1/1
2	NAG	8	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	8	2	2	-	0/6/23/26	0/1/1/1
2	NAG	9	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	9	2	2	-	0/6/23/26	0/1/1/1
2	NAG	AA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	AA	2	2	-	1/6/23/26	0/1/1/1
2	NAG	BA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	BA	2	2	-	0/6/23/26	0/1/1/1
2	NAG	CA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	CA	2	2	-	0/6/23/26	0/1/1/1
2	NAG	DA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	DA	2	2	-	2/6/23/26	0/1/1/1
2	NAG	EA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	EA	2	2	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	FA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	FA	2	2	-	0/6/23/26	0/1/1/1
2	NAG	G	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	G	2	2	-	0/6/23/26	0/1/1/1
2	NAG	GA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	GA	2	2	-	0/6/23/26	0/1/1/1
2	NAG	H	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	H	2	2	-	0/6/23/26	0/1/1/1
2	NAG	HA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	HA	2	2	-	0/6/23/26	0/1/1/1
2	NAG	I	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	I	2	2	-	0/6/23/26	0/1/1/1
2	NAG	IA	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	IA	2	2	-	0/6/23/26	0/1/1/1
2	NAG	J	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	J	2	2	-	0/6/23/26	0/1/1/1
2	NAG	JA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	JA	2	2	-	0/6/23/26	0/1/1/1
2	NAG	K	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	K	2	2	-	0/6/23/26	0/1/1/1
2	NAG	KA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	KA	2	2	-	3/6/23/26	0/1/1/1
2	NAG	L	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	L	2	2	-	0/6/23/26	0/1/1/1
2	NAG	LA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	LA	2	2	-	0/6/23/26	0/1/1/1
2	NAG	M	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	M	2	2	-	0/6/23/26	0/1/1/1
2	NAG	MA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	MA	2	2	-	0/6/23/26	0/1/1/1
2	NAG	N	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	N	2	2	-	0/6/23/26	0/1/1/1
2	NAG	NA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	NA	2	2	-	1/6/23/26	0/1/1/1
2	NAG	O	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	O	2	2	-	0/6/23/26	0/1/1/1
2	NAG	OA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	OA	2	2	-	1/6/23/26	0/1/1/1
2	NAG	P	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	P	2	2	-	0/6/23/26	0/1/1/1
2	NAG	PA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	PA	2	2	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	Q	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	Q	2	2	-	0/6/23/26	0/1/1/1
2	NAG	QA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	QA	2	2	-	0/6/23/26	0/1/1/1
2	NAG	R	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	R	2	2	-	0/6/23/26	0/1/1/1
2	NAG	RA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	RA	2	2	-	0/6/23/26	0/1/1/1
3	NAG	S	1	1,3	-	4/6/23/26	0/1/1/1
3	NAG	S	2	3	-	2/6/23/26	0/1/1/1
3	FUC	S	3	3	-	-	0/1/1/1
2	NAG	SA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	SA	2	2	-	1/6/23/26	0/1/1/1
2	NAG	T	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	T	2	2	-	0/6/23/26	0/1/1/1
2	NAG	TA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	TA	2	2	-	0/6/23/26	0/1/1/1
2	NAG	U	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	U	2	2	-	0/6/23/26	0/1/1/1
2	NAG	UA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	UA	2	2	-	1/6/23/26	0/1/1/1
2	NAG	V	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	V	2	2	-	0/6/23/26	0/1/1/1
2	NAG	VA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	VA	2	2	-	0/6/23/26	0/1/1/1
2	NAG	W	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	W	2	2	-	1/6/23/26	0/1/1/1
2	NAG	WA	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	WA	2	2	-	0/6/23/26	0/1/1/1
2	NAG	X	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	X	2	2	-	0/6/23/26	0/1/1/1
4	NAG	XA	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	XA	2	4	-	0/6/23/26	0/1/1/1
4	BMA	XA	3	4	-	0/2/19/22	0/1/1/1
4	FUC	XA	4	4	-	-	0/1/1/1
2	NAG	Y	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	Y	2	2	-	0/6/23/26	0/1/1/1
2	NAG	Z	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	Z	2	2	-	2/6/23/26	0/1/1/1
2	NAG	a	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	a	2	2	-	0/6/23/26	0/1/1/1
2	NAG	b	1	1,2	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	b	2	2	-	0/6/23/26	0/1/1/1
2	NAG	c	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	c	2	2	-	0/6/23/26	0/1/1/1
2	NAG	d	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	d	2	2	-	0/6/23/26	0/1/1/1
2	NAG	e	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	e	2	2	-	0/6/23/26	0/1/1/1
2	NAG	f	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	f	2	2	-	0/6/23/26	0/1/1/1
2	NAG	g	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	g	2	2	-	3/6/23/26	0/1/1/1
2	NAG	h	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	h	2	2	-	0/6/23/26	0/1/1/1
2	NAG	i	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	i	2	2	-	0/6/23/26	0/1/1/1
2	NAG	j	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	j	2	2	-	1/6/23/26	0/1/1/1
2	NAG	k	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	k	2	2	-	1/6/23/26	0/1/1/1
2	NAG	l	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	l	2	2	-	1/6/23/26	0/1/1/1
2	NAG	m	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	m	2	2	-	0/6/23/26	0/1/1/1
2	NAG	n	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	n	2	2	-	0/6/23/26	0/1/1/1
2	NAG	o	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	o	2	2	-	1/6/23/26	0/1/1/1
2	NAG	p	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	p	2	2	-	0/6/23/26	0/1/1/1
2	NAG	q	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	q	2	2	-	1/6/23/26	0/1/1/1
2	NAG	r	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	r	2	2	-	0/6/23/26	0/1/1/1
2	NAG	s	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	s	2	2	-	0/6/23/26	0/1/1/1
4	NAG	t	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	t	2	4	-	0/6/23/26	0/1/1/1
4	BMA	t	3	4	-	0/2/19/22	0/1/1/1
4	FUC	t	4	4	-	-	0/1/1/1
2	NAG	u	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	u	2	2	-	0/6/23/26	0/1/1/1
2	NAG	v	1	1,2	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	v	2	2	-	0/6/23/26	0/1/1/1
2	NAG	w	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	w	2	2	-	0/6/23/26	0/1/1/1
2	NAG	x	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	x	2	2	-	0/6/23/26	0/1/1/1
2	NAG	y	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	y	2	2	-	0/6/23/26	0/1/1/1
2	NAG	z	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	z	2	2	-	0/6/23/26	0/1/1/1

All (896) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	a	1	NAG	C1-C2	6.25	1.60	1.52
2	EA	1	NAG	C1-C2	6.25	1.60	1.52
2	G	1	NAG	C1-C2	6.08	1.60	1.52
2	u	1	NAG	C1-C2	6.08	1.60	1.52
2	L	1	NAG	C1-C2	5.98	1.60	1.52
2	z	1	NAG	C1-C2	5.98	1.60	1.52
2	M	1	NAG	C1-C2	5.87	1.60	1.52
2	0	1	NAG	C1-C2	5.87	1.60	1.52
2	T	1	NAG	C1-C2	5.87	1.60	1.52
2	7	1	NAG	C1-C2	5.87	1.60	1.52
2	Q	1	NAG	C1-C2	5.85	1.60	1.52
2	4	1	NAG	C1-C2	5.85	1.60	1.52
2	g	1	NAG	C1-C2	5.83	1.60	1.52
2	KA	1	NAG	C1-C2	5.83	1.60	1.52
2	f	1	NAG	C1-C2	5.82	1.60	1.52
2	JA	1	NAG	C1-C2	5.82	1.60	1.52
2	I	1	NAG	C1-C2	5.81	1.60	1.52
2	w	1	NAG	C1-C2	5.81	1.60	1.52
2	j	1	NAG	C1-C2	5.80	1.60	1.52
2	NA	1	NAG	C1-C2	5.80	1.60	1.52
2	J	1	NAG	C1-C2	5.78	1.60	1.52
2	x	1	NAG	C1-C2	5.78	1.60	1.52
2	s	1	NAG	C1-C2	5.77	1.60	1.52
2	WA	1	NAG	C1-C2	5.77	1.60	1.52
2	O	1	NAG	C1-C2	5.76	1.60	1.52
2	2	1	NAG	C1-C2	5.76	1.60	1.52
2	m	1	NAG	C1-C2	5.76	1.60	1.52
2	QA	1	NAG	C1-C2	5.76	1.60	1.52
2	Y	1	NAG	C1-C2	5.76	1.60	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	CA	1	NAG	C1-C2	5.76	1.60	1.52
2	q	2	NAG	C1-C2	5.74	1.60	1.52
2	UA	2	NAG	C1-C2	5.74	1.60	1.52
2	n	1	NAG	C1-C2	5.71	1.60	1.52
2	RA	1	NAG	C1-C2	5.71	1.60	1.52
2	i	1	NAG	C1-C2	5.69	1.60	1.52
2	MA	1	NAG	C1-C2	5.69	1.60	1.52
2	h	1	NAG	C1-C2	5.68	1.60	1.52
2	LA	1	NAG	C1-C2	5.68	1.60	1.52
2	N	1	NAG	C1-C2	5.64	1.60	1.52
2	1	1	NAG	C1-C2	5.64	1.60	1.52
2	P	2	NAG	C1-C2	5.60	1.60	1.52
2	3	2	NAG	C1-C2	5.60	1.60	1.52
2	e	2	NAG	C1-C2	5.59	1.60	1.52
2	IA	2	NAG	C1-C2	5.59	1.60	1.52
2	d	1	NAG	C1-C2	5.55	1.59	1.52
2	HA	1	NAG	C1-C2	5.55	1.59	1.52
2	H	1	NAG	C1-C2	5.55	1.59	1.52
2	v	1	NAG	C1-C2	5.55	1.59	1.52
2	V	1	NAG	C1-C2	5.52	1.59	1.52
2	9	1	NAG	C1-C2	5.52	1.59	1.52
2	J	2	NAG	C1-C2	5.52	1.59	1.52
2	x	2	NAG	C1-C2	5.52	1.59	1.52
2	K	1	NAG	C1-C2	5.52	1.59	1.52
2	y	1	NAG	C1-C2	5.52	1.59	1.52
2	l	1	NAG	C1-C2	5.50	1.59	1.52
2	PA	1	NAG	C1-C2	5.50	1.59	1.52
2	b	1	NAG	C1-C2	5.47	1.59	1.52
2	FA	1	NAG	C1-C2	5.47	1.59	1.52
2	U	1	NAG	C1-C2	5.43	1.59	1.52
2	8	1	NAG	C1-C2	5.43	1.59	1.52
2	R	1	NAG	C1-C2	5.38	1.59	1.52
2	5	1	NAG	C1-C2	5.38	1.59	1.52
2	r	1	NAG	C1-C2	5.31	1.59	1.52
2	VA	1	NAG	C1-C2	5.31	1.59	1.52
2	c	2	NAG	C1-C2	5.29	1.59	1.52
2	GA	2	NAG	C1-C2	5.29	1.59	1.52
2	Y	2	NAG	C1-C2	5.28	1.59	1.52
2	CA	2	NAG	C1-C2	5.28	1.59	1.52
2	M	2	NAG	C1-C2	5.28	1.59	1.52
2	0	2	NAG	C1-C2	5.28	1.59	1.52
2	Z	2	NAG	C1-C2	5.23	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	DA	2	NAG	C1-C2	5.23	1.59	1.52
2	V	2	NAG	C1-C2	5.23	1.59	1.52
2	9	2	NAG	C1-C2	5.23	1.59	1.52
2	k	2	NAG	C1-C2	5.23	1.59	1.52
2	OA	2	NAG	C1-C2	5.23	1.59	1.52
2	s	2	NAG	C1-C2	5.20	1.59	1.52
2	WA	2	NAG	C1-C2	5.20	1.59	1.52
2	Z	1	NAG	C1-C2	5.19	1.59	1.52
2	DA	1	NAG	C1-C2	5.19	1.59	1.52
2	W	1	NAG	C1-C2	5.19	1.59	1.52
2	AA	1	NAG	C1-C2	5.19	1.59	1.52
2	X	1	NAG	C1-C2	5.11	1.59	1.52
2	BA	1	NAG	C1-C2	5.11	1.59	1.52
2	f	2	NAG	C1-C2	5.09	1.59	1.52
2	JA	2	NAG	C1-C2	5.09	1.59	1.52
2	Q	2	NAG	C1-C2	5.07	1.59	1.52
2	4	2	NAG	C1-C2	5.07	1.59	1.52
2	T	2	NAG	C1-C2	5.04	1.59	1.52
2	7	2	NAG	C1-C2	5.04	1.59	1.52
2	I	2	NAG	C1-C2	4.98	1.59	1.52
2	w	2	NAG	C1-C2	4.98	1.59	1.52
2	e	1	NAG	C1-C2	4.94	1.59	1.52
2	IA	1	NAG	C1-C2	4.94	1.59	1.52
2	q	1	NAG	C1-C2	4.93	1.59	1.52
2	UA	1	NAG	C1-C2	4.93	1.59	1.52
2	k	1	NAG	C1-C2	4.89	1.59	1.52
2	OA	1	NAG	C1-C2	4.89	1.59	1.52
2	G	2	NAG	C1-C2	4.87	1.59	1.52
2	u	2	NAG	C1-C2	4.87	1.59	1.52
2	X	2	NAG	C1-C2	4.86	1.59	1.52
2	BA	2	NAG	C1-C2	4.86	1.59	1.52
2	h	2	NAG	C1-C2	4.86	1.59	1.52
2	LA	2	NAG	C1-C2	4.86	1.59	1.52
2	p	1	NAG	C1-C2	4.83	1.58	1.52
2	TA	1	NAG	C1-C2	4.83	1.58	1.52
2	R	2	NAG	C1-C2	4.83	1.58	1.52
2	5	2	NAG	C1-C2	4.83	1.58	1.52
2	o	2	NAG	C1-C2	4.83	1.58	1.52
2	SA	2	NAG	C1-C2	4.83	1.58	1.52
2	O	2	NAG	C1-C2	4.81	1.58	1.52
2	2	2	NAG	C1-C2	4.81	1.58	1.52
2	H	2	NAG	C1-C2	4.80	1.58	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	v	2	NAG	C1-C2	4.80	1.58	1.52
2	d	2	NAG	C1-C2	4.76	1.58	1.52
2	HA	2	NAG	C1-C2	4.76	1.58	1.52
2	W	2	NAG	C1-C2	4.73	1.58	1.52
2	AA	2	NAG	C1-C2	4.73	1.58	1.52
2	n	2	NAG	C1-C2	4.72	1.58	1.52
2	RA	2	NAG	C1-C2	4.72	1.58	1.52
2	P	1	NAG	C1-C2	4.71	1.58	1.52
2	3	1	NAG	C1-C2	4.71	1.58	1.52
2	U	2	NAG	C1-C2	4.69	1.58	1.52
2	8	2	NAG	C1-C2	4.69	1.58	1.52
2	b	2	NAG	C1-C2	4.69	1.58	1.52
2	FA	2	NAG	C1-C2	4.69	1.58	1.52
2	j	2	NAG	C1-C2	4.68	1.58	1.52
2	NA	2	NAG	C1-C2	4.68	1.58	1.52
2	N	2	NAG	C1-C2	4.65	1.58	1.52
2	1	2	NAG	C1-C2	4.65	1.58	1.52
2	m	2	NAG	C1-C2	4.64	1.58	1.52
2	QA	2	NAG	C1-C2	4.64	1.58	1.52
2	o	1	NAG	C1-C2	4.60	1.58	1.52
2	SA	1	NAG	C1-C2	4.60	1.58	1.52
2	a	2	NAG	C1-C2	4.60	1.58	1.52
2	i	2	NAG	C1-C2	4.60	1.58	1.52
2	EA	2	NAG	C1-C2	4.60	1.58	1.52
2	MA	2	NAG	C1-C2	4.60	1.58	1.52
4	t	2	NAG	C1-C2	4.60	1.58	1.52
4	XA	2	NAG	C1-C2	4.60	1.58	1.52
2	p	2	NAG	C1-C2	4.56	1.58	1.52
2	TA	2	NAG	C1-C2	4.56	1.58	1.52
2	l	2	NAG	C1-C2	4.55	1.58	1.52
2	PA	2	NAG	C1-C2	4.55	1.58	1.52
2	r	2	NAG	C1-C2	4.43	1.58	1.52
2	VA	2	NAG	C1-C2	4.43	1.58	1.52
2	K	2	NAG	C1-C2	4.40	1.58	1.52
2	y	2	NAG	C1-C2	4.40	1.58	1.52
2	g	2	NAG	C1-C2	4.27	1.58	1.52
2	KA	2	NAG	C1-C2	4.27	1.58	1.52
2	L	2	NAG	C1-C2	4.18	1.58	1.52
2	z	2	NAG	C1-C2	4.18	1.58	1.52
4	t	1	NAG	C1-C2	4.00	1.57	1.52
4	XA	1	NAG	C1-C2	4.00	1.57	1.52
2	c	1	NAG	C1-C2	3.84	1.57	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	GA	1	NAG	C1-C2	3.84	1.57	1.52
2	Z	1	NAG	O5-C5	3.61	1.50	1.43
2	DA	1	NAG	O5-C5	3.61	1.50	1.43
2	l	1	NAG	O5-C5	3.57	1.50	1.43
2	PA	1	NAG	O5-C5	3.57	1.50	1.43
2	I	1	NAG	O5-C5	3.49	1.50	1.43
2	w	1	NAG	O5-C5	3.49	1.50	1.43
2	n	1	NAG	O5-C5	3.49	1.50	1.43
2	RA	1	NAG	O5-C5	3.49	1.50	1.43
2	j	2	NAG	O5-C5	3.42	1.50	1.43
2	NA	2	NAG	O5-C5	3.42	1.50	1.43
2	T	2	NAG	O5-C5	3.41	1.50	1.43
2	7	2	NAG	O5-C5	3.41	1.50	1.43
2	O	1	NAG	O5-C5	3.41	1.50	1.43
2	2	1	NAG	O5-C5	3.41	1.50	1.43
2	k	2	NAG	O5-C5	3.38	1.50	1.43
2	OA	2	NAG	O5-C5	3.38	1.50	1.43
2	M	2	NAG	O5-C5	3.38	1.50	1.43
2	0	2	NAG	O5-C5	3.38	1.50	1.43
2	I	2	NAG	O5-C5	3.35	1.50	1.43
2	w	2	NAG	O5-C5	3.35	1.50	1.43
2	j	1	NAG	O5-C5	3.35	1.50	1.43
2	NA	1	NAG	O5-C5	3.35	1.50	1.43
2	Q	2	NAG	O5-C5	3.34	1.49	1.43
2	4	2	NAG	O5-C5	3.34	1.49	1.43
2	J	2	NAG	O5-C5	3.33	1.49	1.43
2	x	2	NAG	O5-C5	3.33	1.49	1.43
2	c	2	NAG	O5-C5	3.32	1.49	1.43
2	GA	2	NAG	O5-C5	3.32	1.49	1.43
2	Y	2	NAG	O5-C5	3.32	1.49	1.43
2	b	1	NAG	O5-C5	3.32	1.49	1.43
2	CA	2	NAG	O5-C5	3.32	1.49	1.43
2	FA	1	NAG	O5-C5	3.32	1.49	1.43
2	U	2	NAG	O5-C5	3.31	1.49	1.43
2	i	1	NAG	O5-C5	3.31	1.49	1.43
2	8	2	NAG	O5-C5	3.31	1.49	1.43
2	MA	1	NAG	O5-C5	3.31	1.49	1.43
2	o	2	NAG	O5-C5	3.31	1.49	1.43
2	SA	2	NAG	O5-C5	3.31	1.49	1.43
4	t	3	BMA	C2-C3	3.29	1.57	1.52
4	XA	3	BMA	C2-C3	3.29	1.57	1.52
2	c	1	NAG	O5-C5	3.29	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	GA	1	NAG	O5-C5	3.29	1.49	1.43
2	W	1	NAG	O5-C5	3.28	1.49	1.43
2	AA	1	NAG	O5-C5	3.28	1.49	1.43
2	i	2	NAG	O5-C5	3.28	1.49	1.43
2	MA	2	NAG	O5-C5	3.28	1.49	1.43
2	O	2	NAG	O5-C5	3.25	1.49	1.43
2	2	2	NAG	O5-C5	3.25	1.49	1.43
2	V	2	NAG	O5-C5	3.25	1.49	1.43
2	9	2	NAG	O5-C5	3.25	1.49	1.43
2	L	1	NAG	O5-C5	3.25	1.49	1.43
2	z	1	NAG	O5-C5	3.25	1.49	1.43
2	K	2	NAG	O5-C5	3.24	1.49	1.43
2	b	2	NAG	O5-C5	3.24	1.49	1.43
2	y	2	NAG	O5-C5	3.24	1.49	1.43
2	FA	2	NAG	O5-C5	3.24	1.49	1.43
2	f	1	NAG	O5-C5	3.24	1.49	1.43
2	JA	1	NAG	O5-C5	3.24	1.49	1.43
2	n	2	NAG	O5-C5	3.24	1.49	1.43
2	RA	2	NAG	O5-C5	3.24	1.49	1.43
2	K	1	NAG	O5-C5	3.23	1.49	1.43
2	y	1	NAG	O5-C5	3.23	1.49	1.43
2	f	2	NAG	O5-C5	3.22	1.49	1.43
2	JA	2	NAG	O5-C5	3.22	1.49	1.43
2	W	2	NAG	O5-C5	3.21	1.49	1.43
2	AA	2	NAG	O5-C5	3.21	1.49	1.43
2	R	2	NAG	O5-C5	3.20	1.49	1.43
2	5	2	NAG	O5-C5	3.20	1.49	1.43
2	m	1	NAG	O5-C5	3.20	1.49	1.43
2	QA	1	NAG	O5-C5	3.20	1.49	1.43
2	h	2	NAG	O5-C5	3.20	1.49	1.43
2	LA	2	NAG	O5-C5	3.20	1.49	1.43
2	M	1	NAG	O5-C5	3.19	1.49	1.43
2	0	1	NAG	O5-C5	3.19	1.49	1.43
2	Q	1	NAG	O5-C5	3.18	1.49	1.43
2	4	1	NAG	O5-C5	3.18	1.49	1.43
2	X	2	NAG	O5-C5	3.17	1.49	1.43
2	BA	2	NAG	O5-C5	3.17	1.49	1.43
2	H	2	NAG	O5-C5	3.17	1.49	1.43
2	v	2	NAG	O5-C5	3.17	1.49	1.43
2	a	1	NAG	O5-C5	3.17	1.49	1.43
2	EA	1	NAG	O5-C5	3.17	1.49	1.43
2	l	2	NAG	O5-C5	3.17	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	PA	2	NAG	O5-C5	3.17	1.49	1.43
2	o	1	NAG	O5-C5	3.16	1.49	1.43
2	SA	1	NAG	O5-C5	3.16	1.49	1.43
2	r	1	NAG	O5-C5	3.15	1.49	1.43
2	VA	1	NAG	O5-C5	3.15	1.49	1.43
2	g	2	NAG	O5-C5	3.14	1.49	1.43
2	KA	2	NAG	O5-C5	3.14	1.49	1.43
2	g	1	NAG	O5-C5	3.13	1.49	1.43
2	KA	1	NAG	O5-C5	3.13	1.49	1.43
2	m	2	NAG	O5-C5	3.12	1.49	1.43
2	QA	2	NAG	O5-C5	3.12	1.49	1.43
2	a	2	NAG	O5-C5	3.12	1.49	1.43
2	EA	2	NAG	O5-C5	3.12	1.49	1.43
2	k	1	NAG	O5-C5	3.12	1.49	1.43
2	OA	1	NAG	O5-C5	3.12	1.49	1.43
2	L	2	NAG	O5-C5	3.11	1.49	1.43
2	z	2	NAG	O5-C5	3.11	1.49	1.43
2	d	2	NAG	O5-C5	3.09	1.49	1.43
2	HA	2	NAG	O5-C5	3.09	1.49	1.43
2	s	2	NAG	O5-C5	3.09	1.49	1.43
2	WA	2	NAG	O5-C5	3.09	1.49	1.43
2	p	2	NAG	O5-C5	3.09	1.49	1.43
2	TA	2	NAG	O5-C5	3.09	1.49	1.43
2	Z	2	NAG	O5-C5	3.07	1.49	1.43
2	DA	2	NAG	O5-C5	3.07	1.49	1.43
2	G	2	NAG	O5-C5	3.07	1.49	1.43
2	u	2	NAG	O5-C5	3.07	1.49	1.43
2	X	1	NAG	O5-C5	3.06	1.49	1.43
2	BA	1	NAG	O5-C5	3.06	1.49	1.43
2	e	1	NAG	O5-C5	3.05	1.49	1.43
2	IA	1	NAG	O5-C5	3.05	1.49	1.43
2	k	1	NAG	C4-C5	3.02	1.59	1.53
2	OA	1	NAG	C4-C5	3.02	1.59	1.53
2	N	2	NAG	O5-C5	3.02	1.49	1.43
2	l	2	NAG	O5-C5	3.02	1.49	1.43
4	t	4	FUC	O5-C5	3.02	1.49	1.43
4	XA	4	FUC	O5-C5	3.02	1.49	1.43
2	p	1	NAG	O5-C5	2.98	1.49	1.43
2	TA	1	NAG	O5-C5	2.98	1.49	1.43
2	Y	1	NAG	O5-C5	2.98	1.49	1.43
2	CA	1	NAG	O5-C5	2.98	1.49	1.43
2	R	1	NAG	O5-C5	2.97	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	5	1	NAG	O5-C5	2.97	1.49	1.43
2	J	1	NAG	C4-C5	2.95	1.59	1.53
2	x	1	NAG	C4-C5	2.95	1.59	1.53
2	q	2	NAG	O5-C5	2.95	1.49	1.43
2	UA	2	NAG	O5-C5	2.95	1.49	1.43
4	t	4	FUC	C2-C3	2.94	1.57	1.52
4	XA	4	FUC	C2-C3	2.94	1.57	1.52
2	d	1	NAG	O5-C5	2.93	1.49	1.43
2	HA	1	NAG	O5-C5	2.93	1.49	1.43
2	J	1	NAG	O5-C5	2.90	1.49	1.43
2	x	1	NAG	O5-C5	2.90	1.49	1.43
4	t	3	BMA	O5-C5	2.89	1.49	1.43
4	XA	3	BMA	O5-C5	2.89	1.49	1.43
2	U	1	NAG	O5-C5	2.87	1.49	1.43
2	8	1	NAG	O5-C5	2.87	1.49	1.43
2	e	2	NAG	O5-C5	2.87	1.49	1.43
2	IA	2	NAG	O5-C5	2.87	1.49	1.43
2	P	2	NAG	O5-C5	2.86	1.49	1.43
2	3	2	NAG	O5-C5	2.86	1.49	1.43
4	t	2	NAG	O5-C5	2.84	1.49	1.43
4	XA	2	NAG	O5-C5	2.84	1.49	1.43
2	T	1	NAG	O5-C5	2.84	1.49	1.43
2	7	1	NAG	O5-C5	2.84	1.49	1.43
2	N	1	NAG	O5-C5	2.83	1.48	1.43
2	1	1	NAG	O5-C5	2.83	1.48	1.43
2	q	1	NAG	O5-C5	2.82	1.48	1.43
2	UA	1	NAG	O5-C5	2.82	1.48	1.43
2	P	1	NAG	C4-C3	2.79	1.59	1.52
2	3	1	NAG	C4-C3	2.79	1.59	1.52
2	P	2	NAG	C3-C2	2.79	1.58	1.52
2	3	2	NAG	C3-C2	2.79	1.58	1.52
2	r	2	NAG	O5-C5	2.78	1.48	1.43
2	VA	2	NAG	O5-C5	2.78	1.48	1.43
2	l	1	NAG	C4-C5	2.77	1.58	1.53
2	PA	1	NAG	C4-C5	2.77	1.58	1.53
2	K	1	NAG	C4-C5	2.77	1.58	1.53
2	y	1	NAG	C4-C5	2.77	1.58	1.53
2	i	1	NAG	O5-C1	2.75	1.48	1.43
2	MA	1	NAG	O5-C1	2.75	1.48	1.43
2	Z	1	NAG	C4-C5	2.75	1.58	1.53
2	DA	1	NAG	C4-C5	2.75	1.58	1.53
2	c	1	NAG	C4-C5	2.73	1.58	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	GA	1	NAG	C4-C5	2.73	1.58	1.53
2	Z	1	NAG	C3-C2	2.70	1.58	1.52
2	DA	1	NAG	C3-C2	2.70	1.58	1.52
2	j	2	NAG	C2-N2	2.69	1.50	1.46
2	NA	2	NAG	C2-N2	2.69	1.50	1.46
2	Q	1	NAG	C4-C5	2.68	1.58	1.53
2	4	1	NAG	C4-C5	2.68	1.58	1.53
2	Y	1	NAG	C4-C5	2.68	1.58	1.53
2	CA	1	NAG	C4-C5	2.68	1.58	1.53
2	s	1	NAG	C3-C2	2.68	1.58	1.52
2	WA	1	NAG	C3-C2	2.68	1.58	1.52
4	t	3	BMA	C1-C2	2.67	1.58	1.52
4	XA	3	BMA	C1-C2	2.67	1.58	1.52
2	K	2	NAG	C3-C2	2.66	1.58	1.52
2	y	2	NAG	C3-C2	2.66	1.58	1.52
2	V	1	NAG	O5-C5	2.66	1.48	1.43
2	9	1	NAG	O5-C5	2.66	1.48	1.43
2	Z	2	NAG	C3-C2	2.66	1.58	1.52
2	DA	2	NAG	C3-C2	2.66	1.58	1.52
2	W	2	NAG	C3-C2	2.65	1.58	1.52
2	AA	2	NAG	C3-C2	2.65	1.58	1.52
2	I	2	NAG	C3-C2	2.65	1.58	1.52
2	w	2	NAG	C3-C2	2.65	1.58	1.52
2	l	1	NAG	C4-C3	2.65	1.59	1.52
2	PA	1	NAG	C4-C3	2.65	1.59	1.52
2	K	1	NAG	C4-C3	2.65	1.59	1.52
2	y	1	NAG	C4-C3	2.65	1.59	1.52
2	q	2	NAG	C3-C2	2.65	1.58	1.52
2	UA	2	NAG	C3-C2	2.65	1.58	1.52
2	n	1	NAG	O5-C1	2.63	1.48	1.43
2	RA	1	NAG	O5-C1	2.63	1.48	1.43
2	j	1	NAG	C4-C5	2.62	1.58	1.53
2	NA	1	NAG	C4-C5	2.62	1.58	1.53
2	o	1	NAG	C3-C2	2.62	1.58	1.52
2	SA	1	NAG	C3-C2	2.62	1.58	1.52
2	b	2	NAG	C3-C2	2.61	1.58	1.52
2	FA	2	NAG	C3-C2	2.61	1.58	1.52
2	T	1	NAG	C4-C5	2.61	1.58	1.53
2	7	1	NAG	C4-C5	2.61	1.58	1.53
2	e	2	NAG	C3-C2	2.60	1.58	1.52
2	IA	2	NAG	C3-C2	2.60	1.58	1.52
2	I	1	NAG	C4-C5	2.59	1.58	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	w	1	NAG	C4-C5	2.59	1.58	1.53
2	P	1	NAG	C4-C5	2.58	1.58	1.53
2	3	1	NAG	C4-C5	2.58	1.58	1.53
2	l	1	NAG	O5-C1	2.58	1.48	1.43
2	PA	1	NAG	O5-C1	2.58	1.48	1.43
2	P	1	NAG	O5-C5	2.58	1.48	1.43
2	3	1	NAG	O5-C5	2.58	1.48	1.43
4	t	2	NAG	C3-C2	2.58	1.57	1.52
4	XA	2	NAG	C3-C2	2.58	1.57	1.52
2	s	2	NAG	C3-C2	2.58	1.57	1.52
2	WA	2	NAG	C3-C2	2.58	1.57	1.52
2	c	2	NAG	C3-C2	2.58	1.57	1.52
2	GA	2	NAG	C3-C2	2.58	1.57	1.52
2	f	2	NAG	C3-C2	2.57	1.57	1.52
2	JA	2	NAG	C3-C2	2.57	1.57	1.52
2	n	2	NAG	C3-C2	2.57	1.57	1.52
2	RA	2	NAG	C3-C2	2.57	1.57	1.52
2	h	1	NAG	O5-C5	2.56	1.48	1.43
2	LA	1	NAG	O5-C5	2.56	1.48	1.43
2	V	2	NAG	C3-C2	2.55	1.57	1.52
2	9	2	NAG	C3-C2	2.55	1.57	1.52
4	t	2	NAG	C2-N2	2.55	1.50	1.46
4	XA	2	NAG	C2-N2	2.55	1.50	1.46
2	r	1	NAG	O5-C1	2.55	1.48	1.43
2	VA	1	NAG	O5-C1	2.55	1.48	1.43
2	X	2	NAG	C3-C2	2.54	1.57	1.52
2	BA	2	NAG	C3-C2	2.54	1.57	1.52
2	p	1	NAG	O5-C1	2.54	1.48	1.43
2	TA	1	NAG	O5-C1	2.54	1.48	1.43
2	I	2	NAG	C2-N2	2.53	1.50	1.46
2	w	2	NAG	C2-N2	2.53	1.50	1.46
2	O	1	NAG	O5-C1	2.53	1.47	1.43
2	2	1	NAG	O5-C1	2.53	1.47	1.43
2	N	2	NAG	C3-C2	2.53	1.57	1.52
2	l	2	NAG	C3-C2	2.53	1.57	1.52
2	X	1	NAG	O5-C1	2.52	1.47	1.43
2	BA	1	NAG	O5-C1	2.52	1.47	1.43
2	r	2	NAG	C3-C2	2.52	1.57	1.52
2	VA	2	NAG	C3-C2	2.52	1.57	1.52
2	i	2	NAG	C3-C2	2.51	1.57	1.52
2	MA	2	NAG	C3-C2	2.51	1.57	1.52
2	Z	1	NAG	C4-C3	2.51	1.58	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	DA	1	NAG	C4-C3	2.51	1.58	1.52
2	U	1	NAG	C3-C2	2.51	1.57	1.52
2	8	1	NAG	C3-C2	2.51	1.57	1.52
2	W	1	NAG	O5-C1	2.51	1.47	1.43
2	AA	1	NAG	O5-C1	2.51	1.47	1.43
2	b	1	NAG	O5-C1	2.50	1.47	1.43
2	FA	1	NAG	O5-C1	2.50	1.47	1.43
2	p	2	NAG	C3-C2	2.50	1.57	1.52
2	TA	2	NAG	C3-C2	2.50	1.57	1.52
2	R	1	NAG	C4-C5	2.50	1.58	1.53
2	5	1	NAG	C4-C5	2.50	1.58	1.53
2	M	1	NAG	C4-C5	2.50	1.58	1.53
2	0	1	NAG	C4-C5	2.50	1.58	1.53
2	c	1	NAG	C4-C3	2.49	1.58	1.52
2	GA	1	NAG	C4-C3	2.49	1.58	1.52
2	G	2	NAG	C3-C2	2.49	1.57	1.52
2	u	2	NAG	C3-C2	2.49	1.57	1.52
2	Z	1	NAG	O5-C1	2.48	1.47	1.43
2	DA	1	NAG	O5-C1	2.48	1.47	1.43
2	V	1	NAG	C3-C2	2.48	1.57	1.52
2	9	1	NAG	C3-C2	2.48	1.57	1.52
2	L	1	NAG	O5-C1	2.48	1.47	1.43
2	a	1	NAG	O5-C1	2.48	1.47	1.43
2	z	1	NAG	O5-C1	2.48	1.47	1.43
2	EA	1	NAG	O5-C1	2.48	1.47	1.43
2	l	2	NAG	C3-C2	2.48	1.57	1.52
2	PA	2	NAG	C3-C2	2.48	1.57	1.52
2	T	2	NAG	C3-C2	2.47	1.57	1.52
2	7	2	NAG	C3-C2	2.47	1.57	1.52
2	V	1	NAG	C4-C5	2.47	1.58	1.53
2	9	1	NAG	C4-C5	2.47	1.58	1.53
2	X	1	NAG	C4-C5	2.47	1.58	1.53
2	BA	1	NAG	C4-C5	2.47	1.58	1.53
2	G	1	NAG	O5-C5	2.47	1.48	1.43
2	u	1	NAG	O5-C5	2.47	1.48	1.43
2	h	1	NAG	C4-C5	2.46	1.58	1.53
2	LA	1	NAG	C4-C5	2.46	1.58	1.53
2	b	1	NAG	C4-C5	2.46	1.58	1.53
2	FA	1	NAG	C4-C5	2.46	1.58	1.53
2	g	1	NAG	O5-C1	2.46	1.47	1.43
2	KA	1	NAG	O5-C1	2.46	1.47	1.43
2	Q	2	NAG	C3-C2	2.46	1.57	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	4	2	NAG	C3-C2	2.46	1.57	1.52
2	O	1	NAG	C4-C5	2.46	1.58	1.53
2	2	1	NAG	C4-C5	2.46	1.58	1.53
2	R	1	NAG	O5-C1	2.45	1.47	1.43
2	5	1	NAG	O5-C1	2.45	1.47	1.43
2	X	2	NAG	C2-N2	2.45	1.50	1.46
2	BA	2	NAG	C2-N2	2.45	1.50	1.46
2	m	2	NAG	C3-C2	2.45	1.57	1.52
2	QA	2	NAG	C3-C2	2.45	1.57	1.52
2	d	2	NAG	C3-C2	2.44	1.57	1.52
2	HA	2	NAG	C3-C2	2.44	1.57	1.52
2	o	1	NAG	C4-C5	2.44	1.58	1.53
2	SA	1	NAG	C4-C5	2.44	1.58	1.53
2	P	1	NAG	C3-C2	2.43	1.57	1.52
2	3	1	NAG	C3-C2	2.43	1.57	1.52
2	H	2	NAG	C3-C2	2.43	1.57	1.52
2	v	2	NAG	C3-C2	2.43	1.57	1.52
2	k	1	NAG	C4-C3	2.43	1.58	1.52
2	OA	1	NAG	C4-C3	2.43	1.58	1.52
2	N	1	NAG	O5-C1	2.43	1.47	1.43
2	1	1	NAG	O5-C1	2.43	1.47	1.43
2	H	1	NAG	O5-C5	2.43	1.48	1.43
2	v	1	NAG	O5-C5	2.43	1.48	1.43
2	d	1	NAG	O5-C1	2.43	1.47	1.43
2	HA	1	NAG	O5-C1	2.43	1.47	1.43
2	o	1	NAG	C4-C3	2.43	1.58	1.52
2	SA	1	NAG	C4-C3	2.43	1.58	1.52
2	j	2	NAG	C3-C2	2.43	1.57	1.52
2	NA	2	NAG	C3-C2	2.43	1.57	1.52
2	O	2	NAG	C3-C2	2.43	1.57	1.52
2	2	2	NAG	C3-C2	2.43	1.57	1.52
2	J	2	NAG	C2-N2	2.42	1.50	1.46
2	x	2	NAG	C2-N2	2.42	1.50	1.46
2	W	1	NAG	C3-C2	2.42	1.57	1.52
2	AA	1	NAG	C3-C2	2.42	1.57	1.52
2	m	1	NAG	O5-C1	2.42	1.47	1.43
2	QA	1	NAG	O5-C1	2.42	1.47	1.43
4	t	4	FUC	C1-C2	2.42	1.58	1.52
4	XA	4	FUC	C1-C2	2.42	1.58	1.52
2	X	1	NAG	C3-C2	2.41	1.57	1.52
2	BA	1	NAG	C3-C2	2.41	1.57	1.52
2	M	1	NAG	C3-C2	2.41	1.57	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	0	1	NAG	C3-C2	2.41	1.57	1.52
2	i	1	NAG	C3-C2	2.41	1.57	1.52
2	MA	1	NAG	C3-C2	2.41	1.57	1.52
2	L	2	NAG	C3-C2	2.41	1.57	1.52
2	z	2	NAG	C3-C2	2.41	1.57	1.52
2	a	2	NAG	C4-C5	2.41	1.58	1.53
2	EA	2	NAG	C4-C5	2.41	1.58	1.53
2	M	2	NAG	C3-C2	2.41	1.57	1.52
2	0	2	NAG	C3-C2	2.41	1.57	1.52
2	I	2	NAG	C4-C5	2.40	1.58	1.53
2	w	2	NAG	C4-C5	2.40	1.58	1.53
2	k	2	NAG	C3-C2	2.40	1.57	1.52
2	OA	2	NAG	C3-C2	2.40	1.57	1.52
4	t	4	FUC	C4-C5	2.40	1.58	1.52
4	XA	4	FUC	C4-C5	2.40	1.58	1.52
2	e	1	NAG	O5-C1	2.40	1.47	1.43
2	IA	1	NAG	O5-C1	2.40	1.47	1.43
2	a	2	NAG	C3-C2	2.40	1.57	1.52
2	EA	2	NAG	C3-C2	2.40	1.57	1.52
2	g	1	NAG	C4-C5	2.39	1.58	1.53
2	KA	1	NAG	C4-C5	2.39	1.58	1.53
2	Y	2	NAG	C4-C5	2.39	1.58	1.53
2	CA	2	NAG	C4-C5	2.39	1.58	1.53
4	t	3	BMA	C4-C5	2.39	1.58	1.53
4	XA	3	BMA	C4-C5	2.39	1.58	1.53
2	T	2	NAG	C4-C5	2.39	1.58	1.53
2	7	2	NAG	C4-C5	2.39	1.58	1.53
2	n	1	NAG	C4-C5	2.38	1.58	1.53
2	RA	1	NAG	C4-C5	2.38	1.58	1.53
2	R	2	NAG	C2-N2	2.38	1.50	1.46
2	5	2	NAG	C2-N2	2.38	1.50	1.46
2	m	2	NAG	C2-N2	2.38	1.50	1.46
2	QA	2	NAG	C2-N2	2.38	1.50	1.46
2	h	1	NAG	C3-C2	2.37	1.57	1.52
2	LA	1	NAG	C3-C2	2.37	1.57	1.52
2	g	2	NAG	C4-C5	2.37	1.58	1.53
2	KA	2	NAG	C4-C5	2.37	1.58	1.53
2	G	1	NAG	C3-C2	2.37	1.57	1.52
2	u	1	NAG	C3-C2	2.37	1.57	1.52
2	U	2	NAG	C3-C2	2.37	1.57	1.52
2	8	2	NAG	C3-C2	2.37	1.57	1.52
2	Y	2	NAG	C3-C2	2.37	1.57	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	CA	2	NAG	C3-C2	2.37	1.57	1.52
2	W	1	NAG	C4-C5	2.36	1.58	1.53
2	AA	1	NAG	C4-C5	2.36	1.58	1.53
2	e	1	NAG	C4-C3	2.36	1.58	1.52
2	IA	1	NAG	C4-C3	2.36	1.58	1.52
2	b	2	NAG	C4-C5	2.36	1.58	1.53
2	FA	2	NAG	C4-C5	2.36	1.58	1.53
2	W	2	NAG	C4-C5	2.36	1.58	1.53
2	AA	2	NAG	C4-C5	2.36	1.58	1.53
2	L	2	NAG	C4-C5	2.36	1.58	1.53
2	z	2	NAG	C4-C5	2.36	1.58	1.53
2	s	1	NAG	O5-C5	2.35	1.48	1.43
2	WA	1	NAG	O5-C5	2.35	1.48	1.43
2	j	2	NAG	C4-C5	2.35	1.58	1.53
2	p	2	NAG	C4-C5	2.35	1.58	1.53
2	NA	2	NAG	C4-C5	2.35	1.58	1.53
2	TA	2	NAG	C4-C5	2.35	1.58	1.53
2	e	1	NAG	C4-C5	2.35	1.58	1.53
2	IA	1	NAG	C4-C5	2.35	1.58	1.53
2	s	2	NAG	C2-N2	2.35	1.50	1.46
2	WA	2	NAG	C2-N2	2.35	1.50	1.46
2	U	1	NAG	O5-C1	2.35	1.47	1.43
2	8	1	NAG	O5-C1	2.35	1.47	1.43
2	J	2	NAG	C3-C2	2.35	1.57	1.52
2	x	2	NAG	C3-C2	2.35	1.57	1.52
2	m	2	NAG	C4-C5	2.35	1.58	1.53
2	QA	2	NAG	C4-C5	2.35	1.58	1.53
2	X	2	NAG	C4-C5	2.35	1.58	1.53
2	BA	2	NAG	C4-C5	2.35	1.58	1.53
2	g	2	NAG	C3-C2	2.34	1.57	1.52
2	KA	2	NAG	C3-C2	2.34	1.57	1.52
2	U	2	NAG	C4-C5	2.34	1.58	1.53
2	8	2	NAG	C4-C5	2.34	1.58	1.53
2	i	2	NAG	C4-C5	2.34	1.58	1.53
2	MA	2	NAG	C4-C5	2.34	1.58	1.53
2	k	1	NAG	C3-C2	2.34	1.57	1.52
2	OA	1	NAG	C3-C2	2.34	1.57	1.52
2	J	2	NAG	C4-C5	2.34	1.58	1.53
2	x	2	NAG	C4-C5	2.34	1.58	1.53
2	d	1	NAG	C4-C5	2.34	1.58	1.53
2	HA	1	NAG	C4-C5	2.34	1.58	1.53
2	R	2	NAG	C4-C5	2.33	1.58	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	5	2	NAG	C4-C5	2.33	1.58	1.53
2	K	1	NAG	C3-C2	2.33	1.57	1.52
2	y	1	NAG	C3-C2	2.33	1.57	1.52
2	a	1	NAG	C3-C2	2.33	1.57	1.52
2	EA	1	NAG	C3-C2	2.33	1.57	1.52
2	I	1	NAG	C3-C2	2.32	1.57	1.52
2	w	1	NAG	C3-C2	2.32	1.57	1.52
2	H	2	NAG	C4-C5	2.32	1.58	1.53
2	U	1	NAG	C4-C5	2.32	1.58	1.53
2	h	2	NAG	C4-C5	2.32	1.58	1.53
2	v	2	NAG	C4-C5	2.32	1.58	1.53
2	8	1	NAG	C4-C5	2.32	1.58	1.53
2	LA	2	NAG	C4-C5	2.32	1.58	1.53
2	Y	1	NAG	C3-C2	2.32	1.57	1.52
2	CA	1	NAG	C3-C2	2.32	1.57	1.52
2	h	2	NAG	C3-C2	2.32	1.57	1.52
2	LA	2	NAG	C3-C2	2.32	1.57	1.52
2	V	1	NAG	C4-C3	2.31	1.58	1.52
2	9	1	NAG	C4-C3	2.31	1.58	1.52
2	O	2	NAG	C4-C5	2.30	1.57	1.53
2	2	2	NAG	C4-C5	2.30	1.57	1.53
2	I	1	NAG	O5-C1	2.30	1.47	1.43
2	w	1	NAG	O5-C1	2.30	1.47	1.43
2	a	1	NAG	C4-C5	2.30	1.57	1.53
2	EA	1	NAG	C4-C5	2.30	1.57	1.53
2	q	1	NAG	C4-C3	2.30	1.58	1.52
2	UA	1	NAG	C4-C3	2.30	1.58	1.52
2	c	1	NAG	O5-C1	2.29	1.47	1.43
2	GA	1	NAG	O5-C1	2.29	1.47	1.43
2	R	1	NAG	C3-C2	2.29	1.57	1.52
2	5	1	NAG	C3-C2	2.29	1.57	1.52
2	k	2	NAG	C4-C5	2.29	1.57	1.53
2	OA	2	NAG	C4-C5	2.29	1.57	1.53
2	j	1	NAG	C3-C2	2.29	1.57	1.52
2	NA	1	NAG	C3-C2	2.29	1.57	1.52
2	K	1	NAG	O5-C1	2.29	1.47	1.43
2	y	1	NAG	O5-C1	2.29	1.47	1.43
2	i	1	NAG	C4-C5	2.29	1.57	1.53
2	MA	1	NAG	C4-C5	2.29	1.57	1.53
2	n	2	NAG	C4-C5	2.29	1.57	1.53
2	RA	2	NAG	C4-C5	2.29	1.57	1.53
2	J	1	NAG	C4-C3	2.28	1.58	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	x	1	NAG	C4-C3	2.28	1.58	1.52
2	N	2	NAG	C4-C5	2.27	1.57	1.53
2	l	2	NAG	C4-C5	2.27	1.57	1.53
2	q	1	NAG	C3-C2	2.27	1.57	1.52
2	UA	1	NAG	C3-C2	2.27	1.57	1.52
2	m	1	NAG	C4-C5	2.27	1.57	1.53
2	QA	1	NAG	C4-C5	2.27	1.57	1.53
2	e	1	NAG	C3-C2	2.27	1.57	1.52
2	IA	1	NAG	C3-C2	2.27	1.57	1.52
2	H	1	NAG	C4-C5	2.27	1.57	1.53
2	v	1	NAG	C4-C5	2.27	1.57	1.53
2	W	1	NAG	C4-C3	2.26	1.58	1.52
2	AA	1	NAG	C4-C3	2.26	1.58	1.52
2	q	1	NAG	C4-C5	2.26	1.57	1.53
2	UA	1	NAG	C4-C5	2.26	1.57	1.53
2	f	1	NAG	C4-C5	2.26	1.57	1.53
2	JA	1	NAG	C4-C5	2.26	1.57	1.53
2	Q	2	NAG	C4-C5	2.26	1.57	1.53
2	4	2	NAG	C4-C5	2.26	1.57	1.53
2	l	2	NAG	C4-C5	2.26	1.57	1.53
2	PA	2	NAG	C4-C5	2.26	1.57	1.53
2	T	1	NAG	C3-C2	2.25	1.57	1.52
2	7	1	NAG	C3-C2	2.25	1.57	1.52
2	Q	1	NAG	O5-C1	2.25	1.47	1.43
2	4	1	NAG	O5-C1	2.25	1.47	1.43
2	q	1	NAG	O5-C1	2.25	1.47	1.43
2	UA	1	NAG	O5-C1	2.25	1.47	1.43
2	O	2	NAG	C2-N2	2.25	1.50	1.46
2	2	2	NAG	C2-N2	2.25	1.50	1.46
2	f	1	NAG	O5-C1	2.25	1.47	1.43
2	JA	1	NAG	O5-C1	2.25	1.47	1.43
2	P	2	NAG	C4-C5	2.24	1.57	1.53
2	3	2	NAG	C4-C5	2.24	1.57	1.53
2	n	1	NAG	C3-C2	2.24	1.57	1.52
2	RA	1	NAG	C3-C2	2.24	1.57	1.52
2	V	2	NAG	O5-C1	2.23	1.47	1.43
2	9	2	NAG	O5-C1	2.23	1.47	1.43
2	o	1	NAG	C2-N2	2.23	1.49	1.46
2	SA	1	NAG	C2-N2	2.23	1.49	1.46
2	l	1	NAG	C3-C2	2.23	1.57	1.52
2	PA	1	NAG	C3-C2	2.23	1.57	1.52
2	G	2	NAG	C4-C5	2.23	1.57	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	u	2	NAG	C4-C5	2.23	1.57	1.53
2	W	2	NAG	C2-N2	2.22	1.49	1.46
2	AA	2	NAG	C2-N2	2.22	1.49	1.46
2	H	2	NAG	C2-N2	2.22	1.49	1.46
2	v	2	NAG	C2-N2	2.22	1.49	1.46
2	g	2	NAG	C2-N2	2.22	1.49	1.46
2	KA	2	NAG	C2-N2	2.22	1.49	1.46
2	M	2	NAG	C4-C5	2.22	1.57	1.53
2	0	2	NAG	C4-C5	2.22	1.57	1.53
2	L	1	NAG	C4-C5	2.22	1.57	1.53
2	z	1	NAG	C4-C5	2.22	1.57	1.53
2	T	1	NAG	C2-N2	2.22	1.49	1.46
2	7	1	NAG	C2-N2	2.22	1.49	1.46
2	f	2	NAG	C4-C5	2.22	1.57	1.53
2	JA	2	NAG	C4-C5	2.22	1.57	1.53
2	K	2	NAG	C4-C5	2.21	1.57	1.53
2	y	2	NAG	C4-C5	2.21	1.57	1.53
2	d	2	NAG	C4-C5	2.21	1.57	1.53
2	HA	2	NAG	C4-C5	2.21	1.57	1.53
2	J	1	NAG	C3-C2	2.21	1.57	1.52
2	x	1	NAG	C3-C2	2.21	1.57	1.52
2	Y	1	NAG	C2-N2	2.21	1.49	1.46
2	k	1	NAG	C2-N2	2.21	1.49	1.46
2	CA	1	NAG	C2-N2	2.21	1.49	1.46
2	OA	1	NAG	C2-N2	2.21	1.49	1.46
2	R	2	NAG	C3-C2	2.21	1.57	1.52
2	5	2	NAG	C3-C2	2.21	1.57	1.52
2	h	1	NAG	C2-N2	2.20	1.49	1.46
2	LA	1	NAG	C2-N2	2.20	1.49	1.46
2	Q	1	NAG	C3-C2	2.20	1.57	1.52
2	4	1	NAG	C3-C2	2.20	1.57	1.52
2	h	1	NAG	O5-C1	2.20	1.47	1.43
2	LA	1	NAG	O5-C1	2.20	1.47	1.43
2	L	2	NAG	C4-C3	2.19	1.58	1.52
2	z	2	NAG	C4-C3	2.19	1.58	1.52
2	o	2	NAG	C4-C5	2.19	1.57	1.53
2	SA	2	NAG	C4-C5	2.19	1.57	1.53
2	P	1	NAG	O4-C4	2.19	1.48	1.43
2	3	1	NAG	O4-C4	2.19	1.48	1.43
2	N	1	NAG	C4-C5	2.19	1.57	1.53
2	1	1	NAG	C4-C5	2.19	1.57	1.53
2	e	2	NAG	C4-C5	2.19	1.57	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	IA	2	NAG	C4-C5	2.19	1.57	1.53
2	Y	1	NAG	O5-C1	2.19	1.47	1.43
2	CA	1	NAG	O5-C1	2.19	1.47	1.43
2	L	1	NAG	C3-C2	2.18	1.57	1.52
2	z	1	NAG	C3-C2	2.18	1.57	1.52
2	o	2	NAG	C3-C2	2.18	1.57	1.52
2	SA	2	NAG	C3-C2	2.18	1.57	1.52
2	K	1	NAG	O4-C4	2.18	1.48	1.43
2	y	1	NAG	O4-C4	2.18	1.48	1.43
2	N	1	NAG	C3-C2	2.18	1.57	1.52
2	1	1	NAG	C3-C2	2.18	1.57	1.52
2	l	1	NAG	C2-N2	2.17	1.49	1.46
2	PA	1	NAG	C2-N2	2.17	1.49	1.46
4	t	2	NAG	C4-C3	2.17	1.58	1.52
4	XA	2	NAG	C4-C3	2.17	1.58	1.52
2	a	2	NAG	C2-N2	2.17	1.49	1.46
2	EA	2	NAG	C2-N2	2.17	1.49	1.46
2	V	1	NAG	C2-N2	2.17	1.49	1.46
2	9	1	NAG	C2-N2	2.17	1.49	1.46
2	M	1	NAG	O5-C1	2.17	1.47	1.43
2	0	1	NAG	O5-C1	2.17	1.47	1.43
2	m	2	NAG	C4-C3	2.17	1.58	1.52
2	QA	2	NAG	C4-C3	2.17	1.58	1.52
2	r	2	NAG	C4-C5	2.17	1.57	1.53
2	VA	2	NAG	C4-C5	2.17	1.57	1.53
2	N	1	NAG	C4-C3	2.17	1.58	1.52
2	1	1	NAG	C4-C3	2.17	1.58	1.52
2	i	2	NAG	C2-N2	2.17	1.49	1.46
2	p	2	NAG	C2-N2	2.17	1.49	1.46
2	MA	2	NAG	C2-N2	2.17	1.49	1.46
2	TA	2	NAG	C2-N2	2.17	1.49	1.46
2	q	2	NAG	C4-C5	2.16	1.57	1.53
2	UA	2	NAG	C4-C5	2.16	1.57	1.53
2	b	1	NAG	C2-N2	2.16	1.49	1.46
2	FA	1	NAG	C2-N2	2.16	1.49	1.46
2	R	2	NAG	C4-C3	2.16	1.57	1.52
2	5	2	NAG	C4-C3	2.16	1.57	1.52
2	j	1	NAG	C2-N2	2.15	1.49	1.46
2	NA	1	NAG	C2-N2	2.15	1.49	1.46
2	V	2	NAG	C4-C5	2.15	1.57	1.53
2	9	2	NAG	C4-C5	2.15	1.57	1.53
2	g	1	NAG	C3-C2	2.15	1.57	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	KA	1	NAG	C3-C2	2.15	1.57	1.52
2	j	1	NAG	O5-C1	2.15	1.47	1.43
2	NA	1	NAG	O5-C1	2.15	1.47	1.43
2	c	2	NAG	C4-C5	2.15	1.57	1.53
2	GA	2	NAG	C4-C5	2.15	1.57	1.53
2	Y	1	NAG	C4-C3	2.15	1.57	1.52
2	CA	1	NAG	C4-C3	2.15	1.57	1.52
2	a	2	NAG	C4-C3	2.15	1.57	1.52
2	EA	2	NAG	C4-C3	2.15	1.57	1.52
2	i	2	NAG	C4-C3	2.15	1.57	1.52
2	MA	2	NAG	C4-C3	2.15	1.57	1.52
2	s	2	NAG	C4-C5	2.14	1.57	1.53
2	WA	2	NAG	C4-C5	2.14	1.57	1.53
2	b	1	NAG	C3-C2	2.14	1.57	1.52
2	FA	1	NAG	C3-C2	2.14	1.57	1.52
2	H	1	NAG	O5-C1	2.14	1.47	1.43
2	v	1	NAG	O5-C1	2.14	1.47	1.43
2	T	2	NAG	C2-N2	2.14	1.49	1.46
2	7	2	NAG	C2-N2	2.14	1.49	1.46
2	T	1	NAG	C4-C3	2.13	1.57	1.52
2	7	1	NAG	C4-C3	2.13	1.57	1.52
2	G	2	NAG	C2-N2	2.13	1.49	1.46
2	u	2	NAG	C2-N2	2.13	1.49	1.46
2	n	2	NAG	O5-C1	2.12	1.47	1.43
2	RA	2	NAG	O5-C1	2.12	1.47	1.43
2	I	1	NAG	C4-C3	2.12	1.57	1.52
2	w	1	NAG	C4-C3	2.12	1.57	1.52
2	Z	2	NAG	C4-C5	2.12	1.57	1.53
2	DA	2	NAG	C4-C5	2.12	1.57	1.53
2	X	1	NAG	C4-C3	2.12	1.57	1.52
2	BA	1	NAG	C4-C3	2.12	1.57	1.52
2	f	1	NAG	C3-C2	2.12	1.57	1.52
2	JA	1	NAG	C3-C2	2.12	1.57	1.52
2	I	2	NAG	C4-C3	2.12	1.57	1.52
2	w	2	NAG	C4-C3	2.12	1.57	1.52
2	i	1	NAG	C2-N2	2.12	1.49	1.46
2	p	1	NAG	C2-N2	2.12	1.49	1.46
2	MA	1	NAG	C2-N2	2.12	1.49	1.46
2	TA	1	NAG	C2-N2	2.12	1.49	1.46
2	b	2	NAG	C2-N2	2.11	1.49	1.46
2	FA	2	NAG	C2-N2	2.11	1.49	1.46
4	t	1	NAG	O5-C5	2.11	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	XA	1	NAG	O5-C5	2.11	1.47	1.43
2	k	2	NAG	C2-N2	2.11	1.49	1.46
2	OA	2	NAG	C2-N2	2.11	1.49	1.46
2	U	1	NAG	C2-N2	2.10	1.49	1.46
2	8	1	NAG	C2-N2	2.10	1.49	1.46
2	X	2	NAG	C4-C3	2.10	1.57	1.52
2	BA	2	NAG	C4-C3	2.10	1.57	1.52
2	p	1	NAG	C3-C2	2.10	1.56	1.52
2	TA	1	NAG	C3-C2	2.10	1.56	1.52
2	H	1	NAG	C3-C2	2.10	1.56	1.52
2	v	1	NAG	C3-C2	2.10	1.56	1.52
2	H	1	NAG	C2-N2	2.10	1.49	1.46
2	v	1	NAG	C2-N2	2.10	1.49	1.46
4	t	4	FUC	C4-C3	2.10	1.57	1.52
4	XA	4	FUC	C4-C3	2.10	1.57	1.52
2	Q	1	NAG	C4-C3	2.10	1.57	1.52
2	4	1	NAG	C4-C3	2.10	1.57	1.52
2	Q	2	NAG	C2-N2	2.10	1.49	1.46
2	4	2	NAG	C2-N2	2.10	1.49	1.46
2	d	1	NAG	C4-C3	2.10	1.57	1.52
2	HA	1	NAG	C4-C3	2.10	1.57	1.52
2	G	1	NAG	C4-C5	2.09	1.57	1.53
2	u	1	NAG	C4-C5	2.09	1.57	1.53
2	b	2	NAG	O5-C1	2.09	1.47	1.43
2	FA	2	NAG	O5-C1	2.09	1.47	1.43
2	H	1	NAG	C4-C3	2.09	1.57	1.52
2	v	1	NAG	C4-C3	2.09	1.57	1.52
2	P	2	NAG	C4-C3	2.09	1.57	1.52
2	3	2	NAG	C4-C3	2.09	1.57	1.52
2	j	1	NAG	C4-C3	2.09	1.57	1.52
2	NA	1	NAG	C4-C3	2.09	1.57	1.52
2	n	1	NAG	C4-C3	2.08	1.57	1.52
2	RA	1	NAG	C4-C3	2.08	1.57	1.52
2	W	2	NAG	O5-C1	2.08	1.47	1.43
2	AA	2	NAG	O5-C1	2.08	1.47	1.43
2	G	1	NAG	C4-C3	2.08	1.57	1.52
2	u	1	NAG	C4-C3	2.08	1.57	1.52
2	s	1	NAG	C4-C3	2.08	1.57	1.52
2	WA	1	NAG	C4-C3	2.08	1.57	1.52
2	r	1	NAG	C4-C3	2.08	1.57	1.52
2	VA	1	NAG	C4-C3	2.08	1.57	1.52
2	L	2	NAG	C2-N2	2.07	1.49	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	z	2	NAG	C2-N2	2.07	1.49	1.46
2	n	2	NAG	C2-N2	2.07	1.49	1.46
2	RA	2	NAG	C2-N2	2.07	1.49	1.46
2	c	1	NAG	C3-C2	2.07	1.56	1.52
2	GA	1	NAG	C3-C2	2.07	1.56	1.52
2	W	2	NAG	C4-C3	2.07	1.57	1.52
2	AA	2	NAG	C4-C3	2.07	1.57	1.52
2	i	1	NAG	C4-C3	2.07	1.57	1.52
2	MA	1	NAG	C4-C3	2.07	1.57	1.52
2	I	1	NAG	C2-N2	2.06	1.49	1.46
2	w	1	NAG	C2-N2	2.06	1.49	1.46
2	l	2	NAG	C2-N2	2.06	1.49	1.46
2	PA	2	NAG	C2-N2	2.06	1.49	1.46
2	c	2	NAG	C2-N2	2.06	1.49	1.46
2	GA	2	NAG	C2-N2	2.06	1.49	1.46
2	g	2	NAG	C4-C3	2.06	1.57	1.52
2	KA	2	NAG	C4-C3	2.06	1.57	1.52
2	k	2	NAG	O5-C1	2.06	1.47	1.43
2	OA	2	NAG	O5-C1	2.06	1.47	1.43
2	r	2	NAG	C4-C3	2.06	1.57	1.52
2	VA	2	NAG	C4-C3	2.06	1.57	1.52
2	f	2	NAG	C2-N2	2.06	1.49	1.46
2	JA	2	NAG	C2-N2	2.06	1.49	1.46
2	d	2	NAG	C4-C3	2.06	1.57	1.52
2	HA	2	NAG	C4-C3	2.06	1.57	1.52
2	J	2	NAG	C4-C3	2.06	1.57	1.52
2	x	2	NAG	C4-C3	2.06	1.57	1.52
2	q	2	NAG	C2-N2	2.05	1.49	1.46
2	UA	2	NAG	C2-N2	2.05	1.49	1.46
2	O	2	NAG	C4-C3	2.05	1.57	1.52
2	2	2	NAG	C4-C3	2.05	1.57	1.52
2	b	1	NAG	C4-C3	2.05	1.57	1.52
2	FA	1	NAG	C4-C3	2.05	1.57	1.52
2	N	2	NAG	C4-C3	2.05	1.57	1.52
2	1	2	NAG	C4-C3	2.05	1.57	1.52
2	c	1	NAG	C2-N2	2.05	1.49	1.46
2	GA	1	NAG	C2-N2	2.05	1.49	1.46
4	t	2	NAG	C4-C5	2.05	1.57	1.53
4	XA	2	NAG	C4-C5	2.05	1.57	1.53
2	j	2	NAG	C4-C3	2.04	1.57	1.52
2	NA	2	NAG	C4-C3	2.04	1.57	1.52
2	p	1	NAG	C4-C3	2.03	1.57	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	TA	1	NAG	C4-C3	2.03	1.57	1.52
2	U	2	NAG	C4-C3	2.03	1.57	1.52
2	8	2	NAG	C4-C3	2.03	1.57	1.52
2	H	2	NAG	C4-C3	2.02	1.57	1.52
2	v	2	NAG	C4-C3	2.02	1.57	1.52
2	N	2	NAG	C2-N2	2.01	1.49	1.46
2	1	2	NAG	C2-N2	2.01	1.49	1.46
2	G	2	NAG	C4-C3	2.01	1.57	1.52
2	u	2	NAG	C4-C3	2.01	1.57	1.52
2	h	2	NAG	C4-C3	2.01	1.57	1.52
2	LA	2	NAG	C4-C3	2.01	1.57	1.52
2	Z	1	NAG	O4-C4	2.01	1.47	1.43
2	DA	1	NAG	O4-C4	2.01	1.47	1.43
2	O	1	NAG	C3-C2	2.01	1.56	1.52
2	2	1	NAG	C3-C2	2.01	1.56	1.52
2	p	1	NAG	C4-C5	2.01	1.57	1.53
2	TA	1	NAG	C4-C5	2.01	1.57	1.53
2	r	1	NAG	C3-C2	2.01	1.56	1.52
2	VA	1	NAG	C3-C2	2.01	1.56	1.52
2	n	2	NAG	C4-C3	2.01	1.57	1.52
2	RA	2	NAG	C4-C3	2.01	1.57	1.52
2	U	1	NAG	C4-C3	2.00	1.57	1.52
2	8	1	NAG	C4-C3	2.00	1.57	1.52
2	O	2	NAG	O5-C1	2.00	1.47	1.43
2	2	2	NAG	O5-C1	2.00	1.47	1.43
2	b	2	NAG	C4-C3	2.00	1.57	1.52
2	FA	2	NAG	C4-C3	2.00	1.57	1.52

All (208) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	g	2	NAG	C8-C7-N2	6.45	126.82	116.12
2	KA	2	NAG	C8-C7-N2	6.45	126.82	116.12
2	g	2	NAG	O7-C7-N2	-4.38	114.24	121.98
2	KA	2	NAG	O7-C7-N2	-4.38	114.24	121.98
2	o	1	NAG	C1-C2-N2	-3.60	104.76	110.43
2	SA	1	NAG	C1-C2-N2	-3.60	104.76	110.43
2	c	1	NAG	C1-C2-N2	-3.55	104.84	110.43
2	GA	1	NAG	C1-C2-N2	-3.55	104.84	110.43
2	J	1	NAG	O4-C4-C3	-3.10	103.07	110.38
2	x	1	NAG	O4-C4-C3	-3.10	103.07	110.38
2	I	1	NAG	O4-C4-C3	-2.94	103.44	110.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	w	1	NAG	O4-C4-C3	-2.94	103.44	110.38
2	R	2	NAG	C8-C7-N2	2.92	120.96	116.12
2	5	2	NAG	C8-C7-N2	2.92	120.96	116.12
2	j	2	NAG	C8-C7-N2	2.90	120.93	116.12
2	NA	2	NAG	C8-C7-N2	2.90	120.93	116.12
2	l	1	NAG	C8-C7-N2	2.89	120.92	116.12
2	PA	1	NAG	C8-C7-N2	2.89	120.92	116.12
2	q	1	NAG	C8-C7-N2	2.87	120.87	116.12
2	UA	1	NAG	C8-C7-N2	2.87	120.87	116.12
2	s	2	NAG	C8-C7-N2	2.85	120.85	116.12
2	WA	2	NAG	C8-C7-N2	2.85	120.85	116.12
2	p	1	NAG	C8-C7-N2	2.85	120.84	116.12
2	TA	1	NAG	C8-C7-N2	2.85	120.84	116.12
2	e	1	NAG	C8-C7-N2	2.80	120.76	116.12
2	IA	1	NAG	C8-C7-N2	2.80	120.76	116.12
2	i	1	NAG	C8-C7-N2	2.77	120.70	116.12
2	MA	1	NAG	C8-C7-N2	2.77	120.70	116.12
2	P	1	NAG	O4-C4-C5	-2.70	102.68	109.32
2	3	1	NAG	O4-C4-C5	-2.70	102.68	109.32
2	N	1	NAG	C8-C7-N2	2.65	120.52	116.12
2	1	1	NAG	C8-C7-N2	2.65	120.52	116.12
2	P	1	NAG	O4-C4-C3	2.65	116.61	110.38
2	3	1	NAG	O4-C4-C3	2.65	116.61	110.38
2	P	1	NAG	C8-C7-N2	2.63	120.48	116.12
2	3	1	NAG	C8-C7-N2	2.63	120.48	116.12
2	I	2	NAG	C8-C7-N2	2.59	120.41	116.12
2	w	2	NAG	C8-C7-N2	2.59	120.41	116.12
2	h	1	NAG	C8-C7-N2	2.57	120.39	116.12
2	LA	1	NAG	C8-C7-N2	2.57	120.39	116.12
2	J	2	NAG	C8-C7-N2	2.57	120.37	116.12
2	x	2	NAG	C8-C7-N2	2.57	120.37	116.12
2	V	1	NAG	C1-O5-C5	2.55	115.61	112.19
2	9	1	NAG	C1-O5-C5	2.55	115.61	112.19
2	W	1	NAG	C8-C7-N2	2.55	120.34	116.12
2	AA	1	NAG	C8-C7-N2	2.55	120.34	116.12
2	Z	1	NAG	C8-C7-N2	2.53	120.32	116.12
2	DA	1	NAG	C8-C7-N2	2.53	120.32	116.12
2	b	1	NAG	C8-C7-N2	2.53	120.31	116.12
2	FA	1	NAG	C8-C7-N2	2.53	120.31	116.12
2	d	1	NAG	C8-C7-N2	2.51	120.29	116.12
2	HA	1	NAG	C8-C7-N2	2.51	120.29	116.12
2	k	1	NAG	O4-C4-C3	-2.48	104.53	110.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	OA	1	NAG	O4-C4-C3	-2.48	104.53	110.38
2	c	2	NAG	C8-C7-N2	2.48	120.23	116.12
2	GA	2	NAG	C8-C7-N2	2.48	120.23	116.12
2	K	1	NAG	C8-C7-N2	2.48	120.23	116.12
2	y	1	NAG	C8-C7-N2	2.48	120.23	116.12
2	n	1	NAG	C8-C7-N2	2.47	120.21	116.12
2	RA	1	NAG	C8-C7-N2	2.47	120.21	116.12
2	c	2	NAG	O7-C7-C8	-2.46	117.68	122.05
2	GA	2	NAG	O7-C7-C8	-2.46	117.68	122.05
4	t	2	NAG	C8-C7-N2	2.41	120.11	116.12
4	XA	2	NAG	C8-C7-N2	2.41	120.11	116.12
2	m	2	NAG	C8-C7-N2	2.40	120.10	116.12
2	QA	2	NAG	C8-C7-N2	2.40	120.10	116.12
2	U	1	NAG	C8-C7-N2	2.40	120.09	116.12
2	8	1	NAG	C8-C7-N2	2.40	120.09	116.12
2	G	1	NAG	C8-C7-N2	2.39	120.08	116.12
2	u	1	NAG	C8-C7-N2	2.39	120.08	116.12
2	R	1	NAG	C8-C7-N2	2.36	120.03	116.12
2	5	1	NAG	C8-C7-N2	2.36	120.03	116.12
2	s	2	NAG	O7-C7-C8	-2.35	117.86	122.05
2	WA	2	NAG	O7-C7-C8	-2.35	117.86	122.05
2	q	1	NAG	O7-C7-C8	-2.35	117.87	122.05
2	UA	1	NAG	O7-C7-C8	-2.35	117.87	122.05
2	R	1	NAG	O4-C4-C3	-2.34	104.87	110.38
2	5	1	NAG	O4-C4-C3	-2.34	104.87	110.38
2	r	2	NAG	C1-O5-C5	2.33	115.31	112.19
2	VA	2	NAG	C1-O5-C5	2.33	115.31	112.19
2	m	1	NAG	O4-C4-C3	-2.32	104.91	110.38
2	QA	1	NAG	O4-C4-C3	-2.32	104.91	110.38
2	b	2	NAG	C8-C7-N2	2.32	119.96	116.12
2	FA	2	NAG	C8-C7-N2	2.32	119.96	116.12
2	b	1	NAG	O7-C7-C8	-2.30	117.96	122.05
2	FA	1	NAG	O7-C7-C8	-2.30	117.96	122.05
2	Y	1	NAG	C8-C7-N2	2.30	119.93	116.12
2	CA	1	NAG	C8-C7-N2	2.30	119.93	116.12
2	N	1	NAG	O7-C7-C8	-2.30	117.97	122.05
2	1	1	NAG	O7-C7-C8	-2.30	117.97	122.05
2	T	2	NAG	C8-C7-N2	2.29	119.92	116.12
2	7	2	NAG	C8-C7-N2	2.29	119.92	116.12
2	k	2	NAG	C8-C7-N2	2.29	119.92	116.12
2	OA	2	NAG	C8-C7-N2	2.29	119.92	116.12
2	Z	1	NAG	O4-C4-C5	2.28	114.94	109.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	DA	1	NAG	O4-C4-C5	2.28	114.94	109.32
2	e	1	NAG	O7-C7-C8	-2.27	118.00	122.05
2	IA	1	NAG	O7-C7-C8	-2.27	118.00	122.05
2	o	1	NAG	C8-C7-N2	2.27	119.89	116.12
2	SA	1	NAG	C8-C7-N2	2.27	119.89	116.12
2	j	1	NAG	C1-C2-N2	-2.24	106.90	110.43
2	NA	1	NAG	C1-C2-N2	-2.24	106.90	110.43
2	O	2	NAG	C8-C7-N2	2.23	119.82	116.12
2	2	2	NAG	C8-C7-N2	2.23	119.82	116.12
2	h	2	NAG	C8-C7-N2	2.23	119.82	116.12
2	LA	2	NAG	C8-C7-N2	2.23	119.82	116.12
2	q	2	NAG	C8-C7-N2	2.23	119.81	116.12
2	UA	2	NAG	C8-C7-N2	2.23	119.81	116.12
2	Y	1	NAG	O4-C4-C3	-2.23	105.13	110.38
2	CA	1	NAG	O4-C4-C3	-2.23	105.13	110.38
4	t	1	NAG	C8-C7-N2	2.22	119.80	116.12
4	XA	1	NAG	C8-C7-N2	2.22	119.80	116.12
2	V	1	NAG	C8-C7-N2	2.22	119.80	116.12
2	9	1	NAG	C8-C7-N2	2.22	119.80	116.12
2	W	2	NAG	C8-C7-N2	2.21	119.78	116.12
2	AA	2	NAG	C8-C7-N2	2.21	119.78	116.12
2	V	2	NAG	C8-C7-N2	2.21	119.78	116.12
2	9	2	NAG	C8-C7-N2	2.21	119.78	116.12
2	i	1	NAG	O7-C7-C8	-2.21	118.12	122.05
2	MA	1	NAG	O7-C7-C8	-2.21	118.12	122.05
2	U	2	NAG	C8-C7-N2	2.21	119.78	116.12
2	8	2	NAG	C8-C7-N2	2.21	119.78	116.12
2	n	2	NAG	C8-C7-N2	2.20	119.77	116.12
2	RA	2	NAG	C8-C7-N2	2.20	119.77	116.12
2	Z	1	NAG	O7-C7-C8	-2.20	118.14	122.05
2	DA	1	NAG	O7-C7-C8	-2.20	118.14	122.05
2	J	1	NAG	O5-C5-C6	-2.20	103.39	107.66
2	x	1	NAG	O5-C5-C6	-2.20	103.39	107.66
2	Z	2	NAG	C8-C7-N2	2.19	119.74	116.12
2	DA	2	NAG	C8-C7-N2	2.19	119.74	116.12
2	s	1	NAG	O5-C5-C6	-2.18	103.41	107.66
2	WA	1	NAG	O5-C5-C6	-2.18	103.41	107.66
2	p	2	NAG	C8-C7-N2	2.17	119.72	116.12
2	TA	2	NAG	C8-C7-N2	2.17	119.72	116.12
2	L	2	NAG	C8-C7-N2	2.16	119.70	116.12
2	z	2	NAG	C8-C7-N2	2.16	119.70	116.12
2	k	1	NAG	C8-C7-N2	2.16	119.70	116.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	OA	1	NAG	C8-C7-N2	2.16	119.70	116.12
2	o	2	NAG	C8-C7-N2	2.16	119.70	116.12
2	SA	2	NAG	C8-C7-N2	2.16	119.70	116.12
2	d	1	NAG	C1-O5-C5	2.16	115.08	112.19
2	HA	1	NAG	C1-O5-C5	2.16	115.08	112.19
2	n	1	NAG	O7-C7-C8	-2.16	118.22	122.05
2	RA	1	NAG	O7-C7-C8	-2.16	118.22	122.05
2	X	1	NAG	C8-C7-N2	2.15	119.69	116.12
2	BA	1	NAG	C8-C7-N2	2.15	119.69	116.12
2	a	2	NAG	C8-C7-N2	2.13	119.64	116.12
2	EA	2	NAG	C8-C7-N2	2.13	119.64	116.12
2	R	1	NAG	O7-C7-C8	-2.12	118.28	122.05
2	5	1	NAG	O7-C7-C8	-2.12	118.28	122.05
2	Q	2	NAG	C8-C7-N2	2.12	119.63	116.12
2	4	2	NAG	C8-C7-N2	2.12	119.63	116.12
2	e	2	NAG	C8-C7-N2	2.11	119.62	116.12
2	IA	2	NAG	C8-C7-N2	2.11	119.62	116.12
2	G	2	NAG	C8-C7-N2	2.11	119.61	116.12
2	u	2	NAG	C8-C7-N2	2.11	119.61	116.12
2	J	1	NAG	C8-C7-N2	2.10	119.61	116.12
2	x	1	NAG	C8-C7-N2	2.10	119.61	116.12
2	M	2	NAG	C8-C7-N2	2.10	119.60	116.12
2	0	2	NAG	C8-C7-N2	2.10	119.60	116.12
2	g	1	NAG	C8-C7-N2	2.10	119.60	116.12
2	KA	1	NAG	C8-C7-N2	2.10	119.60	116.12
2	l	2	NAG	C8-C7-N2	2.09	119.59	116.12
2	PA	2	NAG	C8-C7-N2	2.09	119.59	116.12
2	m	2	NAG	O7-C7-C8	-2.08	118.34	122.05
2	QA	2	NAG	O7-C7-C8	-2.08	118.34	122.05
2	H	2	NAG	C8-C7-N2	2.08	119.57	116.12
2	v	2	NAG	C8-C7-N2	2.08	119.57	116.12
2	O	1	NAG	O4-C4-C3	-2.08	105.48	110.38
2	2	1	NAG	O4-C4-C3	-2.08	105.48	110.38
2	M	1	NAG	O4-C4-C3	-2.07	105.50	110.38
2	0	1	NAG	O4-C4-C3	-2.07	105.50	110.38
2	l	1	NAG	O7-C7-C8	-2.07	118.38	122.05
2	PA	1	NAG	O7-C7-C8	-2.07	118.38	122.05
2	r	2	NAG	C8-C7-N2	2.07	119.54	116.12
2	s	1	NAG	C8-C7-N2	2.07	119.54	116.12
2	VA	2	NAG	C8-C7-N2	2.07	119.54	116.12
2	WA	1	NAG	C8-C7-N2	2.07	119.54	116.12
2	W	1	NAG	O7-C7-C8	-2.06	118.38	122.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AA	1	NAG	O7-C7-C8	-2.06	118.38	122.05
2	i	2	NAG	C8-C7-N2	2.05	119.52	116.12
2	MA	2	NAG	C8-C7-N2	2.05	119.52	116.12
2	d	2	NAG	C8-C7-N2	2.05	119.52	116.12
2	HA	2	NAG	C8-C7-N2	2.05	119.52	116.12
2	P	2	NAG	C8-C7-N2	2.05	119.52	116.12
2	3	2	NAG	C8-C7-N2	2.05	119.52	116.12
2	N	1	NAG	C1-O5-C5	2.04	114.93	112.19
2	1	1	NAG	C1-O5-C5	2.04	114.93	112.19
2	j	1	NAG	O4-C4-C3	-2.04	105.56	110.38
2	NA	1	NAG	O4-C4-C3	-2.04	105.56	110.38
2	T	2	NAG	O7-C7-C8	-2.04	118.42	122.05
2	7	2	NAG	O7-C7-C8	-2.04	118.42	122.05
2	I	1	NAG	C1-C2-N2	-2.04	107.22	110.43
2	w	1	NAG	C1-C2-N2	-2.04	107.22	110.43
2	T	1	NAG	C8-C7-N2	2.03	119.49	116.12
2	7	1	NAG	C8-C7-N2	2.03	119.49	116.12
2	K	2	NAG	C8-C7-N2	2.02	119.46	116.12
2	y	2	NAG	C8-C7-N2	2.02	119.46	116.12
2	P	1	NAG	O7-C7-C8	-2.02	118.46	122.05
2	3	1	NAG	O7-C7-C8	-2.02	118.46	122.05
2	N	2	NAG	C8-C7-N2	2.02	119.46	116.12
2	1	2	NAG	C8-C7-N2	2.02	119.46	116.12
2	K	1	NAG	O7-C7-C8	-2.01	118.48	122.05
2	y	1	NAG	O7-C7-C8	-2.01	118.48	122.05
2	X	2	NAG	C8-C7-N2	2.01	119.44	116.12
2	BA	2	NAG	C8-C7-N2	2.01	119.44	116.12
2	p	1	NAG	O7-C7-C8	-2.00	118.49	122.05
2	TA	1	NAG	O7-C7-C8	-2.00	118.49	122.05

There are no chirality outliers.

All (42) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	S	1	NAG	C4-C5-C6-O6
3	6	1	NAG	C4-C5-C6-O6
3	S	1	NAG	O5-C5-C6-O6
3	6	1	NAG	O5-C5-C6-O6
2	g	2	NAG	C8-C7-N2-C2
2	g	2	NAG	O7-C7-N2-C2
2	KA	2	NAG	C8-C7-N2-C2
2	KA	2	NAG	O7-C7-N2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	S	1	NAG	C8-C7-N2-C2
3	S	1	NAG	O7-C7-N2-C2
3	6	1	NAG	C8-C7-N2-C2
3	6	1	NAG	O7-C7-N2-C2
2	o	2	NAG	O5-C5-C6-O6
2	SA	2	NAG	O5-C5-C6-O6
3	S	2	NAG	C8-C7-N2-C2
3	6	2	NAG	C8-C7-N2-C2
2	k	2	NAG	O5-C5-C6-O6
2	OA	2	NAG	O5-C5-C6-O6
2	j	2	NAG	O5-C5-C6-O6
2	NA	2	NAG	O5-C5-C6-O6
2	W	2	NAG	O5-C5-C6-O6
2	AA	2	NAG	O5-C5-C6-O6
2	g	2	NAG	O5-C5-C6-O6
2	q	2	NAG	O5-C5-C6-O6
2	KA	2	NAG	O5-C5-C6-O6
2	UA	2	NAG	O5-C5-C6-O6
2	P	1	NAG	C4-C5-C6-O6
2	3	1	NAG	C4-C5-C6-O6
2	Z	2	NAG	C4-C5-C6-O6
2	DA	2	NAG	C4-C5-C6-O6
3	S	2	NAG	O7-C7-N2-C2
3	6	2	NAG	O7-C7-N2-C2
2	e	1	NAG	C4-C5-C6-O6
2	IA	1	NAG	C4-C5-C6-O6
2	l	2	NAG	C4-C5-C6-O6
2	PA	2	NAG	C4-C5-C6-O6
2	Z	2	NAG	O5-C5-C6-O6
2	DA	2	NAG	O5-C5-C6-O6
2	P	1	NAG	O5-C5-C6-O6
2	3	1	NAG	O5-C5-C6-O6
2	e	1	NAG	O5-C5-C6-O6
2	IA	1	NAG	O5-C5-C6-O6

There are no ring outliers.

8 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	UA	1	NAG	1	0
3	S	3	FUC	1	0
2	MA	1	NAG	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	6	1	NAG	1	0
3	S	1	NAG	1	0
2	i	1	NAG	1	0
3	6	3	FUC	1	0
2	q	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









































































































































































































































5.6 Ligand geometry

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	NAG	A	1303	1	14,14,15	2.37	5 (35%)	17,19,21	0.96	1 (5%)
5	NAG	F	1302	1	14,14,15	2.15	5 (35%)	17,19,21	7.11	2 (11%)
5	NAG	B	1302	1	14,14,15	2.23	5 (35%)	17,19,21	1.05	1 (5%)
5	NAG	D	1303	1	14,14,15	2.37	5 (35%)	17,19,21	0.96	1 (5%)
5	NAG	F	1303	1	14,14,15	2.09	5 (35%)	17,19,21	1.04	2 (11%)
5	NAG	C	1302	1	14,14,15	2.15	5 (35%)	17,19,21	7.11	2 (11%)
5	NAG	C	1301	1	14,14,15	2.20	5 (35%)	17,19,21	0.90	0
5	NAG	D	1301	1	14,14,15	2.04	5 (35%)	17,19,21	7.04	2 (11%)
5	NAG	E	1302	1	14,14,15	2.23	5 (35%)	17,19,21	1.05	1 (5%)
5	NAG	C	1303	1	14,14,15	2.09	5 (35%)	17,19,21	1.04	2 (11%)
5	NAG	B	1301	1	14,14,15	2.23	6 (42%)	17,19,21	1.02	1 (5%)
5	NAG	F	1301	1	14,14,15	2.20	5 (35%)	17,19,21	0.90	0
5	NAG	D	1302	1	14,14,15	2.20	5 (35%)	17,19,21	1.03	1 (5%)
5	NAG	A	1301	1	14,14,15	2.04	5 (35%)	17,19,21	7.04	2 (11%)
5	NAG	A	1302	1	14,14,15	2.20	5 (35%)	17,19,21	1.03	1 (5%)
5	NAG	E	1301	1	14,14,15	2.23	6 (42%)	17,19,21	1.02	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	A	1303	1	-	0/6/23/26	0/1/1/1
5	NAG	F	1302	1	-	0/6/23/26	0/1/1/1
5	NAG	B	1302	1	-	0/6/23/26	0/1/1/1
5	NAG	D	1303	1	-	0/6/23/26	0/1/1/1
5	NAG	F	1303	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	C	1302	1	-	0/6/23/26	0/1/1/1
5	NAG	C	1301	1	-	1/6/23/26	0/1/1/1
5	NAG	D	1301	1	-	0/6/23/26	0/1/1/1
5	NAG	E	1302	1	-	0/6/23/26	0/1/1/1
5	NAG	C	1303	1	-	0/6/23/26	0/1/1/1
5	NAG	B	1301	1	-	1/6/23/26	0/1/1/1
5	NAG	F	1301	1	-	1/6/23/26	0/1/1/1
5	NAG	D	1302	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1301	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1302	1	-	0/6/23/26	0/1/1/1
5	NAG	E	1301	1	-	1/6/23/26	0/1/1/1

All (82) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1303	NAG	C1-C2	6.26	1.60	1.52
5	D	1303	NAG	C1-C2	6.26	1.60	1.52
5	C	1301	NAG	C1-C2	5.86	1.60	1.52
5	F	1301	NAG	C1-C2	5.86	1.60	1.52
5	B	1302	NAG	C1-C2	5.81	1.60	1.52
5	E	1302	NAG	C1-C2	5.81	1.60	1.52
5	B	1301	NAG	C1-C2	5.73	1.60	1.52
5	E	1301	NAG	C1-C2	5.73	1.60	1.52
5	C	1302	NAG	C1-C2	5.66	1.60	1.52
5	F	1302	NAG	C1-C2	5.66	1.60	1.52
5	A	1302	NAG	C1-C2	5.56	1.59	1.52
5	D	1302	NAG	C1-C2	5.56	1.59	1.52
5	C	1303	NAG	C1-C2	5.53	1.59	1.52
5	F	1303	NAG	C1-C2	5.53	1.59	1.52
5	A	1301	NAG	C1-C2	5.04	1.59	1.52
5	D	1301	NAG	C1-C2	5.04	1.59	1.52
5	A	1303	NAG	O5-C5	3.54	1.50	1.43
5	D	1303	NAG	O5-C5	3.54	1.50	1.43
5	A	1301	NAG	O5-C5	3.39	1.50	1.43
5	D	1301	NAG	O5-C5	3.39	1.50	1.43
5	B	1302	NAG	O5-C5	3.39	1.50	1.43
5	E	1302	NAG	O5-C5	3.39	1.50	1.43
5	C	1302	NAG	O5-C5	3.38	1.50	1.43
5	F	1302	NAG	O5-C5	3.38	1.50	1.43
5	B	1301	NAG	O5-C5	3.31	1.49	1.43
5	E	1301	NAG	O5-C5	3.31	1.49	1.43
5	A	1302	NAG	O5-C5	3.29	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	1302	NAG	O5-C5	3.29	1.49	1.43
5	C	1301	NAG	O5-C5	3.19	1.49	1.43
5	F	1301	NAG	O5-C5	3.19	1.49	1.43
5	C	1302	NAG	O5-C1	2.82	1.48	1.43
5	F	1302	NAG	O5-C1	2.82	1.48	1.43
5	A	1303	NAG	O5-C1	2.76	1.48	1.43
5	D	1303	NAG	O5-C1	2.76	1.48	1.43
5	C	1303	NAG	O5-C5	2.74	1.48	1.43
5	F	1303	NAG	O5-C5	2.74	1.48	1.43
5	B	1302	NAG	O5-C1	2.66	1.48	1.43
5	E	1302	NAG	O5-C1	2.66	1.48	1.43
5	A	1302	NAG	O5-C1	2.60	1.48	1.43
5	D	1302	NAG	O5-C1	2.60	1.48	1.43
5	B	1301	NAG	O5-C1	2.51	1.47	1.43
5	E	1301	NAG	O5-C1	2.51	1.47	1.43
5	A	1301	NAG	O5-C1	2.51	1.47	1.43
5	D	1301	NAG	O5-C1	2.51	1.47	1.43
5	C	1301	NAG	O5-C1	2.45	1.47	1.43
5	F	1301	NAG	O5-C1	2.45	1.47	1.43
5	A	1303	NAG	C3-C2	2.39	1.57	1.52
5	D	1303	NAG	C3-C2	2.39	1.57	1.52
5	B	1301	NAG	C4-C5	2.33	1.58	1.53
5	E	1301	NAG	C4-C5	2.33	1.58	1.53
5	A	1302	NAG	C3-C2	2.31	1.57	1.52
5	D	1302	NAG	C3-C2	2.31	1.57	1.52
5	C	1303	NAG	C3-C2	2.26	1.57	1.52
5	F	1303	NAG	C3-C2	2.26	1.57	1.52
5	C	1303	NAG	O5-C1	2.25	1.47	1.43
5	F	1303	NAG	O5-C1	2.25	1.47	1.43
5	A	1303	NAG	C4-C5	2.24	1.57	1.53
5	D	1303	NAG	C4-C5	2.24	1.57	1.53
5	A	1302	NAG	C4-C5	2.21	1.57	1.53
5	D	1302	NAG	C4-C5	2.21	1.57	1.53
5	B	1302	NAG	C3-C2	2.20	1.57	1.52
5	E	1302	NAG	C3-C2	2.20	1.57	1.52
5	C	1301	NAG	C3-C2	2.19	1.57	1.52
5	F	1301	NAG	C3-C2	2.19	1.57	1.52
5	B	1301	NAG	C3-C2	2.18	1.57	1.52
5	E	1301	NAG	C3-C2	2.18	1.57	1.52
5	A	1301	NAG	C4-C5	2.16	1.57	1.53
5	D	1301	NAG	C4-C5	2.16	1.57	1.53
5	C	1301	NAG	C4-C5	2.14	1.57	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	F	1301	NAG	C4-C5	2.14	1.57	1.53
5	B	1302	NAG	C4-C5	2.13	1.57	1.53
5	E	1302	NAG	C4-C5	2.13	1.57	1.53
5	C	1302	NAG	C4-C5	2.09	1.57	1.53
5	F	1302	NAG	C4-C5	2.09	1.57	1.53
5	A	1301	NAG	C3-C2	2.08	1.56	1.52
5	D	1301	NAG	C3-C2	2.08	1.56	1.52
5	C	1302	NAG	C3-C2	2.07	1.56	1.52
5	F	1302	NAG	C3-C2	2.07	1.56	1.52
5	C	1303	NAG	C4-C5	2.04	1.57	1.53
5	F	1303	NAG	C4-C5	2.04	1.57	1.53
5	B	1301	NAG	C2-N2	2.03	1.49	1.46
5	E	1301	NAG	C2-N2	2.03	1.49	1.46

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	1302	NAG	C2-N2-C7	29.01	161.78	122.90
5	F	1302	NAG	C2-N2-C7	29.01	161.78	122.90
5	A	1301	NAG	C2-N2-C7	28.58	161.20	122.90
5	D	1301	NAG	C2-N2-C7	28.58	161.20	122.90
5	A	1301	NAG	C8-C7-N2	3.44	121.82	116.12
5	D	1301	NAG	C8-C7-N2	3.44	121.82	116.12
5	B	1302	NAG	C8-C7-N2	2.36	120.03	116.12
5	E	1302	NAG	C8-C7-N2	2.36	120.03	116.12
5	A	1302	NAG	C8-C7-N2	2.31	119.95	116.12
5	D	1302	NAG	C8-C7-N2	2.31	119.95	116.12
5	B	1301	NAG	C1-C2-N2	-2.27	106.86	110.43
5	E	1301	NAG	C1-C2-N2	-2.27	106.86	110.43
5	C	1302	NAG	C8-C7-N2	2.22	119.80	116.12
5	F	1302	NAG	C8-C7-N2	2.22	119.80	116.12
5	A	1303	NAG	C8-C7-N2	2.18	119.73	116.12
5	D	1303	NAG	C8-C7-N2	2.18	119.73	116.12
5	C	1303	NAG	C1-O5-C5	2.14	115.05	112.19
5	F	1303	NAG	C1-O5-C5	2.14	115.05	112.19
5	C	1303	NAG	C8-C7-N2	2.06	119.53	116.12
5	F	1303	NAG	C8-C7-N2	2.06	119.53	116.12

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	1301	NAG	O5-C5-C6-O6
5	E	1301	NAG	O5-C5-C6-O6
5	C	1301	NAG	O5-C5-C6-O6
5	F	1301	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-22354. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 230




Y Index: 230




Z Index: 230


6.2.2 Raw map



X Index: 230



Y Index: 230




Z Index: 230


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 264




Y Index: 243




Z Index: 229


6.3.2 Raw map



X Index: 255



Y Index: 230




Z Index: 227


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.008. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_22354_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 440 nm^3 ; this corresponds to an approximate mass of 397 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.222 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.222 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.50	-	-
Author-provided FSC curve	4.50	6.54	4.55
Unmasked-calculated*	7.92	17.09	8.07

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 7.92 differs from the reported value 4.5 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-22354 and PDB model 7JJJ. Per-residue inclusion information can be found in [section 3](#) on [page 15](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.008 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.008).

9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 71% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.008) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7100	 0.3200
0	 0.6430	 0.2750
1	 0.5360	 0.3790
2	 0.3570	 0.3370
3	 0.4290	 0.2610
4	 0.6430	 0.2830
5	 0.6430	 0.3270
6	 0.5000	 0.2190
7	 0.1790	 0.2470
8	 0.5710	 0.3680
9	 0.3210	 0.3310
A	 0.7260	 0.3270
AA	 0.3930	 0.3050
B	 0.7130	 0.3110
BA	 0.1430	 0.1630
C	 0.7250	 0.3240
CA	 0.3570	 0.2860
D	 0.7260	 0.3280
DA	 0.3570	 0.2380
E	 0.7130	 0.3100
EA	 0.5710	 0.3480
F	 0.7250	 0.3230
FA	 0.2500	 0.2670
G	 0.3930	 0.3030
GA	 0.7140	 0.2740
H	 0.4640	 0.3080
HA	 0.6790	 0.3790
I	 0.3210	 0.2180
IA	 0.5710	 0.2900
J	 0.3930	 0.2620
JA	 0.5710	 0.3220
K	 0.3210	 0.2850
KA	 0.4640	 0.2360
L	 0.5000	 0.2860
LA	 0.4640	 0.2760



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
M	 0.6430	 0.2840
MA	 0.0360	 0.2080
N	 0.5360	 0.3940
NA	 0.2860	 0.2540
O	 0.3570	 0.3460
OA	 0.5360	 0.3670
P	 0.4290	 0.2390
PA	 0.2500	 0.3730
Q	 0.6430	 0.2940
QA	 0.5710	 0.3110
R	 0.6430	 0.3290
RA	 0.2860	 0.2880
S	 0.5000	 0.2410
SA	 0.7500	 0.3650
T	 0.1790	 0.2530
TA	 0.7140	 0.4010
U	 0.5710	 0.3710
UA	 0.6070	 0.3140
V	 0.3210	 0.3480
VA	 0.6070	 0.3390
W	 0.3930	 0.2950
WA	 0.6790	 0.3830
X	 0.1430	 0.1650
XA	 0.3880	 0.3570
Y	 0.3570	 0.2950
Z	 0.3570	 0.2450
a	 0.5710	 0.3430
b	 0.2500	 0.2760
c	 0.7140	 0.2860
d	 0.6790	 0.3840
e	 0.5710	 0.2820
f	 0.5710	 0.3220
g	 0.4640	 0.2300
h	 0.4640	 0.2760
i	 0.0360	 0.2020
j	 0.2860	 0.2490
k	 0.5360	 0.3740
l	 0.2500	 0.3700
m	 0.5710	 0.3040
n	 0.2860	 0.2980
o	 0.7500	 0.3680
p	 0.7140	 0.4000

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
q	 0.6070	 0.3100
r	 0.6070	 0.3080
s	 0.6790	 0.3700
t	 0.3880	 0.3600
u	 0.3930	 0.3050
v	 0.4640	 0.3340
w	 0.3210	 0.2520
x	 0.3930	 0.2510
y	 0.3210	 0.2800
z	 0.5000	 0.2840