



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 5, 2026 – 09:03 PM EDT

PDB ID : 4L38 / pdb_00004l38
Title : Nitrite complex of TvNiR, low dose data set
Authors : Trofimov, A.A.; Polyakov, K.M.; Lazarenko, V.A.; Popov, A.N.; Tikhonova, T.V.; Tikhonov, A.V.; Popov, V.O.
Deposited on : 2013-06-05
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	520	
1	B	520	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	HEC	A	601	X	-	-	-
2	HEC	A	602	X	-	-	-
2	HEC	A	603	X	-	-	-
2	HEC	A	604	X	-	-	-
2	HEC	A	605	X	-	-	-
2	HEC	A	606	X	-	-	-
2	HEC	A	607	X	-	-	-
2	HEC	A	608	X	-	-	-
2	HEC	B	601	X	-	-	-
2	HEC	B	602	X	-	-	-
2	HEC	B	603	X	-	-	-
2	HEC	B	604[A]	X	-	-	-
2	HEC	B	604[B]	X	-	-	-
2	HEC	B	605	X	-	-	-
2	HEC	B	606	X	-	-	-
2	HEC	B	607	X	-	-	-
2	HEC	B	608	X	-	-	-

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 10419 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Eight-heme nitrite reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	520	Total	C	N	O	S	0	18	0
			4178	2588	758	798	34			
1	B	520	Total	C	N	O	S	0	16	0
			4181	2591	759	797	34			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	524	VAL	-	expression tag	UNP L0DSL2
B	524	VAL	-	expression tag	UNP L0DSL2

- Molecule 2 is HEME C (CCD ID: HEC) (formula: $C_{34}H_{36}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	0
			38	31	1	4	2		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	1
			47	36	1	4	6		
2	B	1	Total	C	Fe	N	O	0	0
			39	32	1	4	2		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is NITRITE ION (CCD ID: NO2) (formula: NO₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	N	O	0	0
			3	1	2		
3	A	1	Total	N	O	0	0
			3	1	2		
3	A	1	Total	N	O	0	0
			3	1	2		
3	B	1	Total	N	O	0	0
			3	1	2		
3	B	1	Total	N	O	0	0
			3	1	2		
3	B	1	Total	N	O	0	0
			3	1	2		

- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Ca	0	0
			2	2		
4	B	2	Total	Ca	0	0
			2	2		

- Molecule 5 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			8	6	2		
5	B	1	Total	C	O	0	0
			8	6	2		

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	1
			7	3	4		
6	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	1
			8	3	5		
6	B	1	Total	C	O	0	1
			7	3	4		
6	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	636	Total	O	0	0
			636	636		
8	B	659	Total	O	0	0
			659	659		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Eight-heme nitrite reductase



- Molecule 1: Eight-heme nitrite reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 3	Depositor
Cell constants a, b, c, α , β , γ	193.97 Å 193.97 Å 193.97 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.95 – 1.80 29.95 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.4 (29.95-1.80) 99.4 (29.95-1.80)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.93 (at 1.80 Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.153 , 0.170 0.154 , 0.170	Depositor DCC
R_{free} test set	11117 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	13.0	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 49.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.054 for l,-k,h	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10419	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MPD, SO4, CA, NO2, HEC, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.86	0/4381	0.91	3/5944 (0.1%)
1	B	0.85	0/4369	0.90	0/5928
All	All	0.85	0/8750	0.90	3/11872 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	277	GLY	CA-C-N	-5.67	113.66	122.67
1	A	277	GLY	C-N-CA	-5.67	113.66	122.67
1	A	411	CYS	CB-CA-C	-5.10	100.27	110.42

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4178	0	3879	15	0
1	B	4181	0	3892	26	0
2	A	339	0	236	4	0
2	B	344	0	214	3	0
3	A	9	0	0	0	0
3	B	9	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	2	0	0	0	0
4	B	2	0	0	0	0
5	A	8	0	14	1	0
5	B	8	0	14	5	0
6	A	21	0	24	0	0
6	B	13	0	12	0	0
7	A	5	0	0	0	0
7	B	5	0	0	0	0
8	A	636	0	0	3	0
8	B	659	0	0	7	0
All	All	10419	0	8285	46	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (46) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:521:GLN:O	1:A:524:VAL:HG22	1.80	0.82
2:A:605:HEC:HMC3	2:A:605:HEC:HBC3	1.62	0.81
2:B:605:HEC:HMC3	2:B:605:HEC:HBC3	1.71	0.71
1:B:68[A]:THR:HG21	8:B:727:HOH:O	1.92	0.68
1:B:138[B]:GLN:NE2	5:B:612:MPD:H32	2.15	0.60
1:A:140:LYS:HG2	1:A:160[B]:THR:HG23	1.84	0.59
1:B:140:LYS:HG2	1:B:160[B]:THR:HG23	1.86	0.57
1:B:413:ASN:HB2	8:B:1265:HOH:O	2.06	0.56
1:B:413:ASN:ND2	8:B:1167:HOH:O	2.40	0.54
1:B:467[B]:GLN:HG2	8:B:999:HOH:O	2.08	0.54
1:B:361:HIS:NE2	3:B:609:NO2:O2	2.34	0.53
1:B:12:MET:HE3	8:B:960:HOH:O	2.08	0.53
1:B:138[B]:GLN:HE21	5:B:612:MPD:H32	1.76	0.51
1:A:68[A]:THR:HG23	1:A:69:CYS:N	2.27	0.50
1:B:466:ASN:ND2	1:B:469:ARG:HH11	2.10	0.50
1:A:273[B]:THR:HG22	8:A:956:HOH:O	2.12	0.49
1:B:387[A]:VAL:HG21	1:B:395:TYR:CE1	2.47	0.49
1:B:487:SER:HB3	1:B:491:HIS:CE1	2.48	0.49
1:A:487:SER:HB3	1:A:491:HIS:CE1	2.48	0.49
2:B:606:HEC:HHA	2:B:606:HEC:HBD2	1.95	0.48
1:A:140:LYS:HG2	1:A:160[B]:THR:CG2	2.44	0.48
1:B:348[A]:ARG:HD3	8:B:1266:HOH:O	2.11	0.48
1:B:138[B]:GLN:NE2	5:B:612:MPD:O4	2.47	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:46:GLU:HG3	8:A:1262:HOH:O	2.16	0.46
1:B:466:ASN:HD22	1:B:469:ARG:HD2	1.80	0.46
1:B:167:SER:HB2	1:B:216[B]:GLU:HG2	1.98	0.46
1:B:142:TRP:CE3	5:B:612:MPD:H11	2.51	0.45
2:A:606:HEC:HMC1	2:A:606:HEC:HBC3	1.99	0.45
1:B:374:ARG:NE	1:B:374:ARG:HA	2.32	0.44
1:B:224:PRO:O	1:B:225:LEU:C	2.60	0.44
1:A:430:ILE:HG21	1:A:490:PHE:HA	2.00	0.43
1:A:520:ALA:O	1:A:524:VAL:HG13	2.18	0.43
1:B:430:ILE:HG21	1:B:490:PHE:HA	2.00	0.43
1:A:119:HIS:CD2	2:A:603:HEC:ND	2.89	0.41
1:B:138[B]:GLN:NE2	5:B:612:MPD:C3	2.83	0.41
1:B:521:GLN:O	1:B:524:VAL:HG22	2.20	0.41
1:A:142:TRP:CE3	5:A:612:MPD:H11	2.56	0.41
1:A:304[B]:ASN:HD22	1:A:324:ALA:HA	1.86	0.41
1:A:138:GLN:HG2	8:A:1119:HOH:O	2.21	0.40
1:B:524:VAL:HG13	8:B:1155:HOH:O	2.20	0.40
1:A:227:CYS:HB3	2:A:607:HEC:HMB1	2.03	0.40
1:B:360:GLN:O	1:B:361:HIS:C	2.64	0.40
2:B:606:HEC:HMC1	2:B:606:HEC:HBC3	2.04	0.40
1:B:467[B]:GLN:HB3	1:B:513:LEU:HD21	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	536/520 (103%)	508 (95%)	28 (5%)	0	100	100
1	B	534/520 (103%)	511 (96%)	23 (4%)	0	100	100
All	All	1070/1040 (103%)	1019 (95%)	51 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	456/439 (104%)	454 (100%)	2 (0%)	84	83
1	B	454/439 (103%)	452 (100%)	2 (0%)	84	83
All	All	910/878 (104%)	906 (100%)	4 (0%)	86	83

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	316	ARG
1	A	341	GLU
1	B	68[A]	THR
1	B	68[B]	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	138	GLN
1	A	486	ASN
1	B	267	GLN
1	B	413	ASN
1	B	466	ASN
1	B	486	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 39 ligands modelled in this entry, 4 are monoatomic - leaving 35 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEC	A	603	1,4	50,50,50	2.39	24 (48%)	68,82,82	2.48	32 (47%)
6	GOL	B	614	-	5,5,5	0.48	0	5,5,5	0.55	0
5	MPD	B	612	-	7,7,7	0.66	0	9,10,10	1.03	1 (11%)
3	NO2	B	617	3	1,2,2	0.11	0	0,1,1	-	-
2	HEC	A	602	1	50,50,50	2.28	24 (48%)	68,82,82	2.54	27 (39%)
6	GOL	A	614	-	5,5,5	0.54	0	5,5,5	0.31	0
3	NO2	A	617	-	1,2,2	0.13	0	0,1,1	-	-
2	HEC	A	607	1	50,50,50	2.30	21 (42%)	68,82,82	2.29	30 (44%)
3	NO2	A	609	2	1,2,2	0.32	0	0,1,1	-	-
2	HEC	B	603	1,4	50,50,50	2.09	24 (48%)	68,82,82	2.35	30 (44%)
2	HEC	B	604[A]	-	50,50,50	2.15	17 (34%)	68,82,82	2.45	27 (39%)
2	HEC	B	604[B]	4	50,50,50	2.14	17 (34%)	68,82,82	2.44	27 (39%)
2	HEC	B	607	1	50,50,50	2.24	23 (46%)	68,82,82	2.34	28 (41%)
3	NO2	B	609	2	1,2,2	0.08	0	0,1,1	-	-
2	HEC	A	604	1	50,50,50	2.28	22 (44%)	68,82,82	2.44	25 (36%)
2	HEC	B	602	1	50,50,50	2.12	21 (42%)	68,82,82	2.44	31 (45%)
2	HEC	A	605	1	45,45,50	3.06	24 (53%)	61,75,82	2.52	27 (44%)
2	HEC	A	608	1	50,50,50	2.34	23 (46%)	68,82,82	2.18	27 (39%)
2	HEC	B	608	1	50,50,50	2.51	26 (52%)	68,82,82	2.38	25 (36%)
7	SO4	A	616	-	4,4,4	0.49	0	6,6,6	0.40	0
2	HEC	A	601	8,1,3	50,50,50	2.35	23 (46%)	68,82,82	2.30	27 (39%)
2	HEC	B	605	1	46,46,50	2.90	24 (52%)	63,77,82	2.58	25 (39%)
6	GOL	B	613[B]	-	5,5,5	0.82	0	5,5,5	0.90	0
6	GOL	B	613[A]	-	5,5,5	0.73	0	5,5,5	0.36	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	MPD	A	612	-	7,7,7	0.76	0	9,10,10	0.83	0
7	SO4	B	615	-	4,4,4	0.72	0	6,6,6	0.39	0
6	GOL	A	613[B]	-	5,5,5	0.67	0	5,5,5	0.84	0
6	GOL	A	613[A]	-	5,5,5	0.59	0	5,5,5	0.44	0
6	GOL	A	615[B]	-	5,5,5	0.54	0	5,5,5	0.36	0
6	GOL	A	615[A]	-	5,5,5	0.46	0	5,5,5	0.42	0
2	HEC	A	606	1	50,50,50	2.38	23 (46%)	68,82,82	2.29	28 (41%)
2	HEC	B	606	1	50,50,50	2.32	23 (46%)	68,82,82	2.32	26 (38%)
3	NO2	B	616	3	1,2,2	0.06	0	0,1,1	-	-
3	NO2	A	618	-	1,2,2	0.13	0	0,1,1	-	-
2	HEC	B	601	8,1,3	50,50,50	2.14	23 (46%)	68,82,82	2.30	24 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEC	A	603	1,4	1/1/3/7	4/14/54/54	-
6	GOL	B	614	-	-	0/4/4/4	-
5	MPD	B	612	-	-	0/5/5/5	-
2	HEC	A	602	1	1/1/3/7	7/14/54/54	-
6	GOL	A	614	-	-	0/4/4/4	-
2	HEC	A	607	1	1/1/3/7	4/14/54/54	-
2	HEC	B	603	1,4	1/1/3/7	4/14/54/54	-
2	HEC	B	604[A]	-	1/1/3/7	6/14/54/54	-
2	HEC	B	604[B]	4	1/1/3/7	4/14/54/54	-
2	HEC	B	607	1	1/1/3/7	6/14/54/54	-
2	HEC	A	604	1	1/1/3/7	6/14/54/54	-
2	HEC	B	602	1	1/1/3/7	7/14/54/54	-
2	HEC	A	605	1	1/1/2/7	2/9/49/54	-
2	HEC	A	608	1	1/1/3/7	8/14/54/54	-
2	HEC	B	608	1	1/1/3/7	8/14/54/54	-
2	HEC	A	601	8,1,3	1/1/3/7	5/14/54/54	-
2	HEC	B	605	1	1/1/2/7	6/9/49/54	-
6	GOL	B	613[B]	-	-	0/4/4/4	-
6	GOL	B	613[A]	-	-	0/4/4/4	-
5	MPD	A	612	-	-	0/5/5/5	-
6	GOL	A	613[B]	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	A	613[A]	-	-	0/4/4/4	-
6	GOL	A	615[B]	-	-	2/4/4/4	-
6	GOL	A	615[A]	-	-	1/4/4/4	-
2	HEC	A	606	1	1/1/3/7	5/14/54/54	-
2	HEC	B	606	1	1/1/3/7	5/14/54/54	-
2	HEC	B	601	8,1,3	1/1/3/7	6/14/54/54	-

All (382) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	605	HEC	C3D-C2D	6.56	1.49	1.36
2	A	605	HEC	C3D-C2D	6.10	1.49	1.37
2	A	605	HEC	CHA-C1A	5.78	1.49	1.38
2	B	605	HEC	CHA-C1A	5.68	1.49	1.38
2	A	605	HEC	C2A-C3A	5.51	1.48	1.36
2	B	605	HEC	C2A-C3A	5.34	1.48	1.36
2	A	605	HEC	CHD-C1D	5.32	1.49	1.38
2	B	605	HEC	CHD-C1D	4.99	1.48	1.38
2	A	605	HEC	C3D-C4D	4.99	1.50	1.40
2	A	603	HEC	C3D-C2D	4.93	1.47	1.36
2	A	608	HEC	C3D-C2D	4.93	1.47	1.36
2	B	605	HEC	FE-ND	4.81	2.09	1.94
2	A	607	HEC	CHA-C1A	4.78	1.47	1.38
2	B	606	HEC	C3B-C2B	4.74	1.47	1.36
2	B	605	HEC	CHA-C4D	4.72	1.50	1.39
2	A	605	HEC	FE-ND	4.71	2.09	1.94
2	A	602	HEC	C3D-C2D	4.68	1.46	1.36
2	A	605	HEC	C1D-C2D	4.65	1.50	1.42
2	B	604[A]	HEC	C2A-C3A	4.64	1.46	1.36
2	B	604[B]	HEC	C2A-C3A	4.64	1.46	1.36
2	B	601	HEC	C3D-C2D	4.64	1.46	1.36
2	B	601	HEC	C3B-C2B	4.60	1.46	1.36
2	A	601	HEC	C2A-C3A	4.55	1.46	1.36
2	A	606	HEC	CHA-C1A	4.54	1.47	1.38
2	A	605	HEC	FE-NA	4.53	2.10	1.95
2	B	601	HEC	C2A-C3A	4.49	1.46	1.36
2	A	603	HEC	CHB-C4A	4.49	1.47	1.38
2	B	608	HEC	CHC-C4B	4.47	1.47	1.38
2	B	608	HEC	C3D-C2D	4.46	1.46	1.36
2	B	602	HEC	CHA-C1A	4.43	1.47	1.38
2	B	603	HEC	C3D-C2D	4.40	1.46	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	606	HEC	C3B-C2B	4.39	1.46	1.36
2	B	608	HEC	C3B-C2B	4.39	1.46	1.36
2	A	606	HEC	C2A-C3A	4.37	1.46	1.36
2	A	604	HEC	C2A-C3A	4.33	1.46	1.36
2	A	601	HEC	C4B-NB	-4.30	1.32	1.40
2	B	608	HEC	FE-NB	4.29	2.08	1.94
2	B	608	HEC	CHA-C1A	4.28	1.46	1.38
2	B	605	HEC	FE-NA	4.27	2.09	1.95
2	A	604	HEC	C1D-ND	-4.25	1.32	1.40
2	A	607	HEC	C3B-C2B	4.24	1.45	1.36
2	A	608	HEC	FE-NB	4.24	2.07	1.94
2	A	605	HEC	C3B-C2B	4.23	1.45	1.36
2	A	602	HEC	CHD-C1D	4.22	1.46	1.38
2	A	605	HEC	CHC-C4B	4.18	1.46	1.38
2	A	604	HEC	C4B-NB	-4.18	1.33	1.40
2	A	601	HEC	CHA-C1A	4.17	1.46	1.38
2	B	604[A]	HEC	C4B-NB	-4.15	1.33	1.40
2	B	604[B]	HEC	C4B-NB	-4.15	1.33	1.40
2	A	603	HEC	CHC-C4B	4.14	1.46	1.38
2	B	608	HEC	C2A-C3A	4.14	1.45	1.36
2	A	602	HEC	C2A-C3A	4.06	1.45	1.36
2	B	607	HEC	C3B-C2B	4.05	1.45	1.36
2	A	607	HEC	CHB-C4A	4.04	1.46	1.38
2	A	608	HEC	C2A-C3A	4.04	1.45	1.36
2	B	606	HEC	C3D-C2D	4.03	1.45	1.36
2	A	605	HEC	FE-NB	4.03	2.07	1.94
2	B	605	HEC	C4B-NB	-4.01	1.33	1.40
2	A	605	HEC	CHD-C4C	3.98	1.48	1.39
2	B	603	HEC	C2A-C3A	3.98	1.45	1.36
2	A	603	HEC	C3B-C2B	3.98	1.45	1.36
2	A	607	HEC	CHC-C4B	3.96	1.46	1.38
2	A	606	HEC	C3D-C2D	3.94	1.45	1.36
2	B	604[A]	HEC	C3B-C2B	3.94	1.45	1.36
2	B	604[B]	HEC	C3B-C2B	3.94	1.45	1.36
2	B	604[A]	HEC	CHA-C1A	3.93	1.46	1.38
2	B	604[B]	HEC	CHA-C1A	3.93	1.46	1.38
2	A	602	HEC	CHA-C1A	3.92	1.46	1.38
2	B	607	HEC	CHB-C4A	3.91	1.46	1.38
2	A	606	HEC	FE-NA	3.91	2.08	1.95
2	A	605	HEC	FE-NC	3.90	2.08	1.95
2	A	608	HEC	C3B-C2B	3.89	1.45	1.36
2	B	605	HEC	C3B-C2B	3.88	1.45	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	607	HEC	FE-NB	3.86	2.06	1.94
2	B	608	HEC	C1D-ND	-3.86	1.33	1.40
2	A	608	HEC	FE-NC	3.82	2.07	1.95
2	A	606	HEC	FE-ND	3.80	2.06	1.94
2	A	601	HEC	C3B-C2B	3.78	1.44	1.36
2	A	607	HEC	CHD-C1D	3.78	1.46	1.38
2	B	606	HEC	FE-NB	3.78	2.06	1.94
2	A	608	HEC	FE-ND	3.77	2.06	1.94
2	A	608	HEC	CHB-C4A	3.77	1.45	1.38
2	A	608	HEC	CHC-C4B	3.76	1.46	1.38
2	A	605	HEC	C4B-NB	-3.75	1.33	1.40
2	B	605	HEC	CHD-C4C	3.74	1.47	1.39
2	B	602	HEC	C4C-NC	-3.74	1.32	1.39
2	A	602	HEC	C3B-C2B	3.74	1.44	1.36
2	B	608	HEC	FE-NC	3.72	2.07	1.95
2	A	604	HEC	CHB-C4A	3.71	1.45	1.38
2	B	607	HEC	CHD-C1D	3.69	1.45	1.38
2	B	607	HEC	CHC-C4B	3.69	1.45	1.38
2	B	607	HEC	C2A-C3A	3.69	1.44	1.36
2	A	603	HEC	C1C-NC	-3.67	1.32	1.39
2	B	603	HEC	C3B-C2B	3.66	1.44	1.36
2	B	602	HEC	CHB-C4A	3.65	1.45	1.38
2	A	601	HEC	FE-NC	3.64	2.07	1.95
2	A	601	HEC	CHD-C4C	3.64	1.47	1.39
2	B	606	HEC	CHA-C1A	3.63	1.45	1.38
2	B	608	HEC	FE-ND	3.63	2.06	1.94
2	B	608	HEC	CHD-C1D	3.62	1.45	1.38
2	A	607	HEC	C2A-C3A	3.62	1.44	1.36
2	B	604[A]	HEC	C4D-ND	-3.62	1.31	1.38
2	B	604[B]	HEC	C4D-ND	-3.62	1.31	1.38
2	A	606	HEC	CHC-C4B	3.62	1.45	1.38
2	B	606	HEC	CHB-C4A	3.61	1.45	1.38
2	B	607	HEC	CHB-C1B	3.60	1.47	1.39
2	A	603	HEC	C4C-NC	-3.59	1.32	1.39
2	A	604	HEC	C3B-C2B	3.58	1.44	1.36
2	A	604	HEC	CHC-C1C	3.58	1.47	1.39
2	A	603	HEC	CHA-C4D	3.58	1.47	1.39
2	A	607	HEC	C3D-C2D	3.56	1.44	1.36
2	B	604[A]	HEC	FE-ND	3.56	2.05	1.94
2	B	604[B]	HEC	FE-ND	3.56	2.05	1.94
2	B	606	HEC	C2A-C3A	3.56	1.44	1.36
2	B	607	HEC	CHA-C1A	3.55	1.45	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	HEC	CHD-C1D	3.55	1.45	1.38
2	B	608	HEC	CHB-C4A	3.55	1.45	1.38
2	A	608	HEC	CHA-C1A	3.55	1.45	1.38
2	B	605	HEC	CHC-C4B	3.55	1.45	1.38
2	A	604	HEC	FE-NB	3.53	2.05	1.94
2	A	604	HEC	CHD-C1D	3.53	1.45	1.38
2	B	602	HEC	C3B-C2B	3.52	1.44	1.36
2	A	607	HEC	FE-ND	3.51	2.05	1.94
2	B	608	HEC	FE-NA	3.51	2.06	1.95
2	A	601	HEC	C1D-ND	-3.50	1.34	1.40
2	B	602	HEC	C4B-NB	-3.50	1.34	1.40
2	A	608	HEC	CHD-C1D	3.49	1.45	1.38
2	A	603	HEC	C2A-C3A	3.49	1.44	1.36
2	B	606	HEC	FE-ND	3.49	2.05	1.94
2	B	607	HEC	C3D-C2D	3.48	1.44	1.36
2	B	603	HEC	CHC-C4B	3.48	1.45	1.38
2	B	602	HEC	CHD-C1D	3.48	1.45	1.38
2	A	607	HEC	C4B-NB	-3.47	1.34	1.40
2	B	606	HEC	CHC-C4B	3.45	1.45	1.38
2	A	601	HEC	C3D-C2D	3.44	1.44	1.36
2	B	606	HEC	CHB-C1B	3.44	1.47	1.39
2	B	605	HEC	FE-NB	3.43	2.05	1.94
2	A	602	HEC	CHA-C4D	3.43	1.47	1.39
2	A	604	HEC	C3D-C2D	3.43	1.44	1.36
2	A	604	HEC	FE-ND	3.42	2.05	1.94
2	A	601	HEC	FE-NB	3.41	2.05	1.94
2	B	602	HEC	C2A-C3A	3.41	1.44	1.36
2	A	607	HEC	CHB-C1B	3.41	1.47	1.39
2	A	606	HEC	FE-NB	3.40	2.05	1.94
2	B	606	HEC	C1D-ND	-3.39	1.34	1.40
2	A	603	HEC	C1A-NA	-3.39	1.33	1.39
2	A	606	HEC	CHB-C4A	3.37	1.45	1.38
2	A	601	HEC	CHB-C4A	3.37	1.45	1.38
2	A	606	HEC	C1D-ND	-3.37	1.34	1.40
2	B	602	HEC	C3D-C2D	3.36	1.44	1.36
2	B	604[A]	HEC	C3D-C2D	3.36	1.44	1.36
2	B	604[B]	HEC	C3D-C2D	3.36	1.44	1.36
2	B	603	HEC	C1D-ND	-3.35	1.34	1.40
2	B	601	HEC	FE-NB	3.35	2.05	1.94
2	A	602	HEC	C4B-NB	-3.34	1.34	1.40
2	B	607	HEC	C1D-ND	-3.34	1.34	1.40
2	A	605	HEC	CHB-C1B	3.34	1.46	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	602	HEC	O2D-CGD	-3.33	1.19	1.30
2	B	607	HEC	FE-NB	3.33	2.05	1.94
2	A	603	HEC	CHD-C1D	3.33	1.45	1.38
2	B	607	HEC	CHC-C1C	3.32	1.46	1.39
2	A	603	HEC	FE-ND	3.32	2.05	1.94
2	B	605	HEC	CHB-C1B	3.32	1.46	1.39
2	A	603	HEC	FE-NC	3.31	2.06	1.95
2	A	602	HEC	FE-NA	3.31	2.06	1.95
2	A	606	HEC	C1C-NC	-3.31	1.33	1.39
2	A	605	HEC	C4C-C3C	3.28	1.51	1.44
2	A	601	HEC	CHB-C1B	3.27	1.46	1.39
2	B	608	HEC	C1A-NA	-3.26	1.33	1.39
2	B	602	HEC	C1C-NC	-3.25	1.33	1.39
2	B	604[A]	HEC	CHC-C1C	3.25	1.46	1.39
2	B	604[B]	HEC	CHC-C1C	3.25	1.46	1.39
2	B	605	HEC	C4D-C3D	3.24	1.51	1.44
2	B	608	HEC	C3C-C2C	3.23	1.47	1.38
2	B	605	HEC	FE-NC	3.23	2.05	1.95
2	B	601	HEC	CHB-C4A	3.22	1.44	1.38
2	A	604	HEC	CHA-C1A	3.21	1.44	1.38
2	B	608	HEC	C4C-NC	-3.21	1.33	1.39
2	A	603	HEC	CHB-C1B	3.20	1.46	1.39
2	B	606	HEC	C4B-NB	-3.20	1.34	1.40
2	A	601	HEC	FE-NA	3.19	2.05	1.95
2	B	602	HEC	FE-NA	3.18	2.05	1.95
2	A	607	HEC	FE-NC	3.14	2.05	1.95
2	A	602	HEC	C4A-NA	-3.12	1.33	1.39
2	A	605	HEC	CHC-C1C	3.12	1.46	1.39
2	B	606	HEC	FE-NA	3.12	2.05	1.95
2	A	605	HEC	C1A-C2A	3.11	1.50	1.45
2	A	603	HEC	CHA-C1A	3.10	1.44	1.38
2	B	608	HEC	CHC-C1C	3.09	1.46	1.39
2	A	607	HEC	CHD-C4C	3.09	1.46	1.39
2	A	602	HEC	FE-NB	3.09	2.04	1.94
2	A	606	HEC	CHD-C1D	3.09	1.44	1.38
2	B	605	HEC	C3C-C2C	3.08	1.46	1.38
2	A	605	HEC	CHB-C4A	3.08	1.44	1.38
2	B	607	HEC	FE-ND	3.08	2.04	1.94
2	B	603	HEC	CHD-C1D	3.07	1.44	1.38
2	A	608	HEC	C1A-NA	-3.06	1.33	1.39
2	B	605	HEC	CHB-C4A	3.05	1.44	1.38
2	B	606	HEC	CHD-C1D	3.04	1.44	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	607	HEC	C1D-ND	-3.04	1.35	1.40
2	A	606	HEC	FE-NC	3.03	2.05	1.95
2	A	603	HEC	C1D-ND	-3.03	1.35	1.40
2	B	603	HEC	CHB-C4A	3.02	1.44	1.38
2	A	604	HEC	CHB-C1B	3.01	1.46	1.39
2	B	603	HEC	CHC-C1C	3.00	1.46	1.39
2	B	601	HEC	C4B-NB	-2.99	1.35	1.40
2	B	605	HEC	C1D-C2D	2.99	1.50	1.44
2	B	604[A]	HEC	C1D-ND	-2.99	1.35	1.40
2	B	604[B]	HEC	C1D-ND	-2.99	1.35	1.40
2	B	603	HEC	CHA-C1A	2.99	1.44	1.38
2	A	602	HEC	C3C-C2C	2.99	1.46	1.38
2	B	606	HEC	CHD-C4C	2.98	1.46	1.39
2	B	602	HEC	O2D-CGD	-2.96	1.21	1.30
2	A	602	HEC	FE-NC	2.96	2.04	1.95
2	A	602	HEC	C1C-NC	-2.96	1.34	1.39
2	A	601	HEC	CHC-C4B	2.96	1.44	1.38
2	A	603	HEC	FE-NB	2.95	2.04	1.94
2	A	608	HEC	FE-NA	2.94	2.04	1.95
2	A	606	HEC	C3C-C2C	2.94	1.46	1.38
2	B	602	HEC	C1D-ND	-2.94	1.35	1.40
2	B	601	HEC	CHD-C4C	2.94	1.46	1.39
2	A	604	HEC	C4D-ND	-2.94	1.33	1.38
2	B	603	HEC	FE-NC	2.93	2.04	1.95
2	A	601	HEC	C1C-NC	-2.92	1.34	1.39
2	B	601	HEC	CHC-C4B	2.92	1.44	1.38
2	A	603	HEC	FE-NA	2.91	2.04	1.95
2	B	605	HEC	C1A-C2A	2.90	1.50	1.45
2	B	601	HEC	CHD-C1D	2.90	1.44	1.38
2	B	607	HEC	CHD-C4C	2.90	1.45	1.39
2	B	607	HEC	FE-NA	2.90	2.04	1.95
2	A	608	HEC	C3C-C2C	2.90	1.46	1.38
2	B	601	HEC	CHA-C1A	2.88	1.44	1.38
2	A	601	HEC	C4C-NC	-2.87	1.34	1.39
2	B	604[A]	HEC	CHB-C1B	2.86	1.45	1.39
2	B	604[B]	HEC	CHB-C1B	2.86	1.45	1.39
2	A	605	HEC	C3C-C2C	2.86	1.46	1.38
2	A	602	HEC	CHC-C1C	2.86	1.45	1.39
2	A	608	HEC	CHC-C1C	2.85	1.45	1.39
2	B	604[A]	HEC	CHB-C4A	2.85	1.44	1.38
2	B	604[B]	HEC	CHB-C4A	2.85	1.44	1.38
2	A	607	HEC	C4A-NA	-2.84	1.34	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	608	HEC	CHA-C4D	2.84	1.45	1.39
2	B	606	HEC	C3C-C2C	2.82	1.46	1.38
2	A	608	HEC	CHA-C4D	2.82	1.45	1.39
2	A	601	HEC	FE-ND	2.81	2.03	1.94
2	A	607	HEC	C3C-C2C	2.81	1.46	1.38
2	A	602	HEC	CHB-C4A	2.81	1.43	1.38
2	A	608	HEC	CHB-C1B	2.80	1.45	1.39
2	A	601	HEC	C1A-NA	-2.80	1.34	1.39
2	A	604	HEC	CHD-C4C	2.77	1.45	1.39
2	B	602	HEC	C4A-NA	-2.77	1.34	1.39
2	A	606	HEC	C4C-NC	-2.77	1.34	1.39
2	A	606	HEC	CHA-C4D	2.75	1.45	1.39
2	A	604	HEC	C1B-C2B	2.74	1.50	1.44
2	A	608	HEC	C1D-ND	-2.74	1.35	1.40
2	A	607	HEC	FE-NA	2.74	2.04	1.95
2	B	608	HEC	C4A-NA	-2.73	1.34	1.39
2	B	602	HEC	C1A-NA	-2.73	1.34	1.39
2	B	607	HEC	FE-NC	2.72	2.04	1.95
2	A	606	HEC	C4A-NA	-2.72	1.34	1.39
2	A	604	HEC	C3C-C2C	2.71	1.46	1.38
2	A	601	HEC	CHC-C1C	2.70	1.45	1.39
2	B	602	HEC	CHB-C1B	2.70	1.45	1.39
2	B	607	HEC	C3C-C2C	2.69	1.45	1.38
2	B	603	HEC	C4C-NC	-2.69	1.34	1.39
2	B	606	HEC	FE-NC	2.69	2.04	1.95
2	B	604[A]	HEC	FE-NB	2.68	2.03	1.94
2	B	604[B]	HEC	FE-NB	2.68	2.03	1.94
2	B	602	HEC	FE-NC	2.67	2.04	1.95
2	A	605	HEC	CHA-C4D	2.67	1.49	1.40
2	B	604[A]	HEC	C3C-C2C	2.67	1.45	1.38
2	B	604[B]	HEC	C3C-C2C	2.67	1.45	1.38
2	B	601	HEC	FE-ND	2.67	2.03	1.94
2	B	603	HEC	C1C-NC	-2.66	1.34	1.39
2	B	603	HEC	C4B-NB	-2.64	1.35	1.40
2	B	608	HEC	C4B-NB	-2.64	1.35	1.40
2	B	603	HEC	C4A-NA	-2.64	1.34	1.39
2	A	602	HEC	C1B-NB	-2.63	1.33	1.38
2	A	604	HEC	C4C-NC	-2.62	1.34	1.39
2	A	603	HEC	CHC-C1C	2.62	1.45	1.39
2	A	607	HEC	CHC-C1C	2.61	1.45	1.39
2	B	606	HEC	CHA-C4D	2.61	1.45	1.39
2	A	602	HEC	FE-ND	2.60	2.02	1.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	602	HEC	C3C-C2C	2.60	1.45	1.38
2	B	603	HEC	CHD-C4C	2.60	1.45	1.39
2	A	601	HEC	CHA-C4D	2.60	1.45	1.39
2	B	601	HEC	FE-NA	2.59	2.03	1.95
2	B	608	HEC	CHB-C1B	2.58	1.45	1.39
2	B	605	HEC	C4C-C3C	2.58	1.49	1.44
2	A	603	HEC	CHD-C4C	2.57	1.45	1.39
2	B	603	HEC	FE-NA	2.56	2.03	1.95
2	B	601	HEC	CHB-C1B	2.56	1.45	1.39
2	B	601	HEC	C4C-NC	-2.55	1.34	1.39
2	B	607	HEC	C4A-NA	-2.54	1.34	1.39
2	B	601	HEC	C1D-ND	-2.54	1.35	1.40
2	B	608	HEC	C4C-C3C	2.52	1.49	1.44
2	B	607	HEC	C4C-NC	-2.51	1.34	1.39
2	A	602	HEC	CHB-C1B	2.49	1.44	1.39
2	B	601	HEC	FE-NC	2.49	2.03	1.95
2	A	608	HEC	C1C-NC	-2.49	1.34	1.39
2	B	608	HEC	C1C-C2C	2.48	1.49	1.43
2	A	606	HEC	C4D-ND	-2.48	1.34	1.38
2	B	602	HEC	C4D-ND	-2.48	1.34	1.38
2	A	606	HEC	CHB-C1B	2.48	1.44	1.39
2	B	606	HEC	C1C-NC	-2.48	1.35	1.39
2	A	607	HEC	C4C-NC	-2.47	1.35	1.39
2	A	604	HEC	C1B-NB	-2.47	1.34	1.38
2	B	603	HEC	FE-NB	2.45	2.02	1.94
2	A	604	HEC	FE-NA	2.44	2.03	1.95
2	B	603	HEC	CHA-C4D	2.44	1.44	1.39
2	B	605	HEC	C4A-C3A	2.44	1.50	1.45
2	B	607	HEC	CHA-C4D	2.44	1.44	1.39
2	B	606	HEC	C4B-C3B	2.44	1.49	1.45
2	B	607	HEC	C4B-NB	-2.43	1.36	1.40
2	B	606	HEC	C4C-NC	-2.43	1.35	1.39
2	A	608	HEC	C4C-NC	-2.42	1.35	1.39
2	A	602	HEC	C1A-NA	-2.42	1.35	1.39
2	B	604[A]	HEC	C1B-NB	-2.42	1.34	1.38
2	B	604[B]	HEC	C1B-NB	-2.42	1.34	1.38
2	A	602	HEC	C1D-ND	-2.42	1.36	1.40
2	A	604	HEC	FE-NC	2.42	2.03	1.95
2	A	604	HEC	C1A-NA	-2.41	1.35	1.39
2	B	606	HEC	C4A-NA	-2.41	1.35	1.39
2	B	603	HEC	C1B-NB	-2.39	1.34	1.38
2	B	608	HEC	CHD-C4C	2.38	1.44	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	603	HEC	C1A-NA	-2.38	1.35	1.39
2	B	603	HEC	CHB-C1B	2.37	1.44	1.39
2	B	601	HEC	C3C-C2C	2.37	1.45	1.38
2	B	605	HEC	CHC-C1C	2.36	1.44	1.39
2	B	605	HEC	C1D-ND	-2.36	1.36	1.40
2	B	604[A]	HEC	C4C-NC	-2.36	1.35	1.39
2	B	604[B]	HEC	C4C-NC	-2.36	1.35	1.39
2	A	608	HEC	C4D-ND	-2.34	1.34	1.38
2	A	602	HEC	CHC-C4B	2.34	1.43	1.38
2	B	604[A]	HEC	CHA-C4D	2.33	1.44	1.39
2	B	604[B]	HEC	CHA-C4D	2.33	1.44	1.39
2	A	602	HEC	C4D-ND	-2.33	1.34	1.38
2	B	604[A]	HEC	FE-NC	2.32	2.02	1.95
2	B	604[B]	HEC	FE-NC	2.32	2.02	1.95
2	A	608	HEC	CHD-C4C	2.31	1.44	1.39
2	A	603	HEC	C4B-NB	-2.31	1.36	1.40
2	B	605	HEC	C1B-NB	-2.30	1.34	1.38
2	B	601	HEC	C4D-ND	-2.29	1.34	1.38
2	B	603	HEC	C3C-C2C	2.28	1.44	1.38
2	A	606	HEC	CHC-C1C	2.28	1.44	1.39
2	A	606	HEC	C1C-C2C	2.27	1.48	1.43
2	B	601	HEC	CHA-C4D	2.26	1.44	1.39
2	A	604	HEC	CHC-C4B	2.25	1.43	1.38
2	A	603	HEC	C3C-C2C	2.24	1.44	1.38
2	A	605	HEC	C1D-ND	-2.24	1.36	1.40
2	A	606	HEC	C4B-NB	-2.23	1.36	1.40
2	A	607	HEC	CHA-C4D	2.23	1.44	1.39
2	B	606	HEC	C1A-NA	-2.23	1.35	1.39
2	B	606	HEC	CHC-C1C	2.21	1.44	1.39
2	A	601	HEC	C3C-C2C	2.18	1.44	1.38
2	B	607	HEC	C1C-C2C	2.18	1.48	1.43
2	A	607	HEC	C1C-NC	-2.17	1.35	1.39
2	B	602	HEC	CHA-C4D	2.17	1.44	1.39
2	A	608	HEC	C1C-C2C	2.17	1.48	1.43
2	B	603	HEC	CBA-CGA	2.15	1.55	1.50
2	A	605	HEC	C4A-C3A	2.15	1.49	1.45
2	B	601	HEC	C1C-NC	-2.14	1.35	1.39
2	B	601	HEC	C1B-NB	-2.14	1.34	1.38
2	A	601	HEC	C4A-NA	-2.13	1.35	1.39
2	B	602	HEC	CHC-C1C	2.12	1.44	1.39
2	A	603	HEC	C1C-C2C	2.12	1.48	1.43
2	A	606	HEC	C4B-C3B	2.12	1.48	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	602	HEC	FE-ND	2.11	2.01	1.94
2	A	605	HEC	C1B-NB	-2.11	1.34	1.38
2	B	601	HEC	O2D-CGD	-2.11	1.23	1.30
2	B	608	HEC	C4D-C3D	2.10	1.48	1.45
2	B	601	HEC	C4A-NA	-2.09	1.35	1.39
2	A	601	HEC	C1B-NB	-2.07	1.34	1.38
2	A	603	HEC	C4A-NA	-2.07	1.35	1.39
2	B	608	HEC	C1C-NC	-2.07	1.35	1.39
2	B	603	HEC	FE-ND	2.07	2.01	1.94
2	A	603	HEC	C1A-C2A	2.06	1.48	1.45
2	A	608	HEC	C4B-NB	-2.05	1.36	1.40
2	B	608	HEC	C4D-ND	-2.04	1.34	1.38
2	B	607	HEC	C1A-NA	-2.03	1.35	1.39
2	A	602	HEC	CHD-C4C	2.00	1.43	1.39
2	B	607	HEC	O2D-CGD	-2.00	1.24	1.30

All (467) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	604[A]	HEC	C1B-C2B-C3B	-6.99	99.63	106.98
2	B	604[B]	HEC	C1B-C2B-C3B	-6.99	99.63	106.98
2	A	605	HEC	CAC-C3C-C4C	6.39	133.71	124.91
2	A	603	HEC	C2B-C1B-NB	6.12	116.98	109.90
2	B	603	HEC	C2B-C1B-NB	6.09	116.95	109.90
2	A	605	HEC	C1B-C2B-C3B	-5.97	100.70	106.98
2	B	605	HEC	C1C-C2C-C3C	-5.88	100.09	106.82
2	A	602	HEC	C1B-C2B-C3B	-5.85	100.82	106.98
2	A	601	HEC	C1B-C2B-C3B	-5.76	100.92	106.98
2	A	604	HEC	CBA-CAA-C2A	-5.75	96.64	112.53
2	A	602	HEC	C2B-C1B-NB	5.73	116.53	109.90
2	B	604[A]	HEC	C2B-C1B-NB	5.72	116.52	109.90
2	B	604[B]	HEC	C2B-C1B-NB	5.72	116.52	109.90
2	B	601	HEC	C1B-C2B-C3B	-5.70	100.99	106.98
2	B	607	HEC	C1C-C2C-C3C	-5.68	100.31	106.82
2	B	605	HEC	C1B-C2B-C3B	-5.66	101.03	106.98
2	B	608	HEC	C2B-C1B-NB	5.63	116.42	109.90
2	A	603	HEC	C2D-C1D-ND	5.63	116.31	109.84
2	A	608	HEC	C2B-C1B-NB	5.58	116.35	109.90
2	B	604[A]	HEC	C3D-C4D-ND	5.56	115.72	110.35
2	B	604[B]	HEC	C3D-C4D-ND	5.56	115.72	110.35
2	B	603	HEC	C2D-C1D-ND	5.55	116.22	109.84
2	B	602	HEC	C2D-C1D-ND	5.54	116.21	109.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	604	HEC	C3D-C4D-ND	5.52	115.69	110.35
2	A	605	HEC	C1C-C2C-C3C	-5.51	100.50	106.82
2	A	606	HEC	C2D-C1D-ND	5.42	116.08	109.84
2	B	608	HEC	C3D-C4D-ND	5.40	115.57	110.35
2	A	606	HEC	C3D-C4D-ND	5.39	115.56	110.35
2	B	602	HEC	C1B-C2B-C3B	-5.39	101.31	106.98
2	A	603	HEC	C3D-C4D-ND	5.35	115.52	110.35
2	A	602	HEC	C3C-C4C-NC	5.30	116.03	110.15
2	A	601	HEC	C2A-C1A-NA	5.30	115.44	110.32
2	B	605	HEC	CAC-C3C-C4C	5.28	132.18	124.91
2	A	604	HEC	C1B-C2B-C3B	-5.25	101.45	106.98
2	A	601	HEC	C2B-C1B-NB	5.25	115.97	109.90
2	B	601	HEC	C2B-C1B-NB	5.18	115.89	109.90
2	B	603	HEC	C3D-C4D-ND	5.17	115.35	110.35
2	B	606	HEC	CAB-C3B-C4B	5.17	131.51	124.79
2	B	608	HEC	C1B-C2B-C3B	-5.13	101.59	106.98
2	B	602	HEC	C2B-C1B-NB	5.10	115.80	109.90
2	A	603	HEC	C3B-C4B-NB	5.03	115.68	110.17
2	B	602	HEC	C3D-C4D-ND	4.98	115.17	110.35
2	A	603	HEC	C1B-C2B-C3B	-4.98	101.75	106.98
2	B	605	HEC	C2B-C1B-NB	4.97	115.64	109.90
2	B	606	HEC	C2D-C1D-ND	4.95	115.53	109.84
2	A	607	HEC	C1B-C2B-C3B	-4.90	101.83	106.98
2	B	606	HEC	C2B-C1B-NB	4.90	115.56	109.90
2	B	608	HEC	C2D-C1D-ND	4.89	115.46	109.84
2	B	601	HEC	C2A-C1A-NA	4.88	115.04	110.32
2	A	607	HEC	C2D-C1D-ND	4.87	115.44	109.84
2	A	602	HEC	C3D-C4D-ND	4.86	115.04	110.35
2	B	607	HEC	C3D-C4D-ND	4.86	115.04	110.35
2	A	607	HEC	C3C-C4C-NC	4.84	115.52	110.15
2	A	601	HEC	C3D-C4D-ND	4.83	115.02	110.35
2	A	602	HEC	C2A-C1A-NA	4.83	114.98	110.32
2	B	604[A]	HEC	C2A-C1A-NA	4.83	114.98	110.32
2	B	604[B]	HEC	C2A-C1A-NA	4.83	114.98	110.32
2	A	607	HEC	C3D-C4D-ND	4.81	115.00	110.35
2	B	608	HEC	C1C-C2C-C3C	-4.80	101.32	106.82
2	B	605	HEC	C4D-C3D-C2D	-4.79	102.64	107.09
2	A	605	HEC	C2C-C1C-NC	4.76	117.78	110.14
2	A	602	HEC	C1D-C2D-C3D	-4.76	101.98	106.98
2	A	606	HEC	CAA-CBA-CGA	-4.75	101.05	113.67
2	B	604[A]	HEC	C3C-C4C-NC	4.74	115.42	110.15
2	B	604[B]	HEC	C3C-C4C-NC	4.74	115.42	110.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	602	HEC	C1C-C2C-C3C	-4.69	101.44	106.82
2	A	604	HEC	C2A-C1A-NA	4.67	114.83	110.32
2	B	606	HEC	C3D-C4D-ND	4.66	114.85	110.35
2	A	603	HEC	C1C-C2C-C3C	-4.63	101.51	106.82
2	B	607	HEC	CAB-C3B-C4B	4.63	130.81	124.79
2	B	605	HEC	C2C-C1C-NC	4.63	117.56	110.14
2	B	603	HEC	C1B-C2B-C3B	-4.62	102.12	106.98
2	A	602	HEC	C2D-C1D-ND	4.62	115.15	109.84
2	A	608	HEC	C3D-C4D-ND	4.61	114.81	110.35
2	B	601	HEC	C1D-C2D-C3D	-4.60	102.14	106.98
2	A	604	HEC	C3C-C4C-NC	4.59	115.25	110.15
2	A	601	HEC	C2D-C1D-ND	4.59	115.11	109.84
2	A	605	HEC	C2B-C1B-NB	4.58	115.20	109.90
2	B	608	HEC	C2A-C1A-NA	4.56	114.72	110.32
2	A	606	HEC	C1C-C2C-C3C	-4.54	101.62	106.82
2	B	603	HEC	C3B-C4B-NB	4.53	115.14	110.17
2	B	601	HEC	C3D-C4D-ND	4.53	114.73	110.35
2	B	604[A]	HEC	C1C-C2C-C3C	-4.47	101.69	106.82
2	B	604[B]	HEC	C1C-C2C-C3C	-4.47	101.69	106.82
2	B	607	HEC	C2D-C1D-ND	4.45	114.95	109.84
2	B	606	HEC	CAA-CBA-CGA	-4.45	101.87	113.67
2	B	607	HEC	C2B-C1B-NB	4.43	115.03	109.90
2	A	608	HEC	C1C-C2C-C3C	-4.42	101.75	106.82
2	A	601	HEC	C1C-C2C-C3C	-4.42	101.75	106.82
2	B	602	HEC	C2A-C1A-NA	4.40	114.57	110.32
2	A	607	HEC	C2A-C1A-NA	4.40	114.57	110.32
2	B	602	HEC	C3B-C4B-NB	4.31	114.90	110.17
2	B	607	HEC	C2A-C1A-NA	4.31	114.48	110.32
2	B	605	HEC	CHB-C1B-C2B	-4.29	118.26	125.03
2	A	608	HEC	C1B-C2B-C3B	-4.28	102.48	106.98
2	B	601	HEC	C2D-C1D-ND	4.27	114.75	109.84
2	B	605	HEC	C2A-C1A-NA	4.27	114.44	110.32
2	A	605	HEC	CAC-C3C-C2C	-4.27	120.14	126.89
2	B	605	HEC	C4A-C3A-C2A	-4.24	100.67	106.97
2	A	606	HEC	C2B-C1B-NB	4.21	114.77	109.90
2	B	606	HEC	C2A-C1A-NA	4.20	114.37	110.32
2	B	604[A]	HEC	C1D-C2D-C3D	-4.16	102.61	106.98
2	B	604[B]	HEC	C1D-C2D-C3D	-4.16	102.61	106.98
2	A	604	HEC	C3B-C4B-NB	4.15	114.73	110.17
2	A	606	HEC	C1D-C2D-C3D	-4.15	102.61	106.98
2	B	607	HEC	C3C-C4C-NC	4.12	114.72	110.15
2	B	601	HEC	C1C-C2C-C3C	-4.12	102.10	106.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	607	HEC	C1C-C2C-C3C	-4.11	102.11	106.82
2	B	606	HEC	C1C-C2C-C3C	-4.11	102.11	106.82
2	B	608	HEC	CMC-C2C-C3C	4.10	134.33	125.62
2	A	602	HEC	CAD-CBD-CGD	-4.09	102.82	113.67
2	A	605	HEC	C4A-C3A-C2A	-4.08	100.92	106.97
2	A	607	HEC	CAB-C3B-C4B	4.06	130.07	124.79
2	A	604	HEC	C2B-C1B-NB	4.04	114.57	109.90
2	B	605	HEC	C3A-C4A-NA	4.00	117.03	109.64
2	A	602	HEC	C2C-C1C-NC	3.99	116.53	110.14
2	B	602	HEC	C1D-C2D-C3D	-3.99	102.79	106.98
2	B	607	HEC	C2C-C1C-NC	3.97	116.50	110.14
2	A	602	HEC	C3B-C4B-NB	3.96	114.51	110.17
2	B	603	HEC	C1C-C2C-C3C	-3.94	102.31	106.82
2	A	603	HEC	C1D-C2D-C3D	-3.93	102.85	106.98
2	A	604	HEC	C1C-C2C-C3C	-3.92	102.32	106.82
2	B	606	HEC	C1B-C2B-C3B	-3.92	102.85	106.98
2	A	607	HEC	C2B-C1B-NB	3.92	114.43	109.90
2	A	603	HEC	CAB-C3B-C4B	3.88	129.84	124.79
2	B	601	HEC	C3C-C4C-NC	3.88	114.46	110.15
2	A	604	HEC	CBD-CAD-C3D	-3.87	101.82	112.53
2	A	608	HEC	C3B-C4B-NB	3.87	114.42	110.17
2	A	608	HEC	C2D-C1D-ND	3.86	114.28	109.84
2	B	602	HEC	C3C-C4C-NC	3.82	114.39	110.15
2	B	605	HEC	C1D-C2D-C3D	-3.82	103.54	107.09
2	B	601	HEC	C2C-C1C-NC	3.80	116.23	110.14
2	A	604	HEC	CHA-C1A-NA	-3.79	120.32	124.45
2	A	606	HEC	CAB-C3B-C4B	3.78	129.71	124.79
2	B	604[A]	HEC	C2C-C1C-NC	3.76	116.18	110.14
2	B	604[B]	HEC	C2C-C1C-NC	3.76	116.18	110.14
2	B	605	HEC	CBA-CAA-C2A	-3.76	102.13	112.53
2	B	607	HEC	C1B-C2B-C3B	-3.74	103.05	106.98
2	A	603	HEC	C2A-C1A-NA	3.73	113.93	110.32
2	B	604[A]	HEC	C2D-C1D-ND	3.73	114.12	109.84
2	B	604[B]	HEC	C2D-C1D-ND	3.73	114.12	109.84
2	B	604[A]	HEC	CBA-CAA-C2A	-3.71	102.26	112.53
2	B	602	HEC	C2C-C1C-NC	3.71	116.09	110.14
2	A	605	HEC	C3A-C4A-NA	3.70	116.48	109.64
2	B	601	HEC	C3B-C4B-NB	3.69	114.22	110.17
2	B	607	HEC	CBA-CAA-C2A	-3.69	102.34	112.53
2	A	606	HEC	C1B-C2B-C3B	-3.65	103.14	106.98
2	A	608	HEC	C1D-C2D-C3D	-3.64	103.15	106.98
2	B	606	HEC	C3B-C4B-NB	3.64	114.16	110.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	606	HEC	CMA-C3A-C4A	3.63	131.13	124.73
2	A	604	HEC	CMD-C2D-C1D	3.63	130.70	125.03
2	B	601	HEC	C1A-C2A-C3A	-3.61	102.36	107.11
2	A	607	HEC	C1D-C2D-C3D	-3.60	103.20	106.98
2	B	608	HEC	C3B-C4B-NB	3.59	114.11	110.17
2	A	606	HEC	C2A-C1A-NA	3.58	113.78	110.32
2	A	605	HEC	C3D-C4D-ND	3.55	114.46	110.22
2	A	605	HEC	C4D-C3D-C2D	-3.55	102.00	109.27
2	A	601	HEC	C1D-C2D-C3D	-3.54	103.26	106.98
2	A	604	HEC	C1D-C2D-C3D	-3.54	103.26	106.98
2	A	605	HEC	CHB-C1B-C2B	-3.53	119.45	125.03
2	A	602	HEC	C1C-C2C-C3C	-3.52	102.79	106.82
2	B	605	HEC	C3D-C4D-ND	3.51	113.96	109.90
2	A	601	HEC	C3B-C4B-NB	3.51	114.02	110.17
2	A	605	HEC	CBA-CAA-C2A	-3.51	102.84	112.53
2	B	608	HEC	C4D-C3D-C2D	-3.50	101.79	106.89
2	A	607	HEC	C2C-C1C-NC	3.50	115.75	110.14
2	A	606	HEC	C3B-C4B-NB	3.49	114.00	110.17
2	A	601	HEC	C2C-C1C-NC	3.47	115.70	110.14
2	B	605	HEC	C2D-C1D-ND	3.47	113.83	109.84
2	B	602	HEC	CAD-CBD-CGD	-3.46	104.48	113.67
2	A	608	HEC	CAC-C3C-C4C	3.44	129.65	124.91
2	B	606	HEC	C1D-C2D-C3D	-3.44	103.37	106.98
2	A	604	HEC	C2D-C1D-ND	3.43	113.79	109.84
2	B	605	HEC	CHC-C1C-C2C	-3.43	117.46	127.43
2	B	607	HEC	C3B-C4B-NB	3.43	113.93	110.17
2	B	603	HEC	C1D-C2D-C3D	-3.42	103.38	106.98
2	A	604	HEC	C2C-C1C-NC	3.42	115.62	110.14
2	A	603	HEC	C3C-C4C-NC	3.41	113.94	110.15
2	B	608	HEC	C1D-C2D-C3D	-3.40	103.41	106.98
2	B	605	HEC	CAC-C3C-C2C	-3.40	121.52	126.89
2	A	602	HEC	CAA-CBA-CGA	-3.39	104.67	113.67
2	A	608	HEC	C2C-C1C-NC	3.35	115.51	110.14
2	B	607	HEC	C1D-C2D-C3D	-3.34	103.47	106.98
2	A	601	HEC	C3C-C4C-NC	3.34	113.86	110.15
2	A	608	HEC	C3C-C4C-NC	3.29	113.80	110.15
2	A	601	HEC	C4A-C3A-C2A	-3.28	102.11	106.97
2	B	604[A]	HEC	CMD-C2D-C1D	3.27	130.15	125.03
2	B	604[B]	HEC	CMD-C2D-C1D	3.27	130.15	125.03
2	B	607	HEC	C3A-C4A-NA	3.27	115.69	109.64
2	B	608	HEC	C2C-C1C-NC	3.27	115.38	110.14
2	B	606	HEC	C2C-C1C-NC	3.27	115.38	110.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	608	HEC	CMC-C2C-C3C	3.26	132.54	125.62
2	A	603	HEC	CBA-CAA-C2A	-3.25	103.54	112.53
2	B	605	HEC	CMA-C3A-C4A	3.25	130.45	124.73
2	B	603	HEC	CHB-C1B-C2B	-3.25	119.90	125.03
2	A	607	HEC	CBA-CAA-C2A	-3.25	103.55	112.53
2	B	604[B]	HEC	CBA-CAA-C2A	-3.25	103.55	112.53
2	A	602	HEC	C3A-C4A-NA	3.25	115.64	109.64
2	B	606	HEC	CHB-C1B-C2B	-3.25	119.90	125.03
2	A	602	HEC	CHB-C1B-NB	-3.25	120.93	124.42
2	B	602	HEC	C3A-C4A-NA	3.24	115.64	109.64
2	A	605	HEC	C2A-C1A-NA	3.24	113.45	110.32
2	A	605	HEC	O1A-CGA-CBA	-3.21	112.93	123.09
2	A	604	HEC	C3A-C4A-NA	3.20	115.55	109.64
2	A	601	HEC	C3A-C4A-NA	3.19	115.54	109.64
2	B	603	HEC	CBD-CAD-C3D	-3.15	103.81	112.53
2	A	602	HEC	C1A-C2A-C3A	-3.14	102.97	107.11
2	B	604[A]	HEC	C4A-C3A-C2A	-3.12	102.34	106.97
2	B	604[B]	HEC	C4A-C3A-C2A	-3.12	102.34	106.97
2	A	603	HEC	C2C-C1C-NC	3.12	115.14	110.14
2	B	604[A]	HEC	C3A-C4A-NA	3.12	115.41	109.64
2	B	604[B]	HEC	C3A-C4A-NA	3.12	115.41	109.64
2	A	607	HEC	CAD-CBD-CGD	-3.12	105.39	113.67
2	A	606	HEC	C4A-C3A-C2A	-3.11	102.35	106.97
2	A	603	HEC	C4D-C3D-C2D	-3.10	102.37	106.89
2	B	604[A]	HEC	CBD-CAD-C3D	-3.09	103.99	112.53
2	B	604[B]	HEC	CBD-CAD-C3D	-3.09	103.99	112.53
2	B	605	HEC	CMC-C2C-C3C	3.09	132.17	125.62
2	A	607	HEC	C3A-C4A-NA	3.08	115.33	109.64
2	B	608	HEC	C3C-C4C-NC	3.08	113.57	110.15
2	A	602	HEC	CHA-C4D-C3D	-3.07	120.29	124.77
2	A	601	HEC	CAD-C3D-C4D	3.06	130.03	124.70
2	B	608	HEC	CBA-CAA-C2A	-3.06	104.08	112.53
2	A	604	HEC	CAC-C3C-C4C	3.05	129.11	124.91
2	A	606	HEC	C2C-C1C-NC	3.05	115.03	110.14
2	B	603	HEC	CAB-C3B-C4B	3.05	128.76	124.79
2	A	606	HEC	C3A-C4A-NA	3.04	115.26	109.64
2	A	605	HEC	CHC-C1C-C2C	-3.04	118.60	127.43
2	B	608	HEC	CHB-C1B-C2B	-3.04	120.23	125.03
2	B	606	HEC	CMD-C2D-C1D	3.04	129.78	125.03
2	A	602	HEC	CMC-C2C-C3C	3.03	132.06	125.62
2	B	603	HEC	C2A-C1A-NA	3.03	113.25	110.32
2	B	605	HEC	CHB-C4A-NA	-3.03	121.15	124.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	602	HEC	C4A-C3A-C2A	-3.03	102.48	106.97
2	A	603	HEC	C4B-NB-C1B	-3.03	101.62	105.21
2	A	606	HEC	CMD-C2D-C1D	3.02	129.76	125.03
2	A	608	HEC	CAA-CBA-CGA	-3.02	105.66	113.67
2	B	603	HEC	CMC-C2C-C3C	3.02	132.02	125.62
2	A	603	HEC	CBD-CAD-C3D	-3.01	104.22	112.53
2	B	608	HEC	CAB-C3B-C4B	3.01	128.70	124.79
2	B	606	HEC	CAD-C3D-C4D	3.00	129.93	124.70
2	B	603	HEC	CBA-CAA-C2A	-3.00	104.24	112.53
2	A	604	HEC	C4A-C3A-C2A	-2.98	102.55	106.97
2	A	603	HEC	C1A-C2A-C3A	-2.97	103.20	107.11
2	A	604	HEC	CHC-C4B-C3B	-2.97	119.76	125.23
2	A	602	HEC	C4C-C3C-C2C	-2.97	102.28	106.87
2	B	603	HEC	C4D-C3D-C2D	-2.96	102.58	106.89
2	B	601	HEC	CAC-C3C-C4C	2.96	128.98	124.91
2	B	606	HEC	C3C-C4C-NC	2.95	113.42	110.15
2	A	605	HEC	CHD-C1D-C2D	-2.95	123.49	129.94
2	A	607	HEC	C1A-C2A-C3A	-2.93	103.25	107.11
2	A	604	HEC	CAD-C3D-C4D	2.92	129.79	124.70
2	B	604[A]	HEC	CMB-C2B-C1B	2.92	129.60	125.03
2	B	604[B]	HEC	CMB-C2B-C1B	2.92	129.60	125.03
2	B	607	HEC	C1A-C2A-C3A	-2.92	103.26	107.11
2	A	606	HEC	CAD-C3D-C4D	2.92	129.78	124.70
2	B	606	HEC	C4D-C3D-C2D	-2.91	102.65	106.89
2	B	602	HEC	CMD-C2D-C1D	2.91	129.58	125.03
2	B	608	HEC	CAC-C3C-C4C	2.91	128.91	124.91
2	B	606	HEC	CMA-C3A-C4A	2.91	129.85	124.73
2	B	601	HEC	CAD-C3D-C4D	2.89	129.74	124.70
2	A	606	HEC	CBA-CAA-C2A	-2.88	104.56	112.53
2	A	605	HEC	C2D-C1D-ND	2.87	113.29	109.90
2	B	608	HEC	CBD-CAD-C3D	-2.87	104.60	112.53
2	A	607	HEC	CMD-C2D-C1D	2.87	129.51	125.03
2	A	606	HEC	C4D-C3D-C2D	-2.87	102.72	106.89
2	B	607	HEC	CAD-CBD-CGD	-2.85	106.11	113.67
2	B	605	HEC	O1A-CGA-CBA	-2.84	114.07	123.09
2	B	603	HEC	C3A-C4A-NA	2.84	114.89	109.64
2	B	602	HEC	CAC-C3C-C4C	2.84	128.82	124.91
2	B	605	HEC	CMB-C2B-C3B	2.83	133.82	126.15
2	B	607	HEC	CMC-C2C-C3C	2.83	131.64	125.62
2	B	601	HEC	CHD-C1D-C2D	-2.83	118.89	126.95
2	A	601	HEC	C1A-C2A-C3A	-2.83	103.38	107.11
2	A	602	HEC	C4A-C3A-C2A	-2.82	102.78	106.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	604	HEC	C4D-C3D-C2D	-2.82	102.78	106.89
2	B	603	HEC	C3C-C4C-NC	2.82	113.28	110.15
2	A	603	HEC	CMC-C2C-C3C	2.81	131.59	125.62
2	B	608	HEC	C4A-C3A-C2A	-2.81	102.81	106.97
2	B	608	HEC	C1A-C2A-C3A	-2.78	103.44	107.11
2	B	608	HEC	CHC-C1C-C2C	-2.77	119.38	127.43
2	B	604[A]	HEC	CHB-C1B-C2B	-2.77	120.66	125.03
2	B	604[B]	HEC	CHB-C1B-C2B	-2.77	120.66	125.03
2	A	608	HEC	CAD-CBD-CGD	-2.77	106.32	113.67
2	B	601	HEC	C3A-C4A-NA	2.75	114.73	109.64
2	B	603	HEC	CHD-C1D-C2D	-2.75	119.12	126.95
2	A	606	HEC	CHA-C4D-C3D	-2.75	120.76	124.77
2	B	606	HEC	C3A-C4A-NA	2.75	114.72	109.64
2	A	608	HEC	CHC-C1C-C2C	-2.73	119.49	127.43
2	A	605	HEC	CHB-C4A-NA	-2.73	121.48	124.45
2	A	604	HEC	C1A-C2A-C3A	-2.73	103.51	107.11
2	B	606	HEC	CHC-C1C-C2C	-2.73	119.51	127.43
2	B	601	HEC	CMC-C2C-C3C	2.73	131.41	125.62
2	B	606	HEC	C1A-C2A-C3A	-2.72	103.53	107.11
2	B	606	HEC	CAC-C3C-C4C	2.71	128.64	124.91
2	A	603	HEC	CMB-C2B-C3B	2.71	133.47	126.15
2	B	605	HEC	CAD-C3D-C4D	2.69	129.24	125.03
2	B	603	HEC	C4B-NB-C1B	-2.67	102.04	105.21
2	B	606	HEC	C4B-C3B-C2B	-2.66	103.01	106.89
2	A	608	HEC	CAB-C3B-C4B	2.66	128.25	124.79
2	B	602	HEC	C1A-C2A-C3A	-2.65	103.61	107.11
2	A	608	HEC	C4D-C3D-C2D	-2.65	103.03	106.89
2	B	603	HEC	C1A-C2A-C3A	-2.65	103.62	107.11
2	A	608	HEC	C2A-C1A-NA	2.62	112.85	110.32
2	B	602	HEC	CHD-C1D-ND	-2.62	121.13	124.37
2	A	603	HEC	CHB-C1B-C2B	-2.61	120.91	125.03
2	B	603	HEC	C2C-C1C-NC	2.60	114.32	110.14
2	A	606	HEC	C3C-C4C-NC	2.60	113.04	110.15
2	A	601	HEC	CAC-C3C-C4C	2.60	128.49	124.91
2	B	607	HEC	CHA-C4D-C3D	-2.59	121.00	124.77
2	B	602	HEC	CHB-C1B-C2B	-2.59	120.95	125.03
2	B	607	HEC	C4D-C3D-C2D	-2.58	103.14	106.89
2	A	603	HEC	CAD-C3D-C4D	2.58	129.19	124.70
2	A	605	HEC	CHA-C4D-ND	-2.57	121.69	124.78
2	A	602	HEC	CHA-C1A-NA	-2.56	121.67	124.45
2	A	605	HEC	CAB-C3B-C4B	2.55	128.11	124.79
2	B	604[A]	HEC	CMC-C2C-C3C	2.55	131.04	125.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	604[B]	HEC	CMC-C2C-C3C	2.55	131.04	125.62
2	A	606	HEC	CAC-C3C-C4C	2.55	128.42	124.91
2	B	602	HEC	CHA-C4D-C3D	-2.55	121.06	124.77
2	B	603	HEC	C4A-C3A-C2A	-2.55	103.20	106.97
2	A	601	HEC	C4D-C3D-C2D	-2.54	103.20	106.89
2	B	607	HEC	CHC-C1C-C2C	-2.54	120.06	127.43
2	A	608	HEC	CHB-C1B-C2B	-2.53	121.03	125.03
2	A	608	HEC	C4A-C3A-C2A	-2.53	103.22	106.97
2	A	608	HEC	CBD-CAD-C3D	-2.53	105.54	112.53
2	A	603	HEC	CAA-CBA-CGA	-2.52	106.98	113.67
2	A	606	HEC	CMC-C2C-C3C	2.52	130.97	125.62
2	A	605	HEC	CMC-C2C-C3C	2.52	130.96	125.62
2	A	601	HEC	CMC-C2C-C3C	2.51	130.94	125.62
2	B	606	HEC	C4A-C3A-C2A	-2.51	103.25	106.97
2	B	606	HEC	CHD-C1D-C2D	-2.51	119.83	126.95
2	B	603	HEC	C1D-ND-C4D	-2.51	102.24	105.21
2	B	601	HEC	CHA-C4D-C3D	-2.50	121.13	124.77
2	A	602	HEC	CAB-C3B-C4B	2.49	128.03	124.79
2	A	605	HEC	CMA-C3A-C4A	2.49	129.11	124.73
2	A	602	HEC	CAC-C3C-C4C	2.49	128.33	124.91
2	A	601	HEC	CHD-C1D-C2D	-2.49	119.88	126.95
2	A	603	HEC	C3A-C4A-NA	2.48	114.22	109.64
2	B	604[A]	HEC	C1A-C2A-C3A	-2.48	103.84	107.11
2	B	604[B]	HEC	C1A-C2A-C3A	-2.48	103.84	107.11
2	B	603	HEC	CAD-C3D-C4D	2.48	129.01	124.70
2	A	604	HEC	CHA-C4D-C3D	-2.46	121.18	124.77
2	A	607	HEC	C4A-C3A-C2A	-2.46	103.32	106.97
2	B	607	HEC	CHA-C1A-C2A	-2.46	120.98	124.86
2	A	608	HEC	CHB-C4A-C3A	-2.46	120.38	125.49
2	A	608	HEC	CMA-C3A-C4A	2.46	129.05	124.73
2	B	601	HEC	CMB-C2B-C3B	2.45	132.78	126.15
2	B	602	HEC	C4D-C3D-C2D	-2.45	103.33	106.89
2	A	603	HEC	CHD-C1D-ND	-2.45	121.34	124.37
2	A	601	HEC	CHA-C4D-C3D	-2.44	121.22	124.77
2	A	607	HEC	C3B-C4B-NB	2.44	112.84	110.17
2	B	603	HEC	CHC-C1C-C2C	-2.42	120.39	127.43
2	B	602	HEC	CBB-CAB-C3B	-2.42	105.86	112.42
2	A	607	HEC	CAC-C3C-C4C	2.42	128.24	124.91
2	B	606	HEC	CMC-C2C-C3C	2.41	130.75	125.62
2	B	607	HEC	C4A-C3A-C2A	-2.41	103.39	106.97
2	B	605	HEC	CHA-C4D-ND	-2.41	121.83	124.42
2	B	608	HEC	CAD-C3D-C4D	2.41	128.90	124.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	HEC	CHA-C1A-C2A	-2.41	121.06	124.86
2	A	606	HEC	CHB-C1B-C2B	-2.41	121.23	125.03
2	A	601	HEC	CHC-C4B-C3B	-2.40	120.80	125.23
2	A	607	HEC	C4D-C3D-C2D	-2.39	103.41	106.89
2	A	603	HEC	CHC-C1C-C2C	-2.39	120.49	127.43
2	B	602	HEC	CHC-C1C-C2C	-2.38	120.51	127.43
2	B	604[A]	HEC	C4D-C3D-C2D	-2.37	103.44	106.89
2	B	604[B]	HEC	C4D-C3D-C2D	-2.37	103.44	106.89
2	A	601	HEC	CMB-C2B-C1B	2.36	128.72	125.03
2	B	608	HEC	C3A-C4A-NA	2.36	113.99	109.64
2	B	602	HEC	CAA-CBA-CGA	-2.35	107.42	113.67
2	B	603	HEC	CHA-C4D-ND	-2.34	121.90	124.42
2	B	604[A]	HEC	CMA-C3A-C4A	2.34	128.85	124.73
2	B	604[B]	HEC	CMA-C3A-C4A	2.34	128.85	124.73
2	A	601	HEC	CHA-C1A-NA	-2.32	121.92	124.45
2	A	607	HEC	CBD-CAD-C3D	-2.32	106.11	112.53
2	A	605	HEC	O2A-CGA-CBA	2.32	121.32	114.00
2	B	608	HEC	CHA-C1A-C2A	-2.31	121.21	124.86
2	A	606	HEC	C4B-C3B-C2B	-2.31	103.53	106.89
2	B	602	HEC	C1D-ND-C4D	-2.31	102.47	105.21
2	B	603	HEC	CAA-CBA-CGA	-2.30	107.56	113.67
2	A	606	HEC	CHC-C1C-C2C	-2.30	120.76	127.43
2	B	605	HEC	O2A-CGA-CBA	2.30	121.26	114.00
2	B	607	HEC	CHB-C1B-C2B	-2.30	121.40	125.03
2	A	606	HEC	C1A-C2A-C3A	-2.29	104.09	107.11
2	A	607	HEC	CHD-C4C-C3C	-2.29	120.29	125.30
2	A	601	HEC	CMA-C3A-C4A	2.28	128.75	124.73
2	B	601	HEC	CMA-C3A-C4A	2.28	128.74	124.73
2	A	602	HEC	C4C-NC-C1C	-2.27	102.11	105.82
2	B	602	HEC	CHA-C1A-NA	-2.26	121.99	124.45
2	B	601	HEC	CHC-C1C-C2C	-2.26	120.86	127.43
2	B	602	HEC	CHB-C4A-C3A	-2.25	120.80	125.49
2	B	601	HEC	CHB-C1B-C2B	-2.25	121.48	125.03
2	A	604	HEC	CMC-C2C-C1C	2.24	128.83	125.42
2	B	606	HEC	CHA-C1A-C2A	-2.24	121.33	124.86
2	B	604[A]	HEC	CHA-C4D-ND	-2.23	122.02	124.42
2	B	604[B]	HEC	CHA-C4D-ND	-2.23	122.02	124.42
2	B	602	HEC	C4B-NB-C1B	-2.23	102.57	105.21
2	B	603	HEC	CAC-C3C-C4C	2.22	127.97	124.91
2	A	607	HEC	CHB-C1B-C2B	-2.22	121.52	125.03
2	A	607	HEC	CHA-C1A-C2A	-2.22	121.36	124.86
2	A	603	HEC	CAC-C3C-C4C	2.22	127.96	124.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	603	HEC	CAD-CBD-CGD	-2.21	107.80	113.67
2	A	608	HEC	CMD-C2D-C1D	2.20	128.48	125.03
2	B	607	HEC	CBC-CAC-C3C	2.20	118.39	112.42
2	A	601	HEC	CHC-C1C-C2C	-2.20	121.04	127.43
2	A	603	HEC	CHC-C4B-NB	-2.20	121.64	124.37
2	B	604[A]	HEC	CHC-C4B-C3B	-2.20	121.17	125.23
2	B	604[B]	HEC	CHC-C4B-C3B	-2.20	121.17	125.23
2	A	605	HEC	CHD-C4C-NC	-2.20	119.88	123.86
2	A	607	HEC	CHA-C4D-C3D	-2.19	121.58	124.77
2	B	605	HEC	CHD-C4C-NC	-2.19	119.90	123.86
2	B	603	HEC	C4B-C3B-C2B	-2.18	103.72	106.89
2	B	601	HEC	CAA-C2A-C1A	2.17	129.27	124.85
2	A	602	HEC	CHB-C4A-C3A	-2.17	120.97	125.49
2	A	603	HEC	CHB-C1B-NB	-2.16	122.10	124.42
2	B	601	HEC	CBC-CAC-C3C	2.15	118.25	112.42
2	A	603	HEC	C4A-C3A-C2A	-2.15	103.78	106.97
2	B	602	HEC	CAD-C3D-C4D	2.15	128.44	124.70
2	A	603	HEC	CHB-C4A-C3A	-2.15	121.02	125.49
2	A	602	HEC	O1A-CGA-CBA	-2.14	116.29	123.09
2	B	604[A]	HEC	O2A-CGA-CBA	2.14	120.76	114.00
2	A	601	HEC	CHB-C4A-C3A	-2.14	121.04	125.49
2	B	608	HEC	O2D-CGD-CBD	2.13	120.74	114.00
2	B	602	HEC	CHC-C4B-C3B	-2.13	121.30	125.23
2	A	607	HEC	CHD-C1D-C2D	-2.13	120.90	126.95
5	B	612	MPD	O4-C4-C3	2.12	119.80	111.35
2	A	608	HEC	C3A-C4A-NA	2.12	113.55	109.64
2	A	608	HEC	C1A-C2A-C3A	-2.11	104.33	107.11
2	A	608	HEC	C4B-NB-C1B	-2.11	102.71	105.21
2	A	607	HEC	CMC-C2C-C1C	2.10	128.62	125.42
2	A	607	HEC	CAD-C3D-C4D	2.10	128.35	124.70
2	B	602	HEC	CMC-C2C-C3C	2.09	130.06	125.62
2	A	603	HEC	CHA-C4D-ND	-2.09	122.17	124.42
2	A	607	HEC	C4C-C3C-C2C	-2.09	103.64	106.87
2	A	607	HEC	CHB-C4A-C3A	-2.09	121.15	125.49
2	B	602	HEC	C4C-C3C-C2C	-2.08	103.65	106.87
2	A	601	HEC	CHB-C1B-NB	-2.08	122.19	124.42
2	A	602	HEC	CMB-C2B-C1B	2.08	128.28	125.03
2	A	604	HEC	CHB-C4A-C3A	-2.08	121.17	125.49
2	B	607	HEC	CMA-C3A-C4A	2.07	128.38	124.73
2	A	605	HEC	CMB-C2B-C3B	2.07	131.74	126.15
2	A	607	HEC	CAA-C2A-C1A	2.07	129.05	124.85
2	B	604[A]	HEC	CAC-C3C-C4C	2.07	127.75	124.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	604[B]	HEC	CAC-C3C-C4C	2.07	127.75	124.91
2	A	603	HEC	O2A-CGA-CBA	2.06	120.52	114.00
2	A	602	HEC	C4D-C3D-C2D	-2.05	103.90	106.89
2	B	607	HEC	C4B-C3B-C2B	-2.05	103.91	106.89
2	B	603	HEC	O2A-CGA-CBA	2.05	120.48	114.00
2	A	606	HEC	CHD-C1D-C2D	-2.05	121.13	126.95
2	A	603	HEC	C4B-C3B-C2B	-2.05	103.91	106.89
2	A	604	HEC	C4C-C3C-C2C	-2.05	103.70	106.87
2	B	604[B]	HEC	O2A-CGA-CBA	2.04	120.44	114.00
2	B	608	HEC	O1A-CGA-CBA	-2.03	116.66	123.09
2	A	601	HEC	CHB-C1B-C2B	-2.02	121.83	125.03
2	B	604[A]	HEC	CHA-C1A-NA	-2.02	122.25	124.45
2	B	604[B]	HEC	CHA-C1A-NA	-2.02	122.25	124.45
2	A	605	HEC	CHA-C1A-NA	-2.02	122.26	124.45
2	A	605	HEC	CMC-C2C-C1C	2.01	128.48	125.42
2	B	607	HEC	CAC-C3C-C4C	2.01	127.68	124.91
2	A	608	HEC	CHA-C4D-C3D	-2.01	121.84	124.77
2	A	606	HEC	CHC-C4B-NB	-2.01	121.88	124.37
2	B	604[A]	HEC	C4C-NC-C1C	-2.01	102.55	105.82
2	B	604[B]	HEC	C4C-NC-C1C	-2.01	102.55	105.82
2	B	604[A]	HEC	C3B-C4B-NB	2.00	112.37	110.17
2	B	604[B]	HEC	C3B-C4B-NB	2.00	112.37	110.17
2	B	607	HEC	CHC-C4B-C3B	-2.00	121.53	125.23
2	B	607	HEC	O1A-CGA-CBA	-2.00	116.75	123.09

All (17) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	601	HEC	NA
2	A	602	HEC	NA
2	A	603	HEC	NA
2	A	604	HEC	NA
2	A	605	HEC	NA
2	A	606	HEC	NA
2	A	607	HEC	NA
2	A	608	HEC	NA
2	B	601	HEC	NA
2	B	602	HEC	NA
2	B	603	HEC	NA
2	B	604[A]	HEC	NA
2	B	604[B]	HEC	NA
2	B	605	HEC	NA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
2	B	606	HEC	NA
2	B	607	HEC	NA
2	B	608	HEC	NA

All (96) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	615[B]	GOL	C1-C2-C3-O3
6	A	615[B]	GOL	O2-C2-C3-O3
2	A	606	HEC	C4C-C3C-CAC-CBC
2	B	606	HEC	C4C-C3C-CAC-CBC
2	A	606	HEC	C2C-C3C-CAC-CBC
2	B	606	HEC	C2C-C3C-CAC-CBC
2	B	605	HEC	C2C-C3C-CAC-CBC
2	A	605	HEC	C2C-C3C-CAC-CBC
2	B	605	HEC	C4C-C3C-CAC-CBC
2	A	605	HEC	C4C-C3C-CAC-CBC
2	A	608	HEC	C2C-C3C-CAC-CBC
2	B	604[A]	HEC	C2C-C3C-CAC-CBC
2	B	604[B]	HEC	C2C-C3C-CAC-CBC
2	B	604[A]	HEC	C4C-C3C-CAC-CBC
2	B	604[B]	HEC	C4C-C3C-CAC-CBC
2	B	602	HEC	C4C-C3C-CAC-CBC
2	A	608	HEC	C4C-C3C-CAC-CBC
2	B	607	HEC	C4C-C3C-CAC-CBC
2	A	601	HEC	C2B-C3B-CAB-CBB
2	A	604	HEC	C4C-C3C-CAC-CBC
2	A	607	HEC	C4C-C3C-CAC-CBC
2	B	601	HEC	C2B-C3B-CAB-CBB
2	B	602	HEC	C2C-C3C-CAC-CBC
2	A	608	HEC	C2B-C3B-CAB-CBB
2	A	602	HEC	C4C-C3C-CAC-CBC
2	B	604[A]	HEC	C2B-C3B-CAB-CBB
2	B	604[B]	HEC	C2B-C3B-CAB-CBB
2	B	608	HEC	C2B-C3B-CAB-CBB
2	A	604	HEC	C2C-C3C-CAC-CBC
2	B	601	HEC	C4C-C3C-CAC-CBC
2	A	602	HEC	C2C-C3C-CAC-CBC
2	A	604	HEC	C2B-C3B-CAB-CBB
2	B	607	HEC	C2C-C3C-CAC-CBC
2	A	607	HEC	C2C-C3C-CAC-CBC
2	A	608	HEC	C4B-C3B-CAB-CBB

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	608	HEC	C4B-C3B-CAB-CBB
2	B	604[A]	HEC	C4B-C3B-CAB-CBB
2	B	604[B]	HEC	C4B-C3B-CAB-CBB
6	A	615[A]	GOL	O2-C2-C3-O3
2	B	601	HEC	C4B-C3B-CAB-CBB
2	B	601	HEC	C2C-C3C-CAC-CBC
2	B	605	HEC	C2B-C3B-CAB-CBB
2	A	601	HEC	C4C-C3C-CAC-CBC
2	B	603	HEC	C2B-C3B-CAB-CBB
2	A	603	HEC	C2C-C3C-CAC-CBC
2	B	608	HEC	C2C-C3C-CAC-CBC
2	A	604	HEC	C4B-C3B-CAB-CBB
2	A	603	HEC	C2B-C3B-CAB-CBB
2	B	607	HEC	C2B-C3B-CAB-CBB
2	B	603	HEC	C4C-C3C-CAC-CBC
2	A	601	HEC	C4B-C3B-CAB-CBB
2	A	603	HEC	C4C-C3C-CAC-CBC
2	A	603	HEC	C4B-C3B-CAB-CBB
2	A	606	HEC	CAA-CBA-CGA-O1A
2	B	602	HEC	CAA-CBA-CGA-O1A
2	B	604[A]	HEC	CAA-CBA-CGA-O1A
2	A	602	HEC	CAA-CBA-CGA-O1A
2	A	604	HEC	CAA-CBA-CGA-O2A
2	B	604[A]	HEC	CAA-CBA-CGA-O2A
2	B	607	HEC	C4B-C3B-CAB-CBB
2	B	602	HEC	CAA-CBA-CGA-O2A
2	B	606	HEC	CAA-CBA-CGA-O1A
2	A	602	HEC	CAA-CBA-CGA-O2A
2	A	608	HEC	CAD-CBD-CGD-O1D
2	A	608	HEC	CAA-CBA-CGA-O2A
2	B	606	HEC	CAA-CBA-CGA-O2A
2	B	608	HEC	C4C-C3C-CAC-CBC
2	A	606	HEC	CAA-CBA-CGA-O2A
2	B	601	HEC	CAA-CBA-CGA-O2A
2	A	601	HEC	CAA-CBA-CGA-O2A
2	B	605	HEC	C4B-C3B-CAB-CBB
2	A	604	HEC	CAA-CBA-CGA-O1A
2	A	608	HEC	CAA-CBA-CGA-O1A
2	B	601	HEC	CAA-CBA-CGA-O1A
2	B	608	HEC	CAD-CBD-CGD-O2D
2	B	607	HEC	CAD-CBD-CGD-O2D
2	A	601	HEC	CAA-CBA-CGA-O1A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	608	HEC	CAD-CBD-CGD-O2D
2	A	606	HEC	C4B-C3B-CAB-CBB
2	A	602	HEC	CAD-CBD-CGD-O2D
2	B	605	HEC	CAA-CBA-CGA-O2A
2	B	602	HEC	C2B-C3B-CAB-CBB
2	A	607	HEC	CAD-CBD-CGD-O2D
2	A	602	HEC	CAD-CBD-CGD-O1D
2	B	607	HEC	CAD-CBD-CGD-O1D
2	B	608	HEC	CAD-CBD-CGD-O1D
2	B	602	HEC	CAD-CBD-CGD-O2D
2	B	605	HEC	CAA-CBA-CGA-O1A
2	B	606	HEC	C2B-C3B-CAB-CBB
2	A	602	HEC	C2B-C3B-CAB-CBB
2	B	603	HEC	C4B-C3B-CAB-CBB
2	B	608	HEC	CAA-CBA-CGA-O1A
2	B	602	HEC	CAD-CBD-CGD-O1D
2	B	603	HEC	C2C-C3C-CAC-CBC
2	B	608	HEC	CAA-CBA-CGA-O2A
2	A	607	HEC	CAD-CBD-CGD-O1D


There are no ring outliers.


9 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	603	HEC	1	0
5	B	612	MPD	5	0
2	A	607	HEC	1	0
3	B	609	NO2	1	0
2	A	605	HEC	1	0
2	B	605	HEC	1	0
5	A	612	MPD	1	0
2	A	606	HEC	1	0
2	B	606	HEC	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the


average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









Ligand HEC B 603




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC B 604 (A)




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC B 604 (B)




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC B 607




Bond lengths




Bond angles




Torsions




Rings




Ligand HEC B 602




Bond lengths




Bond angles




Torsions




Rings







Ligand HEC B 608




Bond lengths




Bond angles




Torsions




Rings




Ligand HEC B 605




Bond lengths




Bond angles




Torsions




Rings




Ligand HEC B 606




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	520/520 (100%)	-0.70	4 (0%) 82 83	8, 12, 24, 49	19 (3%)
1	B	520/520 (100%)	-0.79	3 (0%) 85 86	6, 11, 23, 46	16 (3%)
All	All	1040/1040 (100%)	-0.75	7 (0%) 84 85	6, 12, 24, 49	35 (3%)

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	524	VAL	4.0
1	A	524	VAL	3.9
1	A	523	ALA	2.6
1	A	278	ARG	2.4
1	A	413	ASN	2.4
1	B	413	ASN	2.3
1	B	523	ALA	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	GOL	A	615[A]	6/6	0.71	0.23	27,31,36,43	2
6	GOL	A	615[B]	6/6	0.71	0.23	29,35,38,43	2
7	SO4	A	616	5/5	0.91	0.14	20,20,22,23	5
5	MPD	A	612	8/8	0.92	0.13	17,20,23,24	0
3	NO2	A	618	3/3	0.92	0.10	20,20,21,22	3
7	SO4	B	615	5/5	0.92	0.12	14,15,17,18	5
5	MPD	B	612	8/8	0.94	0.11	17,19,20,20	0
6	GOL	B	613[A]	6/6	0.95	0.07	8,10,11,12	1
6	GOL	B	613[B]	6/6	0.95	0.07	10,11,12,12	1
6	GOL	A	613[A]	6/6	0.96	0.06	11,13,14,16	1
6	GOL	A	613[B]	6/6	0.96	0.06	12,14,15,16	1
2	HEC	B	605	39/43	0.96	0.12	16,23,38,43	0
2	HEC	A	605	38/43	0.96	0.13	19,26,40,42	0
6	GOL	B	614	6/6	0.97	0.09	12,17,19,19	0
3	NO2	A	617	3/3	0.97	0.05	13,13,13,14	3
3	NO2	A	609	3/3	0.97	0.07	11,11,11,12	3
6	GOL	A	614	6/6	0.98	0.09	15,19,20,20	0
3	NO2	B	616	3/3	0.98	0.05	14,14,15,15	3
3	NO2	B	617	3/3	0.98	0.05	11,11,12,12	3
3	NO2	B	609	3/3	0.98	0.05	8,8,8,9	3
2	HEC	A	606	43/43	0.99	0.04	9,10,11,12	0
2	HEC	A	607	43/43	0.99	0.06	9,10,21,32	0
2	HEC	A	608	43/43	0.99	0.05	10,12,14,18	0
4	CA	A	610	1/1	0.99	0.05	14,14,14,14	0
4	CA	A	611	1/1	0.99	0.04	12,12,12,12	1
4	CA	B	611	1/1	0.99	0.03	9,9,9,9	1
2	HEC	B	601	43/43	0.99	0.04	6,7,8,8	0
2	HEC	B	602	43/43	0.99	0.05	7,8,15,19	0
2	HEC	B	603	43/43	0.99	0.04	6,6,7,8	0
2	HEC	B	604[A]	43/43	0.99	0.04	6,7,8,8	4
2	HEC	B	604[B]	43/43	0.99	0.04	6,7,8,10	4
2	HEC	A	602	43/43	0.99	0.05	8,9,15,20	0
2	HEC	B	606	43/43	0.99	0.04	8,10,11,12	0
2	HEC	B	607	43/43	0.99	0.05	8,9,19,29	0
2	HEC	B	608	43/43	0.99	0.06	11,14,16,20	0
2	HEC	A	603	43/43	0.99	0.04	7,8,9,10	0
2	HEC	A	604	43/43	0.99	0.05	7,8,11,17	0
2	HEC	A	601	43/43	0.99	0.04	8,9,10,11	0
4	CA	B	610	1/1	1.00	0.04	12,12,12,12	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEC B 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 607:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 608:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 604 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 604 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 607:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 608:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 604:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.