wwPDB X-ray Structure Validation Summary Report (i)

Oct 21, 2026 – 08:10 AM JST

PDB ID	:	21PA / pdb_000021pa
Title	:	Crystal structure of human MEK2 in complex with U0126
Authors	:	Cheon, S.W.; Han, B.W.; Hwang, E.M.
Deposited on	:	2025-12-22
Resolution	:	3.15 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.2
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	2.2
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 3.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2361 (3.20-3.12)
Clashscore	190562	2486 (3.20-3.12)
Ramachandran outliers	187476	2405 (3.20-3.12)
Sidechain outliers	187428	2404 (3.20-3.12)
RSRZ outliers	180081	2361 (3.20-3.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	345	2% 52% 36% 12%
1	B	345	3% 50% 39% 12%
1	C	345	2% 53% 35% 11%
1	D	345	% 52% 36% 11%
1	E	345	5% 46% 42% 12%
1	F	345	5% 45% 41% 14%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	5BM	A	403	-	-	X	-
4	5BM	F	403	-	-	X	-

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 15048 atoms, of which 174 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Dual specificity mitogen-activated protein kinase kinase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	303	Total	C	N	O	S	0	0	0
			2405	1532	415	444	14			
1	B	304	Total	C	N	O	S	0	0	0
			2412	1537	416	445	14			
1	C	306	Total	C	N	O	S	0	0	0
			2423	1544	418	447	14			
1	D	306	Total	C	N	O	S	0	0	0
			2421	1542	418	447	14			
1	E	304	Total	C	N	O	S	0	0	0
			2415	1537	419	445	14			
1	F	298	Total	C	N	O	S	0	0	0
			2365	1507	407	438	13			

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		
2	B	1	Total	Mg	0	0
			1	1		
2	C	1	Total	Mg	0	0
			1	1		
2	D	1	Total	Mg	0	0
			1	1		
2	E	1	Total	Mg	0	0
			1	1		
2	F	1	Total	Mg	0	0
			1	1		

- Molecule 3 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (CCD ID: ANP) (formula: $C_{10}H_{17}N_6O_{12}P_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	P	0	0
			44	10	13	6	12	3		
3	B	1	Total	C	H	N	O	P	0	0
			44	10	13	6	12	3		
3	C	1	Total	C	H	N	O	P	0	0
			44	10	13	6	12	3		
3	D	1	Total	C	H	N	O	P	0	0
			44	10	13	6	12	3		
3	E	1	Total	C	H	N	O	P	0	0
			44	10	13	6	12	3		
3	F	1	Total	C	H	N	O	P	0	0
			44	10	13	6	12	3		

- Molecule 4 is (2Z)-bis{amino[(2-aminophenyl)sulfanyl]methylidene}butanedinitrile (CCD ID: 5BM) (formula: $C_{18}H_{16}N_6S_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C H N S 42 18 16 6 2	0	0
4	B	1	Total C H N S 42 18 16 6 2	0	0
4	C	1	Total C H N S 42 18 16 6 2	0	0
4	D	1	Total C H N S 42 18 16 6 2	0	0
4	E	1	Total C H N S 42 18 16 6 2	0	0
4	F	1	Total C H N S 42 18 16 6 2	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	14	Total O 14 14	0	0
5	B	16	Total O 16 16	0	0
5	C	12	Total O 12 12	0	0
5	D	13	Total O 13 13	0	0
5	E	11	Total O 11 11	0	0
5	F	19	Total O 19 19	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Dual specificity mitogen-activated protein kinase kinase 2


Chain A:



• Molecule 1: Dual specificity mitogen-activated protein kinase kinase 2

Chain B:






• Molecule 1: Dual specificity mitogen-activated protein kinase kinase 2

Chain C:






• Molecule 1: Dual specificity mitogen-activated protein kinase kinase 2

Chain D:







• Molecule 1: Dual specificity mitogen-activated protein kinase kinase 2

Chain E:








• Molecule 1: Dual specificity mitogen-activated protein kinase kinase 2





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α, β, γ	149.68Å 261.54Å 75.89Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.54 – 3.15 49.54 – 3.15	Depositor EDS
% Data completeness (in resolution range)	90.0 (49.54-3.15) 89.9 (49.54-3.15)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	3.29 (at 3.12Å)	Xtriage
Refinement program	PHENIX 2.0_5885	Depositor
R, R_{free}	0.202 , 0.248 0.206 , 0.251	Depositor DCC
R_{free} test set	2000 reflections (3.26%)	wwPDB-VP
Wilson B-factor (Å^2)	51.9	Xtriage
Anisotropy	0.095	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.33 , 49.4	EDS
L-test for twinning[2]	$< \|L\| > = 0.47$, $< L^2 > = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.91	EDS
Total number of atoms	15048	wwPDB-VP
Average B, all atoms (Å^2)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 14.16% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, 5BM, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	A	0.28	0/2450	0.40	0/3301
1	B	0.28	0/2457	0.40	0/3310
1	C	0.26	0/2468	0.39	0/3325
1	D	0.28	0/2466	0.40	0/3322
1	E	0.27	0/2460	0.39	0/3313
1	F	0.26	0/2410	0.38	0/3247
All	All	0.27	0/14711	0.39	0/19818

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2405	0	2437	114	0
1	B	2412	0	2446	110	0
1	C	2423	0	2458	105	0
1	D	2421	0	2454	124	0
1	E	2415	0	2448	137	0
1	F	2365	0	2390	150	0
2	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
3	A	31	13	13	1	0
3	B	31	13	13	2	0
3	C	31	13	13	1	0
3	D	31	13	13	2	0
3	E	31	13	13	0	0
3	F	31	13	13	4	0
4	A	26	16	16	9	0
4	B	26	16	16	4	0
4	C	26	16	16	3	0
4	D	26	16	16	7	0
4	E	26	16	16	5	0
4	F	26	16	16	10	0
5	A	14	0	0	1	0
5	B	16	0	0	0	0
5	C	12	0	0	1	0
5	D	13	0	0	0	0
5	E	11	0	0	0	0
5	F	19	0	0	0	0
All	All	14874	174	14807	746	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

The worst 5 of 746 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:268:PRO:HB3	1:C:316:MET:HE3	1.28	1.09
1:D:191:MET:HE3	1:D:193:ARG:HG2	1.38	1.05
1:F:333:LEU:HD13	1:F:346:VAL:HG21	1.38	1.04
1:A:78:LEU:HD21	1:A:88:LYS:HB2	1.38	1.04
1:C:122:LEU:HD21	1:C:215:VAL:HG21	1.38	1.03

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	297/345 (86%)	291 (98%)	6 (2%)	0	100	100
1	B	298/345 (86%)	292 (98%)	6 (2%)	0	100	100
1	C	300/345 (87%)	296 (99%)	4 (1%)	0	100	100
1	D	300/345 (87%)	295 (98%)	5 (2%)	0	100	100
1	E	298/345 (86%)	296 (99%)	2 (1%)	0	100	100
1	F	292/345 (85%)	284 (97%)	8 (3%)	0	100	100
All	All	1785/2070 (86%)	1754 (98%)	31 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	264/298 (89%)	264 (100%)	0	100	100
1	B	265/298 (89%)	265 (100%)	0	100	100
1	C	266/298 (89%)	266 (100%)	0	100	100
1	D	265/298 (89%)	265 (100%)	0	100	100
1	E	265/298 (89%)	265 (100%)	0	100	100
1	F	260/298 (87%)	260 (100%)	0	100	100
All	All	1585/1788 (89%)	1585 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 25 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	188	HIS
1	E	104	HIS
1	F	343	GLN
1	D	343	GLN
1	E	113	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 18 ligands modelled in this entry, 6 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
4	5BM	A	403	-	23,27,27	2.77	7 (30%)	28,36,36	1.85	6 (21%)
4	5BM	F	403	-	23,27,27	2.68	8 (34%)	28,36,36	1.70	5 (17%)
3	ANP	B	402	2	32,33,33	1.97	4 (12%)	44,52,52	1.79	14 (31%)
3	ANP	D	402	2	32,33,33	2.05	6 (18%)	44,52,52	1.57	6 (13%)
4	5BM	C	403	-	23,27,27	2.64	8 (34%)	28,36,36	1.62	4 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
3	ANP	E	402	2	32,33,33	2.01	4 (12%)	44,52,52	1.38	3 (6%)
4	5BM	E	403	-	23,27,27	2.63	8 (34%)	28,36,36	1.86	4 (14%)
3	ANP	F	402	2	32,33,33	2.04	5 (15%)	44,52,52	1.46	5 (11%)
3	ANP	A	402	2	32,33,33	2.19	6 (18%)	44,52,52	1.42	4 (9%)
4	5BM	D	403	-	23,27,27	2.72	8 (34%)	28,36,36	2.46	9 (32%)
4	5BM	B	403	-	23,27,27	2.58	8 (34%)	28,36,36	2.21	5 (17%)
3	ANP	C	402	2	32,33,33	2.04	5 (15%)	44,52,52	1.66	9 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	5BM	A	403	-	-	2/14/24/24	0/2/2/2
4	5BM	F	403	-	-	1/14/24/24	0/2/2/2
3	ANP	B	402	2	-	5/18/38/38	0/3/3/3
3	ANP	D	402	2	-	3/18/38/38	0/3/3/3
4	5BM	C	403	-	-	2/14/24/24	0/2/2/2
3	ANP	E	402	2	-	2/18/38/38	0/3/3/3
4	5BM	E	403	-	-	4/14/24/24	0/2/2/2
3	ANP	F	402	2	-	4/18/38/38	0/3/3/3
3	ANP	A	402	2	-	4/18/38/38	0/3/3/3
4	5BM	D	403	-	-	5/14/24/24	0/2/2/2
4	5BM	B	403	-	-	2/14/24/24	0/2/2/2
3	ANP	C	402	2	-	4/18/38/38	0/3/3/3

The worst 5 of 77 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	402	ANP	PB-O3A	7.70	1.68	1.59
3	C	402	ANP	PB-O3A	7.45	1.68	1.59
3	F	402	ANP	PB-O3A	6.91	1.67	1.59
3	E	402	ANP	PB-O3A	6.85	1.67	1.59
3	D	402	ANP	PB-O3A	6.63	1.67	1.59

The worst 5 of 74 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
4	D	403	5BM	C07-S06-C04	8.10	116.55	102.88
4	B	403	5BM	C22-C21-C01	-7.20	101.43	117.47
4	B	403	5BM	C07-S06-C04	6.15	113.27	102.88
4	E	403	5BM	C07-S06-C04	6.15	113.26	102.88
3	C	402	ANP	O2B-PB-O1B	5.57	121.61	109.92

There are no chirality outliers.

5 of 38 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	402	ANP	PB-N3B-PG-O1G
3	A	402	ANP	C3'-C4'-C5'-O5'
3	B	402	ANP	PB-N3B-PG-O1G
3	B	402	ANP	PG-N3B-PB-O1B
3	B	402	ANP	PG-N3B-PB-O3A

There are no ring outliers.


11 monomers are involved in 48 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	403	5BM	9	0
4	F	403	5BM	10	0
3	B	402	ANP	2	0
3	D	402	ANP	2	0
4	C	403	5BM	3	0
4	E	403	5BM	5	0
3	F	402	ANP	4	0
3	A	402	ANP	1	0
4	D	403	5BM	7	0
4	B	403	5BM	4	0
3	C	402	ANP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.


Ligand 5BM A 403




Bond lengths



Bond angles




Torsions




Rings


Ligand 5BM F 403




Bond lengths



Bond angles




Torsions




Rings


Ligand ANP B 402




Bond lengths



Bond angles




Torsions




Rings


Ligand ANP D 402




Bond lengths



Bond angles




Torsions




Rings


Ligand 5BM C 403




Bond lengths



Bond angles




Torsions




Rings


Ligand ANP E 402




Bond lengths



Bond angles




Torsions




Rings


Ligand 5BM E 403




Bond lengths



Bond angles




Torsions




Rings


Ligand ANP F 402




Bond lengths



Bond angles




Torsions




Rings


Ligand ANP A 402




Bond lengths



Bond angles




Torsions




Rings


Ligand 5BM D 403




Bond lengths



Bond angles




Torsions




Rings


Ligand 5BM B 403




Bond lengths



Bond angles




Torsions




Rings


Ligand ANP C 402




Bond lengths



Bond angles



Torsions



Rings

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	303/345 (87%)	-0.05	6 (1%)	65	44	21, 42, 72, 93	0
1	B	304/345 (88%)	-0.01	10 (3%)	49	29	21, 43, 73, 121	0
1	C	306/345 (88%)	0.04	8 (2%)	57	36	23, 46, 76, 98	0
1	D	306/345 (88%)	-0.04	2 (0%)	84	69	24, 43, 71, 97	0
1	E	304/345 (88%)	0.36	17 (5%)	30	17	21, 54, 90, 107	0
1	F	298/345 (86%)	0.33	17 (5%)	29	17	28, 55, 92, 116	0
All	All	1821/2070 (87%)	0.10	60 (3%)	49	29	21, 46, 82, 121	0

The worst 5 of 60 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	228	VAL	5.2
1	C	82	ASN	4.2
1	B	82	ASN	3.8
1	A	242	THR	3.7
1	E	326	VAL	3.6

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no oligosaccharides in this entry.

6.4 Ligands (i)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
4	5BM	A	403	26/26	0.85	0.19	36,62,82,93	0
4	5BM	B	403	26/26	0.86	0.19	39,58,76,79	0
4	5BM	C	403	26/26	0.90	0.16	41,59,86,89	0
4	5BM	E	403	26/26	0.90	0.15	37,56,85,102	0
4	5BM	D	403	26/26	0.91	0.15	38,53,67,71	0
2	MG	F	401	1/1	0.91	0.11	58,58,58,58	0
4	5BM	F	403	26/26	0.91	0.16	42,60,78,87	0
3	ANP	B	402	31/31	0.92	0.12	25,43,58,62	0
3	ANP	E	402	31/31	0.93	0.10	39,54,72,83	0
2	MG	D	401	1/1	0.94	0.08	41,41,41,41	0
3	ANP	F	402	31/31	0.94	0.10	36,56,73,100	0
3	ANP	C	402	31/31	0.94	0.09	36,47,58,63	0
3	ANP	D	402	31/31	0.94	0.09	34,49,61,68	0
2	MG	A	401	1/1	0.95	0.07	47,47,47,47	0
3	ANP	A	402	31/31	0.96	0.08	33,47,62,65	0
2	MG	E	401	1/1	0.96	0.07	36,36,36,36	0
2	MG	C	401	1/1	0.96	0.07	47,47,47,47	0
2	MG	B	401	1/1	0.97	0.15	35,35,35,35	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 5BM A 403:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 5BM B 403:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 5BM C 403:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 5BM E 403:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 5BM D 403:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 5BM F 403:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around ANP B 402:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around ANP E 402:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around ANP F 402:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around ANP C 402:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around ANP D 402:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around ANP A 402:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







6.5 Other polymers (i)

There are no such residues in this entry.