



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 7, 2026 – 08:27 PM JST

PDB ID : 24SS / pdb_000024ss
Title : Human KRAS WT (GDP-bound) in complex with macrocyclic peptide inhibitor AUBE00
Authors : Yamano, T.; Kage, M.; Fukami, T.A.; Tanada, M.; Irie, M.; Torizawa, T.
Deposited on : 2026-03-19
Resolution : 1.56 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.56 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2145 (1.56-1.56)
Clashscore	190562	2189 (1.56-1.56)
Ramachandran outliers	187476	2153 (1.56-1.56)
Sidechain outliers	187428	2150 (1.56-1.56)
RSRZ outliers	180081	2146 (1.56-1.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	179	6% 92% 6% .
1	B	179	6% 90% 8% .
1	C	179	5% 93% . .
2	I	12	58% 42%
2	J	12	42% 58%
2	K	12	50% 50%

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 5351 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isoform 2B of GTPase KRas.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	175	Total	C	N	O	S	0	8	0
			1418	887	242	279	10			
1	B	175	Total	C	N	O	S	0	6	0
			1410	881	242	278	9			
1	C	174	Total	C	N	O	S	0	5	0
			1408	880	241	278	9			


There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	expression tag	UNP P01116
A	-3	SER	-	expression tag	UNP P01116
A	-2	SER	-	expression tag	UNP P01116
A	-1	GLY	-	expression tag	UNP P01116
A	0	GLY	-	expression tag	UNP P01116
A	1	SER	-	expression tag	UNP P01116
B	-4	GLY	-	expression tag	UNP P01116
B	-3	SER	-	expression tag	UNP P01116
B	-2	SER	-	expression tag	UNP P01116
B	-1	GLY	-	expression tag	UNP P01116
B	0	GLY	-	expression tag	UNP P01116
B	1	SER	-	expression tag	UNP P01116
C	-4	GLY	-	expression tag	UNP P01116
C	-3	SER	-	expression tag	UNP P01116
C	-2	SER	-	expression tag	UNP P01116
C	-1	GLY	-	expression tag	UNP P01116
C	0	GLY	-	expression tag	UNP P01116
C	1	SER	-	expression tag	UNP P01116

- Molecule 2 is a protein called AUBE00.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	I	12	Total 110	C 78	F 6	N 12	O 14	0	0	0
2	J	12	Total 110	C 78	F 6	N 12	O 14	0	0	0
2	K	12	Total 110	C 78	F 6	N 12	O 14	0	0	0

- Molecule 3 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: $\text{C}_{10}\text{H}_{15}\text{N}_5\text{O}_{11}\text{P}_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 28	C 10	N 5	O 11	P 2	0	0
3	B	1	Total 28	C 10	N 5	O 11	P 2	0	0
3	C	1	Total 28	C 10	N 5	O 11	P 2	0	0

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $\text{C}_2\text{H}_6\text{O}_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Mg 1 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	Mg	0	0
			1	1		
5	C	1	Total	Mg	0	0
			1	1		

- Molecule 6 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 7 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C₂H₆OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	C	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 8 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	183	Total	O	0	0
			183	183		
8	B	182	Total	O	0	0
			182	182		
8	C	163	Total	O	0	0
			163	163		
8	I	9	Total	O	0	0
			9	9		
8	J	9	Total	O	0	0
			9	9		
8	K	10	Total	O	0	0
			10	10		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Isoform 2B of GTPase KRas

Chain A: 





- Molecule 1: Isoform 2B of GTPase KRas

Chain B: 




- Molecule 1: Isoform 2B of GTPase KRas

Chain C: 



- Molecule 2: AUBE00

Chain I: 



- Molecule 2: AUBE00

Chain J: 



- Molecule 2: AUBE00



4 Data and refinement statistics

Property	Value	Source
Space group	I 4 2 2	Depositor
Cell constants a, b, c, α , β , γ	144.03Å 144.03Å 181.17Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	67.69 – 1.56 67.69 – 1.56	Depositor EDS
% Data completeness (in resolution range)	77.1 (67.69-1.56) 72.6 (67.69-1.56)	Depositor EDS
R_{merge}	0.25	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.69 (at 1.56Å)	Xtriage
Refinement program	PHENIX 1.21.2_5419	Depositor
R, R_{free}	0.177 , 0.200 0.177 , 0.200	Depositor DCC
R_{free} test set	5176 reflections (3.85%)	wwPDB-VP
Wilson B-factor (Å ²)	17.6	Xtriage
Anisotropy	0.004	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 35.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5351	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DMS, EDO, A1MFQ, A1L7N, A1MFP, MG, ZNY, SOQ, GDP, DMN, SO4, A1MFO, SAR, 7VN, A1MFR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.30	0/1463	0.50	0/1969
1	B	0.28	0/1449	0.46	0/1951
1	C	0.26	0/1444	0.46	0/1944
2	I	0.38	0/15	0.91	0/20
2	J	0.32	0/15	0.91	0/20
2	K	0.33	0/15	0.99	0/20
All	All	0.28	0/4401	0.48	0/5924

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1418	0	1411	10	0
1	B	1410	0	1397	9	0
1	C	1408	0	1401	5	0
2	I	110	0	29	0	0
2	J	110	0	29	1	0
2	K	110	0	29	0	0
3	A	28	0	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	28	0	12	0	0
3	C	28	0	12	0	0
4	A	44	0	66	4	0
4	B	52	0	78	6	0
4	C	32	0	48	3	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
6	A	5	0	0	0	0
6	C	5	0	0	0	0
7	C	4	0	6	1	0
8	A	183	0	0	1	0
8	B	182	0	0	1	0
8	C	163	0	0	2	0
8	I	9	0	0	0	0
8	J	9	0	0	0	0
8	K	10	0	0	0	0
All	All	5351	0	4530	28	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (28) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:118[B]:CYS:SG	1:C:143:GLU:HB3	2.34	0.67
1:A:118[B]:CYS:SG	1:A:143:GLU:HB3	2.37	0.65
4:B:508:EDO:H21	8:B:720:HOH:O	1.98	0.64
1:A:70[B]:GLN:HG2	4:A:206:EDO:H12	1.81	0.60
1:C:5:LYS:HD2	4:C:1508:EDO:H11	1.85	0.59
1:C:23:LEU:HD22	1:C:156:PHE:CG	2.40	0.56
1:B:142:ILE:HD13	1:B:155:ALA:HA	1.89	0.55
1:B:31:GLU:OE2	4:B:515:EDO:H22	2.06	0.55
1:B:28:PHE:CE2	1:B:30:ASP:HB3	2.44	0.51
1:B:118[B]:CYS:SG	1:B:143:GLU:HB3	2.51	0.51
1:A:27:HIS:HA	4:A:204:EDO:H22	1.94	0.49
1:A:149:ARG:NH2	4:A:204:EDO:H21	2.29	0.48
1:A:28:PHE:CE2	1:A:30:ASP:HB3	2.49	0.47
8:A:305:HOH:O	4:B:512:EDO:H11	2.14	0.46
1:B:79:LEU:HG	1:B:114:VAL:HG21	1.99	0.45
1:A:111[B]:MET:HE2	1:A:111[B]:MET:HB3	1.78	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:88:LYS:HG3	8:C:1669:HOH:O	2.17	0.44
1:A:111[A]:MET:HE3	1:A:111[A]:MET:HB2	1.86	0.44
4:B:508:EDO:H11	2:J:8:ZNY:CD	2.48	0.44
1:B:148:THR:O	1:B:149:ARG:HB2	2.18	0.43
1:C:54:ASP:OD1	4:C:1508:EDO:H22	2.17	0.43
1:A:70[B]:GLN:CD	4:A:206:EDO:H22	2.44	0.42
1:B:40:TYR:CE2	4:B:509:EDO:H11	2.54	0.42
1:B:103:VAL:O	4:B:513:EDO:H21	2.19	0.42
1:B:111[B]:MET:HE3	1:B:111[B]:MET:HB2	1.87	0.41
1:A:80:CYS:SG	1:A:111[B]:MET:HE3	2.60	0.41
7:C:1512:DMS:H12	8:C:1740:HOH:O	2.20	0.40
1:C:39:SER:O	4:C:1509:EDO:H11	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	181/179 (101%)	176 (97%)	5 (3%)	0	100	100
1	B	179/179 (100%)	178 (99%)	1 (1%)	0	100	100
1	C	177/179 (99%)	174 (98%)	3 (2%)	0	100	100
2	I	2/12 (17%)	1 (50%)	1 (50%)	0	100	100
2	J	2/12 (17%)	1 (50%)	1 (50%)	0	100	100
2	K	2/12 (17%)	1 (50%)	1 (50%)	0	100	100
All	All	543/573 (95%)	531 (98%)	12 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	159/155 (103%)	159 (100%)	0	100	100
1	B	157/155 (101%)	157 (100%)	0	100	100
1	C	158/155 (102%)	157 (99%)	1 (1%)	78	64
2	I	2/2 (100%)	1 (50%)	1 (50%)	0	0
2	J	2/2 (100%)	1 (50%)	1 (50%)	0	0
2	K	2/2 (100%)	1 (50%)	1 (50%)	0	0
All	All	480/471 (102%)	476 (99%)	4 (1%)	70	56

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	173	ASP
2	I	3	PRO
2	J	3	PRO
2	K	3	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	61	GLN
1	B	22	GLN
1	B	61	GLN
1	C	22	GLN
1	C	150	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

24 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	SAR	J	6	2	4,4,5	0.68	0	1,3,5	2.02	1 (100%)
2	A1L7N	J	1	2	6,7,8	0.52	0	4,7,9	1.04	0
2	ZNY	J	8	2	7,10,11	0.42	0	7,12,14	1.10	0
2	A1MFQ	I	7	2	17,18,19	0.29	0	19,25,27	0.85	0
2	A1MFQ	J	7	2	17,18,19	0.29	0	19,25,27	0.85	0
2	A1MFO	I	5	2	17,18,20	0.31	0	22,24,27	1.03	2 (9%)
2	A1L7N	I	1	2	6,7,8	0.46	0	4,7,9	1.08	0
2	A1MFR	J	9	2	6,8,9	0.59	0	7,11,13	1.32	1 (14%)
2	ZNY	K	8	2	7,10,11	0.42	0	7,12,14	1.17	1 (14%)
2	A1MFO	K	5	2	17,18,20	0.31	0	22,24,27	1.01	2 (9%)
2	A1MFR	K	9	2	6,8,9	0.58	0	7,11,13	1.48	1 (14%)
2	A1L7N	K	1	2	6,7,8	0.46	0	4,7,9	1.00	0
2	A1MFQ	K	7	2	17,18,19	0.29	0	19,25,27	0.88	0
2	7VN	J	10	2	8,10,11	0.42	0	8,12,14	1.35	1 (12%)
2	7VN	I	10	2	8,10,11	0.53	0	8,12,14	1.20	1 (12%)
2	A1MFP	I	4	2	5,6,8	0.57	0	4,6,9	2.65	2 (50%)
2	7VN	K	10	2	8,10,11	0.49	0	8,12,14	1.30	1 (12%)
2	A1MFP	J	4	2	5,6,8	0.57	0	4,6,9	2.38	2 (50%)
2	A1MFP	K	4	2	5,6,8	0.55	0	4,6,9	2.50	2 (50%)
2	A1MFR	I	9	2	6,8,9	0.63	0	7,11,13	1.38	1 (14%)
2	A1MFO	J	5	2	17,18,20	0.29	0	22,24,27	1.00	2 (9%)
2	SAR	K	6	2	4,4,5	0.66	0	1,3,5	1.92	0
2	ZNY	I	8	2	7,10,11	0.46	0	7,12,14	1.12	0
2	SAR	I	6	2	4,4,5	0.66	0	1,3,5	1.72	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SAR	J	6	2	-	1/1/2/3	-
2	A1L7N	J	1	2	-	0/4/7/9	-
2	ZNY	J	8	2	-	0/3/14/16	0/1/1/1
2	A1MFQ	I	7	2	-	0/14/15/17	0/1/1/1
2	A1MFQ	J	7	2	-	0/14/15/17	0/1/1/1
2	A1MFO	I	5	2	-	5/15/16/19	0/1/1/1
2	A1L7N	I	1	2	-	0/4/7/9	-
2	A1MFR	J	9	2	-	0/0/14/17	0/1/1/1
2	ZNY	K	8	2	-	0/3/14/16	0/1/1/1
2	A1MFO	K	5	2	-	5/15/16/19	0/1/1/1
2	A1MFR	K	9	2	-	0/0/14/17	0/1/1/1
2	A1L7N	K	1	2	-	0/4/7/9	-
2	A1MFQ	K	7	2	-	0/14/15/17	0/1/1/1
2	7VN	J	10	2	-	1/6/15/17	0/1/1/1
2	7VN	I	10	2	-	1/6/15/17	0/1/1/1
2	A1MFP	I	4	2	-	2/3/6/9	-
2	7VN	K	10	2	-	1/6/15/17	0/1/1/1
2	A1MFP	J	4	2	-	2/3/6/9	-
2	A1MFP	K	4	2	-	2/3/6/9	-
2	A1MFR	I	9	2	-	0/0/14/17	0/1/1/1
2	A1MFO	J	5	2	-	5/15/16/19	0/1/1/1
2	SAR	K	6	2	-	1/1/2/3	-
2	ZNY	I	8	2	-	0/3/14/16	0/1/1/1
2	SAR	I	6	2	-	1/1/2/3	-

There are no bond length outliers.

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	4	A1MFP	CB-CA-C	4.76	118.11	111.29
2	K	4	A1MFP	CB-CA-C	4.37	117.56	111.29
2	J	4	A1MFP	CB-CA-C	4.09	117.15	111.29
2	I	5	A1MFO	C1-N-CA	3.18	119.63	114.04
2	K	5	A1MFO	C1-N-CA	2.97	119.25	114.04
2	J	5	A1MFO	C1-N-CA	2.94	119.21	114.04
2	J	10	7VN	CB-CA-N	2.43	115.89	111.55
2	K	9	A1MFR	O-C-CA	-2.40	119.36	125.23
2	J	5	A1MFO	O-C-CA	-2.40	118.48	124.78
2	I	5	A1MFO	O-C-CA	-2.31	118.73	124.78
2	J	9	A1MFR	O-C-CA	-2.30	119.61	125.23
2	I	9	A1MFR	O-C-CA	-2.28	119.66	125.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	K	5	A1MFO	O-C-CA	-2.27	118.84	124.78
2	I	10	7VN	CB-CA-N	2.26	115.59	111.55
2	K	4	A1MFP	O-C-CA	-2.18	119.05	124.78
2	K	8	ZNY	O-C-CA	-2.17	119.09	124.78
2	J	4	A1MFP	O-C-CA	-2.14	119.17	124.78
2	I	4	A1MFP	O-C-CA	-2.11	119.25	124.78
2	K	10	7VN	CB-CA-N	2.08	115.26	111.55
2	J	6	SAR	O-C-CA	-2.02	119.58	125.42

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	I	4	A1MFP	N-CA-CB-CG
2	I	4	A1MFP	C-CA-CB-CG
2	J	4	A1MFP	N-CA-CB-CG
2	J	4	A1MFP	C-CA-CB-CG
2	K	4	A1MFP	N-CA-CB-CG
2	K	4	A1MFP	C-CA-CB-CG
2	I	5	A1MFO	CB-CA-N-C1
2	J	5	A1MFO	CB-CA-N-C1
2	K	5	A1MFO	CB-CA-N-C1
2	I	6	SAR	C-CA-N-CN
2	J	6	SAR	C-CA-N-CN
2	K	6	SAR	C-CA-N-CN
2	K	5	A1MFO	N-C1-C2-C3
2	I	5	A1MFO	C2-C1-N-CA
2	J	5	A1MFO	C2-C1-N-CA
2	K	5	A1MFO	C2-C1-N-CA
2	I	5	A1MFO	N-C1-C2-C3
2	J	5	A1MFO	CA-CB-CG-CD2
2	J	5	A1MFO	CA-CB-CG-CD1
2	K	5	A1MFO	CA-CB-CG-CD2
2	I	5	A1MFO	CA-CB-CG-CD2
2	K	5	A1MFO	CA-CB-CG-CD1
2	J	5	A1MFO	N-C1-C2-C3
2	I	5	A1MFO	CA-CB-CG-CD1
2	I	10	7VN	CB-CA-N-CN
2	J	10	7VN	CB-CA-N-CN
2	K	10	7VN	CB-CA-N-CN

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	J	8	ZNY	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 41 ligands modelled in this entry, 3 are monoatomic - leaving 38 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	A	204	-	3,3,3	0.26	0	2,2,2	0.34	0
4	EDO	B	508	-	3,3,3	0.27	0	2,2,2	0.31	0
4	EDO	A	209	-	3,3,3	0.29	0	2,2,2	0.34	0
4	EDO	B	503	-	3,3,3	0.23	0	2,2,2	0.54	0
3	GDP	B	502	5	28,30,30	1.16	3 (10%)	44,47,47	1.75	8 (18%)
4	EDO	A	203	-	3,3,3	0.28	0	2,2,2	0.47	0
7	DMS	C	1512	-	3,3,3	0.56	0	3,3,3	0.48	0
4	EDO	A	202	-	3,3,3	0.28	0	2,2,2	0.48	0
4	EDO	B	509	-	3,3,3	0.25	0	2,2,2	0.18	0
4	EDO	A	208	-	3,3,3	0.27	0	2,2,2	0.48	0
4	EDO	B	504	-	3,3,3	0.26	0	2,2,2	0.09	0
3	GDP	A	201	5	28,30,30	1.12	4 (14%)	44,47,47	1.76	6 (13%)
3	GDP	C	1502	5	28,30,30	1.08	2 (7%)	44,47,47	1.68	8 (18%)
4	EDO	A	207	-	3,3,3	0.26	0	2,2,2	0.30	0
4	EDO	C	1506	-	3,3,3	0.25	0	2,2,2	0.41	0
4	EDO	B	511	-	3,3,3	0.25	0	2,2,2	0.79	0
4	EDO	C	1507	-	3,3,3	0.30	0	2,2,2	0.16	0
4	EDO	C	1508	-	3,3,3	0.25	0	2,2,2	0.34	0
4	EDO	C	1501	-	3,3,3	0.26	0	2,2,2	0.37	0
4	EDO	B	506	-	3,3,3	0.26	0	2,2,2	0.08	0
4	EDO	C	1509	-	3,3,3	0.25	0	2,2,2	0.44	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	B	505	-	3,3,3	0.26	0	2,2,2	0.41	0
4	EDO	A	210	-	3,3,3	0.25	0	2,2,2	0.37	0
4	EDO	B	510	-	3,3,3	0.27	0	2,2,2	0.16	0
4	EDO	A	206	-	3,3,3	0.27	0	2,2,2	0.40	0
4	EDO	B	507	-	3,3,3	0.28	0	2,2,2	0.22	0
4	EDO	A	212	-	3,3,3	0.26	0	2,2,2	0.40	0
4	EDO	C	1504	-	3,3,3	0.25	0	2,2,2	0.18	0
4	EDO	C	1503	-	3,3,3	0.27	0	2,2,2	0.32	0
4	EDO	B	512	-	3,3,3	0.27	0	2,2,2	0.31	0
4	EDO	A	205	-	3,3,3	0.28	0	2,2,2	0.20	0
4	EDO	A	213	-	3,3,3	0.19	0	2,2,2	0.27	0
4	EDO	B	515	-	3,3,3	0.26	0	2,2,2	0.24	0
4	EDO	C	1505	-	3,3,3	0.27	0	2,2,2	0.19	0
6	SO4	A	214	-	4,4,4	0.50	0	6,6,6	0.33	0
4	EDO	B	513	-	3,3,3	0.26	0	2,2,2	0.33	0
6	SO4	C	1511	-	4,4,4	0.50	0	6,6,6	0.33	0
4	EDO	B	501	-	3,3,3	0.33	0	2,2,2	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	204	-	-	1/1/1/1	-
4	EDO	B	508	-	-	1/1/1/1	-
4	EDO	A	209	-	-	0/1/1/1	-
4	EDO	B	503	-	-	0/1/1/1	-
3	GDP	B	502	5	-	2/16/32/32	0/3/3/3
4	EDO	A	203	-	-	0/1/1/1	-
4	EDO	A	202	-	-	1/1/1/1	-
4	EDO	B	509	-	-	0/1/1/1	-
4	EDO	A	208	-	-	0/1/1/1	-
4	EDO	B	504	-	-	1/1/1/1	-
3	GDP	A	201	5	-	1/16/32/32	0/3/3/3
3	GDP	C	1502	5	-	1/16/32/32	0/3/3/3
4	EDO	A	207	-	-	1/1/1/1	-
4	EDO	C	1506	-	-	0/1/1/1	-
4	EDO	B	511	-	-	1/1/1/1	-
4	EDO	C	1507	-	-	0/1/1/1	-
4	EDO	C	1508	-	-	1/1/1/1	-
4	EDO	C	1501	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	B	506	-	-	1/1/1/1	-
4	EDO	C	1509	-	-	0/1/1/1	-
4	EDO	B	505	-	-	0/1/1/1	-
4	EDO	A	210	-	-	1/1/1/1	-
4	EDO	B	510	-	-	0/1/1/1	-
4	EDO	A	206	-	-	1/1/1/1	-
4	EDO	B	507	-	-	1/1/1/1	-
4	EDO	A	212	-	-	1/1/1/1	-
4	EDO	C	1504	-	-	0/1/1/1	-
4	EDO	C	1503	-	-	0/1/1/1	-
4	EDO	B	512	-	-	1/1/1/1	-
4	EDO	A	205	-	-	0/1/1/1	-
4	EDO	A	213	-	-	1/1/1/1	-
4	EDO	B	515	-	-	1/1/1/1	-
4	EDO	C	1505	-	-	0/1/1/1	-
4	EDO	B	513	-	-	1/1/1/1	-
4	EDO	B	501	-	-	0/1/1/1	-

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	502	GDP	C5-C4	2.93	1.46	1.38
3	A	201	GDP	C5-C4	2.90	1.46	1.38
3	C	1502	GDP	C5-C4	2.62	1.46	1.38
3	A	201	GDP	C6-N1	-2.52	1.34	1.38
3	B	502	GDP	C6-N1	-2.52	1.34	1.38
3	B	502	GDP	C5-N7	-2.45	1.34	1.39
3	A	201	GDP	C5-N7	-2.29	1.34	1.39
3	A	201	GDP	C4-N9	-2.20	1.32	1.38
3	C	1502	GDP	C4-N9	-2.08	1.32	1.38

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	GDP	C5-C4-N3	-5.62	119.34	128.46
3	A	201	GDP	C5-C4-N3	-5.33	119.81	128.46
3	A	201	GDP	C2-N3-C4	4.87	120.98	112.30
3	B	502	GDP	C2-N3-C4	4.77	120.80	112.30
3	C	1502	GDP	C5-C4-N3	-4.61	120.98	128.46
3	C	1502	GDP	C2-N3-C4	4.18	119.75	112.30
3	B	502	GDP	N9-C4-N3	4.16	134.29	125.94
3	A	201	GDP	N9-C4-N3	4.00	133.97	125.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1502	GDP	C6-C5-N7	3.83	137.38	130.25
3	A	201	GDP	C6-C5-N7	3.82	137.36	130.25
3	C	1502	GDP	N9-C4-N3	3.65	133.28	125.94
3	B	502	GDP	C6-C5-N7	3.35	136.48	130.25
3	A	201	GDP	C4-C5-N7	-2.67	106.50	110.72
3	C	1502	GDP	C4-C5-N7	-2.54	106.70	110.72
3	B	502	GDP	O3B-PB-O3A	2.53	113.13	104.64
3	B	502	GDP	C4-C5-N7	-2.40	106.93	110.72
3	C	1502	GDP	O6-C6-C5	-2.36	120.34	126.60
3	C	1502	GDP	C8-N9-C4	2.26	110.35	106.05
3	B	502	GDP	O6-C6-C5	-2.21	120.75	126.60
3	A	201	GDP	C8-N7-C5	2.06	107.97	104.24
3	B	502	GDP	C5-C6-N1	2.04	118.37	113.19
3	C	1502	GDP	N9-C8-N7	-2.02	109.59	113.39

There are no chirality outliers.

All (21) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	502	GDP	PA-O3A-PB-O3B
4	A	212	EDO	O1-C1-C2-O2
4	B	513	EDO	O1-C1-C2-O2
3	B	502	GDP	PA-O3A-PB-O1B
4	A	204	EDO	O1-C1-C2-O2
4	A	207	EDO	O1-C1-C2-O2
4	A	210	EDO	O1-C1-C2-O2
4	B	504	EDO	O1-C1-C2-O2
4	B	515	EDO	O1-C1-C2-O2
4	C	1508	EDO	O1-C1-C2-O2
4	A	202	EDO	O1-C1-C2-O2
4	B	508	EDO	O1-C1-C2-O2
3	A	201	GDP	PA-O3A-PB-O1B
4	B	506	EDO	O1-C1-C2-O2
4	B	507	EDO	O1-C1-C2-O2
4	C	1501	EDO	O1-C1-C2-O2
3	C	1502	GDP	PA-O3A-PB-O1B
4	A	206	EDO	O1-C1-C2-O2
4	B	511	EDO	O1-C1-C2-O2
4	B	512	EDO	O1-C1-C2-O2
4	A	213	EDO	O1-C1-C2-O2


There are no ring outliers.

10 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	204	EDO	2	0
4	B	508	EDO	2	0
7	C	1512	DMS	1	0
4	B	509	EDO	1	0
4	C	1508	EDO	2	0
4	C	1509	EDO	1	0
4	A	206	EDO	2	0
4	B	512	EDO	1	0
4	B	515	EDO	1	0
4	B	513	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	175/179 (97%)	0.02	11 (6%) 26 31	11, 18, 38, 48	8 (4%)
1	B	175/179 (97%)	0.35	11 (6%) 26 31	12, 21, 41, 49	6 (3%)
1	C	174/179 (97%)	0.29	9 (5%) 33 39	13, 22, 40, 51	5 (2%)
2	I	2/12 (16%)	0.17	0 100 100	20, 20, 20, 20	0
2	J	2/12 (16%)	0.22	0 100 100	19, 19, 19, 23	0
2	K	2/12 (16%)	0.46	0 100 100	22, 22, 22, 24	0
All	All	530/573 (92%)	0.22	31 (5%) 29 34	11, 20, 40, 51	19 (3%)

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	173	ASP	6.6
1	A	0	GLY	5.2
1	C	0	GLY	5.0
1	B	0	GLY	4.8
1	B	172	LYS	4.7
1	B	-1	GLY	4.7
1	A	-1	GLY	4.2
1	A	171	SER	4.0
1	C	173	ASP	3.9
1	B	29	VAL	3.6
1	C	172	LYS	3.5
1	A	-2	SER	3.5
1	B	62	GLU	3.3
1	A	172	LYS	3.2
1	A	170[A]	MET	3.2
1	B	171	SER	3.2
1	A	169	LYS	3.2
1	A	30	ASP	3.0
1	B	63	GLU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	171	SER	2.7
1	A	168	GLU	2.6
1	B	30	ASP	2.5
1	C	62	GLU	2.5
1	B	170	MET	2.4
1	C	170	MET	2.4
1	C	70	GLN	2.2
1	C	108[A]	ASP	2.2
1	A	29	VAL	2.2
1	C	63	GLU	2.1
1	B	148	THR	2.1
1	A	62	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	A1L7N	J	1	8/9	0.94	0.10	23,25,26,29	0
2	A1L7N	K	1	8/9	0.94	0.09	26,28,30,33	0
2	A1MFR	K	9	8/9	0.94	0.10	23,25,28,29	0
2	7VN	J	10	10/11	0.94	0.09	19,22,24,24	0
2	7VN	K	10	10/11	0.94	0.09	18,23,25,26	0
2	A1MFO	I	5	18/20	0.95	0.09	16,19,35,36	0
2	A1MFO	J	5	18/20	0.95	0.10	17,19,39,40	0
2	A1MFO	K	5	18/20	0.95	0.08	19,21,35,42	0
2	ZNY	K	8	10/11	0.95	0.09	20,24,31,33	0
2	A1MFR	I	9	8/9	0.95	0.08	19,20,21,22	0
2	A1MFR	J	9	8/9	0.95	0.09	20,24,27,28	0
2	A1L7N	I	1	8/9	0.95	0.09	21,23,24,29	0
2	A1MFP	J	4	7/9	0.95	0.07	16,18,19,20	0
2	A1MFP	K	4	7/9	0.95	0.08	18,19,21,21	0
2	ZNY	J	8	10/11	0.96	0.09	19,23,32,35	0
2	A1MFP	I	4	7/9	0.96	0.06	17,18,19,19	0
2	SAR	J	6	5/6	0.96	0.08	16,17,19,21	0
2	SAR	K	6	5/6	0.96	0.07	18,18,20,21	0
2	A1MFQ	J	7	18/19	0.96	0.07	17,19,23,28	0
2	7VN	I	10	10/11	0.96	0.07	18,19,21,21	0
2	A1MFQ	K	7	18/19	0.96	0.07	18,20,24,24	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ZNY	I	8	10/11	0.96	0.08	17,19,30,33	0
2	A1MFQ	I	7	18/19	0.97	0.06	15,17,20,20	0
2	SAR	I	6	5/6	0.97	0.06	18,18,19,20	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	A	212	4/4	0.68	0.19	35,42,43,44	0
4	EDO	B	512	4/4	0.69	0.20	37,39,47,47	0
4	EDO	A	210	4/4	0.72	0.20	36,39,42,52	0
4	EDO	B	507	4/4	0.74	0.19	36,37,41,45	0
4	EDO	A	206	4/4	0.75	0.19	38,39,42,45	0
4	EDO	C	1501	4/4	0.75	0.17	32,36,38,43	0
4	EDO	C	1508	4/4	0.75	0.18	34,36,47,48	0
4	EDO	B	508	4/4	0.76	0.19	33,35,36,45	0
4	EDO	B	513	4/4	0.76	0.21	36,40,47,47	0
4	EDO	A	208	4/4	0.79	0.17	32,35,39,43	0
4	EDO	B	515	4/4	0.79	0.18	37,39,41,47	0
4	EDO	B	505	4/4	0.82	0.17	32,33,40,41	0
4	EDO	C	1507	4/4	0.83	0.15	30,33,35,45	0
4	EDO	B	510	4/4	0.86	0.15	23,30,31,40	0
4	EDO	C	1509	4/4	0.86	0.14	34,35,41,45	0
4	EDO	B	509	4/4	0.87	0.15	31,34,40,43	0
4	EDO	A	207	4/4	0.87	0.13	34,34,41,45	0
4	EDO	B	506	4/4	0.87	0.16	27,33,41,43	0
4	EDO	B	501	4/4	0.88	0.13	27,30,32,35	0
4	EDO	A	204	4/4	0.89	0.14	27,29,32,38	0
7	DMS	C	1512	4/4	0.89	0.15	25,29,45,68	0
4	EDO	B	511	4/4	0.91	0.12	28,31,34,36	0
4	EDO	C	1506	4/4	0.91	0.13	32,36,37,40	0
4	EDO	B	504	4/4	0.92	0.10	28,29,31,34	0
4	EDO	C	1504	4/4	0.93	0.14	22,29,39,41	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	A	203	4/4	0.93	0.12	22,28,31,31	0
4	EDO	A	205	4/4	0.93	0.11	23,27,29,35	0
4	EDO	A	213	4/4	0.94	0.10	26,26,29,31	0
4	EDO	A	202	4/4	0.95	0.09	23,25,28,30	0
4	EDO	C	1503	4/4	0.95	0.08	19,21,22,22	0
6	SO4	C	1511	5/5	0.96	0.10	27,32,33,33	5
4	EDO	B	503	4/4	0.97	0.06	20,21,22,22	0
4	EDO	C	1505	4/4	0.97	0.08	22,26,31,32	0
4	EDO	A	209	4/4	0.98	0.05	20,21,22,22	0
5	MG	B	514	1/1	0.98	0.10	14,14,14,14	0
5	MG	A	211	1/1	0.99	0.06	14,14,14,14	0
3	GDP	C	1502	28/28	0.99	0.04	12,16,18,19	0
5	MG	C	1510	1/1	0.99	0.12	13,13,13,13	0
6	SO4	A	214	5/5	0.99	0.04	20,20,20,20	0
3	GDP	A	201	28/28	0.99	0.04	13,15,17,18	0
3	GDP	B	502	28/28	0.99	0.04	15,17,20,21	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around MG B 514:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG A 211:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GDP C 1502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG C 1510:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GDP A 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GDP B 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.