



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 09:29 AM UTC

PDB ID : 7A3U / pdb_00007a3u
Title : Crystal structure of Zika virus envelope glycoprotein in complex with the divalent F(ab')₂ fragment of the broadly neutralizing human antibody EDE1 C10
Authors : Sharma, A.; Vaney, M.C.; Guardado-Calvo, P.; Duquerroy, S.; Rouvinski, A.; Rey, F.A.
Deposited on : 2020-08-18
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	414	 74% 21% . .
2	H	266	 60% 24% 16%
3	L	217	 63% 29% . 6%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6283 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Envelope protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	398	Total	C	N	O	S	0	0	0
			3039	1899	531	583	26			

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	410	GLY	-	expression tag	UNP A0A1U9YHM2
A	411	LEU	-	expression tag	UNP A0A1U9YHM2
A	412	VAL	-	expression tag	UNP A0A1U9YHM2
A	413	PRO	-	expression tag	UNP A0A1U9YHM2
A	414	ARG	-	expression tag	UNP A0A1U9YHM2

- Molecule 2 is a protein called EDE1 C10 antibody divalent F(ab')₂ fragment.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	224	Total	C	N	O	S	0	0	0
			1729	1098	286	337	8			

- Molecule 3 is a protein called EDE1 C10 divalent F(ab')₂ fragment.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	L	204	Total	C	N	O	S	0	0	0
			1508	942	251	309	6			


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	6	Total	O	0	0
			6	6		
4	H	1	Total	O	0	0
			1	1		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Envelope protein



- Molecule 2: EDE1 C10 antibody divalent F(ab')₂ fragment



- Molecule 3: EDE1 C10 divalent F(ab')₂ fragment



A207	P208	T209	E210	C211	SER
------	------	------	------	------	-----

4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	55.51Å 170.73Å 221.16Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.93 – 3.00 19.93 – 3.00	Depositor EDS
% Data completeness (in resolution range)	98.4 (19.93-3.00) 98.0 (19.93-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.00 (at 2.98Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.224 , 0.273 0.225 , 0.272	Depositor DCC
R_{free} test set	2000 reflections (8.76%)	wwPDB-VP
Wilson B-factor (Å ²)	106.2	Xtriage
Anisotropy	0.360	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 80.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6283	wwPDB-VP
Average B, all atoms (Å ²)	140.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.17	0/3102	0.42	0/4201
2	H	0.22	0/1776	0.49	0/2422
3	L	0.23	0/1542	0.48	0/2099
All	All	0.20	0/6420	0.45	0/8722

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	H	0	2
3	L	0	1
All	All	0	3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	H	135	THR	Peptide
2	H	213	PRO	Peptide
3	L	50	ASP	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3039	0	2975	60	0
2	H	1729	0	1668	43	0
3	L	1508	0	1449	52	0
4	A	6	0	0	0	0
4	H	1	0	0	0	0
All	All	6283	0	6092	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:87:THR:HG22	2:H:111:VAL:H	1.34	0.89
1:A:153:VAL:HG11	1:A:164:ARG:HH12	1.41	0.84
3:L:80:ALA:HA	3:L:106:VAL:HG21	1.58	0.84
1:A:150:GLY:O	3:L:49:TYR:OH	1.96	0.83
2:H:119:PRO:HD2	2:H:205:THR:HG21	1.59	0.82
3:L:142:GLY:HA3	3:L:172:TYR:HD2	1.45	0.82
3:L:6:GLN:NE2	3:L:88:CYS:SG	2.56	0.78
3:L:61:ARG:NH2	3:L:82:ASP:OD2	2.15	0.78
2:H:59:TYR:HE1	2:H:69:ILE:HG12	1.48	0.77
2:H:195:ILE:HG12	2:H:210:ARG:HG2	1.66	0.77
1:A:351:THR:HG23	1:A:353:THR:H	1.49	0.76
1:A:147:GLN:HB2	1:A:151:MET:HG3	1.68	0.75
1:A:305:TYR:O	1:A:340:LYS:NZ	2.19	0.73
2:H:94:ARG:HH21	2:H:102:TYR:HD2	1.35	0.73
1:A:140:MET:HE3	2:H:99:ASP:HB3	1.70	0.72
2:H:119:PRO:HB3	2:H:145:TYR:HB3	1.71	0.72
1:A:72:SER:OG	1:A:99:ARG:NH1	2.24	0.70
2:H:120:SER:HB2	2:H:122:PHE:CZ	2.27	0.69
2:H:124:LEU:HD21	3:L:118:PHE:CB	2.24	0.67
2:H:124:LEU:HD21	3:L:118:PHE:HB3	1.76	0.67
1:A:400:TRP:CZ3	1:A:402:ARG:HB2	2.29	0.66
1:A:50:VAL:HG11	1:A:130:ILE:HD12	1.77	0.66
3:L:50:ASP:O	3:L:52:THR:N	2.28	0.66
1:A:191:GLU:O	1:A:194:THR:OG1	2.14	0.64
3:L:142:GLY:HA3	3:L:172:TYR:CD2	2.31	0.64
2:H:165:THR:HG22	2:H:180:SER:HB2	1.80	0.63
1:A:59:TYR:CG	1:A:221:ILE:HD11	2.35	0.61
1:A:348:ASP:HB3	1:A:351:THR:HG22	1.82	0.61
3:L:27(B):ASP:OD1	3:L:27(B):ASP:N	2.32	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:185:TRP:CZ2	3:L:208:PRO:HB3	2.36	0.61
2:H:145:TYR:HE2	2:H:148:GLU:HA	1.67	0.59
3:L:113:PRO:HB3	3:L:139:PHE:HB3	1.84	0.59
1:A:341:VAL:HG21	1:A:374:MET:SD	2.43	0.59
1:A:345:MET:HG2	1:A:387:ILE:HD13	1.85	0.58
2:H:100(H):LEU:HB3	3:L:50:ASP:HB2	1.87	0.57
2:H:10:GLU:HB2	2:H:109:VAL:HG12	1.87	0.57
1:A:46:VAL:HG21	1:A:140:MET:HE2	1.86	0.57
2:H:126:PRO:HB3	2:H:138:LEU:HD11	1.86	0.56
3:L:144:VAL:HG12	3:L:197:HIS:HB2	1.86	0.56
3:L:207:ALA:HB3	3:L:210:GLU:HB3	1.88	0.56
3:L:21:ILE:HD12	3:L:102:THR:HG21	1.87	0.56
3:L:83:GLU:HG3	3:L:106:VAL:HG22	1.87	0.56
1:A:328:VAL:HG11	1:A:389:ILE:HD11	1.88	0.56
3:L:35:TRP:HB2	3:L:48:LEU:HB2	1.88	0.55
3:L:186:LYS:O	3:L:186:LYS:NZ	2.22	0.55
2:H:36:TRP:CE2	2:H:80:MET:HB2	2.40	0.55
3:L:4:LEU:HB2	3:L:99:GLY:HA2	1.88	0.55
1:A:206:MET:HE2	1:A:262:GLU:HG3	1.90	0.54
1:A:147:GLN:OE1	1:A:147:GLN:N	2.35	0.54
3:L:121:SER:O	3:L:125:LEU:HG	2.09	0.53
2:H:63:PHE:O	2:H:67:VAL:HG22	2.09	0.52
2:H:39:GLN:HB2	2:H:45:LEU:HD23	1.92	0.52
3:L:147:ALA:HB3	3:L:194:GLN:HG2	1.90	0.52
1:A:91:VAL:HG11	1:A:243:VAL:HG11	1.91	0.52
1:A:62:GLU:HG2	1:A:122:SER:HB2	1.92	0.52
3:L:83:GLU:HG3	3:L:106:VAL:H	1.75	0.52
3:L:110:LYS:NZ	3:L:198:GLU:OE1	2.42	0.52
2:H:100(H):LEU:HD22	3:L:50:ASP:CG	2.34	0.51
1:A:135:LEU:HD23	1:A:198:PHE:CE2	2.45	0.51
1:A:130:ILE:HD11	1:A:203:TYR:HB2	1.93	0.51
3:L:51:VAL:HG21	3:L:66:LYS:HB2	1.91	0.51
1:A:143:VAL:HG22	1:A:163:ASN:HA	1.93	0.51
3:L:159:VAL:HG22	3:L:178:LEU:HD13	1.92	0.50
1:A:58:SER:O	1:A:225:TRP:HA	2.12	0.50
2:H:18:VAL:HG13	2:H:82(C):LEU:HD11	1.94	0.50
3:L:122:SER:HA	3:L:125:LEU:HD12	1.94	0.50
1:A:65:ILE:HG23	1:A:117:ALA:HB1	1.94	0.50
2:H:59:TYR:CE1	2:H:69:ILE:HG12	2.37	0.49
2:H:124:LEU:HD22	2:H:125:ALA:H	1.75	0.49
1:A:344:GLN:HG2	1:A:345:MET:N	2.26	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:163:VAL:HG22	2:H:182:VAL:HG12	1.94	0.49
1:A:378:LEU:HD22	1:A:387:ILE:HD12	1.94	0.49
3:L:157:ALA:C	3:L:159:VAL:HG23	2.37	0.49
1:A:221:ILE:O	1:A:221:ILE:HG13	2.14	0.48
3:L:6:GLN:HE22	3:L:88:CYS:H	1.62	0.48
1:A:344:GLN:HG2	1:A:345:MET:H	1.79	0.48
1:A:70:SER:OG	1:A:115:THR:HG22	2.14	0.48
3:L:115:VAL:HG13	3:L:204:LYS:HG2	1.95	0.47
2:H:121:VAL:HG21	2:H:198:VAL:HG11	1.97	0.47
1:A:332:TYR:O	1:A:371:ASN:HA	2.15	0.47
2:H:200:HIS:HE1	2:H:202:PRO:HB2	1.80	0.47
3:L:108:GLN:HG2	3:L:109:PRO:HD2	1.95	0.47
3:L:117:LEU:HD22	3:L:193:CYS:N	2.30	0.47
2:H:201:LYS:HD2	2:H:201:LYS:HA	1.74	0.46
1:A:169:ILE:HD11	1:A:289:LEU:HD21	1.97	0.46
1:A:175:ARG:HG2	1:A:189:ASP:HA	1.96	0.46
1:A:245:PHE:CE2	1:A:255:VAL:HB	2.50	0.46
3:L:133:VAL:HG23	3:L:177:TYR:CD1	2.51	0.46
2:H:124:LEU:HD13	2:H:125:ALA:N	2.31	0.46
1:A:146:SER:HB2	1:A:374:MET:HE3	1.98	0.46
3:L:155:VAL:HG12	3:L:156:LYS:N	2.30	0.46
2:H:145:TYR:HB2	2:H:200:HIS:HD2	1.81	0.46
3:L:132:LEU:HD11	3:L:206:VAL:HG21	1.98	0.46
1:A:9:ARG:HB3	1:A:323:HIS:NE2	2.30	0.45
3:L:4:LEU:HG	3:L:97:VAL:HG22	1.98	0.45
1:A:358:LEU:HD11	1:A:376:LEU:HD12	1.99	0.45
1:A:59:TYR:CD1	1:A:225:TRP:HB3	2.51	0.45
1:A:367:GLU:HB3	1:A:369:THR:HG22	1.98	0.45
2:H:65:ASP:OD1	2:H:65:ASP:N	2.38	0.45
1:A:191:GLU:HG3	1:A:194:THR:HG23	1.99	0.44
1:A:59:TYR:CE1	1:A:225:TRP:HB3	2.52	0.44
1:A:93:LYS:HG3	1:A:94:ARG:N	2.33	0.44
3:L:166:LYS:HG2	3:L:172:TYR:CE1	2.53	0.44
2:H:119:PRO:HD2	2:H:205:THR:CG2	2.40	0.44
1:A:373:LYS:NZ	3:L:52:THR:OG1	2.49	0.44
3:L:129:LYS:HE2	3:L:129:LYS:HB3	1.69	0.44
1:A:387:ILE:O	1:A:397:THR:HA	2.17	0.43
3:L:117:LEU:HD11	3:L:132:LEU:HG	2.00	0.43
3:L:152:SER:O	3:L:152:SER:OG	2.36	0.43
1:A:148:HIS:HA	1:A:375:MET:HB3	2.00	0.43
1:A:68:MET:HE3	1:A:68:MET:HB2	1.70	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:51:ILE:HD13	2:H:57:THR:HG22	2.01	0.43
1:A:198:PHE:N	1:A:198:PHE:CD1	2.87	0.43
3:L:118:PHE:HA	3:L:119:PRO:HD3	1.84	0.43
2:H:203:SER:O	2:H:203:SER:OG	2.37	0.42
2:H:69:ILE:CD1	2:H:80:MET:HG2	2.48	0.42
3:L:51:VAL:HG13	3:L:52:THR:HG23	2.00	0.42
3:L:186:LYS:HA	3:L:186:LYS:HD2	1.89	0.42
1:A:34:MET:HE2	1:A:34:MET:HB3	1.72	0.42
2:H:168:ALA:HB2	2:H:178:LEU:HD23	2.02	0.42
2:H:2:VAL:HG13	2:H:27:TYR:CD1	2.54	0.42
2:H:50:TRP:CE2	2:H:58:LYS:HB3	2.54	0.42
2:H:55:GLY:HA2	2:H:71:ARG:HE	1.85	0.42
2:H:124:LEU:HD11	3:L:118:PHE:CD1	2.55	0.42
3:L:54:ARG:HD3	3:L:62:PHE:O	2.19	0.42
1:A:167:VAL:CG2	1:A:178:ALA:HB2	2.50	0.42
1:A:378:LEU:O	1:A:380:PRO:HD3	2.19	0.42
2:H:145:TYR:HB2	2:H:200:HIS:CD2	2.54	0.42
3:L:24:THR:HG22	3:L:70:THR:HG22	2.01	0.42
1:A:56:VAL:CG2	1:A:129:SER:HB3	2.49	0.42
1:A:200:ASP:HA	1:A:215:LYS:HD3	2.02	0.42
1:A:340:LYS:HA	1:A:364:VAL:HG12	2.01	0.42
3:L:4:LEU:HD21	3:L:27(B):ASP:OD2	2.19	0.42
1:A:60:CYS:HB2	1:A:236:TRP:CH2	2.55	0.41
2:H:199:ASN:HB3	2:H:206:LYS:HG2	2.01	0.41
1:A:210:HIS:CE1	1:A:277:MET:HG3	2.55	0.41
2:H:143:LYS:HG2	2:H:144:ASP:OD2	2.19	0.41
3:L:116:THR:HB	3:L:118:PHE:CZ	2.55	0.41
1:A:196:LEU:HD12	1:A:196:LEU:HA	1.85	0.41
2:H:6:GLU:OE1	2:H:107:THR:HG23	2.21	0.41
1:A:374:MET:HE2	1:A:375:MET:C	2.46	0.41
3:L:185:TRP:CE2	3:L:208:PRO:HB3	2.54	0.41
1:A:173:SER:O	1:A:173:SER:OG	2.37	0.41
1:A:34:MET:HE1	1:A:359:ILE:HG23	2.02	0.40
1:A:96:LEU:HB3	1:A:110:LYS:HB3	2.03	0.40
2:H:123:PRO:HD3	2:H:209:LYS:HE2	2.03	0.40
3:L:92:THR:OG1	3:L:94:ARG:HG3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	394/414 (95%)	391 (99%)	3 (1%)	0	100	100
2	H	220/266 (83%)	212 (96%)	8 (4%)	0	100	100
3	L	194/217 (89%)	190 (98%)	2 (1%)	2 (1%)	12	45
All	All	808/897 (90%)	793 (98%)	13 (2%)	2 (0%)	43	76

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	L	51	VAL
3	L	50	ASP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	332/345 (96%)	326 (98%)	6 (2%)	51	77
2	H	192/227 (85%)	188 (98%)	4 (2%)	47	75
3	L	172/182 (94%)	169 (98%)	3 (2%)	53	78
All	All	696/754 (92%)	683 (98%)	13 (2%)	50	76

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	135	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	255	VAL
1	A	293	LEU
1	A	327	THR
1	A	366	THR
1	A	374	MET
2	H	124	LEU
2	H	212	GLU
2	H	214	LYS
2	H	215	SER
3	L	59	SER
3	L	156	LYS
3	L	181	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	237	ASN
2	H	39	GLN
3	L	38	GLN
3	L	39	HIS
3	L	91	HIS
3	L	126	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	398/414 (96%)	-0.54	0 100 100	78, 126, 173, 202	0
2	H	224/266 (84%)	-0.49	0 100 100	89, 164, 211, 245	0
3	L	204/217 (94%)	-0.50	0 100 100	80, 132, 229, 263	0
All	All	826/897 (92%)	-0.52	0 100 100	78, 134, 208, 263	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.