



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:40 AM UTC

PDB ID : 4ANJ / pdb_00004anj
Title : MYOSIN VI (MDinsert2-GFP fusion) PRE-POWERSTROKE STATE (MG.ADP.AIF4)
Authors : Menetrey, J.; Isabet, T.; Ropars, V.; Mukherjea, M.; Pylypenko, O.; Liu, X.; Perez, J.; Vachette, P.; Sweeney, H.L.; Houdusse, A.M.
Deposited on : 2012-03-19
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1052	
2	B	149	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	CR2	A	1065	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 8845 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UNCONVENTIONAL MYOSIN-VI, GREEN FLUORESCENT PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	996	Total	C	N	O	S	0	0	0
			7864	5020	1349	1460	35			


There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	LYS	deletion	UNP Q29122
A	547	VAL	GLY	SEE REMARK 999	UNP Q29122
A	572	ARG	ALA	SEE REMARK 999	UNP Q29122
A	573	ASP	TYR	SEE REMARK 999	UNP Q29122
A	714	LEU	VAL	SEE REMARK 999	UNP Q29122
A	721	TYR	SER	SEE REMARK 999	UNP Q29122
A	722	MET	LEU	SEE REMARK 999	UNP Q29122
A	1065	CR2	SER	engineered mutation	UNP Q29122
A	1065	CR2	SER	chromophore	UNP P42212
A	1065	CR2	TYR	chromophore	UNP P42212
A	1065	CR2	GLY	chromophore	UNP P42212

- Molecule 2 is a protein called CALMODULIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	128	Total	C	N	O	S	0	0	0
			854	523	143	180	8			

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	0

- Molecule 5 is TETRAFLUOROALUMINATE ION (CCD ID: ALF) (formula: AlF_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	Al	F	0	0
			5	1	4		

- Molecule 6 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	3	Total	Ca	0	0
			3	3		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	91	Total	O	0	0
			91	91		

H126	E127	A128	D129	I130	D131	G132	D133	G134	Q135	V136	M137	Y138	E139	E140	F141	V142	T143	M144	M145	T146	SER	LYS
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	193.09Å 62.66Å 156.04Å 90.00° 117.96° 90.00°	Depositor
Resolution (Å)	137.36 – 2.60 137.36 – 2.60	Depositor EDS
% Data completeness (in resolution range)	100.0 (137.36-2.60) 100.0 (137.36-2.60)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.61 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.239 , 0.288 0.233 , 0.278	Depositor DCC
R_{free} test set	2595 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	26.9	Xtriage
Anisotropy	0.665	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 30.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	8845	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CR2, ALF, ADP, MG, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	1/8015 (0.0%)	0.78	8/10835 (0.1%)
2	B	0.47	0/860	0.90	0/1161
All	All	0.48	1/8875 (0.0%)	0.79	8/11996 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1001	VAL	C-O	-5.11	1.17	1.24

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	722	MET	CA-C-N	5.46	126.66	119.84
1	A	722	MET	C-N-CA	5.46	126.66	119.84
1	A	773	ASP	CA-C-N	5.35	126.53	119.84
1	A	773	ASP	C-N-CA	5.35	126.53	119.84
1	A	537	GLN	CA-C-N	5.27	125.19	119.76
1	A	537	GLN	C-N-CA	5.27	125.19	119.76
1	A	744	LEU	N-CA-C	5.16	117.96	110.42
1	A	22	VAL	CB-CA-C	5.10	116.05	111.71

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7864	0	7595	68	0
2	B	854	0	664	12	0
3	A	27	0	12	0	0
4	A	1	0	0	0	0
5	A	5	0	0	1	0
6	B	3	0	0	0	0
7	A	91	0	0	1	0
All	All	8845	0	8271	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1064:PHE:C	1:A:1065:CR2:HN11	1.84	0.85
1:A:197:THR:HG22	1:A:199:ARG:H	1.42	0.83
1:A:1171:ILE:HD11	1:A:1177:GLN:HB2	1.62	0.81
1:A:1065:CR2:HA11	1:A:1222:GLU:OE1	1.86	0.76
1:A:412:LYS:H	1:A:415:GLN:HE21	1.34	0.75
1:A:701:MET:HE1	1:A:706:PRO:HD3	1.73	0.71
1:A:701:MET:HE3	1:A:760:PRO:HG3	1.77	0.67
1:A:44:LEU:H	1:A:44:LEU:HD23	1.60	0.66
1:A:554:HIS:HD2	1:A:556:ARG:H	1.44	0.66
2:B:105:LEU:O	2:B:109:MET:HG2	1.96	0.65
1:A:114:SER:O	1:A:118:LYS:HE3	1.96	0.65
1:A:46:ASN:C	1:A:46:ASN:HD22	2.06	0.64
1:A:76:ASN:O	1:A:80:ARG:HG3	1.98	0.63
1:A:1064:PHE:C	1:A:1065:CR2:HN12	2.04	0.63
1:A:153:SER:HA	5:A:2232:ALF:F4	1.88	0.62
2:B:144:MET:HE3	2:B:144:MET:HA	1.82	0.62
1:A:1065:CR2:HD2	1:A:1065:CR2:N2	2.16	0.61
1:A:722:MET:HE3	1:A:726:LEU:HD22	1.84	0.59
1:A:797:GLN:HB3	2:B:145:MET:HE2	1.83	0.59
1:A:258:ASP:O	1:A:262:ARG:HG2	2.03	0.59
1:A:29:LEU:HD21	1:A:48:VAL:HG21	1.85	0.59
2:B:32:LEU:O	2:B:36:MET:HB2	2.03	0.58
2:B:55:VAL:HG11	2:B:67:GLU:HA	1.86	0.57
1:A:813:ARG:O	1:A:1001:VAL:HG13	2.05	0.56
1:A:1171:ILE:HD11	1:A:1177:GLN:CB	2.35	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:722:MET:HE2	1:A:727:ALA:HA	1.87	0.55
1:A:412:LYS:H	1:A:415:GLN:NE2	2.04	0.54
1:A:109:SER:O	1:A:113:LYS:HG2	2.07	0.54
1:A:581:HIS:HE1	1:A:588:TYR:OH	1.92	0.53
2:B:55:VAL:HG21	2:B:71:MET:HB2	1.92	0.52
1:A:1065:CR2:HA12	1:A:1065:CR2:C3	2.41	0.51
1:A:1046:PHE:CZ	1:A:1064:PHE:HB3	2.46	0.51
1:A:53:GLU:CD	1:A:66:MET:HE1	2.36	0.51
1:A:790:CYS:SG	2:B:144:MET:HE1	2.51	0.50
1:A:554:HIS:CD2	1:A:556:ARG:H	2.27	0.50
1:A:243:ARG:HH21	1:A:246:HIS:HD2	1.60	0.49
1:A:707:SER:HB2	1:A:758:PHE:HB2	1.95	0.48
1:A:1160:GLY:HA3	1:A:1185:ASN:O	2.14	0.48
1:A:87:TYR:HB3	1:A:94:LEU:HD11	1.96	0.47
1:A:1163:VAL:HB	1:A:1183:GLN:HB3	1.96	0.47
1:A:701:MET:CE	1:A:760:PRO:HG3	2.44	0.47
1:A:190:GLU:O	1:A:194:ASN:HB2	2.15	0.47
1:A:426:THR:O	1:A:430:HIS:HD2	1.97	0.46
1:A:387:ARG:O	1:A:391:THR:HB	2.15	0.46
1:A:181:ARG:HD3	1:A:442:CYS:HB3	1.98	0.46
1:A:591:THR:O	1:A:592:GLN:HB2	2.14	0.46
1:A:44:LEU:HD23	1:A:44:LEU:N	2.30	0.46
1:A:723:PRO:O	1:A:724:ASP:HB3	2.15	0.46
1:A:806:LEU:HD13	2:B:36:MET:HE2	1.98	0.46
1:A:78:LYS:HG3	1:A:680:PHE:CD1	2.52	0.45
2:B:65:PHE:CZ	2:B:69:LEU:HD11	2.51	0.45
1:A:327:ILE:HD12	1:A:442:CYS:SG	2.57	0.45
1:A:813:ARG:O	1:A:1001:VAL:CG1	2.64	0.45
1:A:1110:ALA:HB1	1:A:1121:ASN:HD21	1.81	0.44
1:A:148:ILE:HD11	1:A:658:LEU:HD22	1.97	0.44
1:A:120:LEU:HD11	1:A:133:LYS:HG3	1.99	0.44
1:A:112:ILE:HG22	1:A:113:LYS:HE3	1.99	0.44
1:A:809:LYS:O	1:A:813:ARG:HG2	2.18	0.43
2:B:7:GLU:O	2:B:11:GLU:HG2	2.18	0.43
1:A:669:ILE:HG21	1:A:685:ILE:HG23	2.00	0.43
1:A:576:GLY:HA2	1:A:590:THR:HG23	2.01	0.43
1:A:150:SER:OG	1:A:667:ARG:NH1	2.52	0.43
1:A:238:GLN:HG2	1:A:277:GLY:HA3	2.01	0.42
1:A:780:LEU:O	1:A:784:VAL:HG13	2.19	0.42
1:A:1041:LYS:NZ	7:A:2074:HOH:O	2.52	0.42
2:B:32:LEU:HD21	2:B:71:MET:HE1	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:189:LEU:HD22	1:A:436:VAL:HG12	2.02	0.42
1:A:1064:PHE:O	1:A:1065:CR2:N1	2.47	0.42
1:A:1065:CR2:C3	1:A:1068:VAL:HG22	2.50	0.41
2:B:51:MET:HG2	2:B:71:MET:HE3	2.02	0.41
1:A:60:GLU:HG2	1:A:80:ARG:NH2	2.35	0.41
1:A:57:LYS:HD2	1:A:57:LYS:C	2.46	0.41
1:A:1073:ARG:HG2	1:A:1225:THR:HG23	2.03	0.41
1:A:260:ARG:HD3	1:A:295:ARG:NE	2.35	0.40
1:A:91:ALA:HB2	1:A:701:MET:HE2	2.02	0.40
1:A:719:LYS:HA	1:A:722:MET:SD	2.61	0.40
1:A:160:ASN:HA	1:A:163:PHE:CD2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	981/1052 (93%)	954 (97%)	25 (2%)	2 (0%)	43 66
2	B	120/149 (80%)	114 (95%)	3 (2%)	3 (2%)	4 8
All	All	1101/1201 (92%)	1068 (97%)	28 (2%)	5 (0%)	24 46

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	229	LEU
1	A	725	LYS
2	B	56	ASP
2	B	43	PRO
2	B	129	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	836/927 (90%)	793 (95%)	43 (5%)	21	45
2	B	66/128 (52%)	59 (89%)	7 (11%)	6	14
All	All	902/1055 (86%)	852 (94%)	50 (6%)	19	41

All (50) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	VAL
1	A	29	LEU
1	A	44	LEU
1	A	46	ASN
1	A	57	LYS
1	A	106	ILE
1	A	113	LYS
1	A	118	LYS
1	A	145	GLN
1	A	174	THR
1	A	186	ASN
1	A	204	SER
1	A	262	ARG
1	A	276	ARG
1	A	302	LYS
1	A	329	LEU
1	A	347	LEU
1	A	377	GLU
1	A	391	THR
1	A	426	THR
1	A	436	VAL
1	A	535	LEU
1	A	537	GLN
1	A	541	GLN
1	A	556	ARG
1	A	708	ARG
1	A	726	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	732	ARG
1	A	772	SER
1	A	784	VAL
1	A	789	ILE
1	A	807	LYS
1	A	815	GLU
1	A	1001	VAL
1	A	1002	SER
1	A	1029	VAL
1	A	1041	LYS
1	A	1090	GLU
1	A	1109	ARG
1	A	1113	LYS
1	A	1118	THR
1	A	1163	VAL
1	A	1215	ARG
2	B	22	ASP
2	B	32	LEU
2	B	35	VAL
2	B	55	VAL
2	B	63	ILE
2	B	95	ASP
2	B	144	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	46	ASN
1	A	116	GLN
1	A	145	GLN
1	A	194	ASN
1	A	213	HIS
1	A	246	HIS
1	A	270	ASN
1	A	370	GLN
1	A	415	GLN
1	A	430	HIS
1	A	434	HIS
1	A	482	GLN
1	A	537	GLN
1	A	554	HIS
1	A	581	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	679	HIS
1	A	684	GLN
1	A	702	GLN
1	A	716	ASN
1	A	768	GLN
1	A	776	HIS
1	A	786	HIS
1	A	1121	ASN
1	A	1135	ASN
1	A	1149	ASN
1	A	1170	ASN
1	A	1177	GLN
1	A	1204	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	CR2	A	1065	1	20,20,21	4.65	6 (30%)	25,27,29	4.70	8 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CR2	A	1065	1	-	2/6/25/26	0/2/2/2

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1065	CR2	CB2-CA2	17.47	1.52	1.35
1	A	1065	CR2	CA2-C2	-9.35	1.38	1.48
1	A	1065	CR2	C2-N3	-3.60	1.31	1.40
1	A	1065	CR2	CG2-CB2	2.84	1.52	1.46
1	A	1065	CR2	O2-C2	2.52	1.28	1.23
1	A	1065	CR2	C1-N2	2.39	1.36	1.32

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1065	CR2	CA2-C2-N3	12.43	113.93	103.50
1	A	1065	CR2	CG2-CB2-CA2	-11.36	116.37	129.87
1	A	1065	CR2	O2-C2-CA2	-9.54	124.93	131.02
1	A	1065	CR2	C2-CA2-N2	-8.35	102.97	108.95
1	A	1065	CR2	C2-N3-C1	-8.28	104.36	108.08
1	A	1065	CR2	CB2-CA2-C2	4.01	127.22	122.36
1	A	1065	CR2	C1-CA1-N1	-2.65	106.99	112.85
1	A	1065	CR2	CA1-C1-N3	2.05	125.27	122.52

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	1065	CR2	C3-CA3-N3-C1
1	A	1065	CR2	C3-CA3-N3-C2

There are no ring outliers.

1 monomer is involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	1065	CR2	7	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	ADP	A	2230	4	28,29,29	1.41	4 (14%)	43,45,45	1.79	10 (23%)
5	ALF	A	2232	-	4,4,4	1.33	0	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	A	2230	4	-	2/16/32/32	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	2230	ADP	C5-C4	4.74	1.47	1.39
3	A	2230	ADP	C5-C6	2.79	1.48	1.41
3	A	2230	ADP	C8-N7	2.34	1.36	1.31
3	A	2230	ADP	C5-N7	-2.29	1.34	1.39

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	2230	ADP	C5-C4-N3	-5.59	119.02	126.72
3	A	2230	ADP	N3-C4-N9	4.35	134.56	127.17
3	A	2230	ADP	C2-N3-C4	3.63	120.70	111.83
3	A	2230	ADP	C4-C5-N7	-3.59	106.48	110.58
3	A	2230	ADP	N3-C2-N1	-3.38	123.46	128.58
3	A	2230	ADP	C5-N7-C8	2.66	107.64	103.45
3	A	2230	ADP	C4-N9-C8	2.51	108.38	105.74
3	A	2230	ADP	C6-C5-N7	2.17	136.27	132.09
3	A	2230	ADP	C2-N1-C6	2.00	122.02	118.73
3	A	2230	ADP	N9-C8-N7	-2.00	111.10	113.94

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	2230	ADP	PA-O3A-PB-O3B
3	A	2230	ADP	PA-O3A-PB-O1B

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	2232	ALF	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	1065:CR2	C3	1068:VAL	N	2.28
1	A	1064:PHE	C	1065:CR2	N1	2.12

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	995/1052 (94%)	0.06	25 (2%) 58 52	9, 20, 35, 46	0
2	B	128/149 (85%)	3.01	100 (78%) 0 0	46, 59, 65, 66	0
All	All	1123/1201 (93%)	0.40	125 (11%) 10 8	9, 22, 59, 66	0

All (125) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	46	ALA	6.2
2	B	63	ILE	6.1
2	B	42	ASN	5.9
2	B	34	THR	5.6
2	B	136	VAL	5.5
2	B	146	THR	5.5
2	B	43	PRO	5.4
2	B	26	THR	5.3
2	B	92	PHE	5.1
2	B	80	ASP	5.1
2	B	45	GLU	5.0
2	B	94	LYS	4.9
2	B	103	ALA	4.7
2	B	135	GLN	4.7
2	B	100	ILE	4.5
2	B	64	ASP	4.4
2	B	95	ASP	4.3
2	B	6	GLU	4.3
2	B	40	GLY	4.3
2	B	110	THR	4.3
2	B	66	PRO	4.3
2	B	58	ASP	4.2
2	B	55	VAL	4.1
2	B	125	ILE	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	57	ALA	4.0
2	B	133	ASP	4.0
2	B	32	LEU	4.0
1	A	724	ASP	4.0
2	B	99	PHE	4.0
1	A	1164	ASN	3.9
1	A	723	PRO	3.9
2	B	143	THR	3.9
2	B	91	VAL	3.9
2	B	138	TYR	3.8
2	B	31	GLU	3.8
2	B	49	GLN	3.8
2	B	25	GLY	3.8
2	B	48	LEU	3.7
2	B	141	PHE	3.7
2	B	44	THR	3.7
2	B	52	ILE	3.7
2	B	37	ARG	3.7
2	B	22	ASP	3.6
2	B	86	ARG	3.6
2	B	117	THR	3.6
1	A	408	LYS	3.6
2	B	70	THR	3.5
2	B	130	ILE	3.5
2	B	62	THR	3.5
2	B	35	VAL	3.5
2	B	89	PHE	3.4
2	B	38	SER	3.4
2	B	98	GLY	3.4
1	A	793	TRP	3.4
2	B	21	LYS	3.4
2	B	20	ASP	3.4
2	B	108	VAL	3.4
2	B	50	ASP	3.3
2	B	142	VAL	3.3
1	A	178	ILE	3.3
2	B	123	GLU	3.2
2	B	139	GLU	3.2
2	B	96	GLY	3.2
1	A	564	LYS	3.1
2	B	93	ASP	3.1
2	B	61	GLY	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	75	LYS	3.1
1	A	602	HIS	3.1
2	B	83	GLU	3.1
2	B	88	ALA	3.0
1	A	1151	TYR	2.9
2	B	134	GLY	2.9
2	B	24	ASP	2.9
2	B	7	GLU	2.8
2	B	41	GLN	2.8
1	A	409	VAL	2.8
1	A	565	LEU	2.7
2	B	82	GLU	2.7
2	B	127	GLU	2.7
2	B	126	ARG	2.7
2	B	23	GLY	2.7
2	B	121	VAL	2.7
2	B	129	ASP	2.7
2	B	107	HIS	2.6
2	B	60	ASN	2.6
1	A	1200	TYR	2.6
1	A	366	ASN	2.6
2	B	90	ARG	2.6
2	B	56	ASP	2.5
1	A	566	ALA	2.5
2	B	73	ALA	2.5
2	B	102	ALA	2.5
1	A	552	LYS	2.5
2	B	33	GLY	2.5
2	B	65	PHE	2.5
1	A	569	ARG	2.5
2	B	54	GLU	2.5
2	B	85	ILE	2.4
2	B	104	GLU	2.4
1	A	743	GLY	2.4
1	A	639	SER	2.4
1	A	1117	ASP	2.4
2	B	124	MET	2.4
2	B	132	GLY	2.4
2	B	74	ARG	2.4
2	B	67	GLU	2.3
2	B	140	GLU	2.3
2	B	17	SER	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	81	SER	2.3
2	B	137	ASN	2.3
2	B	131	ASP	2.3
1	A	1077	HIS	2.2
2	B	105	LEU	2.2
2	B	118	ASP	2.2
1	A	568	HIS	2.2
2	B	5	THR	2.2
2	B	18	LEU	2.2
2	B	128	ALA	2.1
1	A	364	LEU	2.1
1	A	614	ASP	2.1
2	B	106	ARG	2.1
2	B	145	MET	2.1
1	A	580	ARG	2.0
2	B	119	GLU	2.0
1	A	394	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	CR2	A	1065	19/20	0.93	0.09	12,13,14,14	0

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	CA	B	1147	1/1	0.86	0.11	65,65,65,65	0
6	CA	B	1149	1/1	0.91	0.07	56,56,56,56	0
6	CA	B	1148	1/1	0.95	0.06	63,63,63,63	0
5	ALF	A	2232	5/5	0.98	0.06	13,13,13,13	0
3	ADP	A	2230	27/27	0.98	0.06	2,8,9,10	0
4	MG	A	2231	1/1	0.99	0.02	3,3,3,3	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.