



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 12:27 AM UTC

PDB ID : 4AQD / pdb_00004aqd
Title : Crystal structure of fully glycosylated human butyrylcholinesterase
Authors : Brazzolotto, X.; Wandhammer, M.; Ronco, C.; Trovaslet, M.; Jean, L.; Lockridge, O.; Renard, P.Y.; Nachon, F.
Deposited on : 2012-04-16
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	531	
1	B	531	
2	C	2	
2	E	2	
3	D	3	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	3	 67% 33%
3	H	3	 67% 33%
3	I	3	 100%
3	J	3	 67% 33%
3	K	3	 67% 33%
4	G	3	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	GLY	B	1642	-	X	-	-
3	NAG	H	1	X	-	-	-
3	NAG	J	1	X	-	-	-
4	MAN	G	3	X	-	-	-
5	BAL	B	550	-	-	X	-
6	NAG	A	651	X	-	-	-
6	NAG	B	621	X	-	-	-
6	NAG	B	671	X	-	-	-

2 Entry composition [i](#)

There are 13 unique types of molecules in this entry. The entry contains 9253 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BUTYRYLCHOLINESTERASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	527	Total	C	N	O	S	12	3	0
			4222	2723	714	770	15			
1	B	526	Total	C	N	O	S	35	0	0
			4191	2704	705	767	15			

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	E	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	3	Total	C	N	O	0	0	0
			38	22	2	14			
3	F	3	Total	C	N	O	0	0	0
			38	22	2	14			
3	H	3	Total	C	N	O	0	0	0
			38	22	2	14			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	I	3	Total	C	N	O	0	0	0
			38	22	2	14			
3	J	3	Total	C	N	O	0	0	0
			38	22	2	14			
3	K	3	Total	C	N	O	0	0	0
			38	22	2	14			

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	G	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 5 is BETA-ALANINE (CCD ID: BAL) (formula: C₃H₇NO₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			6	3	1	2		
5	B	1	Total	C	N	O	0	0
			6	3	1	2		

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 7 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			13	8	5		
7	A	1	Total	C	O	0	0
			13	8	5		

- Molecule 8 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			4	2	2		
8	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 4 2 2	0	0
8	A	1	Total C O 4 2 2	0	0
8	A	1	Total C O 4 2 2	0	0
8	A	1	Total C O 4 2 2	0	0
8	A	1	Total C O 4 2 2	0	0
8	A	1	Total C O 4 2 2	0	0
8	A	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0


- Molecule 9 is UNKNOWN ATOM OR ION (CCD ID: UNX) (formula: X).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	5	Total X 5 5	0	0
9	B	5	Total X 5 5	0	0

- Molecule 10 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	3	Total	Cl	0	0
			3	3		
10	B	4	Total	Cl	0	0
			4	4		

- Molecule 11 is GLYCINE (CCD ID: GLY) (formula: C₂H₅NO₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	A	1	Total	C	N	O	0	0
			5	2	1	2		
11	B	1	Total	C	N	O	0	0
			5	2	1	2		

- Molecule 12 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	B	1	Total	C	O	0	0
			7	4	3		
12	B	1	Total	C	O	0	0
			7	4	3		


- Molecule 13 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	A	160	Total	O	0	0
			160	160		
13	B	118	Total	O	0	0
			118	118		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: BUTYRYLCHOLINESTERASE




• Molecule 1: BUTYRYLCHOLINESTERASE



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%

NAG1
NAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  33% 67%

NAG1
NAG2
FUL3

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  67% 33%

NAG1
NAG2
FUL3

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  67% 33%

NAG1
NAG2
FUL3

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%

NAG1
NAG2
FUL3

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  67% 33%

NAG1
NAG2
FUL3

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  67% 33%

NAG1
NAG2
FUL3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:

100%

MAG1
MAG2
MAG3

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	72.75Å 79.26Å 227.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.04 – 2.50 39.04 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.4 (39.04-2.50) 99.4 (39.04-2.50)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.74 (at 2.51Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.163 , 0.232 0.164 , 0.230	Depositor DCC
R_{free} test set	1383 reflections (3.00%)	wwPDB-VP
Wilson B-factor (Å ²)	46.6	Xtriage
Anisotropy	0.384	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 72.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9253	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, UNX, FUL, NAG, MAN, CL, PEG, BAL, PG4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	0/4351	0.84	5/5906 (0.1%)
1	B	0.48	0/4310	0.84	6/5852 (0.1%)
All	All	0.50	0/8661	0.84	11/11758 (0.1%)

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	280	VAL	CA-C-N	6.45	126.67	119.32
1	B	280	VAL	C-N-CA	6.45	126.67	119.32
1	A	484	GLN	N-CA-C	-6.18	99.94	109.76
1	A	381	ARG	CA-C-N	5.87	126.28	119.47
1	A	381	ARG	C-N-CA	5.87	126.28	119.47
1	A	428	LEU	CA-C-N	5.79	125.48	119.64
1	A	428	LEU	C-N-CA	5.79	125.48	119.64
1	B	487	SER	CB-CA-C	-5.26	109.53	115.79
1	B	432	GLU	N-CA-C	5.23	116.98	111.28
1	B	302	MET	CA-C-N	5.07	124.24	118.97
1	B	302	MET	C-N-CA	5.07	124.24	118.97

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4222	0	4125	37	0
1	B	4191	0	4084	51	0
2	C	28	0	25	1	0
2	E	28	0	25	0	0
3	D	38	0	34	0	0
3	F	38	0	34	1	0
3	H	38	0	34	0	0
3	I	38	0	34	3	0
3	J	38	0	34	1	0
3	K	38	0	34	1	0
4	G	39	0	34	0	0
5	A	6	0	6	3	0
5	B	6	0	6	5	0
6	A	14	0	12	0	0
6	B	70	0	64	3	0
7	A	26	0	36	1	0
8	A	36	0	54	1	0
8	B	40	0	60	4	0
9	A	5	0	0	0	0
9	B	5	0	0	0	0
10	A	3	0	0	1	0
10	B	4	0	0	0	0
11	A	5	0	2	0	0
11	B	5	0	2	0	0
12	B	14	0	20	2	0
13	A	160	0	0	4	0
13	B	118	0	0	1	0
All	All	9253	0	8759	91	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:198:SER:OG	5:A:550:BAL:C	2.07	1.01
1:B:198:SER:OG	5:B:550:BAL:C	2.08	1.00
1:B:99:ILE:HD11	1:B:185:PHE:HB3	1.66	0.76
1:A:338:SER:HB3	1:A:341:ASN:HB2	1.69	0.74
3:I:1:NAG:H61	3:I:2:NAG:HN2	1.54	0.73
1:A:497:GLU:OE1	13:A:2145:HOH:O	2.12	0.68
1:A:465[B]:ARG:NH2	13:A:2129:HOH:O	2.17	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:14:ARG:NH1	1:B:57:ASN:OD1	2.27	0.67
1:B:41:LEU:HB3	8:B:1539:EDO:H11	1.77	0.66
1:B:255:GLU:H	1:B:255:GLU:CD	2.09	0.59
1:A:504:ASN:HB2	8:A:1536:EDO:H22	1.86	0.58
1:B:250:THR:HB	1:B:267:LYS:HE2	1.87	0.57
1:A:500:TYR:CZ	1:A:511:MET:HB2	2.40	0.57
1:B:236:LEU:HD11	1:B:294:VAL:O	2.06	0.56
1:A:198:SER:HG	5:A:550:BAL:C	2.14	0.56
1:B:259:GLU:HG3	3:J:1:NAG:H62	1.89	0.55
1:B:205:SER:HA	1:B:208:LEU:HD12	1.88	0.54
1:A:308:GLU:HA	7:A:1531:PG4:H82	1.89	0.54
1:A:361:VAL:O	1:A:366:LYS:NZ	2.34	0.54
1:B:198:SER:HG	5:B:550:BAL:C	2.20	0.54
1:A:319:VAL:O	1:A:418:PHE:HA	2.09	0.53
3:I:1:NAG:H61	3:I:2:NAG:N2	2.24	0.53
1:A:198:SER:CB	5:A:550:BAL:C	2.87	0.52
1:B:500:TYR:CZ	1:B:511:MET:HB2	2.44	0.52
1:B:470:ARG:NH2	1:B:488:THR:HG22	2.25	0.51
1:B:428:LEU:HD12	1:B:429:PRO:HD2	1.90	0.51
1:B:429:PRO:HD3	12:B:1531:PEG:H31	1.91	0.51
1:B:195:PHE:HB3	1:B:221:ILE:HB	1.93	0.50
1:B:156:LEU:HD12	1:B:261:ILE:HD11	1.93	0.50
1:A:301:ASP:OD1	1:A:302:MET:N	2.43	0.50
1:A:100:PRO:HG2	1:A:104:PRO:HD3	1.94	0.50
1:B:428:LEU:HA	12:B:1531:PEG:H42	1.93	0.49
1:B:513:LYS:HB3	1:B:516:ALA:HB2	1.94	0.49
1:B:198:SER:CB	5:B:550:BAL:C	2.91	0.48
1:A:205:SER:HB3	1:A:222:LEU:HD21	1.94	0.48
1:A:495:SER:O	1:A:498:GLN:NE2	2.45	0.48
1:A:154:LEU:HD11	1:A:243:THR:HG23	1.96	0.48
1:A:287:SER:O	13:A:2089:HOH:O	2.20	0.48
1:B:377:VAL:HG23	1:B:378:ASP:H	1.80	0.47
1:A:133:LEU:HD23	1:A:468:VAL:HG13	1.97	0.47
1:A:248:LYS:HD3	3:F:3:FUL:H61	1.95	0.47
1:B:197:GLU:HA	1:B:223:GLN:O	2.15	0.47
1:B:502:THR:O	1:B:508:THR:HB	2.15	0.47
1:B:455:ASN:O	8:B:1534:EDO:O1	2.13	0.47
1:B:484:GLN:O	1:B:486:ASN:N	2.48	0.47
1:B:198:SER:HB3	5:B:550:BAL:OXT	2.16	0.46
1:A:234:THR:HG22	1:A:235:SER:O	2.15	0.46
1:B:455:ASN:HB3	13:B:2101:HOH:O	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:109:VAL:HG21	1:B:182:ILE:HG12	1.97	0.46
1:A:341:ASN:HB3	1:A:343:SER:H	1.80	0.45
1:B:34:ALA:HB2	1:B:173:LEU:HD23	1.98	0.45
1:B:320:GLY:HA3	1:B:419:TYR:CE2	2.52	0.45
1:B:487:SER:OG	1:B:488:THR:N	2.50	0.45
1:B:117:GLY:HA2	5:B:550:BAL:HA1	1.98	0.45
1:B:302:MET:HA	1:B:303:PRO:HD3	1.88	0.44
1:A:17:ASN:HD22	2:C:1:NAG:H83	1.83	0.44
1:A:159:ASN:HA	1:A:160:PRO:HD3	1.89	0.44
1:B:234:THR:HG22	1:B:238:GLU:HB2	2.00	0.44
1:B:190:LYS:HE2	6:B:621:NAG:H4	1.99	0.44
1:B:278:PHE:O	3:I:3:FUL:O4	2.33	0.43
1:A:69:ILE:HD11	1:A:88:LEU:HD11	2.01	0.43
3:K:1:NAG:H61	3:K:3:FUL:H2	1.83	0.43
1:A:190:LYS:NZ	13:A:2072:HOH:O	2.51	0.43
1:A:310:GLY:HA2	1:A:312:PHE:CE2	2.54	0.43
1:B:301:ASP:HB3	1:B:306:LEU:HD13	2.00	0.43
1:B:156:LEU:HD23	1:B:156:LEU:HA	1.88	0.43
1:A:428:LEU:HA	1:A:429:PRO:HD3	1.75	0.43
1:A:321:VAL:HG11	1:A:399:ILE:HA	2.00	0.43
1:B:239:ALA:HB2	1:B:293:THR:HG21	2.00	0.43
1:A:227:PHE:CD1	1:A:303:PRO:HB2	2.54	0.42
1:B:395:ASP:OD2	1:B:515:ARG:NH1	2.52	0.42
1:A:209:LEU:HD23	1:A:312:PHE:HB3	2.00	0.42
1:A:489:SER:HA	10:A:1546:CL:CL	2.57	0.42
1:B:321:VAL:HG11	1:B:399:ILE:HA	2.00	0.42
1:A:328:ALA:HB2	1:A:437:MET:HE3	2.02	0.41
1:A:419:TYR:HB3	1:A:490:TRP:CZ2	2.55	0.41
1:B:456:TYR:O	8:B:1534:EDO:H12	2.20	0.41
1:A:252:CYS:SG	1:A:267:LYS:HE3	2.61	0.41
1:A:320:GLY:HA3	1:A:419:TYR:CE2	2.56	0.41
1:B:84:PRO:HG2	1:B:88:LEU:HD21	2.01	0.41
1:B:106:ASN:HD22	6:B:621:NAG:C7	2.34	0.41
1:B:319:VAL:O	1:B:418:PHE:HA	2.20	0.41
1:B:397:ASN:HD21	8:B:1538:EDO:H21	1.86	0.41
1:B:428:LEU:HA	1:B:429:PRO:HD3	1.87	0.41
1:B:500:TYR:CE1	1:B:511:MET:HB2	2.55	0.41
1:B:188:ASN:ND2	6:B:621:NAG:H83	2.36	0.41
1:A:9:LYS:HA	1:A:9:LYS:HD3	1.92	0.40
1:B:73:PHE:CD1	1:B:339:LYS:HE3	2.56	0.40
1:B:96:ASN:O	1:B:142:VAL:HA	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:488:THR:HG21	1:B:508:THR:OG1	2.20	0.40
1:A:93:LEU:HD23	1:A:93:LEU:HA	1.83	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	528/531 (99%)	506 (96%)	20 (4%)	2 (0%)	30	49
1	B	524/531 (99%)	494 (94%)	26 (5%)	4 (1%)	16	31
All	All	1052/1062 (99%)	1000 (95%)	46 (4%)	6 (1%)	21	38

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	484	GLN
1	B	485	ASN
1	B	488	THR
1	B	489	SER
1	A	255	GLU
1	A	381	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	455/456 (100%)	441 (97%)	14 (3%)	35	62
1	B	451/456 (99%)	427 (95%)	24 (5%)	20	42
All	All	906/912 (99%)	868 (96%)	38 (4%)	26	52

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	51	LYS
1	A	105	LYS
1	A	108	THR
1	A	195	PHE
1	A	198	SER
1	A	282	TYR
1	A	308	GLU
1	A	363	GLU
1	A	379	ASP
1	A	383	GLU
1	A	428	LEU
1	A	511	MET
1	A	515	ARG
1	A	529	VAL
1	B	4	ILE
1	B	5	ILE
1	B	176	GLN
1	B	195	PHE
1	B	198	SER
1	B	236	LEU
1	B	255	GLU
1	B	258	THR
1	B	268	ASP
1	B	280	VAL
1	B	286	LEU
1	B	287	SER
1	B	306	LEU
1	B	309	LEU
1	B	311	GLN
1	B	348	LYS
1	B	356	ILE
1	B	379	ASP
1	B	383	GLU
1	B	428	LEU
1	B	465	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	466	SER
1	B	492	VAL
1	B	496	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	68	ASN
1	A	275	ASN
1	A	311	GLN
1	B	322	ASN
1	B	414	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

25 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	C	1	2,1	14,14,15	0.68	0	17,19,21	1.13	2 (11%)
2	NAG	C	2	2	14,14,15	0.48	0	17,19,21	1.14	2 (11%)
3	NAG	D	1	3,1	14,14,15	0.54	0	17,19,21	1.46	2 (11%)
3	NAG	D	2	3	14,14,15	0.50	0	17,19,21	1.37	1 (5%)
3	FUL	D	3	3	10,10,11	0.70	0	14,14,16	0.84	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	E	1	2,1	14,14,15	0.61	0	17,19,21	1.30	3 (17%)
2	NAG	E	2	2	14,14,15	0.65	0	17,19,21	1.15	2 (11%)
3	NAG	F	1	3,1	14,14,15	0.51	0	17,19,21	1.18	1 (5%)
3	NAG	F	2	3	14,14,15	0.51	0	17,19,21	1.22	2 (11%)
3	FUL	F	3	3	10,10,11	0.61	0	14,14,16	1.18	1 (7%)
4	NAG	G	1	4,1	14,14,15	0.43	0	17,19,21	1.20	1 (5%)
4	NAG	G	2	4	14,14,15	0.65	0	17,19,21	1.21	1 (5%)
4	MAN	G	3	4	11,11,12	0.60	0	15,15,17	1.04	1 (6%)
3	NAG	H	1	3,1	14,14,15	0.72	0	17,19,21	1.26	1 (5%)
3	NAG	H	2	3	14,14,15	0.56	0	17,19,21	0.74	0
3	FUL	H	3	3	10,10,11	0.67	0	14,14,16	0.68	0
3	NAG	I	1	3,1	14,14,15	0.39	0	17,19,21	1.64	2 (11%)
3	NAG	I	2	3	14,14,15	0.44	0	17,19,21	1.21	1 (5%)
3	FUL	I	3	3	10,10,11	0.61	0	14,14,16	1.30	1 (7%)
3	NAG	J	1	3,1	14,14,15	0.50	0	17,19,21	1.36	2 (11%)
3	NAG	J	2	3	14,14,15	0.47	0	17,19,21	0.93	0
3	FUL	J	3	3	10,10,11	0.65	0	14,14,16	0.67	0
3	NAG	K	1	3,1	14,14,15	0.54	0	17,19,21	1.46	3 (17%)
3	NAG	K	2	3	14,14,15	0.59	0	17,19,21	1.36	2 (11%)
3	FUL	K	3	3	10,10,11	0.66	0	14,14,16	0.79	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	C	2	2	-	2/6/23/26	0/1/1/1
3	NAG	D	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	5/6/23/26	0/1/1/1
3	FUL	D	3	3	-	-	0/1/1/1
2	NAG	E	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
3	NAG	F	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	F	2	3	-	3/6/23/26	0/1/1/1
3	FUL	F	3	3	-	-	0/1/1/1
4	NAG	G	1	4,1	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	G	2	4	-	2/6/23/26	0/1/1/1
4	MAN	G	3	4	1/1/4/5	0/2/19/22	0/1/1/1
3	NAG	H	1	3,1	1/1/5/7	0/6/23/26	0/1/1/1
3	NAG	H	2	3	-	2/6/23/26	0/1/1/1
3	FUL	H	3	3	-	-	0/1/1/1
3	NAG	I	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	I	2	3	-	3/6/23/26	0/1/1/1
3	FUL	I	3	3	-	-	0/1/1/1
3	NAG	J	1	3,1	1/1/5/7	2/6/23/26	0/1/1/1
3	NAG	J	2	3	-	2/6/23/26	0/1/1/1
3	FUL	J	3	3	-	-	0/1/1/1
3	NAG	K	1	3,1	-	4/6/23/26	0/1/1/1
3	NAG	K	2	3	-	3/6/23/26	0/1/1/1
3	FUL	K	3	3	-	-	0/1/1/1

There are no bond length outliers.

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	1	NAG	C1-O5-C5	4.66	118.43	112.19
3	D	2	NAG	C1-O5-C5	4.32	117.98	112.19
3	K	1	NAG	C1-O5-C5	4.15	117.75	112.19
3	F	2	NAG	C1-O5-C5	3.93	117.46	112.19
3	F	1	NAG	C1-O5-C5	3.83	117.32	112.19
3	H	1	NAG	C4-C3-C2	3.82	116.62	111.02
3	K	2	NAG	C2-N2-C7	3.70	127.86	122.90
3	I	2	NAG	C1-C2-N2	-3.53	104.87	110.43
3	J	1	NAG	C1-O5-C5	3.48	116.86	112.19
3	I	1	NAG	O4-C4-C3	-3.38	102.41	110.38
4	G	2	NAG	C4-C3-C2	3.37	115.96	111.02
3	J	1	NAG	O5-C1-C2	3.30	116.39	111.29
2	C	1	NAG	C4-C3-C2	3.08	115.53	111.02
2	E	1	NAG	C4-C3-C2	3.02	115.44	111.02
3	D	1	NAG	O4-C4-C3	2.86	117.13	110.38
3	D	1	NAG	C1-O5-C5	2.81	115.95	112.19
2	E	2	NAG	C1-O5-C5	-2.72	108.55	112.19
2	E	1	NAG	O5-C1-C2	-2.71	107.09	111.29
4	G	1	NAG	C1-O5-C5	2.71	115.81	112.19
3	I	3	FUL	C1-O5-C5	2.64	119.19	112.97
3	K	2	NAG	C1-C2-N2	2.63	114.58	110.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	3	MAN	C1-C2-C3	-2.60	105.86	109.64
2	E	2	NAG	C4-C3-C2	2.51	114.70	111.02
2	C	2	NAG	C1-O5-C5	2.47	115.50	112.19
2	C	2	NAG	C4-C3-C2	-2.46	107.41	111.02
2	E	1	NAG	O4-C4-C3	-2.36	104.81	110.38
3	F	3	FUL	O2-C2-C1	2.21	114.28	109.22
3	F	2	NAG	O5-C5-C6	2.17	111.89	107.66
2	C	1	NAG	O5-C1-C2	-2.17	107.93	111.29
3	K	1	NAG	C6-C5-C4	-2.17	107.70	113.02
3	K	1	NAG	O5-C5-C6	2.02	111.59	107.66

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	H	1	NAG	C1
3	J	1	NAG	C1
4	G	3	MAN	C1

All (37) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	1	NAG	C8-C7-N2-C2
2	C	1	NAG	O7-C7-N2-C2
3	H	2	NAG	C8-C7-N2-C2
3	H	2	NAG	O7-C7-N2-C2
3	I	2	NAG	C3-C2-N2-C7
3	I	2	NAG	C8-C7-N2-C2
3	I	2	NAG	O7-C7-N2-C2
3	K	2	NAG	C1-C2-N2-C7
3	K	2	NAG	C8-C7-N2-C2
3	K	2	NAG	O7-C7-N2-C2
3	D	2	NAG	C4-C5-C6-O6
3	D	2	NAG	C8-C7-N2-C2
3	D	2	NAG	O7-C7-N2-C2
3	D	2	NAG	O5-C5-C6-O6
3	I	1	NAG	C8-C7-N2-C2
3	I	1	NAG	O7-C7-N2-C2
3	K	1	NAG	O5-C5-C6-O6
3	K	1	NAG	C4-C5-C6-O6
3	F	1	NAG	O5-C5-C6-O6
3	F	1	NAG	C4-C5-C6-O6
3	J	2	NAG	C8-C7-N2-C2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	E	1	NAG	C8-C7-N2-C2
2	E	1	NAG	O7-C7-N2-C2
3	F	2	NAG	C8-C7-N2-C2
3	J	2	NAG	O7-C7-N2-C2
3	J	1	NAG	C4-C5-C6-O6
2	C	2	NAG	C4-C5-C6-O6
2	C	2	NAG	O5-C5-C6-O6
3	J	1	NAG	O5-C5-C6-O6
3	F	2	NAG	O7-C7-N2-C2
4	G	2	NAG	C8-C7-N2-C2
4	G	2	NAG	O7-C7-N2-C2
4	G	1	NAG	C4-C5-C6-O6
3	K	1	NAG	C8-C7-N2-C2
3	K	1	NAG	O7-C7-N2-C2
3	D	2	NAG	C3-C2-N2-C7
3	F	2	NAG	C3-C2-N2-C7


There are no ring outliers.


8 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	J	1	NAG	1	0
3	K	1	NAG	1	0
3	F	3	FUL	1	0
3	K	3	FUL	1	0
3	I	1	NAG	2	0
2	C	1	NAG	1	0
3	I	2	NAG	2	0
3	I	3	FUL	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.























5.6 Ligand geometry [i](#)

Of 50 ligands modelled in this entry, 10 are unknown and 7 are monoatomic - leaving 33 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	EDO	B	1541	-	3,3,3	0.40	0	2,2,2	0.49	0
6	NAG	B	601	1	14,14,15	0.66	0	17,19,21	1.43	3 (17%)
8	EDO	A	1537	-	3,3,3	0.49	0	2,2,2	0.33	0
6	NAG	A	651	1	14,14,15	0.57	0	17,19,21	0.63	0
5	BAL	A	550	-	5,5,5	0.73	0	5,5,5	2.05	3 (60%)
11	GLY	B	1642	-	4,4,4	1.08	1 (25%)	3,4,4	1.59	1 (33%)
8	EDO	A	1536	-	3,3,3	0.43	0	2,2,2	0.47	0
8	EDO	A	1539	-	3,3,3	0.47	0	2,2,2	0.21	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	PG4	A	1530	-	12,12,12	0.66	0	11,11,11	1.50	0
8	EDO	B	1538	-	3,3,3	0.44	0	2,2,2	0.32	0
8	EDO	B	1534	-	3,3,3	0.43	0	2,2,2	0.61	0
6	NAG	B	611	1	14,14,15	0.46	0	17,19,21	0.81	1 (5%)
8	EDO	A	1540	-	3,3,3	0.55	0	2,2,2	0.11	0
11	GLY	A	1643	-	4,4,4	1.04	0	3,4,4	1.63	1 (33%)
8	EDO	A	1535	-	3,3,3	0.47	0	2,2,2	0.24	0
6	NAG	B	671	1	14,14,15	0.59	0	17,19,21	0.85	0
8	EDO	A	1533	-	3,3,3	0.49	0	2,2,2	0.26	0
8	EDO	A	1532	-	3,3,3	0.47	0	2,2,2	0.42	0
8	EDO	B	1539	-	3,3,3	0.42	0	2,2,2	0.35	0
6	NAG	B	651	1	14,14,15	0.55	0	17,19,21	1.23	1 (5%)
5	BAL	B	550	-	5,5,5	1.00	0	5,5,5	1.90	2 (40%)
8	EDO	A	1538	-	3,3,3	0.45	0	2,2,2	0.31	0
8	EDO	B	1540	-	3,3,3	0.46	0	2,2,2	0.36	0
8	EDO	B	1533	-	3,3,3	0.46	0	2,2,2	0.30	0
6	NAG	B	621	1	14,14,15	0.60	0	17,19,21	1.64	3 (17%)
8	EDO	B	1535	-	3,3,3	0.49	0	2,2,2	0.24	0
8	EDO	A	1534	-	3,3,3	0.50	0	2,2,2	0.32	0
8	EDO	B	1532	-	3,3,3	0.48	0	2,2,2	0.34	0
12	PEG	B	1531	-	6,6,6	0.71	0	5,5,5	1.31	0
12	PEG	B	1530	-	6,6,6	0.61	0	5,5,5	1.49	1 (20%)
7	PG4	A	1531	-	12,12,12	0.68	0	11,11,11	1.48	0
8	EDO	B	1536	-	3,3,3	0.43	0	2,2,2	0.44	0
8	EDO	B	1537	-	3,3,3	0.42	0	2,2,2	0.58	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	EDO	B	1541	-	-	1/1/1/1	-
6	NAG	B	601	1	-	2/6/23/26	0/1/1/1
8	EDO	A	1537	-	-	1/1/1/1	-
6	NAG	A	651	1	1/1/5/7	4/6/23/26	0/1/1/1
5	BAL	A	550	-	-	1/3/3/3	-
11	GLY	B	1642	-	-	2/2/2/2	-
8	EDO	A	1536	-	-	1/1/1/1	-
8	EDO	A	1539	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	PG4	A	1530	-	-	4/10/10/10	-
8	EDO	B	1538	-	-	0/1/1/1	-
8	EDO	B	1534	-	-	0/1/1/1	-
6	NAG	B	611	1	-	2/6/23/26	0/1/1/1
8	EDO	A	1540	-	-	0/1/1/1	-
11	GLY	A	1643	-	-	2/2/2/2	-
8	EDO	A	1535	-	-	0/1/1/1	-
6	NAG	B	671	1	1/1/5/7	1/6/23/26	0/1/1/1
8	EDO	A	1533	-	-	0/1/1/1	-
8	EDO	A	1532	-	-	1/1/1/1	-
8	EDO	B	1539	-	-	1/1/1/1	-
6	NAG	B	651	1	-	2/6/23/26	0/1/1/1
5	BAL	B	550	-	-	1/3/3/3	-
8	EDO	A	1538	-	-	0/1/1/1	-
8	EDO	B	1540	-	-	0/1/1/1	-
8	EDO	B	1533	-	-	0/1/1/1	-
6	NAG	B	621	1	1/1/5/7	3/6/23/26	0/1/1/1
8	EDO	B	1535	-	-	1/1/1/1	-
8	EDO	A	1534	-	-	0/1/1/1	-
8	EDO	B	1532	-	-	0/1/1/1	-
12	PEG	B	1531	-	-	1/4/4/4	-
12	PEG	B	1530	-	-	3/4/4/4	-
7	PG4	A	1531	-	-	5/10/10/10	-
8	EDO	B	1536	-	-	0/1/1/1	-
8	EDO	B	1537	-	-	1/1/1/1	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B	1642	GLY	OXT-C	-2.01	1.24	1.30

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	651	NAG	C1-O5-C5	4.38	118.06	112.19
6	B	621	NAG	C2-N2-C7	3.60	127.72	122.90
6	B	621	NAG	C1-O5-C5	3.39	116.73	112.19
6	B	621	NAG	C1-C2-N2	3.23	115.53	110.43
5	B	550	BAL	O-C-CA	-3.15	113.10	123.09
6	B	601	NAG	O5-C1-C2	3.13	116.13	111.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	601	NAG	C1-O5-C5	2.99	116.19	112.19
5	A	550	BAL	CB-CA-C	2.75	118.93	112.98
5	A	550	BAL	OXT-C-O	-2.74	116.28	123.33
6	B	611	NAG	C1-O5-C5	2.62	115.70	112.19
5	B	550	BAL	CB-CA-C	2.61	118.64	112.98
6	B	601	NAG	C4-C3-C2	2.54	114.74	111.02
5	A	550	BAL	OXT-C-CA	-2.41	106.40	114.00
12	B	1530	PEG	O2-C2-C1	2.02	119.00	110.11
11	B	1642	GLY	OXT-C-O	-2.01	118.16	123.33
11	A	1643	GLY	OXT-C-O	-2.00	118.18	123.33

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	A	651	NAG	C1
6	B	621	NAG	C1
6	B	671	NAG	C1

All (40) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	550	BAL	C-CA-CB-N
6	A	651	NAG	C8-C7-N2-C2
6	A	651	NAG	O7-C7-N2-C2
6	B	601	NAG	C8-C7-N2-C2
6	B	601	NAG	O7-C7-N2-C2
6	B	611	NAG	O7-C7-N2-C2
6	B	621	NAG	C1-C2-N2-C7
6	B	621	NAG	C8-C7-N2-C2
6	B	621	NAG	O7-C7-N2-C2
11	A	1643	GLY	O-C-CA-N
11	A	1643	GLY	OXT-C-CA-N
6	B	611	NAG	C8-C7-N2-C2
7	A	1531	PG4	C5-C6-O4-C7
12	B	1530	PEG	C4-C3-O2-C2
6	A	651	NAG	O5-C5-C6-O6
6	B	651	NAG	C8-C7-N2-C2
7	A	1530	PG4	O2-C3-C4-O3
12	B	1530	PEG	O2-C3-C4-O4
6	B	651	NAG	O7-C7-N2-C2
5	A	550	BAL	C-CA-CB-N
6	B	671	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	B	1539	EDO	O1-C1-C2-O2
7	A	1531	PG4	O3-C5-C6-O4
6	A	651	NAG	C4-C5-C6-O6
11	B	1642	GLY	OXT-C-CA-N
12	B	1530	PEG	C1-C2-O2-C3
7	A	1531	PG4	C8-C7-O4-C6
7	A	1531	PG4	C4-C3-O2-C2
11	B	1642	GLY	O-C-CA-N
8	A	1532	EDO	O1-C1-C2-O2
8	A	1537	EDO	O1-C1-C2-O2
8	B	1535	EDO	O1-C1-C2-O2
8	B	1537	EDO	O1-C1-C2-O2
8	B	1541	EDO	O1-C1-C2-O2
12	B	1531	PEG	C4-C3-O2-C2
7	A	1530	PG4	C3-C4-O3-C5
7	A	1531	PG4	C6-C5-O3-C4
7	A	1530	PG4	O3-C5-C6-O4
7	A	1530	PG4	C1-C2-O2-C3
8	A	1536	EDO	O1-C1-C2-O2

There are no ring outliers.

9 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	550	BAL	3	0
8	A	1536	EDO	1	0
8	B	1538	EDO	1	0
8	B	1534	EDO	2	0
8	B	1539	EDO	1	0
5	B	550	BAL	5	0
6	B	621	NAG	3	0
12	B	1531	PEG	2	0
7	A	1531	PG4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	527/531 (99%)	-0.66	2 (0%) 88 86	21, 44, 72, 99	7 (1%)
1	B	526/531 (99%)	-0.48	3 (0%) 85 83	27, 52, 84, 119	12 (2%)
All	All	1053/1062 (99%)	-0.57	5 (0%) 87 85	21, 48, 79, 119	19 (1%)

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	4	ILE	3.6
1	A	282	TYR	2.7
1	B	486	ASN	2.5
1	B	485	ASN	2.5
1	A	380	GLN	2.2

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	F	2	14/15	0.42	0.16	145,148,151,153	0
3	NAG	F	1	14/15	0.54	0.15	97,111,128,137	0
3	FUL	K	3	10/11	0.56	0.15	124,127,131,132	0
4	MAN	G	3	11/12	0.57	0.15	118,125,131,137	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	H	1	14/15	0.62	0.13	92,101,109,114	0
2	NAG	E	2	14/15	0.67	0.14	93,108,123,124	0
3	NAG	D	2	14/15	0.68	0.10	90,105,113,116	0
3	FUL	J	3	10/11	0.68	0.13	119,124,127,127	0
2	NAG	C	2	14/15	0.69	0.13	91,100,108,111	0
3	NAG	K	2	14/15	0.70	0.16	88,106,120,121	0
3	NAG	H	2	14/15	0.73	0.13	104,116,121,121	0
3	NAG	J	2	14/15	0.75	0.12	110,115,126,126	0
3	FUL	I	3	10/11	0.79	0.18	96,106,109,112	0
3	NAG	I	2	14/15	0.81	0.10	90,105,112,113	0
3	NAG	J	1	14/15	0.82	0.10	72,89,102,108	0
3	FUL	F	3	10/11	0.83	0.16	125,130,131,132	0
3	NAG	I	1	14/15	0.83	0.12	71,91,107,111	0
3	NAG	K	1	14/15	0.84	0.11	67,78,101,111	0
2	NAG	C	1	14/15	0.84	0.09	51,65,83,91	0
3	FUL	D	3	10/11	0.85	0.11	96,98,100,101	0
3	FUL	H	3	10/11	0.85	0.13	90,100,106,108	0
3	NAG	D	1	14/15	0.86	0.10	67,78,96,103	0
4	NAG	G	2	14/15	0.88	0.10	66,81,91,108	0
2	NAG	E	1	14/15	0.89	0.09	42,64,70,92	0
4	NAG	G	1	14/15	0.92	0.08	43,57,71,71	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain C:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:


$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
9	UNX	A	1548	1/1	0.59	0.17	71,71,71,71	0
6	NAG	B	611	14/15	0.61	0.12	102,109,114,116	0
9	UNX	B	1548	1/1	0.64	0.16	68,68,68,68	0
12	PEG	B	1530	7/7	0.68	0.18	66,86,98,100	0
6	NAG	B	601	14/15	0.69	0.14	94,104,119,120	0
6	NAG	B	621	14/15	0.75	0.12	75,88,96,97	0
7	PG4	A	1530	13/13	0.76	0.15	76,82,84,84	0
6	NAG	B	671	14/15	0.76	0.13	92,103,111,112	0
8	EDO	A	1535	4/4	0.79	0.17	84,85,88,88	0
9	UNX	A	1543	1/1	0.80	0.21	83,83,83,83	0
8	EDO	B	1537	4/4	0.82	0.17	69,73,76,77	0
10	CL	A	1547	1/1	0.84	0.14	99,99,99,99	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	EDO	A	1532	4/4	0.84	0.18	64,66,68,76	0
10	CL	A	1545	1/1	0.85	0.13	90,90,90,90	0
8	EDO	A	1539	4/4	0.85	0.19	77,82,84,85	0
10	CL	B	1546	1/1	0.85	0.18	102,102,102,102	0
10	CL	B	1549	1/1	0.85	0.12	95,95,95,95	0
8	EDO	B	1534	4/4	0.85	0.13	55,65,69,73	0
8	EDO	A	1536	4/4	0.86	0.11	74,76,77,82	0
8	EDO	A	1534	4/4	0.86	0.19	66,71,75,76	0
7	PG4	A	1531	13/13	0.86	0.14	59,80,87,92	0
12	PEG	B	1531	7/7	0.87	0.16	70,73,88,89	0
5	BAL	B	550	6/6	0.89	0.14	49,55,68,79	0
10	CL	B	1547	1/1	0.89	0.13	96,96,96,96	0
8	EDO	A	1533	4/4	0.89	0.11	68,74,75,78	0
8	EDO	B	1541	4/4	0.89	0.13	74,75,76,78	0
8	EDO	A	1540	4/4	0.89	0.15	64,65,72,73	0
10	CL	B	1550	1/1	0.90	0.21	82,82,82,82	0
6	NAG	B	651	14/15	0.90	0.09	56,71,80,87	0
6	NAG	A	651	14/15	0.90	0.09	58,78,87,91	0
11	GLY	B	1642	5/5	0.91	0.11	57,60,68,70	0
10	CL	A	1546	1/1	0.91	0.18	73,73,73,73	0
8	EDO	B	1536	4/4	0.91	0.18	64,65,73,74	0
8	EDO	B	1532	4/4	0.92	0.14	62,64,69,79	0
8	EDO	B	1540	4/4	0.92	0.13	67,74,81,81	0
8	EDO	A	1538	4/4	0.93	0.14	61,65,67,68	0
8	EDO	B	1533	4/4	0.93	0.20	65,73,74,76	0
5	BAL	A	550	6/6	0.93	0.12	50,56,70,84	0
9	UNX	A	1541	1/1	0.93	0.19	58,58,58,58	0
9	UNX	A	1542	1/1	0.93	0.17	54,54,54,54	0
8	EDO	A	1537	4/4	0.93	0.11	51,52,58,64	0
8	EDO	B	1535	4/4	0.94	0.10	68,75,76,77	0
9	UNX	B	1545	1/1	0.95	0.26	53,53,53,53	0
11	GLY	A	1643	5/5	0.95	0.06	42,48,53,58	0
8	EDO	B	1538	4/4	0.95	0.10	64,65,67,69	0
8	EDO	B	1539	4/4	0.95	0.20	57,59,61,61	0
9	UNX	B	1542	1/1	0.95	0.26	59,59,59,59	0
9	UNX	B	1544	1/1	0.96	0.22	67,67,67,67	0
9	UNX	A	1544	1/1	0.96	0.22	53,53,53,53	0
9	UNX	B	1543	1/1	0.97	0.18	43,43,43,43	0

6.5 Other polymers ⓘ

There are no such residues in this entry.