



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 8, 2026 – 11:25 AM UTC

PDB ID : 3ASN / pdb_00003asn
Title : Bovine heart cytochrome C oxidase in the fully oxidized state measured at 1.7470 angstrom wavelength
Authors : Suga, M.; Yano, N.; Muramoto, K.; Shinzawa-Itoh, K.; Maeda, T.; Yamashita, E.; Tsukihara, T.; Yoshikawa, S.
Deposited on : 2010-12-17
Resolution : 3.00 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	514	 83% 15% .
1	N	514	 82% 17% .
2	B	227	 78% 20% .
2	O	227	 2% 72% 25% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	C	261	 84% 15% ..
3	P	261	 84% 15% ..
4	D	147	 87% 10% ..
4	Q	147	 4% 82% 14% . .
5	E	109	 85% 10% . .
5	R	109	 82% 13% . .
6	F	98	 6% 81% 15% . .
6	S	98	 9% 76% 19% . .
7	G	85	 14% 72% 20% 6% ..
7	T	85	 14% 73% 14% 12% .
8	H	85	 5% 69% 20% .. 7%
8	U	85	 78% 12% .. 7%
9	I	73	 88% 11% .
9	V	73	 5% 75% 21% .
10	J	59	 3% 92% 7% .
10	W	59	 2% 88% 10% .
11	K	56	 79% 9% 12%
11	X	56	 2% 80% 5% . 12%
12	L	47	 74% 21% . .
12	Y	47	 72% 23% . .
13	M	46	 4% 80% 11% . 7%
13	Z	46	 4% 80% 13% 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
25	CDL	T	1269	-	-	X	-
27	DMU	M	526	X	-	-	-
27	DMU	Z	1526	X	-	-	-

2 Entry composition

There are 28 unique types of molecules in this entry. The entry contains 32377 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	514	Total	C	N	O	S	0	0	0
			4027	2691	623	678	35			
1	N	514	Total	C	N	O	S	0	0	0
			4027	2691	623	678	35			

- Molecule 2 is a protein called Cytochrome c oxidase subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	227	Total	C	N	O	S	0	0	0
			1824	1185	281	340	18			
2	O	227	Total	C	N	O	S	0	0	0
			1824	1185	281	340	18			

- Molecule 3 is a protein called Cytochrome c oxidase subunit 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	259	Total	C	N	O	S	0	0	0
			2110	1412	336	350	12			
3	P	259	Total	C	N	O	S	0	0	0
			2110	1412	336	350	12			

- Molecule 4 is a protein called Cytochrome c oxidase subunit 4 isoform 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	144	Total	C	N	O	S	0	0	0
			1195	777	196	218	4			
4	Q	144	Total	C	N	O	S	0	0	0
			1195	777	196	218	4			

- Molecule 5 is a protein called Cytochrome c oxidase subunit 5A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	105	Total	C	N	O	S	0	0	0
			852	544	144	162	2			
5	R	105	Total	C	N	O	S	0	0	0
			852	544	144	162	2			

- Molecule 6 is a protein called Cytochrome c oxidase subunit 5B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	98	Total	C	N	O	S	0	0	0
			748	464	134	145	5			
6	S	98	Total	C	N	O	S	0	0	0
			748	464	134	145	5			

- Molecule 7 is a protein called Cytochrome c oxidase subunit 6A2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
7	G	84	Total 675	C 431	N 129	O 113	P 1	S 1	0	0	0
7	T	84	Total 675	C 431	N 129	O 113	P 1	S 1	0	0	0

- Molecule 8 is a protein called Cytochrome c oxidase subunit 6B1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	79	Total	C	N	O	S	0	0	0
			662	417	121	119	5			
8	U	79	Total	C	N	O	S	0	0	0
			662	417	121	119	5			

- Molecule 9 is a protein called Cytochrome c oxidase subunit 6C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	73	Total	C	N	O	S	0	0	0
			601	390	107	100	4			
9	V	73	Total	C	N	O	S	0	0	0
			601	390	107	100	4			

- Molecule 10 is a protein called Cytochrome c oxidase subunit 7A1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	58	Total	C	N	O	S	0	0	0
			460	297	78	82	3			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	W	58	Total	C	N	O	S	0	0	0
			460	297	78	82	3			

- Molecule 11 is a protein called Cytochrome c oxidase subunit 7B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	49	Total	C	N	O	S	0	0	0
			384	250	65	67	2			
11	X	49	Total	C	N	O	S	0	0	0
			384	250	65	67	2			


- Molecule 12 is a protein called Cytochrome c oxidase subunit 7C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	46	Total	C	N	O	S	0	0	0
			380	254	64	60	2			
12	Y	46	Total	C	N	O	S	0	0	0
			380	254	64	60	2			

- Molecule 13 is a protein called Cytochrome c oxidase subunit 8B.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
13	M	43	Total	C	N	O	0	0	0
			335	223	53	59			
13	Z	43	Total	C	N	O	0	0	0
			335	223	53	59			

- Molecule 14 is HEME-A (CCD ID: HEA) (formula: $C_{49}H_{56}FeN_4O_6$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
14	A	1	Total 60	C 49	Fe 1	N 4	O 6	0	0
14	A	1	Total 60	C 49	Fe 1	N 4	O 6	0	0
14	N	1	Total 60	C 49	Fe 1	N 4	O 6	0	0
14	N	1	Total 60	C 49	Fe 1	N 4	O 6	0	0

- Molecule 15 is COPPER (II) ION (CCD ID: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	A	1	Total	Cu	0	0
			1	1		
15	N	1	Total	Cu	0	0
			1	1		


- Molecule 16 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	A	1	Total	Mg	0	0
			1	1		
16	N	1	Total	Mg	0	0
			1	1		

- Molecule 17 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	A	1	Total	Na	0	0
			1	1		
17	N	1	Total	Na	0	0
			1	1		

- Molecule 18 is TRISTEAROYLGLYCEROL (CCD ID: TGL) (formula: $C_{57}H_{110}O_6$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
18	A	1	Total	C	O	0	0
			63	57	6		
18	D	1	Total	C	O	0	0
			63	57	6		
18	L	1	Total	C	O	0	0
			63	57	6		
18	N	1	Total	C	O	0	0
			63	57	6		
18	N	1	Total	C	O	0	0
			63	57	6		
18	N	1	Total	C	O	0	0
			63	57	6		

- Molecule 19 is (1R)-2-{{[(2S)-2,3-DIHYDROXYPROPYL]OXY}(HYDROXY)PHOSPHORYL]OXY}-1-[(PALMITOYLOXY)METHYL]ETHYL (11E)-OCTADEC-11-ENOATE (CCD ID: PGV) (formula: $C_{40}H_{77}O_{10}P$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
19	A	1	Total	C	O	P	0	0
			51	40	10	1		
19	A	1	Total	C	O	P	0	0
			51	40	10	1		
19	C	1	Total	C	O	P	0	0
			51	40	10	1		
19	C	1	Total	C	O	P	0	0
			51	40	10	1		
19	N	1	Total	C	O	P	0	0
			51	40	10	1		
19	N	1	Total	C	O	P	0	0
			51	40	10	1		
19	P	1	Total	C	O	P	0	0
			51	40	10	1		
19	P	1	Total	C	O	P	0	0
			51	40	10	1		

- Molecule 20 is DINUCLEAR COPPER ION (CCD ID: CUA) (formula: Cu₂).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	B	1	Total	Cu	0	0
			2	2		
20	O	1	Total	Cu	0	0
			2	2		

- Molecule 21 is (7R,17E,20E)-4-HYDROXY-N,N,N-TRIMETHYL-9-OXO-7-[(PALMITO YLOXY)METHYL]-3,5,8-TRIOXA-4-PHOSPHAHEXACOSA-17,20-DIEN-1-AMINIUM 4-OXIDE (CCD ID: PSC) (formula: C₄₂H₈₁NO₈P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
21	B	1	Total	C	N	O	P	0	0
			52	42	1	8	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
21	O	1	Total	C	N	O	P	0	0
			52	42	1	8	1		

- Molecule 22 is CHOLIC ACID (CCD ID: CHD) (formula: $C_{24}H_{40}O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
22	B	1	Total	C	O	0	0
			29	24	5		
22	C	1	Total	C	O	0	0
			29	24	5		
22	C	1	Total	C	O	0	0
			29	24	5		
22	G	1	Total	C	O	0	0
			29	24	5		
22	J	1	Total	C	O	0	0
			29	24	5		
22	P	1	Total	C	O	0	0
			29	24	5		
22	P	1	Total	C	O	0	0
			29	24	5		
22	W	1	Total	C	O	0	0
			29	24	5		

- Molecule 23 is UNKNOWN ATOM OR ION (CCD ID: UNX) (formula: X).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
23	C	1	Total	X	0	0
			1	1		
23	P	1	Total	X	0	0
			1	1		

- Molecule 24 is (1S)-2-{[(2-AMINOETHOXY)(HYDROXY)PHOSPHORYL]OXY}-1-[(STEAROYLOXY)METHYL]ETHYL (5E,8E,11E,14E)-ICOSA-5,8,11,14-TETRAENOATE (CCD ID: PEK) (formula: C₄₃H₇₈NO₈P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
24	C	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
24	C	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
24	G	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
24	P	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
24	P	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
24	T	1	Total	C	N	O	P	0	0
			53	43	1	8	1		

- Molecule 25 is CARDIOLIPIN (CCD ID: CDL) (formula: C₈₁H₁₅₆O₁₇P₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
25	C	1	Total	C	O	P	0	0
			100	81	17	2		
25	G	1	Total	C	O	P	0	0
			100	81	17	2		
25	P	1	Total	C	O	P	0	0
			100	81	17	2		
25	T	1	Total	C	O	P	0	0
			100	81	17	2		

- Molecule 26 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
26	F	1	Total	Zn	0	0
			1	1		
26	S	1	Total	Zn	0	0
			1	1		

- Molecule 27 is DECYL-BETA-D-MALTOPYRANOSIDE (CCD ID: DMU) (formula: C₂₂H₄₂O₁₁).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
27	M	1	Total	C	O	0	0
			33	22	11		
27	Z	1	Total	C	O	0	0
			33	22	11		

- Molecule 28 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
28	A	212	Total	O	0	0
			212	212		
28	B	127	Total	O	0	0
			127	127		
28	C	110	Total	O	0	0
			110	110		
28	D	104	Total	O	0	0
			104	104		
28	E	66	Total	O	0	0
			66	66		
28	F	81	Total	O	0	0
			81	81		
28	G	52	Total	O	0	0
			52	52		
28	H	47	Total	O	0	0
			47	47		
28	I	32	Total	O	0	0
			32	32		
28	J	18	Total	O	0	0
			18	18		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
28	K	20	Total 20	O 20	0	0
28	L	27	Total 27	O 27	0	0
28	M	20	Total 20	O 20	0	0
28	N	210	Total 210	O 210	0	0
28	O	115	Total 115	O 115	0	0
28	P	109	Total 109	O 109	0	0
28	Q	60	Total 60	O 60	0	0
28	R	45	Total 45	O 45	0	0
28	S	79	Total 79	O 79	0	0
28	T	42	Total 42	O 42	0	0
28	U	47	Total 47	O 47	0	0
28	V	24	Total 24	O 24	0	0
28	W	17	Total 17	O 17	0	0
28	X	18	Total 18	O 18	0	0
28	Y	17	Total 17	O 17	0	0
28	Z	12	Total 12	O 12	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cytochrome c oxidase subunit 1




• Molecule 1: Cytochrome c oxidase subunit 1




• Molecule 2: Cytochrome c oxidase subunit 2




• Molecule 2: Cytochrome c oxidase subunit 2




• Molecule 3: Cytochrome c oxidase subunit 3




• Molecule 3: Cytochrome c oxidase subunit 3




• Molecule 4: Cytochrome c oxidase subunit 4 isoform 1



• Molecule 4: Cytochrome c oxidase subunit 4 isoform 1




• Molecule 5: Cytochrome c oxidase subunit 5A







- Molecule 5: Cytochrome c oxidase subunit 5A




- Molecule 6: Cytochrome c oxidase subunit 5B




- Molecule 6: Cytochrome c oxidase subunit 5B



- Molecule 7: Cytochrome c oxidase subunit 6A2




- Molecule 7: Cytochrome c oxidase subunit 6A2





- Molecule 8: Cytochrome c oxidase subunit 6B1




- Molecule 8: Cytochrome c oxidase subunit 6B1




- Molecule 9: Cytochrome c oxidase subunit 6C




- Molecule 9: Cytochrome c oxidase subunit 6C




- Molecule 10: Cytochrome c oxidase subunit 7A1





- Molecule 10: Cytochrome c oxidase subunit 7A1



- Molecule 11: Cytochrome c oxidase subunit 7B




- Molecule 11: Cytochrome c oxidase subunit 7B




- Molecule 12: Cytochrome c oxidase subunit 7C

Chain L:  74% 21% ..




- Molecule 12: Cytochrome c oxidase subunit 7C

Chain Y:  72% 23% ..




- Molecule 13: Cytochrome c oxidase subunit 8B

Chain M:  4% 80% 11% • 7%



- Molecule 13: Cytochrome c oxidase subunit 8B

Chain Z:  4% 80% 13% 7%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	181.83Å 204.10Å 177.83Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 3.00 15.00 – 3.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (15.00-3.00) 99.1 (15.00-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	27.93 (at 3.01Å)	Xtriage
Refinement program	REFMAC 5.5	Depositor
R, R_{free}	0.150 , 0.187 0.166 , 0.201	Depositor DCC
R_{free} test set	6633 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	31.3	Xtriage
Anisotropy	0.637	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 54.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.004 for l,-k,h	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	32377	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN, DMU, CDL, NA, CU, HEA, TPO, PGV, FME, CUA, UNX, CHD, PSC, SAC, PEK, TGL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.15	4/4156 (0.1%)	1.14	14/5678 (0.2%)
1	N	1.10	4/4156 (0.1%)	1.12	13/5678 (0.2%)
2	B	1.18	2/1860 (0.1%)	1.17	3/2534 (0.1%)
2	O	1.16	3/1860 (0.2%)	1.19	4/2534 (0.2%)
3	C	1.10	1/2197 (0.0%)	1.11	8/3005 (0.3%)
3	P	1.09	1/2197 (0.0%)	1.08	3/3005 (0.1%)
4	D	1.16	3/1229 (0.2%)	1.12	2/1658 (0.1%)
4	Q	1.14	3/1229 (0.2%)	1.10	1/1658 (0.1%)
5	E	1.08	0/871	1.08	1/1182 (0.1%)
5	R	0.98	1/871 (0.1%)	1.09	2/1182 (0.2%)
6	F	1.19	3/765 (0.4%)	1.25	5/1038 (0.5%)
6	S	1.30	2/765 (0.3%)	1.42	12/1038 (1.2%)
7	G	1.22	2/690 (0.3%)	1.14	0/937
7	T	1.14	2/690 (0.3%)	1.15	1/937 (0.1%)
8	H	1.10	2/682 (0.3%)	1.12	3/921 (0.3%)
8	U	1.09	2/682 (0.3%)	1.17	2/921 (0.2%)
9	I	1.18	1/605 (0.2%)	1.16	0/802
9	V	1.17	2/605 (0.3%)	1.17	2/802 (0.2%)
10	J	1.14	0/471	1.13	1/636 (0.2%)
10	W	1.09	0/471	1.12	0/636
11	K	1.16	0/398	1.20	2/546 (0.4%)
11	X	1.10	0/398	1.12	2/546 (0.4%)
12	L	1.05	0/393	1.09	1/526 (0.2%)
12	Y	1.17	0/393	1.06	0/526
13	M	1.15	0/345	1.16	0/470
13	Z	0.99	0/345	1.18	0/470
All	All	1.13	38/29324 (0.1%)	1.14	82/39866 (0.2%)

The worst 5 of 38 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	198	GLU	C-O	10.59	1.35	1.23
2	O	198	GLU	C-O	10.03	1.35	1.23
4	Q	5	VAL	CA-CB	8.70	1.63	1.53
4	Q	6	VAL	CA-CB	8.45	1.63	1.54
1	N	83	VAL	CA-CB	-8.00	1.50	1.54

The worst 5 of 82 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	S	54	ASN	N-CA-C	9.50	123.91	111.75
1	N	240	HIS	N-CA-CB	9.45	119.37	110.39
6	S	53	THR	CA-C-N	8.19	132.34	120.38
6	S	53	THR	C-N-CA	8.19	132.34	120.38
5	R	100	THR	CA-C-N	7.52	128.19	119.47

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4027	0	4001	69	0
1	N	4027	0	4001	69	0
2	B	1824	0	1833	28	0
2	O	1824	0	1833	38	0
3	C	2110	0	2027	32	0
3	P	2110	0	2027	34	0
4	D	1195	0	1183	13	0
4	Q	1195	0	1183	18	0
5	E	852	0	845	6	0
5	R	852	0	845	9	0
6	F	748	0	728	13	0
6	S	748	0	728	27	0
7	G	675	0	644	31	0
7	T	675	0	644	34	0
8	H	662	0	623	12	0
8	U	662	0	623	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	I	601	0	613	7	0
9	V	601	0	613	10	0
10	J	460	0	459	2	0
10	W	460	0	459	6	0
11	K	384	0	366	2	0
11	X	384	0	366	6	0
12	L	380	0	380	12	0
12	Y	380	0	380	11	1
13	M	335	0	352	3	0
13	Z	335	0	352	1	0
14	A	120	0	108	11	0
14	N	120	0	108	4	0
15	A	1	0	0	0	0
15	N	1	0	0	0	0
16	A	1	0	0	0	0
16	N	1	0	0	0	0
17	A	1	0	0	0	0
17	N	1	0	0	0	0
18	A	63	0	110	6	0
18	D	63	0	110	5	0
18	L	63	0	110	14	0
18	N	189	0	330	22	0
19	A	102	0	152	13	0
19	C	102	0	152	11	0
19	N	102	0	152	10	0
19	P	102	0	152	7	0
20	B	2	0	0	0	0
20	O	2	0	0	0	0
21	B	52	0	80	11	0
21	O	52	0	80	17	0
22	B	29	0	39	2	0
22	C	58	0	78	2	0
22	G	29	0	39	0	0
22	J	29	0	38	2	0
22	P	58	0	78	2	0
22	W	29	0	38	3	0
23	C	1	0	0	0	0
23	P	1	0	0	0	0
24	C	106	0	154	8	0
24	G	53	0	77	10	0
24	P	106	0	154	13	0
24	T	53	0	77	11	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
25	C	100	0	156	20	0
25	G	100	0	156	20	0
25	P	100	0	156	9	0
25	T	100	0	156	25	0
26	F	1	0	0	0	0
26	S	1	0	0	0	0
27	M	33	0	39	0	0
27	Z	33	0	39	0	0
28	A	212	0	0	13	0
28	B	127	0	0	2	0
28	C	110	0	0	2	0
28	D	104	0	0	4	0
28	E	66	0	0	3	0
28	F	81	0	0	5	0
28	G	52	0	0	3	0
28	H	47	0	0	2	0
28	I	32	0	0	5	0
28	J	18	0	0	0	0
28	K	20	0	0	2	0
28	L	27	0	0	1	0
28	M	20	0	0	0	0
28	N	210	0	0	8	0
28	O	115	0	0	1	0
28	P	109	0	0	5	0
28	Q	60	0	0	4	0
28	R	45	0	0	0	0
28	S	79	0	0	4	0
28	T	42	0	0	4	0
28	U	47	0	0	0	0
28	V	24	0	0	5	1
28	W	17	0	0	1	0
28	X	18	0	0	1	0
28	Y	17	0	0	1	0
28	Z	12	0	0	0	0
All	All	32377	0	31226	561	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 561 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
24:P:1265:PEK:H383	25:T:1269:CDL:C27	1.54	1.35
24:P:1265:PEK:C38	25:T:1269:CDL:H273	1.66	1.25
24:C:265:PEK:H383	25:G:269:CDL:H273	1.20	1.19
6:S:52:ILE:O	6:S:94:HIS:CE1	1.96	1.18
28:N:4772:HOH:O	24:P:1264:PEK:H381	1.44	1.14

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:Y:2:HIS:N	28:V:4556:HOH:O[2_685]	2.13	0.07

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	512/514 (100%)	494 (96%)	17 (3%)	1 (0%)	43	76
1	N	512/514 (100%)	497 (97%)	15 (3%)	0	100	100
2	B	225/227 (99%)	214 (95%)	10 (4%)	1 (0%)	30	65
2	O	225/227 (99%)	214 (95%)	10 (4%)	1 (0%)	30	65
3	C	257/261 (98%)	251 (98%)	6 (2%)	0	100	100
3	P	257/261 (98%)	250 (97%)	5 (2%)	2 (1%)	16	50
4	D	142/147 (97%)	136 (96%)	6 (4%)	0	100	100
4	Q	142/147 (97%)	138 (97%)	4 (3%)	0	100	100
5	E	103/109 (94%)	102 (99%)	1 (1%)	0	100	100
5	R	103/109 (94%)	103 (100%)	0	0	100	100
6	F	96/98 (98%)	87 (91%)	8 (8%)	1 (1%)	12	45
6	S	96/98 (98%)	88 (92%)	6 (6%)	2 (2%)	5	27
7	G	81/85 (95%)	65 (80%)	8 (10%)	8 (10%)	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	T	81/85 (95%)	66 (82%)	10 (12%)	5 (6%)	1	6
8	H	77/85 (91%)	69 (90%)	5 (6%)	3 (4%)	2	14
8	U	77/85 (91%)	71 (92%)	4 (5%)	2 (3%)	4	23
9	I	71/73 (97%)	68 (96%)	3 (4%)	0	100	100
9	V	71/73 (97%)	68 (96%)	2 (3%)	1 (1%)	9	36
10	J	56/59 (95%)	56 (100%)	0	0	100	100
10	W	56/59 (95%)	56 (100%)	0	0	100	100
11	K	47/56 (84%)	47 (100%)	0	0	100	100
11	X	47/56 (84%)	47 (100%)	0	0	100	100
12	L	44/47 (94%)	41 (93%)	3 (7%)	0	100	100
12	Y	44/47 (94%)	43 (98%)	1 (2%)	0	100	100
13	M	41/46 (89%)	41 (100%)	0	0	100	100
13	Z	41/46 (89%)	39 (95%)	2 (5%)	0	100	100
All	All	3504/3614 (97%)	3351 (96%)	126 (4%)	27 (1%)	16	50

5 of 27 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	F	95	GLN
7	G	4	ALA
7	G	7	ASP
7	G	8	HIS
7	G	39	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	426/426 (100%)	416 (98%)	10 (2%)	44	74
1	N	426/426 (100%)	413 (97%)	13 (3%)	35	68
2	B	210/210 (100%)	201 (96%)	9 (4%)	26	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	O	210/210 (100%)	197 (94%)	13 (6%)	16	49
3	C	224/226 (99%)	219 (98%)	5 (2%)	45	74
3	P	224/226 (99%)	218 (97%)	6 (3%)	39	71
4	D	128/129 (99%)	126 (98%)	2 (2%)	55	79
4	Q	128/129 (99%)	122 (95%)	6 (5%)	23	58
5	E	92/95 (97%)	89 (97%)	3 (3%)	33	67
5	R	92/95 (97%)	88 (96%)	4 (4%)	26	60
6	F	81/81 (100%)	78 (96%)	3 (4%)	30	64
6	S	81/81 (100%)	76 (94%)	5 (6%)	16	49
7	G	67/68 (98%)	62 (92%)	5 (8%)	12	41
7	T	67/68 (98%)	62 (92%)	5 (8%)	12	41
8	H	71/75 (95%)	66 (93%)	5 (7%)	14	44
8	U	71/75 (95%)	66 (93%)	5 (7%)	14	44
9	I	57/57 (100%)	54 (95%)	3 (5%)	20	54
9	V	57/57 (100%)	51 (90%)	6 (10%)	6	27
10	J	49/50 (98%)	48 (98%)	1 (2%)	48	76
10	W	49/50 (98%)	48 (98%)	1 (2%)	48	76
11	K	39/46 (85%)	38 (97%)	1 (3%)	40	72
11	X	39/46 (85%)	38 (97%)	1 (3%)	40	72
12	L	39/40 (98%)	37 (95%)	2 (5%)	21	55
12	Y	39/40 (98%)	37 (95%)	2 (5%)	21	55
13	M	37/38 (97%)	32 (86%)	5 (14%)	4	18
13	Z	37/38 (97%)	32 (86%)	5 (14%)	4	18
All	All	3040/3082 (99%)	2914 (96%)	126 (4%)	27	61

5 of 126 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	N	138	HIS
8	U	84	LYS
2	O	66	THR
8	U	70	SER
11	X	54	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 53 such sidechains are listed below:

Mol	Chain	Res	Type
8	H	31	GLN
1	N	512	ASN
8	U	28	ASN
10	J	29	ASN
1	N	178	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	FME	N	1	1	8,9,10	0.57	0	8,9,11	5.29	2 (25%)
7	TPO	T	11	7	8,10,11	2.35	3 (37%)	10,14,16	1.65	3 (30%)
2	FME	O	1	2	8,9,10	0.77	0	8,9,11	4.73	3 (37%)
7	TPO	G	11	7	8,10,11	2.75	4 (50%)	10,14,16	1.74	2 (20%)
2	FME	B	1	2	8,9,10	1.05	1 (12%)	8,9,11	5.53	3 (37%)
9	SAC	V	1	9	7,8,9	2.49	2 (28%)	7,9,11	3.13	1 (14%)
9	SAC	I	1	9	7,8,9	2.53	2 (28%)	7,9,11	1.72	1 (14%)
1	FME	A	1	1	8,9,10	0.77	0	8,9,11	4.28	3 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	FME	N	1	1	-	3/7/9/11	-
7	TPO	T	11	7	-	3/9/11/13	-
2	FME	O	1	2	-	1/7/9/11	-
7	TPO	G	11	7	-	4/9/11/13	-
2	FME	B	1	2	-	1/7/9/11	-
9	SAC	V	1	9	-	2/7/8/10	-
9	SAC	I	1	9	-	3/7/8/10	-
1	FME	A	1	1	-	4/7/9/11	-

The worst 5 of 12 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	G	11	TPO	P-OG1	5.46	1.69	1.59
9	I	1	SAC	OAC-C1A	5.35	1.35	1.23
9	V	1	SAC	CA-N	4.56	1.53	1.46
9	V	1	SAC	OAC-C1A	4.52	1.33	1.23
7	T	11	TPO	P-OG1	3.83	1.66	1.59

The worst 5 of 18 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	N	1	FME	CA-N-CN	-14.36	100.73	122.82
2	B	1	FME	CA-N-CN	-14.25	100.91	122.82
2	O	1	FME	CA-N-CN	-12.59	103.45	122.82
1	A	1	FME	CA-N-CN	-11.19	105.61	122.82
9	V	1	SAC	C-CA-N	7.50	123.97	109.50

There are no chirality outliers.

5 of 21 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	1	FME	O1-CN-N-CA
1	A	1	FME	N-CA-CB-CG
2	B	1	FME	O1-CN-N-CA
7	G	11	TPO	N-CA-CB-CG2
7	G	11	TPO	N-CA-CB-OG1

There are no ring outliers.

3 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	T	11	TPO	2	0
2	O	1	FME	3	0
1	A	1	FME	3	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 52 ligands modelled in this entry, 8 are monoatomic and 2 are unknown - leaving 42 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
24	PEK	C	264	-	52,52,52	1.00	4 (7%)	55,57,57	1.44	8 (14%)
18	TGL	N	1523	-	62,62,62	1.45	6 (9%)	65,65,65	1.50	13 (20%)
22	CHD	J	60	-	32,32,32	1.03	2 (6%)	51,51,51	3.01	24 (47%)
18	TGL	A	521	-	62,62,62	1.34	6 (9%)	65,65,65	1.85	16 (24%)
19	PGV	A	522	-	50,50,50	0.86	2 (4%)	53,56,56	1.18	2 (3%)
21	PSC	O	1229	-	51,51,51	1.19	3 (5%)	57,59,59	1.11	4 (7%)
19	PGV	C	267	-	50,50,50	0.86	3 (6%)	53,56,56	1.09	5 (9%)
19	PGV	P	1268	-	50,50,50	1.25	2 (4%)	53,56,56	1.51	6 (11%)
22	CHD	P	1271	-	32,32,32	0.66	0	51,51,51	2.24	20 (39%)
25	CDL	C	270	-	99,99,99	1.46	13 (13%)	105,111,111	1.37	15 (14%)
24	PEK	P	1264	-	52,52,52	1.01	4 (7%)	55,57,57	1.37	10 (18%)
24	PEK	P	1265	-	52,52,52	1.36	4 (7%)	55,57,57	1.32	6 (10%)
19	PGV	N	1266	-	50,50,50	0.86	2 (4%)	53,56,56	1.38	6 (11%)
22	CHD	B	1085	-	32,32,32	0.86	0	51,51,51	1.86	16 (31%)
24	PEK	T	263	-	52,52,52	1.32	4 (7%)	55,57,57	1.22	7 (12%)
27	DMU	Z	1526	-	34,34,34	0.90	2 (5%)	45,45,45	2.59	15 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
22	CHD	C	271	-	32,32,32	0.68	0	51,51,51	2.24	21 (41%)
20	CUA	O	228	2	0,1,1	-	-	-		
22	CHD	G	229	-	32,32,32	0.68	1 (3%)	51,51,51	1.26	3 (5%)
19	PGV	C	268	-	50,50,50	1.28	2 (4%)	53,56,56	1.35	6 (11%)
22	CHD	P	1525	-	32,32,32	0.72	0	51,51,51	1.67	12 (23%)
22	CHD	C	525	-	32,32,32	0.91	1 (3%)	51,51,51	1.25	5 (9%)
18	TGL	D	523	-	62,62,62	1.44	6 (9%)	65,65,65	1.61	10 (15%)
19	PGV	P	1267	-	50,50,50	0.94	3 (6%)	53,56,56	1.08	4 (7%)
25	CDL	P	1270	-	99,99,99	1.51	13 (13%)	105,111,111	1.44	16 (15%)
27	DMU	M	526	-	34,34,34	0.96	2 (5%)	45,45,45	2.63	16 (35%)
25	CDL	T	1269	-	99,99,99	1.46	12 (12%)	105,111,111	1.29	12 (11%)
19	PGV	A	524	-	50,50,50	1.30	2 (4%)	53,56,56	1.26	7 (13%)
14	HEA	N	515	1	67,67,67	2.24	21 (31%)	81,103,103	2.49	23 (28%)
19	PGV	N	1524	-	50,50,50	1.01	2 (4%)	53,56,56	1.24	6 (11%)
24	PEK	C	265	-	52,52,52	1.29	3 (5%)	55,57,57	1.25	6 (10%)
18	TGL	N	1522	-	62,62,62	1.66	7 (11%)	65,65,65	1.61	15 (23%)
24	PEK	G	1263	-	52,52,52	1.33	2 (3%)	55,57,57	1.33	6 (10%)
25	CDL	G	269	-	99,99,99	1.51	12 (12%)	105,111,111	1.35	12 (11%)
22	CHD	W	1059	-	32,32,32	0.98	1 (3%)	51,51,51	3.30	22 (43%)
21	PSC	B	229	-	51,51,51	1.21	3 (5%)	57,59,59	1.12	3 (5%)
14	HEA	N	516	1	67,67,67	2.15	25 (37%)	81,103,103	1.56	14 (17%)
14	HEA	A	515	1	67,67,67	2.19	25 (37%)	81,103,103	2.27	22 (27%)
14	HEA	A	516	1	67,67,67	2.16	26 (38%)	81,103,103	1.42	11 (13%)
18	TGL	L	522	-	62,62,62	1.46	7 (11%)	65,65,65	1.64	12 (18%)
18	TGL	N	1521	-	62,62,62	1.34	6 (9%)	65,65,65	1.62	12 (18%)
20	CUA	B	228	2	0,1,1	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
24	PEK	C	264	-	-	28/56/56/56	-
18	TGL	N	1523	-	-	36/65/65/65	-
22	CHD	J	60	-	-	6/9/74/74	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	TGL	A	521	-	-	36/65/65/65	-
19	PGV	A	522	-	-	14/55/55/55	-
21	PSC	O	1229	-	-	38/55/55/55	-
19	PGV	C	267	-	-	16/55/55/55	-
19	PGV	P	1268	-	-	33/55/55/55	-
22	CHD	P	1271	-	-	5/9/74/74	0/4/4/4
25	CDL	C	270	-	-	66/110/110/110	-
24	PEK	P	1264	-	-	23/56/56/56	-
24	PEK	P	1265	-	-	30/56/56/56	-
19	PGV	N	1266	-	-	16/55/55/55	-
22	CHD	B	1085	-	-	2/9/74/74	0/4/4/4
27	DMU	Z	1526	-	4/4/10/10	10/19/59/59	0/2/2/2
24	PEK	T	263	-	-	32/56/56/56	-
22	CHD	C	271	-	-	6/9/74/74	0/4/4/4
22	CHD	G	229	-	-	2/9/74/74	0/4/4/4
19	PGV	C	268	-	-	34/55/55/55	-
22	CHD	P	1525	-	-	0/9/74/74	0/4/4/4
27	DMU	M	526	-	4/4/10/10	9/19/59/59	0/2/2/2
18	TGL	D	523	-	-	36/65/65/65	-
19	PGV	P	1267	-	-	16/55/55/55	-
22	CHD	C	525	-	-	2/9/74/74	0/4/4/4
25	CDL	P	1270	-	-	66/110/110/110	-
25	CDL	T	1269	-	-	52/110/110/110	-
19	PGV	A	524	-	-	33/55/55/55	-
14	HEA	N	515	1	-	10/36/76/76	-
19	PGV	N	1524	-	-	39/55/55/55	-
24	PEK	C	265	-	-	23/56/56/56	-
18	TGL	N	1522	-	-	35/65/65/65	-
24	PEK	G	1263	-	-	31/56/56/56	-
25	CDL	G	269	-	-	64/110/110/110	-
22	CHD	W	1059	-	-	8/9/74/74	0/4/4/4
21	PSC	B	229	-	-	31/55/55/55	-
14	HEA	N	516	1	-	8/36/76/76	-
14	HEA	A	515	1	-	10/36/76/76	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	HEA	A	516	1	-	7/36/76/76	-
18	TGL	L	522	-	-	39/65/65/65	-
18	TGL	N	1521	-	-	33/65/65/65	-

The worst 5 of 239 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	N	1522	TGL	OG1-CA1	6.80	1.53	1.33
18	N	1522	TGL	OG2-CB1	6.23	1.51	1.34
19	A	524	PGV	O03-C19	6.20	1.51	1.33
24	T	263	PEK	O03-C21	6.17	1.51	1.33
14	A	515	HEA	FE-NA	6.09	2.15	1.95

The worst 5 of 449 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	A	515	HEA	C17-C18-C19	-9.63	105.58	127.62
14	N	515	HEA	C17-C18-C19	-9.34	106.25	127.62
22	W	1059	CHD	C13-C17-C20	8.32	129.57	119.48
14	N	515	HEA	C17-C16-C15	8.21	140.40	113.19
14	A	515	HEA	C17-C16-C15	7.47	137.93	113.19

5 of 8 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
27	M	526	DMU	C3
27	M	526	DMU	C2
27	M	526	DMU	C9
27	M	526	DMU	C5
27	Z	1526	DMU	C4

5 of 985 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
14	A	515	HEA	C2A-C3A-CMA-OMA
14	A	515	HEA	C4A-C3A-CMA-OMA
14	A	516	HEA	C2A-C3A-CMA-OMA
14	N	515	HEA	C2A-C3A-CMA-OMA
14	N	515	HEA	C4A-C3A-CMA-OMA


There are no ring outliers.


35 monomers are involved in 242 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
24	C	264	PEK	3	0
18	N	1523	TGL	6	0
22	J	60	CHD	2	0
18	A	521	TGL	6	0
19	A	522	PGV	1	0
21	O	1229	PSC	17	0
19	C	267	PGV	8	0
19	P	1268	PGV	5	0
22	P	1271	CHD	1	0
25	C	270	CDL	20	0
24	P	1264	PEK	5	0
24	P	1265	PEK	8	0
19	N	1266	PGV	3	0
22	B	1085	CHD	2	0
24	T	263	PEK	11	0
22	C	271	CHD	2	0
19	C	268	PGV	3	0
22	P	1525	CHD	1	0
18	D	523	TGL	5	0
19	P	1267	PGV	2	0
25	P	1270	CDL	9	0
25	T	1269	CDL	25	0
19	A	524	PGV	12	0
14	N	515	HEA	4	0
19	N	1524	PGV	7	0
24	C	265	PEK	5	0
18	N	1522	TGL	9	0
24	G	1263	PEK	10	0
25	G	269	CDL	20	0
22	W	1059	CHD	3	0
21	B	229	PSC	11	0
14	A	515	HEA	9	0
14	A	516	HEA	2	0
18	L	522	TGL	14	0
18	N	1521	TGL	7	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be



highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.















Ligand PEK P 1264




Ligand PEK P 1265










Ligand DMU Z 1526




Ligand CHD C 271










Ligand CHD P 1525







Ligand CHD C 525


























Ligand CHD W 1059



Ligand PSC B 229







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	513/514 (99%)	-1.16	0 100 100	13, 17, 24, 50	0
1	N	513/514 (99%)	-1.09	0 100 100	13, 19, 26, 49	0
2	B	226/227 (99%)	-0.93	1 (0%) 88 76	12, 21, 49, 70	0
2	O	226/227 (99%)	-0.66	4 (1%) 67 44	16, 24, 50, 68	0
3	C	259/261 (99%)	-1.06	0 100 100	12, 18, 30, 48	0
3	P	259/261 (99%)	-0.96	1 (0%) 88 76	14, 20, 33, 52	0
4	D	144/147 (97%)	-0.91	0 100 100	14, 20, 41, 64	0
4	Q	144/147 (97%)	-0.14	6 (4%) 40 22	19, 31, 56, 99	0
5	E	105/109 (96%)	-0.91	1 (0%) 79 59	13, 20, 48, 85	0
5	R	105/109 (96%)	-0.49	1 (0%) 79 59	17, 24, 56, 88	0
6	F	98/98 (100%)	-0.67	6 (6%) 27 14	15, 24, 72, 108	0
6	S	98/98 (100%)	-0.41	9 (9%) 14 8	14, 23, 74, 106	0
7	G	83/85 (97%)	-0.12	12 (14%) 6 3	13, 24, 92, 96	0
7	T	83/85 (97%)	-0.13	12 (14%) 6 3	16, 26, 92, 97	0
8	H	79/85 (92%)	-0.55	4 (5%) 33 17	16, 27, 76, 99	0
8	U	79/85 (92%)	-0.38	1 (1%) 75 53	19, 29, 76, 100	0
9	I	72/73 (98%)	-0.55	0 100 100	16, 29, 54, 62	0
9	V	72/73 (98%)	-0.24	4 (5%) 30 15	16, 35, 55, 79	0
10	J	58/59 (98%)	-0.58	2 (3%) 48 27	19, 28, 55, 89	0
10	W	58/59 (98%)	-0.50	1 (1%) 69 45	18, 27, 61, 95	0
11	K	49/56 (87%)	-0.67	0 100 100	19, 26, 37, 49	0
11	X	49/56 (87%)	-0.28	1 (2%) 65 41	24, 32, 47, 61	0
12	L	46/47 (97%)	-0.80	0 100 100	17, 23, 46, 70	0
12	Y	46/47 (97%)	-0.62	0 100 100	18, 24, 51, 73	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	43/46 (93%)	-0.63	2 (4%) 36 19	15, 21, 66, 91	0
13	Z	43/46 (93%)	-0.38	2 (4%) 36 19	22, 26, 75, 94	0
All	All	3550/3614 (98%)	-0.79	70 (1%) 65 41	12, 21, 52, 108	0

The worst 5 of 70 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
6	S	1	ALA	7.0
6	S	97	ALA	6.6
4	Q	6	VAL	6.5
6	F	1	ALA	5.8
4	Q	5	VAL	5.6

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
9	SAC	V	1	9/10	0.49	0.21	84,85,86,86	0
7	TPO	G	11	11/12	0.53	0.25	61,67,86,87	0
9	SAC	I	1	9/10	0.57	0.26	71,74,76,78	0
7	TPO	T	11	11/12	0.59	0.24	64,70,88,88	0
1	FME	A	1	10/11	0.88	0.12	34,36,49,58	0
1	FME	N	1	10/11	0.91	0.12	35,35,51,53	0
2	FME	O	1	10/11	0.96	0.09	23,24,32,39	0
2	FME	B	1	10/11	0.97	0.06	20,21,29,35	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column

labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
23	UNX	C	262	1/1	0.29	0.25	42,42,42,42	0
23	UNX	P	262	1/1	0.55	0.30	42,42,42,42	0
22	CHD	W	1059	29/29	0.59	0.26	91,103,105,105	0
22	CHD	J	60	29/29	0.67	0.24	98,105,109,109	0
24	PEK	T	263	53/53	0.72	0.24	38,90,112,114	0
24	PEK	C	265	53/53	0.73	0.22	36,87,96,98	0
18	TGL	N	1523	63/63	0.73	0.20	45,70,89,91	0
24	PEK	P	1265	53/53	0.74	0.21	34,86,99,100	0
19	PGV	P	1268	51/51	0.75	0.21	74,86,100,101	0
24	PEK	G	1263	53/53	0.76	0.22	42,92,110,110	0
19	PGV	C	268	51/51	0.77	0.19	57,84,99,100	0
19	PGV	N	1524	51/51	0.78	0.17	36,64,98,101	0
19	PGV	A	524	51/51	0.78	0.18	29,64,91,94	0
25	CDL	T	1269	100/100	0.78	0.19	51,83,107,108	0
25	CDL	P	1270	100/100	0.79	0.19	39,83,105,108	0
25	CDL	G	269	100/100	0.79	0.18	56,82,107,111	0
18	TGL	N	1521	63/63	0.80	0.17	40,68,88,92	0
18	TGL	N	1522	63/63	0.80	0.19	41,65,81,83	0
18	TGL	D	523	63/63	0.80	0.17	44,64,89,90	0
21	PSC	B	229	52/52	0.81	0.18	44,89,112,114	0
21	PSC	O	1229	52/52	0.82	0.21	34,82,109,112	0
22	CHD	C	271	29/29	0.82	0.18	76,85,87,88	0
25	CDL	C	270	100/100	0.82	0.18	38,80,104,106	0
18	TGL	A	521	63/63	0.83	0.16	40,64,86,90	0
22	CHD	P	1271	29/29	0.84	0.16	78,87,88,88	0
18	TGL	L	522	63/63	0.84	0.18	32,55,78,82	0
27	DMU	Z	1526	33/33	0.94	0.09	29,41,54,57	0
27	DMU	M	526	33/33	0.95	0.07	26,34,43,43	0
14	HEA	N	515	60/60	0.95	0.12	22,41,66,70	0
24	PEK	C	264	53/53	0.96	0.09	14,34,69,70	0
17	NA	N	519	1/1	0.96	0.06	21,21,21,21	0
22	CHD	P	1525	29/29	0.96	0.07	19,26,29,33	0
24	PEK	P	1264	53/53	0.96	0.09	14,35,68,70	0
16	MG	N	518	1/1	0.97	0.08	18,18,18,18	0
19	PGV	C	267	51/51	0.97	0.07	15,23,61,65	0
19	PGV	N	1266	51/51	0.97	0.08	20,34,52,53	0
22	CHD	B	1085	29/29	0.97	0.06	7,13,15,22	0
22	CHD	C	525	29/29	0.97	0.06	18,26,28,28	0
19	PGV	P	1267	51/51	0.97	0.07	17,25,63,65	0
19	PGV	A	522	51/51	0.98	0.06	14,25,49,51	0
14	HEA	A	515	60/60	0.98	0.06	6,18,35,40	0
22	CHD	G	229	29/29	0.98	0.04	6,12,14,15	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
20	CUA	O	228	2/2	0.98	0.04	20,20,20,22	0
14	HEA	N	516	60/60	0.98	0.06	5,17,25,27	0
16	MG	A	518	1/1	0.98	0.08	15,15,15,15	0
14	HEA	A	516	60/60	0.98	0.05	10,15,23,26	0
15	CU	N	517	1/1	0.99	0.06	24,24,24,24	0
17	NA	A	519	1/1	0.99	0.08	18,18,18,18	0
26	ZN	F	99	1/1	0.99	0.01	22,22,22,22	0
20	CUA	B	228	2/2	0.99	0.02	17,17,17,18	0
15	CU	A	517	1/1	0.99	0.05	22,22,22,22	0
26	ZN	S	99	1/1	1.00	0.01	22,22,22,22	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around CHD W 1059:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around CHD J 60:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEK T 263:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around PEK C 265:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TGL N 1523:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEK P 1265:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PGV P 1268:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEK G 1263:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PGV C 268:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PGV N 1524:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PGV A 524:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around CDL T 1269:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CDL P 1270:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CDL G 269:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TGL N 1521:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around TGL N 1522:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TGL D 523:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PSC B 229:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PSC O 1229:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CHD C 271:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CDL C 270:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TGL A 521:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CHD P 1271:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TGL L 522:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DMU Z 1526:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU M 526:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HEA N 515:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEK C 264:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CHD P 1525:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEK P 1264:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PGV C 267:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PGV N 1266:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CHD B 1085:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around CHD C 525:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PGV P 1267:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PGV A 522:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around HEA A 515:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around CHD G 229:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around HEA N 516:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.