



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 11:58 AM UTC

PDB ID : 8B7U / pdb_00008b7u
Title : Bacterial chalcone isomerase H33A with taxifolin
Authors : Hinrichs, W.; Palm, G.J.
Deposited on : 2022-10-03
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	283	% 82%8%9%
1	B	283	% 85%6%8%
1	C	283	% 83%8%8%
1	D	283	% 86%5%8%
1	E	283	% 86%5%8%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	283	
1	G	283	
1	H	283	
1	I	283	
1	J	283	
1	K	283	
1	L	283	
1	M	283	
1	N	283	
1	O	283	
1	P	283	
1	Q	283	
1	R	283	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CL	C	1005	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 39179 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chalcone isomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	257	Total	C	N	O	S	0	0	0
			2112	1380	342	377	13			
1	B	259	Total	C	N	O	S	0	0	0
			2122	1386	344	379	13			
1	C	259	Total	C	N	O	S	0	0	0
			2122	1386	344	379	13			
1	D	259	Total	C	N	O	S	0	0	0
			2122	1386	344	379	13			
1	E	259	Total	C	N	O	S	0	0	0
			2122	1386	344	379	13			
1	F	260	Total	C	N	O	S	0	0	0
			2127	1389	345	380	13			
1	G	258	Total	C	N	O	S	0	0	0
			2117	1383	343	378	13			
1	H	259	Total	C	N	O	S	0	0	0
			2122	1386	344	379	13			
1	I	259	Total	C	N	O	S	0	0	0
			2122	1386	344	379	13			
1	J	259	Total	C	N	O	S	0	0	0
			2122	1386	344	379	13			
1	K	259	Total	C	N	O	S	0	0	0
			2122	1386	344	379	13			
1	L	259	Total	C	N	O	S	0	0	0
			2122	1386	344	379	13			
1	M	260	Total	C	N	O	S	0	0	0
			2127	1389	345	380	13			
1	N	259	Total	C	N	O	S	0	0	0
			2122	1386	344	379	13			
1	O	258	Total	C	N	O	S	0	0	0
			2117	1383	343	378	13			
1	P	258	Total	C	N	O	S	0	0	0
			2117	1383	343	378	13			

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Q	258	Total	C	N	O	S	0	0	0
			2117	1383	343	378	13			
1	R	259	Total	C	N	O	S	0	0	0
			2122	1386	344	379	13			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	33	ALA	HIS	engineered mutation	UNP V9P0A9
B	33	ALA	HIS	engineered mutation	UNP V9P0A9
C	33	ALA	HIS	engineered mutation	UNP V9P0A9
D	33	ALA	HIS	engineered mutation	UNP V9P0A9
E	33	ALA	HIS	engineered mutation	UNP V9P0A9
F	33	ALA	HIS	engineered mutation	UNP V9P0A9
G	33	ALA	HIS	engineered mutation	UNP V9P0A9
H	33	ALA	HIS	engineered mutation	UNP V9P0A9
I	33	ALA	HIS	engineered mutation	UNP V9P0A9
J	33	ALA	HIS	engineered mutation	UNP V9P0A9
K	33	ALA	HIS	engineered mutation	UNP V9P0A9
L	33	ALA	HIS	engineered mutation	UNP V9P0A9
M	33	ALA	HIS	engineered mutation	UNP V9P0A9
N	33	ALA	HIS	engineered mutation	UNP V9P0A9
O	33	ALA	HIS	engineered mutation	UNP V9P0A9
P	33	ALA	HIS	engineered mutation	UNP V9P0A9
Q	33	ALA	HIS	engineered mutation	UNP V9P0A9
R	33	ALA	HIS	engineered mutation	UNP V9P0A9

- Molecule 2 is (2R,3R)-2-(3,4-DIHYDROXYPHENYL)-3,5,7-TRIHYDROXY-2,3-DIHYDRO-4H-CHROMEN-4-ONE (CCD ID: DQH) (formula: C₁₅H₁₂O₇) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			22	15	7		
2	A	1	Total	C	O	0	0
			22	15	7		
2	B	1	Total	C	O	0	0
			22	15	7		
2	B	1	Total	C	O	0	0
			22	15	7		
2	C	1	Total	C	O	0	0
			22	15	7		
2	C	1	Total	C	O	0	0
			22	15	7		
2	D	1	Total	C	O	0	0
			22	15	7		
2	D	1	Total	C	O	0	0
			22	15	7		
2	E	1	Total	C	O	0	0
			22	15	7		
2	E	1	Total	C	O	0	0
			22	15	7		
2	F	1	Total	C	O	0	0
			22	15	7		
2	F	1	Total	C	O	0	0
			22	15	7		
2	G	1	Total	C	O	0	0
			22	15	7		
2	G	1	Total	C	O	0	0
			22	15	7		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	H	1	Total	C	O	0	0
			22	15	7		
2	H	1	Total	C	O	0	0
			22	15	7		
2	I	1	Total	C	O	0	0
			22	15	7		
2	I	1	Total	C	O	0	0
			22	15	7		
2	J	1	Total	C	O	0	0
			22	15	7		
2	K	1	Total	C	O	0	0
			22	15	7		
2	K	1	Total	C	O	0	0
			22	15	7		
2	L	1	Total	C	O	0	0
			22	15	7		
2	L	1	Total	C	O	0	0
			22	15	7		
2	M	1	Total	C	O	0	0
			22	15	7		
2	M	1	Total	C	O	0	0
			22	15	7		
2	N	1	Total	C	O	0	0
			22	15	7		
2	N	1	Total	C	O	0	0
			22	15	7		
2	O	1	Total	C	O	0	0
			22	15	7		
2	O	1	Total	C	O	0	0
			22	15	7		
2	P	1	Total	C	O	0	0
			22	15	7		
2	P	1	Total	C	O	0	0
			22	15	7		
2	Q	1	Total	C	O	0	0
			22	15	7		
2	Q	1	Total	C	O	0	0
			22	15	7		
2	R	1	Total	C	O	0	0
			22	15	7		
2	R	1	Total	C	O	0	0
			22	15	7		

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total 1	Cl 1	0	0
3	B	1	Total 1	Cl 1	0	0
3	C	3	Total 3	Cl 3	0	0
3	D	2	Total 2	Cl 2	0	0
3	E	2	Total 2	Cl 2	0	0
3	F	3	Total 3	Cl 3	0	0
3	G	4	Total 4	Cl 4	0	0
3	H	2	Total 2	Cl 2	0	0
3	I	2	Total 2	Cl 2	0	0
3	J	1	Total 1	Cl 1	0	0
3	K	5	Total 5	Cl 5	0	0
3	L	3	Total 3	Cl 3	0	0
3	M	3	Total 3	Cl 3	0	0
3	N	5	Total 5	Cl 5	0	0
3	O	1	Total 1	Cl 1	0	0
3	P	2	Total 2	Cl 2	0	0
3	Q	2	Total 2	Cl 2	0	0
3	R	5	Total 5	Cl 5	0	0

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is SULFATE ION (CCD ID: SO₄) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	D	1	Total O S 5 4 1	0	0
5	F	1	Total O S 5 4 1	0	0
5	H	1	Total O S 5 4 1	0	0
5	I	1	Total O S 5 4 1	0	0
5	K	1	Total O S 5 4 1	0	0
5	R	1	Total O S 5 4 1	0	0

- Molecule 6 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total K 1 1	0	0
6	C	1	Total K 1 1	0	0
6	D	1	Total K 1 1	0	0
6	F	1	Total K 1 1	0	0
6	G	1	Total K 1 1	0	0
6	H	1	Total K 1 1	0	0

- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	7	Total O 7 7	0	0
7	B	10	Total O 10 10	0	0
7	C	12	Total O 12 12	0	0
7	D	12	Total O 12 12	0	0
7	E	9	Total O 9 9	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	F	9	Total 9	O 9	0	0
7	G	8	Total 8	O 8	0	0
7	H	11	Total 11	O 11	0	0
7	I	3	Total 3	O 3	0	0
7	J	4	Total 4	O 4	0	0
7	K	7	Total 7	O 7	0	0
7	L	5	Total 5	O 5	0	0
7	M	4	Total 4	O 4	0	0
7	N	5	Total 5	O 5	0	0
7	O	6	Total 6	O 6	0	0
7	P	5	Total 5	O 5	0	0
7	Q	5	Total 5	O 5	0	0
7	R	6	Total 6	O 6	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Chalcone isomerase




- Molecule 1: Chalcone isomerase








- Molecule 1: Chalcone isomerase




- Molecule 1: Chalcone isomerase





Chain E: 86% 5% 8%









- Molecule 1: Chalcone isomerase





- Molecule 1: Chalcone isomerase




- Molecule 1: Chalcone isomerase




- Molecule 1: Chalcone isomerase





- Molecule 1: Chalcone isomerase









• Molecule 1: Chalcone isomerase



• Molecule 1: Chalcone isomerase



• Molecule 1: Chalcone isomerase



4 Data and refinement statistics

Property	Value	Source
Space group	I 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	187.58Å 203.74Å 560.39Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.42 – 2.80 49.42 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.4 (49.42-2.80) 99.4 (49.42-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.36 (at 2.77Å)	Xtriage
Refinement program	REFMAC 5.8.0352	Depositor
R, R_{free}	0.213 , 0.225 0.217 , 0.227	Depositor DCC
R_{free} test set	2797 reflections (1.05%)	wwPDB-VP
Wilson B-factor (Å ²)	48.4	Xtriage
Anisotropy	0.139	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 41.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	39179	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, SO4, K, GOL, DQH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.55	0/2182	0.91	0/2966
1	B	0.56	0/2192	0.92	0/2980
1	C	0.60	1/2192 (0.0%)	0.93	1/2980 (0.0%)
1	D	0.59	0/2192	0.91	0/2980
1	E	0.57	0/2192	0.91	0/2980
1	F	0.56	0/2197	0.91	0/2987
1	G	0.55	0/2187	0.91	0/2973
1	H	0.56	0/2192	0.91	0/2980
1	I	0.54	0/2192	0.91	0/2980
1	J	0.54	0/2192	0.90	0/2980
1	K	0.56	0/2192	0.92	1/2980 (0.0%)
1	L	0.54	0/2192	0.91	0/2980
1	M	0.53	0/2197	0.90	0/2987
1	N	0.55	0/2192	0.91	1/2980 (0.0%)
1	O	0.54	0/2187	0.90	1/2973 (0.0%)
1	P	0.52	0/2187	0.91	0/2973
1	Q	0.55	0/2187	0.93	3/2973 (0.1%)
1	R	0.54	0/2192	0.92	3/2980 (0.1%)
All	All	0.55	1/39436 (0.0%)	0.91	10/53612 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	2
1	D	0	1
1	E	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
1	F	0	1
1	G	0	1
1	H	0	1
1	J	0	1
1	L	0	2
1	M	0	1
1	O	0	2
1	P	0	2
1	Q	0	2
1	R	0	2
All	All	0	22

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	282	ARG	C-O	5.11	1.33	1.23

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	Q	131	GLU	CB-CG-CD	8.07	126.33	112.60
1	K	105	PRO	N-CA-C	6.58	124.15	114.80
1	O	229	LYS	CA-CB-CG	6.38	126.86	114.10
1	N	229	LYS	CA-CB-CG	6.37	126.85	114.10
1	R	131	GLU	CA-C-O	-5.73	114.73	121.44
1	C	131	GLU	N-CA-C	5.48	119.46	112.12
1	R	205	LYS	CG-CD-CE	-5.29	99.13	111.30
1	Q	156	GLU	CB-CG-CD	-5.07	103.98	112.60
1	R	131	GLU	N-CA-C	-5.06	101.68	109.52
1	Q	131	GLU	CB-CA-C	5.05	119.70	110.10

There are no chirality outliers.

All (22) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	276	ARG	Sidechain
1	B	276	ARG	Sidechain
1	C	105	PRO	Peptide
1	C	276	ARG	Sidechain
1	D	276	ARG	Sidechain
1	E	105	PRO	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	E	276	ARG	Sidechain
1	F	276	ARG	Sidechain
1	G	276	ARG	Sidechain
1	H	276	ARG	Sidechain
1	J	276	ARG	Sidechain
1	L	105	PRO	Peptide
1	L	276	ARG	Sidechain
1	M	130	ALA	Peptide
1	O	105	PRO	Peptide
1	O	276	ARG	Sidechain
1	P	133	ASN	Sidechain
1	P	276	ARG	Sidechain
1	Q	1	ALA	Peptide
1	Q	62	ARG	Sidechain
1	R	105	PRO	Peptide
1	R	133	ASN	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2112	0	2045	20	0
1	B	2122	0	2055	14	0
1	C	2122	0	2055	15	0
1	D	2122	0	2055	10	0
1	E	2122	0	2055	11	0
1	F	2127	0	2060	4	0
1	G	2117	0	2050	8	0
1	H	2122	0	2055	9	0
1	I	2122	0	2055	10	0
1	J	2122	0	2055	12	0
1	K	2122	0	2055	11	0
1	L	2122	0	2055	7	0
1	M	2127	0	2060	10	0
1	N	2122	0	2055	21	0
1	O	2117	0	2050	18	0
1	P	2117	0	2050	10	0
1	Q	2117	0	2050	12	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	R	2122	0	2055	22	0
2	A	44	0	24	4	0
2	B	44	0	24	3	0
2	C	44	0	24	0	0
2	D	44	0	24	3	0
2	E	44	0	24	3	0
2	F	44	0	24	0	0
2	G	44	0	24	0	0
2	H	44	0	22	1	0
2	I	44	0	23	2	0
2	J	22	0	11	0	0
2	K	44	0	24	3	0
2	L	44	0	24	1	0
2	M	44	0	24	1	0
2	N	44	0	24	2	0
2	O	44	0	24	3	0
2	P	44	0	24	0	0
2	Q	44	0	24	2	0
2	R	44	0	24	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	3	0	0	2	0
3	D	2	0	0	0	0
3	E	2	0	0	0	0
3	F	3	0	0	0	0
3	G	4	0	0	0	0
3	H	2	0	0	0	0
3	I	2	0	0	0	0
3	J	1	0	0	0	0
3	K	5	0	0	1	0
3	L	3	0	0	0	0
3	M	3	0	0	0	0
3	N	5	0	0	0	0
3	O	1	0	0	0	0
3	P	2	0	0	0	0
3	Q	2	0	0	0	0
3	R	5	0	0	1	0
4	B	6	0	8	0	0
4	C	6	0	8	0	0
5	B	5	0	0	0	0
5	C	5	0	0	0	0
5	D	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	F	5	0	0	0	0
5	H	5	0	0	0	0
5	I	5	0	0	0	0
5	K	5	0	0	0	0
5	R	5	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	F	1	0	0	0	0
6	G	1	0	0	0	0
6	H	1	0	0	0	0
7	A	7	0	0	0	0
7	B	10	0	0	0	0
7	C	12	0	0	0	0
7	D	12	0	0	0	0
7	E	9	0	0	1	0
7	F	9	0	0	0	0
7	G	8	0	0	0	0
7	H	11	0	0	0	0
7	I	3	0	0	0	0
7	J	4	0	0	0	0
7	K	7	0	0	2	0
7	L	5	0	0	0	0
7	M	4	0	0	0	0
7	N	5	0	0	0	0
7	O	6	0	0	0	0
7	P	5	0	0	0	0
7	Q	5	0	0	0	0
7	R	6	0	0	0	0
All	All	39179	0	37402	198	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (198) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:91:GLU:HG2	2:E:1002:DQH:C2	1.85	1.06
1:A:91:GLU:HG2	2:A:1002:DQH:C2	1.92	0.99
1:Q:91:GLU:HG2	2:Q:1002:DQH:C2	1.94	0.97
1:J:192:ALA:HB2	1:N:184:GLU:OE2	1.65	0.96

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:93:PHE:CE2	2:B:1002:DQH:H5	2.01	0.96
1:R:95:MET:HA	1:R:95:MET:HE2	1.50	0.90
1:O:91:GLU:HG2	2:O:1002:DQH:C2	2.02	0.90
1:N:95:MET:HA	1:N:95:MET:HE2	1.52	0.89
1:N:91:GLU:HG2	2:N:1002:DQH:C2	2.06	0.84
1:A:192:ALA:HB2	1:O:184:GLU:OE2	1.79	0.82
1:J:192:ALA:HA	1:N:184:GLU:HG2	1.64	0.80
1:E:40:GLN:HE22	1:E:91:GLU:HG3	1.52	0.75
1:O:40:GLN:HE22	1:O:91:GLU:HG3	1.52	0.75
2:K:1002:DQH:O29	7:K:1101:HOH:O	2.04	0.75
1:N:40:GLN:HE22	1:N:91:GLU:HG3	1.53	0.74
1:A:40:GLN:HE22	1:A:91:GLU:HG3	1.53	0.74
1:Q:40:GLN:HE22	1:Q:91:GLU:HG3	1.52	0.72
1:N:95:MET:HA	1:N:95:MET:CE	2.20	0.70
1:B:93:PHE:HE2	2:B:1002:DQH:H5	1.55	0.69
1:J:192:ALA:CB	1:N:184:GLU:OE2	2.40	0.69
1:A:91:GLU:HG2	2:A:1002:DQH:O30	1.94	0.67
1:A:281:MET:HE1	1:B:263:VAL:CG2	2.27	0.65
2:D:1002:DQH:H19	2:D:1002:DQH:O27	1.96	0.65
1:E:91:GLU:HG2	2:E:1002:DQH:O30	1.96	0.65
1:O:79:ASP:OD2	2:O:1001:DQH:O24	2.16	0.64
1:B:93:PHE:CD2	2:B:1002:DQH:H5	2.34	0.62
1:A:192:ALA:HA	1:O:184:GLU:HG2	1.82	0.61
2:K:1002:DQH:H1	7:K:1105:HOH:O	1.99	0.61
1:B:95:MET:HG3	1:I:95:MET:HG3	1.85	0.58
1:I:93:PHE:CE2	2:I:1002:DQH:H5	2.39	0.57
1:A:281:MET:HE1	1:B:263:VAL:HG23	1.87	0.57
1:D:37:SER:HB3	1:D:41:PHE:CZ	2.40	0.56
1:R:37:SER:HB3	1:R:41:PHE:CZ	2.40	0.56
1:D:91:GLU:OE2	2:D:1002:DQH:C6	2.53	0.56
1:J:37:SER:HB3	1:J:41:PHE:CZ	2.40	0.56
1:N:40:GLN:NE2	1:N:91:GLU:HG3	2.20	0.56
1:Q:37:SER:HB3	1:Q:41:PHE:CZ	2.40	0.56
1:B:37:SER:HB3	1:B:41:PHE:CZ	2.40	0.56
1:F:37:SER:HB3	1:F:41:PHE:CZ	2.40	0.56
1:G:37:SER:HB3	1:G:41:PHE:CZ	2.41	0.56
1:I:37:SER:HB3	1:I:41:PHE:CZ	2.40	0.56
1:A:192:ALA:CB	1:O:184:GLU:OE2	2.52	0.56
1:H:37:SER:HB3	1:H:41:PHE:CZ	2.40	0.56
1:A:37:SER:HB3	1:A:41:PHE:CZ	2.41	0.56
1:C:37:SER:HB3	1:C:41:PHE:CZ	2.41	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:37:SER:HB3	1:K:41:PHE:CZ	2.40	0.56
1:Q:276:ARG:NH1	1:R:273:ALA:HB1	2.21	0.56
1:N:37:SER:HB3	1:N:41:PHE:CZ	2.41	0.56
1:P:37:SER:HB3	1:P:41:PHE:CZ	2.41	0.56
1:C:155:ILE:HG22	7:E:1105:HOH:O	2.06	0.55
1:A:40:GLN:NE2	1:A:91:GLU:HG3	2.21	0.55
1:E:37:SER:HB3	1:E:41:PHE:CZ	2.41	0.55
1:O:37:SER:HB3	1:O:41:PHE:CZ	2.41	0.55
1:E:40:GLN:NE2	1:E:91:GLU:HG3	2.21	0.55
1:L:79:ASP:OD2	2:L:1001:DQH:O24	2.17	0.55
1:M:37:SER:HB3	1:M:41:PHE:CZ	2.41	0.55
1:Q:40:GLN:NE2	1:Q:91:GLU:HG3	2.22	0.55
1:H:79:ASP:OD2	2:H:1001:DQH:O24	2.25	0.54
1:L:37:SER:HB3	1:L:41:PHE:CZ	2.42	0.54
1:R:95:MET:HE2	1:R:95:MET:CA	2.33	0.53
1:R:103:GLN:C	1:R:104:ILE:CD1	2.82	0.53
1:O:40:GLN:NE2	1:O:91:GLU:HG3	2.21	0.52
1:A:249:PHE:CD1	1:A:250:PRO:HA	2.45	0.52
1:R:103:GLN:C	1:R:104:ILE:HD13	2.35	0.52
1:N:249:PHE:CD1	1:N:250:PRO:HA	2.45	0.52
1:R:103:GLN:HB3	1:R:104:ILE:HD13	1.92	0.52
1:K:276:ARG:NH1	1:L:273:ALA:HB1	2.25	0.52
1:J:249:PHE:CD1	1:J:250:PRO:HA	2.45	0.52
1:M:130:ALA:O	1:M:131:GLU:O	2.28	0.52
1:M:249:PHE:CD1	1:M:250:PRO:HA	2.45	0.52
1:B:104:ILE:HG21	2:I:1002:DQH:O24	2.09	0.52
1:D:249:PHE:CD1	1:D:250:PRO:HA	2.45	0.52
1:E:249:PHE:CD1	1:E:250:PRO:HA	2.45	0.52
1:Q:20:ASP:HA	1:R:223:ASN:HB2	1.92	0.52
1:B:249:PHE:CD1	1:B:250:PRO:HA	2.45	0.51
1:I:249:PHE:CD1	1:I:250:PRO:HA	2.46	0.51
1:R:249:PHE:CD1	1:R:250:PRO:HA	2.45	0.51
1:H:249:PHE:CD1	1:H:250:PRO:HA	2.45	0.51
1:L:249:PHE:CD1	1:L:250:PRO:HA	2.45	0.51
1:O:249:PHE:CD1	1:O:250:PRO:HA	2.45	0.51
1:G:249:PHE:CD1	1:G:250:PRO:HA	2.45	0.51
1:F:249:PHE:CD1	1:F:250:PRO:HA	2.45	0.51
1:N:91:GLU:HG2	2:N:1002:DQH:C3	2.40	0.51
1:C:249:PHE:CD1	1:C:250:PRO:HA	2.45	0.51
1:I:27:ARG:NH2	1:J:155:ILE:O	2.33	0.51
1:K:249:PHE:CD1	1:K:250:PRO:HA	2.45	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:P:249:PHE:CD1	1:P:250:PRO:HA	2.45	0.50
1:J:192:ALA:HA	1:N:184:GLU:CG	2.36	0.50
1:I:249:PHE:CG	1:I:250:PRO:HA	2.47	0.49
1:Q:91:GLU:HG2	2:Q:1002:DQH:C1	2.40	0.49
1:K:249:PHE:CG	1:K:250:PRO:HA	2.48	0.49
1:O:91:GLU:HG2	2:O:1002:DQH:C1	2.42	0.49
1:B:103:GLN:HA	1:B:133:ASN:O	2.13	0.49
1:F:103:GLN:HA	1:F:133:ASN:O	2.13	0.49
1:E:103:GLN:HA	1:E:133:ASN:O	2.13	0.49
1:L:249:PHE:CG	1:L:250:PRO:HA	2.48	0.49
1:P:103:GLN:HA	1:P:133:ASN:O	2.13	0.49
1:C:103:GLN:HA	1:C:133:ASN:O	2.13	0.49
1:D:103:GLN:HA	1:D:133:ASN:O	2.13	0.49
1:M:103:GLN:HA	1:M:133:ASN:O	2.13	0.49
1:O:249:PHE:CG	1:O:250:PRO:HA	2.48	0.49
1:I:103:GLN:HA	1:I:133:ASN:O	2.13	0.48
1:R:104:ILE:CD1	1:R:104:ILE:N	2.75	0.48
1:G:249:PHE:CG	1:G:250:PRO:HA	2.48	0.48
1:J:103:GLN:HA	1:J:133:ASN:O	2.13	0.48
1:Q:103:GLN:HA	1:Q:133:ASN:O	2.13	0.48
1:G:103:GLN:HA	1:G:133:ASN:O	2.13	0.48
1:K:103:GLN:HA	1:K:133:ASN:O	2.13	0.48
1:R:103:GLN:HA	1:R:133:ASN:O	2.13	0.48
1:C:249:PHE:CG	1:C:250:PRO:HA	2.48	0.48
1:N:103:GLN:HA	1:N:133:ASN:O	2.13	0.48
1:P:249:PHE:CG	1:P:250:PRO:HA	2.49	0.48
1:E:249:PHE:CG	1:E:250:PRO:HA	2.48	0.48
1:A:249:PHE:CG	1:A:250:PRO:HA	2.48	0.48
1:F:249:PHE:CG	1:F:250:PRO:HA	2.49	0.48
1:A:103:GLN:HA	1:A:133:ASN:O	2.13	0.48
1:H:249:PHE:CG	1:H:250:PRO:HA	2.48	0.48
1:R:175:LYS:HG2	3:R:1005:CL:CL	2.50	0.48
1:I:20:ASP:HA	1:J:223:ASN:HB2	1.96	0.48
1:M:249:PHE:CG	1:M:250:PRO:HA	2.49	0.48
1:J:249:PHE:CG	1:J:250:PRO:HA	2.49	0.48
1:K:99:VAL:HG22	1:K:104:ILE:HG13	1.96	0.48
1:L:103:GLN:HA	1:L:133:ASN:O	2.13	0.48
1:R:249:PHE:CG	1:R:250:PRO:HA	2.49	0.48
1:B:249:PHE:CG	1:B:250:PRO:HA	2.49	0.47
1:O:103:GLN:HA	1:O:133:ASN:O	2.13	0.47
1:H:103:GLN:HA	1:H:133:ASN:O	2.13	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Q:249:PHE:CG	1:Q:250:PRO:HA	2.50	0.47
1:D:249:PHE:CG	1:D:250:PRO:HA	2.49	0.47
1:N:249:PHE:CG	1:N:250:PRO:HA	2.49	0.47
1:A:281:MET:HE1	1:B:263:VAL:HG21	1.96	0.47
1:K:94:PRO:HA	3:K:1004:CL:CL	2.52	0.47
1:J:276:ARG:HA	1:Q:276:ARG:HA	1.97	0.46
1:R:104:ILE:HD13	1:R:104:ILE:N	2.31	0.46
1:A:79:ASP:OD2	2:A:1001:DQH:O24	2.21	0.46
1:L:276:ARG:HA	1:N:276:ARG:HA	1.98	0.46
1:C:239:GLU:HB3	3:C:1005:CL:CL	2.53	0.46
1:I:280:THR:OG1	1:P:39:SER:HB3	2.15	0.46
1:K:195:GLU:H	1:K:195:GLU:HG2	1.52	0.45
1:E:87:LYS:NZ	2:E:1002:DQH:O13	2.49	0.45
1:K:91:GLU:OE1	2:K:1002:DQH:C1	2.64	0.45
1:D:276:ARG:HA	1:E:276:ARG:HA	1.99	0.45
1:N:151:LYS:HB2	1:N:151:LYS:HE3	1.79	0.45
1:Q:273:ALA:HB1	1:R:276:ARG:NH1	2.32	0.44
1:C:239:GLU:CB	3:C:1005:CL:CL	3.03	0.44
1:C:273:ALA:HB1	1:D:276:ARG:NH1	2.32	0.43
1:O:276:ARG:NH1	1:P:273:ALA:HB1	2.32	0.43
1:P:133:ASN:ND2	1:P:256:HIS:CD2	2.87	0.43
1:O:272:LEU:HD23	1:O:272:LEU:HA	1.91	0.43
1:R:133:ASN:ND2	1:R:255:TYR:HB2	2.34	0.43
1:G:253:LYS:HD3	1:G:256:HIS:CG	2.54	0.42
1:H:105:PRO:O	1:H:106:ALA:C	2.61	0.42
1:Q:223:ASN:HB2	1:R:20:ASP:HA	2.01	0.42
1:A:276:ARG:NH1	1:B:273:ALA:HB1	2.35	0.42
1:D:80:LEU:HD11	2:D:1002:DQH:H16	2.00	0.42
1:G:272:LEU:HD23	1:G:272:LEU:HA	1.90	0.42
1:P:133:ASN:ND2	1:P:255:TYR:HB2	2.35	0.42
1:O:253:LYS:HD3	1:O:256:HIS:CG	2.54	0.42
1:O:151:LYS:HB2	1:O:151:LYS:HE3	1.80	0.42
1:G:22:ARG:HB3	1:G:23:PRO:HD3	2.02	0.42
1:E:253:LYS:HD3	1:E:256:HIS:CG	2.55	0.42
1:K:22:ARG:HB3	1:K:23:PRO:HD3	2.02	0.42
1:M:273:ALA:HB1	1:N:276:ARG:NH1	2.35	0.42
1:R:133:ASN:ND2	1:R:256:HIS:CD2	2.88	0.42
1:M:276:ARG:NH1	1:N:273:ALA:HB1	2.34	0.42
1:J:272:LEU:HD23	1:J:272:LEU:HA	1.92	0.41
1:R:103:GLN:O	1:R:104:ILE:HD12	2.20	0.41
1:O:230:VAL:O	1:O:235:MET:HG2	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:230:VAL:O	1:C:235:MET:HG2	2.20	0.41
1:C:253:LYS:HD3	1:C:256:HIS:CG	2.55	0.41
1:C:276:ARG:HA	1:H:276:ARG:HA	2.02	0.41
1:M:79:ASP:OD2	2:M:1001:DQH:O24	2.35	0.41
1:N:272:LEU:HD23	1:N:272:LEU:HA	1.93	0.41
1:R:253:LYS:HD3	1:R:256:HIS:CG	2.55	0.41
1:K:105:PRO:O	1:K:106:ALA:C	2.63	0.41
1:I:230:VAL:O	1:I:235:MET:HG2	2.20	0.41
1:C:22:ARG:HB3	1:C:23:PRO:HD3	2.03	0.41
1:C:34:ILE:HB	1:C:35:PRO:HD3	2.03	0.41
1:A:87:LYS:NZ	2:A:1002:DQH:O13	2.53	0.41
1:A:230:VAL:O	1:A:235:MET:HG2	2.21	0.41
1:D:22:ARG:HB3	1:D:23:PRO:HD3	2.03	0.41
1:G:230:VAL:O	1:G:235:MET:HG2	2.21	0.41
1:H:22:ARG:HB3	1:H:23:PRO:HD3	2.02	0.41
1:H:272:LEU:HD23	1:H:272:LEU:HA	1.90	0.41
1:O:22:ARG:HB3	1:O:23:PRO:HD3	2.03	0.41
1:A:34:ILE:HB	1:A:35:PRO:HD3	2.03	0.41
1:M:22:ARG:HB3	1:M:23:PRO:HD3	2.03	0.41
1:N:22:ARG:HB3	1:N:23:PRO:HD3	2.03	0.41
1:P:22:ARG:HB3	1:P:23:PRO:HD3	2.03	0.41
1:A:22:ARG:HB3	1:A:23:PRO:HD3	2.03	0.40
1:M:151:LYS:HB2	1:M:151:LYS:HE3	1.79	0.40
1:R:22:ARG:HB3	1:R:23:PRO:HD3	2.03	0.40
1:B:22:ARG:HB3	1:B:23:PRO:HD3	2.03	0.40
1:R:230:VAL:O	1:R:235:MET:HG2	2.21	0.40
1:C:34:ILE:HB	1:C:35:PRO:CD	2.52	0.40
1:C:276:ARG:NH1	1:D:273:ALA:HB1	2.37	0.40
1:N:230:VAL:O	1:N:235:MET:HG2	2.21	0.40
1:P:230:VAL:O	1:P:235:MET:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	253/283 (89%)	250 (99%)	3 (1%)	0	100	100
1	B	255/283 (90%)	251 (98%)	4 (2%)	0	100	100
1	C	255/283 (90%)	251 (98%)	4 (2%)	0	100	100
1	D	255/283 (90%)	249 (98%)	6 (2%)	0	100	100
1	E	255/283 (90%)	250 (98%)	5 (2%)	0	100	100
1	F	256/283 (90%)	250 (98%)	6 (2%)	0	100	100
1	G	254/283 (90%)	249 (98%)	5 (2%)	0	100	100
1	H	255/283 (90%)	251 (98%)	4 (2%)	0	100	100
1	I	255/283 (90%)	249 (98%)	6 (2%)	0	100	100
1	J	255/283 (90%)	250 (98%)	4 (2%)	1 (0%)	30	60
1	K	255/283 (90%)	251 (98%)	4 (2%)	0	100	100
1	L	255/283 (90%)	251 (98%)	3 (1%)	1 (0%)	30	60
1	M	256/283 (90%)	251 (98%)	4 (2%)	1 (0%)	30	60
1	N	255/283 (90%)	250 (98%)	4 (2%)	1 (0%)	30	60
1	O	254/283 (90%)	250 (98%)	4 (2%)	0	100	100
1	P	254/283 (90%)	250 (98%)	3 (1%)	1 (0%)	30	60
1	Q	254/283 (90%)	249 (98%)	4 (2%)	1 (0%)	30	60
1	R	255/283 (90%)	250 (98%)	5 (2%)	0	100	100
All	All	4586/5094 (90%)	4502 (98%)	78 (2%)	6 (0%)	48	77

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	J	105	PRO
1	M	131	GLU
1	P	105	PRO
1	Q	105	PRO
1	L	105	PRO
1	N	105	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	224/240 (93%)	216 (96%)	8 (4%)	31	66
1	B	224/240 (93%)	219 (98%)	5 (2%)	45	78
1	C	224/240 (93%)	218 (97%)	6 (3%)	39	74
1	D	224/240 (93%)	219 (98%)	5 (2%)	45	78
1	E	224/240 (93%)	218 (97%)	6 (3%)	39	74
1	F	224/240 (93%)	218 (97%)	6 (3%)	39	74
1	G	224/240 (93%)	219 (98%)	5 (2%)	45	78
1	H	224/240 (93%)	219 (98%)	5 (2%)	45	78
1	I	224/240 (93%)	218 (97%)	6 (3%)	39	74
1	J	224/240 (93%)	217 (97%)	7 (3%)	35	70
1	K	224/240 (93%)	218 (97%)	6 (3%)	39	74
1	L	224/240 (93%)	218 (97%)	6 (3%)	39	74
1	M	224/240 (93%)	219 (98%)	5 (2%)	45	78
1	N	224/240 (93%)	216 (96%)	8 (4%)	31	66
1	O	224/240 (93%)	216 (96%)	8 (4%)	31	66
1	P	224/240 (93%)	218 (97%)	6 (3%)	39	74
1	Q	224/240 (93%)	216 (96%)	8 (4%)	31	66
1	R	224/240 (93%)	217 (97%)	7 (3%)	35	70
All	All	4032/4320 (93%)	3919 (97%)	113 (3%)	38	73

All (113) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	PHE
1	A	72	GLU
1	A	91	GLU
1	A	92	THR
1	A	95	MET
1	A	131	GLU
1	A	156	GLU
1	A	171	GLU
1	B	41	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	72	GLU
1	B	92	THR
1	B	131	GLU
1	B	156	GLU
1	C	41	PHE
1	C	72	GLU
1	C	92	THR
1	C	95	MET
1	C	131	GLU
1	C	156	GLU
1	D	41	PHE
1	D	72	GLU
1	D	92	THR
1	D	131	GLU
1	D	156	GLU
1	E	41	PHE
1	E	72	GLU
1	E	91	GLU
1	E	92	THR
1	E	131	GLU
1	E	156	GLU
1	F	41	PHE
1	F	72	GLU
1	F	92	THR
1	F	131	GLU
1	F	156	GLU
1	F	171	GLU
1	G	41	PHE
1	G	72	GLU
1	G	92	THR
1	G	131	GLU
1	G	156	GLU
1	H	41	PHE
1	H	72	GLU
1	H	92	THR
1	H	131	GLU
1	H	156	GLU
1	I	41	PHE
1	I	72	GLU
1	I	91	GLU
1	I	92	THR
1	I	131	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	156	GLU
1	J	41	PHE
1	J	72	GLU
1	J	91	GLU
1	J	92	THR
1	J	95	MET
1	J	131	GLU
1	J	156	GLU
1	K	41	PHE
1	K	72	GLU
1	K	92	THR
1	K	131	GLU
1	K	156	GLU
1	K	195	GLU
1	L	41	PHE
1	L	72	GLU
1	L	92	THR
1	L	95	MET
1	L	131	GLU
1	L	156	GLU
1	M	41	PHE
1	M	72	GLU
1	M	92	THR
1	M	95	MET
1	M	156	GLU
1	N	41	PHE
1	N	72	GLU
1	N	91	GLU
1	N	92	THR
1	N	95	MET
1	N	131	GLU
1	N	174	ASP
1	N	229	LYS
1	O	41	PHE
1	O	72	GLU
1	O	91	GLU
1	O	92	THR
1	O	95	MET
1	O	131	GLU
1	O	156	GLU
1	O	229	LYS
1	P	41	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	P	72	GLU
1	P	92	THR
1	P	95	MET
1	P	131	GLU
1	P	246	GLN
1	Q	41	PHE
1	Q	72	GLU
1	Q	91	GLU
1	Q	92	THR
1	Q	95	MET
1	Q	131	GLU
1	Q	175	LYS
1	Q	191	GLN
1	R	41	PHE
1	R	72	GLU
1	R	92	THR
1	R	104	ILE
1	R	131	GLU
1	R	156	GLU
1	R	205	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (43) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	GLN
1	A	101	GLN
1	A	224	GLN
1	B	101	GLN
1	B	224	GLN
1	C	101	GLN
1	C	224	GLN
1	D	101	GLN
1	D	224	GLN
1	E	101	GLN
1	E	224	GLN
1	F	69	GLN
1	F	101	GLN
1	F	224	GLN
1	G	101	GLN
1	H	101	GLN
1	H	224	GLN
1	I	101	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	224	GLN
1	J	101	GLN
1	J	224	GLN
1	K	69	GLN
1	K	101	GLN
1	K	224	GLN
1	L	101	GLN
1	L	224	GLN
1	M	101	GLN
1	M	224	GLN
1	N	40	GLN
1	N	101	GLN
1	N	224	GLN
1	O	101	GLN
1	O	224	GLN
1	P	69	GLN
1	P	133	ASN
1	P	224	GLN
1	P	256	HIS
1	Q	101	GLN
1	Q	224	GLN
1	R	101	GLN
1	R	133	ASN
1	R	224	GLN
1	R	256	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 98 ligands modelled in this entry, 53 are monoatomic - leaving 45 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	DQH	A	1001	-	24,24,24	0.84	0	36,36,36	0.99	2 (5%)
2	DQH	B	1001	-	24,24,24	0.78	0	36,36,36	0.99	3 (8%)
2	DQH	R	1001	-	24,24,24	0.67	0	36,36,36	1.10	2 (5%)
2	DQH	B	1002	-	24,24,24	0.79	0	36,36,36	1.16	3 (8%)
2	DQH	F	1002	-	24,24,24	1.07	3 (12%)	36,36,36	1.63	8 (22%)
5	SO4	B	1004	-	4,4,4	0.18	0	6,6,6	0.14	0
2	DQH	C	1001	-	24,24,24	0.93	2 (8%)	36,36,36	1.05	2 (5%)
5	SO4	R	1003	-	4,4,4	0.30	0	6,6,6	0.11	0
2	DQH	P	1001	-	24,24,24	0.73	0	36,36,36	0.95	1 (2%)
2	DQH	I	1002	-	24,24,24	0.65	0	36,36,36	1.58	9 (25%)
4	GOL	C	1003	-	5,5,5	0.50	0	5,5,5	0.71	0
5	SO4	C	1004	-	4,4,4	0.28	0	6,6,6	0.14	0
5	SO4	H	1003	-	4,4,4	0.27	0	6,6,6	0.09	0
2	DQH	L	1001	-	24,24,24	0.59	0	36,36,36	1.08	3 (8%)
2	DQH	O	1002	-	24,24,24	0.70	0	36,36,36	1.01	3 (8%)
2	DQH	E	1002	-	24,24,24	1.15	3 (12%)	36,36,36	1.76	8 (22%)
2	DQH	D	1001	-	24,24,24	0.66	0	36,36,36	1.00	4 (11%)
2	DQH	O	1001	-	24,24,24	0.89	1 (4%)	36,36,36	1.08	2 (5%)
2	DQH	Q	1002	-	24,24,24	0.90	1 (4%)	36,36,36	1.03	3 (8%)
2	DQH	G	1002	-	24,24,24	0.89	1 (4%)	36,36,36	1.13	4 (11%)
5	SO4	I	1003	-	4,4,4	0.29	0	6,6,6	0.19	0
2	DQH	F	1001	-	24,24,24	0.62	0	36,36,36	0.91	1 (2%)
2	DQH	J	1001	-	24,24,24	0.57	0	36,36,36	0.82	1 (2%)
2	DQH	D	1002	-	24,24,24	0.67	0	36,36,36	1.58	5 (13%)
2	DQH	K	1002	-	24,24,24	0.82	1 (4%)	36,36,36	1.57	8 (22%)
2	DQH	L	1002	-	24,24,24	0.81	0	36,36,36	1.00	3 (8%)
2	DQH	M	1001	-	24,24,24	0.74	1 (4%)	36,36,36	0.98	4 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	DQH	N	1002	-	24,24,24	0.70	0	36,36,36	1.02	2 (5%)
2	DQH	H	1002	-	24,24,24	1.18	3 (12%)	36,36,36	1.47	7 (19%)
2	DQH	R	1002	-	24,24,24	0.64	0	36,36,36	0.92	2 (5%)
4	GOL	B	1003	-	5,5,5	0.13	0	5,5,5	0.32	0
5	SO4	F	1003	-	4,4,4	0.31	0	6,6,6	0.17	0
2	DQH	A	1002	-	24,24,24	0.91	2 (8%)	36,36,36	1.35	4 (11%)
2	DQH	E	1001	-	24,24,24	0.91	1 (4%)	36,36,36	1.25	4 (11%)
2	DQH	I	1001	-	24,24,24	0.73	0	36,36,36	0.97	2 (5%)
2	DQH	G	1001	-	24,24,24	0.75	0	36,36,36	1.22	4 (11%)
2	DQH	C	1002	-	24,24,24	1.03	1 (4%)	36,36,36	1.45	7 (19%)
5	SO4	K	1003	-	4,4,4	0.26	0	6,6,6	0.14	0
2	DQH	P	1002	-	24,24,24	0.75	1 (4%)	36,36,36	0.88	0
2	DQH	Q	1001	-	24,24,24	0.73	0	36,36,36	1.02	3 (8%)
2	DQH	K	1001	-	24,24,24	0.66	0	36,36,36	1.01	3 (8%)
2	DQH	N	1001	-	24,24,24	0.60	0	36,36,36	0.96	1 (2%)
2	DQH	M	1002	-	24,24,24	0.78	1 (4%)	36,36,36	1.13	1 (2%)
5	SO4	D	1003	-	4,4,4	0.21	0	6,6,6	0.20	0
2	DQH	H	1001	-	24,24,24	0.72	0	36,36,36	1.11	4 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DQH	A	1001	-	-	4/4/20/20	0/3/3/3
2	DQH	B	1001	-	-	2/4/20/20	0/3/3/3
2	DQH	R	1001	-	-	4/4/20/20	0/3/3/3
2	DQH	B	1002	-	-	0/4/20/20	0/3/3/3
2	DQH	F	1002	-	-	0/4/20/20	0/3/3/3
2	DQH	C	1001	-	-	4/4/20/20	0/3/3/3
2	DQH	P	1001	-	-	4/4/20/20	0/3/3/3
2	DQH	I	1002	-	-	0/4/20/20	0/3/3/3
4	GOL	C	1003	-	-	2/4/4/4	-
2	DQH	L	1001	-	-	4/4/20/20	0/3/3/3
2	DQH	O	1002	-	-	0/4/20/20	0/3/3/3
2	DQH	E	1002	-	-	0/4/20/20	0/3/3/3
2	DQH	D	1001	-	-	4/4/20/20	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DQH	O	1001	-	-	4/4/20/20	0/3/3/3
2	DQH	Q	1002	-	-	0/4/20/20	0/3/3/3
2	DQH	G	1002	-	-	0/4/20/20	0/3/3/3
2	DQH	F	1001	-	-	4/4/20/20	0/3/3/3
2	DQH	J	1001	-	-	4/4/20/20	0/3/3/3
2	DQH	D	1002	-	-	2/4/20/20	0/3/3/3
2	DQH	K	1002	-	-	0/4/20/20	0/3/3/3
2	DQH	L	1002	-	-	0/4/20/20	0/3/3/3
2	DQH	M	1001	-	-	4/4/20/20	0/3/3/3
2	DQH	N	1002	-	-	0/4/20/20	0/3/3/3
2	DQH	H	1002	-	-	0/4/20/20	0/3/3/3
2	DQH	R	1002	-	-	0/4/20/20	0/3/3/3
4	GOL	B	1003	-	-	4/4/4/4	-
2	DQH	A	1002	-	-	0/4/20/20	0/3/3/3
2	DQH	E	1001	-	-	4/4/20/20	0/3/3/3
2	DQH	I	1001	-	-	0/4/20/20	0/3/3/3
2	DQH	G	1001	-	-	4/4/20/20	0/3/3/3
2	DQH	C	1002	-	-	0/4/20/20	0/3/3/3
2	DQH	P	1002	-	-	0/4/20/20	0/3/3/3
2	DQH	Q	1001	-	-	4/4/20/20	0/3/3/3
2	DQH	K	1001	-	-	4/4/20/20	0/3/3/3
2	DQH	N	1001	-	-	4/4/20/20	0/3/3/3
2	DQH	M	1002	-	-	0/4/20/20	0/3/3/3
2	DQH	H	1001	-	-	4/4/20/20	0/3/3/3

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	O	1001	DQH	O13-C9	2.77	1.25	1.22
2	F	1002	DQH	C3-C9	2.65	1.52	1.46
2	E	1002	DQH	C3-C2	2.63	1.45	1.41
2	H	1002	DQH	O13-C9	2.56	1.25	1.22
2	P	1002	DQH	O13-C9	2.48	1.25	1.22
2	K	1002	DQH	O13-C9	2.46	1.25	1.22
2	E	1002	DQH	C3-C9	2.41	1.52	1.46
2	C	1002	DQH	O23-C18	2.38	1.41	1.36
2	H	1002	DQH	C3-C9	2.36	1.51	1.46
2	M	1001	DQH	O13-C9	2.30	1.25	1.22
2	A	1002	DQH	C3-C9	2.28	1.51	1.46
2	E	1002	DQH	O30-C2	2.24	1.40	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	1002	DQH	C3-C2	2.22	1.45	1.41
2	F	1002	DQH	O13-C9	2.21	1.25	1.22
2	M	1002	DQH	O13-C9	2.21	1.25	1.22
2	C	1001	DQH	O13-C9	2.20	1.25	1.22
2	G	1002	DQH	O13-C9	2.17	1.25	1.22
2	H	1002	DQH	C3-C2	2.16	1.44	1.41
2	C	1001	DQH	O23-C18	2.15	1.40	1.36
2	E	1001	DQH	O24-C17	2.14	1.40	1.36
2	Q	1002	DQH	O13-C9	2.14	1.25	1.22
2	A	1002	DQH	O13-C9	2.09	1.25	1.22

All (123) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1002	DQH	C14-C11-C10	-5.69	101.90	114.43
2	E	1002	DQH	O23-C18-C17	4.86	131.41	118.42
2	E	1002	DQH	C2-C3-C9	4.43	125.38	120.65
2	F	1002	DQH	C2-C3-C9	4.20	125.12	120.65
2	C	1002	DQH	O24-C17-C18	4.13	129.45	118.42
2	M	1002	DQH	C14-C11-C10	-4.10	105.40	114.43
2	E	1002	DQH	O23-C18-C19	-3.94	108.83	119.45
2	A	1002	DQH	C2-C3-C9	3.84	124.74	120.65
2	I	1002	DQH	O23-C18-C17	3.80	128.58	118.42
2	F	1002	DQH	O24-C17-C18	3.77	128.50	118.42
2	H	1002	DQH	C2-C3-C9	3.60	124.48	120.65
2	E	1002	DQH	O30-C2-C3	3.51	127.65	121.14
2	H	1002	DQH	O30-C2-C1	-3.51	109.98	119.45
2	B	1002	DQH	O24-C17-C16	3.47	128.66	119.36
2	A	1002	DQH	O24-C17-C18	3.45	127.65	118.42
2	K	1002	DQH	O12-C11-C10	3.45	119.20	109.51
2	C	1002	DQH	O24-C17-C16	-3.43	110.16	119.36
2	I	1002	DQH	O12-C11-C10	3.42	119.11	109.51
2	E	1001	DQH	C2-C3-C9	3.32	124.18	120.65
2	E	1002	DQH	O30-C2-C1	-3.29	110.56	119.45
2	G	1002	DQH	C2-C3-C9	3.25	124.11	120.65
2	H	1002	DQH	O30-C2-C3	3.22	127.11	121.14
2	Q	1002	DQH	O24-C17-C18	3.18	126.91	118.42
2	N	1002	DQH	C2-C3-C9	3.14	123.99	120.65
2	K	1002	DQH	C2-C3-C9	3.09	123.95	120.65
2	G	1001	DQH	C19-C18-C17	2.98	122.64	119.89
2	F	1002	DQH	O23-C18-C17	2.90	126.17	118.42
2	I	1002	DQH	C14-C11-C10	-2.87	108.11	114.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	1001	DQH	O12-C4-C3	-2.87	118.76	121.64
2	K	1002	DQH	C11-C10-C9	2.85	115.15	109.40
2	F	1001	DQH	C2-C3-C9	2.84	123.67	120.65
2	F	1002	DQH	O24-C17-C16	-2.81	111.83	119.36
2	D	1002	DQH	O24-C17-C16	2.80	126.89	119.36
2	L	1001	DQH	C2-C3-C9	2.80	123.63	120.65
2	F	1002	DQH	O30-C2-C1	-2.77	111.98	119.45
2	F	1002	DQH	O30-C2-C3	2.75	126.24	121.14
2	B	1001	DQH	C2-C3-C9	2.73	123.56	120.65
2	E	1001	DQH	O24-C17-C16	2.67	126.52	119.36
2	K	1001	DQH	C2-C3-C9	2.65	123.47	120.65
2	C	1001	DQH	O13-C9-C10	2.65	122.61	119.88
2	E	1001	DQH	O12-C11-C10	-2.63	102.11	109.51
2	D	1002	DQH	O12-C11-C10	2.60	116.82	109.51
2	I	1002	DQH	O23-C18-C19	-2.57	112.51	119.45
2	G	1002	DQH	O24-C17-C18	2.55	125.25	118.42
2	D	1002	DQH	C3-C9-C10	2.53	118.83	116.18
2	E	1001	DQH	O12-C4-C3	-2.53	119.10	121.64
2	J	1001	DQH	C2-C3-C9	2.53	123.34	120.65
2	I	1002	DQH	O29-C6-C5	-2.51	113.29	119.85
2	D	1001	DQH	O12-C11-C10	-2.51	102.47	109.51
2	I	1002	DQH	C2-C3-C9	2.50	123.31	120.65
2	K	1002	DQH	O23-C18-C17	2.49	125.07	118.42
2	K	1002	DQH	O30-C2-C1	-2.48	112.76	119.45
2	G	1002	DQH	O30-C2-C1	-2.48	112.77	119.45
2	L	1002	DQH	C2-C3-C9	2.47	123.28	120.65
2	K	1001	DQH	O12-C11-C10	-2.47	102.56	109.51
2	A	1002	DQH	O24-C17-C16	-2.47	112.74	119.36
2	A	1001	DQH	C2-C3-C9	2.46	123.27	120.65
2	O	1002	DQH	C2-C3-C9	2.44	123.25	120.65
2	G	1001	DQH	O13-C9-C10	2.42	122.38	119.88
2	B	1002	DQH	O24-C17-C18	-2.42	111.96	118.42
2	L	1001	DQH	C11-C10-C9	-2.42	104.52	109.40
2	I	1002	DQH	O13-C9-C10	2.41	122.37	119.88
2	C	1002	DQH	C14-C11-C10	-2.39	109.16	114.43
2	F	1002	DQH	C14-C11-C10	-2.39	109.17	114.43
2	N	1001	DQH	O13-C9-C10	2.38	122.34	119.88
2	Q	1001	DQH	C19-C18-C17	2.34	122.04	119.89
2	M	1001	DQH	O13-C9-C10	2.33	122.29	119.88
2	C	1002	DQH	C11-C10-C9	2.33	114.11	109.40
2	O	1001	DQH	C3-C9-C10	-2.33	113.74	116.18
2	I	1002	DQH	O29-C6-C1	2.33	125.95	119.85

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1001	DQH	C3-C9-C10	-2.32	113.74	116.18
2	K	1002	DQH	O30-C2-C3	2.32	125.43	121.14
2	F	1002	DQH	O23-C18-C19	-2.32	113.20	119.45
2	D	1001	DQH	C2-C3-C9	2.30	123.10	120.65
2	I	1002	DQH	O24-C17-C18	2.29	124.54	118.42
2	H	1002	DQH	C11-C10-C9	2.28	114.01	109.40
2	K	1002	DQH	O27-C10-C11	-2.27	103.06	110.10
2	Q	1001	DQH	C2-C3-C9	2.27	123.07	120.65
2	G	1001	DQH	O23-C18-C17	-2.26	112.40	118.42
2	L	1002	DQH	O23-C18-C17	2.25	124.42	118.42
2	H	1002	DQH	O24-C17-C18	2.24	124.42	118.42
2	B	1001	DQH	O12-C4-C3	-2.24	119.39	121.64
2	A	1002	DQH	O12-C11-C14	-2.24	102.67	107.44
2	H	1001	DQH	C2-C3-C9	2.24	123.03	120.65
2	L	1002	DQH	C11-C10-C9	2.23	113.91	109.40
2	D	1001	DQH	O12-C4-C3	-2.23	119.40	121.64
2	E	1002	DQH	C4-C3-C9	-2.23	118.11	120.12
2	C	1002	DQH	C2-C3-C9	2.22	123.02	120.65
2	G	1002	DQH	O30-C2-C3	2.20	125.21	121.14
2	I	1001	DQH	C2-C3-C9	2.19	122.98	120.65
2	K	1002	DQH	O12-C4-C3	2.18	123.82	121.64
2	O	1002	DQH	O23-C18-C17	2.18	124.25	118.42
2	R	1001	DQH	C2-C3-C9	2.18	122.97	120.65
2	E	1002	DQH	C14-C11-C10	-2.17	109.65	114.43
2	R	1002	DQH	O13-C9-C10	2.15	122.11	119.88
2	P	1001	DQH	O13-C9-C10	2.15	122.11	119.88
2	H	1002	DQH	O29-C6-C1	-2.15	114.22	119.85
2	Q	1002	DQH	O24-C17-C16	-2.14	113.61	119.36
2	O	1001	DQH	C19-C18-C17	2.14	121.86	119.89
2	L	1001	DQH	O12-C11-C10	-2.13	103.53	109.51
2	R	1002	DQH	C2-C3-C9	2.12	122.91	120.65
2	C	1002	DQH	O30-C2-C1	-2.12	113.73	119.45
2	B	1001	DQH	O12-C11-C14	2.12	111.96	107.44
2	H	1001	DQH	O12-C11-C10	-2.11	103.59	109.51
2	E	1002	DQH	C15-C14-C11	2.10	124.53	120.62
2	Q	1001	DQH	O24-C17-C18	2.09	124.01	118.42
2	O	1002	DQH	O24-C17-C18	2.09	124.01	118.42
2	D	1002	DQH	O29-C6-C1	-2.08	114.42	119.85
2	C	1002	DQH	O29-C6-C1	-2.07	114.44	119.85
2	Q	1002	DQH	C2-C3-C9	2.06	122.85	120.65
2	H	1001	DQH	C11-C10-C9	-2.06	105.23	109.40
2	H	1002	DQH	O29-C6-C5	2.05	125.23	119.85

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	M	1001	DQH	C3-C9-C10	-2.05	114.03	116.18
2	G	1001	DQH	O23-C18-C19	2.04	124.95	119.45
2	I	1001	DQH	O24-C17-C18	2.03	123.85	118.42
2	B	1002	DQH	O12-C11-C10	2.02	115.19	109.51
2	R	1001	DQH	O29-C6-C1	-2.02	114.57	119.85
2	M	1001	DQH	C2-C3-C9	2.02	122.80	120.65
2	N	1002	DQH	O30-C2-C1	-2.01	114.02	119.45
2	D	1001	DQH	O30-C2-C3	-2.01	117.42	121.14
2	K	1001	DQH	O12-C4-C3	-2.01	119.62	121.64
2	M	1001	DQH	C11-C10-C9	-2.01	105.34	109.40
2	A	1001	DQH	O12-C4-C3	-2.00	119.63	121.64

There are no chirality outliers.

All (74) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	1003	GOL	O1-C1-C2-C3
4	B	1003	GOL	C1-C2-C3-O3
4	C	1003	GOL	O1-C1-C2-C3
4	B	1003	GOL	O2-C2-C3-O3
4	C	1003	GOL	O1-C1-C2-O2
2	A	1001	DQH	C10-C11-C14-C19
2	Q	1001	DQH	C10-C11-C14-C19
2	A	1001	DQH	C10-C11-C14-C15
2	O	1001	DQH	C10-C11-C14-C19
2	P	1001	DQH	C10-C11-C14-C19
2	Q	1001	DQH	C10-C11-C14-C15
2	H	1001	DQH	C10-C11-C14-C15
2	H	1001	DQH	C10-C11-C14-C19
2	L	1001	DQH	C10-C11-C14-C15
2	N	1001	DQH	C10-C11-C14-C19
4	B	1003	GOL	O1-C1-C2-O2
2	C	1001	DQH	C10-C11-C14-C15
2	D	1001	DQH	C10-C11-C14-C15
2	D	1002	DQH	C10-C11-C14-C19
2	E	1001	DQH	C10-C11-C14-C15
2	G	1001	DQH	C10-C11-C14-C15
2	M	1001	DQH	C10-C11-C14-C15
2	M	1001	DQH	C10-C11-C14-C19
2	N	1001	DQH	C10-C11-C14-C15
2	O	1001	DQH	C10-C11-C14-C15
2	D	1001	DQH	C10-C11-C14-C19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	E	1001	DQH	C10-C11-C14-C19
2	L	1001	DQH	C10-C11-C14-C19
2	C	1001	DQH	C10-C11-C14-C19
2	G	1001	DQH	C10-C11-C14-C19
2	P	1001	DQH	C10-C11-C14-C15
2	R	1001	DQH	C10-C11-C14-C19
2	H	1001	DQH	O12-C11-C14-C15
2	L	1001	DQH	O12-C11-C14-C15
2	C	1001	DQH	O12-C11-C14-C15
2	G	1001	DQH	O12-C11-C14-C15
2	P	1001	DQH	O12-C11-C14-C15
2	H	1001	DQH	O12-C11-C14-C19
2	L	1001	DQH	O12-C11-C14-C19
2	P	1001	DQH	O12-C11-C14-C19
2	C	1001	DQH	O12-C11-C14-C19
2	D	1001	DQH	O12-C11-C14-C15
2	G	1001	DQH	O12-C11-C14-C19
2	M	1001	DQH	O12-C11-C14-C19
2	D	1001	DQH	O12-C11-C14-C19
2	M	1001	DQH	O12-C11-C14-C15
2	O	1001	DQH	O12-C11-C14-C15
2	E	1001	DQH	O12-C11-C14-C15
2	E	1001	DQH	O12-C11-C14-C19
2	N	1001	DQH	O12-C11-C14-C15
2	N	1001	DQH	O12-C11-C14-C19
2	A	1001	DQH	O12-C11-C14-C19
2	O	1001	DQH	O12-C11-C14-C19
2	R	1001	DQH	O12-C11-C14-C19
2	F	1001	DQH	O12-C11-C14-C15
2	R	1001	DQH	O12-C11-C14-C15
2	D	1002	DQH	C10-C11-C14-C15
2	R	1001	DQH	C10-C11-C14-C15
2	J	1001	DQH	O12-C11-C14-C15
2	A	1001	DQH	O12-C11-C14-C15
2	F	1001	DQH	O12-C11-C14-C19
2	J	1001	DQH	O12-C11-C14-C19
2	F	1001	DQH	C10-C11-C14-C15
2	K	1001	DQH	C10-C11-C14-C15
2	K	1001	DQH	O12-C11-C14-C15
2	K	1001	DQH	O12-C11-C14-C19
2	Q	1001	DQH	O12-C11-C14-C19
2	B	1001	DQH	O12-C11-C14-C19

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
2	Q	1001	DQH	O12-C11-C14-C15
2	J	1001	DQH	C10-C11-C14-C15
2	F	1001	DQH	C10-C11-C14-C19
2	K	1001	DQH	C10-C11-C14-C19
2	J	1001	DQH	C10-C11-C14-C19
2	B	1001	DQH	O12-C11-C14-C15

There are no ring outliers.


14 monomers are involved in 28 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1001	DQH	1	0
2	B	1002	DQH	3	0
2	I	1002	DQH	2	0
2	L	1001	DQH	1	0
2	O	1002	DQH	2	0
2	E	1002	DQH	3	0
2	O	1001	DQH	1	0
2	Q	1002	DQH	2	0
2	D	1002	DQH	3	0
2	K	1002	DQH	3	0
2	M	1001	DQH	1	0
2	N	1002	DQH	2	0
2	A	1002	DQH	3	0
2	H	1001	DQH	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand DQH R 1001







Ligand DQH B 1002























Ligand DQH J 1001




Ligand DQH D 1002










Ligand DQH M 1001





Ligand DQH N 1002















Ligand DQH C 1002




Ligand DQH P 1002









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	257/283 (90%)	0.07	2 (0%) 82 75	46, 67, 91, 101	0
1	B	259/283 (91%)	-0.13	4 (1%) 72 63	39, 51, 71, 91	0
1	C	259/283 (91%)	-0.32	3 (1%) 76 68	33, 42, 61, 101	0
1	D	259/283 (91%)	-0.27	3 (1%) 76 68	35, 43, 65, 76	0
1	E	259/283 (91%)	-0.08	4 (1%) 72 63	38, 57, 82, 112	0
1	F	260/283 (91%)	-0.03	6 (2%) 61 51	43, 58, 80, 109	0
1	G	258/283 (91%)	-0.15	4 (1%) 70 61	39, 52, 71, 102	0
1	H	259/283 (91%)	-0.18	4 (1%) 72 63	39, 54, 71, 90	0
1	I	259/283 (91%)	0.17	4 (1%) 72 63	53, 72, 98, 106	0
1	J	259/283 (91%)	0.78	13 (5%) 34 26	58, 88, 126, 140	0
1	K	259/283 (91%)	0.08	4 (1%) 72 63	46, 61, 84, 91	0
1	L	259/283 (91%)	0.16	4 (1%) 72 63	53, 70, 90, 113	0
1	M	260/283 (91%)	0.42	9 (3%) 47 38	60, 82, 104, 137	0
1	N	259/283 (91%)	0.44	10 (3%) 43 34	55, 78, 108, 122	0
1	O	258/283 (91%)	0.30	9 (3%) 47 38	50, 74, 110, 118	0
1	P	258/283 (91%)	0.88	19 (7%) 20 15	61, 92, 125, 140	0
1	Q	258/283 (91%)	0.48	12 (4%) 36 29	54, 77, 103, 114	0
1	R	259/283 (91%)	1.07	33 (12%) 8 6	57, 87, 111, 134	0
All	All	4658/5094 (91%)	0.20	147 (3%) 50 40	33, 67, 104, 140	0

All (147) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Q	106	ALA	9.4
1	J	106	ALA	8.6
1	J	130	ALA	7.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	P	106	ALA	7.0
1	N	130	ALA	6.9
1	M	107	ALA	6.5
1	L	130	ALA	6.3
1	F	107	ALA	6.1
1	G	106	ALA	6.1
1	E	130	ALA	6.1
1	N	106	ALA	5.9
1	M	130	ALA	5.7
1	F	130	ALA	5.7
1	R	106	ALA	5.5
1	L	106	ALA	5.4
1	C	106	ALA	5.3
1	C	130	ALA	5.3
1	O	106	ALA	5.3
1	P	1	ALA	5.1
1	B	106	ALA	5.1
1	I	106	ALA	5.1
1	H	106	ALA	5.0
1	I	1	ALA	5.0
1	R	130	ALA	4.8
1	Q	1	ALA	4.7
1	J	1	ALA	4.6
1	E	106	ALA	4.5
1	A	1	ALA	4.1
1	L	1	ALA	4.0
1	F	1	ALA	3.9
1	M	106	ALA	3.9
1	N	1	ALA	3.8
1	O	95	MET	3.8
1	P	95	MET	3.8
1	P	131	GLU	3.8
1	C	1	ALA	3.8
1	I	130	ALA	3.7
1	D	130	ALA	3.7
1	M	1	ALA	3.7
1	M	95	MET	3.6
1	D	106	ALA	3.5
1	H	130	ALA	3.5
1	D	1	ALA	3.5
1	R	1	ALA	3.5
1	B	130	ALA	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	O	1	ALA	3.3
1	Q	131	GLU	3.2
1	J	185	LYS	3.2
1	R	172	GLY	3.2
1	R	95	MET	3.1
1	R	168	GLY	3.1
1	E	1	ALA	3.1
1	J	86	ILE	3.1
1	P	243	TRP	3.0
1	R	248	ALA	3.0
1	G	1	ALA	3.0
1	P	274	ASN	3.0
1	P	212	VAL	3.0
1	H	1	ALA	3.0
1	F	95	MET	2.9
1	B	1	ALA	2.9
1	R	189	ILE	2.9
1	Q	105	PRO	2.8
1	J	240	LYS	2.8
1	K	1	ALA	2.7
1	J	95	MET	2.7
1	J	247	ASP	2.7
1	O	131	GLU	2.7
1	Q	247	ASP	2.6
1	J	211	CYS	2.6
1	K	130	ALA	2.6
1	R	243	TRP	2.6
1	G	131	GLU	2.6
1	R	205	LYS	2.5
1	K	194	PRO	2.5
1	A	131	GLU	2.5
1	P	257	ASN	2.5
1	R	185	LYS	2.5
1	P	171	GLU	2.5
1	L	95	MET	2.5
1	R	260	SER	2.5
1	R	183	PHE	2.5
1	J	80	LEU	2.4
1	Q	99	VAL	2.4
1	B	274	ASN	2.4
1	R	247	ASP	2.4
1	P	132	GLY	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	243	TRP	2.4
1	N	177	GLU	2.4
1	R	169	PHE	2.4
1	R	203	ALA	2.4
1	R	215	TRP	2.4
1	H	274	ASN	2.4
1	N	183	PHE	2.4
1	R	78	SER	2.4
1	R	212	VAL	2.3
1	M	20	ASP	2.3
1	F	106	ALA	2.3
1	K	106	ALA	2.3
1	R	86	ILE	2.3
1	P	175	LYS	2.3
1	J	77	VAL	2.3
1	N	92	THR	2.3
1	N	132	GLY	2.3
1	R	237	ALA	2.3
1	R	244	ALA	2.3
1	P	245	GLN	2.3
1	O	172	GLY	2.3
1	Q	171	GLU	2.3
1	R	177	GLU	2.3
1	Q	185	LYS	2.3
1	P	185	LYS	2.2
1	I	194	PRO	2.2
1	Q	92	THR	2.2
1	O	171	GLU	2.2
1	R	224	GLN	2.2
1	O	247	ASP	2.2
1	R	77	VAL	2.2
1	N	105	PRO	2.2
1	M	137	PHE	2.2
1	P	253	LYS	2.2
1	Q	274	ASN	2.2
1	J	248	ALA	2.2
1	P	148	LEU	2.1
1	R	161	TYR	2.1
1	N	90	ALA	2.1
1	E	274	ASN	2.1
1	G	274	ASN	2.1
1	P	207	ASP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	274	ASN	2.1
1	O	183	PHE	2.1
1	R	104	ILE	2.1
1	R	239	GLU	2.1
1	P	4	LYS	2.1
1	O	274	ASN	2.1
1	P	172	GLY	2.1
1	Q	21	TYR	2.1
1	P	177	GLU	2.0
1	N	185	LYS	2.0
1	R	206	LYS	2.0
1	R	245	GLN	2.0
1	R	11	LEU	2.0
1	M	172	GLY	2.0
1	Q	175	LYS	2.0
1	M	243	TRP	2.0
1	R	228	TYR	2.0
1	R	232	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	SO4	F	1003	5/5	0.58	0.12	121,124,131,138	0
5	SO4	K	1003	5/5	0.63	0.14	104,106,141,151	0
5	SO4	R	1003	5/5	0.63	0.10	131,135,144,147	0
2	DQH	H	1002	22/22	0.74	0.25	70,109,128,132	0
2	DQH	P	1002	22/22	0.77	0.19	99,124,129,130	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	DQH	K	1002	22/22	0.77	0.24	82,117,123,138	0
5	SO4	D	1003	5/5	0.80	0.16	81,106,113,123	0
5	SO4	B	1004	5/5	0.80	0.17	82,112,117,118	0
2	DQH	I	1002	22/22	0.81	0.25	81,117,145,159	0
3	CL	M	1005	1/1	0.81	0.10	72,72,72,72	0
3	CL	N	1004	1/1	0.81	0.10	88,88,88,88	0
2	DQH	D	1002	22/22	0.81	0.24	88,123,134,147	0
4	GOL	C	1003	6/6	0.82	0.28	43,68,82,92	0
2	DQH	B	1002	22/22	0.82	0.23	70,110,131,143	0
2	DQH	F	1002	22/22	0.82	0.18	72,97,108,110	0
2	DQH	R	1002	22/22	0.83	0.17	90,130,139,146	0
5	SO4	I	1003	5/5	0.83	0.14	118,121,138,153	0
5	SO4	C	1004	5/5	0.83	0.14	127,128,153,156	0
2	DQH	M	1002	22/22	0.83	0.20	91,120,131,143	0
3	CL	R	1006	1/1	0.84	0.10	82,82,82,82	0
2	DQH	L	1002	22/22	0.84	0.16	83,117,129,134	0
2	DQH	N	1002	22/22	0.84	0.18	102,127,135,136	0
3	CL	J	1002	1/1	0.85	0.11	67,67,67,67	0
2	DQH	G	1002	22/22	0.85	0.17	68,89,98,113	0
6	K	F	1007	1/1	0.85	0.14	74,74,74,74	0
6	K	C	1008	1/1	0.86	0.13	65,65,65,65	0
2	DQH	Q	1002	22/22	0.86	0.15	79,97,105,109	0
2	DQH	O	1002	22/22	0.87	0.16	86,114,126,128	0
3	CL	N	1006	1/1	0.87	0.14	77,77,77,77	0
5	SO4	H	1003	5/5	0.87	0.14	122,135,143,143	0
2	DQH	E	1002	22/22	0.87	0.14	53,72,78,81	0
6	K	G	1007	1/1	0.87	0.12	73,73,73,73	0
3	CL	R	1008	1/1	0.88	0.10	73,73,73,73	0
3	CL	Q	1003	1/1	0.89	0.11	79,79,79,79	0
3	CL	F	1005	1/1	0.89	0.12	69,69,69,69	0
2	DQH	C	1002	22/22	0.89	0.13	47,68,77,85	0
3	CL	M	1004	1/1	0.89	0.10	79,79,79,79	0
3	CL	P	1003	1/1	0.89	0.12	81,81,81,81	0
3	CL	G	1006	1/1	0.90	0.09	62,62,62,62	0
2	DQH	A	1002	22/22	0.90	0.13	60,81,93,94	0
3	CL	K	1004	1/1	0.90	0.16	73,73,73,73	0
3	CL	K	1005	1/1	0.90	0.10	74,74,74,74	0
3	CL	K	1006	1/1	0.90	0.14	79,79,79,79	0
3	CL	H	1004	1/1	0.91	0.09	61,61,61,61	0
3	CL	I	1004	1/1	0.91	0.10	70,70,70,70	0
3	CL	C	1005	1/1	0.91	0.21	71,71,71,71	0
3	CL	K	1008	1/1	0.91	0.10	63,63,63,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	CL	L	1004	1/1	0.91	0.08	76,76,76,76	0
3	CL	P	1004	1/1	0.92	0.10	68,68,68,68	0
3	CL	I	1005	1/1	0.92	0.08	69,69,69,69	0
3	CL	R	1005	1/1	0.92	0.07	73,73,73,73	0
3	CL	N	1003	1/1	0.92	0.21	82,82,82,82	0
3	CL	F	1004	1/1	0.92	0.09	65,65,65,65	0
4	GOL	B	1003	6/6	0.92	0.19	72,82,86,87	0
3	CL	A	1003	1/1	0.92	0.09	58,58,58,58	0
6	K	D	1006	1/1	0.92	0.09	62,62,62,62	0
3	CL	O	1003	1/1	0.92	0.08	78,78,78,78	0
3	CL	G	1003	1/1	0.92	0.09	64,64,64,64	0
6	K	B	1006	1/1	0.93	0.12	65,65,65,65	0
3	CL	G	1004	1/1	0.93	0.08	56,56,56,56	0
3	CL	M	1003	1/1	0.93	0.09	79,79,79,79	0
3	CL	Q	1004	1/1	0.93	0.07	67,67,67,67	0
3	CL	E	1004	1/1	0.93	0.09	58,58,58,58	0
3	CL	N	1007	1/1	0.94	0.07	65,65,65,65	0
2	DQH	J	1001	22/22	0.94	0.10	72,77,81,82	0
3	CL	L	1003	1/1	0.94	0.09	70,70,70,70	0
2	DQH	R	1001	22/22	0.94	0.10	64,75,79,80	0
3	CL	B	1005	1/1	0.95	0.06	57,57,57,57	0
3	CL	F	1006	1/1	0.95	0.07	59,59,59,59	0
3	CL	D	1005	1/1	0.95	0.09	56,56,56,56	0
3	CL	K	1007	1/1	0.95	0.09	65,65,65,65	0
3	CL	N	1005	1/1	0.95	0.06	69,69,69,69	0
6	K	H	1006	1/1	0.95	0.12	75,75,75,75	0
2	DQH	E	1001	22/22	0.96	0.08	39,43,47,48	0
3	CL	E	1003	1/1	0.96	0.07	67,67,67,67	0
2	DQH	Q	1001	22/22	0.96	0.08	65,68,73,74	0
2	DQH	M	1001	22/22	0.96	0.09	71,75,76,77	0
2	DQH	G	1001	22/22	0.96	0.08	46,49,52,55	0
2	DQH	N	1001	22/22	0.96	0.08	65,69,70,71	0
2	DQH	I	1001	22/22	0.96	0.07	55,57,59,60	0
2	DQH	O	1001	22/22	0.96	0.08	55,59,61,64	0
3	CL	R	1004	1/1	0.96	0.13	70,70,70,70	0
3	CL	G	1005	1/1	0.96	0.06	58,58,58,58	0
2	DQH	L	1001	22/22	0.96	0.08	64,68,72,74	0
3	CL	C	1006	1/1	0.96	0.07	54,54,54,54	0
3	CL	C	1007	1/1	0.96	0.07	54,54,54,54	0
3	CL	D	1004	1/1	0.96	0.07	50,50,50,50	0
3	CL	R	1007	1/1	0.97	0.09	76,76,76,76	0
2	DQH	B	1001	22/22	0.97	0.07	49,51,55,58	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	DQH	F	1001	22/22	0.97	0.06	50,53,55,57	0
2	DQH	D	1001	22/22	0.97	0.06	38,41,49,53	0
2	DQH	A	1001	22/22	0.97	0.07	51,55,62,62	0
2	DQH	K	1001	22/22	0.97	0.07	49,51,54,58	0
2	DQH	C	1001	22/22	0.97	0.06	31,33,37,40	0
2	DQH	H	1001	22/22	0.97	0.07	40,42,44,44	0
2	DQH	P	1001	22/22	0.97	0.08	74,81,87,88	0
3	CL	H	1005	1/1	0.98	0.06	50,50,50,50	0
3	CL	L	1005	1/1	0.98	0.06	58,58,58,58	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around DQH H 1002:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DQH P 1002:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DQH K 1002:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DQH I 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DQH D 1002:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around DQH B 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DQH F 1002:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DQH R 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DQH M 1002:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DQH L 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DQH N 1002:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DQH G 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DQH Q 1002:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DQH O 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DQH E 1002:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DQH C 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DQH A 1002:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DQH J 1001:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DQH R 1001:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DQH E 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DQH Q 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DQH M 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DQH G 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DQH N 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DQH I 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DQH O 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around DQH L 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DQH B 1001:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DQH F 1001:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DQH D 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DQH A 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DQH K 1001:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DQH C 1001:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DQH H 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around DQH P 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.