



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 5, 2026 – 09:17 PM EDT

PDB ID : 3BNH / pdb_00003bnh
Title : W. succinogenes NrfA Y218F Nitrite Complex
Authors : Lukat, P.; Einsle, O.
Deposited on : 2007-12-14
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3183 (1.76-1.76)
Clashscore	190562	3299 (1.76-1.76)
Ramachandran outliers	187476	3274 (1.76-1.76)
Sidechain outliers	187428	3274 (1.76-1.76)
RSRZ outliers	180081	3183 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	485	

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 4775 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Cytochrome c-552.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	471	3894	2457	672	743	22	19	14	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	218	PHE	TYR	engineered mutation	UNP Q9S1E5

- Molecule 2 is NITRITE ION (CCD ID: NO2) (formula: NO₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	N	O		
2	A	1	3	1	2	0	0

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		

- Molecule 4 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O_4S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is YTTRIUM ION (CCD ID: Y1) (formula: Y).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	3	Total	Y	0	0
			3	3		

- Molecule 7 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
7	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
7	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
7	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
7	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	646	Total 646	O 646	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cytochrome c-552



4 Data and refinement statistics

Property	Value	Source
Space group	I 41 2 2	Depositor
Cell constants a, b, c, α , β , γ	120.77 Å 120.77 Å 186.47 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.49 – 1.75 29.49 – 1.75	Depositor EDS
% Data completeness (in resolution range)	99.5 (29.49-1.75) 99.7 (29.49-1.75)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.74 (at 1.75 Å)	Xtriage
Refinement program	REFMAC 5.3.0008	Depositor
R, R_{free}	0.177 , 0.215 0.175 , 0.213	Depositor DCC
R_{free} test set	3543 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	27.8	Xtriage
Anisotropy	0.246	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 38.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	4775	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, SO4, NO2, HEM, Y1, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.84	2/3985 (0.1%)	0.89	1/5360 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	229	LYS	CG-CD	-9.59	1.23	1.52
1	A	226	LYS	CA-CB	-8.83	1.37	1.53

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	331	ARG	N-CA-C	5.50	119.56	112.41

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3894	0	3788	88	0
2	A	3	0	0	0	0
3	A	1	0	0	0	0
4	A	8	0	6	0	0
5	A	5	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	3	0	0	0	0
7	A	215	0	150	25	0
8	A	646	0	0	11	0
All	All	4775	0	3944	89	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:326:CYS:SG	7:A:514:HEM:HAB	1.55	1.46
1:A:326:CYS:SG	7:A:514:HEM:CAB	2.03	1.45
1:A:171:CYS:SG	7:A:511:HEM:CAC	2.07	1.41
1:A:171:CYS:SG	7:A:511:HEM:HAC	1.63	1.38
1:A:298:CYS:SG	7:A:513:HEM:CAC	2.16	1.33
1:A:329:CYS:SG	7:A:514:HEM:HAC	1.72	1.27
1:A:329:CYS:SG	7:A:514:HEM:CAC	2.23	1.27
1:A:78:LYS:HE3	8:A:1103:HOH:O	1.40	1.19
1:A:298:CYS:HG	7:A:513:HEM:CAC	1.58	1.11
1:A:497[B]:GLU:HB2	1:A:507:LYS:HG2	1.36	1.02
1:A:100:ARG:HH12	1:A:507:LYS:CD	1.72	1.01
1:A:329:CYS:HG	7:A:514:HEM:CAC	1.69	1.01
1:A:358:ASN:HD22	1:A:418:ASN:HD21	1.04	1.00
1:A:100:ARG:HH12	1:A:507:LYS:HD3	1.30	0.96
1:A:298:CYS:SG	7:A:513:HEM:HAC	2.02	0.95
1:A:171:CYS:HG	7:A:511:HEM:HAC	0.96	0.91
1:A:497[A]:GLU:H	1:A:507:LYS:HE3	1.37	0.87
1:A:497[B]:GLU:H	1:A:507:LYS:HE3	1.42	0.83
1:A:204:GLN:HE22	1:A:207[B]:ARG:HH11	1.29	0.80
1:A:100:ARG:NH1	1:A:507:LYS:HD3	1.97	0.78
1:A:100:ARG:HH12	1:A:507:LYS:HD2	1.49	0.77
1:A:497[A]:GLU:OE1	1:A:506:LYS:O	2.02	0.75
1:A:329:CYS:SG	7:A:514:HEM:C3C	2.80	0.74
7:A:511:HEM:HBC1	7:A:512:HEM:HHC	1.71	0.71
1:A:100:ARG:HH22	1:A:507:LYS:NZ	1.86	0.71
1:A:171:CYS:SG	7:A:511:HEM:C3C	2.84	0.70
1:A:497[A]:GLU:HB2	1:A:507:LYS:HG2	1.74	0.69
1:A:298:CYS:SG	7:A:513:HEM:CBC	2.79	0.68
1:A:171:CYS:HG	7:A:511:HEM:CAC	1.75	0.68
1:A:298:CYS:SG	7:A:513:HEM:C3C	2.85	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:322:MET:HE1	1:A:337:LEU:HB3	1.77	0.66
1:A:497[B]:GLU:HG3	1:A:506:LYS:O	1.96	0.65
1:A:326:CYS:SG	7:A:514:HEM:CBB	2.83	0.65
1:A:298:CYS:HG	7:A:513:HEM:CBC	2.08	0.64
1:A:117:ALA:CB	1:A:465[A]:GLU:HG2	2.28	0.64
1:A:407:PRO:HD2	5:A:509:SO4:O1	1.99	0.63
1:A:479:LYS:HB2	1:A:479:LYS:NZ	2.14	0.62
1:A:358:ASN:HD22	1:A:418:ASN:ND2	1.87	0.61
1:A:71:ASP:HB2	1:A:507:LYS:HB2	1.82	0.61
1:A:117:ALA:HB3	1:A:465[A]:GLU:HG2	1.83	0.60
1:A:452:GLN:HE22	1:A:459:MET:HG3	1.68	0.59
1:A:498:LYS:HB2	1:A:507:LYS:HD2	1.84	0.59
1:A:326:CYS:SG	7:A:514:HEM:C3B	2.93	0.58
1:A:171:CYS:SG	7:A:511:HEM:CBC	2.87	0.58
1:A:285:THR:HG21	8:A:867:HOH:O	2.05	0.57
1:A:422:GLN:HE21	1:A:422:GLN:HA	1.69	0.56
1:A:265:HIS:O	1:A:269:LYS:HD3	2.05	0.56
1:A:269:LYS:HG2	1:A:370:MET:HE1	1.87	0.56
1:A:342:LYS:O	1:A:346[A]:GLU:HG3	2.07	0.55
1:A:51:GLU:CG	8:A:946:HOH:O	2.54	0.54
1:A:452:GLN:NE2	1:A:459:MET:HG3	2.23	0.54
1:A:75:ASP:HA	1:A:97:ASN:HD22	1.73	0.54
1:A:51:GLU:HG2	8:A:946:HOH:O	2.07	0.53
1:A:200:GLU:HG2	8:A:1050:HOH:O	2.09	0.52
1:A:479:LYS:HB2	1:A:479:LYS:HZ2	1.75	0.52
1:A:59[B]:ARG:HD2	1:A:310:TYR:CE1	2.45	0.51
1:A:100:ARG:HH22	1:A:507:LYS:HZ3	1.56	0.50
1:A:497[B]:GLU:HB2	1:A:507:LYS:CG	2.26	0.50
1:A:207[A]:ARG:NH1	7:A:511:HEM:O1D	2.45	0.50
1:A:215:HIS:HB3	1:A:279:ASP:HB2	1.94	0.49
1:A:326:CYS:CB	7:A:514:HEM:HAB	2.41	0.49
1:A:247:SER:H	1:A:250:GLN:HE21	1.62	0.48
1:A:100:ARG:HH22	1:A:507:LYS:HZ2	1.61	0.48
1:A:207[B]:ARG:NH2	8:A:1039:HOH:O	2.46	0.47
1:A:328:ASN:HB2	8:A:999:HOH:O	2.14	0.47
1:A:97:ASN:HD21	1:A:500:SER:HB3	1.78	0.47
1:A:141:ILE:HD11	1:A:161:GLU:HB3	1.97	0.47
1:A:204:GLN:HE22	1:A:207[B]:ARG:NH1	2.06	0.46
1:A:180:LYS:HD2	8:A:1043:HOH:O	2.15	0.45
1:A:183:VAL:HA	1:A:184:PRO:HD3	1.87	0.45
1:A:204:GLN:HE21	1:A:204:GLN:HA	1.80	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:61:PHE:HA	7:A:511:HEM:HBB2	1.99	0.44
1:A:84:VAL:HB	1:A:451:ALA:HB1	2.00	0.44
1:A:159:GLY:HA3	1:A:477:TRP:CE2	2.54	0.43
1:A:450[A]:LYS:HE3	8:A:1056:HOH:O	2.19	0.43
1:A:51:GLU:HG3	8:A:946:HOH:O	2.16	0.42
1:A:503:ASP:OD1	1:A:505:THR:HA	2.19	0.42
1:A:95:ASP:HB2	1:A:113:LEU:HB2	2.01	0.42
1:A:337:LEU:HD12	1:A:337:LEU:HA	1.88	0.42
1:A:450[A]:LYS:CE	8:A:1056:HOH:O	2.68	0.41
1:A:378:GLU:OE2	1:A:434:LYS:NZ	2.46	0.41
1:A:422:GLN:HE22	1:A:425:ARG:HH11	1.68	0.41
1:A:449:GLU:H	1:A:449:GLU:CD	2.29	0.41
1:A:71:ASP:CB	1:A:507:LYS:HB2	2.50	0.41
1:A:348:LYS:C	1:A:348:LYS:HD2	2.46	0.40
1:A:203:HIS:NE2	7:A:511:HEM:O2D	2.28	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	483/485 (100%)	473 (98%)	8 (2%)	2 (0%)	30 15

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	166	ILE
1	A	505	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	411/410 (100%)	404 (98%)	7 (2%)	53 36

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	51	GLU
1	A	226	LYS
1	A	331	ARG
1	A	332	GLU
1	A	479	LYS
1	A	495	VAL
1	A	506	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	72	ASN
1	A	97	ASN
1	A	204	GLN
1	A	250	GLN
1	A	290	GLN
1	A	328	ASN
1	A	352	GLN
1	A	418	ASN
1	A	422	GLN
1	A	452	GLN
1	A	475	GLN
1	A	480	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 4 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
7	HEM	A	510	1,2	50,50,50	1.85	7 (14%)	67,82,82	1.30	9 (13%)
7	HEM	A	511	1	50,50,50	1.95	10 (20%)	67,82,82	1.35	5 (7%)
4	ACT	A	3	-	3,3,3	0.86	0	3,3,3	1.14	0
2	NO2	A	1	7	1,2,2	3.95	1 (100%)	0,1,1	-	-
7	HEM	A	512	6,1	50,50,50	1.75	9 (18%)	67,82,82	1.46	10 (14%)
4	ACT	A	2	-	3,3,3	0.95	0	3,3,3	1.08	0
7	HEM	A	513	6,1	50,50,50	1.74	7 (14%)	67,82,82	1.30	9 (13%)
7	HEM	A	514	6,1	50,50,50	1.99	8 (16%)	67,82,82	1.48	9 (13%)
5	SO4	A	509	6	4,4,4	0.23	0	6,6,6	0.69	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	HEM	A	511	1	-	6/14/54/54	-
7	HEM	A	510	1,2	-	4/14/54/54	-
7	HEM	A	512	6,1	-	4/14/54/54	-
7	HEM	A	513	6,1	-	2/14/54/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	HEM	A	514	6,1	-	9/14/54/54	-

All (42) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	514	HEM	C3D-C2D	8.17	1.54	1.36
7	A	510	HEM	C3D-C2D	7.54	1.53	1.36
7	A	511	HEM	C3D-C2D	7.42	1.52	1.36
7	A	513	HEM	C3D-C2D	7.24	1.52	1.36
7	A	512	HEM	C3D-C2D	7.08	1.52	1.36
7	A	510	HEM	FE-ND	4.94	2.10	1.94
7	A	514	HEM	FE-NA	4.77	2.10	1.95
7	A	511	HEM	FE-ND	4.46	2.08	1.94
7	A	514	HEM	FE-ND	4.23	2.07	1.94
2	A	1	NO2	O1-N	3.95	1.42	1.22
7	A	510	HEM	FE-NC	3.94	2.08	1.95
7	A	511	HEM	FE-NB	3.94	2.07	1.94
7	A	512	HEM	FE-NB	3.87	2.06	1.94
7	A	510	HEM	CAC-C3C	3.82	1.57	1.47
7	A	514	HEM	CAC-C3C	3.78	1.57	1.47
7	A	513	HEM	FE-NA	3.68	2.07	1.95
7	A	511	HEM	FE-NA	3.66	2.07	1.95
7	A	514	HEM	CAB-C3B	3.55	1.56	1.47
7	A	512	HEM	FE-ND	3.52	2.05	1.94
7	A	511	HEM	CAC-C3C	3.49	1.56	1.47
7	A	511	HEM	CAB-C3B	3.46	1.56	1.47
7	A	514	HEM	FE-NC	3.44	2.06	1.95
7	A	513	HEM	CAC-C3C	3.35	1.56	1.47
7	A	513	HEM	FE-ND	3.15	2.04	1.94
7	A	512	HEM	CAC-C3C	3.07	1.55	1.47
7	A	511	HEM	FE-NC	3.04	2.05	1.95
7	A	512	HEM	CAB-C3B	2.90	1.55	1.47
7	A	513	HEM	CAB-C3B	2.72	1.54	1.47
7	A	513	HEM	FE-NC	2.71	2.04	1.95
7	A	511	HEM	CAA-C2A	2.56	1.57	1.51
7	A	510	HEM	FE-NB	2.53	2.02	1.94
7	A	512	HEM	CMC-C2C	2.52	1.55	1.50
7	A	514	HEM	CMB-C2B	2.37	1.55	1.50
7	A	512	HEM	FE-NC	2.28	2.02	1.95
7	A	510	HEM	CAB-C3B	2.28	1.53	1.47
7	A	511	HEM	CMB-C2B	2.26	1.55	1.50
7	A	513	HEM	CMC-C2C	2.22	1.55	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	510	HEM	FE-NA	2.13	2.02	1.95
7	A	511	HEM	CMD-C2D	2.13	1.55	1.50
7	A	514	HEM	FE-NB	2.11	2.01	1.94
7	A	512	HEM	CMD-C2D	2.10	1.55	1.50
7	A	512	HEM	C1B-NB	-2.05	1.36	1.40

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	512	HEM	C4D-ND-C1D	6.28	112.64	105.21
7	A	514	HEM	C4D-ND-C1D	5.50	111.72	105.21
7	A	511	HEM	C4D-ND-C1D	5.20	111.36	105.21
7	A	512	HEM	C1B-NB-C4B	4.26	110.25	105.21
7	A	511	HEM	C1B-NB-C4B	3.73	109.63	105.21
7	A	513	HEM	C2A-C1A-NA	-3.59	106.17	110.15
7	A	510	HEM	C4D-ND-C1D	3.49	109.34	105.21
7	A	512	HEM	C3B-C4B-NB	-3.11	107.24	109.47
7	A	510	HEM	C1B-NB-C4B	3.03	108.80	105.21
7	A	514	HEM	C2A-C1A-NA	-2.98	106.84	110.15
7	A	514	HEM	CAA-CBA-CGA	-2.93	105.90	113.67
7	A	513	HEM	C4C-NC-C1C	2.85	110.46	105.82
7	A	510	HEM	C4D-C3D-C2D	-2.74	102.91	106.89
7	A	510	HEM	CBB-CAB-C3B	-2.73	113.87	127.53
7	A	511	HEM	C3B-C4B-NB	-2.72	107.51	109.47
7	A	512	HEM	CBA-CAA-C2A	-2.70	105.07	112.53
7	A	513	HEM	C4A-NA-C1A	2.65	110.14	105.82
7	A	513	HEM	CAD-CBD-CGD	-2.61	106.75	113.67
7	A	513	HEM	C4D-ND-C1D	2.58	108.26	105.21
7	A	510	HEM	CHD-C1D-ND	2.56	127.18	124.42
7	A	514	HEM	C4C-NC-C1C	2.55	109.97	105.82
7	A	512	HEM	CBD-CAD-C3D	-2.45	105.76	112.53
7	A	512	HEM	C3D-C4D-ND	-2.44	107.49	110.17
7	A	514	HEM	CAD-CBD-CGD	-2.42	107.24	113.67
7	A	512	HEM	C2B-C1B-NB	-2.41	107.07	109.84
7	A	510	HEM	C3B-C4B-NB	-2.41	107.74	109.47
7	A	514	HEM	C4A-NA-C1A	2.38	109.70	105.82
7	A	510	HEM	CAD-C3D-C4D	2.30	128.71	124.70
7	A	510	HEM	CHC-C4B-NB	2.27	126.87	124.42
7	A	513	HEM	CBA-CAA-C2A	-2.24	106.35	112.53
7	A	512	HEM	CHD-C1D-ND	2.21	126.80	124.42
7	A	511	HEM	C4A-NA-C1A	2.15	109.33	105.82
7	A	514	HEM	CHD-C4C-C3C	2.12	128.78	125.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	514	HEM	C1B-NB-C4B	2.10	107.70	105.21
7	A	514	HEM	C3B-C4B-NB	-2.09	107.97	109.47
7	A	512	HEM	CHC-C4B-C3B	2.07	129.21	125.07
7	A	510	HEM	C4A-C3A-C2A	2.07	109.19	106.82
7	A	511	HEM	C2B-C1B-NB	-2.05	107.48	109.84
7	A	513	HEM	CBB-CAB-C3B	-2.04	117.31	127.53
7	A	512	HEM	C3B-C2B-C1B	2.03	107.93	106.41
7	A	513	HEM	O2A-CGA-CBA	2.02	120.39	114.00
7	A	513	HEM	CAD-C3D-C4D	2.01	128.21	124.70

There are no chirality outliers.

All (25) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	A	510	HEM	C2B-C3B-CAB-CBB
7	A	510	HEM	C4B-C3B-CAB-CBB
7	A	514	HEM	C2B-C3B-CAB-CBB
7	A	512	HEM	C2B-C3B-CAB-CBB
7	A	512	HEM	C4B-C3B-CAB-CBB
7	A	514	HEM	C4B-C3B-CAB-CBB
7	A	514	HEM	C2A-CAA-CBA-CGA
7	A	511	HEM	C2B-C3B-CAB-CBB
7	A	511	HEM	C2C-C3C-CAC-CBC
7	A	513	HEM	C2B-C3B-CAB-CBB
7	A	514	HEM	C2C-C3C-CAC-CBC
7	A	511	HEM	C4B-C3B-CAB-CBB
7	A	512	HEM	C4C-C3C-CAC-CBC
7	A	511	HEM	CAA-CBA-CGA-O2A
7	A	510	HEM	CAA-CBA-CGA-O1A
7	A	510	HEM	CAA-CBA-CGA-O2A
7	A	511	HEM	CAA-CBA-CGA-O1A
7	A	514	HEM	CAA-CBA-CGA-O1A
7	A	514	HEM	CAD-CBD-CGD-O2D
7	A	512	HEM	C2C-C3C-CAC-CBC
7	A	514	HEM	CAA-CBA-CGA-O2A
7	A	511	HEM	C4C-C3C-CAC-CBC
7	A	513	HEM	C4B-C3B-CAB-CBB
7	A	514	HEM	C4C-C3C-CAC-CBC
7	A	514	HEM	CAD-CBD-CGD-O1D


There are no ring outliers.


5 monomers are involved in 26 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	511	HEM	10	0
7	A	512	HEM	1	0
7	A	513	HEM	6	0
7	A	514	HEM	9	0
5	A	509	SO4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	471/485 (97%)	-0.20	6 (1%) 75 81	12, 25, 41, 55	19 (4%)

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	507	LYS	6.5
1	A	506	LYS	5.4
1	A	332	GLU	2.3
1	A	291	LYS	2.3
1	A	59[A]	ARG	2.2
1	A	331	ARG	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	SO4	A	509	5/5	0.82	0.20	29,31,33,33	5

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	Y1	A	516	1/1	0.83	0.14	62,62,62,62	1
4	ACT	A	3	4/4	0.86	0.13	52,52,53,53	0
4	ACT	A	2	4/4	0.87	0.14	35,37,37,38	0
7	HEM	A	514	43/43	0.96	0.08	25,32,40,43	0
7	HEM	A	513	43/43	0.97	0.08	20,23,35,46	0
2	NO2	A	1	3/3	0.97	0.07	21,21,22,22	0
7	HEM	A	512	43/43	0.98	0.06	18,20,25,32	0
6	Y1	A	517	1/1	0.98	0.04	28,28,28,28	1
7	HEM	A	511	43/43	0.98	0.07	22,25,34,40	0
3	CA	A	508	1/1	0.99	0.03	25,25,25,25	0
7	HEM	A	510	43/43	0.99	0.05	17,19,21,22	0
6	Y1	A	515	1/1	1.00	0.02	26,26,26,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEM A 514:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 513:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEM A 512:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 511:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM A 510:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.