



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 12:59 AM UTC

PDB ID : 2CLP / pdb_00002clp
Title : Crystal structure of human aflatoxin B1 aldehyde reductase member 3
Authors : Debreczeni, J.E.; Marsden, B.D.; Johansson, C.; Kavanagh, K.; Guo, K.; Smee, C.; Gileadi, O.; Turnbull, A.; Papagrigoriou, E.; von Delft, F.; Edwards, A.; Arrowsmith, C.; Weigelt, J.; Sundstrom, M.; Oppermann, U.
Deposited on : 2006-04-28
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	347	
1	B	347	
1	C	347	
1	D	347	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	347	2% 85% 7% 7%
1	F	347	85% 7% 7%
1	G	347	% 85% 7% 7%
1	H	347	4% 83% 8% 7%
1	I	347	5% 84% 8% 7%
1	J	347	85% 7% 7%
1	K	347	2% 84% 7% 7%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 27441 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called AFLATOXIN B1 ALDEHYDE REDUCTASE MEMBER 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	323	Total	C	N	O	S	0	0	0
			2445	1566	419	444	16			
1	B	323	Total	C	N	O	S	0	0	0
			2445	1566	418	445	16			
1	C	323	Total	C	N	O	S	0	0	0
			2443	1565	417	445	16			
1	D	323	Total	C	N	O	S	0	0	0
			2444	1568	416	444	16			
1	E	323	Total	C	N	O	S	0	0	0
			2445	1568	417	444	16			
1	F	323	Total	C	N	O	S	0	0	0
			2451	1569	420	446	16			
1	G	323	Total	C	N	O	S	0	0	0
			2455	1569	424	446	16			
1	H	323	Total	C	N	O	S	0	0	0
			2439	1564	417	442	16			
1	I	322	Total	C	N	O	S	0	0	0
			2427	1556	412	443	16			
1	J	323	Total	C	N	O	S	0	0	0
			2443	1565	417	445	16			
1	K	323	Total	C	N	O	S	0	0	0
			2460	1573	424	447	16			

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	244	ASP	ASN	variant	UNP O95154
B	244	ASP	ASN	variant	UNP O95154
C	244	ASP	ASN	variant	UNP O95154
D	244	ASP	ASN	variant	UNP O95154
E	244	ASP	ASN	variant	UNP O95154
F	244	ASP	ASN	variant	UNP O95154
G	244	ASP	ASN	variant	UNP O95154

Continued on next page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	244	ASP	ASN	variant	UNP O95154
I	244	ASP	ASN	variant	UNP O95154
J	244	ASP	ASN	variant	UNP O95154
K	244	ASP	ASN	variant	UNP O95154

- # NDP

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	J	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	K	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		
3	C	1	Total	Ca	0	0
			1	1		
3	E	1	Total	Ca	0	0
			1	1		
3	G	1	Total	Ca	0	0
			1	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	O	0	0
			2	2		
4	B	2	Total	O	0	0
			2	2		
4	D	1	Total	O	0	0
			1	1		
4	E	2	Total	O	0	0
			2	2		
4	F	2	Total	O	0	0
			2	2		
4	G	1	Total	O	0	0
			1	1		
4	H	1	Total	O	0	0
			1	1		
4	K	1	Total	O	0	0
			1	1		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: AFLATOXIN B1 ALDEHYDE REDUCTASE MEMBER 3

Chain A: 




• Molecule 1: AFLATOXIN B1 ALDEHYDE REDUCTASE MEMBER 3

Chain B: 




• Molecule 1: AFLATOXIN B1 ALDEHYDE REDUCTASE MEMBER 3


Chain C: 






• Molecule 1: AFLATOXIN B1 ALDEHYDE REDUCTASE MEMBER 3

Chain D: 







- Molecule 1: AFLATOXIN B1 ALDEHYDE REDUCTASE MEMBER 3





- Molecule 1: AFLATOXIN B1 ALDEHYDE REDUCTASE MEMBER 3




- Molecule 1: AFLATOXIN B1 ALDEHYDE REDUCTASE MEMBER 3




- Molecule 1: AFLATOXIN B1 ALDEHYDE REDUCTASE MEMBER 3




- Molecule 1: AFLATOXIN B1 ALDEHYDE REDUCTASE MEMBER 3





● Molecule 1: AFLATOXIN B1 ALDEHYDE REDUCTASE MEMBER 3

Chain J: 85% 7% • 7%



● Molecule 1: AFLATOXIN B1 ALDEHYDE REDUCTASE MEMBER 3

Chain K: 2% 84% 7% • 7%



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	126.96Å 126.96Å 490.50Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	164.40 – 3.00 163.50 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.8 (164.40-3.00) 99.8 (163.50-3.00)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.34 (at 3.01Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.239 , 0.253 0.243 , 0.255	Depositor DCC
R_{free} test set	4628 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	54.2	Xtriage
Anisotropy	0.047	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 50.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.39$, $\langle L^2 \rangle = 0.22$	Xtriage
Estimated twinning fraction	0.097 for -h,-k,l	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	27441	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.08% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, NDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.60	0/2512	0.82	2/3420 (0.1%)
1	B	0.58	0/2512	0.81	2/3420 (0.1%)
1	C	0.59	0/2510	0.80	0/3417
1	D	0.62	0/2511	0.80	1/3416 (0.0%)
1	E	0.58	0/2512	0.80	0/3419
1	F	0.63	2/2518 (0.1%)	0.83	4/3427 (0.1%)
1	G	0.60	0/2522	0.80	0/3434
1	H	0.59	2/2506 (0.1%)	0.81	2/3412 (0.1%)
1	I	0.49	0/2494	0.77	0/3397
1	J	0.49	0/2510	0.76	0/3417
1	K	0.64	0/2527	0.82	1/3438 (0.0%)
All	All	0.59	4/27634 (0.0%)	0.80	12/37617 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	F	0	1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	H	269	HIS	CE1-NE2	9.59	1.42	1.32
1	F	269	HIS	CE1-NE2	6.93	1.39	1.32
1	H	269	HIS	CG-ND1	5.73	1.44	1.38
1	F	269	HIS	CG-ND1	5.61	1.44	1.38

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	269	HIS	CB-CG-CD2	-9.23	119.20	131.20
1	H	269	HIS	CB-CG-CD2	-8.90	119.62	131.20
1	B	38	ARG	CA-C-N	7.43	127.42	119.76
1	B	38	ARG	C-N-CA	7.43	127.42	119.76
1	F	269	HIS	CB-CG-ND1	6.31	132.17	122.70
1	A	38	ARG	CA-C-N	6.14	126.08	119.76
1	A	38	ARG	C-N-CA	6.14	126.08	119.76
1	H	269	HIS	CB-CG-ND1	5.52	130.99	122.70
1	K	143	MET	CB-CA-C	-5.37	103.13	110.22
1	F	38	ARG	CA-C-N	5.20	125.45	119.83
1	F	38	ARG	C-N-CA	5.20	125.45	119.83
1	D	143	MET	CB-CA-C	-5.13	103.44	110.22

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	F	269	HIS	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2445	0	2278	32	0
1	B	2445	0	2279	32	0
1	C	2443	0	2276	26	0
1	D	2444	0	2271	27	0
1	E	2445	0	2281	30	0
1	F	2451	0	2289	25	0
1	G	2455	0	2296	26	0
1	H	2439	0	2274	35	0
1	I	2427	0	2255	34	0
1	J	2443	0	2276	26	0
1	K	2460	0	2303	27	0
2	A	48	0	26	6	0
2	B	48	0	26	3	0
2	C	48	0	26	2	0
2	D	48	0	26	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	48	0	26	2	0
2	F	48	0	26	1	0
2	G	48	0	26	0	0
2	H	48	0	26	2	0
2	I	48	0	26	5	0
2	J	48	0	26	2	0
2	K	48	0	26	1	0
3	A	1	0	0	0	0
3	C	1	0	0	0	0
3	E	1	0	0	0	0
3	G	1	0	0	0	0
4	A	2	0	0	1	0
4	B	2	0	0	0	0
4	D	1	0	0	0	0
4	E	2	0	0	0	0
4	F	2	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	2	0
4	K	1	0	0	0	0
All	All	27441	0	25364	312	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (312) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:60:VAL:HG13	1:J:324:LEU:HD22	1.42	1.00
1:E:60:VAL:HG13	1:E:324:LEU:HD22	1.44	0.99
1:C:52:MET:HE1	1:C:60:VAL:HG21	1.43	0.99
1:H:60:VAL:HG13	1:H:324:LEU:HD22	1.45	0.99
1:K:60:VAL:HG13	1:K:324:LEU:HD22	1.42	0.99
1:G:60:VAL:HG13	1:G:324:LEU:HD22	1.45	0.98
1:I:60:VAL:HG13	1:I:324:LEU:HD22	1.46	0.97
1:B:60:VAL:HG13	1:B:324:LEU:HD22	1.47	0.96
1:A:60:VAL:HG13	1:A:324:LEU:HD22	1.45	0.96
1:H:269:HIS:HE1	4:H:2001:HOH:O	1.49	0.95
1:G:52:MET:HE1	1:G:60:VAL:HG21	1.46	0.94
1:B:38:ARG:N	1:B:39:PRO:HD2	1.83	0.93
1:H:52:MET:HE1	1:H:60:VAL:HG21	1.50	0.93
1:I:237:LYS:NZ	2:I:1361:NDP:O1X	2.01	0.93

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:52:MET:HE1	1:E:60:VAL:HG21	1.51	0.93
1:F:60:VAL:HG13	1:F:324:LEU:HD22	1.49	0.93
1:D:60:VAL:HG13	1:D:324:LEU:HD22	1.48	0.92
1:I:52:MET:HE1	1:I:60:VAL:HG21	1.50	0.92
1:C:60:VAL:HG13	1:C:324:LEU:HD22	1.50	0.92
1:J:52:MET:HE1	1:J:60:VAL:HG21	1.51	0.92
1:D:52:MET:HE1	1:D:60:VAL:HG21	1.52	0.91
1:B:52:MET:HE1	1:B:60:VAL:HG21	1.52	0.90
1:F:52:MET:HE1	1:F:60:VAL:HG21	1.52	0.90
1:A:52:MET:HE1	1:A:60:VAL:HG21	1.52	0.90
1:K:52:MET:HE1	1:K:60:VAL:HG21	1.53	0.89
1:A:38:ARG:N	1:A:39:PRO:HD2	1.95	0.82
1:H:111:PHE:HE2	1:I:111:PHE:HE2	1.27	0.81
1:A:241:GLU:HB3	1:G:162:GLN:O	1.81	0.81
1:B:319:SER:OG	2:B:1361:NDP:O1X	2.02	0.78
1:H:108:ILE:HG22	1:H:142:HIS:HB3	1.65	0.77
1:I:108:ILE:HG22	1:I:142:HIS:HB3	1.66	0.77
1:G:38:ARG:N	1:G:39:PRO:HD2	2.00	0.76
1:D:108:ILE:HG22	1:D:142:HIS:HB3	1.67	0.76
1:H:269:HIS:CE1	4:H:2001:HOH:O	2.30	0.75
1:A:54:ALA:HB3	1:A:55:PRO:HD3	1.69	0.75
1:F:108:ILE:HG22	1:F:142:HIS:HB3	1.69	0.75
1:I:227:ASN:HA	2:I:1361:NDP:O1A	1.85	0.75
1:B:108:ILE:HG22	1:B:142:HIS:HB3	1.68	0.74
1:E:108:ILE:HG22	1:E:142:HIS:HB3	1.67	0.74
1:J:108:ILE:HG22	1:J:142:HIS:HB3	1.69	0.74
1:A:108:ILE:HG22	1:A:142:HIS:HB3	1.69	0.74
1:C:108:ILE:HG22	1:C:142:HIS:HB3	1.70	0.73
1:K:108:ILE:HG22	1:K:142:HIS:HB3	1.69	0.72
1:A:235:THR:HG21	2:A:1361:NDP:N3A	2.05	0.72
1:C:54:ALA:HB3	1:C:55:PRO:HD3	1.72	0.72
1:K:54:ALA:HB3	1:K:55:PRO:HD3	1.72	0.71
1:F:38:ARG:N	1:F:39:PRO:HD2	2.06	0.71
1:B:38:ARG:N	1:B:39:PRO:CD	2.54	0.71
1:J:54:ALA:HB3	1:J:55:PRO:HD3	1.73	0.70
1:G:108:ILE:HG22	1:G:142:HIS:HB3	1.73	0.70
1:D:54:ALA:HB3	1:D:55:PRO:HD3	1.73	0.70
1:D:110:LEU:HG	1:D:143:MET:HE1	1.72	0.70
1:K:110:LEU:HG	1:K:143:MET:HE1	1.71	0.70
1:G:54:ALA:HB3	1:G:55:PRO:HD3	1.74	0.70
1:I:54:ALA:HB3	1:I:55:PRO:HD3	1.73	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:54:ALA:HB3	1:F:55:PRO:HD3	1.73	0.70
1:B:235:THR:HG21	2:B:1361:NDP:N3A	2.07	0.70
1:A:110:LEU:HG	1:A:143:MET:HE1	1.72	0.70
1:H:54:ALA:HB3	1:H:55:PRO:HD3	1.72	0.70
1:E:54:ALA:HB3	1:E:55:PRO:HD3	1.73	0.69
1:B:235:THR:HG21	2:B:1361:NDP:C2A	2.22	0.69
1:E:38:ARG:N	1:E:39:PRO:HD2	2.07	0.69
1:A:235:THR:HG21	2:A:1361:NDP:C2A	2.23	0.69
1:B:54:ALA:HB3	1:B:55:PRO:HD3	1.73	0.69
1:C:52:MET:HE1	1:C:60:VAL:CG2	2.22	0.69
1:G:52:MET:HE1	1:G:60:VAL:CG2	2.22	0.68
1:J:38:ARG:N	1:J:39:PRO:HD2	2.08	0.68
1:C:110:LEU:HG	1:C:143:MET:HE1	1.76	0.67
1:C:38:ARG:N	1:C:39:PRO:HD2	2.11	0.66
1:H:110:LEU:HG	1:H:143:MET:HE1	1.78	0.65
1:D:38:ARG:N	1:D:39:PRO:HD2	2.12	0.65
1:C:52:MET:CE	1:C:60:VAL:HG21	2.24	0.64
1:J:52:MET:HE1	1:J:60:VAL:CG2	2.27	0.64
1:G:110:LEU:HG	1:G:143:MET:HE1	1.80	0.63
1:B:110:LEU:HG	1:B:143:MET:HE1	1.81	0.63
1:D:300:MET:CE	1:D:306:LEU:HD11	2.28	0.63
1:H:108:ILE:HG22	1:H:142:HIS:CB	2.28	0.62
1:A:137:ASP:OD2	4:A:2001:HOH:O	2.15	0.62
1:E:319:SER:OG	2:E:1361:NDP:O1X	2.17	0.62
1:I:110:LEU:HG	1:I:143:MET:HE1	1.81	0.62
1:K:52:MET:HE1	1:K:60:VAL:CG2	2.29	0.61
1:D:52:MET:HE1	1:D:60:VAL:CG2	2.27	0.61
1:I:108:ILE:HG22	1:I:142:HIS:CB	2.30	0.61
1:E:110:LEU:HG	1:E:143:MET:HE1	1.81	0.61
1:D:108:ILE:HG22	1:D:142:HIS:CB	2.30	0.61
1:E:52:MET:HE1	1:E:60:VAL:CG2	2.30	0.61
1:F:300:MET:CE	1:F:306:LEU:HD11	2.31	0.61
1:D:300:MET:HE3	1:D:306:LEU:HD11	1.83	0.61
1:H:111:PHE:HE2	1:I:111:PHE:CE2	2.14	0.61
1:A:38:ARG:N	1:A:39:PRO:CD	2.64	0.60
1:K:108:ILE:HG22	1:K:142:HIS:CB	2.31	0.60
1:E:108:ILE:HG22	1:E:142:HIS:CB	2.31	0.60
1:I:52:MET:CE	1:I:60:VAL:HG21	2.28	0.60
1:C:198:GLN:OE1	2:C:1361:NDP:H2N	2.01	0.59
1:E:47:GLU:HG3	1:E:51:ARG:HB2	1.83	0.59
1:E:52:MET:CE	1:E:60:VAL:HG21	2.28	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:300:MET:HE3	1:F:306:LEU:HD11	1.85	0.59
1:J:110:LEU:HG	1:J:143:MET:HE1	1.83	0.59
1:J:52:MET:CE	1:J:60:VAL:HG21	2.30	0.59
1:J:108:ILE:HG22	1:J:142:HIS:CB	2.32	0.59
1:B:300:MET:CE	1:B:306:LEU:HD11	2.33	0.59
1:H:52:MET:HE1	1:H:60:VAL:CG2	2.29	0.59
1:G:47:GLU:HG3	1:G:51:ARG:HB2	1.85	0.58
1:I:226:PHE:CE1	2:I:1361:NDP:H41N	2.38	0.58
1:G:38:ARG:N	1:G:39:PRO:CD	2.66	0.58
1:I:47:GLU:HG3	1:I:51:ARG:HB2	1.86	0.58
1:G:52:MET:CE	1:G:60:VAL:HG21	2.26	0.58
1:K:60:VAL:HG13	1:K:324:LEU:CD2	2.28	0.58
1:I:142:HIS:NE2	2:I:1361:NDP:N7N	2.51	0.58
1:F:52:MET:HE1	1:F:60:VAL:CG2	2.30	0.58
1:I:300:MET:CE	1:I:306:LEU:HD11	2.33	0.58
1:F:110:LEU:HG	1:F:143:MET:HE1	1.86	0.57
1:C:47:GLU:HG3	1:C:51:ARG:HB2	1.87	0.57
1:A:52:MET:CE	1:A:60:VAL:HG21	2.32	0.57
1:C:300:MET:CE	1:C:306:LEU:HD11	2.35	0.57
1:D:47:GLU:HG3	1:D:51:ARG:HB2	1.87	0.57
1:A:300:MET:CE	1:A:306:LEU:HD11	2.35	0.57
1:H:300:MET:CE	1:H:306:LEU:HD11	2.35	0.57
1:C:108:ILE:HG22	1:C:142:HIS:CB	2.35	0.57
1:I:300:MET:HE3	1:I:306:LEU:HD11	1.87	0.57
1:B:52:MET:CE	1:B:60:VAL:HG21	2.31	0.57
1:B:47:GLU:HG3	1:B:51:ARG:HB2	1.86	0.56
1:A:47:GLU:HG3	1:A:51:ARG:HB2	1.87	0.56
1:D:319:SER:OG	2:D:1361:NDP:O1X	2.21	0.56
1:F:108:ILE:HG22	1:F:142:HIS:CB	2.36	0.56
1:B:52:MET:HE1	1:B:60:VAL:CG2	2.30	0.56
1:I:52:MET:HE1	1:I:60:VAL:CG2	2.28	0.56
1:J:38:ARG:N	1:J:39:PRO:CD	2.69	0.56
1:J:300:MET:HE3	1:J:306:LEU:HD11	1.87	0.56
1:B:300:MET:HE3	1:B:306:LEU:HD11	1.87	0.56
1:H:47:GLU:HG3	1:H:51:ARG:HB2	1.88	0.55
1:H:300:MET:HE3	1:H:306:LEU:HD11	1.88	0.55
1:F:47:GLU:HG3	1:F:51:ARG:HB2	1.89	0.55
1:J:47:GLU:HG3	1:J:51:ARG:HB2	1.88	0.55
1:J:300:MET:CE	1:J:306:LEU:HD11	2.36	0.55
1:E:300:MET:HE3	1:E:306:LEU:HD11	1.88	0.55
1:B:108:ILE:HG22	1:B:142:HIS:CB	2.35	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:52:MET:CE	1:F:60:VAL:HG21	2.32	0.55
1:A:52:MET:HE1	1:A:60:VAL:CG2	2.29	0.55
1:J:60:VAL:HG13	1:J:324:LEU:CD2	2.28	0.55
1:A:300:MET:HE3	1:A:306:LEU:HD11	1.88	0.54
1:I:142:HIS:CD2	2:I:1361:NDP:H72N	2.25	0.54
1:E:77:VAL:HG21	1:E:108:ILE:HD11	1.89	0.54
1:E:300:MET:CE	1:E:306:LEU:HD11	2.37	0.54
1:C:300:MET:HE3	1:C:306:LEU:HD11	1.89	0.54
2:A:1361:NDP:H6N	2:A:1361:NDP:H3D	1.90	0.54
1:G:300:MET:CE	1:G:306:LEU:HD11	2.38	0.54
1:H:111:PHE:CE2	1:I:111:PHE:HE2	2.17	0.54
1:B:111:PHE:HE2	1:E:111:PHE:HE2	1.55	0.53
1:K:65:LEU:HD21	1:K:101:VAL:CG2	2.38	0.53
1:A:108:ILE:HG22	1:A:142:HIS:CB	2.36	0.53
1:H:235:THR:HG21	2:H:1361:NDP:C2A	2.39	0.53
1:A:77:VAL:HG21	1:A:108:ILE:HD11	1.90	0.53
1:F:300:MET:HE3	1:F:306:LEU:CD1	2.39	0.53
1:K:47:GLU:HG3	1:K:51:ARG:HB2	1.90	0.53
1:B:300:MET:HE3	1:B:306:LEU:CD1	2.40	0.52
1:F:77:VAL:HG21	1:F:108:ILE:HD11	1.91	0.52
1:G:77:VAL:HG21	1:G:108:ILE:HD11	1.90	0.52
1:K:300:MET:CE	1:K:306:LEU:HD11	2.39	0.52
1:D:300:MET:HE3	1:D:306:LEU:CD1	2.38	0.52
1:G:300:MET:HE3	1:G:306:LEU:HD11	1.91	0.52
1:D:109:PRO:HD2	1:D:143:MET:HE3	1.92	0.52
1:D:52:MET:CE	1:D:60:VAL:HG21	2.31	0.52
1:E:38:ARG:N	1:E:39:PRO:CD	2.73	0.52
1:K:300:MET:HE3	1:K:306:LEU:HD11	1.91	0.51
1:G:60:VAL:HG13	1:G:324:LEU:CD2	2.31	0.51
1:G:108:ILE:HG22	1:G:142:HIS:CB	2.40	0.51
1:I:300:MET:HE3	1:I:306:LEU:CD1	2.41	0.51
1:H:229:LEU:HB2	2:H:1361:NDP:O2A	2.11	0.51
1:H:257:TRP:CZ3	1:I:111:PHE:HB3	2.45	0.51
1:E:235:THR:HG21	2:E:1361:NDP:N3A	2.26	0.51
1:J:300:MET:HE3	1:J:306:LEU:CD1	2.41	0.51
1:A:318:MET:HA	2:A:1361:NDP:H8A	1.93	0.50
1:B:38:ARG:HG3	1:B:308:GLY:HA3	1.92	0.50
1:H:52:MET:CE	1:H:60:VAL:HG21	2.30	0.50
1:F:38:ARG:N	1:F:39:PRO:CD	2.74	0.50
1:C:109:PRO:HD2	1:C:143:MET:HE3	1.93	0.50
1:K:70:THR:O	1:K:101:VAL:HG22	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:92:LEU:HB2	1:K:94:LEU:CD2	2.41	0.50
1:E:300:MET:HE3	1:E:306:LEU:CD1	2.41	0.50
1:K:319:SER:OG	2:K:1361:NDP:O1X	2.27	0.50
1:D:38:ARG:N	1:D:39:PRO:CD	2.74	0.50
1:K:52:MET:CE	1:K:60:VAL:HG21	2.34	0.50
1:A:318:MET:SD	1:A:318:MET:N	2.85	0.50
1:H:300:MET:HE3	1:H:306:LEU:CD1	2.42	0.50
1:B:44:GLY:O	1:B:318:MET:HE1	2.11	0.49
1:C:300:MET:HE3	1:C:306:LEU:CD1	2.41	0.49
1:A:60:VAL:HG13	1:A:324:LEU:CD2	2.32	0.49
1:C:38:ARG:N	1:C:39:PRO:CD	2.75	0.49
1:H:77:VAL:HG21	1:H:108:ILE:HD11	1.95	0.49
1:K:38:ARG:N	1:K:39:PRO:HD2	2.27	0.49
1:G:109:PRO:HD2	1:G:143:MET:HE3	1.95	0.49
1:B:197:TYR:CE2	1:B:212:LEU:HD21	2.48	0.49
1:H:38:ARG:N	1:H:39:PRO:HD2	2.27	0.49
1:C:77:VAL:HG21	1:C:108:ILE:HD11	1.94	0.48
1:I:109:PRO:HD2	1:I:143:MET:HE3	1.95	0.48
1:I:197:TYR:CE2	1:I:212:LEU:HD21	2.47	0.48
1:B:77:VAL:HG21	1:B:108:ILE:HD11	1.95	0.48
1:C:38:ARG:HG3	1:C:308:GLY:HA3	1.96	0.48
1:A:77:VAL:CG2	1:A:108:ILE:HD11	2.44	0.47
1:H:60:VAL:HG13	1:H:324:LEU:CD2	2.32	0.47
1:J:197:TYR:CE2	1:J:212:LEU:HD21	2.49	0.47
1:F:197:TYR:CE2	1:F:212:LEU:HD21	2.50	0.47
1:D:108:ILE:HG22	1:D:142:HIS:CG	2.50	0.47
1:K:318:MET:SD	1:K:318:MET:N	2.88	0.47
1:I:318:MET:SD	1:I:318:MET:N	2.87	0.47
1:I:298:ARG:NH2	1:I:336:LEU:HD23	2.30	0.47
1:A:109:PRO:HD2	1:A:143:MET:HE3	1.97	0.47
1:B:109:PRO:HD2	1:B:143:MET:HE3	1.95	0.47
1:E:109:PRO:HD2	1:E:143:MET:HE3	1.97	0.47
1:G:38:ARG:HG3	1:G:308:GLY:HA3	1.97	0.47
1:H:108:ILE:HG22	1:H:142:HIS:CG	2.50	0.47
1:E:77:VAL:CG2	1:E:108:ILE:HD11	2.44	0.47
1:G:300:MET:HE3	1:G:306:LEU:CD1	2.45	0.47
1:A:300:MET:HE3	1:A:306:LEU:CD1	2.45	0.47
1:F:77:VAL:CG2	1:F:108:ILE:HD11	2.45	0.47
1:D:300:MET:HE1	1:D:306:LEU:HD11	1.97	0.46
1:F:109:PRO:HD2	1:F:143:MET:HE3	1.97	0.46
1:K:197:TYR:CE2	1:K:212:LEU:HD21	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:300:MET:HE3	1:K:306:LEU:CD1	2.44	0.46
1:E:77:VAL:HG21	1:E:108:ILE:CD1	2.45	0.46
1:A:197:TYR:CE2	1:A:212:LEU:HD21	2.50	0.46
1:F:318:MET:SD	1:F:318:MET:N	2.89	0.46
1:E:60:VAL:HG13	1:E:324:LEU:CD2	2.32	0.46
1:E:108:ILE:HG22	1:E:142:HIS:CG	2.51	0.46
1:F:198:GLN:OE1	2:F:1361:NDP:H2N	2.16	0.46
1:G:143:MET:SD	1:G:360:ARG:NH1	2.89	0.46
1:J:315:ILE:HG22	2:J:1361:NDP:H4D	1.98	0.46
1:D:197:TYR:CE2	1:D:212:LEU:HD21	2.49	0.46
1:I:44:GLY:O	1:I:318:MET:HE1	2.16	0.46
1:K:77:VAL:HG21	1:K:108:ILE:HD11	1.98	0.46
1:J:237:LYS:NZ	2:J:1361:NDP:O3X	2.40	0.45
1:A:38:ARG:HG3	1:A:308:GLY:HA3	1.98	0.45
1:D:77:VAL:HG21	1:D:108:ILE:HD11	1.98	0.45
1:I:108:ILE:HG22	1:I:142:HIS:CG	2.52	0.45
2:A:1361:NDP:H6N	2:A:1361:NDP:C3D	2.47	0.45
1:K:108:ILE:HG22	1:K:142:HIS:CG	2.52	0.45
1:I:77:VAL:HG21	1:I:108:ILE:HD11	1.99	0.45
1:A:227:ASN:N	1:A:228:PRO:CD	2.80	0.45
1:I:227:ASN:N	1:I:228:PRO:CD	2.81	0.44
1:J:77:VAL:HG21	1:J:108:ILE:HD11	1.99	0.44
1:C:197:TYR:CE2	1:C:212:LEU:HD21	2.52	0.44
1:G:197:TYR:CE2	1:G:212:LEU:HD21	2.52	0.44
1:G:77:VAL:CG2	1:G:108:ILE:HD11	2.47	0.44
1:K:38:ARG:HG3	1:K:308:GLY:HA3	2.00	0.44
1:F:227:ASN:N	1:F:228:PRO:CD	2.81	0.44
1:H:318:MET:SD	1:H:318:MET:N	2.91	0.43
1:B:318:MET:SD	1:B:318:MET:N	2.91	0.43
1:E:318:MET:SD	1:E:318:MET:N	2.91	0.43
1:H:197:TYR:CE2	1:H:212:LEU:HD21	2.54	0.43
1:J:108:ILE:HG22	1:J:142:HIS:CG	2.53	0.43
1:H:38:ARG:HG3	1:H:308:GLY:HA3	1.99	0.43
1:H:111:PHE:HB3	1:I:257:TRP:CZ3	2.53	0.43
1:A:292:MET:HE3	1:A:292:MET:HB2	1.92	0.43
1:E:47:GLU:CG	1:E:51:ARG:HB2	2.48	0.43
1:C:44:GLY:O	1:C:318:MET:HE1	2.19	0.43
1:H:77:VAL:CG2	1:H:108:ILE:HD11	2.49	0.43
1:H:227:ASN:N	1:H:228:PRO:CD	2.81	0.43
1:I:60:VAL:HG13	1:I:324:LEU:CD2	2.33	0.43
1:K:92:LEU:HB2	1:K:94:LEU:HD21	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:109:PRO:HD2	1:K:143:MET:HE3	1.99	0.43
1:I:47:GLU:CG	1:I:51:ARG:HB2	2.48	0.43
1:C:227:ASN:N	1:C:228:PRO:CD	2.82	0.43
1:C:227:ASN:ND2	2:C:1361:NDP:O2N	2.52	0.43
1:G:227:ASN:N	1:G:228:PRO:CD	2.82	0.43
1:E:197:TYR:CE2	1:E:212:LEU:HD21	2.54	0.42
1:F:44:GLY:O	1:F:318:MET:HE1	2.20	0.42
1:K:77:VAL:CG2	1:K:108:ILE:HD11	2.49	0.42
1:B:227:ASN:N	1:B:228:PRO:CD	2.82	0.42
1:B:77:VAL:CG2	1:B:108:ILE:HD11	2.49	0.42
1:B:111:PHE:HB3	1:E:257:TRP:CZ3	2.55	0.42
1:F:77:VAL:HG21	1:F:108:ILE:CD1	2.49	0.42
1:H:44:GLY:O	1:H:318:MET:HE1	2.19	0.42
1:I:177:TRP:HB2	1:J:180:ALA:HB2	2.01	0.42
1:C:108:ILE:HG22	1:C:142:HIS:CG	2.55	0.42
1:C:216:LEU:HD22	1:C:221:LEU:HB2	2.02	0.42
1:C:47:GLU:CG	1:C:51:ARG:HB2	2.49	0.42
1:G:47:GLU:CG	1:G:51:ARG:HB2	2.48	0.42
1:H:40:ALA:HB3	1:H:313:ALA:HB2	2.01	0.42
1:J:227:ASN:N	1:J:228:PRO:CD	2.82	0.42
1:D:52:MET:CE	1:D:56:THR:HG22	2.50	0.42
1:H:47:GLU:CG	1:H:51:ARG:HB2	2.50	0.42
1:A:44:GLY:O	1:A:318:MET:HE1	2.20	0.41
1:F:300:MET:HE1	1:F:306:LEU:HD11	2.01	0.41
1:H:109:PRO:HD2	1:H:143:MET:HE3	2.01	0.41
1:D:175:ALA:O	1:D:176:ALA:C	2.63	0.41
1:F:47:GLU:CG	1:F:51:ARG:HB2	2.50	0.41
1:J:318:MET:SD	1:J:318:MET:N	2.93	0.41
1:D:227:ASN:N	1:D:228:PRO:CD	2.84	0.41
1:E:227:ASN:N	1:E:228:PRO:CD	2.83	0.41
1:J:109:PRO:HD2	1:J:143:MET:HE3	2.01	0.41
1:J:292:MET:HE3	1:J:292:MET:HB2	1.96	0.41
1:D:226:PHE:CE1	2:D:1361:NDP:H41N	2.55	0.41
1:A:47:GLU:CG	1:A:51:ARG:HB2	2.50	0.41
1:B:47:GLU:CG	1:B:51:ARG:HB2	2.50	0.41
1:K:227:ASN:N	1:K:228:PRO:CD	2.84	0.41
1:B:94:LEU:C	1:B:96:GLY:H	2.27	0.41
1:J:77:VAL:CG2	1:J:108:ILE:HD11	2.51	0.41
1:B:111:PHE:HD2	1:E:257:TRP:CH2	2.38	0.41
1:C:77:VAL:CG2	1:C:108:ILE:HD11	2.51	0.41
1:D:47:GLU:CG	1:D:51:ARG:HB2	2.51	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:292:MET:HE3	1:H:292:MET:HB2	2.00	0.41
1:I:77:VAL:CG2	1:I:108:ILE:HD11	2.51	0.41
1:B:52:MET:HE3	1:B:56:THR:HG22	2.03	0.41
1:D:318:MET:SD	1:D:318:MET:N	2.94	0.41
1:G:318:MET:SD	1:G:318:MET:N	2.94	0.41
1:A:77:VAL:HG21	1:A:108:ILE:CD1	2.51	0.40
1:E:108:ILE:CG2	1:E:142:HIS:CG	3.04	0.40
1:B:175:ALA:O	1:B:176:ALA:C	2.64	0.40
1:D:77:VAL:CG2	1:D:108:ILE:HD11	2.51	0.40
1:G:77:VAL:HG21	1:G:108:ILE:CD1	2.52	0.40
1:A:226:PHE:CE2	2:A:1361:NDP:O7N	2.75	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	321/347 (92%)	310 (97%)	9 (3%)	2 (1%)	21	56
1	B	321/347 (92%)	310 (97%)	9 (3%)	2 (1%)	21	56
1	C	321/347 (92%)	310 (97%)	9 (3%)	2 (1%)	21	56
1	D	321/347 (92%)	311 (97%)	8 (2%)	2 (1%)	21	56
1	E	321/347 (92%)	310 (97%)	9 (3%)	2 (1%)	21	56
1	F	321/347 (92%)	310 (97%)	10 (3%)	1 (0%)	36	70
1	G	321/347 (92%)	310 (97%)	9 (3%)	2 (1%)	21	56
1	H	321/347 (92%)	310 (97%)	9 (3%)	2 (1%)	21	56
1	I	320/347 (92%)	309 (97%)	9 (3%)	2 (1%)	21	56
1	J	321/347 (92%)	310 (97%)	9 (3%)	2 (1%)	21	56
1	K	321/347 (92%)	311 (97%)	8 (2%)	2 (1%)	21	56

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	3530/3817 (92%)	3411 (97%)	98 (3%)	21 (1%)	21	56

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	249	VAL
1	I	249	VAL
1	A	109	PRO
1	B	249	VAL
1	C	249	VAL
1	D	109	PRO
1	E	249	VAL
1	H	249	VAL
1	J	249	VAL
1	K	249	VAL
1	A	249	VAL
1	B	109	PRO
1	C	109	PRO
1	D	249	VAL
1	G	249	VAL
1	I	109	PRO
1	K	109	PRO
1	E	109	PRO
1	G	109	PRO
1	H	109	PRO
1	J	109	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/285 (82%)	229 (98%)	4 (2%)	53	78
1	B	234/285 (82%)	230 (98%)	4 (2%)	53	78
1	C	233/285 (82%)	228 (98%)	5 (2%)	47	75
1	D	230/285 (81%)	226 (98%)	4 (2%)	53	78

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	233/285 (82%)	229 (98%)	4 (2%)	53	78
1	F	235/285 (82%)	229 (97%)	6 (3%)	40	72
1	G	237/285 (83%)	232 (98%)	5 (2%)	47	75
1	H	232/285 (81%)	227 (98%)	5 (2%)	45	74
1	I	232/285 (81%)	227 (98%)	5 (2%)	45	74
1	J	233/285 (82%)	229 (98%)	4 (2%)	53	78
1	K	237/285 (83%)	231 (98%)	6 (2%)	42	72
All	All	2569/3135 (82%)	2517 (98%)	52 (2%)	48	76

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	47	GLU
1	A	77	VAL
1	A	120	LEU
1	A	318	MET
1	B	47	GLU
1	B	77	VAL
1	B	120	LEU
1	B	318	MET
1	C	47	GLU
1	C	77	VAL
1	C	97	SER
1	C	120	LEU
1	C	318	MET
1	D	47	GLU
1	D	77	VAL
1	D	120	LEU
1	D	318	MET
1	E	47	GLU
1	E	77	VAL
1	E	120	LEU
1	E	318	MET
1	F	47	GLU
1	F	77	VAL
1	F	97	SER
1	F	120	LEU
1	F	269	HIS
1	F	318	MET
1	G	47	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	77	VAL
1	G	101	VAL
1	G	120	LEU
1	G	318	MET
1	H	47	GLU
1	H	77	VAL
1	H	120	LEU
1	H	269	HIS
1	H	318	MET
1	I	47	GLU
1	I	77	VAL
1	I	101	VAL
1	I	120	LEU
1	I	318	MET
1	J	47	GLU
1	J	77	VAL
1	J	120	LEU
1	J	318	MET
1	K	47	GLU
1	K	77	VAL
1	K	99	CYS
1	K	101	VAL
1	K	120	LEU
1	K	318	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (63) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	162	GLN
1	A	218	HIS
1	A	310	HIS
1	B	162	GLN
1	B	173	ASN
1	B	218	HIS
1	B	269	HIS
1	B	310	HIS
1	C	132	GLN
1	C	146	HIS
1	C	161	HIS
1	C	162	GLN
1	C	173	ASN
1	C	218	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	269	HIS
1	C	310	HIS
1	C	327	ASN
1	D	146	HIS
1	D	161	HIS
1	D	162	GLN
1	D	218	HIS
1	D	307	GLN
1	E	162	GLN
1	E	218	HIS
1	E	269	HIS
1	E	307	GLN
1	F	146	HIS
1	F	161	HIS
1	F	162	GLN
1	F	218	HIS
1	F	269	HIS
1	F	307	GLN
1	G	146	HIS
1	G	162	GLN
1	G	173	ASN
1	G	218	HIS
1	G	269	HIS
1	G	310	HIS
1	G	327	ASN
1	H	146	HIS
1	H	161	HIS
1	H	162	GLN
1	H	173	ASN
1	H	218	HIS
1	H	269	HIS
1	H	307	GLN
1	I	162	GLN
1	I	173	ASN
1	I	218	HIS
1	I	269	HIS
1	I	310	HIS
1	J	161	HIS
1	J	162	GLN
1	J	218	HIS
1	J	269	HIS
1	J	310	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	K	146	HIS
1	K	161	HIS
1	K	162	GLN
1	K	173	ASN
1	K	218	HIS
1	K	269	HIS
1	K	310	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 4 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NDP	H	1361	-	51,52,52	1.45	7 (13%)	71,80,80	1.58	12 (16%)
2	NDP	A	1361	-	51,52,52	1.47	5 (9%)	71,80,80	1.56	11 (15%)
2	NDP	J	1361	-	51,52,52	1.49	6 (11%)	71,80,80	1.58	9 (12%)
2	NDP	E	1361	-	51,52,52	1.48	5 (9%)	71,80,80	1.53	9 (12%)
2	NDP	B	1361	-	51,52,52	1.51	6 (11%)	71,80,80	1.61	16 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NDP	D	1361	-	51,52,52	1.56	7 (13%)	71,80,80	1.59	11 (15%)
2	NDP	F	1361	-	51,52,52	1.46	5 (9%)	71,80,80	1.65	15 (21%)
2	NDP	G	1361	-	51,52,52	1.40	7 (13%)	71,80,80	1.83	15 (21%)
2	NDP	K	1361	-	51,52,52	1.56	7 (13%)	71,80,80	1.63	11 (15%)
2	NDP	C	1361	-	51,52,52	1.46	6 (11%)	71,80,80	1.53	14 (19%)
2	NDP	I	1361	-	51,52,52	1.50	5 (9%)	71,80,80	1.61	10 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	H	1361	-	-	4/34/77/77	0/5/5/5
2	NDP	A	1361	-	-	10/34/77/77	0/5/5/5
2	NDP	J	1361	-	-	8/34/77/77	0/5/5/5
2	NDP	E	1361	-	-	2/34/77/77	0/5/5/5
2	NDP	B	1361	-	-	4/34/77/77	0/5/5/5
2	NDP	D	1361	-	-	2/34/77/77	0/5/5/5
2	NDP	F	1361	-	-	4/34/77/77	0/5/5/5
2	NDP	G	1361	-	-	7/34/77/77	0/5/5/5
2	NDP	K	1361	-	-	4/34/77/77	0/5/5/5
2	NDP	C	1361	-	-	7/34/77/77	0/5/5/5
2	NDP	I	1361	-	-	5/34/77/77	0/5/5/5

All (66) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1361	NDP	O7N-C7N	7.24	1.41	1.24
2	E	1361	NDP	O7N-C7N	7.23	1.41	1.24
2	K	1361	NDP	O7N-C7N	7.15	1.41	1.24
2	B	1361	NDP	O7N-C7N	7.14	1.41	1.24
2	H	1361	NDP	O7N-C7N	7.13	1.41	1.24
2	I	1361	NDP	O7N-C7N	7.08	1.41	1.24
2	A	1361	NDP	O7N-C7N	6.96	1.40	1.24
2	J	1361	NDP	O7N-C7N	6.94	1.40	1.24
2	F	1361	NDP	O7N-C7N	6.83	1.40	1.24
2	C	1361	NDP	O7N-C7N	6.75	1.40	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	1361	NDP	O7N-C7N	6.59	1.39	1.24
2	A	1361	NDP	C2A-N1A	3.39	1.40	1.33
2	F	1361	NDP	C2A-N1A	3.29	1.39	1.33
2	K	1361	NDP	PA-O3	3.27	1.63	1.59
2	A	1361	NDP	C2A-N3A	3.08	1.39	1.33
2	D	1361	NDP	C2A-N3A	3.05	1.39	1.33
2	D	1361	NDP	C2A-N1A	3.00	1.39	1.33
2	J	1361	NDP	C2A-N3A	2.96	1.39	1.33
2	I	1361	NDP	C2A-N3A	2.94	1.39	1.33
2	J	1361	NDP	C2A-N1A	2.94	1.39	1.33
2	E	1361	NDP	C2A-N3A	2.92	1.39	1.33
2	I	1361	NDP	C2A-N1A	2.87	1.39	1.33
2	B	1361	NDP	C2A-N3A	2.86	1.39	1.33
2	K	1361	NDP	C2A-N3A	2.86	1.39	1.33
2	K	1361	NDP	C2A-N1A	2.84	1.39	1.33
2	E	1361	NDP	C2A-N1A	2.81	1.38	1.33
2	H	1361	NDP	C2A-N3A	2.77	1.38	1.33
2	G	1361	NDP	C2A-N3A	2.70	1.38	1.33
2	B	1361	NDP	C2A-N1A	2.66	1.38	1.33
2	C	1361	NDP	C2A-N1A	2.65	1.38	1.33
2	H	1361	NDP	C2A-N1A	2.62	1.38	1.33
2	G	1361	NDP	C2A-N1A	2.61	1.38	1.33
2	F	1361	NDP	C2A-N3A	2.59	1.38	1.33
2	D	1361	NDP	C5A-N7A	-2.52	1.34	1.39
2	F	1361	NDP	PA-O3	2.50	1.62	1.59
2	D	1361	NDP	PA-O3	2.49	1.62	1.59
2	K	1361	NDP	PN-O3	2.43	1.62	1.59
2	D	1361	NDP	PN-O3	2.41	1.62	1.59
2	F	1361	NDP	C8A-N7A	2.40	1.36	1.31
2	B	1361	NDP	C6N-C5N	2.37	1.40	1.33
2	G	1361	NDP	C5A-N7A	-2.35	1.34	1.39
2	H	1361	NDP	C5A-N7A	-2.35	1.34	1.39
2	C	1361	NDP	PA-O3	2.31	1.62	1.59
2	K	1361	NDP	C6N-C5N	2.30	1.40	1.33
2	I	1361	NDP	C8A-N7A	2.30	1.36	1.31
2	H	1361	NDP	C6N-C5N	2.27	1.40	1.33
2	B	1361	NDP	PA-O3	2.27	1.61	1.59
2	C	1361	NDP	C5A-N7A	-2.23	1.35	1.39
2	K	1361	NDP	C5A-N7A	-2.23	1.35	1.39
2	C	1361	NDP	C8A-N7A	2.21	1.35	1.31
2	J	1361	NDP	C6N-C5N	2.20	1.39	1.33
2	H	1361	NDP	O4D-C4D	-2.20	1.40	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1361	NDP	C5A-N7A	-2.17	1.35	1.39
2	D	1361	NDP	C8A-N7A	2.15	1.35	1.31
2	A	1361	NDP	C5A-N7A	-2.12	1.35	1.39
2	G	1361	NDP	PN-O2N	-2.11	1.45	1.55
2	E	1361	NDP	C6N-C5N	2.10	1.39	1.33
2	I	1361	NDP	C6N-C5N	2.09	1.39	1.33
2	E	1361	NDP	C5A-N7A	-2.07	1.35	1.39
2	A	1361	NDP	C6N-C5N	2.05	1.39	1.33
2	C	1361	NDP	C2A-N3A	2.04	1.37	1.33
2	G	1361	NDP	C6N-C5N	2.03	1.39	1.33
2	J	1361	NDP	C8A-N7A	2.03	1.35	1.31
2	J	1361	NDP	PA-O3	2.01	1.61	1.59
2	H	1361	NDP	C8A-N7A	2.01	1.35	1.31
2	G	1361	NDP	C8A-N7A	2.00	1.35	1.31

All (133) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	1361	NDP	N3A-C2A-N1A	-6.20	119.20	128.58
2	J	1361	NDP	N3A-C2A-N1A	-5.75	119.88	128.58
2	E	1361	NDP	N3A-C2A-N1A	-5.64	120.04	128.58
2	C	1361	NDP	N3A-C2A-N1A	-5.59	120.13	128.58
2	F	1361	NDP	N3A-C2A-N1A	-5.58	120.13	128.58
2	H	1361	NDP	C5A-C4A-N3A	-5.45	119.22	126.72
2	H	1361	NDP	N3A-C2A-N1A	-5.42	120.37	128.58
2	D	1361	NDP	C5A-C4A-N3A	-5.36	119.33	126.72
2	G	1361	NDP	N3A-C2A-N1A	-5.34	120.50	128.58
2	K	1361	NDP	N3A-C2A-N1A	-5.32	120.53	128.58
2	G	1361	NDP	C5A-C4A-N3A	-5.28	119.44	126.72
2	D	1361	NDP	N3A-C2A-N1A	-5.20	120.71	128.58
2	K	1361	NDP	C5A-C4A-N3A	-5.08	119.72	126.72
2	B	1361	NDP	N3A-C2A-N1A	-5.06	120.92	128.58
2	I	1361	NDP	C5A-C4A-N3A	-5.06	119.75	126.72
2	J	1361	NDP	C5A-C4A-N3A	-4.95	119.90	126.72
2	B	1361	NDP	C5A-C4A-N3A	-4.86	120.02	126.72
2	A	1361	NDP	N3A-C2A-N1A	-4.62	121.60	128.58
2	C	1361	NDP	C5A-C4A-N3A	-4.61	120.37	126.72
2	A	1361	NDP	C5A-C4A-N3A	-4.45	120.59	126.72
2	E	1361	NDP	C5A-C4A-N3A	-4.44	120.61	126.72
2	E	1361	NDP	N9A-C8A-N7A	-4.28	107.86	113.94
2	F	1361	NDP	N9A-C8A-N7A	-4.10	108.12	113.94
2	A	1361	NDP	N9A-C8A-N7A	-4.01	108.25	113.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1361	NDP	O4B-C1B-N9A	3.94	115.66	108.09
2	E	1361	NDP	C5A-N7A-C8A	3.93	109.63	103.45
2	F	1361	NDP	C5A-C4A-N3A	-3.91	121.33	126.72
2	A	1361	NDP	C5A-N7A-C8A	3.91	109.59	103.45
2	I	1361	NDP	C2A-N3A-C4A	3.81	121.14	111.83
2	G	1361	NDP	C2A-N3A-C4A	3.78	121.06	111.83
2	I	1361	NDP	C5A-N7A-C8A	3.77	109.37	103.45
2	G	1361	NDP	C2B-C1B-N9A	-3.74	107.60	113.75
2	J	1361	NDP	C2A-N3A-C4A	3.73	120.95	111.83
2	H	1361	NDP	C2A-N3A-C4A	3.73	120.93	111.83
2	G	1361	NDP	P2B-O2B-C2B	3.69	133.29	123.43
2	K	1361	NDP	O2B-C2B-C3B	-3.67	98.49	111.68
2	D	1361	NDP	C2A-N3A-C4A	3.67	120.80	111.83
2	J	1361	NDP	C5A-N7A-C8A	3.66	109.19	103.45
2	J	1361	NDP	N9A-C8A-N7A	-3.65	108.75	113.94
2	G	1361	NDP	N9A-C8A-N7A	-3.61	108.81	113.94
2	F	1361	NDP	C5A-N7A-C8A	3.58	109.08	103.45
2	I	1361	NDP	N9A-C8A-N7A	-3.57	108.88	113.94
2	K	1361	NDP	C2A-N3A-C4A	3.52	120.44	111.83
2	K	1361	NDP	N3A-C4A-N9A	3.51	133.14	127.17
2	K	1361	NDP	C5A-N7A-C8A	3.48	108.93	103.45
2	C	1361	NDP	C2A-N3A-C4A	3.41	120.16	111.83
2	G	1361	NDP	C5A-N7A-C8A	3.40	108.79	103.45
2	K	1361	NDP	N9A-C8A-N7A	-3.39	109.13	113.94
2	E	1361	NDP	C2A-N3A-C4A	3.38	120.08	111.83
2	B	1361	NDP	C2A-N3A-C4A	3.34	119.98	111.83
2	G	1361	NDP	N3A-C4A-N9A	3.31	132.80	127.17
2	D	1361	NDP	C5A-N7A-C8A	3.29	108.62	103.45
2	H	1361	NDP	C5A-N7A-C8A	3.29	108.61	103.45
2	B	1361	NDP	N9A-C8A-N7A	-3.27	109.29	113.94
2	G	1361	NDP	O2B-C2B-C1B	3.26	121.52	110.05
2	A	1361	NDP	C4A-C5A-N7A	-3.24	106.88	110.58
2	I	1361	NDP	N3A-C4A-N9A	3.22	132.64	127.17
2	G	1361	NDP	C3N-C7N-N7N	3.21	123.37	117.67
2	F	1361	NDP	C6N-N1N-C2N	3.14	122.68	119.32
2	J	1361	NDP	N3A-C4A-N9A	3.13	132.50	127.17
2	B	1361	NDP	C5A-N7A-C8A	3.10	108.33	103.45
2	J	1361	NDP	C1D-N1N-C2N	-3.08	116.06	121.14
2	B	1361	NDP	N3A-C4A-N9A	3.07	132.38	127.17
2	F	1361	NDP	C2A-N3A-C4A	3.06	119.31	111.83
2	D	1361	NDP	O4B-C1B-N9A	3.03	113.91	108.09
2	A	1361	NDP	C2A-N3A-C4A	3.02	119.20	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	1361	NDP	N3A-C4A-N9A	2.99	132.26	127.17
2	E	1361	NDP	N3A-C4A-N9A	2.92	132.14	127.17
2	E	1361	NDP	C4A-C5A-N7A	-2.91	107.25	110.58
2	H	1361	NDP	C4A-C5A-N7A	-2.90	107.26	110.58
2	A	1361	NDP	C2B-C1B-N9A	-2.90	108.98	113.75
2	D	1361	NDP	C4A-C5A-N7A	-2.90	107.27	110.58
2	J	1361	NDP	C4A-C5A-N7A	-2.89	107.28	110.58
2	H	1361	NDP	N9A-C8A-N7A	-2.87	109.86	113.94
2	B	1361	NDP	O4B-C1B-C2B	-2.86	101.66	106.59
2	C	1361	NDP	N3A-C4A-N9A	2.84	131.99	127.17
2	I	1361	NDP	C4A-C5A-N7A	-2.83	107.34	110.58
2	D	1361	NDP	N9A-C8A-N7A	-2.77	110.01	113.94
2	C	1361	NDP	C5A-N7A-C8A	2.77	107.80	103.45
2	D	1361	NDP	N3A-C4A-N9A	2.77	131.87	127.17
2	F	1361	NDP	N3A-C4A-N9A	2.75	131.85	127.17
2	F	1361	NDP	C3N-C2N-N1N	-2.75	119.16	123.20
2	A	1361	NDP	N3A-C4A-N9A	2.75	131.84	127.17
2	D	1361	NDP	C5A-C4A-N9A	2.74	108.80	105.81
2	C	1361	NDP	N9A-C8A-N7A	-2.69	110.12	113.94
2	A	1361	NDP	C1D-N1N-C2N	-2.55	116.95	121.14
2	I	1361	NDP	O2A-PA-O3	2.54	114.15	107.27
2	F	1361	NDP	O4D-C1D-N1N	-2.52	103.28	108.08
2	H	1361	NDP	C5A-C4A-N9A	2.49	108.52	105.81
2	G	1361	NDP	C4A-C5A-N7A	-2.48	107.75	110.58
2	H	1361	NDP	C6A-C5A-C4A	2.47	120.55	117.18
2	K	1361	NDP	C3D-C2D-C1D	2.45	106.10	101.46
2	B	1361	NDP	C2B-C3B-C4B	-2.45	96.72	101.99
2	C	1361	NDP	C3D-C2D-C1D	2.45	106.10	101.46
2	F	1361	NDP	C2D-C3D-C4D	-2.43	97.91	102.61
2	F	1361	NDP	O4B-C1B-N9A	2.41	112.72	108.09
2	G	1361	NDP	O2B-C2B-C3B	-2.40	103.05	111.68
2	G	1361	NDP	C6A-C5A-C4A	2.39	120.44	117.18
2	C	1361	NDP	O4B-C1B-N9A	2.38	112.67	108.09
2	C	1361	NDP	O2N-PN-O1N	2.38	123.50	112.44
2	D	1361	NDP	C6A-C5A-C4A	2.37	120.41	117.18
2	K	1361	NDP	C4A-C5A-N7A	-2.36	107.89	110.58
2	D	1361	NDP	C2B-C1B-N9A	-2.36	109.87	113.75
2	K	1361	NDP	C2B-C1B-N9A	-2.35	109.88	113.75
2	J	1361	NDP	O2B-C2B-C3B	-2.35	103.26	111.68
2	G	1361	NDP	O7N-C7N-C3N	-2.34	116.48	120.90
2	H	1361	NDP	C1D-N1N-C2N	-2.26	117.42	121.14
2	B	1361	NDP	O2N-PN-O1N	2.26	122.94	112.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	1361	NDP	O3B-C3B-C4B	2.25	117.54	111.08
2	C	1361	NDP	C2B-C1B-N9A	-2.24	110.06	113.75
2	A	1361	NDP	C6A-C5A-C4A	2.24	120.23	117.18
2	C	1361	NDP	P2B-O2B-C2B	2.21	129.32	123.43
2	F	1361	NDP	C4A-C5A-N7A	-2.20	108.07	110.58
2	C	1361	NDP	C3N-C2N-N1N	-2.19	119.99	123.20
2	E	1361	NDP	C4A-N9A-C8A	2.16	108.00	105.74
2	F	1361	NDP	O7N-C7N-C3N	-2.15	116.86	120.90
2	I	1361	NDP	O4B-C1B-N9A	2.11	112.15	108.09
2	F	1361	NDP	O2N-PN-O1N	2.11	122.25	112.44
2	A	1361	NDP	O3X-P2B-O2X	2.09	115.66	107.80
2	C	1361	NDP	C1D-N1N-C6N	-2.08	116.38	120.77
2	B	1361	NDP	O3B-C3B-C4B	2.08	117.05	111.08
2	E	1361	NDP	C6A-C5A-C4A	2.07	120.01	117.18
2	B	1361	NDP	C3B-C2B-C1B	2.07	106.76	102.81
2	K	1361	NDP	C6A-C5A-C4A	2.06	119.99	117.18
2	F	1361	NDP	C4A-N9A-C8A	2.06	107.90	105.74
2	H	1361	NDP	O4B-C1B-C2B	-2.06	103.05	106.59
2	B	1361	NDP	C4A-C5A-N7A	-2.05	108.24	110.58
2	B	1361	NDP	C2B-C1B-N9A	-2.04	110.40	113.75
2	B	1361	NDP	C6A-C5A-C4A	2.04	119.96	117.18
2	I	1361	NDP	C6A-C5A-C4A	2.03	119.95	117.18
2	C	1361	NDP	C6A-C5A-C4A	2.02	119.94	117.18
2	B	1361	NDP	O4D-C1D-N1N	2.02	111.94	108.08
2	G	1361	NDP	O3X-P2B-O2B	2.00	113.64	105.85

There are no chirality outliers.

All (57) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1361	NDP	C2N-C3N-C7N-N7N
2	B	1361	NDP	PN-O3-PA-O5B
2	C	1361	NDP	C2N-C3N-C7N-N7N
2	G	1361	NDP	C1B-C2B-O2B-P2B
2	H	1361	NDP	PN-O3-PA-O5B
2	H	1361	NDP	C2N-C3N-C7N-N7N
2	I	1361	NDP	C2N-C3N-C7N-N7N
2	J	1361	NDP	PN-O3-PA-O5B
2	G	1361	NDP	C3B-C4B-C5B-O5B
2	C	1361	NDP	C1B-C2B-O2B-P2B
2	J	1361	NDP	C1B-C2B-O2B-P2B
2	C	1361	NDP	C3B-C2B-O2B-P2B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	J	1361	NDP	C3B-C2B-O2B-P2B
2	G	1361	NDP	O4B-C4B-C5B-O5B
2	H	1361	NDP	O4D-C1D-N1N-C2N
2	F	1361	NDP	C2B-O2B-P2B-O2X
2	K	1361	NDP	C2B-O2B-P2B-O3X
2	F	1361	NDP	C2N-C3N-C7N-N7N
2	A	1361	NDP	PN-O3-PA-O5B
2	C	1361	NDP	PN-O3-PA-O5B
2	D	1361	NDP	PN-O3-PA-O5B
2	E	1361	NDP	PN-O3-PA-O5B
2	F	1361	NDP	PN-O3-PA-O5B
2	G	1361	NDP	PN-O3-PA-O5B
2	I	1361	NDP	PN-O3-PA-O5B
2	K	1361	NDP	PN-O3-PA-O5B
2	K	1361	NDP	O4D-C1D-N1N-C2N
2	E	1361	NDP	O4D-C1D-N1N-C2N
2	F	1361	NDP	O4D-C1D-N1N-C2N
2	G	1361	NDP	O4D-C1D-N1N-C2N
2	H	1361	NDP	O4D-C4D-C5D-O5D
2	G	1361	NDP	C5B-O5B-PA-O1A
2	A	1361	NDP	C2B-O2B-P2B-O2X
2	C	1361	NDP	C2B-O2B-P2B-O3X
2	I	1361	NDP	C4D-C5D-O5D-PN
2	D	1361	NDP	O4D-C1D-N1N-C2N
2	A	1361	NDP	O4D-C1D-N1N-C2N
2	C	1361	NDP	O4D-C1D-N1N-C2N
2	I	1361	NDP	O4D-C1D-N1N-C2N
2	J	1361	NDP	O4D-C1D-N1N-C2N
2	B	1361	NDP	O4D-C1D-N1N-C2N
2	J	1361	NDP	C2N-C3N-C7N-N7N
2	B	1361	NDP	C2D-C1D-N1N-C2N
2	J	1361	NDP	O4D-C1D-N1N-C6N
2	J	1361	NDP	C4D-C5D-O5D-PN
2	A	1361	NDP	C2D-C1D-N1N-C6N
2	J	1361	NDP	C2D-C1D-N1N-C6N
2	A	1361	NDP	C3B-C4B-C5B-O5B
2	A	1361	NDP	PN-O3-PA-O1A
2	B	1361	NDP	PA-O3-PN-O1N
2	I	1361	NDP	PA-O3-PN-O2N
2	A	1361	NDP	C2B-O2B-P2B-O3X
2	K	1361	NDP	C3B-C2B-O2B-P2B
2	A	1361	NDP	C2D-C1D-N1N-C2N

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	C	1361	NDP	C2D-C1D-N1N-C2N
2	A	1361	NDP	O4D-C1D-N1N-C6N
2	G	1361	NDP	PN-O3-PA-O2A


There are no ring outliers.


10 monomers are involved in 26 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	H	1361	NDP	2	0
2	A	1361	NDP	6	0
2	J	1361	NDP	2	0
2	E	1361	NDP	2	0
2	B	1361	NDP	3	0
2	D	1361	NDP	2	0
2	F	1361	NDP	1	0
2	K	1361	NDP	1	0
2	C	1361	NDP	2	0
2	I	1361	NDP	5	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	323/347 (93%)	0.16	1 (0%) 90 79	50, 56, 60, 66	0
1	B	323/347 (93%)	0.72	11 (3%) 48 27	47, 56, 61, 64	0
1	C	323/347 (93%)	0.24	2 (0%) 85 69	48, 56, 61, 65	0
1	D	323/347 (93%)	0.23	3 (0%) 81 61	47, 55, 61, 66	0
1	E	323/347 (93%)	0.33	6 (1%) 66 43	48, 55, 61, 66	0
1	F	323/347 (93%)	0.12	0 100 100	47, 56, 60, 63	0
1	G	323/347 (93%)	0.29	4 (1%) 76 55	48, 56, 60, 69	0
1	H	323/347 (93%)	0.80	15 (4%) 37 20	48, 56, 61, 63	0
1	I	322/347 (92%)	0.85	17 (5%) 32 16	51, 56, 59, 61	0
1	J	323/347 (93%)	0.43	1 (0%) 90 79	51, 56, 60, 61	0
1	K	323/347 (93%)	0.38	6 (1%) 66 43	47, 56, 62, 66	0
All	All	3552/3817 (93%)	0.41	66 (1%) 66 43	47, 56, 61, 69	0

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	64	PHE	4.3
1	K	162	GLN	3.8
1	I	354	GLU	3.7
1	I	273	GLY	3.7
1	H	104	ASP	3.6
1	I	284	ALA	3.5
1	I	252	PHE	3.4
1	K	159	GLN	3.1
1	E	346	GLN	2.9
1	H	149	PRO	2.9
1	B	48	MET	2.8
1	E	241	GLU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	294	SER	2.7
1	J	220	GLY	2.7
1	I	207	GLN	2.6
1	K	184	THR	2.6
1	B	149	PRO	2.6
1	B	296	THR	2.6
1	G	344	PHE	2.5
1	B	120	LEU	2.5
1	I	89	GLY	2.5
1	I	94	LEU	2.4
1	H	354	GLU	2.4
1	K	188	SER	2.4
1	I	203	ALA	2.4
1	I	268	GLU	2.4
1	K	317	GLY	2.3
1	B	290	PRO	2.3
1	C	108	ILE	2.3
1	D	49	GLY	2.3
1	I	353	HIS	2.3
1	I	327	ASN	2.3
1	E	268	GLU	2.2
1	H	192	ILE	2.2
1	H	295	ALA	2.2
1	A	241	GLU	2.2
1	B	118	ASP	2.2
1	I	325	GLU	2.2
1	E	204	ILE	2.2
1	K	287	ALA	2.2
1	D	268	GLU	2.2
1	D	98	ASP	2.2
1	H	74	THR	2.2
1	I	351	VAL	2.2
1	I	300	MET	2.2
1	E	98	ASP	2.2
1	G	204	ILE	2.2
1	B	234	LEU	2.2
1	H	156	ALA	2.2
1	H	208	VAL	2.1
1	G	162	GLN	2.1
1	H	101	VAL	2.1
1	H	62	ARG	2.1
1	I	176	ALA	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	322	GLU	2.1
1	I	229	LEU	2.1
1	G	184	THR	2.1
1	H	152	GLU	2.1
1	E	294	SER	2.1
1	B	45	ALA	2.1
1	B	59	ALA	2.0
1	B	291	SER	2.0
1	H	235	THR	2.0
1	C	211	GLU	2.0
1	H	234	LEU	2.0
1	H	108	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NDP	I	1361	48/48	0.84	0.14	63,71,88,88	0
2	NDP	H	1361	48/48	0.89	0.13	52,57,67,68	0
2	NDP	J	1361	48/48	0.89	0.12	67,70,82,83	0
2	NDP	B	1361	48/48	0.92	0.12	35,45,56,57	0
2	NDP	D	1361	48/48	0.93	0.11	28,40,54,55	0
2	NDP	F	1361	48/48	0.94	0.11	27,35,44,45	0
2	NDP	G	1361	48/48	0.94	0.10	26,34,44,44	0
2	NDP	C	1361	48/48	0.94	0.11	27,40,55,57	0
2	NDP	A	1361	48/48	0.94	0.11	24,31,56,57	0
2	NDP	E	1361	48/48	0.94	0.10	33,41,50,50	0
2	NDP	K	1361	48/48	0.95	0.11	30,38,44,45	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	CA	C	1362	1/1	0.96	0.18	41,41,41,41	0
3	CA	E	1362	1/1	0.96	0.16	35,35,35,35	0
3	CA	G	1362	1/1	0.96	0.20	30,30,30,30	0
3	CA	A	1362	1/1	0.98	0.19	37,37,37,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NDP I 1361:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP H 1361:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP J 1361:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP B 1361:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP D 1361:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP F 1361:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP G 1361:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP C 1361:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP A 1361:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP E 1361:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NDP K 1361:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.