



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 09:01 PM UTC

PDB ID : 4CYJ / pdb_00004cyj
Title : Chaetomium thermophilum Pan2:Pan3 complex
Authors : Wolf, J.; Valkov, E.; Allen, M.D.; Meineke, B.; Gordiyenko, Y.; McLaughlin, S.H.; Olsen, T.M.; Robinson, C.V.; Bycroft, M.; Stewart, M.; Passmore, L.A.
Deposited on : 2014-04-11
Resolution : 2.59 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.59 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	438	6% 84% 7% • 8%
1	B	438	3% 82% 11% • 6%
1	C	438	4% 86% 6% 8%
1	D	438	6% 86% 7% • 6%
2	E	119	3% 37% 7% 56%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	119	5% 41% 55%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 28335 atoms, of which 14053 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PAB-DEPENDENT POLY(A)-SPECIFIC RIBONUCLEASE SUBUNIT PAN3-LIKE PROTEIN.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	403	Total	C	H	N	O	S	0	0	0
			6534	2074	3273	576	597	14			
1	B	412	Total	C	H	N	O	S	0	0	0
			6652	2120	3323	583	612	14			
1	C	404	Total	C	H	N	O	S	0	0	0
			6543	2075	3281	577	596	14			
1	D	411	Total	C	H	N	O	S	0	0	0
			6622	2109	3309	579	611	14			


- Molecule 2 is a protein called PAN2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	52	Total	C	H	N	O	0	0	0
			812	262	402	71	77			
2	F	54	Total	C	H	N	O	0	0	0
			850	272	421	77	80			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	340	GLY	-	expression tag	UNP G0SAK8
E	341	SER	-	expression tag	UNP G0SAK8
E	342	MET	-	expression tag	UNP G0SAK8
F	340	GLY	-	expression tag	UNP G0SAK8
F	341	SER	-	expression tag	UNP G0SAK8
F	342	MET	-	expression tag	UNP G0SAK8

- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	P	
			42	10	11	5	13	3	0
3	B	1	Total	C	H	N	O	P	
			42	10	11	5	13	3	0
3	C	1	Total	C	H	N	O	P	
			42	10	11	5	13	3	0
3	D	1	Total	C	H	N	O	P	
			42	10	11	5	13	3	0

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg		
			1	1	0	0
4	B	1	Total	Mg		
			1	1	0	0
4	C	1	Total	Mg		
			1	1	0	0
4	D	1	Total	Mg		
			1	1	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	41	Total	O		
			41	41	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	35	Total 35	O 35	0	0
5	C	42	Total 42	O 42	0	0
5	D	30	Total 30	O 30	0	0
5	F	2	Total 2	O 2	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: PAB-DEPENDENT POLY(A)-SPECIFIC RIBONUCLEASE SUBUNIT PAN3-LIKE PROTEIN




- Molecule 1: PAB-DEPENDENT POLY(A)-SPECIFIC RIBONUCLEASE SUBUNIT PAN3-LIKE PROTEIN





- Molecule 1: PAB-DEPENDENT POLY(A)-SPECIFIC RIBONUCLEASE SUBUNIT PAN3-LIKE PROTEIN









- Molecule 1: PAB-DEPENDENT POLY(A)-SPECIFIC RIBONUCLEASE SUBUNIT PAN3-LIKE PROTEIN



- Molecule 2: PAN2



- Molecule 2: PAN2



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	89.09Å 145.36Å 101.81Å 90.00° 94.86° 90.00°	Depositor
Resolution (Å)	47.89 – 2.59 47.89 – 2.59	Depositor EDS
% Data completeness (in resolution range)	99.8 (47.89-2.59) 99.8 (47.89-2.59)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.79 (at 2.58Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.183 , 0.221 0.187 , 0.227	Depositor DCC
R_{free} test set	4021 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	55.0	Xtriage
Anisotropy	0.250	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 51.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	28335	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.44	0/3329	0.82	8/4501 (0.2%)
1	B	0.44	0/3402	0.80	2/4605 (0.0%)
1	C	0.45	0/3330	0.78	5/4500 (0.1%)
1	D	0.42	0/3385	0.79	5/4582 (0.1%)
2	E	0.43	0/421	0.77	0/575
2	F	0.40	0/440	0.81	1/600 (0.2%)
All	All	0.44	0/14307	0.80	21/19363 (0.1%)

There are no bond length outliers.

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	422	MET	N-CA-C	7.57	119.61	111.36
1	A	414	ILE	N-CA-C	7.39	117.52	110.42
1	C	412	CYS	N-CA-C	7.09	118.66	111.07
1	D	422	MET	N-CA-C	7.00	118.91	111.28
1	A	412	CYS	N-CA-C	6.61	118.27	111.14
1	A	422	MET	N-CA-C	6.46	118.40	111.36
1	B	412	CYS	N-CA-C	6.37	118.02	111.14
2	F	406	THR	N-CA-C	-6.15	100.48	110.20
1	C	281	ASN	N-CA-C	-6.10	101.17	110.14
1	D	361	PRO	CA-C-N	-5.94	114.26	120.38
1	D	361	PRO	C-N-CA	-5.94	114.26	120.38
1	A	209	GLN	CA-C-N	-5.89	112.51	119.05
1	A	209	GLN	C-N-CA	-5.89	112.51	119.05
1	C	523	VAL	N-CA-C	5.89	118.42	111.05
1	A	208	LEU	N-CA-C	-5.80	106.17	113.18
1	A	604	ASP	N-CA-C	-5.73	101.36	109.96
1	C	414	ILE	N-CA-C	5.62	115.81	110.42
1	D	414	ILE	N-CA-C	5.57	115.77	110.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	319	ILE	CB-CA-C	-5.28	103.66	110.84
1	D	281	ASN	N-CA-C	-5.17	102.54	110.14
1	A	602	SER	N-CA-C	-5.11	103.79	110.53

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3261	3273	3260	20	0
1	B	3329	3323	3310	36	2
1	C	3262	3281	3268	14	0
1	D	3313	3309	3296	24	2
2	E	410	402	402	6	0
2	F	429	421	421	2	0
3	A	31	11	12	1	0
3	B	31	11	12	2	0
3	C	31	11	12	0	0
3	D	31	11	12	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	41	0	0	3	0
5	B	35	0	0	5	0
5	C	42	0	0	0	0
5	D	30	0	0	2	0
5	F	2	0	0	0	0
All	All	14282	14053	14005	95	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:547:VAL:N	5:D:2026:HOH:O	1.96	0.97
1:D:425:ARG:NH1	1:D:433:GLU:OE2	2.11	0.83
1:D:553:THR:O	1:D:556:ARG:NH1	2.13	0.82
1:D:297:ASN:OD1	1:D:299:LYS:N	2.18	0.75
1:D:555:ASP:OD2	1:D:622:ARG:NH1	2.20	0.74
1:B:288:ARG:NH2	3:B:900:ATP:O1A	2.26	0.69
1:A:602:SER:OG	1:A:604:ASP:O	2.09	0.68
1:B:605:ASN:O	1:B:605:ASN:ND2	2.29	0.65
1:B:555:ASP:OD2	1:B:622:ARG:NH1	2.30	0.64
1:D:423:ASN:HD21	1:D:425:ARG:HE	1.45	0.64
1:D:556:ARG:N	1:D:556:ARG:HD3	2.16	0.61
1:A:453:HIS:N	5:A:2037:HOH:O	2.33	0.61
1:A:231:LYS:NZ	5:A:2005:HOH:O	2.34	0.60
1:C:594:VAL:HG12	1:C:596:GLU:H	1.67	0.59
1:D:209:GLN:HG2	1:D:211:TRP:CZ2	2.37	0.59
1:B:225:ARG:NH1	5:B:2001:HOH:O	2.35	0.57
1:A:207:GLU:HG3	1:A:210:PRO:HD3	1.86	0.57
1:B:547:VAL:CG2	1:B:550:TRP:HB2	2.36	0.56
2:E:404:GLU:OE1	2:E:404:GLU:N	2.36	0.56
1:D:608:VAL:HG13	2:F:394:ASN:HB2	1.87	0.55
1:D:420:PHE:C	1:D:420:PHE:CD1	2.86	0.54
1:B:209:GLN:HG2	1:B:211:TRP:CZ2	2.43	0.54
1:B:560:LYS:HD3	1:B:603:ARG:NH2	2.22	0.54
1:B:547:VAL:HG22	1:B:550:TRP:HB2	1.90	0.54
1:C:450:LEU:HG	1:C:451:PRO:HD2	1.90	0.53
1:A:594:VAL:HG12	1:A:596:GLU:H	1.74	0.52
1:B:547:VAL:HB	1:B:548:PRO:HD2	1.91	0.52
1:B:457:ILE:HB	1:B:458:PRO:HD3	1.92	0.51
1:A:425:ARG:NH1	1:A:433:GLU:OE2	2.44	0.51
1:C:305:MET:HA	1:C:305:MET:HE2	1.94	0.50
1:C:603:ARG:NH2	1:D:542:GLY:O	2.44	0.50
1:D:297:ASN:OD1	1:D:297:ASN:C	2.54	0.50
1:D:548:PRO:O	1:D:549:SER:OG	2.26	0.49
1:B:492:HIS:ND1	5:B:2029:HOH:O	2.35	0.49
1:B:556:ARG:HG2	1:B:556:ARG:HH11	1.77	0.49
1:A:208:LEU:HA	1:A:211:TRP:CH2	2.48	0.49
1:D:297:ASN:OD1	1:D:299:LYS:HB3	2.13	0.49
1:D:434:ASP:OD1	5:D:2019:HOH:O	2.20	0.49
1:A:450:LEU:HG	1:A:451:PRO:HD2	1.95	0.48
1:D:489:THR:HG22	1:D:491:GLU:N	2.28	0.48
1:A:398:LYS:NZ	3:A:900:ATP:O1G	2.44	0.48
1:D:304:VAL:HG11	1:D:417:VAL:HG23	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:399:ILE:HG12	1:B:409:LEU:HD23	1.96	0.47
1:C:425:ARG:HG3	1:C:425:ARG:HH11	1.79	0.47
1:B:248:GLU:HG3	1:B:249:HIS:ND1	2.30	0.47
1:B:521:ARG:NH2	5:B:2034:HOH:O	2.38	0.47
1:B:558:GLN:HB2	1:B:619:MET:HE1	1.95	0.47
1:D:425:ARG:NH1	1:D:433:GLU:CD	2.73	0.47
1:A:344:LYS:NZ	5:A:2020:HOH:O	2.37	0.47
1:B:556:ARG:N	1:B:556:ARG:HD3	2.30	0.47
1:A:208:LEU:O	1:A:212:GLN:HG2	2.14	0.46
1:C:261:ARG:HB2	1:C:261:ARG:HH11	1.81	0.46
1:C:530:ARG:HA	1:C:533:MET:HE3	1.98	0.46
1:B:301:ILE:CD1	1:B:324:THR:HG23	2.46	0.46
1:A:534:LYS:NZ	2:E:357:PHE:O	2.45	0.46
1:B:530:ARG:HA	1:B:533:MET:HE3	1.97	0.46
1:C:522:GLU:OE1	1:C:525:ASN:ND2	2.45	0.46
1:D:489:THR:HG22	1:D:491:GLU:H	1.81	0.46
1:B:211:TRP:O	2:E:368:VAL:HG22	2.15	0.46
1:D:457:ILE:HB	1:D:458:PRO:HD3	1.98	0.45
1:D:556:ARG:HD3	1:D:556:ARG:H	1.80	0.45
1:A:391:ALA:O	1:A:434:ASP:OD1	2.35	0.45
5:B:2018:HOH:O	1:C:299:LYS:NZ	2.43	0.45
1:B:338:ASP:OD2	5:B:2017:HOH:O	2.20	0.44
1:A:408:ARG:NH2	1:B:513:ASP:OD2	2.51	0.44
1:A:457:ILE:HB	1:A:458:PRO:HD3	1.99	0.44
1:C:450:LEU:HG	1:C:451:PRO:CD	2.48	0.44
1:D:547:VAL:HB	1:D:548:PRO:HD2	1.98	0.44
1:B:220:MET:HE3	1:B:522:GLU:HG3	2.00	0.44
1:B:423:ASN:HD21	1:B:425:ARG:NH2	2.15	0.44
1:C:211:TRP:HA	1:C:368:ASN:OD1	2.18	0.44
1:B:524:GLU:OE1	1:B:527:ARG:NH1	2.51	0.44
1:B:605:ASN:HD21	2:E:394:ASN:HD22	1.66	0.43
2:E:379:PHE:CE2	2:E:396:ARG:HG3	2.53	0.43
1:A:258:THR:OG1	1:A:259:SER:N	2.51	0.43
1:A:305:MET:HE2	1:A:305:MET:HA	1.99	0.43
1:B:319:ILE:CD1	1:B:337:TYR:CE1	3.01	0.43
1:B:538:ILE:HG23	1:B:550:TRP:CH2	2.53	0.43
1:D:423:ASN:OD1	1:D:425:ARG:HB2	2.18	0.43
2:F:398:VAL:HG22	2:F:402:GLN:HB3	2.01	0.43
1:A:393:CYS:SG	1:A:398:LYS:HG3	2.58	0.43
1:A:278:ASN:HD21	1:A:280:ARG:HH21	1.66	0.43
1:B:209:GLN:HG2	1:B:211:TRP:CH2	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:538:ILE:HG23	1:B:550:TRP:HH2	1.83	0.42
1:C:457:ILE:HB	1:C:458:PRO:HD3	2.00	0.42
1:B:265:SER:OG	3:B:900:ATP:O2G	2.38	0.42
1:B:551:SER:HB3	1:B:560:LYS:NZ	2.34	0.42
1:C:261:ARG:NH2	1:C:263:ASN:HB2	2.35	0.41
1:B:611:LEU:HD21	2:E:388:TRP:CE3	2.55	0.41
1:B:384:ILE:HD13	1:B:391:ALA:HB2	2.01	0.41
1:B:604:ASP:O	1:B:605:ASN:HB3	2.21	0.41
1:D:569:ARG:HD2	1:D:582:HIS:NE2	2.35	0.41
1:B:539:LEU:HD13	1:B:563:ARG:HE	1.86	0.40
1:A:208:LEU:HA	1:A:211:TRP:CZ2	2.56	0.40
1:C:261:ARG:HD3	1:C:261:ARG:H	1.86	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:422:MET:CE	1:D:388:ARG:NH2[2_658]	2.05	0.15
1:B:422:MET:SD	1:D:388:ARG:NH2[2_658]	2.16	0.04

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	397/438 (91%)	395 (100%)	2 (0%)	0	100	100
1	B	404/438 (92%)	401 (99%)	3 (1%)	0	100	100
1	C	398/438 (91%)	394 (99%)	4 (1%)	0	100	100
1	D	403/438 (92%)	402 (100%)	1 (0%)	0	100	100
2	E	50/119 (42%)	50 (100%)	0	0	100	100
2	F	52/119 (44%)	52 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1704/1990 (86%)	1694 (99%)	10 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	358/385 (93%)	355 (99%)	3 (1%)	73	88
1	B	366/385 (95%)	359 (98%)	7 (2%)	50	75
1	C	358/385 (93%)	353 (99%)	5 (1%)	59	81
1	D	365/385 (95%)	359 (98%)	6 (2%)	55	79
2	E	44/103 (43%)	43 (98%)	1 (2%)	44	71
2	F	46/103 (45%)	45 (98%)	1 (2%)	45	72
All	All	1537/1746 (88%)	1514 (98%)	23 (2%)	57	80

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	209	GLN
1	A	319	ILE
1	A	629	LYS
1	B	207	GLU
1	B	208	LEU
1	B	209	GLN
1	B	294	ARG
1	B	422	MET
1	B	549	SER
1	B	556	ARG
1	C	261	ARG
1	C	319	ILE
1	C	558	GLN
1	C	627	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	629	LYS
1	D	209	GLN
1	D	319	ILE
1	D	420	PHE
1	D	422	MET
1	D	556	ARG
1	D	558	GLN
2	E	380	VAL
2	F	404	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	249	HIS
1	A	284	HIS
1	A	492	HIS
1	A	597	ASN
1	B	284	HIS
1	B	510	GLN
1	B	605	ASN
1	B	625	ASN
1	C	229	GLN
1	C	249	HIS
1	C	284	HIS
1	C	349	HIS
1	C	597	ASN
1	D	232	GLN
1	D	284	HIS
1	D	349	HIS
1	D	419	GLN
1	D	558	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ATP	C	900	4	32,33,33	1.39	6 (18%)	48,52,52	1.77	10 (20%)
3	ATP	B	900	4	32,33,33	1.50	7 (21%)	48,52,52	1.82	13 (27%)
3	ATP	A	900	4	32,33,33	1.33	4 (12%)	48,52,52	1.81	10 (20%)
3	ATP	D	900	4	32,33,33	1.50	8 (25%)	48,52,52	1.73	9 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ATP	C	900	4	-	3/22/38/38	0/3/3/3
3	ATP	B	900	4	-	2/22/38/38	0/3/3/3
3	ATP	A	900	4	-	2/22/38/38	0/3/3/3
3	ATP	D	900	4	-	0/22/38/38	0/3/3/3

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	900	ATP	C5-C4	4.46	1.47	1.39
3	A	900	ATP	C5-C4	4.34	1.46	1.39
3	C	900	ATP	C5-C4	4.17	1.46	1.39
3	D	900	ATP	C5-C4	4.14	1.46	1.39
3	D	900	ATP	PB-O3B	3.31	1.63	1.59
3	D	900	ATP	PA-O3A	3.02	1.62	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	900	ATP	PA-O3A	2.92	1.62	1.59
3	B	900	ATP	PB-O3B	2.83	1.62	1.59
3	C	900	ATP	C5-N7	-2.63	1.34	1.39
3	B	900	ATP	PB-O3A	2.59	1.62	1.59
3	C	900	ATP	PB-O3B	2.58	1.62	1.59
3	B	900	ATP	C8-N7	2.56	1.36	1.31
3	A	900	ATP	C5-C6	2.55	1.48	1.41
3	D	900	ATP	PB-O3A	2.50	1.62	1.59
3	B	900	ATP	C5-C6	2.42	1.47	1.41
3	C	900	ATP	C5-C6	2.41	1.47	1.41
3	D	900	ATP	C5-C6	2.38	1.47	1.41
3	D	900	ATP	C4-N9	-2.36	1.32	1.37
3	A	900	ATP	C8-N7	2.32	1.36	1.31
3	C	900	ATP	C4-N9	-2.24	1.33	1.37
3	D	900	ATP	C5-N7	-2.24	1.35	1.39
3	C	900	ATP	C8-N7	2.23	1.36	1.31
3	D	900	ATP	C8-N7	2.16	1.35	1.31
3	B	900	ATP	C4-N9	-2.15	1.33	1.37
3	A	900	ATP	PB-O3B	2.10	1.61	1.59

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	900	ATP	C5-C4-N3	-5.40	119.28	126.72
3	A	900	ATP	C5-C4-N3	-5.36	119.33	126.72
3	D	900	ATP	C5-C4-N3	-5.23	119.52	126.72
3	C	900	ATP	N3-C4-N9	4.94	135.58	127.17
3	B	900	ATP	C5-C4-N3	-4.87	120.02	126.72
3	D	900	ATP	N3-C4-N9	4.53	134.88	127.17
3	A	900	ATP	N3-C4-N9	4.47	134.76	127.17
3	B	900	ATP	N3-C4-N9	4.39	134.62	127.17
3	C	900	ATP	C4-N9-C8	3.97	109.91	105.74
3	B	900	ATP	C4-N9-C8	3.79	109.72	105.74
3	B	900	ATP	N3-C2-N1	-3.73	122.93	128.58
3	A	900	ATP	C2-N3-C4	3.71	120.88	111.83
3	D	900	ATP	C2-N3-C4	3.65	120.74	111.83
3	B	900	ATP	C2-N3-C4	3.58	120.58	111.83
3	A	900	ATP	N3-C2-N1	-3.57	123.18	128.58
3	D	900	ATP	N3-C2-N1	-3.55	123.21	128.58
3	D	900	ATP	C4-N9-C8	3.54	109.45	105.74
3	C	900	ATP	C2-N3-C4	3.41	120.15	111.83
3	A	900	ATP	C4-N9-C8	3.28	109.19	105.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	900	ATP	N3-C2-N1	-3.13	123.84	128.58
3	A	900	ATP	C4-C5-N7	-3.06	107.08	110.58
3	B	900	ATP	O4'-C1'-N9	3.06	113.97	108.09
3	A	900	ATP	O4'-C1'-N9	2.98	113.81	108.09
3	C	900	ATP	N9-C8-N7	-2.77	110.00	113.94
3	D	900	ATP	C4-C5-N7	-2.69	107.51	110.58
3	C	900	ATP	C4-C5-N7	-2.61	107.60	110.58
3	B	900	ATP	N9-C8-N7	-2.56	110.30	113.94
3	C	900	ATP	C5-N7-C8	2.48	107.35	103.45
3	B	900	ATP	C4-C5-N7	-2.47	107.76	110.58
3	D	900	ATP	N9-C8-N7	-2.45	110.46	113.94
3	C	900	ATP	N6-C6-N1	2.41	123.75	118.38
3	A	900	ATP	C5-N7-C8	2.40	107.22	103.45
3	A	900	ATP	C6-C5-N7	2.39	136.70	132.09
3	A	900	ATP	N9-C8-N7	-2.35	110.61	113.94
3	D	900	ATP	C5-N7-C8	2.24	106.98	103.45
3	B	900	ATP	C2'-C1'-N9	-2.18	107.89	113.30
3	B	900	ATP	C5-N7-C8	2.17	106.86	103.45
3	C	900	ATP	C5-C6-N6	-2.10	118.09	123.29
3	B	900	ATP	C6-C5-N7	2.10	136.13	132.09
3	B	900	ATP	N6-C6-N1	2.09	123.03	118.38
3	D	900	ATP	N6-C6-N1	2.08	123.00	118.38
3	B	900	ATP	C2-N1-C6	2.00	122.02	118.73

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	900	ATP	C5'-O5'-PA-O1A
3	B	900	ATP	PB-O3A-PA-O2A
3	A	900	ATP	C5'-O5'-PA-O1A
3	C	900	ATP	C5'-O5'-PA-O3A
3	A	900	ATP	PA-O3A-PB-O2B
3	B	900	ATP	PB-O3A-PA-O1A
3	C	900	ATP	PG-O3B-PB-O2B

There are no ring outliers.

2 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	900	ATP	2	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	900	ATP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	403/438 (92%)	0.24	25 (6%) 26 21	36, 64, 133, 170	0
1	B	412/438 (94%)	0.17	15 (3%) 46 40	36, 68, 128, 152	0
1	C	404/438 (92%)	0.11	16 (3%) 42 37	38, 62, 118, 134	0
1	D	411/438 (93%)	0.28	28 (6%) 23 19	35, 72, 121, 153	0
2	E	52/119 (43%)	0.83	4 (7%) 19 15	73, 118, 140, 153	0
2	F	54/119 (45%)	0.68	6 (11%) 10 8	53, 102, 132, 142	0
All	All	1736/1990 (87%)	0.23	94 (5%) 31 26	35, 68, 130, 170	0

All (94) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	542	GLY	6.8
1	A	630	ALA	6.0
1	C	354	ILE	4.6
1	C	210	PRO	4.5
1	D	362	PRO	4.5
1	B	359	TYR	4.4
1	C	542	GLY	4.2
2	F	408	ASN	4.2
1	D	353	PRO	4.0
1	D	272	TRP	4.0
1	C	264	THR	4.0
1	A	353	PRO	4.0
1	B	259	SER	3.9
1	D	543	ASP	3.8
1	A	208	LEU	3.7
1	B	353	PRO	3.7
1	C	452	ALA	3.6
1	D	259	SER	3.5
1	D	361	PRO	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	608	VAL	3.4
2	E	406	THR	3.4
1	D	485	GLY	3.3
1	A	264	THR	3.2
1	D	422	MET	3.2
1	D	265	SER	3.1
1	B	361	PRO	3.1
2	F	369	GLY	3.1
1	A	451	PRO	3.1
1	A	413	ALA	3.1
1	D	542	GLY	3.1
1	A	556	ARG	2.9
2	F	407	ARG	2.9
1	D	547	VAL	2.7
1	A	450	LEU	2.7
1	D	450	LEU	2.7
1	C	391	ALA	2.7
1	A	266	CYS	2.7
1	C	451	PRO	2.7
1	D	393	CYS	2.6
1	B	412	CYS	2.6
1	B	257	ASP	2.6
1	B	391	ALA	2.6
1	C	554	GLY	2.5
1	B	552	GLU	2.5
1	B	547	VAL	2.5
1	D	412	CYS	2.5
1	C	353	PRO	2.5
1	A	262	LYS	2.5
1	C	453	HIS	2.5
1	A	572	ALA	2.5
1	A	215	THR	2.5
2	E	355	PRO	2.4
1	B	266	CYS	2.4
1	D	413	ALA	2.4
1	B	258	THR	2.4
1	A	606	GLU	2.4
1	B	450	LEU	2.3
1	B	631	SER	2.3
1	A	600	LEU	2.3
1	D	391	ALA	2.3
1	D	258	THR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	225	ARG	2.3
1	D	631	SER	2.3
1	D	305	MET	2.3
1	B	603	ARG	2.3
2	E	382	THR	2.3
1	B	542	GLY	2.3
1	D	411	ALA	2.2
1	D	268	GLY	2.2
1	C	450	LEU	2.2
1	D	301	ILE	2.2
1	D	288	ARG	2.2
1	D	264	THR	2.2
1	D	486	GLU	2.2
1	A	210	PRO	2.2
1	A	363	PRO	2.2
1	A	412	CYS	2.2
2	E	369	GLY	2.2
1	D	417	VAL	2.2
2	F	406	THR	2.2
1	C	556	ARG	2.2
1	A	421	GLY	2.1
1	C	563	ARG	2.1
1	A	453	HIS	2.1
1	C	413	ALA	2.1
1	C	454	LEU	2.1
1	C	363	PRO	2.1
1	A	610	VAL	2.1
1	D	601	THR	2.1
2	F	390	LEU	2.1
2	F	355	PRO	2.1
1	A	209	GLN	2.0
1	A	212	GLN	2.0
1	A	211	TRP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MG	C	1000	1/1	0.63	0.12	75,75,75,75	0
3	ATP	B	900	31/31	0.71	0.16	51,100,164,182	0
4	MG	A	1000	1/1	0.79	0.19	71,71,71,71	0
3	ATP	D	900	31/31	0.88	0.12	57,80,119,174	0
4	MG	B	1000	1/1	0.90	0.13	87,87,87,87	0
4	MG	D	1000	1/1	0.93	0.06	76,76,76,76	0
3	ATP	C	900	31/31	0.94	0.08	40,63,125,132	0
3	ATP	A	900	31/31	0.94	0.08	34,55,116,144	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ATP B 900:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around ATP D 900:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ATP C 900:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.