



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 5, 2026 – 12:37 PM EDT

PDB ID : 1CZM / pdb_00001czm
Title : DRUG-PROTEIN INTERACTIONS: STRUCTURE OF SULFONAMIDE
DRUG COMPLEXED WITH HUMAN CARBONIC ANHYDRASE I
Authors : Chakravarty, S.; Kannan, K.K.
Deposited on : 1993-11-28
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	260	52% 40% 7%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 2229 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CARBONIC ANHYDRASE I.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	260	Total	C	N	O	S	0	0	0
			2034	1285	353	393	3			


- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is MERCURY (II) ION (CCD ID: HG) (formula: Hg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	5	Total	Hg	0	0
			5	5		

- Molecule 4 is 3-ACTOXYMERCURI-4-AMINOBENZENESULFONAMIDE (CCD ID: AAS) (formula: C₈H₁₀HgN₂O₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			11	6	2	2	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	178	Total	O	0	0
			178	178		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CARBONIC ANHYDRASE I



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	81.85Å 75.31Å 37.76Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 2.00 8.00 – 2.01	Depositor EDS
% Data completeness (in resolution range)	(Not available) (8.00-2.00) 83.7 (8.00-2.01)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$	-	Xtriage
Refinement program	PROTEIN	Depositor
R, R_{free}	0.186 , (Not available) 0.179 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	16.7	Xtriage
Anisotropy	0.313	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 99.3	EDS
L-test for twinning ¹	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	2229	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, AAS, HG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.32	2/2092 (0.1%)	2.12	90/2846 (3.2%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	196	GLY	N-CA	6.92	1.51	1.45
1	A	33	ILE	CA-CB	5.00	1.59	1.53

All (90) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	86	ASP	CA-CB-CG	10.35	122.95	112.60
1	A	89	ARG	NE-CZ-NH1	9.81	131.31	121.50
1	A	232	ASN	OD1-CG-ND2	-8.90	113.69	122.60
1	A	254	ARG	NE-CZ-NH2	8.39	126.75	119.20
1	A	210	ILE	CA-C-O	-8.23	111.43	120.48
1	A	89	ARG	CD-NE-CZ	8.15	135.81	124.40
1	A	58	GLU	CB-CG-CD	8.14	126.43	112.60
1	A	32	ASP	CA-CB-CG	7.68	120.28	112.60
1	A	198	LEU	N-CA-C	-7.30	99.48	110.28
1	A	57	LYS	CA-CB-CG	7.27	128.64	114.10
1	A	52	ASN	OD1-CG-ND2	-7.26	115.34	122.60
1	A	140	GLY	N-CA-C	7.20	120.85	112.50
1	A	27	ASN	CA-CB-CG	7.09	119.69	112.60
1	A	133	GLU	CA-CB-CG	7.09	128.28	114.10
1	A	253	GLY	N-CA-C	7.09	125.99	115.08
1	A	198	LEU	CA-C-O	-6.99	113.33	121.16
1	A	214	GLU	CA-CB-CG	6.93	127.97	114.10
1	A	11	ASN	CA-C-N	6.89	132.69	121.87
1	A	11	ASN	C-N-CA	6.89	132.69	121.87

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	248	THR	N-CA-CB	6.87	120.07	110.17
1	A	131	LEU	CA-C-N	6.76	129.64	120.38
1	A	131	LEU	C-N-CA	6.76	129.64	120.38
1	A	5	TRP	N-CA-C	-6.73	98.00	109.24
1	A	254	ARG	CD-NE-CZ	-6.71	115.00	124.40
1	A	211	ILE	N-CA-CB	6.58	118.91	111.21
1	A	52	ASN	CA-CB-CG	6.38	118.98	112.60
1	A	75	ASN	CA-CB-CG	-6.34	106.26	112.60
1	A	93	PHE	CA-CB-CG	6.34	120.14	113.80
1	A	40	HIS	CA-CB-CG	6.33	120.13	113.80
1	A	96	HIS	CA-CB-CG	-6.31	107.49	113.80
1	A	163	ALA	CA-C-N	6.29	129.56	120.38
1	A	163	ALA	C-N-CA	6.29	129.56	120.38
1	A	120	VAL	CA-C-N	6.29	131.39	122.09
1	A	120	VAL	C-N-CA	6.29	131.39	122.09
1	A	241	MET	CA-CB-CG	6.29	126.67	114.10
1	A	107	HIS	CA-CB-CG	-6.28	107.52	113.80
1	A	188	SER	CB-CA-C	-6.21	98.06	110.42
1	A	36	SER	N-CA-C	-6.14	105.62	113.23
1	A	237	ASN	CA-C-N	6.14	130.08	121.24
1	A	237	ASN	C-N-CA	6.14	130.08	121.24
1	A	201	PRO	O-C-N	-6.13	114.22	121.46
1	A	177	THR	CA-CB-OG1	-6.08	100.47	109.60
1	A	205	GLU	CB-CG-CD	6.07	122.92	112.60
1	A	222	GLN	OE1-CD-NE2	6.03	128.63	122.60
1	A	9	ASP	CA-CB-CG	6.00	118.60	112.60
1	A	172	LYS	CA-CB-CG	5.97	126.04	114.10
1	A	24	ASN	CA-CB-CG	5.89	118.49	112.60
1	A	137	LYS	CA-C-O	-5.88	114.79	121.72
1	A	8	ASP	CA-CB-CG	-5.77	106.83	112.60
1	A	75	ASN	N-CA-C	-5.77	106.14	112.72
1	A	254	ARG	NE-CZ-NH1	-5.77	115.73	121.50
1	A	6	GLY	N-CA-C	-5.64	100.89	111.66
1	A	207	VAL	N-CA-C	5.60	115.95	108.11
1	A	172	LYS	N-CA-CB	5.59	118.79	110.29
1	A	201	PRO	CA-C-O	5.55	128.61	120.56
1	A	237	ASN	CB-CG-ND2	5.55	124.72	116.40
1	A	154	ASN	CB-CA-C	5.54	115.43	110.44
1	A	237	ASN	OD1-CG-ND2	-5.53	117.07	122.60
1	A	91	PHE	N-CA-C	-5.51	107.81	114.75
1	A	83	PRO	CB-CA-C	-5.51	103.83	110.00
1	A	216	ILE	CA-C-O	-5.48	115.86	121.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	124	ASN	CA-C-N	5.47	130.71	121.14
1	A	124	ASN	C-N-CA	5.47	130.71	121.14
1	A	230	LEU	N-CA-CB	-5.46	101.75	111.08
1	A	225	GLN	OE1-CD-NE2	-5.45	117.15	122.60
1	A	89	ARG	NH1-CZ-NH2	-5.44	112.22	119.30
1	A	227	ARG	NE-CZ-NH1	-5.40	116.10	121.50
1	A	112	VAL	CB-CA-C	5.37	118.15	110.84
1	A	195	PRO	CA-C-N	-5.36	116.36	122.42
1	A	195	PRO	C-N-CA	-5.36	116.36	122.42
1	A	160	VAL	CA-C-O	-5.32	115.15	121.05
1	A	156	LYS	CB-CA-C	-5.30	100.82	110.63
1	A	32	ASP	O-C-N	5.29	129.25	123.27
1	A	52	ASN	CB-CA-C	5.28	115.87	109.85
1	A	198	LEU	O-C-N	5.25	129.30	122.89
1	A	207	VAL	CA-C-O	5.25	125.91	120.39
1	A	92	GLN	N-CA-CB	-5.23	103.61	111.56
1	A	260	PHE	CA-CB-CG	-5.22	108.58	113.80
1	A	19	LEU	N-CA-CB	-5.22	103.42	110.67
1	A	177	THR	N-CA-CB	-5.21	103.14	111.43
1	A	233	VAL	CB-CA-C	5.17	118.63	111.49
1	A	91	PHE	CB-CA-C	5.14	115.80	109.16
1	A	51	TYR	O-C-N	5.14	129.20	123.19
1	A	157	LEU	N-CA-CB	-5.12	101.80	110.41
1	A	96	HIS	CA-C-O	-5.10	114.80	120.66
1	A	6	GLY	CA-C-O	-5.07	115.34	121.33
1	A	241	MET	CA-C-N	5.06	127.48	120.29
1	A	241	MET	C-N-CA	5.06	127.48	120.29
1	A	56	ALA	CA-C-O	-5.02	115.54	121.16
1	A	73	ASN	N-CA-C	-5.02	107.33	113.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2034	0	1958	69	6
2	A	1	0	0	0	0
3	A	5	0	0	0	0
4	A	11	0	8	0	0
5	A	178	0	0	9	0
All	All	2229	0	1966	69	6

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:212:CYS:HB2	5:A:466:HOH:O	1.45	1.16
1:A:189:LEU:O	1:A:189:LEU:HD22	1.57	1.04
1:A:2:SER:N	1:A:3:PRO:HD3	1.74	1.01
1:A:15:GLN:HE22	1:A:18:LYS:NZ	1.59	0.99
1:A:15:GLN:NE2	1:A:18:LYS:HE3	1.84	0.93
1:A:15:GLN:HE21	1:A:18:LYS:HE3	1.34	0.91
1:A:189:LEU:HB2	5:A:415:HOH:O	1.70	0.91
1:A:15:GLN:NE2	1:A:18:LYS:CE	2.44	0.81
1:A:2:SER:N	1:A:3:PRO:CD	2.44	0.79
1:A:39:LYS:HE2	1:A:255:THR:HG21	1.66	0.77
1:A:189:LEU:O	1:A:189:LEU:CD2	2.31	0.77
1:A:186:PRO:HG2	1:A:212:CYS:SG	2.25	0.77
1:A:15:GLN:NE2	1:A:18:LYS:NZ	2.33	0.75
1:A:15:GLN:HE22	1:A:18:LYS:HZ2	1.30	0.74
1:A:20:TYR:HA	5:A:454:HOH:O	1.86	0.74
1:A:39:LYS:HG2	1:A:255:THR:CG2	2.17	0.74
1:A:189:LEU:O	1:A:189:LEU:HD13	1.89	0.71
1:A:47:ILE:H	1:A:189:LEU:HD21	1.56	0.71
1:A:246:ARG:HG2	1:A:247:PRO:HD2	1.73	0.70
1:A:41:ASP:OD1	1:A:43:SER:OG	2.10	0.70
1:A:2:SER:H	1:A:3:PRO:HD3	1.55	0.69
1:A:58:GLU:OE1	1:A:173:ARG:HD2	1.93	0.68
1:A:170:LYS:NZ	1:A:231:SER:O	2.23	0.68
1:A:200:HIS:HB2	1:A:201:PRO:HD2	1.77	0.67
1:A:20:TYR:CA	5:A:454:HOH:O	2.43	0.65
1:A:161:LEU:O	1:A:165:GLN:NE2	2.31	0.62
1:A:30:PRO:HG2	1:A:248:THR:HA	1.81	0.62
1:A:63:GLY:O	1:A:231:SER:HB3	2.00	0.61
1:A:139:ASP:OD2	5:A:467:HOH:O	2.15	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:170:LYS:HD3	1:A:231:SER:O	2.01	0.60
1:A:189:LEU:O	1:A:189:LEU:CG	2.51	0.59
1:A:39:LYS:CE	1:A:255:THR:HG21	2.35	0.57
1:A:1:ALA:HA	1:A:3:PRO:HG3	1.85	0.57
1:A:246:ARG:HG2	1:A:247:PRO:CD	2.37	0.55
1:A:15:GLN:HE22	1:A:18:LYS:HZ1	1.53	0.55
1:A:86:ASP:HB2	5:A:431:HOH:O	2.06	0.54
1:A:189:LEU:O	1:A:189:LEU:CD1	2.53	0.54
1:A:188:SER:HB2	1:A:214:GLU:OE1	2.09	0.53
1:A:45:LYS:HB3	1:A:46:PRO:CD	2.41	0.50
1:A:260:PHE:N	1:A:260:PHE:CD1	2.79	0.50
1:A:52:ASN:OD1	1:A:54:ALA:HB3	2.12	0.50
1:A:101:ASN:O	1:A:115:SER:HB3	2.12	0.49
1:A:92:GLN:HG2	1:A:93:PHE:N	2.26	0.49
1:A:188:SER:CB	1:A:214:GLU:OE1	2.62	0.48
1:A:1:ALA:O	1:A:2:SER:C	2.57	0.48
1:A:123:TRP:CZ3	1:A:125:SER:HA	2.48	0.48
1:A:58:GLU:OE1	1:A:173:ARG:CD	2.61	0.48
1:A:162:ASP:O	1:A:165:GLN:HG2	2.14	0.48
1:A:15:GLN:CD	5:A:455:HOH:O	2.57	0.47
1:A:137:LYS:O	1:A:206:SER:CB	2.62	0.47
1:A:28:GLN:HB2	5:A:464:HOH:O	2.13	0.47
1:A:246:ARG:CG	1:A:247:PRO:HD2	2.43	0.47
1:A:200:HIS:O	1:A:201:PRO:C	2.59	0.46
1:A:47:ILE:CD1	1:A:82:GLY:HA3	2.46	0.46
1:A:65:SER:HB2	1:A:244:ASN:HD22	1.80	0.45
1:A:59:ILE:HG12	1:A:167:ILE:HD13	1.99	0.44
1:A:173:ARG:HH22	1:A:175:PRO:HG3	1.83	0.43
1:A:173:ARG:HH11	1:A:173:ARG:CG	2.32	0.43
1:A:158:GLN:NE2	5:A:372:HOH:O	2.51	0.42
1:A:173:ARG:HG3	1:A:174:ALA:N	2.31	0.42
1:A:23:ALA:HA	1:A:203:LEU:HD13	2.02	0.41
1:A:127:LYS:HA	1:A:127:LYS:HD3	1.63	0.41
1:A:154:ASN:HA	1:A:155:PRO:HD2	1.83	0.41
1:A:239:VAL:HA	1:A:240:PRO:HD3	1.83	0.41
1:A:15:GLN:NE2	1:A:18:LYS:HZ2	2.04	0.41
1:A:1:ALA:C	1:A:3:PRO:CD	2.94	0.40
1:A:47:ILE:HD11	1:A:82:GLY:HA3	2.03	0.40
1:A:135:ALA:O	1:A:206:SER:OG	2.35	0.40
1:A:197:SER:HB2	1:A:204:TYR:O	2.21	0.40

All (6) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2:SER:CB	1:A:112:VAL:CB[1_554]	1.11	1.09
1:A:2:SER:CB	1:A:112:VAL:CG1[1_554]	1.41	0.79
1:A:2:SER:OG	1:A:112:VAL:CB[1_554]	1.41	0.79
1:A:2:SER:OG	1:A:112:VAL:CG2[1_554]	1.69	0.51
1:A:2:SER:CA	1:A:112:VAL:CG1[1_554]	1.72	0.48
1:A:2:SER:O	1:A:112:VAL:CG2[1_554]	2.11	0.09

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	258/260 (99%)	240 (93%)	17 (7%)	1 (0%)	30 27

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	188	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	225/225 (100%)	210 (93%)	15 (7%)	15 11

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	LYS
1	A	15	GLN
1	A	39	LYS
1	A	48	SER
1	A	57	LYS
1	A	60	ILE
1	A	71	GLU
1	A	79	LEU
1	A	80	LYS
1	A	113	LYS
1	A	149	LYS
1	A	173	ARG
1	A	189	LEU
1	A	231	SER
1	A	233	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	GLN
1	A	27	ASN
1	A	158	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 6 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	AAS	A	262	2	8,11,16	1.30	2 (25%)	8,16,23	5.28	4 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	AAS	A	262	2	-	0/2/16/24	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	262	AAS	C6-C5	2.29	1.40	1.35
4	A	262	AAS	C3-C2	-2.05	1.36	1.41

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	262	AAS	O2-S1-O1	10.02	134.61	120.27
4	A	262	AAS	O1-S1-C1	-9.11	95.90	107.97
4	A	262	AAS	O2-S1-C1	-4.46	102.07	107.97
4	A	262	AAS	C3-C4-N2	-4.15	116.37	123.48

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	260/260 (100%)	-0.46	3 (1%) 76 76	3, 13, 25, 43	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	SER	4.2
1	A	74	ASP	3.4
1	A	1	ALA	3.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	HG	A	265	1/1	0.98	0.02	19,19,19,19	1
4	AAS	A	262	11/16	0.98	0.07	6,8,8,13	8
2	ZN	A	261	1/1	0.99	0.01	7,7,7,7	0
3	HG	A	266	1/1	0.99	0.02	13,13,13,13	1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	HG	A	269	1/1	0.99	0.02	13,13,13,13	1
3	HG	A	264	1/1	0.99	0.04	18,18,18,18	1
3	HG	A	267	1/1	1.00	0.01	14,14,14,14	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.