



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 3, 2026 – 11:53 PM EDT

PDB ID : 1D1Y / pdb_00001d1y
Title : BOVINE ENDOTHELIAL NITRIC OXIDE SYNTHASE HEME DOMAIN
COMPLEXED WITH 1,3-PBITU (H4B FREE)
Authors : Raman, C.S.; Li, H.; Martasek, P.; Southan, G.J.; Masters, B.S.S.; Poulos,
T.L.
Deposited on : 1999-09-21
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	444	4% 67% 24% • 6%
1	B	444	5% 68% 23% • 7%

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 7086 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called BOVINE ENDOTHELIAL NITRIC OXIDE SYNTHASE HEME DOMAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	416	Total	C	N	O	S	0	0	0
			3302	2099	584	603	16			
1	B	414	Total	C	N	O	S	0	0	0
			3291	2092	582	601	16			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	100	ARG	CYS	conflict	UNP P29473
B	100	ARG	CYS	conflict	UNP P29473

- Molecule 2 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 4 is 2-{2-[3-(2-CARBAMIMIDOYLSULFANYL-ETHYL)-PHENYL]-ETHYL}-IS OTHIOUREA (CCD ID: 3BT) (formula: $C_{12}H_{18}N_4S_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	S	0	0
			18	12	4	2		
4	B	1	Total	C	N	S	0	0
			18	12	4	2		

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is CACODYLIC ACID (CCD ID: CAD) (formula: $\text{C}_2\text{H}_7\text{AsO}_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	As	C	0	0
			3	1	2		
6	B	1	Total	As	C	0	0
			3	1	2		

- Molecule 7 is GLYCEROL (CCD ID: GOL) (formula: $\text{C}_3\text{H}_8\text{O}_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	1	Total	Zn	0	0
			1	1		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	170	Total	O	0	0
			170	170		
9	B	152	Total	O	0	0
			152	152		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: BOVINE ENDOTHELIAL NITRIC OXIDE SYNTHASE HEME DOMAIN



• Molecule 1: BOVINE ENDOTHELIAL NITRIC OXIDE SYNTHASE HEME DOMAIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	58.66Å 106.25Å 156.44Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.32 – 2.20 30.32 – 2.20	Depositor EDS
% Data completeness (in resolution range)	76.4 (30.32-2.20) 82.8 (30.32-2.20)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.20 (at 2.20Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.223 , 0.268 0.234 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	34.4	Xtriage
Anisotropy	0.647	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 34.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7086	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, EDO, GOL, CAD, HEM, 3BT, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	0/3397	0.98	16/4631 (0.3%)
1	B	0.45	0/3385	0.98	11/4614 (0.2%)
All	All	0.46	0/6782	0.98	27/9245 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	243	PHE	N-CA-C	-7.53	99.14	110.28
1	A	470	ILE	N-CA-C	7.35	118.72	107.99
1	B	360	MET	N-CA-C	-7.29	97.35	109.24
1	A	360	MET	N-CA-C	-6.75	97.51	108.52
1	B	335	LEU	N-CA-C	6.62	120.61	108.69
1	B	470	ILE	N-CA-C	6.59	117.61	107.99
1	A	451	VAL	CA-C-N	6.33	124.28	119.66
1	A	451	VAL	C-N-CA	6.33	124.28	119.66
1	B	266	ASP	CA-C-N	6.23	126.69	119.47
1	B	266	ASP	C-N-CA	6.23	126.69	119.47
1	A	439	ALA	N-CA-C	6.20	118.12	111.36
1	A	226	LEU	N-CA-C	6.15	118.92	110.24
1	A	119	PRO	CA-C-N	5.74	123.79	119.66
1	A	119	PRO	C-N-CA	5.74	123.79	119.66

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	180	TRP	N-CA-C	-5.72	104.96	111.14
1	B	245	ILE	N-CA-C	-5.71	98.92	107.37
1	B	284	GLY	N-CA-C	-5.65	106.01	112.79
1	A	312	VAL	N-CA-C	5.60	112.20	106.21
1	A	243	PHE	N-CA-C	-5.54	100.16	108.96
1	A	452	PRO	N-CA-C	5.39	115.65	110.47
1	A	359	TYR	N-CA-C	5.34	118.04	110.50
1	A	116	SER	CA-C-N	5.33	126.50	119.84
1	A	116	SER	C-N-CA	5.33	126.50	119.84
1	B	367	ARG	N-CA-C	5.29	116.91	111.03
1	A	245	ILE	N-CA-C	-5.15	100.23	107.75
1	B	70	PHE	CA-C-N	5.10	125.34	119.83
1	B	70	PHE	C-N-CA	5.10	125.34	119.83

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	137	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3302	0	3215	92	0
1	B	3291	0	3205	89	0
2	A	8	0	6	0	0
2	B	8	0	6	0	0
3	A	43	0	30	0	0
3	B	43	0	30	3	0
4	A	18	0	18	2	0
4	B	18	0	18	3	0
5	A	4	0	6	0	0
5	B	4	0	6	0	0
6	A	3	0	0	0	0
6	B	3	0	0	1	0
7	A	12	0	16	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	B	6	0	8	1	0
8	B	1	0	0	0	0
9	A	170	0	0	3	0
9	B	152	0	0	6	0
All	All	7086	0	6564	178	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (178) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:249:GLN:HB2	1:B:252:ARG:HD3	1.25	1.14
1:B:99:ARG:HH11	1:B:99:ARG:HG3	1.15	1.08
1:A:115:PRO:HD3	1:A:479:PRO:HG2	1.42	0.99
1:A:249:GLN:HB2	1:A:252:ARG:HD3	1.49	0.93
1:A:126:LEU:HD11	1:A:156:GLU:HG2	1.53	0.91
3:B:500:HEM:HMC2	3:B:500:HEM:HBC2	1.61	0.81
1:A:360:MET:HE3	1:A:362:THR:OG1	1.83	0.78
1:B:114:ARG:HA	1:B:114:ARG:HH11	1.48	0.78
1:A:338:VAL:HG11	1:A:341:MET:HG3	1.65	0.78
1:A:146:GLN:O	1:A:150:GLU:HG3	1.86	0.76
1:B:112:GLN:HG3	1:B:113:THR:H	1.53	0.73
1:A:277:ILE:HD11	1:A:283:PRO:HB3	1.71	0.71
1:B:99:ARG:HG3	1:B:99:ARG:NH1	1.95	0.71
1:B:322:LEU:HD13	1:B:324:TRP:CZ2	2.26	0.70
1:B:244:ARG:NH2	1:B:481:PRO:HD3	2.07	0.70
1:A:168:ARG:HB2	1:A:171:GLU:HG3	1.73	0.69
1:A:99:ARG:HH11	1:A:99:ARG:HG3	1.57	0.68
1:A:115:PRO:O	1:A:117:PRO:HD3	1.94	0.68
1:B:108:PRO:HB3	1:B:111:LEU:HB2	1.76	0.67
1:B:378:LEU:HB2	9:B:958:HOH:O	1.95	0.67
1:B:455:SER:HB3	1:B:458:LEU:HD12	1.76	0.67
1:A:119:PRO:HG3	1:A:238:PRO:HB3	1.76	0.67
1:B:153:GLN:HB2	9:B:1057:HOH:O	1.93	0.67
1:A:102:LEU:HB3	1:A:105:LEU:HD22	1.78	0.66
1:A:285:ASN:HD22	1:A:285:ASN:C	2.03	0.66
1:A:378:LEU:HB2	9:A:1088:HOH:O	1.97	0.65
1:A:281:TRP:HB2	1:A:304:LEU:HD21	1.81	0.63
1:B:360:MET:HE3	1:B:362:THR:OG1	1.98	0.63
1:A:96:CYS:HB3	1:B:96:CYS:HB3	1.81	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:77:GLU:HG3	1:B:372:PRO:HG2	1.82	0.61
1:B:167:LEU:HG	1:B:348:LEU:HD12	1.82	0.61
1:A:113:THR:HG21	1:A:342:LEU:HD22	1.82	0.61
1:A:94:GLY:O	1:A:110:LYS:HE2	2.00	0.61
1:A:115:PRO:C	1:A:117:PRO:HD3	2.25	0.60
1:B:116:SER:O	1:B:238:PRO:HA	2.01	0.60
1:A:472:SER:HA	1:A:473:PRO:C	2.26	0.60
1:A:449:TRP:CD2	7:A:890:GOL:H11	2.36	0.59
1:B:69:LYS:HB2	1:B:69:LYS:NZ	2.18	0.59
1:A:77:GLU:HG3	1:B:372:PRO:CG	2.33	0.59
1:B:114:ARG:HD3	1:B:115:PRO:HD2	1.84	0.58
1:A:244:ARG:NH2	1:A:481:PRO:HD3	2.18	0.58
1:B:337:ALA:HB2	1:B:356:SER:HB3	1.84	0.58
1:A:277:ILE:HD12	1:A:283:PRO:HD3	1.86	0.57
1:B:472:SER:HA	1:B:473:PRO:C	2.29	0.57
1:B:313:LEU:HD12	1:B:314:GLU:H	1.68	0.57
1:B:102:LEU:HB3	1:B:105:LEU:HD22	1.86	0.57
1:A:218:LYS:HG2	1:A:311:LEU:HD22	1.87	0.56
1:A:277:ILE:CD1	1:A:283:PRO:HB3	2.34	0.56
1:A:338:VAL:CG1	1:A:341:MET:HG3	2.35	0.56
1:B:117:PRO:HA	1:B:239:GLY:H	1.69	0.56
1:A:249:GLN:HB2	1:A:252:ARG:CD	2.31	0.56
1:B:149:GLU:O	1:B:153:GLN:HG3	2.06	0.55
1:B:342:LEU:C	1:B:342:LEU:HD23	2.31	0.55
1:A:273:THR:O	1:A:277:ILE:HG12	2.07	0.55
1:A:285:ASN:C	1:A:285:ASN:ND2	2.64	0.55
1:A:336:PRO:HB2	4:A:820:3BT:H61	1.88	0.55
1:A:126:LEU:HD11	1:A:156:GLU:CG	2.32	0.54
1:B:110:LYS:C	1:B:112:GLN:H	2.16	0.54
1:B:113:THR:HG21	1:B:342:LEU:HD13	1.90	0.54
1:A:237:ALA:HB3	1:A:240:ARG:HB3	1.89	0.54
1:A:322:LEU:HD13	1:A:324:TRP:CZ2	2.43	0.54
1:A:294:LEU:HD21	1:A:304:LEU:HD13	1.90	0.54
1:B:112:GLN:HE21	1:B:478:GLN:HA	1.73	0.54
1:B:129:ALA:O	1:B:133:ILE:HG12	2.08	0.53
1:A:99:ARG:HH11	1:A:99:ARG:CG	2.19	0.53
1:B:126:LEU:O	1:B:130:ARG:HG3	2.08	0.53
1:B:249:GLN:CB	1:B:252:ARG:HD3	2.18	0.53
1:B:471:LEU:O	1:B:474:ALA:HB2	2.08	0.53
1:A:372:PRO:HB2	1:B:77:GLU:HG3	1.90	0.53
1:B:370:CYS:SG	1:B:378:LEU:HD13	2.48	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:264:ARG:HH11	1:A:264:ARG:HG3	1.73	0.53
1:B:113:THR:HG21	1:B:342:LEU:CD1	2.39	0.53
1:A:370:CYS:SG	1:A:378:LEU:HD13	2.49	0.52
1:A:95:PRO:HB3	1:A:108:PRO:HB2	1.92	0.52
1:B:366:THR:O	1:B:370:CYS:HB2	2.09	0.52
1:B:185:ARG:HD3	1:B:449:TRP:CD2	2.45	0.52
1:B:278:GLN:NE2	9:B:1039:HOH:O	2.41	0.52
1:A:111:LEU:HD12	1:A:111:LEU:H	1.74	0.52
1:A:236:ARG:HD3	1:A:349:GLU:HB2	1.90	0.52
1:B:449:TRP:CE2	7:B:891:GOL:H2	2.45	0.52
1:A:214:CYS:O	1:A:218:LYS:HG3	2.10	0.52
1:B:249:GLN:HB2	1:B:252:ARG:CD	2.18	0.51
1:A:185:ARG:HD3	1:A:449:TRP:CD2	2.46	0.51
1:B:203:CYS:SG	1:B:208:GLU:HB3	2.52	0.50
1:B:108:PRO:HG3	9:B:1064:HOH:O	2.11	0.50
1:B:99:ARG:HH11	1:B:99:ARG:CG	2.04	0.50
1:B:457:SER:HA	1:B:462:PHE:CG	2.46	0.50
1:A:274:GLU:O	1:A:278:GLN:HG3	2.12	0.50
1:A:74:LYS:O	1:A:465:GLU:HG3	2.12	0.50
1:A:240:ARG:HG2	1:A:241:GLY:N	2.28	0.49
1:B:337:ALA:CB	1:B:356:SER:HB3	2.43	0.49
1:B:187:VAL:O	1:B:187:VAL:HG22	2.12	0.49
1:A:109:ARG:O	1:A:110:LYS:HD2	2.13	0.48
1:A:115:PRO:HD3	1:A:479:PRO:CG	2.29	0.48
1:B:108:PRO:CB	1:B:111:LEU:HB2	2.42	0.48
1:A:216:HIS:CD2	1:A:216:HIS:C	2.92	0.47
1:A:446:ASP:HB2	9:A:1075:HOH:O	2.14	0.47
1:A:109:ARG:HH11	1:A:109:ARG:HG2	1.78	0.47
1:B:478:GLN:HB2	1:B:479:PRO:HD2	1.97	0.47
1:A:113:THR:CG2	1:A:476:ARG:HD2	2.45	0.47
1:A:137:TYR:HA	1:A:140:ILE:HG12	1.95	0.47
1:A:449:TRP:CE2	7:A:890:GOL:H11	2.49	0.47
1:A:111:LEU:HG	1:A:470:ILE:HD13	1.97	0.47
1:A:455:SER:HB3	1:A:458:LEU:HD12	1.97	0.46
1:A:243:PHE:O	1:A:352:ALA:HB2	2.14	0.46
1:B:251:VAL:O	1:B:252:ARG:HD2	2.15	0.46
1:B:226:LEU:HD12	1:B:226:LEU:N	2.31	0.46
1:B:281:TRP:O	1:B:283:PRO:HD3	2.14	0.46
1:A:234:PRO:HB2	1:A:243:PHE:CE1	2.51	0.46
1:A:267:PRO:O	1:A:270:VAL:HG23	2.16	0.46
1:B:114:ARG:HH11	1:B:115:PRO:HD3	1.81	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:324:TRP:HB2	6:B:951:CAD:C1	2.46	0.46
1:A:234:PRO:HB2	1:A:243:PHE:CD1	2.51	0.46
1:B:251:VAL:HA	9:B:1009:HOH:O	2.15	0.46
1:A:252:ARG:HA	1:A:252:ARG:HD2	1.75	0.46
3:B:500:HEM:O2A	4:B:821:3BT:HCD2	2.16	0.45
1:A:366:THR:HG21	1:A:454:ILE:HG23	1.98	0.45
1:B:146:GLN:O	1:B:150:GLU:HG3	2.16	0.45
1:A:319:HIS:CG	1:A:320:PRO:HD2	2.51	0.45
1:A:363:GLU:OE2	4:A:820:3BT:N2	2.50	0.45
1:B:69:LYS:HB2	1:B:69:LYS:HZ1	1.82	0.45
1:B:151:ARG:O	1:B:155:VAL:HG23	2.16	0.45
1:B:371:ASP:HB2	1:B:374:ARG:CG	2.47	0.45
1:B:244:ARG:CZ	1:B:481:PRO:HD3	2.46	0.45
1:B:180:TRP:CE3	1:B:192:TRP:HA	2.53	0.44
1:B:182:ASN:O	1:B:184:PRO:HD3	2.16	0.44
1:A:196:GLN:HG2	1:A:219:TYR:CE1	2.53	0.44
1:A:294:LEU:CD2	1:A:304:LEU:HD13	2.48	0.44
1:B:216:HIS:CD2	1:B:216:HIS:C	2.96	0.44
1:A:111:LEU:O	1:A:112:GLN:C	2.61	0.44
1:A:233:PHE:HB3	1:A:234:PRO:HD2	1.99	0.44
3:B:500:HEM:HMC2	3:B:500:HEM:CBC	2.37	0.44
1:B:338:VAL:HG23	4:B:821:3BT:C1	2.48	0.43
1:A:92:GLN:HE22	1:A:111:LEU:HA	1.84	0.43
1:B:112:GLN:HG3	1:B:113:THR:N	2.29	0.43
1:A:281:TRP:O	1:A:283:PRO:HD3	2.18	0.43
1:A:159:VAL:HA	1:A:164:THR:O	2.19	0.43
1:A:337:ALA:HB2	1:A:356:SER:HB3	2.00	0.43
1:B:336:PRO:HB2	4:B:821:3BT:H61	1.99	0.43
1:B:140:ILE:O	1:B:142:ARG:HG2	2.18	0.43
1:A:109:ARG:HG2	1:A:109:ARG:NH1	2.34	0.43
1:A:461:VAL:HB	1:A:466:MET:HE1	2.00	0.43
1:B:381:VAL:HG21	1:B:404:ILE:HD11	2.01	0.43
1:B:185:ARG:HD3	1:B:449:TRP:CE3	2.54	0.42
1:A:167:LEU:HG	1:A:348:LEU:HD12	2.01	0.42
1:B:431:LYS:HE3	9:B:1069:HOH:O	2.19	0.42
1:B:252:ARG:HB2	1:B:291:LEU:HD12	2.00	0.42
1:A:92:GLN:OE1	1:A:476:ARG:NH1	2.52	0.42
1:A:376:ASN:ND2	9:A:1088:HOH:O	2.42	0.42
1:B:69:LYS:NZ	1:B:69:LYS:CB	2.81	0.42
1:B:71:PRO:HG2	1:B:84:ASP:HB3	2.01	0.42
1:A:99:ARG:CG	1:A:99:ARG:NH1	2.81	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:313:LEU:HD12	1:B:314:GLU:N	2.33	0.41
1:A:97:THR:C	1:A:99:ARG:N	2.77	0.41
1:A:158:GLU:HG2	1:A:165:TYR:HA	2.02	0.41
1:A:392:THR:HB	1:B:423:HIS:HB2	2.02	0.41
1:A:114:ARG:HA	1:A:479:PRO:HG2	2.02	0.41
1:A:360:MET:HA	1:A:420:VAL:O	2.19	0.41
1:A:338:VAL:HB	1:A:355:PHE:CZ	2.56	0.41
1:B:110:LYS:O	1:B:112:GLN:N	2.53	0.41
1:A:338:VAL:HG11	1:A:341:MET:CG	2.45	0.41
1:B:231:THR:O	1:B:353:ALA:HA	2.21	0.41
1:B:112:GLN:NE2	1:B:478:GLN:HA	2.35	0.41
1:B:254:ALA:HB2	1:B:291:LEU:CD2	2.50	0.41
1:B:258:GLN:O	1:B:259:GLN:C	2.64	0.41
1:A:423:HIS:HB2	1:B:392:THR:HB	2.02	0.41
1:A:451:VAL:HA	1:A:452:PRO:HD3	1.91	0.41
1:B:202:ASP:O	1:B:202:ASP:CG	2.63	0.41
1:A:129:ALA:HB2	1:A:165:TYR:CE2	2.56	0.40
1:A:246:TRP:HB2	1:A:294:LEU:HB2	2.04	0.40
1:B:307:LEU:HA	1:B:308:PRO:HD3	1.96	0.40
1:B:371:ASP:HB2	1:B:374:ARG:HG2	2.02	0.40
1:B:423:HIS:O	1:B:427:VAL:HG23	2.21	0.40
1:B:378:LEU:HD12	1:B:378:LEU:HA	1.96	0.40
1:A:390:ARG:HE	1:A:390:ARG:HB2	1.57	0.40
1:B:117:PRO:HA	1:B:239:GLY:N	2.36	0.40
1:B:260:ASP:C	1:B:262:SER:H	2.29	0.40
1:B:389:THR:HA	1:B:396:TRP:CD1	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	414/444 (93%)	388 (94%)	23 (6%)	3 (1%)	18	19
1	B	412/444 (93%)	379 (92%)	29 (7%)	4 (1%)	12	11
All	All	826/888 (93%)	767 (93%)	52 (6%)	7 (1%)	16	16

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	259	GLN
1	A	112	GLN
1	B	111	LEU
1	B	145	SER
1	A	117	PRO
1	B	115	PRO
1	A	121	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	354/377 (94%)	348 (98%)	6 (2%)	53	69
1	B	353/377 (94%)	346 (98%)	7 (2%)	48	64
All	All	707/754 (94%)	694 (98%)	13 (2%)	51	68

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	99	ARG
1	A	126	LEU
1	A	259	GLN
1	A	285	ASN
1	A	328	LEU
1	A	414	LEU
1	B	69	LYS
1	B	99	ARG
1	B	114	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	311	LEU
1	B	328	LEU
1	B	342	LEU
1	B	398	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	112	GLN
1	A	153	GLN
1	A	191	GLN
1	A	259	GLN
1	A	278	GLN
1	A	285	ASN
1	A	376	ASN
1	A	413	GLN
1	A	468	ASN
1	B	89	GLN
1	B	112	GLN
1	B	128	GLN
1	B	191	GLN
1	B	222	ASN
1	B	225	ASN
1	B	278	GLN
1	B	437	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 16 ligands modelled in this entry, 1 is monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	GOL	A	881	-	5,5,5	0.42	0	5,5,5	0.23	0
3	HEM	B	500	1	50,50,50	1.02	2 (4%)	67,82,82	1.26	4 (5%)
4	3BT	A	820	-	16,18,18	2.99	5 (31%)	18,22,22	1.31	3 (16%)
4	3BT	B	821	-	16,18,18	3.19	6 (37%)	18,22,22	1.25	3 (16%)
2	ACT	A	860	-	3,3,3	0.87	0	3,3,3	0.90	0
2	ACT	B	851	-	3,3,3	1.15	0	3,3,3	0.68	0
7	GOL	B	891	-	5,5,5	0.30	0	5,5,5	0.16	0
7	GOL	A	890	-	5,5,5	0.30	0	5,5,5	0.35	0
2	ACT	B	861	-	3,3,3	0.85	0	3,3,3	0.87	0
5	EDO	B	871	-	3,3,3	0.48	0	2,2,2	0.29	0
5	EDO	A	870	-	3,3,3	0.40	0	2,2,2	0.30	0
6	CAD	B	951	1	0,2,4	-	-	0,1,6	-	-
2	ACT	A	850	-	3,3,3	0.95	0	3,3,3	0.70	0
6	CAD	A	950	1	0,2,4	-	-	0,1,6	-	-
3	HEM	A	500	1	50,50,50	1.22	7 (14%)	67,82,82	1.15	4 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	GOL	A	881	-	-	2/4/4/4	-
3	HEM	B	500	1	-	2/14/54/54	-
4	3BT	A	820	-	-	0/12/12/12	0/1/1/1
4	3BT	B	821	-	-	2/12/12/12	0/1/1/1
7	GOL	B	891	-	-	0/4/4/4	-
7	GOL	A	890	-	-	2/4/4/4	-
5	EDO	B	871	-	-	0/1/1/1	-
5	EDO	A	870	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	A	500	1	-	3/14/54/54	-

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	821	3BT	C2-C3	9.89	1.56	1.39
4	A	820	3BT	C2-C3	9.46	1.55	1.39
4	B	821	3BT	C'-N1'	4.52	1.43	1.34
4	B	821	3BT	C-N1	4.12	1.42	1.34
4	A	820	3BT	C'-N1'	4.12	1.42	1.34
4	A	820	3BT	C-N1	3.86	1.42	1.34
3	A	500	HEM	CAB-C3B	-2.89	1.39	1.47
4	A	820	3BT	C5-C4	2.63	1.43	1.38
3	A	500	HEM	FE-ND	2.54	2.02	1.94
4	A	820	3BT	C6-C1	2.51	1.43	1.38
4	B	821	3BT	C5-C4	2.51	1.43	1.38
4	B	821	3BT	C6-C1	2.50	1.43	1.38
3	A	500	HEM	FE-NB	2.26	2.01	1.94
3	B	500	HEM	CAB-C3B	-2.25	1.41	1.47
3	B	500	HEM	FE-NA	2.18	2.02	1.95
3	A	500	HEM	CMA-C3A	2.17	1.55	1.50
3	A	500	HEM	CAC-C3C	-2.07	1.41	1.47
4	B	821	3BT	C5-C6	2.04	1.42	1.38
3	A	500	HEM	CHC-C4B	2.03	1.43	1.39
3	A	500	HEM	C3C-C2C	2.01	1.41	1.37

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	500	HEM	CMD-C2D-C1D	4.00	131.28	125.03
4	A	820	3BT	CA-S-C	3.91	112.35	102.62
3	B	500	HEM	C3B-C2B-C1B	3.51	109.05	106.41
3	B	500	HEM	C3B-C4B-NB	3.46	111.95	109.47
4	B	821	3BT	CC-S'-C'	2.95	109.97	102.62
3	B	500	HEM	C4B-C3B-C2B	-2.91	104.60	107.28
4	B	821	3BT	CA-S-C	2.87	109.77	102.62
3	A	500	HEM	CMA-C3A-C4A	2.66	129.47	125.42
3	B	500	HEM	CBA-CAA-C2A	-2.50	105.63	112.53
4	A	820	3BT	CC-S'-C'	2.45	108.72	102.62
4	A	820	3BT	C1-C2-C3	-2.13	118.55	121.20
4	B	821	3BT	C1-C2-C3	-2.05	118.65	121.20
3	A	500	HEM	C2B-C1B-NB	2.05	112.20	109.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	500	HEM	C2D-C1D-ND	2.03	112.25	109.90

There are no chirality outliers.

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	B	821	3BT	S'-CC-CD-C3
7	A	890	GOL	O1-C1-C2-C3
7	A	881	GOL	O1-C1-C2-C3
7	A	890	GOL	O1-C1-C2-O2
7	A	881	GOL	O1-C1-C2-O2
4	B	821	3BT	CD-CC-S'-C'
3	A	500	HEM	CAA-CBA-CGA-O2A
3	A	500	HEM	CAA-CBA-CGA-O1A
3	B	500	HEM	CAA-CBA-CGA-O2A
3	B	500	HEM	CAA-CBA-CGA-O1A
3	A	500	HEM	CAD-CBD-CGD-O2D

There are no ring outliers.


6 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	500	HEM	3	0
4	A	820	3BT	2	0
4	B	821	3BT	3	0
7	B	891	GOL	1	0
7	A	890	GOL	2	0
6	B	951	CAD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand 3BT A 820



Ligand 3BT B 821





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	416/444 (93%)	0.42	19 (4%) 37 34	30, 45, 78, 100	0
1	B	414/444 (93%)	0.52	21 (5%) 33 30	31, 50, 79, 100	0
All	All	830/888 (93%)	0.47	40 (4%) 35 32	30, 47, 79, 100	0

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	113	THR	7.4
1	A	115	PRO	5.7
1	B	117	PRO	5.6
1	B	120	PRO	5.5
1	A	117	PRO	5.4
1	B	113	THR	5.3
1	B	116	SER	4.8
1	B	115	PRO	4.6
1	A	109	ARG	4.4
1	A	119	PRO	4.4
1	B	118	GLY	4.1
1	B	121	PRO	4.0
1	B	111	LEU	4.0
1	B	119	PRO	4.0
1	A	108	PRO	3.6
1	A	111	LEU	3.2
1	A	110	LYS	3.2
1	B	258	GLN	3.2
1	A	120	PRO	3.1
1	A	121	PRO	3.1
1	B	261	GLY	3.1
1	B	94	GLY	2.8
1	A	112	GLN	2.8
1	B	114	ARG	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	125	LEU	2.6
1	B	112	GLN	2.5
1	A	122	ALA	2.5
1	B	107	LEU	2.5
1	B	108	PRO	2.5
1	A	239	GLY	2.3
1	B	260	ASP	2.2
1	A	114	ARG	2.2
1	A	390	ARG	2.2
1	A	118	GLY	2.2
1	B	207	GLN	2.2
1	B	103	GLY	2.2
1	A	107	LEU	2.1
1	B	98	PRO	2.1
1	B	202	ASP	2.0
1	A	240	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	EDO	B	871	4/4	0.79	0.17	55,56,57,59	0
5	EDO	A	870	4/4	0.82	0.14	52,54,55,55	0
7	GOL	A	881	6/6	0.85	0.14	53,55,56,56	0
7	GOL	A	890	6/6	0.89	0.12	55,55,57,59	0
2	ACT	B	861	4/4	0.89	0.13	50,51,52,54	0
7	GOL	B	891	6/6	0.89	0.14	56,56,57,58	0
2	ACT	A	850	4/4	0.91	0.15	53,55,56,56	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	3BT	A	820	18/18	0.91	0.13	44,55,58,60	0
4	3BT	B	821	18/18	0.91	0.13	49,60,63,63	0
2	ACT	B	851	4/4	0.91	0.14	48,49,50,51	0
6	CAD	B	951	3/5	0.95	0.14	83,83,83,88	0
2	ACT	A	860	4/4	0.95	0.06	45,46,46,47	0
3	HEM	B	500	43/43	0.96	0.07	29,32,45,46	0
3	HEM	A	500	43/43	0.97	0.07	28,34,48,54	0
6	CAD	A	950	3/5	0.97	0.10	53,53,54,59	0
8	ZN	B	900	1/1	0.98	0.08	56,56,56,56	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 3BT A 820:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 3BT B 821:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM B 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.