



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 03:23 PM UTC

PDB ID : 8DAO / pdb_00008dao
Title : Crystal structure of SARS-CoV-2 spike stem fusion peptide in complex with neutralizing antibody COV44-79
Authors : Lin, T.H.; Lee, C.C.D.; Yuan, M.; Wilson, I.A.
Deposited on : 2022-06-13
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	126	8% 78% 22%
1	C	126	% 86% 14%
2	B	109	% 86% 13%
2	D	109	2% 77% 22%
3	E	103	6% 87% 13%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	G	103	 11% 84% 16%
4	F	107	 86% 12% **
4	H	107	 79% 20% **
5	I	15	 13% 40% 40% 20%
5	J	15	 13% 40% 40% 20%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6914 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called COV44-79 heavy chain variable domain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	126	Total	C	N	O	S	0	0	0
			959	604	168	182	5			
1	A	126	Total	C	N	O	S	0	0	0
			959	604	168	182	5			

- Molecule 2 is a protein called COV44-79 light chain variable domain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	109	Total	C	N	O	S	0	0	0
			838	526	143	165	4			
2	B	109	Total	C	N	O	S	0	0	0
			838	526	143	165	4			

- Molecule 3 is a protein called COV44-79 heavy chain constant domain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	103	Total	C	N	O	S	0	0	0
			738	465	121	149	3			
3	G	103	Total	C	N	O	S	0	0	0
			738	465	121	149	3			

- Molecule 4 is a protein called COV44-79 light chain constant domain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	106	Total	C	N	O	S	0	0	0
			820	510	139	169	2			
4	H	106	Total	C	N	O	S	0	0	0
			820	510	139	169	2			



- Molecule 5 is a protein called Spike protein S2 fusion peptide.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	I	12	Total 102	C 68	N 16	O 18	0	0	0
5	J	12	Total 102	C 68	N 16	O 18	0	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: COV44-79 heavy chain variable domain





- Molecule 1: COV44-79 heavy chain variable domain




- Molecule 2: COV44-79 light chain variable domain



- Molecule 2: COV44-79 light chain variable domain




- Molecule 3: COV44-79 heavy chain constant domain







- Molecule 3: COV44-79 heavy chain constant domain




- Molecule 4: COV44-79 light chain constant domain




- Molecule 4: COV44-79 light chain constant domain



- Molecule 5: Spike protein S2 fusion peptide



- Molecule 5: Spike protein S2 fusion peptide



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 2 2	Depositor
Cell constants a, b, c, α , β , γ	100.37Å 100.37Å 229.94Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.88 – 2.80 49.88 – 2.80	Depositor EDS
% Data completeness (in resolution range)	98.5 (49.88-2.80) 98.7 (49.88-2.80)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.13 (at 2.81Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.231 , 0.284 0.230 , 0.284	Depositor DCC
R_{free} test set	1458 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	63.9	Xtriage
Anisotropy	0.181	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 55.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6914	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.10	0/978	0.29	0/1326
1	C	0.10	0/978	0.29	0/1326
2	B	0.19	0/858	0.39	0/1164
2	D	0.09	0/858	0.30	0/1164
3	E	0.20	0/756	0.44	0/1035
3	G	0.29	0/756	0.47	0/1035
4	F	0.09	0/836	0.28	0/1134
4	H	0.12	0/836	0.30	0/1134
5	I	0.12	0/104	0.30	0/137
5	J	0.17	0/104	0.38	0/137
All	All	0.16	0/7064	0.35	0/9592

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	959	0	956	19	0
1	C	959	0	956	13	0
2	B	838	0	815	8	0
2	D	838	0	813	18	0
3	E	738	0	732	7	0
3	G	738	0	732	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	F	820	0	793	8	0
4	H	820	0	793	17	0
5	I	102	0	104	6	0
5	J	102	0	104	7	0
All	All	6914	0	6798	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:34:ALA:HB3	2:B:89:GLN:HG2	1.60	0.82
2:D:34:ALA:HB3	2:D:89:GLN:HG2	1.67	0.76
3:G:116:THR:HG22	3:G:147:PRO:HD3	1.69	0.74
1:A:91:THR:HG23	1:A:123:SER:HA	1.70	0.74
5:I:818:ILE:HA	5:I:821:LEU:HD12	1.77	0.66
1:A:58:LYS:HB3	1:A:60:TYR:HE1	1.59	0.66
1:A:111:ASP:HB3	5:J:815:ARG:HB2	1.78	0.66
3:G:129:LYS:HD3	3:G:129:LYS:H	1.61	0.65
3:G:130:SER:HA	4:H:116:PHE:HB3	1.82	0.62
2:B:109:ARG:O	4:H:108:ARG:N	2.34	0.60
1:C:111:ASP:HB3	5:I:815:ARG:HB2	1.82	0.60
2:D:105:ARG:NH2	4:F:173:TYR:OH	2.34	0.60
3:G:119:PRO:HB3	3:G:145:TYR:HB3	1.82	0.60
1:A:12:VAL:HG11	1:A:18:LEU:HB2	1.84	0.60
3:G:188:SER:HB2	3:G:192:GLN:HG2	1.83	0.59
4:H:163:VAL:HG22	4:H:175:LEU:HD12	1.83	0.59
5:J:814:LYS:O	5:J:818:ILE:HD12	2.03	0.58
1:C:83:MET:HE3	1:C:86:LEU:HD21	1.86	0.57
2:D:1:ASP:O	4:H:189:HIS:NE2	2.33	0.57
1:A:13:GLN:HG3	1:A:14:PRO:HD2	1.88	0.56
4:F:170:ASP:OD1	4:F:170:ASP:N	2.32	0.56
4:H:201:LEU:HD13	4:H:205:VAL:HG13	1.86	0.56
2:D:18:ARG:HG3	2:D:76:SER:HA	1.88	0.55
1:C:51:ILE:HG12	1:C:72:ARG:HD2	1.89	0.55
1:A:102:PRO:HD3	2:B:91:ALA:HB1	1.88	0.55
1:A:89:GLU:H	1:A:89:GLU:CD	2.15	0.53
4:F:163:VAL:HG22	4:F:175:LEU:HD12	1.91	0.53
1:C:102:PRO:HD3	2:D:91:ALA:HB1	1.90	0.52
1:A:14:PRO:HD2	1:A:126:SER:HB3	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:193:THR:HG23	3:E:210:LYS:HE2	1.90	0.52
1:A:93:VAL:HG22	1:A:121:MET:HG2	1.92	0.52
1:A:58:LYS:HB3	1:A:60:TYR:CE1	2.42	0.51
2:D:30:SER:OG	2:D:31:LYS:N	2.41	0.51
3:E:200:HIS:CD2	3:E:202:PRO:HD2	2.46	0.50
3:E:129:LYS:HG3	3:E:130:SER:N	2.27	0.50
5:J:815:ARG:O	5:J:819:GLU:HG3	2.12	0.49
2:B:35:TRP:CE2	2:B:73:LEU:HB2	2.47	0.49
1:A:68:PHE:CZ	1:A:83:MET:HG2	2.47	0.49
3:E:188:SER:HB2	3:E:192:GLN:HE21	1.76	0.49
3:E:129:LYS:HG3	3:E:130:SER:H	1.77	0.49
4:H:133:VAL:HG22	4:H:178:THR:HG23	1.94	0.48
1:C:99:LEU:O	5:I:815:ARG:NH2	2.47	0.48
1:A:18:LEU:HD12	1:A:19:ARG:N	2.28	0.48
3:G:134:GLY:HA2	3:G:186:SER:OG	2.14	0.48
2:D:11:MET:HE3	2:D:106:LEU:HD13	1.94	0.48
1:C:51:ILE:HD12	1:C:58:LYS:HG3	1.95	0.47
5:J:818:ILE:HA	5:J:821:LEU:HD12	1.97	0.47
1:A:99:LEU:O	5:J:815:ARG:NH2	2.48	0.47
1:A:31:GLY:O	5:J:816:SER:OG	2.32	0.47
2:D:1:ASP:HB3	4:H:189:HIS:CD2	2.50	0.47
2:D:35:TRP:CZ3	2:D:88:CYS:HB3	2.50	0.46
4:F:136:LEU:HD22	4:F:175:LEU:HD22	1.97	0.46
3:G:126:PRO:HG3	3:G:138:LEU:HD23	1.97	0.46
4:F:145:LYS:HB2	4:F:145:LYS:HE2	1.77	0.46
1:C:107:PRO:O	2:D:49:TYR:OH	2.31	0.46
2:D:82:ASP:O	2:D:86:TYR:OH	2.28	0.46
2:B:61:ARG:HB2	2:B:76:SER:HB2	1.98	0.45
4:F:108:ARG:HD3	4:F:109:THR:O	2.17	0.45
4:H:122:ASP:O	4:H:125:LEU:N	2.50	0.45
1:C:47:TRP:HZ2	1:C:50:VAL:HG12	1.82	0.45
2:D:61:ARG:HH21	2:D:82:ASP:CG	2.24	0.45
2:B:20:THR:HG23	2:B:72:THR:HG23	1.99	0.44
2:D:20:THR:HG23	2:D:72:THR:HG23	1.99	0.44
5:I:814:LYS:O	5:I:818:ILE:HD12	2.17	0.44
4:F:147:GLN:NE2	4:F:154:LEU:HG	2.33	0.43
1:A:87:ARG:HB3	1:A:89:GLU:OE2	2.18	0.43
1:A:11:VAL:HG22	1:A:123:SER:HB2	2.01	0.43
2:B:11:MET:HE1	2:B:21:ILE:HG12	2.00	0.43
1:C:107:PRO:HB3	2:D:54:LEU:H	1.82	0.43
1:C:111:ASP:O	5:I:815:ARG:HG3	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:18:LEU:HD12	1:A:19:ARG:H	1.84	0.43
2:D:33:LEU:HD13	2:D:71:PHE:CG	2.54	0.43
3:E:206:LYS:HA	3:E:206:LYS:HD2	1.64	0.43
2:D:1:ASP:HB2	4:H:185:ASP:OD2	2.20	0.42
4:H:108:ARG:NH1	4:H:109:THR:OG1	2.53	0.42
4:H:142:ARG:HH11	4:H:142:ARG:HG2	1.84	0.42
3:G:153:SER:HB2	3:G:197:ASN:HB2	2.02	0.42
3:G:189:LEU:HA	3:G:189:LEU:HD12	1.84	0.42
2:D:1:ASP:HB3	4:H:189:HIS:HE2	1.85	0.41
3:G:197:ASN:ND2	3:G:208:ASP:OD1	2.53	0.41
1:A:60:TYR:OH	1:A:70:ILE:HG22	2.20	0.41
1:C:53:ARG:NH1	5:I:820:ASP:OD1	2.53	0.41
4:F:140:TYR:CG	4:F:141:PRO:HA	2.56	0.41
3:E:189:LEU:HD23	3:E:189:LEU:HA	1.83	0.41
1:C:13:GLN:HB2	1:C:16:ARG:HG3	2.02	0.41
2:D:3:GLN:OE1	4:H:155:GLN:NE2	2.54	0.41
1:A:51:ILE:HG23	1:A:72:ARG:HH11	1.86	0.41
4:H:183:LYS:O	4:H:187:GLU:HG3	2.20	0.41
5:J:814:LYS:HG2	5:J:818:ILE:HD11	2.02	0.41
1:C:60:TYR:CE1	1:C:70:ILE:HG22	2.55	0.41
4:H:128:GLY:HA2	4:H:183:LYS:HB2	2.03	0.41
2:B:107:GLU:OE2	4:H:140:TYR:OH	2.26	0.40
4:H:142:ARG:HG2	4:H:142:ARG:NH1	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	124/126 (98%)	119 (96%)	5 (4%)	0	100	100
1	C	124/126 (98%)	120 (97%)	4 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	107/109 (98%)	98 (92%)	9 (8%)	0	100	100
2	D	107/109 (98%)	100 (94%)	7 (6%)	0	100	100
3	E	101/103 (98%)	94 (93%)	7 (7%)	0	100	100
3	G	101/103 (98%)	95 (94%)	6 (6%)	0	100	100
4	F	104/107 (97%)	103 (99%)	1 (1%)	0	100	100
4	H	104/107 (97%)	102 (98%)	2 (2%)	0	100	100
5	I	10/15 (67%)	10 (100%)	0	0	100	100
5	J	10/15 (67%)	10 (100%)	0	0	100	100
All	All	892/920 (97%)	851 (95%)	41 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	103/103 (100%)	99 (96%)	4 (4%)	28	64
1	C	103/103 (100%)	101 (98%)	2 (2%)	50	81
2	B	93/93 (100%)	90 (97%)	3 (3%)	34	70
2	D	93/93 (100%)	90 (97%)	3 (3%)	34	70
3	E	88/89 (99%)	85 (97%)	3 (3%)	32	68
3	G	88/89 (99%)	88 (100%)	0	100	100
4	F	95/96 (99%)	92 (97%)	3 (3%)	34	70
4	H	95/96 (99%)	91 (96%)	4 (4%)	26	61
5	I	12/15 (80%)	11 (92%)	1 (8%)	10	32
5	J	12/15 (80%)	12 (100%)	0	100	100
All	All	782/792 (99%)	759 (97%)	23 (3%)	37	73

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	71	SER
1	C	96	CYS
2	D	20	THR
2	D	47	LEU
2	D	60	SER
3	E	132	SER
3	E	138	LEU
3	E	183	THR
4	F	114	SER
4	F	132	VAL
4	F	170	ASP
5	I	816	SER
1	A	27	LEU
1	A	54	ASP
1	A	69	THR
1	A	96	CYS
2	B	60	SER
2	B	74	THR
2	B	107	GLU
4	H	121	SER
4	H	156	SER
4	H	159	SER
4	H	185	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
2	D	27	GLN
2	D	79	GLN
3	E	192	GLN
1	A	57	ASN
3	G	199	ASN
3	G	200	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	126/126 (100%)	0.62	10 (7%) 18 13	45, 79, 109, 125	0
1	C	126/126 (100%)	-0.01	1 (0%) 82 75	36, 62, 88, 105	0
2	B	109/109 (100%)	0.18	1 (0%) 81 74	44, 62, 83, 98	0
2	D	109/109 (100%)	0.13	2 (1%) 67 58	42, 63, 79, 86	0
3	E	103/103 (100%)	-0.09	6 (5%) 29 22	35, 46, 91, 131	0
3	G	103/103 (100%)	0.81	11 (10%) 11 8	54, 80, 104, 138	0
4	F	106/107 (99%)	-0.25	0 100 100	37, 46, 65, 76	0
4	H	106/107 (99%)	-0.02	0 100 100	44, 57, 77, 93	0
5	I	12/15 (80%)	0.98	2 (16%) 4 3	81, 93, 98, 107	0
5	J	12/15 (80%)	1.29	2 (16%) 4 3	92, 105, 119, 122	0
All	All	912/920 (99%)	0.20	35 (3%) 44 35	35, 63, 102, 138	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	1	ASP	4.4
3	E	131	THR	4.2
2	D	1	ASP	3.7
3	G	211	VAL	3.4
3	G	130	SER	3.1
3	G	119	PRO	3.1
3	E	114	ALA	3.1
1	A	108	GLY	3.0
3	E	216	CYS	2.9
1	A	27	LEU	2.9
3	G	114	ALA	2.9
5	I	812	PRO	2.8
3	G	205	THR	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	E	130	SER	2.7
5	J	817	PHE	2.6
5	I	822	LEU	2.6
1	A	30	SER	2.6
1	A	24	ALA	2.6
1	A	106	GLU	2.5
1	A	96	CYS	2.5
3	E	133	GLY	2.4
1	A	29	PHE	2.4
3	G	216	CYS	2.3
3	G	128	SER	2.3
1	A	56	ARG	2.3
3	G	131	THR	2.2
3	E	132	SER	2.2
5	J	812	PRO	2.2
1	C	126	SER	2.2
3	G	133	GLY	2.1
1	A	4	LEU	2.1
1	A	52	SER	2.1
2	D	94	PHE	2.0
3	G	190	GLY	2.0
3	G	121	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.