



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:57 PM UTC

PDB ID : 7EY2 / pdb_00007ey2
Title : Bifunctional xylosidase/glucosidase LXYL D300N mutant with intermediate substrate xylose
Authors : Gong, W.M.; Yang, L.Y.
Deposited on : 2021-05-29
Resolution : 2.43 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.43 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2340 (2.46-2.42)
Clashscore	190562	2400 (2.46-2.42)
Sidechain outliers	187428	2379 (2.46-2.42)
RSRZ outliers	180081	2340 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	805	 83% 9% • 6%
1	B	805	 84% 9% • 6%
1	C	805	 82% 10% • 6%
1	D	805	 82% 10% • 6%
1	E	805	 82% 10% • 6%
1	F	805	 83% 9% • 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	G	3	100%
2	J	3	33% 67%
2	M	3	33% 67%
2	P	3	33% 67%
2	S	3	33% 67%
2	V	3	33% 67%
3	H	7	71% 29%
3	N	7	71% 29%
3	T	7	71% 29%
3	W	7	71% 29%
4	I	5	100%
4	R	5	100%
5	K	8	50% 50%
6	L	6	100%
6	O	6	100%
6	U	6	100%
6	X	6	100%
7	Q	6	83% 17%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	XYL	C	907	-	X	-	-
11	XYL	D	907	-	X	-	-
5	MAN	K	6	-	-	X	-
5	MAN	K	8	-	-	X	-

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 37142 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-D-xylosidase/beta-D-glucosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	758	Total	C	N	O	S	0	1	0
			5724	3624	958	1125	17			
1	B	758	Total	C	N	O	S	0	1	0
			5736	3632	963	1124	17			
1	C	756	Total	C	N	O	S	0	1	0
			5712	3618	956	1121	17			
1	D	756	Total	C	N	O	S	0	1	0
			5712	3618	956	1121	17			
1	E	757	Total	C	N	O	S	0	1	0
			5726	3626	960	1123	17			
1	F	757	Total	C	N	O	S	0	1	0
			5726	3626	960	1123	17			

There are 18 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	300	ASN	ASP	engineered mutation	UNP G8GLP2
A	804	HIS	-	expression tag	UNP G8GLP2
A	805	HIS	-	expression tag	UNP G8GLP2
B	300	ASN	ASP	engineered mutation	UNP G8GLP2
B	804	HIS	-	expression tag	UNP G8GLP2
B	805	HIS	-	expression tag	UNP G8GLP2
C	300	ASN	ASP	engineered mutation	UNP G8GLP2
C	804	HIS	-	expression tag	UNP G8GLP2
C	805	HIS	-	expression tag	UNP G8GLP2
D	300	ASN	ASP	engineered mutation	UNP G8GLP2
D	804	HIS	-	expression tag	UNP G8GLP2
D	805	HIS	-	expression tag	UNP G8GLP2
E	300	ASN	ASP	engineered mutation	UNP G8GLP2
E	804	HIS	-	expression tag	UNP G8GLP2
E	805	HIS	-	expression tag	UNP G8GLP2
F	300	ASN	ASP	engineered mutation	UNP G8GLP2
F	804	HIS	-	expression tag	UNP G8GLP2

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	805	HIS	-	expression tag	UNP G8GLP2

- Molecule 2 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	G	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	J	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	M	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	P	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	S	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	V	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-beta-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	H	7	Total	C	N	O	0	0	0
			83	46	2	35			
3	N	7	Total	C	N	O	0	0	0
			83	46	2	35			
3	T	7	Total	C	N	O	0	0	0
			83	46	2	35			
3	W	7	Total	C	N	O	0	0	0
			83	46	2	35			

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	I	5	Total	C	N	O	0	0	0
			61	34	2	25			
4	R	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-beta-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	K	8	Total	C	N	O	0	0	0
			94	52	2	40			

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	L	6	Total	C	N	O	0	0	0
			72	40	2	30			
6	O	6	Total	C	N	O	0	0	0
			72	40	2	30			
6	U	6	Total	C	N	O	0	0	0
			72	40	2	30			
6	X	6	Total	C	N	O	0	0	0
			72	40	2	30			

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-beta-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
7	Q	6	Total	C	N	O	0	0	0
			70	38	1	31			

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	A	1	Total	C	N	O	0	0
			13	8	1	4		
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	B	1	Total	C	N	O	0	0
			14	8	1	5		
8	B	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	B	1	Total	C	N	O	0	0
			14	8	1	5		
8	C	1	Total	C	N	O	0	0
			14	8	1	5		
8	C	1	Total	C	N	O	0	0
			13	8	1	4		
8	C	1	Total	C	N	O	0	0
			14	8	1	5		
8	C	1	Total	C	N	O	0	0
			14	8	1	5		
8	D	1	Total	C	N	O	0	0
			13	8	1	4		
8	D	1	Total	C	N	O	0	0
			14	8	1	5		
8	D	1	Total	C	N	O	0	0
			13	8	1	4		
8	D	1	Total	C	N	O	0	0
			14	8	1	5		
8	D	1	Total	C	N	O	0	0
			14	8	1	5		
8	E	1	Total	C	N	O	0	0
			14	8	1	5		
8	E	1	Total	C	N	O	0	0
			14	8	1	5		
8	E	1	Total	C	N	O	0	0
			14	8	1	5		
8	F	1	Total	C	N	O	0	0
			14	8	1	5		
8	F	1	Total	C	N	O	0	0
			14	8	1	5		
8	F	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 9 is beta-D-xylofuranose (CCD ID: XYZ) (formula: C₅H₁₀O₅) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			10	5	5		
9	B	1	Total	C	O	0	0
			10	5	5		


- Molecule 10 is beta-D-mannopyranose (CCD ID: BMA) (formula: $C_6H_{12}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	C	O	0	0
			11	6	5		

- Molecule 11 is Xylitol (CCD ID: XYL) (formula: $C_5H_{12}O_5$) (labeled as "Ligand of Interest")

by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	C	1	Total	C	O	0	0
			10	5	5		
11	D	1	Total	C	O	0	0
			10	5	5		
11	E	1	Total	C	O	0	0
			10	5	5		


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	239	Total	O	0	0
			239	239		
12	B	304	Total	O	0	0
			304	304		
12	C	177	Total	O	0	0
			177	177		
12	D	177	Total	O	0	0
			177	177		
12	E	204	Total	O	0	0
			204	204		
12	F	200	Total	O	0	0
			200	200		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Beta-D-xylosidase/beta-D-glucosidase




- Molecule 1: Beta-D-xylosidase/beta-D-glucosidase




- Molecule 1: Beta-D-xylosidase/beta-D-glucosidase






• Molecule 1: Beta-D-xylosidase/beta-D-glucosidase

Chain D: 82% 10% 6%




• Molecule 1: Beta-D-xylosidase/beta-D-glucosidase

Chain E: 82% 10% 6%



• Molecule 1: Beta-D-xylosidase/beta-D-glucosidase

Chain F: 83% 9% 6%



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 100%



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J: 33% 67%



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M: 33% 67%



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P: 33% 67%



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S: 33% 67%



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  33% 67%

MAG1
MAG2
BMA3

- Molecule 3: alpha-D-mannopyranose-(1-2)-beta-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  71% 29%

MAG1
MAG2
BMA3
BMA4
MAN5
MAN6
MAN7

- Molecule 3: alpha-D-mannopyranose-(1-2)-beta-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  71% 29%

MAG1
MAG2
BMA3
BMA4
MAN5
MAN6
MAN7

- Molecule 3: alpha-D-mannopyranose-(1-2)-beta-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  71% 29%


MAG1
MAG2
BMA3
BMA4
MAN5
MAN6
MAN7

- Molecule 3: alpha-D-mannopyranose-(1-2)-beta-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  71% 29%

MAG1
MAG2
BMA3
BMA4
MAN5
MAN6
MAN7

- Molecule 4: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%

MAG1
MAG2
MAN3
MAN4
MAN5

- Molecule 4: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  100%

MAG1
MAG2
MAN3
MAN4
MAN5

- Molecule 5: alpha-D-mannopyranose-(1-2)-beta-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  50%  50%

MAG1
MAG2
BMA3
BMA4
BMA5
BMA6
BMA7
BMA8

- Molecule 6: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  100%

MAG1
MAG2
MAN3
MAN4
MAN5
MAN6

- Molecule 6: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  100%

MAG1
MAG2
MAN3
MAN4
MAN5
MAN6

- Molecule 6: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  100%

MAG1
MAG2
MAN3
MAN4
MAN5
MAN6

- Molecule 6: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  100%

MAG1
MAG2
MAN3
MAN4
MAN5
MAN6

● Molecule 7: α -D-mannopyranose-(1-2)- β -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-3)- α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain Q:  83%  17%

MAG1
BMA2
BMA3
MAN4
MAN5
MAN6

4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	149.15Å 258.23Å 320.25Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	160.12 – 2.43 160.12 – 2.43	Depositor EDS
% Data completeness (in resolution range)	98.9 (160.12-2.43) 98.9 (160.12-2.43)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	11.04 (at 2.42Å)	Xtriage
Refinement program	REFMAC 5.8.0135	Depositor
R, R_{free}	0.175 , 0.226 (Not available) , 0.218	Depositor DCC
R_{free} test set	11385 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	29.0	Xtriage
Anisotropy	0.012	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 3.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.456 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.440 for 1/2*h+1/2*k,3/2*h-1/2*k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	37142	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.84% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: XYL, BMA, NAG, MAN, XYZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.12	1/5868 (0.0%)	1.10	12/8030 (0.1%)
1	B	1.13	3/5882 (0.1%)	1.08	8/8047 (0.1%)
1	C	1.12	5/5856 (0.1%)	1.09	12/8012 (0.1%)
1	D	1.13	1/5856 (0.0%)	1.11	16/8012 (0.2%)
1	E	1.16	3/5871 (0.1%)	1.11	14/8032 (0.2%)
1	F	1.16	7/5871 (0.1%)	1.11	9/8032 (0.1%)
All	All	1.14	20/35204 (0.1%)	1.10	71/48165 (0.1%)

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	643	ASP	C-O	-7.35	1.17	1.24
1	F	584	TYR	C-O	-6.83	1.17	1.24
1	E	760	PHE	C-O	-6.02	1.18	1.24
1	A	235	PRO	C-O	-5.97	1.17	1.23
1	F	701	SER	C-O	-5.86	1.16	1.23
1	B	635	ASN	CG-ND2	5.83	1.45	1.33
1	C	332	TRP	C-O	-5.53	1.18	1.24
1	C	459	THR	C-O	-5.50	1.17	1.23
1	C	206	SER	CA-C	-5.44	1.45	1.52
1	F	164	GLY	C-O	-5.41	1.16	1.24
1	F	519	THR	CB-CG2	-5.39	1.34	1.52
1	D	459	THR	C-O	-5.31	1.17	1.24
1	E	644	TYR	C-O	-5.30	1.17	1.24
1	B	701	SER	C-O	-5.30	1.17	1.23
1	B	635	ASN	CA-CB	5.25	1.60	1.53
1	C	290	GLU	CA-C	5.11	1.59	1.52
1	F	422	LYS	C-O	-5.11	1.17	1.24
1	F	545	LEU	N-CA	5.05	1.52	1.46
1	C	706	ILE	C-O	-5.03	1.19	1.24
1	F	126	GLY	C-O	-5.02	1.17	1.23

All (71) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	129	VAL	CB-CA-C	-8.33	100.89	112.14
1	C	767	VAL	N-CA-CB	-8.18	101.53	112.16
1	E	129	VAL	N-CA-CB	8.04	121.47	110.54
1	D	767	VAL	N-CA-CB	-7.61	102.27	112.16
1	D	129	VAL	CB-CA-C	-7.59	101.75	112.22
1	F	111	PRO	N-CA-C	7.48	123.18	114.20
1	C	803	PRO	N-CA-C	7.39	123.25	113.57
1	A	803	PRO	N-CA-C	7.34	123.38	113.84
1	C	129	VAL	CB-CA-C	-7.18	100.62	112.26
1	F	164	GLY	C-N-CD	7.17	136.37	120.60
1	D	129	VAL	N-CA-CB	6.85	120.85	110.58
1	A	802	THR	CA-C-N	6.79	126.48	119.56
1	A	802	THR	C-N-CA	6.79	126.48	119.56
1	A	705	VAL	CB-CA-C	6.77	119.00	111.08
1	D	767	VAL	CB-CA-C	6.71	119.84	111.65
1	A	700	ASN	N-CA-C	6.58	119.42	110.35
1	E	342	ASN	CB-CA-C	6.54	121.78	110.01
1	E	111	PRO	N-CA-C	6.39	121.87	114.20
1	A	767	VAL	N-CA-CB	-6.31	100.82	111.23
1	D	371	PRO	O-C-N	6.29	124.20	121.31
1	E	705	VAL	N-CA-CB	6.22	118.10	111.00
1	F	179	THR	N-CA-C	6.22	124.05	110.80
1	A	655	ARG	CG-CD-NE	-6.15	98.47	112.00
1	A	758	VAL	CB-CA-C	6.13	120.82	110.95
1	C	375	VAL	N-CA-C	6.11	118.77	112.90
1	A	767	VAL	CB-CA-C	6.00	121.12	111.29
1	B	705	VAL	N-CA-CB	5.96	117.62	110.95
1	C	332	TRP	N-CA-C	-5.89	100.98	109.29
1	D	758	VAL	CB-CA-C	5.88	119.75	110.81
1	B	705	VAL	CB-CA-C	5.83	117.90	111.08
1	F	705	VAL	N-CA-CB	5.71	116.94	110.72
1	D	375	VAL	N-CA-C	5.70	118.38	112.90
1	D	803	PRO	N-CA-C	5.70	121.25	113.84
1	C	705	VAL	N-CA-CB	5.63	116.86	110.72
1	B	700	ASN	N-CA-C	5.63	118.21	109.60
1	B	111	PRO	N-CA-C	5.63	120.95	114.20
1	B	655	ARG	CG-CD-NE	-5.61	99.66	112.00
1	B	375	VAL	N-CA-C	5.61	118.54	113.10
1	F	533	ALA	N-CA-C	-5.59	102.73	109.83
1	E	767	VAL	CB-CA-C	5.59	120.46	111.29
1	E	767	VAL	N-CA-CB	-5.59	102.01	111.23
1	C	767	VAL	CB-CA-C	5.58	118.46	111.65

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	66	LYS	N-CA-C	-5.56	105.22	111.28
1	F	375	VAL	N-CA-C	5.52	118.20	112.90
1	D	705	VAL	N-CA-CB	5.46	117.07	110.95
1	C	655	ARG	CG-CD-NE	-5.46	99.99	112.00
1	D	370	PRO	CA-C-N	-5.46	115.68	119.66
1	D	370	PRO	C-N-CA	-5.46	115.68	119.66
1	C	129	VAL	N-CA-CB	5.43	120.60	110.77
1	F	655	ARG	CG-CD-NE	-5.41	100.10	112.00
1	D	66	LYS	CD-CE-NZ	5.40	129.19	111.90
1	E	173	GLY	N-CA-C	5.33	120.36	113.27
1	B	179	THR	N-CA-C	5.32	122.13	110.80
1	E	135	ARG	N-CA-C	5.32	117.76	111.33
1	C	624	VAL	CB-CA-C	5.28	117.55	110.42
1	D	705	VAL	CB-CA-C	5.25	117.22	111.08
1	D	107	LEU	CA-CB-CG	5.24	134.63	116.30
1	C	625	VAL	N-CA-CB	5.23	116.42	110.72
1	A	437	ASN	N-CA-C	-5.22	102.32	110.10
1	A	645	ARG	N-CA-CB	5.22	118.37	110.28
1	E	375	VAL	N-CA-C	5.22	118.16	113.10
1	E	533	ALA	N-CA-C	-5.20	103.23	109.83
1	E	705	VAL	CB-CA-C	5.19	117.23	110.96
1	F	701	SER	N-CA-C	5.17	116.93	108.76
1	E	758	VAL	CB-CA-C	5.16	118.31	110.62
1	E	694	ALA	N-CA-C	5.16	116.90	111.28
1	D	332	TRP	N-CA-C	-5.14	99.85	110.80
1	A	624	VAL	CB-CA-C	5.10	117.31	110.42
1	B	645	ARG	N-CA-CB	5.05	118.78	110.39
1	C	645	ARG	N-CA-CB	5.04	118.06	110.30
1	F	767	VAL	N-CA-CB	-5.02	102.95	111.23

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5724	0	5509	40	0
1	B	5736	0	5525	34	0
1	C	5712	0	5505	41	0
1	D	5712	0	5505	38	0
1	E	5726	0	5519	36	0
1	F	5726	0	5518	32	0
2	G	39	0	34	4	0
2	J	39	0	34	2	0
2	M	39	0	34	4	0
2	P	39	0	34	5	0
2	S	39	0	34	2	0
2	V	39	0	34	2	0
3	H	83	0	70	3	0
3	N	83	0	70	4	0
3	T	83	0	70	4	0
3	W	83	0	70	3	0
4	I	61	0	52	0	0
4	R	61	0	52	0	0
5	K	94	0	77	12	0
6	L	72	0	61	0	0
6	O	72	0	61	0	0
6	U	72	0	61	0	0
6	X	72	0	61	0	0
7	Q	70	0	60	3	0
8	A	55	0	50	0	0
8	B	42	0	38	2	0
8	C	55	0	50	0	0
8	D	68	0	61	3	0
8	E	42	0	39	2	0
8	F	42	0	38	0	0
9	A	10	0	7	1	0
9	B	10	0	7	1	0
10	A	11	0	10	0	0
11	C	10	0	12	2	0
11	D	10	0	12	0	0
11	E	10	0	12	1	0
12	A	239	0	0	3	0
12	B	304	0	0	3	0
12	C	177	0	0	3	0
12	D	177	0	0	2	0
12	E	204	0	0	5	0
12	F	200	0	0	3	0
All	All	37142	0	34386	269	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (269) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:K:8:MAN:O6	5:K:8:MAN:C6	1.66	1.40
5:K:6:MAN:C5	5:K:8:MAN:O6	1.68	1.36
3:W:1:NAG:O4	3:W:1:NAG:C4	1.73	1.36
2:M:1:NAG:C4	2:M:1:NAG:O4	1.73	1.36
5:K:1:NAG:O4	5:K:1:NAG:C4	1.77	1.33
2:G:1:NAG:O4	2:G:1:NAG:C4	1.76	1.33
2:P:1:NAG:O4	2:P:1:NAG:C4	1.77	1.31
2:J:1:NAG:C4	2:J:1:NAG:O4	1.78	1.31
2:V:1:NAG:O4	2:V:1:NAG:C4	1.79	1.30
3:H:1:NAG:C4	3:H:1:NAG:O4	1.78	1.29
3:T:1:NAG:C4	3:T:1:NAG:O4	1.78	1.29
2:S:1:NAG:O4	2:S:1:NAG:C4	1.80	1.28
3:N:1:NAG:O4	3:N:1:NAG:C4	1.82	1.26
8:D:902:NAG:C4	7:Q:1:NAG:O1	1.90	1.19
5:K:6:MAN:O5	5:K:8:MAN:O6	1.57	1.19
5:K:6:MAN:H5	5:K:8:MAN:O6	1.38	1.11
1:F:521:VAL:HG11	1:F:546:MET:HE3	1.38	1.02
1:E:521:VAL:HG11	1:E:546:MET:HE3	1.43	1.00
1:B:521:VAL:HG11	1:B:546:MET:CE	1.97	0.93
1:F:546:MET:HE2	1:F:546:MET:HA	1.55	0.88
1:C:521:VAL:HG11	1:C:546:MET:HE3	1.57	0.85
1:F:433:ASP:OD2	1:F:561:HIS:HD2	1.63	0.81
5:K:6:MAN:H5	5:K:8:MAN:C6	2.13	0.78
1:E:546:MET:HE2	1:E:546:MET:HA	1.64	0.77
1:D:442:ASN:HD21	1:D:471:SER:H	1.32	0.77
1:A:442:ASN:HD21	1:A:471:SER:H	1.33	0.76
1:C:442:ASN:HD21	1:C:471:SER:H	1.32	0.75
1:C:433:ASP:OD2	1:C:561:HIS:HD2	1.70	0.74
3:W:1:NAG:C4	3:W:2:NAG:C1	2.65	0.74
1:B:433:ASP:OD2	1:B:561:HIS:HD2	1.68	0.74
1:E:739:ARG:HD3	12:E:1048:HOH:O	1.88	0.74
2:S:1:NAG:C4	2:S:2:NAG:C1	2.67	0.73
5:K:1:NAG:C4	5:K:2:NAG:C1	2.66	0.72
1:B:521:VAL:HG11	1:B:546:MET:HE3	1.70	0.72
3:T:1:NAG:C4	3:T:2:NAG:C1	2.67	0.72
1:D:433:ASP:OD2	1:D:561:HIS:HD2	1.73	0.71
2:P:1:NAG:C4	2:P:2:NAG:C1	2.69	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:109:ASP:OD1	11:C:907:XYL:H12	1.90	0.69
2:J:1:NAG:C4	2:J:2:NAG:C1	2.69	0.69
2:V:1:NAG:C4	2:V:2:NAG:C1	2.71	0.68
3:H:1:NAG:C4	3:H:2:NAG:C1	2.71	0.68
2:M:1:NAG:C4	2:M:2:NAG:C1	2.70	0.68
1:E:442:ASN:HD21	1:E:471:SER:H	1.40	0.67
1:D:696:TRP:HA	1:D:700:ASN:HD21	1.59	0.67
1:E:433:ASP:OD2	1:E:561:HIS:HD2	1.77	0.67
2:G:1:NAG:C4	2:G:2:NAG:C1	2.72	0.67
1:C:432:ASN:HB2	12:C:1086:HOH:O	1.94	0.67
1:F:117:VAL:HG22	1:F:376:TYR:CD2	2.30	0.66
3:N:1:NAG:C4	3:N:2:NAG:C1	2.74	0.66
3:W:1:NAG:O4	3:W:1:NAG:C3	2.46	0.64
1:E:117:VAL:HG22	1:E:376:TYR:CD2	2.32	0.64
1:F:220:LEU:HD22	1:F:268:TYR:CZ	2.33	0.64
1:C:220:LEU:HD22	1:C:268:TYR:CZ	2.33	0.64
1:A:696:TRP:HA	1:A:700:ASN:HD21	1.62	0.64
1:B:117:VAL:HG22	1:B:376:TYR:CD2	2.33	0.64
5:K:6:MAN:H62	5:K:8:MAN:H3	1.78	0.64
1:B:432:ASN:HB2	12:B:1217:HOH:O	1.98	0.63
1:B:649:LYS:HD3	1:B:650:MET:HE2	1.80	0.63
5:K:6:MAN:H5	5:K:8:MAN:C5	2.28	0.63
1:D:117:VAL:HG22	1:D:376:TYR:CD2	2.33	0.63
1:D:204:THR:H	1:D:262:ASN:HD22	1.46	0.63
1:D:521:VAL:HG11	1:D:546:MET:HE2	1.81	0.62
1:C:546:MET:HE2	1:C:546:MET:HA	1.82	0.61
1:A:300:ASN:ND2	9:A:907:XYZ:O1	2.33	0.61
8:D:902:NAG:C4	7:Q:1:NAG:C1	2.78	0.61
1:A:220:LEU:HD22	1:A:268:TYR:CZ	2.36	0.61
3:T:1:NAG:O4	3:T:1:NAG:C3	2.47	0.61
1:A:248:LEU:HD23	1:A:249:TYR:CE2	2.36	0.60
1:F:774:ASP:HB2	1:F:776:LEU:HD22	1.82	0.60
1:C:433:ASP:OD2	1:C:561:HIS:CD2	2.52	0.60
1:B:442:ASN:HD21	1:B:471:SER:H	1.46	0.60
1:D:220:LEU:HD22	1:D:268:TYR:CZ	2.37	0.60
1:B:607:LYS:HD2	1:B:724:VAL:HB	1.83	0.59
1:A:433:ASP:OD2	1:A:561:HIS:HD2	1.84	0.59
1:B:521:VAL:CG1	1:B:546:MET:CE	2.78	0.59
1:C:421:LEU:HD11	1:C:520:PHE:HZ	1.68	0.59
1:F:546:MET:HA	1:F:546:MET:CE	2.30	0.59
5:K:1:NAG:O4	5:K:1:NAG:C3	2.48	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:442:ASN:HD21	1:F:471:SER:H	1.48	0.59
1:A:317:VAL:HG22	1:A:357:ILE:HD11	1.84	0.58
1:C:759:THR:HG23	12:C:1122:HOH:O	2.02	0.58
1:D:248:LEU:HD23	1:D:249:TYR:CE2	2.38	0.58
12:F:1200:HOH:O	2:G:3:BMA:H5	2.03	0.58
1:A:521:VAL:HG11	1:A:546:MET:CE	2.35	0.57
1:D:645:ARG:HD3	12:D:1114:HOH:O	2.02	0.57
1:F:204:THR:H	1:F:262:ASN:HD22	1.52	0.57
1:A:204:THR:H	1:A:262:ASN:HD22	1.53	0.57
1:A:235:PRO:O	1:A:270:ARG:NH1	2.36	0.56
1:E:524:ASN:HA	1:E:561:HIS:O	2.05	0.56
1:E:220:LEU:HD22	1:E:268:TYR:CZ	2.41	0.56
1:B:521:VAL:HG11	1:B:546:MET:HE2	1.84	0.56
1:D:521:VAL:HG11	1:D:546:MET:CE	2.35	0.56
1:F:421:LEU:HD11	1:F:520:PHE:HZ	1.69	0.56
1:D:421:LEU:HD11	1:D:520:PHE:HZ	1.71	0.56
1:B:421:LEU:HD11	1:B:520:PHE:HZ	1.72	0.55
5:K:1:NAG:O4	5:K:1:NAG:C5	2.53	0.55
1:A:220:LEU:HD22	1:A:268:TYR:CE1	2.41	0.55
1:A:666:THR:OG1	1:A:716:THR:HG22	2.07	0.55
1:D:710:PHE:CE1	1:D:759:THR:HB	2.42	0.55
1:E:774:ASP:HB2	1:E:776:LEU:HD22	1.88	0.54
1:D:172:ASN:HD22	1:D:174:ARG:H	1.54	0.54
1:C:117:VAL:HG22	1:C:376:TYR:CD2	2.42	0.54
1:D:246:HIS:HE1	1:D:290:GLU:OE2	1.90	0.54
1:B:524:ASN:HA	1:B:561:HIS:O	2.08	0.54
1:F:433:ASP:OD2	1:F:561:HIS:CD2	2.53	0.54
1:C:645:ARG:HH11	1:C:740:GLN:HE21	1.56	0.54
1:E:607:LYS:HD2	1:E:724:VAL:HB	1.89	0.54
1:F:573:ASP:OD1	1:F:655:ARG:NH2	2.41	0.54
1:D:98:THR:CG2	2:P:1:NAG:O3	2.55	0.54
1:A:99:ARG:NH2	12:A:1002:HOH:O	2.41	0.53
3:N:1:NAG:O4	3:N:1:NAG:C5	2.53	0.53
1:F:400:GLU:HB3	12:F:1185:HOH:O	2.07	0.53
1:E:428:ALA:HB3	1:E:519:THR:HB	1.90	0.53
1:E:474:THR:HG21	12:E:1113:HOH:O	2.09	0.53
1:D:645:ARG:NH1	1:D:740:GLN:HE21	2.07	0.52
1:A:172:ASN:HD22	1:A:174:ARG:H	1.56	0.52
1:C:666:THR:OG1	1:C:716:THR:HG22	2.10	0.52
1:C:676:HIS:CE1	1:C:801:TRP:CD1	2.98	0.52
1:D:500:ASN:ND2	12:D:1001:HOH:O	2.37	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:70:THR:HG22	1:E:74:MET:HE3	1.92	0.52
1:F:607:LYS:HD2	1:F:724:VAL:HB	1.91	0.52
1:A:106:CYS:H	1:A:155:HIS:CD2	2.27	0.52
1:D:317:VAL:HG22	1:D:357:ILE:HD11	1.91	0.52
1:E:546:MET:HA	1:E:546:MET:CE	2.39	0.52
1:F:172:ASN:HD22	1:F:174:ARG:H	1.57	0.52
1:C:521:VAL:CG1	1:C:546:MET:HE3	2.37	0.51
1:B:107:LEU:HD22	1:B:156:LEU:HB2	1.93	0.51
1:B:573:ASP:OD1	1:B:655:ARG:NH2	2.43	0.51
1:A:759:THR:HG23	12:A:1121:HOH:O	2.09	0.51
1:A:676:HIS:HE1	1:A:801:TRP:CD1	2.28	0.51
1:C:607:LYS:HD2	1:C:724:VAL:HB	1.92	0.51
1:C:109:ASP:OD1	11:C:907:XYL:C1	2.58	0.51
1:C:696:TRP:HA	1:C:700:ASN:HD21	1.76	0.51
1:A:645:ARG:NH1	1:A:740:GLN:HE21	2.09	0.51
1:A:143:ARG:NE	12:A:1001:HOH:O	2.17	0.50
1:A:521:VAL:HG11	1:A:546:MET:HE3	1.92	0.50
1:D:433:ASP:OD2	1:D:561:HIS:CD2	2.60	0.50
1:C:710:PHE:CE1	1:C:759:THR:HB	2.46	0.50
1:B:204:THR:H	1:B:262:ASN:HD22	1.58	0.50
1:C:645:ARG:NH1	1:C:740:GLN:HE21	2.09	0.50
3:H:1:NAG:O4	3:H:1:NAG:C3	2.56	0.50
1:E:204:THR:H	1:E:262:ASN:HD22	1.60	0.50
1:D:98:THR:HG21	2:P:1:NAG:O3	2.12	0.49
1:A:266:CYS:O	1:A:300:ASN:OD1	2.31	0.49
1:A:255:GLU:OE2	1:A:763:ARG:NH2	2.46	0.49
1:B:521:VAL:CG1	1:B:546:MET:HE3	2.41	0.49
1:F:238:SER:O	1:F:271:ILE:HA	2.11	0.49
8:B:905:NAG:O7	8:B:905:NAG:C3	2.61	0.49
1:E:410:VAL:HG11	1:E:597:VAL:HG21	1.94	0.49
3:T:1:NAG:O4	3:T:1:NAG:C5	2.56	0.49
1:C:204:THR:H	1:C:262:ASN:HD22	1.60	0.48
1:C:513:LEU:HG	1:C:519:THR:HG21	1.95	0.48
1:F:569:GLU:OE1	1:F:655:ARG:NH1	2.47	0.48
2:P:1:NAG:O4	2:P:1:NAG:C3	2.58	0.48
1:C:74:MET:HE2	1:C:97:VAL:HG21	1.94	0.48
1:C:676:HIS:HE1	1:C:801:TRP:CD1	2.31	0.48
1:F:524:ASN:HA	1:F:561:HIS:O	2.13	0.48
1:C:235:PRO:O	1:C:270:ARG:HD3	2.14	0.48
1:E:191:TYR:CD1	1:E:259:ALA:HB2	2.49	0.48
1:F:220:LEU:HD22	1:F:268:TYR:CE1	2.48	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:172:ASN:HD22	1:E:174:ARG:H	1.61	0.47
1:F:106:CYS:H	1:F:155:HIS:CD2	2.32	0.47
12:F:1200:HOH:O	2:G:3:BMA:C5	2.62	0.47
1:B:513:LEU:HG	1:B:519:THR:HG21	1.96	0.47
1:B:561:HIS:HE1	12:B:1065:HOH:O	1.97	0.47
1:F:107:LEU:HD22	1:F:156:LEU:HB2	1.97	0.47
1:A:710:PHE:CE1	1:A:759:THR:HB	2.50	0.47
1:B:172:ASN:HD22	1:B:174:ARG:H	1.62	0.47
1:E:410:VAL:CG1	1:E:597:VAL:HG21	2.44	0.47
1:F:727:LEU:HD23	1:F:727:LEU:C	2.39	0.47
1:A:264:ILE:HD12	1:A:287:LEU:HD11	1.97	0.47
1:C:235:PRO:HD2	1:C:270:ARG:HD2	1.97	0.47
1:F:428:ALA:HB3	1:F:519:THR:HB	1.96	0.47
1:A:117:VAL:HG22	1:A:376:TYR:CD2	2.50	0.47
1:A:607:LYS:HD2	1:A:724:VAL:HB	1.97	0.47
1:B:300:ASN:ND2	9:B:906:XYZ:O2	2.48	0.47
1:C:248:LEU:HD23	1:C:249:TYR:CE2	2.50	0.47
1:D:70:THR:HG22	1:D:74:MET:HE3	1.96	0.47
1:D:513:LEU:HG	1:D:519:THR:HG21	1.96	0.47
1:B:152:GLN:HE21	1:B:152:GLN:HA	1.79	0.46
1:B:195:LYS:HE3	1:B:686:VAL:HG21	1.97	0.46
1:C:713:ILE:HD11	1:C:747:ILE:HG13	1.97	0.46
1:E:421:LEU:HD11	1:E:520:PHE:HZ	1.80	0.46
8:E:905:NAG:H83	12:E:1074:HOH:O	2.15	0.46
1:C:220:LEU:HD22	1:C:268:TYR:CE1	2.50	0.46
1:D:758:VAL:HG13	1:D:760:PHE:CE2	2.50	0.46
1:E:195:LYS:HE3	1:E:686:VAL:HG21	1.98	0.46
1:C:98:THR:CG2	2:M:1:NAG:O3	2.64	0.46
1:B:696:TRP:HA	1:B:700:ASN:HD21	1.80	0.46
1:D:248:LEU:HD23	1:D:249:TYR:CZ	2.51	0.46
1:C:266:CYS:O	1:C:300:ASN:OD1	2.34	0.45
1:E:106:CYS:H	1:E:155:HIS:CD2	2.35	0.45
1:F:242:ASP:O	1:F:246:HIS:HD2	1.99	0.45
3:N:1:NAG:O4	3:N:1:NAG:C3	2.59	0.45
1:B:474:THR:HG21	12:B:1198:HOH:O	2.15	0.45
1:C:524:ASN:HA	1:C:561:HIS:O	2.16	0.45
1:E:697:ASP:OD1	1:E:697:ASP:C	2.59	0.45
1:D:607:LYS:HD2	1:D:724:VAL:HB	1.98	0.45
1:B:70:THR:HG22	1:B:74:MET:HE3	1.99	0.45
1:E:561:HIS:HE1	12:E:1034:HOH:O	2.00	0.45
1:A:776:LEU:C	1:A:776:LEU:HD23	2.42	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:266:CYS:O	1:D:300:ASN:OD1	2.35	0.45
1:D:645:ARG:HH11	1:D:740:GLN:HE21	1.64	0.45
1:A:700:ASN:C	1:A:700:ASN:HD22	2.25	0.45
1:A:715:ASN:HB2	1:A:750:LEU:HD13	1.98	0.45
1:F:645:ARG:NH1	1:F:740:GLN:HE21	2.15	0.45
1:A:421:LEU:HD11	1:A:520:PHE:HZ	1.82	0.44
1:C:377:ASN:C	1:C:377:ASN:HD22	2.24	0.44
1:F:152:GLN:HE21	1:F:152:GLN:HA	1.82	0.44
1:C:340:ILE:HD11	1:C:350:VAL:HG21	1.99	0.44
1:D:776:LEU:C	1:D:776:LEU:HD23	2.41	0.44
1:E:438:VAL:HG23	1:E:439:LEU:HD13	1.98	0.44
1:E:466:SER:OG	1:E:529:GLU:OE1	2.35	0.44
1:C:742:ARG:HD2	1:C:766:ASP:HB3	2.00	0.44
1:A:546:MET:HE1	1:A:558:VAL:HG22	1.98	0.44
1:B:220:LEU:HD22	1:B:268:TYR:CZ	2.53	0.44
1:E:235:PRO:O	1:E:270:ARG:HD3	2.17	0.44
1:D:340:ILE:HD11	1:D:350:VAL:HG21	2.00	0.44
1:D:410:VAL:HG11	1:D:597:VAL:HG21	1.99	0.44
1:F:248:LEU:HD23	1:F:249:TYR:CE2	2.52	0.44
1:A:248:LEU:HD23	1:A:249:TYR:CZ	2.52	0.43
1:B:569:GLU:OE2	1:B:655:ARG:HD2	2.18	0.43
1:D:646:TRP:CH2	1:D:650:MET:HE3	2.52	0.43
1:D:676:HIS:HE1	1:D:801:TRP:CD1	2.36	0.43
1:E:774:ASP:CB	1:E:776:LEU:HD22	2.47	0.43
1:A:524:ASN:HA	1:A:561:HIS:O	2.19	0.43
1:B:266:CYS:SG	1:B:299:SER:HA	2.58	0.43
1:E:710:PHE:CE1	1:E:759:THR:HB	2.54	0.43
1:C:776:LEU:C	1:C:776:LEU:HD23	2.44	0.43
1:E:107:LEU:HD22	1:E:156:LEU:HB2	2.01	0.43
5:K:8:MAN:O6	5:K:8:MAN:C5	2.56	0.43
1:C:561:HIS:HE1	12:C:1037:HOH:O	2.02	0.43
1:B:438:VAL:HG23	1:B:439:LEU:HD13	2.01	0.42
1:C:317:VAL:HG22	1:C:357:ILE:HD11	2.01	0.42
1:E:655:ARG:HG2	1:E:656:TYR:CE2	2.54	0.42
1:A:513:LEU:HG	1:A:519:THR:HG21	2.01	0.42
1:D:264:ILE:HD12	1:D:287:LEU:HD11	2.02	0.42
8:D:902:NAG:C5	7:Q:1:NAG:O1	2.64	0.42
1:E:569:GLU:OE1	1:E:655:ARG:NH1	2.53	0.42
8:B:905:NAG:O7	8:B:905:NAG:H3	2.18	0.42
1:F:697:ASP:C	1:F:697:ASP:OD1	2.62	0.42
1:A:317:VAL:HG22	1:A:357:ILE:CD1	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:158:LEU:HD13	11:E:906:XYL:H52	2.02	0.42
1:F:624:VAL:HG22	1:F:626:TYR:CE2	2.55	0.42
1:A:521:VAL:CG1	1:A:546:MET:HE3	2.49	0.41
1:F:112:ILE:HG22	1:F:125:ALA:HA	2.02	0.41
1:D:377:ASN:ND2	1:D:384:LEU:HD23	2.35	0.41
1:D:742:ARG:HD2	1:D:766:ASP:HB3	2.02	0.41
1:C:98:THR:HG21	2:M:1:NAG:O3	2.20	0.41
1:E:112:ILE:HG22	1:E:125:ALA:HA	2.02	0.41
1:F:763:ARG:HD3	1:F:766:ASP:OD2	2.20	0.41
1:A:70:THR:HG22	1:A:74:MET:HE3	2.03	0.41
1:D:710:PHE:CD1	1:D:759:THR:HB	2.55	0.41
8:E:905:NAG:C8	12:E:1074:HOH:O	2.68	0.41
1:B:546:MET:HE2	1:B:546:MET:HA	2.03	0.41
1:C:668:THR:OG1	1:C:716:THR:HG21	2.21	0.41
1:D:106:CYS:H	1:D:155:HIS:CD2	2.38	0.41
1:D:729:ILE:HD12	1:D:742:ARG:HG3	2.02	0.41
1:E:727:LEU:HD23	1:E:727:LEU:C	2.46	0.41
1:A:433:ASP:OD2	1:A:561:HIS:CD2	2.70	0.40
1:A:655:ARG:HG2	1:A:656:TYR:CD2	2.57	0.40
1:E:71:VAL:HG21	1:E:355:VAL:HG23	2.03	0.40
1:A:351:ARG:O	1:A:355:VAL:HG23	2.21	0.40
1:B:71:VAL:HG21	1:B:355:VAL:HG23	2.04	0.40
1:B:697:ASP:H	1:B:700:ASN:HD21	1.69	0.40
1:C:432:ASN:O	1:C:458:GLY:HA2	2.22	0.40
1:B:242:ASP:O	1:B:246:HIS:HD2	2.04	0.40
1:B:170:PRO:HG3	1:B:619:TYR:CD2	2.57	0.40
1:F:521:VAL:HG11	1:F:546:MET:CE	2.28	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

There are no protein backbone outliers to report in this entry.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	610/650 (94%)	567 (93%)	43 (7%)	14	17
1	B	612/650 (94%)	569 (93%)	43 (7%)	14	17
1	C	609/650 (94%)	567 (93%)	42 (7%)	14	18
1	D	609/650 (94%)	569 (93%)	40 (7%)	15	19
1	E	611/650 (94%)	566 (93%)	45 (7%)	13	15
1	F	611/650 (94%)	572 (94%)	39 (6%)	16	21
All	All	3662/3900 (94%)	3410 (93%)	252 (7%)	14	18

All (252) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	47	THR
1	A	77	GLU
1	A	107	LEU
1	A	117	VAL
1	A	137	LEU
1	A	152	GLN
1	A	172	ASN
1	A	195	LYS
1	A	202	VAL
1	A	220	LEU
1	A	228	SER
1	A	301	TRP
1	A	312	GLU
1	A	351	ARG
1	A	358	LEU
1	A	403	LYS
1	A	404	GLU
1	A	430	LEU
1	A	432	ASN
1	A	453	ILE
1	A	474	THR
1	A	519	THR
1	A	582	VAL
1	A	602	VAL
1	A	610	TRP
1	A	624	VAL
1	A	625	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	645	ARG
1	A	653	THR
1	A	672	LEU
1	A	700	ASN
1	A	702	LEU
1	A	705	VAL
1	A	709	VAL
1	A	716	THR
1	A	734	ASP
1	A	748	LYS
1	A	750	LEU
1	A	758	VAL
1	A	759	THR
1	A	763	ARG
1	A	767	VAL
1	A	776	LEU
1	B	98	THR
1	B	107	LEU
1	B	117	VAL
1	B	137	LEU
1	B	152	GLN
1	B	172	ASN
1	B	195	LYS
1	B	202	VAL
1	B	220	LEU
1	B	227	VAL
1	B	264	ILE
1	B	300	ASN
1	B	312	GLU
1	B	349	LEU
1	B	358	LEU
1	B	400	GLU
1	B	403	LYS
1	B	430	LEU
1	B	439	LEU
1	B	474	THR
1	B	506	GLU
1	B	519	THR
1	B	529	GLU
1	B	554	SER
1	B	610	TRP
1	B	624	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	625	VAL
1	B	645	ARG
1	B	655	ARG
1	B	672	LEU
1	B	688	GLU
1	B	700	ASN
1	B	702	LEU
1	B	705	VAL
1	B	709	VAL
1	B	716	THR
1	B	748	LYS
1	B	750	LEU
1	B	758	VAL
1	B	759	THR
1	B	763	ARG
1	B	767	VAL
1	B	803	PRO
1	C	65	LYS
1	C	77	GLU
1	C	98	THR
1	C	107	LEU
1	C	117	VAL
1	C	120	SER
1	C	129	VAL
1	C	137	LEU
1	C	172	ASN
1	C	195	LYS
1	C	202	VAL
1	C	220	LEU
1	C	224	ILE
1	C	228	SER
1	C	301	TRP
1	C	344	THR
1	C	349	LEU
1	C	358	LEU
1	C	403	LYS
1	C	404	GLU
1	C	430	LEU
1	C	432	ASN
1	C	439	LEU
1	C	453	ILE
1	C	474	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	475	ILE
1	C	519	THR
1	C	582	VAL
1	C	610	TRP
1	C	624	VAL
1	C	625	VAL
1	C	645	ARG
1	C	700	ASN
1	C	702	LEU
1	C	705	VAL
1	C	709	VAL
1	C	716	THR
1	C	748	LYS
1	C	758	VAL
1	C	759	THR
1	C	767	VAL
1	C	776	LEU
1	D	66	LYS
1	D	77	GLU
1	D	98	THR
1	D	107	LEU
1	D	117	VAL
1	D	129	VAL
1	D	137	LEU
1	D	152	GLN
1	D	172	ASN
1	D	220	LEU
1	D	228	SER
1	D	300	ASN
1	D	301	TRP
1	D	312	GLU
1	D	349	LEU
1	D	358	LEU
1	D	404	GLU
1	D	430	LEU
1	D	432	ASN
1	D	439	LEU
1	D	474	THR
1	D	519	THR
1	D	602	VAL
1	D	610	TRP
1	D	624	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	625	VAL
1	D	645	ARG
1	D	655	ARG
1	D	672	LEU
1	D	700	ASN
1	D	702	LEU
1	D	705	VAL
1	D	709	VAL
1	D	716	THR
1	D	748	LYS
1	D	750	LEU
1	D	758	VAL
1	D	759	THR
1	D	767	VAL
1	D	776	LEU
1	E	98	THR
1	E	107	LEU
1	E	117	VAL
1	E	120	SER
1	E	129	VAL
1	E	137	LEU
1	E	152	GLN
1	E	172	ASN
1	E	195	LYS
1	E	202	VAL
1	E	220	LEU
1	E	224	ILE
1	E	300	ASN
1	E	301	TRP
1	E	342	ASN
1	E	344	THR
1	E	346	SER
1	E	358	LEU
1	E	385	ASN
1	E	404	GLU
1	E	430	LEU
1	E	439	LEU
1	E	474	THR
1	E	506	GLU
1	E	519	THR
1	E	554	SER
1	E	610	TRP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	624	VAL
1	E	625	VAL
1	E	645	ARG
1	E	672	LEU
1	E	681	LYS
1	E	688	GLU
1	E	700	ASN
1	E	702	LEU
1	E	705	VAL
1	E	709	VAL
1	E	716	THR
1	E	739	ARG
1	E	750	LEU
1	E	758	VAL
1	E	759	THR
1	E	763	ARG
1	E	767	VAL
1	E	776	LEU
1	F	98	THR
1	F	107	LEU
1	F	117	VAL
1	F	120	SER
1	F	137	LEU
1	F	152	GLN
1	F	172	ASN
1	F	195	LYS
1	F	202	VAL
1	F	220	LEU
1	F	264	ILE
1	F	300	ASN
1	F	325	LEU
1	F	358	LEU
1	F	385	ASN
1	F	403	LYS
1	F	404	GLU
1	F	425	GLN
1	F	430	LEU
1	F	439	LEU
1	F	519	THR
1	F	610	TRP
1	F	624	VAL
1	F	625	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	645	ARG
1	F	655	ARG
1	F	672	LEU
1	F	688	GLU
1	F	700	ASN
1	F	705	VAL
1	F	709	VAL
1	F	716	THR
1	F	739	ARG
1	F	750	LEU
1	F	758	VAL
1	F	759	THR
1	F	763	ARG
1	F	767	VAL
1	F	776	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (79) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	152	GLN
1	A	155	HIS
1	A	172	ASN
1	A	229	GLN
1	A	262	ASN
1	A	377	ASN
1	A	425	GLN
1	A	442	ASN
1	A	561	HIS
1	A	676	HIS
1	A	700	ASN
1	A	736	GLN
1	A	740	GLN
1	B	152	GLN
1	B	155	HIS
1	B	172	ASN
1	B	246	HIS
1	B	262	ASN
1	B	300	ASN
1	B	377	ASN
1	B	425	GLN
1	B	442	ASN
1	B	561	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	700	ASN
1	B	736	GLN
1	C	152	GLN
1	C	172	ASN
1	C	229	GLN
1	C	246	HIS
1	C	262	ASN
1	C	377	ASN
1	C	425	GLN
1	C	442	ASN
1	C	561	HIS
1	C	676	HIS
1	C	700	ASN
1	C	736	GLN
1	C	740	GLN
1	D	152	GLN
1	D	172	ASN
1	D	229	GLN
1	D	246	HIS
1	D	262	ASN
1	D	377	ASN
1	D	425	GLN
1	D	442	ASN
1	D	561	HIS
1	D	676	HIS
1	D	700	ASN
1	D	736	GLN
1	D	740	GLN
1	E	152	GLN
1	E	155	HIS
1	E	172	ASN
1	E	229	GLN
1	E	246	HIS
1	E	262	ASN
1	E	369	ASN
1	E	377	ASN
1	E	442	ASN
1	E	561	HIS
1	E	700	ASN
1	E	718	ASN
1	E	736	GLN
1	E	740	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	147	GLN
1	F	152	GLN
1	F	155	HIS
1	F	172	ASN
1	F	208	HIS
1	F	246	HIS
1	F	262	ASN
1	F	300	ASN
1	F	377	ASN
1	F	442	ASN
1	F	561	HIS
1	F	700	ASN
1	F	736	GLN
1	F	740	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

94 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	G	1	2,1	14,14,15	3.65	1 (7%)	17,19,21	1.42	2 (11%)
2	NAG	G	2	2	14,14,15	1.09	0	17,19,21	1.97	6 (35%)
2	BMA	G	3	2	11,11,12	1.07	1 (9%)	15,15,17	1.32	3 (20%)
3	NAG	H	1	3,1	14,14,15	3.99	2 (14%)	17,19,21	1.89	4 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	H	2	3	14,14,15	0.58	0	17,19,21	1.08	1 (5%)
3	BMA	H	3	3	11,11,12	0.67	0	15,15,17	2.00	3 (20%)
3	BMA	H	4	3	11,11,12	1.26	1 (9%)	15,15,17	2.67	7 (46%)
3	MAN	H	5	3	11,11,12	1.12	1 (9%)	15,15,17	1.30	2 (13%)
3	MAN	H	6	3	11,11,12	1.00	0	15,15,17	3.77	6 (40%)
3	MAN	H	7	3	11,11,12	0.61	0	15,15,17	1.47	5 (33%)
4	NAG	I	1	4,1	14,14,15	0.91	1 (7%)	17,19,21	1.55	4 (23%)
4	NAG	I	2	4	14,14,15	0.73	0	17,19,21	2.47	7 (41%)
4	MAN	I	3	4	11,11,12	1.39	1 (9%)	15,15,17	1.84	6 (40%)
4	MAN	I	4	4	11,11,12	1.29	1 (9%)	15,15,17	2.70	5 (33%)
4	MAN	I	5	4	11,11,12	0.66	0	15,15,17	2.51	5 (33%)
2	NAG	J	1	2,1	14,14,15	3.87	1 (7%)	17,19,21	1.58	3 (17%)
2	NAG	J	2	2	14,14,15	0.47	0	17,19,21	1.26	2 (11%)
2	BMA	J	3	2	11,11,12	0.90	0	15,15,17	1.44	2 (13%)
5	NAG	K	1	5,1	14,14,15	3.79	1 (7%)	17,19,21	2.46	5 (29%)
5	NAG	K	2	5	14,14,15	0.69	0	17,19,21	1.19	2 (11%)
5	BMA	K	3	5	11,11,12	0.51	0	15,15,17	2.40	6 (40%)
5	BMA	K	4	5	11,11,12	1.40	2 (18%)	15,15,17	2.57	7 (46%)
5	MAN	K	5	5	11,11,12	1.23	2 (18%)	15,15,17	1.81	6 (40%)
5	MAN	K	6	5	11,11,12	1.85	1 (9%)	15,15,17	2.70	7 (46%)
5	MAN	K	7	5	11,11,12	0.68	0	15,15,17	1.25	2 (13%)
5	MAN	K	8	5	11,11,12	2.22	2 (18%)	15,15,17	3.97	8 (53%)
6	NAG	L	1	6,1	14,14,15	0.49	0	17,19,21	1.37	2 (11%)
6	NAG	L	2	6	14,14,15	0.84	0	17,19,21	1.99	5 (29%)
6	MAN	L	3	6	11,11,12	1.37	1 (9%)	15,15,17	2.00	6 (40%)
6	MAN	L	4	6	11,11,12	0.95	0	15,15,17	2.32	5 (33%)
6	MAN	L	5	6	11,11,12	0.67	0	15,15,17	2.66	5 (33%)
6	MAN	L	6	6	11,11,12	0.74	0	15,15,17	1.81	2 (13%)
2	NAG	M	1	2,1	14,14,15	3.37	1 (7%)	17,19,21	1.45	2 (11%)
2	NAG	M	2	2	14,14,15	1.08	0	17,19,21	1.92	6 (35%)
2	BMA	M	3	2	11,11,12	1.36	1 (9%)	15,15,17	1.24	1 (6%)
3	NAG	N	1	3,1	14,14,15	4.35	2 (14%)	17,19,21	2.27	6 (35%)
3	NAG	N	2	3	14,14,15	0.70	0	17,19,21	1.01	1 (5%)
3	BMA	N	3	3	11,11,12	0.89	0	15,15,17	2.45	4 (26%)
3	BMA	N	4	3	11,11,12	1.25	1 (9%)	15,15,17	2.67	8 (53%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	MAN	N	5	3	11,11,12	1.19	1 (9%)	15,15,17	1.49	4 (26%)
3	MAN	N	6	3	11,11,12	0.93	0	15,15,17	3.76	6 (40%)
3	MAN	N	7	3	11,11,12	0.67	0	15,15,17	1.41	1 (6%)
6	NAG	O	1	6,1	14,14,15	0.80	0	17,19,21	1.47	3 (17%)
6	NAG	O	2	6	14,14,15	0.93	1 (7%)	17,19,21	1.69	6 (35%)
6	MAN	O	3	6	11,11,12	1.25	0	15,15,17	2.22	6 (40%)
6	MAN	O	4	6	11,11,12	1.41	1 (9%)	15,15,17	2.63	5 (33%)
6	MAN	O	5	6	11,11,12	0.76	0	15,15,17	2.17	5 (33%)
6	MAN	O	6	6	11,11,12	0.82	0	15,15,17	1.63	4 (26%)
2	NAG	P	1	2,1	14,14,15	3.74	1 (7%)	17,19,21	1.49	3 (17%)
2	NAG	P	2	2	14,14,15	1.04	0	17,19,21	2.00	5 (29%)
2	BMA	P	3	2	11,11,12	1.15	1 (9%)	15,15,17	1.43	2 (13%)
7	NAG	Q	1	7	15,15,15	0.68	0	21,21,21	1.57	4 (19%)
7	BMA	Q	2	7	11,11,12	0.64	0	15,15,17	2.60	5 (33%)
7	BMA	Q	3	7	11,11,12	1.32	2 (18%)	15,15,17	2.43	6 (40%)
7	MAN	Q	4	7	11,11,12	1.20	0	15,15,17	1.45	3 (20%)
7	MAN	Q	5	7	11,11,12	1.24	1 (9%)	15,15,17	3.88	6 (40%)
7	MAN	Q	6	7	11,11,12	0.50	0	15,15,17	1.09	1 (6%)
4	NAG	R	1	4,1	14,14,15	0.85	0	17,19,21	1.27	1 (5%)
4	NAG	R	2	4	14,14,15	0.78	0	17,19,21	1.78	6 (35%)
4	MAN	R	3	4	11,11,12	1.22	1 (9%)	15,15,17	1.99	4 (26%)
4	MAN	R	4	4	11,11,12	1.27	1 (9%)	15,15,17	2.69	6 (40%)
4	MAN	R	5	4	11,11,12	1.40	2 (18%)	15,15,17	2.35	6 (40%)
2	NAG	S	1	2,1	14,14,15	4.05	1 (7%)	17,19,21	1.72	6 (35%)
2	NAG	S	2	2	14,14,15	0.59	0	17,19,21	1.12	1 (5%)
2	BMA	S	3	2	11,11,12	1.05	0	15,15,17	1.38	1 (6%)
3	NAG	T	1	3,1	14,14,15	3.86	1 (7%)	17,19,21	2.36	4 (23%)
3	NAG	T	2	3	14,14,15	0.78	0	17,19,21	1.08	1 (5%)
3	BMA	T	3	3	11,11,12	0.67	0	15,15,17	2.30	5 (33%)
3	BMA	T	4	3	11,11,12	1.17	1 (9%)	15,15,17	2.39	7 (46%)
3	MAN	T	5	3	11,11,12	0.97	1 (9%)	15,15,17	2.33	6 (40%)
3	MAN	T	6	3	11,11,12	1.19	2 (18%)	15,15,17	3.80	7 (46%)
3	MAN	T	7	3	11,11,12	0.84	0	15,15,17	1.76	6 (40%)
6	NAG	U	1	6,1	14,14,15	0.62	0	17,19,21	1.17	2 (11%)
6	NAG	U	2	6	14,14,15	0.88	0	17,19,21	1.63	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	MAN	U	3	6	11,11,12	1.46	3 (27%)	15,15,17	2.17	6 (40%)
6	MAN	U	4	6	11,11,12	1.09	0	15,15,17	2.81	6 (40%)
6	MAN	U	5	6	11,11,12	0.66	0	15,15,17	2.71	5 (33%)
6	MAN	U	6	6	11,11,12	1.09	1 (9%)	15,15,17	1.76	4 (26%)
2	NAG	V	1	2,1	14,14,15	4.04	1 (7%)	17,19,21	1.38	3 (17%)
2	NAG	V	2	2	14,14,15	0.59	0	17,19,21	1.44	1 (5%)
2	BMA	V	3	2	11,11,12	1.16	1 (9%)	15,15,17	1.62	2 (13%)
3	NAG	W	1	3,1	14,14,15	3.42	1 (7%)	17,19,21	2.24	4 (23%)
3	NAG	W	2	3	14,14,15	0.75	0	17,19,21	1.20	1 (5%)
3	BMA	W	3	3	11,11,12	0.56	0	15,15,17	2.36	5 (33%)
3	BMA	W	4	3	11,11,12	1.24	2 (18%)	15,15,17	2.49	6 (40%)
3	MAN	W	5	3	11,11,12	1.37	2 (18%)	15,15,17	2.78	6 (40%)
3	MAN	W	6	3	11,11,12	1.16	1 (9%)	15,15,17	3.90	5 (33%)
3	MAN	W	7	3	11,11,12	0.85	0	15,15,17	1.55	3 (20%)
6	NAG	X	1	6,1	14,14,15	0.78	1 (7%)	17,19,21	1.58	3 (17%)
6	NAG	X	2	6	14,14,15	0.95	0	17,19,21	1.58	2 (11%)
6	MAN	X	3	6	11,11,12	1.55	2 (18%)	15,15,17	2.15	5 (33%)
6	MAN	X	4	6	11,11,12	1.09	1 (9%)	15,15,17	2.72	6 (40%)
6	MAN	X	5	6	11,11,12	0.57	0	15,15,17	1.87	4 (26%)
6	MAN	X	6	6	11,11,12	0.94	0	15,15,17	1.38	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	G	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	G	2	2	-	0/6/23/26	0/1/1/1
2	BMA	G	3	2	-	1/2/19/22	0/1/1/1
3	NAG	H	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	H	2	3	-	0/6/23/26	0/1/1/1
3	BMA	H	3	3	-	1/2/19/22	0/1/1/1
3	BMA	H	4	3	-	1/2/19/22	0/1/1/1
3	MAN	H	5	3	-	0/2/19/22	0/1/1/1
3	MAN	H	6	3	-	2/2/19/22	0/1/1/1
3	MAN	H	7	3	-	0/2/19/22	0/1/1/1
4	NAG	I	1	4,1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	I	2	4	-	2/6/23/26	0/1/1/1
4	MAN	I	3	4	-	2/2/19/22	0/1/1/1
4	MAN	I	4	4	-	2/2/19/22	0/1/1/1
4	MAN	I	5	4	-	0/2/19/22	0/1/1/1
2	NAG	J	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	J	2	2	-	0/6/23/26	0/1/1/1
2	BMA	J	3	2	-	2/2/19/22	0/1/1/1
5	NAG	K	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	K	2	5	-	0/6/23/26	0/1/1/1
5	BMA	K	3	5	-	1/2/19/22	0/1/1/1
5	BMA	K	4	5	-	0/2/19/22	0/1/1/1
5	MAN	K	5	5	-	1/2/19/22	0/1/1/1
5	MAN	K	6	5	-	0/2/19/22	0/1/1/1
5	MAN	K	7	5	-	0/2/19/22	0/1/1/1
5	MAN	K	8	5	-	2/2/19/22	0/1/1/1
6	NAG	L	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	L	2	6	-	1/6/23/26	0/1/1/1
6	MAN	L	3	6	-	2/2/19/22	0/1/1/1
6	MAN	L	4	6	-	2/2/19/22	0/1/1/1
6	MAN	L	5	6	-	0/2/19/22	0/1/1/1
6	MAN	L	6	6	-	0/2/19/22	0/1/1/1
2	NAG	M	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	M	2	2	-	0/6/23/26	0/1/1/1
2	BMA	M	3	2	-	2/2/19/22	0/1/1/1
3	NAG	N	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	N	2	3	-	0/6/23/26	0/1/1/1
3	BMA	N	3	3	-	0/2/19/22	0/1/1/1
3	BMA	N	4	3	-	0/2/19/22	0/1/1/1
3	MAN	N	5	3	-	0/2/19/22	0/1/1/1
3	MAN	N	6	3	-	2/2/19/22	0/1/1/1
3	MAN	N	7	3	-	0/2/19/22	0/1/1/1
6	NAG	O	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	O	2	6	-	2/6/23/26	0/1/1/1
6	MAN	O	3	6	-	1/2/19/22	0/1/1/1
6	MAN	O	4	6	-	2/2/19/22	0/1/1/1
6	MAN	O	5	6	-	2/2/19/22	0/1/1/1
6	MAN	O	6	6	-	2/2/19/22	0/1/1/1
2	NAG	P	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	P	2	2	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BMA	P	3	2	-	1/2/19/22	0/1/1/1
7	NAG	Q	1	7	-	0/6/26/26	0/1/1/1
7	BMA	Q	2	7	-	0/2/19/22	0/1/1/1
7	BMA	Q	3	7	-	0/2/19/22	0/1/1/1
7	MAN	Q	4	7	-	0/2/19/22	0/1/1/1
7	MAN	Q	5	7	-	2/2/19/22	0/1/1/1
7	MAN	Q	6	7	-	0/2/19/22	0/1/1/1
4	NAG	R	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	R	2	4	-	2/6/23/26	0/1/1/1
4	MAN	R	3	4	-	1/2/19/22	0/1/1/1
4	MAN	R	4	4	-	1/2/19/22	0/1/1/1
4	MAN	R	5	4	-	1/2/19/22	0/1/1/1
2	NAG	S	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	S	2	2	-	0/6/23/26	0/1/1/1
2	BMA	S	3	2	-	2/2/19/22	0/1/1/1
3	NAG	T	1	3,1	-	1/6/23/26	0/1/1/1
3	NAG	T	2	3	-	0/6/23/26	0/1/1/1
3	BMA	T	3	3	-	0/2/19/22	0/1/1/1
3	BMA	T	4	3	-	0/2/19/22	0/1/1/1
3	MAN	T	5	3	-	0/2/19/22	0/1/1/1
3	MAN	T	6	3	-	2/2/19/22	0/1/1/1
3	MAN	T	7	3	-	0/2/19/22	0/1/1/1
6	NAG	U	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	U	2	6	-	0/6/23/26	0/1/1/1
6	MAN	U	3	6	-	2/2/19/22	0/1/1/1
6	MAN	U	4	6	-	2/2/19/22	0/1/1/1
6	MAN	U	5	6	-	0/2/19/22	0/1/1/1
6	MAN	U	6	6	-	0/2/19/22	0/1/1/1
2	NAG	V	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	V	2	2	-	0/6/23/26	0/1/1/1
2	BMA	V	3	2	-	1/2/19/22	0/1/1/1
3	NAG	W	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	W	2	3	-	0/6/23/26	0/1/1/1
3	BMA	W	3	3	-	0/2/19/22	0/1/1/1
3	BMA	W	4	3	-	0/2/19/22	0/1/1/1
3	MAN	W	5	3	-	1/2/19/22	0/1/1/1
3	MAN	W	6	3	-	2/2/19/22	0/1/1/1
3	MAN	W	7	3	-	0/2/19/22	0/1/1/1
6	NAG	X	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	X	2	6	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	MAN	X	3	6	-	2/2/19/22	0/1/1/1
6	MAN	X	4	6	-	2/2/19/22	0/1/1/1
6	MAN	X	5	6	-	0/2/19/22	0/1/1/1
6	MAN	X	6	6	-	2/2/19/22	0/1/1/1

All (58) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	N	1	NAG	O4-C4	15.85	1.82	1.43
2	S	1	NAG	O4-C4	14.97	1.80	1.43
2	V	1	NAG	O4-C4	14.91	1.79	1.43
3	H	1	NAG	O4-C4	14.46	1.78	1.43
2	J	1	NAG	O4-C4	14.16	1.78	1.43
3	T	1	NAG	O4-C4	14.16	1.78	1.43
5	K	1	NAG	O4-C4	13.95	1.77	1.43
2	P	1	NAG	O4-C4	13.87	1.77	1.43
2	G	1	NAG	O4-C4	13.33	1.76	1.43
2	M	1	NAG	O4-C4	12.48	1.73	1.43
3	W	1	NAG	O4-C4	12.45	1.73	1.43
5	K	8	MAN	O6-C6	5.81	1.66	1.42
5	K	6	MAN	O5-C1	4.98	1.52	1.43
5	K	8	MAN	C2-C3	3.21	1.57	1.52
3	H	1	NAG	C2-N2	-3.06	1.41	1.46
2	M	3	BMA	C2-C3	2.99	1.57	1.52
4	R	5	MAN	C2-C3	2.69	1.56	1.52
6	O	4	MAN	C4-C5	2.66	1.58	1.53
3	W	5	MAN	O2-C2	2.64	1.48	1.43
3	W	6	MAN	O5-C1	2.62	1.48	1.43
3	W	4	BMA	C4-C5	2.56	1.58	1.53
3	N	1	NAG	C2-N2	-2.54	1.42	1.46
2	P	3	BMA	C2-C3	2.50	1.56	1.52
7	Q	5	MAN	C6-C5	2.49	1.60	1.51
6	X	3	MAN	C4-C5	2.49	1.58	1.53
3	H	5	MAN	C1-C2	2.46	1.58	1.52
6	U	3	MAN	C4-C5	2.43	1.58	1.53
5	K	4	BMA	C4-C5	2.43	1.58	1.53
5	K	5	MAN	O2-C2	2.39	1.48	1.43
2	G	3	BMA	C2-C3	2.39	1.56	1.52
3	W	5	MAN	C2-C3	2.37	1.56	1.52
4	I	4	MAN	C4-C5	2.36	1.58	1.53
4	R	4	MAN	C4-C5	2.33	1.58	1.53
5	K	4	BMA	O5-C5	2.32	1.48	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	O	2	NAG	O5-C1	-2.31	1.39	1.43
7	Q	3	BMA	O5-C5	2.31	1.47	1.43
3	T	6	MAN	C4-C5	2.30	1.57	1.53
3	T	4	BMA	C4-C5	2.29	1.57	1.53
6	L	3	MAN	C4-C5	2.29	1.57	1.53
3	T	5	MAN	O2-C2	2.27	1.48	1.43
2	V	3	BMA	C4-C5	2.26	1.57	1.53
3	N	5	MAN	C1-C2	2.24	1.57	1.52
4	R	5	MAN	C1-C2	2.22	1.57	1.52
3	T	6	MAN	O5-C1	2.22	1.47	1.43
4	I	3	MAN	O5-C5	2.19	1.47	1.43
3	W	4	BMA	O5-C5	2.18	1.47	1.43
3	H	4	BMA	O5-C5	2.18	1.47	1.43
6	X	3	MAN	C4-C3	2.14	1.57	1.52
6	X	4	MAN	O5-C1	2.13	1.47	1.43
5	K	5	MAN	C2-C3	2.12	1.55	1.52
3	N	4	BMA	O2-C2	2.11	1.47	1.43
7	Q	3	BMA	C4-C5	2.10	1.57	1.53
6	X	1	NAG	C2-N2	-2.09	1.42	1.46
4	R	3	MAN	O5-C5	2.06	1.47	1.43
4	I	1	NAG	C2-N2	-2.06	1.42	1.46
6	U	3	MAN	O5-C5	2.04	1.47	1.43
6	U	3	MAN	C4-C3	2.03	1.57	1.52
6	U	6	MAN	O5-C5	2.01	1.47	1.43

All (395) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	Q	5	MAN	C1-O5-C5	12.71	129.22	112.19
3	N	6	MAN	C1-O5-C5	12.17	128.50	112.19
3	H	6	MAN	C1-O5-C5	12.04	128.32	112.19
3	W	6	MAN	C1-O5-C5	11.56	127.68	112.19
3	T	6	MAN	C1-O5-C5	11.04	126.98	112.19
5	K	8	MAN	C6-C5-C4	10.26	138.21	113.02
6	U	4	MAN	C1-O5-C5	8.74	123.90	112.19
4	I	4	MAN	C1-O5-C5	8.46	123.52	112.19
6	X	4	MAN	C1-O5-C5	8.30	123.30	112.19
4	R	4	MAN	C1-O5-C5	8.28	123.28	112.19
6	O	4	MAN	C1-O5-C5	7.63	122.41	112.19
6	L	5	MAN	C1-O5-C5	7.58	122.34	112.19
3	N	3	BMA	O3-C3-C2	7.47	125.29	110.05
7	Q	2	BMA	O3-C3-C2	7.36	125.08	110.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	U	5	MAN	C1-O5-C5	7.31	121.98	112.19
5	K	6	MAN	C1-O5-C5	-6.98	102.83	112.19
3	N	4	BMA	C1-C2-C3	-6.86	99.65	109.64
3	W	3	BMA	O3-C3-C2	6.73	123.79	110.05
6	L	4	MAN	C1-O5-C5	6.59	121.02	112.19
3	H	3	BMA	O3-C3-C2	6.47	123.25	110.05
5	K	8	MAN	C1-O5-C5	-6.13	103.97	112.19
6	O	5	MAN	C1-O5-C5	6.10	120.36	112.19
7	Q	3	BMA	C1-C2-C3	-6.06	100.82	109.64
6	L	6	MAN	C1-O5-C5	6.01	120.24	112.19
3	T	5	MAN	C1-O5-C5	5.83	120.00	112.19
5	K	8	MAN	C3-C4-C5	-5.82	99.68	110.23
3	H	4	BMA	C1-C2-C3	-5.81	101.18	109.64
3	T	6	MAN	C3-C4-C5	5.80	120.75	110.23
4	I	5	MAN	C1-O5-C5	5.80	119.96	112.19
3	W	6	MAN	C3-C4-C5	5.78	120.72	110.23
3	T	1	NAG	O4-C4-C3	-5.57	97.24	110.38
3	T	3	BMA	O3-C3-C2	5.52	121.31	110.05
5	K	3	BMA	O3-C3-C2	5.48	121.23	110.05
3	W	1	NAG	O4-C4-C3	-5.44	97.55	110.38
5	K	1	NAG	O4-C4-C3	-5.38	97.70	110.38
3	T	1	NAG	C4-C3-C2	-5.32	103.22	111.02
3	W	4	BMA	C1-O5-C5	-5.21	105.20	112.19
3	H	4	BMA	O5-C5-C6	5.16	117.71	107.66
3	W	6	MAN	O4-C4-C3	-5.13	98.29	110.38
4	R	5	MAN	C1-O5-C5	5.13	119.06	112.19
3	W	1	NAG	C4-C3-C2	-5.13	103.51	111.02
3	W	5	MAN	C1-O5-C5	5.13	119.06	112.19
6	U	6	MAN	C1-O5-C5	4.99	118.87	112.19
7	Q	5	MAN	C3-C4-C5	4.90	119.11	110.23
2	V	3	BMA	C3-C4-C5	4.84	119.02	110.23
6	X	5	MAN	C1-O5-C5	4.82	118.64	112.19
3	W	5	MAN	O3-C3-C4	4.77	121.62	110.38
6	X	1	NAG	O5-C1-C2	-4.73	103.98	111.29
3	N	6	MAN	C3-C4-C5	4.71	118.77	110.23
2	P	2	NAG	C1-C2-N2	-4.70	103.02	110.43
4	I	2	NAG	O7-C7-N2	4.67	130.24	121.98
5	K	4	BMA	O4-C4-C3	-4.67	99.38	110.38
4	I	2	NAG	C2-N2-C7	4.61	129.08	122.90
3	H	1	NAG	C4-C3-C2	-4.57	104.32	111.02
3	T	4	BMA	O4-C4-C3	-4.55	99.65	110.38
3	N	1	NAG	C4-C3-C2	-4.53	104.37	111.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	6	MAN	C3-C4-C5	4.53	118.45	110.23
3	N	1	NAG	O4-C4-C5	-4.51	98.22	109.32
6	O	3	MAN	C1-C2-C3	4.47	116.15	109.64
3	W	5	MAN	C1-C2-C3	-4.39	103.25	109.64
4	R	3	MAN	C1-C2-C3	4.39	116.04	109.64
3	W	4	BMA	O4-C4-C3	-4.37	100.06	110.38
4	I	5	MAN	C3-C4-C5	4.34	118.11	110.23
3	T	6	MAN	O4-C4-C3	-4.34	100.15	110.38
5	K	1	NAG	C4-C3-C2	-4.34	104.66	111.02
6	U	5	MAN	O2-C2-C1	4.26	118.98	109.22
3	N	4	BMA	O2-C2-C3	4.25	118.94	110.15
2	G	2	NAG	C1-C2-N2	-4.20	103.81	110.43
3	N	3	BMA	O2-C2-C3	4.12	118.69	110.15
4	I	2	NAG	C8-C7-N2	-4.11	109.31	116.12
4	I	3	MAN	C1-C2-C3	4.09	115.61	109.64
6	U	2	NAG	O4-C4-C3	4.08	120.00	110.38
3	T	4	BMA	C3-C4-C5	4.06	117.59	110.23
5	K	3	BMA	O3-C3-C4	-4.06	100.81	110.38
6	L	2	NAG	O4-C4-C3	4.03	119.88	110.38
3	N	1	NAG	O4-C4-C3	-4.02	100.90	110.38
4	R	3	MAN	C1-O5-C5	3.96	117.49	112.19
4	I	1	NAG	C1-O5-C5	3.93	117.45	112.19
6	U	3	MAN	C3-C4-C5	3.92	117.34	110.23
5	K	1	NAG	O4-C4-C5	-3.91	99.70	109.32
5	K	4	BMA	C1-C2-C3	-3.91	103.96	109.64
5	K	6	MAN	C6-C5-C4	3.89	122.57	113.02
3	N	7	MAN	C1-O5-C5	3.87	117.37	112.19
4	R	1	NAG	C2-N2-C7	3.86	128.07	122.90
3	T	3	BMA	O5-C5-C6	3.86	115.18	107.66
3	H	1	NAG	O4-C4-C3	-3.86	101.28	110.38
3	T	6	MAN	O5-C1-C2	3.84	119.95	110.79
6	X	3	MAN	C3-C4-C5	3.80	117.12	110.23
3	H	6	MAN	C2-C3-C4	3.79	117.52	110.86
4	I	5	MAN	C2-C3-C4	3.78	117.51	110.86
7	Q	1	NAG	C3-C2-N2	3.77	117.57	110.62
5	K	1	NAG	O5-C5-C4	-3.76	101.68	110.83
5	K	8	MAN	O4-C4-C5	3.75	118.56	109.32
6	O	3	MAN	C1-O5-C5	3.74	117.20	112.19
6	O	3	MAN	C3-C4-C5	3.74	117.01	110.23
3	T	5	MAN	C1-C2-C3	-3.71	104.24	109.64
2	V	2	NAG	C8-C7-N2	3.68	122.22	116.12
4	R	5	MAN	C2-C3-C4	3.67	117.32	110.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	R	2	NAG	C2-N2-C7	3.67	127.81	122.90
3	W	6	MAN	O5-C1-C2	3.64	119.47	110.79
3	W	5	MAN	O2-C2-C3	3.64	117.69	110.15
4	I	2	NAG	C1-C2-N2	3.58	116.07	110.43
6	X	2	NAG	O4-C4-C3	3.57	118.80	110.38
7	Q	2	BMA	C1-C2-C3	-3.56	104.45	109.64
6	O	2	NAG	C1-C2-N2	3.56	116.04	110.43
5	K	3	BMA	O5-C5-C6	3.54	114.56	107.66
6	X	6	MAN	O5-C5-C6	3.53	114.53	107.66
3	T	4	BMA	O5-C5-C6	3.52	114.52	107.66
6	U	4	MAN	O5-C5-C6	3.52	114.52	107.66
5	K	4	BMA	O5-C5-C6	3.51	114.49	107.66
6	O	3	MAN	O2-C2-C1	-3.49	101.24	109.22
6	X	4	MAN	O6-C6-C5	3.48	123.19	111.33
6	L	5	MAN	O2-C2-C1	3.48	117.19	109.22
2	M	2	NAG	C4-C3-C2	3.47	116.10	111.02
4	R	5	MAN	O5-C5-C6	3.47	114.41	107.66
6	X	3	MAN	C2-C3-C4	3.46	116.95	110.86
2	J	3	BMA	C3-C4-C5	3.46	116.50	110.23
7	Q	5	MAN	C2-C3-C4	3.45	116.93	110.86
2	M	3	BMA	C1-C2-C3	3.43	114.64	109.64
2	P	3	BMA	C1-C2-C3	3.42	114.63	109.64
6	L	3	MAN	C3-C4-C5	3.42	116.43	110.23
6	U	3	MAN	O5-C5-C6	3.41	114.31	107.66
6	L	1	NAG	O5-C1-C2	-3.41	106.01	111.29
7	Q	3	BMA	O2-C2-C3	3.41	117.22	110.15
3	T	3	BMA	O3-C3-C4	-3.37	102.43	110.38
6	X	3	MAN	C1-C2-C3	3.37	114.55	109.64
6	L	2	NAG	O5-C5-C6	3.36	114.20	107.66
6	L	4	MAN	C3-C4-C5	3.35	116.31	110.23
5	K	3	BMA	C1-O5-C5	3.33	116.65	112.19
6	O	6	MAN	C1-O5-C5	3.33	116.64	112.19
2	M	2	NAG	C2-N2-C7	3.32	127.35	122.90
6	U	5	MAN	C3-C4-C5	3.32	116.26	110.23
3	W	4	BMA	O5-C5-C6	3.28	114.05	107.66
2	G	2	NAG	C3-C4-C5	3.28	116.18	110.23
6	X	2	NAG	O5-C5-C6	3.28	114.04	107.66
3	T	1	NAG	O4-C4-C5	-3.28	101.25	109.32
4	R	2	NAG	O7-C7-N2	3.26	127.74	121.98
2	G	1	NAG	C4-C3-C2	-3.24	106.27	111.02
4	I	2	NAG	O3-C3-C2	-3.23	102.70	109.40
5	K	8	MAN	O4-C4-C3	-3.20	102.84	110.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	K	8	MAN	O3-C3-C4	3.19	117.89	110.38
6	O	4	MAN	O6-C6-C5	3.18	122.16	111.33
5	K	1	NAG	C1-O5-C5	3.18	116.44	112.19
2	J	1	NAG	O5-C1-C2	-3.18	106.38	111.29
5	K	4	BMA	C3-C4-C5	3.17	115.98	110.23
2	M	1	NAG	O4-C4-C5	3.17	117.12	109.32
6	L	5	MAN	C3-C4-C5	3.16	115.95	110.23
3	N	6	MAN	C2-C3-C4	3.14	116.39	110.86
3	H	4	BMA	O2-C2-C3	3.14	116.66	110.15
6	U	3	MAN	C2-C3-C4	3.14	116.38	110.86
3	H	5	MAN	O2-C2-C1	3.13	116.39	109.22
5	K	6	MAN	C1-C2-C3	3.11	114.17	109.64
3	H	4	BMA	O6-C6-C5	3.11	121.92	111.33
3	H	6	MAN	O5-C1-C2	3.10	118.19	110.79
6	O	4	MAN	C1-C2-C3	-3.10	105.13	109.64
7	Q	3	BMA	O5-C5-C6	3.10	113.69	107.66
3	T	4	BMA	C1-C2-C3	-3.07	105.18	109.64
2	J	1	NAG	O5-C5-C4	-3.06	103.37	110.83
2	P	3	BMA	C3-C4-C5	3.06	115.78	110.23
7	Q	2	BMA	O2-C2-C3	3.06	116.49	110.15
3	W	1	NAG	C8-C7-N2	-3.06	111.05	116.12
5	K	4	BMA	O5-C1-C2	-3.06	103.50	110.79
6	L	3	MAN	C1-C2-C3	3.05	114.09	109.64
6	U	3	MAN	C1-C2-C3	3.03	114.06	109.64
2	P	1	NAG	O4-C4-C3	-3.02	103.25	110.38
3	W	1	NAG	O5-C5-C4	-3.02	103.48	110.83
6	X	3	MAN	O5-C5-C6	3.02	113.54	107.66
6	O	5	MAN	C3-C4-C5	3.01	115.69	110.23
3	W	3	BMA	O3-C3-C4	-3.01	103.28	110.38
3	W	4	BMA	C1-C2-C3	-2.99	105.29	109.64
2	V	1	NAG	C4-C3-C2	-2.99	106.64	111.02
6	O	4	MAN	C3-C4-C5	2.98	115.64	110.23
3	T	1	NAG	O5-C5-C4	-2.98	103.58	110.83
6	O	6	MAN	C3-C4-C5	2.98	115.63	110.23
6	X	4	MAN	C3-C4-C5	2.97	115.62	110.23
2	P	2	NAG	C8-C7-N2	2.96	121.02	116.12
7	Q	2	BMA	O4-C4-C3	-2.95	103.42	110.38
3	T	4	BMA	C1-O5-C5	-2.95	108.24	112.19
3	W	4	BMA	C3-C4-C5	2.94	115.57	110.23
2	P	1	NAG	C1-O5-C5	2.94	116.12	112.19
2	S	1	NAG	O5-C5-C6	2.93	113.36	107.66
3	T	3	BMA	O4-C4-C3	-2.92	103.49	110.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	T	7	MAN	C1-O5-C5	2.91	116.09	112.19
3	N	3	BMA	C1-C2-C3	-2.91	105.41	109.64
4	I	4	MAN	C3-C4-C5	2.90	115.50	110.23
5	K	3	BMA	O4-C4-C3	-2.90	103.54	110.38
5	K	4	BMA	C1-O5-C5	-2.90	108.30	112.19
2	V	1	NAG	O5-C5-C4	-2.90	103.78	110.83
4	R	5	MAN	O5-C1-C2	2.89	117.69	110.79
4	I	3	MAN	C1-O5-C5	2.89	116.06	112.19
2	P	2	NAG	O7-C7-C8	-2.89	116.90	122.05
3	H	4	BMA	O5-C1-C2	-2.89	103.89	110.79
5	K	6	MAN	O5-C1-C2	2.89	117.67	110.79
4	R	3	MAN	C3-C4-C5	2.88	115.46	110.23
2	M	2	NAG	O3-C3-C2	-2.88	103.42	109.40
2	S	1	NAG	C1-C2-N2	2.88	114.96	110.43
5	K	4	BMA	O6-C6-C5	2.86	121.08	111.33
2	M	2	NAG	C1-C2-N2	-2.86	105.93	110.43
5	K	6	MAN	O3-C3-C4	-2.84	103.67	110.38
3	T	5	MAN	O2-C2-C3	2.84	116.03	110.15
4	I	5	MAN	C6-C5-C4	-2.83	106.06	113.02
3	H	6	MAN	O3-C3-C2	-2.82	104.31	110.05
2	S	1	NAG	O5-C5-C4	-2.81	103.98	110.83
7	Q	2	BMA	O3-C3-C4	-2.80	103.77	110.38
6	L	3	MAN	O5-C5-C6	2.80	113.11	107.66
4	I	1	NAG	C2-N2-C7	2.80	126.65	122.90
6	U	4	MAN	O6-C6-C5	2.78	120.79	111.33
6	U	5	MAN	C6-C5-C4	-2.78	106.20	113.02
2	J	2	NAG	C1-C2-N2	-2.78	106.06	110.43
3	H	1	NAG	O5-C5-C4	-2.77	104.08	110.83
4	I	4	MAN	O6-C6-C5	2.77	120.76	111.33
4	R	4	MAN	O6-C6-C5	2.76	120.74	111.33
2	J	2	NAG	O4-C4-C3	-2.76	103.86	110.38
2	M	2	NAG	O7-C7-C8	-2.75	117.15	122.05
4	R	3	MAN	O2-C2-C1	-2.75	102.92	109.22
5	K	2	NAG	C1-O5-C5	-2.75	108.50	112.19
3	W	5	MAN	C2-C3-C4	-2.75	106.03	110.86
3	T	6	MAN	O6-C6-C5	2.74	120.67	111.33
6	O	6	MAN	C2-C3-C4	2.74	115.68	110.86
5	K	7	MAN	C3-C4-C5	2.73	115.19	110.23
6	L	2	NAG	C6-C5-C4	-2.72	106.33	113.02
3	H	7	MAN	O2-C2-C3	2.72	115.79	110.15
6	O	2	NAG	O3-C3-C2	-2.72	103.76	109.40
5	K	8	MAN	O2-C2-C3	2.72	115.78	110.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	P	2	NAG	C4-C3-C2	2.71	114.99	111.02
6	X	5	MAN	C3-C4-C5	2.70	115.12	110.23
5	K	5	MAN	O6-C6-C5	-2.68	102.22	111.33
5	K	5	MAN	O3-C3-C4	2.67	116.67	110.38
2	S	1	NAG	C4-C3-C2	-2.67	107.11	111.02
7	Q	3	BMA	C1-O5-C5	-2.66	108.62	112.19
3	W	3	BMA	O4-C4-C3	-2.65	104.12	110.38
3	N	6	MAN	O6-C6-C5	2.65	120.36	111.33
3	N	4	BMA	O5-C5-C6	2.65	112.82	107.66
6	X	5	MAN	C6-C5-C4	-2.64	106.53	113.02
3	N	6	MAN	O5-C1-C2	2.63	117.07	110.79
2	S	3	BMA	C1-C2-C3	2.63	113.48	109.64
4	I	2	NAG	O4-C4-C3	2.63	116.56	110.38
2	G	2	NAG	C2-N2-C7	2.62	126.41	122.90
7	Q	3	BMA	O6-C6-C5	2.61	120.23	111.33
3	N	1	NAG	O5-C5-C4	-2.59	104.53	110.83
6	L	5	MAN	C6-C5-C4	-2.59	106.67	113.02
3	T	4	BMA	O6-C6-C5	2.59	120.14	111.33
3	T	3	BMA	C6-C5-C4	-2.58	106.68	113.02
6	L	4	MAN	O6-C6-C5	2.58	120.13	111.33
4	R	4	MAN	C3-C4-C5	2.58	114.92	110.23
7	Q	5	MAN	O5-C5-C6	2.58	112.69	107.66
3	T	7	MAN	C1-C2-C3	2.58	113.40	109.64
2	J	1	NAG	C4-C3-C2	-2.58	107.23	111.02
5	K	5	MAN	C1-O5-C5	2.57	115.63	112.19
6	X	5	MAN	O2-C2-C1	2.57	115.11	109.22
6	U	1	NAG	O5-C1-C2	-2.56	107.33	111.29
3	H	3	BMA	C1-C2-C3	-2.55	105.94	109.64
6	O	5	MAN	C2-C3-C4	2.55	115.34	110.86
2	P	1	NAG	C4-C3-C2	-2.54	107.30	111.02
2	J	3	BMA	C1-C2-C3	2.54	113.34	109.64
4	R	2	NAG	C1-C2-N2	2.52	114.40	110.43
6	O	2	NAG	C1-O5-C5	2.52	115.56	112.19
5	K	7	MAN	O3-C3-C2	-2.52	104.92	110.05
6	L	3	MAN	C2-C3-C4	2.52	115.29	110.86
4	R	4	MAN	C1-C2-C3	-2.52	105.98	109.64
3	H	4	BMA	C3-C4-C5	2.52	114.79	110.23
2	G	2	NAG	O7-C7-C8	-2.51	117.58	122.05
2	G	2	NAG	C4-C3-C2	2.51	114.70	111.02
3	N	4	BMA	C1-O5-C5	-2.51	108.83	112.19
3	N	4	BMA	O6-C6-C5	2.50	119.85	111.33
6	O	1	NAG	O5-C1-C2	-2.50	107.42	111.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	N	5	MAN	O2-C2-C1	2.49	114.92	109.22
7	Q	6	MAN	C1-O5-C5	2.49	115.52	112.19
5	K	8	MAN	O2-C2-C1	-2.49	103.53	109.22
3	T	2	NAG	C1-O5-C5	-2.48	108.86	112.19
3	H	7	MAN	O5-C5-C6	2.48	112.49	107.66
4	I	5	MAN	C1-C2-C3	2.48	113.25	109.64
3	T	5	MAN	O5-C5-C4	2.47	116.84	110.83
4	I	3	MAN	O2-C2-C1	-2.47	103.58	109.22
6	X	4	MAN	O4-C4-C3	-2.47	104.56	110.38
2	S	2	NAG	O4-C4-C3	-2.46	104.57	110.38
3	N	1	NAG	C3-C4-C5	-2.46	105.78	110.23
4	I	2	NAG	C1-O5-C5	2.43	115.45	112.19
7	Q	5	MAN	O5-C1-C2	2.43	116.59	110.79
3	W	7	MAN	C1-C2-C3	2.43	113.19	109.64
7	Q	1	NAG	C1-C2-N2	-2.43	107.91	110.73
3	T	7	MAN	O2-C2-C3	-2.43	105.12	110.15
6	U	3	MAN	O4-C4-C3	-2.42	104.67	110.38
2	M	1	NAG	O7-C7-C8	-2.42	117.75	122.05
2	S	1	NAG	O4-C4-C3	-2.42	104.68	110.38
3	H	7	MAN	C1-O5-C5	2.42	115.42	112.19
6	X	6	MAN	C1-C2-C3	2.40	113.14	109.64
3	H	4	BMA	O3-C3-C4	2.40	116.04	110.38
6	L	4	MAN	O5-C1-C2	2.40	116.52	110.79
3	W	4	BMA	O6-C6-C5	2.40	119.50	111.33
4	R	5	MAN	O2-C2-C3	2.40	115.12	110.15
3	W	3	BMA	O5-C5-C6	2.40	112.33	107.66
6	X	4	MAN	O5-C5-C6	2.40	112.33	107.66
7	Q	3	BMA	O3-C3-C4	2.39	116.00	110.38
3	N	5	MAN	C1-O5-C5	2.38	115.37	112.19
6	U	4	MAN	C3-C4-C5	2.37	114.53	110.23
3	N	5	MAN	O3-C3-C2	2.37	114.89	110.05
6	L	4	MAN	O3-C3-C4	2.37	115.96	110.38
3	H	6	MAN	C1-C2-C3	2.36	113.08	109.64
2	G	3	BMA	O3-C3-C2	2.36	114.88	110.05
3	W	5	MAN	O4-C4-C5	-2.36	103.52	109.32
4	R	2	NAG	C8-C7-N2	-2.35	112.22	116.12
2	G	3	BMA	O4-C4-C3	-2.35	104.84	110.38
3	H	3	BMA	O2-C2-C3	2.34	115.01	110.15
5	K	5	MAN	C1-C2-C3	-2.34	106.23	109.64
3	T	7	MAN	C2-C3-C4	2.34	114.98	110.86
6	L	5	MAN	C1-C2-C3	-2.33	106.25	109.64
3	W	6	MAN	O6-C6-C5	2.33	119.28	111.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	X	1	NAG	O3-C3-C2	2.33	114.24	109.40
6	U	3	MAN	O2-C2-C3	2.32	114.95	110.15
3	N	5	MAN	O6-C6-C5	-2.32	103.45	111.33
6	O	6	MAN	C1-C2-C3	2.32	113.02	109.64
6	L	2	NAG	C2-N2-C7	2.31	126.00	122.90
7	Q	5	MAN	O6-C6-C5	2.30	119.17	111.33
4	R	5	MAN	O2-C2-C1	2.29	114.48	109.22
4	R	4	MAN	O5-C1-C2	2.29	116.25	110.79
3	N	4	BMA	O5-C1-C2	-2.29	105.34	110.79
6	U	6	MAN	O5-C5-C6	2.28	112.10	107.66
3	N	1	NAG	C1-O5-C5	2.27	115.22	112.19
6	O	2	NAG	O7-C7-N2	2.27	125.98	121.98
5	K	6	MAN	O5-C5-C4	2.26	116.33	110.83
6	O	4	MAN	O4-C4-C5	2.26	114.89	109.32
2	G	1	NAG	C1-O5-C5	2.25	115.21	112.19
6	O	5	MAN	O5-C1-C2	2.25	116.16	110.79
6	X	1	NAG	C1-C2-N2	-2.25	106.89	110.43
4	R	4	MAN	O4-C4-C5	2.24	114.85	109.32
4	I	3	MAN	C3-C4-C5	2.24	114.30	110.23
6	L	3	MAN	O2-C2-C3	2.24	114.78	110.15
6	X	3	MAN	C1-O5-C5	2.24	115.18	112.19
3	N	4	BMA	C3-C4-C5	2.23	114.28	110.23
3	W	7	MAN	C2-C3-C4	2.23	114.79	110.86
3	T	6	MAN	C6-C5-C4	2.23	118.50	113.02
7	Q	1	NAG	C1-C2-C3	-2.23	107.50	110.54
2	V	3	BMA	O4-C4-C3	-2.23	105.13	110.38
3	T	7	MAN	O3-C3-C2	-2.21	105.53	110.05
6	U	5	MAN	O2-C2-C3	-2.21	105.57	110.15
5	K	6	MAN	O2-C2-C1	2.21	114.27	109.22
5	K	3	BMA	O6-C6-C5	-2.20	103.85	111.33
5	K	5	MAN	O2-C2-C3	2.19	114.70	110.15
3	W	7	MAN	C1-O5-C5	2.19	115.13	112.19
3	N	6	MAN	O3-C3-C2	-2.19	105.58	110.05
3	T	6	MAN	O3-C3-C2	-2.19	105.58	110.05
4	I	4	MAN	C1-C2-C3	-2.19	106.46	109.64
4	I	3	MAN	O5-C5-C6	2.18	111.90	107.66
2	G	3	BMA	C3-C4-C5	2.18	114.18	110.23
3	N	2	NAG	C2-N2-C7	2.18	125.82	122.90
4	I	1	NAG	C1-C2-N2	-2.18	107.00	110.43
4	R	2	NAG	O4-C4-C3	2.18	115.50	110.38
3	W	2	NAG	C1-O5-C5	-2.16	109.29	112.19
5	K	5	MAN	O4-C4-C5	-2.16	104.00	109.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	O	5	MAN	C1-C2-C3	2.15	112.77	109.64
6	U	4	MAN	O4-C4-C3	-2.14	105.33	110.38
3	H	7	MAN	O5-C1-C2	-2.13	105.70	110.79
7	Q	1	NAG	O1-C1-O5	-2.13	104.08	110.41
6	O	3	MAN	O3-C3-C2	-2.13	105.71	110.05
3	H	1	NAG	O3-C3-C2	2.13	113.83	109.40
3	H	5	MAN	O6-C6-C5	-2.13	104.10	111.33
3	N	4	BMA	C6-C5-C4	2.12	118.22	113.02
4	R	2	NAG	O3-C3-C2	-2.11	105.02	109.40
6	X	4	MAN	O5-C1-C2	2.11	115.81	110.79
2	V	1	NAG	C1-C2-N2	2.11	113.75	110.43
4	I	3	MAN	O6-C6-C5	2.11	118.50	111.33
2	S	1	NAG	O4-C4-C5	-2.10	104.14	109.32
6	L	2	NAG	C1-C2-N2	2.10	113.75	110.43
6	L	3	MAN	O3-C3-C2	-2.10	105.77	110.05
6	U	2	NAG	C4-C3-C2	-2.10	107.94	111.02
3	N	3	BMA	O4-C4-C3	-2.09	105.44	110.38
5	K	2	NAG	C6-C5-C4	-2.09	107.89	113.02
6	L	1	NAG	C2-N2-C7	2.09	125.70	122.90
6	O	3	MAN	O6-C6-C5	2.08	118.43	111.33
4	I	1	NAG	O5-C5-C6	2.08	111.72	107.66
3	H	2	NAG	C4-C3-C2	-2.08	107.97	111.02
3	W	3	BMA	O6-C6-C5	-2.08	104.27	111.33
6	U	6	MAN	O5-C1-C2	-2.07	105.85	110.79
3	T	7	MAN	C3-C4-C5	2.07	113.98	110.23
3	T	5	MAN	O2-C2-C1	2.06	113.94	109.22
6	L	6	MAN	C6-C5-C4	-2.06	107.96	113.02
6	O	1	NAG	C3-C4-C5	-2.06	106.50	110.23
6	O	1	NAG	C1-O5-C5	2.05	114.93	112.19
6	U	2	NAG	O3-C3-C2	-2.04	105.16	109.40
2	M	2	NAG	O5-C5-C6	2.04	111.63	107.66
6	O	2	NAG	C8-C7-N2	-2.03	112.75	116.12
6	U	4	MAN	O5-C1-C2	2.03	115.63	110.79
6	O	2	NAG	O4-C4-C3	2.02	115.15	110.38
3	T	4	BMA	O5-C1-C2	-2.02	105.97	110.79
3	T	5	MAN	O3-C3-C4	2.02	115.13	110.38
7	Q	4	MAN	C2-C3-C4	-2.01	107.32	110.86
6	U	6	MAN	O4-C4-C3	2.01	115.12	110.38
7	Q	4	MAN	O2-C2-C3	2.01	114.31	110.15
2	P	2	NAG	C2-N2-C7	2.01	125.59	122.90
3	H	7	MAN	C2-C3-C4	2.01	114.39	110.86
4	I	4	MAN	O5-C1-C2	2.01	115.58	110.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	2	NAG	O5-C1-C2	2.01	114.39	111.29
6	U	1	NAG	O5-C5-C6	2.01	111.57	107.66
7	Q	4	MAN	O3-C3-C2	2.00	114.14	110.05

There are no chirality outliers.

All (66) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	S	3	BMA	O5-C5-C6-O6
2	J	3	BMA	O5-C5-C6-O6
3	H	6	MAN	O5-C5-C6-O6
6	X	6	MAN	O5-C5-C6-O6
2	S	3	BMA	C4-C5-C6-O6
5	K	1	NAG	C4-C5-C6-O6
5	K	8	MAN	C4-C5-C6-O6
4	R	2	NAG	C4-C5-C6-O6
2	J	3	BMA	C4-C5-C6-O6
6	O	6	MAN	C4-C5-C6-O6
3	N	6	MAN	O5-C5-C6-O6
4	R	2	NAG	O5-C5-C6-O6
6	U	3	MAN	O5-C5-C6-O6
6	L	3	MAN	O5-C5-C6-O6
6	X	3	MAN	O5-C5-C6-O6
7	Q	5	MAN	O5-C5-C6-O6
4	I	4	MAN	C4-C5-C6-O6
6	L	3	MAN	C4-C5-C6-O6
6	O	5	MAN	C4-C5-C6-O6
6	X	3	MAN	C4-C5-C6-O6
6	X	6	MAN	C4-C5-C6-O6
4	I	2	NAG	C4-C5-C6-O6
6	U	4	MAN	C4-C5-C6-O6
4	I	4	MAN	O5-C5-C6-O6
6	U	3	MAN	C4-C5-C6-O6
6	O	6	MAN	O5-C5-C6-O6
3	T	6	MAN	O5-C5-C6-O6
2	M	3	BMA	O5-C5-C6-O6
4	I	3	MAN	O5-C5-C6-O6
3	W	6	MAN	O5-C5-C6-O6
6	O	3	MAN	O5-C5-C6-O6
6	L	4	MAN	C4-C5-C6-O6
4	R	3	MAN	O5-C5-C6-O6
4	I	2	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	U	4	MAN	O5-C5-C6-O6
4	R	5	MAN	O5-C5-C6-O6
6	O	4	MAN	C4-C5-C6-O6
7	Q	5	MAN	C4-C5-C6-O6
6	X	4	MAN	C4-C5-C6-O6
6	X	2	NAG	O5-C5-C6-O6
2	P	3	BMA	O5-C5-C6-O6
2	V	3	BMA	O5-C5-C6-O6
6	L	4	MAN	O5-C5-C6-O6
6	O	5	MAN	O5-C5-C6-O6
6	O	2	NAG	C4-C5-C6-O6
3	H	6	MAN	C4-C5-C6-O6
5	K	1	NAG	O5-C5-C6-O6
5	K	8	MAN	O5-C5-C6-O6
3	T	1	NAG	C4-C5-C6-O6
2	G	3	BMA	C4-C5-C6-O6
3	N	6	MAN	C4-C5-C6-O6
6	O	2	NAG	O5-C5-C6-O6
6	O	4	MAN	O5-C5-C6-O6
3	H	4	BMA	C4-C5-C6-O6
2	M	3	BMA	C4-C5-C6-O6
5	K	5	MAN	O5-C5-C6-O6
4	R	4	MAN	C4-C5-C6-O6
6	L	2	NAG	O5-C5-C6-O6
3	T	6	MAN	C4-C5-C6-O6
6	X	4	MAN	O5-C5-C6-O6
6	X	2	NAG	C4-C5-C6-O6
3	W	6	MAN	C4-C5-C6-O6
4	I	3	MAN	C4-C5-C6-O6
5	K	3	BMA	O5-C5-C6-O6
3	W	5	MAN	O5-C5-C6-O6
3	H	3	BMA	C4-C5-C6-O6

There are no ring outliers.

26 monomers are involved in 48 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	T	2	NAG	1	0
2	M	1	NAG	4	0
5	K	1	NAG	4	0
3	N	1	NAG	4	0
7	Q	1	NAG	3	0



Continued on next page...



Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	P	2	NAG	1	0
2	V	1	NAG	2	0
2	S	1	NAG	2	0
3	W	2	NAG	1	0
5	K	8	MAN	8	0
2	M	2	NAG	1	0
2	P	1	NAG	5	0
3	H	2	NAG	1	0
2	J	1	NAG	2	0
2	G	3	BMA	2	0
5	K	6	MAN	6	0
3	N	2	NAG	1	0
2	V	2	NAG	1	0
5	K	2	NAG	1	0
2	G	1	NAG	2	0
2	S	2	NAG	1	0
3	H	1	NAG	3	0
2	G	2	NAG	1	0
2	J	2	NAG	1	0
3	T	1	NAG	4	0
3	W	1	NAG	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







































5.6 Ligand geometry [i](#)

28 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	NAG	A	903	1	14,14,15	0.95	1 (7%)	17,19,21	1.15	0
9	XYZ	A	907	-	10,10,10	1.01	1 (10%)	13,14,14	2.79	6 (46%)
11	XYL	D	907	-	9,9,9	1.17	1 (11%)	11,11,11	2.43	6 (54%)
8	NAG	B	904	1	14,14,15	0.42	0	17,19,21	1.55	5 (29%)
8	NAG	E	904	1	14,14,15	0.34	0	17,19,21	1.71	5 (29%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	NAG	C	905	1	14,14,15	0.76	1 (7%)	17,19,21	1.23	4 (23%)
8	NAG	B	903	1	14,14,15	0.50	0	17,19,21	1.34	1 (5%)
8	NAG	D	905	1	14,14,15	2.02	4 (28%)	17,19,21	3.69	9 (52%)
10	BMA	A	908	-	11,11,12	1.13	2 (18%)	15,15,17	1.95	5 (33%)
8	NAG	D	902	1	13,13,15	1.04	2 (15%)	12,17,21	1.46	2 (16%)
8	NAG	A	906	1	14,14,15	0.66	0	17,19,21	2.34	4 (23%)
8	NAG	B	905	1	14,14,15	1.77	2 (14%)	17,19,21	3.72	10 (58%)
8	NAG	F	903	1	14,14,15	1.15	2 (14%)	17,19,21	2.17	6 (35%)
8	NAG	A	905	1	14,14,15	0.78	1 (7%)	17,19,21	1.05	0
11	XYL	C	907	-	9,9,9	1.30	1 (11%)	11,11,11	2.49	5 (45%)
8	NAG	A	904	1	13,13,15	1.16	1 (7%)	15,17,21	3.14	5 (33%)
8	NAG	E	903	1	14,14,15	1.62	3 (21%)	17,19,21	2.54	5 (29%)
8	NAG	E	905	1	14,14,15	0.82	0	17,19,21	3.71	9 (52%)
8	NAG	C	903	1	14,14,15	1.09	1 (7%)	17,19,21	1.90	4 (23%)
8	NAG	F	905	1	14,14,15	0.54	0	17,19,21	3.39	7 (41%)
9	XYZ	B	906	-	10,10,10	1.26	1 (10%)	13,14,14	2.20	7 (53%)
8	NAG	D	906	1	14,14,15	0.60	0	17,19,21	1.95	3 (17%)
8	NAG	D	903	1	14,14,15	0.90	1 (7%)	17,19,21	1.22	4 (23%)
8	NAG	C	906	1	14,14,15	0.45	0	17,19,21	1.52	2 (11%)
8	NAG	D	904	1	13,13,15	1.23	1 (7%)	15,17,21	2.85	3 (20%)
8	NAG	C	904	1	13,13,15	0.91	1 (7%)	15,17,21	2.26	3 (20%)
8	NAG	F	904	1	14,14,15	0.46	0	17,19,21	1.42	3 (17%)
11	XYL	E	906	-	9,9,9	1.29	1 (11%)	11,11,11	2.24	5 (45%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	A	903	1	-	0/6/23/26	0/1/1/1
9	XYZ	A	907	-	-	2/2/18/18	0/1/1/1
11	XYL	D	907	-	-	6/12/12/12	-
8	NAG	B	904	1	-	1/6/23/26	0/1/1/1
8	NAG	E	904	1	-	0/6/23/26	0/1/1/1
8	NAG	C	905	1	-	0/6/23/26	0/1/1/1
8	NAG	B	903	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	D	905	1	-	1/6/23/26	0/1/1/1
10	BMA	A	908	-	-	2/2/19/22	0/1/1/1
8	NAG	D	902	1	-	0/6/19/26	0/1/1/1
8	NAG	A	906	1	-	2/6/23/26	0/1/1/1
8	NAG	B	905	1	-	1/6/23/26	0/1/1/1
8	NAG	F	903	1	-	2/6/23/26	0/1/1/1
8	NAG	A	905	1	-	0/6/23/26	0/1/1/1
11	XYL	C	907	-	-	8/12/12/12	-
8	NAG	A	904	1	-	1/6/19/26	0/1/1/1
8	NAG	E	903	1	-	0/6/23/26	0/1/1/1
8	NAG	E	905	1	-	2/6/23/26	0/1/1/1
8	NAG	C	903	1	-	2/6/23/26	0/1/1/1
8	NAG	F	905	1	-	3/6/23/26	0/1/1/1
9	XYZ	B	906	-	-	1/2/18/18	0/1/1/1
8	NAG	D	906	1	-	2/6/23/26	0/1/1/1
8	NAG	D	903	1	-	0/6/23/26	0/1/1/1
8	NAG	C	906	1	-	0/6/23/26	0/1/1/1
8	NAG	D	904	1	-	1/6/19/26	0/1/1/1
8	NAG	C	904	1	-	0/6/19/26	0/1/1/1
8	NAG	F	904	1	-	0/6/23/26	0/1/1/1
11	XYL	E	906	-	-	2/12/12/12	-

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	D	905	NAG	C1-C2	5.53	1.59	1.52
8	B	905	NAG	C1-C2	-4.91	1.45	1.52
8	E	903	NAG	C1-C2	4.43	1.58	1.52
8	B	905	NAG	C3-C2	3.80	1.60	1.52
8	D	904	NAG	C1-C2	3.61	1.55	1.51
8	A	903	NAG	C1-C2	3.16	1.56	1.52
8	C	903	NAG	C1-C2	3.07	1.56	1.52
8	A	904	NAG	C1-C2	3.00	1.54	1.51
8	F	903	NAG	C1-C2	-2.99	1.48	1.52
11	C	907	XYL	C5-C4	2.94	1.59	1.52
8	D	905	NAG	O5-C1	-2.88	1.38	1.43
8	E	903	NAG	O5-C5	2.84	1.49	1.43
8	D	903	NAG	C1-C2	2.79	1.56	1.52
8	D	905	NAG	O5-C5	2.71	1.48	1.43
11	D	907	XYL	C5-C4	2.66	1.58	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	B	906	XYZ	O4-C1	2.63	1.46	1.43
8	D	902	NAG	C2-N2	-2.55	1.42	1.46
11	E	906	XYL	O2-C2	2.54	1.48	1.43
9	A	907	XYZ	C1-C2	2.47	1.55	1.52
8	F	903	NAG	C3-C2	2.47	1.57	1.52
8	E	903	NAG	O5-C1	-2.39	1.39	1.43
8	D	905	NAG	C2-N2	-2.39	1.42	1.46
8	C	904	NAG	C1-C2	2.34	1.54	1.51
8	D	902	NAG	C3-C2	-2.22	1.50	1.52
10	A	908	BMA	C2-C3	2.20	1.55	1.52
10	A	908	BMA	C4-C5	2.15	1.57	1.53
8	A	905	NAG	C2-N2	-2.14	1.42	1.46
8	C	905	NAG	C2-N2	-2.11	1.42	1.46

All (128) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	D	905	NAG	O5-C1-C2	-11.52	93.46	111.29
8	E	905	NAG	C1-O5-C5	10.28	125.97	112.19
8	A	904	NAG	C3-C2-C1	10.14	118.83	109.50
8	D	904	NAG	C3-C2-C1	9.19	117.95	109.50
8	B	905	NAG	C1-C2-N2	8.18	123.32	110.43
8	A	906	NAG	C1-O5-C5	7.88	122.74	112.19
8	F	905	NAG	C2-N2-C7	7.85	133.42	122.90
8	F	905	NAG	C1-O5-C5	7.25	121.90	112.19
8	B	905	NAG	C1-O5-C5	7.16	121.78	112.19
8	E	903	NAG	O5-C1-C2	-6.88	100.65	111.29
8	C	904	NAG	C3-C2-C1	6.78	115.73	109.50
8	E	905	NAG	O5-C1-C2	-6.48	101.26	111.29
8	B	905	NAG	O5-C1-C2	-6.44	101.32	111.29
9	A	907	XYZ	O1-C1-O4	-6.14	103.30	111.12
8	F	903	NAG	C1-C2-N2	5.79	119.56	110.43
8	D	906	NAG	C1-O5-C5	5.76	119.91	112.19
8	E	903	NAG	O5-C5-C6	5.32	118.02	107.66
8	D	905	NAG	O5-C5-C6	5.18	117.74	107.66
9	A	907	XYZ	O4-C1-C2	5.14	111.80	104.67
8	E	905	NAG	O5-C5-C6	-4.75	98.42	107.66
8	F	905	NAG	O7-C7-N2	-4.61	113.83	121.98
8	D	905	NAG	C1-O5-C5	4.55	118.28	112.19
11	D	907	XYL	O4-C4-C5	4.49	119.23	109.03
8	F	905	NAG	C8-C7-N2	4.47	123.52	116.12
8	C	906	NAG	C1-O5-C5	4.42	118.11	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	C	907	XYL	O4-C4-C5	4.39	119.01	109.03
8	D	904	NAG	C3-C4-C5	4.37	116.34	110.76
10	A	908	BMA	C3-C4-C5	4.19	117.83	110.23
8	C	903	NAG	O5-C5-C6	4.17	115.79	107.66
8	F	905	NAG	O5-C1-C2	-4.16	104.86	111.29
11	D	907	XYL	O5-C5-C4	4.03	119.62	111.16
8	F	903	NAG	O3-C3-C2	4.01	117.74	109.40
8	A	904	NAG	C3-C2-N2	-3.90	104.20	110.62
8	C	904	NAG	C3-C4-C5	3.86	115.69	110.76
8	E	904	NAG	C2-N2-C7	3.76	127.94	122.90
8	A	904	NAG	C3-C4-C5	3.74	115.53	110.76
9	A	907	XYZ	C1-C2-C3	-3.69	97.75	102.29
8	F	905	NAG	C6-C5-C4	-3.67	104.01	113.02
11	C	907	XYL	O2-C2-C3	3.64	117.76	109.25
8	D	905	NAG	O3-C3-C2	3.58	116.83	109.40
8	E	905	NAG	C1-C2-N2	-3.57	104.81	110.43
11	E	906	XYL	C4-C3-C2	3.49	119.37	113.57
8	B	905	NAG	C6-C5-C4	-3.46	104.53	113.02
11	E	906	XYL	O4-C4-C3	3.40	117.21	109.25
8	E	905	NAG	C8-C7-N2	-3.31	110.63	116.12
8	B	905	NAG	C4-C3-C2	3.31	115.86	111.02
8	D	906	NAG	C2-N2-C7	3.29	127.31	122.90
8	B	905	NAG	C2-N2-C7	3.28	127.30	122.90
11	C	907	XYL	O3-C3-C2	3.28	116.38	108.93
9	B	906	XYZ	O3-C3-C2	-3.24	101.44	111.82
10	A	908	BMA	C1-O5-C5	3.20	116.47	112.19
11	C	907	XYL	O5-C5-C4	3.14	117.75	111.16
8	F	904	NAG	C1-O5-C5	3.13	116.39	112.19
8	D	902	NAG	O5-C5-C4	-3.11	104.25	110.26
8	E	904	NAG	C1-O5-C5	3.09	116.33	112.19
8	B	905	NAG	O7-C7-N2	3.09	127.44	121.98
11	E	906	XYL	C1-C2-C3	-3.07	105.91	112.17
9	B	906	XYZ	O1-C1-O4	3.03	114.99	111.12
8	C	903	NAG	C1-O5-C5	3.01	116.22	112.19
8	D	905	NAG	C2-N2-C7	3.01	126.93	122.90
9	B	906	XYZ	C1-C2-C3	2.97	105.94	102.29
9	A	907	XYZ	O2-C2-C1	2.95	120.05	111.85
10	A	908	BMA	O2-C2-C3	2.89	116.14	110.15
8	A	906	NAG	C3-C4-C5	2.88	115.45	110.23
9	B	906	XYZ	C2-C3-C4	2.87	108.16	102.61
8	B	905	NAG	O3-C3-C2	2.86	115.34	109.40
8	A	906	NAG	C2-N2-C7	2.84	126.70	122.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	D	906	NAG	C3-C4-C5	2.81	115.33	110.23
8	E	905	NAG	O3-C3-C2	-2.81	103.56	109.40
8	B	904	NAG	C2-N2-C7	2.79	126.64	122.90
10	A	908	BMA	O3-C3-C2	2.79	115.74	110.05
8	C	903	NAG	O5-C1-C2	2.78	115.59	111.29
8	C	903	NAG	C4-C3-C2	-2.76	106.98	111.02
11	E	906	XYL	O2-C2-C1	2.75	115.28	109.03
9	A	907	XYZ	O5-C5-C4	-2.75	101.97	111.33
8	F	903	NAG	O5-C5-C6	2.74	113.00	107.66
8	E	903	NAG	C3-C4-C5	-2.69	105.35	110.23
11	E	906	XYL	O3-C3-C2	-2.68	102.85	108.93
8	E	905	NAG	O6-C6-C5	2.58	120.11	111.33
8	E	903	NAG	O3-C3-C2	2.54	114.67	109.40
8	D	905	NAG	C3-C4-C5	-2.52	105.67	110.23
11	D	907	XYL	O4-C4-C3	-2.50	103.40	109.25
8	D	905	NAG	C6-C5-C4	-2.49	106.90	113.02
8	D	905	NAG	C8-C7-N2	-2.49	111.99	116.12
8	E	905	NAG	C2-N2-C7	2.48	126.23	122.90
9	B	906	XYZ	O2-C2-C1	2.48	118.75	111.85
8	E	905	NAG	C6-C5-C4	2.48	119.11	113.02
8	B	904	NAG	C4-C3-C2	-2.48	107.39	111.02
8	F	903	NAG	C2-N2-C7	2.44	126.17	122.90
9	B	906	XYZ	O5-C5-C4	-2.43	103.06	111.33
8	D	902	NAG	C8-C7-N2	-2.42	112.10	116.12
8	B	904	NAG	O5-C5-C6	2.39	112.32	107.66
8	B	905	NAG	O6-C6-C5	2.37	119.40	111.33
8	A	906	NAG	O5-C1-C2	2.36	114.94	111.29
8	D	903	NAG	C4-C3-C2	-2.33	107.60	111.02
11	D	907	XYL	C5-C4-C3	2.33	116.92	112.17
8	F	905	NAG	O3-C3-C2	-2.31	104.61	109.40
8	C	905	NAG	C8-C7-N2	-2.30	112.30	116.12
11	D	907	XYL	O3-C3-C2	2.29	114.14	108.93
8	F	904	NAG	C2-N2-C7	2.27	125.94	122.90
8	B	903	NAG	O5-C5-C6	2.27	112.07	107.66
8	E	904	NAG	C4-C3-C2	-2.25	107.71	111.02
11	C	907	XYL	O1-C1-C2	2.24	115.86	111.16
11	D	907	XYL	C4-C3-C2	-2.23	109.85	113.57
8	A	904	NAG	C6-C5-C4	-2.22	110.50	113.53
8	C	904	NAG	C3-C2-N2	-2.22	106.97	110.62
8	C	906	NAG	C4-C3-C2	-2.22	107.77	111.02
8	E	903	NAG	C1-O5-C5	2.21	115.15	112.19
8	B	905	NAG	C8-C7-N2	-2.21	112.46	116.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	D	903	NAG	O3-C3-C2	2.20	113.97	109.40
8	A	904	NAG	O5-C5-C4	2.19	113.31	109.66
8	D	904	NAG	O4-C4-C5	-2.18	105.55	110.08
8	D	905	NAG	C4-C3-C2	-2.18	107.83	111.02
8	F	903	NAG	O3-C3-C4	-2.15	105.31	110.38
8	C	905	NAG	C2-N2-C7	2.14	125.77	122.90
9	A	907	XYZ	O3-C3-C2	-2.14	104.95	111.82
8	B	904	NAG	C3-C4-C5	-2.13	106.36	110.23
8	F	903	NAG	C4-C3-C2	2.10	114.10	111.02
8	E	904	NAG	O5-C1-C2	-2.10	108.05	111.29
10	A	908	BMA	O5-C5-C4	2.09	115.92	110.83
8	C	905	NAG	O5-C5-C6	2.08	111.71	107.66
8	E	904	NAG	O5-C5-C4	-2.08	105.78	110.83
8	D	903	NAG	O5-C5-C6	2.07	111.70	107.66
8	B	904	NAG	O5-C5-C4	-2.05	105.84	110.83
8	D	903	NAG	O5-C5-C4	-2.02	105.92	110.83
8	C	905	NAG	O5-C1-C2	-2.02	108.17	111.29
8	F	904	NAG	O5-C5-C6	2.01	111.58	107.66
9	B	906	XYZ	O3-C3-C4	2.00	116.84	111.08

There are no chirality outliers.

All (39) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	B	905	NAG	C3-C2-N2-C7
8	E	905	NAG	C3-C2-N2-C7
8	F	905	NAG	C3-C2-N2-C7
11	C	907	XYL	O1-C1-C2-C3
11	C	907	XYL	O1-C1-C2-O2
11	C	907	XYL	O2-C2-C3-O3
11	C	907	XYL	O4-C4-C5-O5
11	D	907	XYL	O2-C2-C3-C4
11	D	907	XYL	O2-C2-C3-O3
11	D	907	XYL	O4-C4-C5-O5
11	C	907	XYL	C3-C4-C5-O5
11	D	907	XYL	C3-C4-C5-O5
9	A	907	XYZ	C3-C4-C5-O5
8	C	903	NAG	O5-C5-C6-O6
10	A	908	BMA	O5-C5-C6-O6
9	A	907	XYZ	O4-C4-C5-O5
11	C	907	XYL	C1-C2-C3-O3
11	D	907	XYL	C1-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
11	C	907	XYL	C1-C2-C3-C4
11	D	907	XYL	C1-C2-C3-C4
8	C	903	NAG	C4-C5-C6-O6
11	C	907	XYL	O2-C2-C3-C4
8	F	905	NAG	C8-C7-N2-C2
8	F	905	NAG	O7-C7-N2-C2
8	D	906	NAG	C4-C5-C6-O6
8	E	905	NAG	O5-C5-C6-O6
8	A	906	NAG	C4-C5-C6-O6
8	A	904	NAG	O5-C5-C6-O6
8	F	903	NAG	C4-C5-C6-O6
8	F	903	NAG	O5-C5-C6-O6
10	A	908	BMA	C4-C5-C6-O6
8	D	905	NAG	C4-C5-C6-O6
8	D	906	NAG	O5-C5-C6-O6
11	E	906	XYL	C2-C3-C4-C5
8	A	906	NAG	O5-C5-C6-O6
8	D	904	NAG	O5-C5-C6-O6
8	B	904	NAG	O5-C5-C6-O6
11	E	906	XYL	C2-C3-C4-O4
9	B	906	XYZ	O4-C4-C5-O5


There are no ring outliers.


7 monomers are involved in 12 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	A	907	XYZ	1	0
8	D	902	NAG	3	0
8	B	905	NAG	2	0
11	C	907	XYL	2	0
8	E	905	NAG	2	0
9	B	906	XYZ	1	0
11	E	906	XYL	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the


average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	758/805 (94%)	-1.38	1 (0%) 92 93	18, 29, 47, 98	1 (0%)
1	B	758/805 (94%)	-1.40	0 100 100	18, 27, 44, 90	1 (0%)
1	C	756/805 (93%)	-1.36	1 (0%) 92 93	19, 29, 46, 92	1 (0%)
1	D	756/805 (93%)	-1.37	1 (0%) 92 93	18, 29, 46, 102	1 (0%)
1	E	757/805 (94%)	-1.38	0 100 100	18, 27, 44, 85	1 (0%)
1	F	757/805 (94%)	-1.40	0 100 100	18, 27, 44, 88	1 (0%)
All	All	4542/4830 (94%)	-1.38	3 (0%) 92 93	18, 28, 45, 102	6 (0%)

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	804	HIS	2.5
1	C	804	HIS	2.4
1	A	804	HIS	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MAN	I	5	11/12	0.95	0.08	72,82,90,91	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	BMA	V	3	11/12	0.96	0.07	62,74,82,85	0
3	MAN	T	5	11/12	0.96	0.07	55,58,68,75	0
2	BMA	J	3	11/12	0.96	0.07	56,69,76,85	0
5	MAN	K	5	11/12	0.96	0.07	50,59,71,72	0
6	MAN	L	3	11/12	0.96	0.07	32,50,57,59	0
6	MAN	O	5	11/12	0.96	0.09	77,85,91,100	0
6	MAN	U	3	11/12	0.96	0.07	33,48,56,59	0
6	MAN	X	3	11/12	0.96	0.07	40,47,56,56	0
3	MAN	W	5	11/12	0.97	0.06	52,54,64,64	0
3	MAN	W	6	11/12	0.97	0.06	39,42,44,45	0
4	MAN	I	3	11/12	0.97	0.07	51,56,59,59	0
4	MAN	I	4	11/12	0.97	0.06	52,60,67,70	0
2	BMA	G	3	11/12	0.97	0.08	62,75,79,80	0
3	BMA	N	4	11/12	0.97	0.06	47,52,57,59	0
5	MAN	K	8	11/12	0.97	0.08	57,77,86,86	0
3	MAN	N	5	11/12	0.97	0.08	47,53,59,60	0
6	MAN	L	5	11/12	0.97	0.08	62,68,82,86	0
6	MAN	O	3	11/12	0.97	0.06	46,52,56,56	0
2	BMA	S	3	11/12	0.97	0.06	61,68,76,76	0
6	MAN	O	6	11/12	0.97	0.08	80,93,100,103	0
3	MAN	T	6	11/12	0.97	0.05	40,42,45,46	0
6	MAN	U	5	11/12	0.97	0.07	59,63,71,75	0
3	MAN	T	7	11/12	0.97	0.06	41,46,52,53	0
7	MAN	Q	4	11/12	0.97	0.07	45,48,58,60	0
7	MAN	Q	5	11/12	0.97	0.06	36,44,51,54	0
3	BMA	H	4	11/12	0.98	0.04	44,48,53,53	0
3	MAN	H	5	11/12	0.98	0.06	45,52,58,59	0
3	MAN	H	7	11/12	0.98	0.05	47,52,54,59	0
4	MAN	R	3	11/12	0.98	0.05	51,55,60,63	0
4	MAN	R	4	11/12	0.98	0.06	51,56,61,61	0
4	MAN	R	5	11/12	0.98	0.07	60,69,85,89	0
5	BMA	K	4	11/12	0.98	0.04	41,45,49,52	0
3	BMA	N	3	11/12	0.98	0.04	37,39,44,46	0
2	NAG	M	2	14/15	0.98	0.05	41,45,57,68	0
2	BMA	M	3	11/12	0.98	0.07	58,70,77,78	0
3	MAN	N	6	11/12	0.98	0.05	40,46,49,51	0
6	MAN	L	6	11/12	0.98	0.07	59,66,72,74	0
3	MAN	N	7	11/12	0.98	0.04	44,46,49,50	0
6	MAN	O	4	11/12	0.98	0.06	50,59,66,66	0
3	BMA	T	4	11/12	0.98	0.04	43,45,50,50	0
2	NAG	P	2	14/15	0.98	0.05	44,50,59,70	0
2	BMA	P	3	11/12	0.98	0.06	61,68,76,78	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	MAN	U	4	11/12	0.98	0.04	40,43,48,58	0
2	NAG	S	2	14/15	0.98	0.05	36,40,46,54	0
2	NAG	J	2	14/15	0.98	0.04	37,43,50,57	0
6	MAN	X	4	11/12	0.98	0.04	41,42,52,52	0
6	MAN	X	5	11/12	0.98	0.05	57,62,66,71	0
6	MAN	X	6	11/12	0.98	0.08	57,66,72,72	0
7	BMA	Q	3	11/12	0.98	0.05	46,50,54,56	0
2	NAG	G	2	14/15	0.98	0.05	43,52,66,76	0
3	MAN	W	7	11/12	0.98	0.05	38,43,45,47	0
7	MAN	Q	6	11/12	0.98	0.05	45,49,51,51	0
2	NAG	V	2	14/15	0.99	0.05	36,41,48,55	0
2	NAG	M	1	14/15	0.99	0.04	28,33,37,38	0
3	NAG	H	1	14/15	0.99	0.03	25,27,33,36	0
5	NAG	K	1	14/15	0.99	0.04	25,27,31,36	0
5	NAG	K	2	14/15	0.99	0.04	24,26,30,33	0
5	BMA	K	3	11/12	0.99	0.03	29,32,39,46	0
3	NAG	T	1	14/15	0.99	0.03	25,26,31,36	0
3	NAG	T	2	14/15	0.99	0.03	22,25,29,31	0
5	MAN	K	6	11/12	0.99	0.04	41,50,79,88	0
5	MAN	K	7	11/12	0.99	0.04	41,45,48,49	0
3	BMA	T	3	11/12	0.99	0.03	28,31,36,37	0
6	NAG	L	1	14/15	0.99	0.02	20,21,25,26	0
6	NAG	L	2	14/15	0.99	0.04	27,30,36,40	0
3	NAG	H	2	14/15	0.99	0.04	35,37,40,41	0
6	MAN	L	4	11/12	0.99	0.04	40,42,49,60	0
3	BMA	H	3	11/12	0.99	0.03	37,37,44,48	0
2	NAG	G	1	14/15	0.99	0.04	29,32,35,42	0
6	NAG	O	1	14/15	0.99	0.04	23,27,30,32	0
6	NAG	O	2	14/15	0.99	0.06	28,34,44,45	0
2	NAG	S	1	14/15	0.99	0.03	28,36,38,40	0
3	NAG	W	1	14/15	0.99	0.04	23,26,30,34	0
3	NAG	W	2	14/15	0.99	0.03	24,27,30,32	0
3	BMA	W	3	11/12	0.99	0.03	30,33,36,37	0
6	NAG	U	1	14/15	0.99	0.03	20,23,27,27	0
6	NAG	U	2	14/15	0.99	0.03	25,30,34,37	0
3	BMA	W	4	11/12	0.99	0.04	42,47,53,53	0
3	MAN	H	6	11/12	0.99	0.04	37,46,50,51	0
2	NAG	J	1	14/15	0.99	0.04	27,34,36,37	0
6	MAN	U	6	11/12	0.99	0.07	49,60,64,65	0
6	NAG	X	1	14/15	0.99	0.03	20,23,28,32	0
6	NAG	X	2	14/15	0.99	0.03	28,32,38,39	0
3	NAG	N	1	14/15	0.99	0.04	27,28,34,36	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAG	I	1	14/15	0.99	0.03	22,26,30,31	0
4	NAG	I	2	14/15	0.99	0.05	27,34,47,48	0
3	NAG	N	2	14/15	0.99	0.06	34,39,42,44	0
7	NAG	Q	1	15/15	0.99	0.04	35,37,41,42	0
7	BMA	Q	2	11/12	0.99	0.04	40,41,44,47	0
2	NAG	P	1	14/15	0.99	0.05	28,33,35,40	0
2	NAG	V	1	14/15	0.99	0.04	31,34,37,38	0
4	NAG	R	1	14/15	0.99	0.05	23,25,29,30	0
4	NAG	R	2	14/15	0.99	0.04	27,32,40,48	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain M:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain P:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain S:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain V:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain N:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain T:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain W:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain R:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain L:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain O:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around Chain U:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain X:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	NAG	A	903	14/15	0.96	0.06	54,62,74,74	0
8	NAG	A	906	14/15	0.96	0.09	70,75,80,84	0
8	NAG	C	906	14/15	0.96	0.09	36,42,45,46	14
8	NAG	D	906	14/15	0.96	0.07	69,78,84,84	0
10	BMA	A	908	11/12	0.97	0.06	79,88,92,95	0
8	NAG	C	904	13/15	0.98	0.04	54,55,61,61	0
8	NAG	A	904	13/15	0.98	0.05	45,51,56,57	0
8	NAG	D	903	14/15	0.98	0.05	55,63,67,68	0
8	NAG	D	904	13/15	0.98	0.05	51,56,63,63	0
8	NAG	B	905	14/15	0.98	0.05	40,45,49,50	0
8	NAG	E	903	14/15	0.98	0.05	48,56,65,66	0
8	NAG	F	903	14/15	0.98	0.04	54,59,65,70	0
8	NAG	C	903	14/15	0.98	0.05	55,63,75,77	0
8	NAG	B	904	14/15	0.99	0.03	30,35,38,39	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	NAG	D	905	14/15	0.99	0.03	22,28,32,35	0
8	NAG	C	905	14/15	0.99	0.03	24,29,33,34	0
8	NAG	A	905	14/15	0.99	0.04	23,28,30,31	0
8	NAG	E	904	14/15	0.99	0.04	30,34,38,41	0
8	NAG	E	905	14/15	0.99	0.04	37,46,51,52	0
8	NAG	D	902	13/15	0.99	0.03	24,27,35,35	0
8	NAG	F	904	14/15	0.99	0.03	28,32,36,39	0
8	NAG	F	905	14/15	0.99	0.05	35,44,53,53	0
9	XYZ	A	907	10/10	0.99	0.04	37,47,54,54	0
9	XYZ	B	906	10/10	0.99	0.04	40,53,58,65	0
8	NAG	B	903	14/15	0.99	0.04	52,56,66,66	0
11	XYL	C	907	10/10	0.99	0.06	37,45,50,67	0
11	XYL	D	907	10/10	0.99	0.05	39,42,48,63	0
11	XYL	E	906	10/10	0.99	0.04	32,43,49,53	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around XYZ A 907:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XYZ B 906:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XYL C 907:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XYL D 907:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around XYL E 906:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.