



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:30 PM UTC

PDB ID : 4F7I / pdb_00004f7i
Title : Structure of Isopropylmalate dehydrogenase from *Thermus thermophilus* in complex with IPM, Mn and NADH
Authors : Pallo, A.; Graczer, E.; Zavodszky, P.; Weiss, M.S.; Vas, M.
Deposited on : 2012-05-16
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	359	% 86% 11% ..
1	B	359	% 87% 10% .
1	C	359	 84% 12% .
1	D	359	% 85% 12% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	IPM	A	800	-	X	-	-
2	IPM	C	800	-	X	-	-
2	IPM	D	800	-	X	-	-
4	MPO	A	950	-	-	X	-
7	GOL	A	1009	-	-	X	-
7	GOL	B	1010	-	-	X	-
7	GOL	D	1003	-	X	X	-
8	EOH	C	1009	-	-	X	-
8	EOH	C	1010	-	-	X	-
8	EOH	D	1009	-	-	X	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 11489 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-isopropylmalate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	350	Total	C	N	O	S	0	7	0
			2661	1701	461	492	7			
1	B	350	Total	C	N	O	S	0	5	0
			2656	1696	464	490	6			
1	C	348	Total	C	N	O	S	0	5	0
			2643	1686	463	488	6			
1	D	349	Total	C	N	O	S	0	3	0
			2629	1679	456	487	7			

There are 56 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	MET	-	expression tag	UNP Q5SIY4
A	-1	ALA	-	expression tag	UNP Q5SIY4
A	0	SER	-	expression tag	UNP Q5SIY4
A	346	ALA	-	expression tag	UNP Q5SIY4
A	347	ALA	-	expression tag	UNP Q5SIY4
A	348	ALA	-	expression tag	UNP Q5SIY4
A	349	LEU	-	expression tag	UNP Q5SIY4
A	350	GLU	-	expression tag	UNP Q5SIY4
A	351	HIS	-	expression tag	UNP Q5SIY4
A	352	HIS	-	expression tag	UNP Q5SIY4
A	353	HIS	-	expression tag	UNP Q5SIY4
A	354	HIS	-	expression tag	UNP Q5SIY4
A	355	HIS	-	expression tag	UNP Q5SIY4
A	356	HIS	-	expression tag	UNP Q5SIY4
B	-2	MET	-	expression tag	UNP Q5SIY4
B	-1	ALA	-	expression tag	UNP Q5SIY4
B	0	SER	-	expression tag	UNP Q5SIY4
B	346	ALA	-	expression tag	UNP Q5SIY4
B	347	ALA	-	expression tag	UNP Q5SIY4
B	348	ALA	-	expression tag	UNP Q5SIY4
B	349	LEU	-	expression tag	UNP Q5SIY4

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	350	GLU	-	expression tag	UNP Q5SIY4
B	351	HIS	-	expression tag	UNP Q5SIY4
B	352	HIS	-	expression tag	UNP Q5SIY4
B	353	HIS	-	expression tag	UNP Q5SIY4
B	354	HIS	-	expression tag	UNP Q5SIY4
B	355	HIS	-	expression tag	UNP Q5SIY4
B	356	HIS	-	expression tag	UNP Q5SIY4
C	-2	MET	-	expression tag	UNP Q5SIY4
C	-1	ALA	-	expression tag	UNP Q5SIY4
C	0	SER	-	expression tag	UNP Q5SIY4
C	346	ALA	-	expression tag	UNP Q5SIY4
C	347	ALA	-	expression tag	UNP Q5SIY4
C	348	ALA	-	expression tag	UNP Q5SIY4
C	349	LEU	-	expression tag	UNP Q5SIY4
C	350	GLU	-	expression tag	UNP Q5SIY4
C	351	HIS	-	expression tag	UNP Q5SIY4
C	352	HIS	-	expression tag	UNP Q5SIY4
C	353	HIS	-	expression tag	UNP Q5SIY4
C	354	HIS	-	expression tag	UNP Q5SIY4
C	355	HIS	-	expression tag	UNP Q5SIY4
C	356	HIS	-	expression tag	UNP Q5SIY4
D	-2	MET	-	expression tag	UNP Q5SIY4
D	-1	ALA	-	expression tag	UNP Q5SIY4
D	0	SER	-	expression tag	UNP Q5SIY4
D	346	ALA	-	expression tag	UNP Q5SIY4
D	347	ALA	-	expression tag	UNP Q5SIY4
D	348	ALA	-	expression tag	UNP Q5SIY4
D	349	LEU	-	expression tag	UNP Q5SIY4
D	350	GLU	-	expression tag	UNP Q5SIY4
D	351	HIS	-	expression tag	UNP Q5SIY4
D	352	HIS	-	expression tag	UNP Q5SIY4
D	353	HIS	-	expression tag	UNP Q5SIY4
D	354	HIS	-	expression tag	UNP Q5SIY4
D	355	HIS	-	expression tag	UNP Q5SIY4
D	356	HIS	-	expression tag	UNP Q5SIY4

- Molecule 2 is 3-ISOPROPYLMALIC ACID (CCD ID: IPM) (formula: C₇H₁₂O₅).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			12	7	5		
2	B	1	Total	C	O	0	0
			12	7	5		
2	C	1	Total	C	O	0	0
			12	7	5		
2	D	1	Total	C	O	0	0
			12	7	5		

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 4 is 3[N-MORPHOLINO]PROPANE SULFONIC ACID (CCD ID: MPO) (formula: $C_7H_{15}NO_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			13	7	1	4	1		
4	C	1	Total	C	N	O	S	0	0
			13	7	1	4	1		
4	D	1	Total	C	N	O	S	0	0
			13	7	1	4	1		

- Molecule 5 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mn	0	0
			1	1		
5	B	1	Total	Mn	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	1	Total	Mn	0	0
			1	1		
5	D	1	Total	Mn	0	0
			1	1		

- Molecule 6 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	2	Total	K	0	0
			2	2		
6	B	2	Total	K	0	0
			2	2		
6	C	2	Total	K	0	0
			2	2		
6	D	1	Total	K	0	0
			1	1		

- Molecule 7 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			6	3	3		
7	A	1	Total	C	O	0	0
			6	3	3		
7	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total 6	C 3	O 3	0	0
7	A	1	Total 6	C 3	O 3	0	0
7	A	1	Total 6	C 3	O 3	0	0
7	A	1	Total 6	C 3	O 3	0	0
7	A	1	Total 6	C 3	O 3	0	0
7	A	1	Total 6	C 3	O 3	0	0
7	B	1	Total 6	C 3	O 3	0	0
7	B	1	Total 6	C 3	O 3	0	0
7	B	1	Total 6	C 3	O 3	0	0
7	B	1	Total 6	C 3	O 3	0	0
7	B	1	Total 6	C 3	O 3	0	0
7	B	1	Total 6	C 3	O 3	0	0
7	B	1	Total 6	C 3	O 3	0	0
7	B	1	Total 6	C 3	O 3	0	0
7	C	1	Total 6	C 3	O 3	0	0
7	C	1	Total 6	C 3	O 3	0	0
7	C	1	Total 6	C 3	O 3	0	0
7	C	1	Total 6	C 3	O 3	0	0
7	C	1	Total 6	C 3	O 3	0	0
7	C	1	Total 6	C 3	O 3	0	0
7	C	1	Total 1	C 1		0	0
7	C	1	Total 5	C 2	O 3	0	0
7	D	1	Total 6	C 3	O 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	D	1	Total	C	O	0	0
			6	3	3		
7	D	1	Total	C	O	0	0
			6	3	3		
7	D	1	Total	C	O	0	0
			6	3	3		
7	D	1	Total	C	O	0	0
			6	3	3		
7	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is ETHANOL (CCD ID: EOH) (formula: C₂H₆O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			3	2	1		
8	B	1	Total	C	O	0	0
			3	2	1		
8	C	1	Total	C	O	0	0
			3	2	1		
8	C	1	Total	C	O	0	0
			3	2	1		
8	D	1	Total	C	O	0	0
			3	2	1		
8	D	1	Total	C	O	0	0
			3	2	1		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	112	Total 112	O 112	0	0
9	B	118	Total 118	O 118	0	0
9	C	120	Total 120	O 120	0	0
9	D	90	Total 90	O 90	0	0

- Molecule 1: 3-isopropylmalate dehydrogenase





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	148.38Å 50.72Å 178.24Å 90.00° 93.09° 90.00°	Depositor
Resolution (Å)	30.00 – 2.00 30.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.4 (30.00-2.00) 99.4 (30.00-2.00)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.21 (at 1.99Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.152 , 0.196 (Not available) , 0.186	Depositor DCC
R_{free} test set	906 reflections (1.00%)	wwPDB-VP
Wilson B-factor (Å ²)	27.4	Xtriage
Anisotropy	0.061	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 45.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11489	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: IPM, MN, GOL, NAD, K, EOH, MPO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.32	9/2737 (0.3%)	1.12	4/3714 (0.1%)
1	B	1.35	8/2727 (0.3%)	1.09	0/3700
1	C	1.34	1/2714 (0.0%)	1.16	7/3683 (0.2%)
1	D	1.28	11/2693 (0.4%)	1.06	0/3656
All	All	1.32	29/10871 (0.3%)	1.11	11/14753 (0.1%)

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	276	ALA	C-O	9.88	1.28	1.23
1	B	220	ALA	N-CA	6.83	1.54	1.46
1	A	312	GLU	N-CA	6.78	1.54	1.46
1	B	222	HIS	CG-CD2	6.22	1.42	1.35
1	D	9	ASP	N-CA	6.13	1.53	1.45
1	D	286	ASN	C-N	6.02	1.39	1.33
1	D	222	HIS	CG-CD2	6.01	1.42	1.35
1	B	300	HIS	CG-CD2	5.95	1.42	1.35
1	A	273	HIS	CG-CD2	5.88	1.42	1.35
1	D	323	PRO	CA-C	5.85	1.55	1.51
1	D	322	THR	C-N	5.85	1.38	1.33
1	A	300	HIS	CG-CD2	5.76	1.42	1.35
1	A	273	HIS	ND1-CE1	5.75	1.38	1.32
1	B	235	THR	C-O	5.71	1.30	1.23
1	B	73	GLY	N-CA	5.68	1.50	1.45
1	B	222	HIS	ND1-CE1	5.67	1.38	1.32
1	D	236	GLY	C-O	5.56	1.28	1.23
1	D	222	HIS	ND1-CE1	5.51	1.38	1.32
1	D	300	HIS	ND1-CE1	5.41	1.38	1.32
1	A	343	HIS	CG-CD2	5.35	1.41	1.35
1	A	222	HIS	N-CA	5.34	1.52	1.46
1	A	53	PHE	N-CA	5.21	1.52	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	188	VAL	N-CA	5.20	1.52	1.46
1	B	250	LEU	CA-C	5.19	1.58	1.52
1	D	329	GLY	N-CA	5.17	1.48	1.44
1	D	40	PRO	C-O	5.13	1.29	1.23
1	A	213	HIS	CE1-NE2	5.11	1.37	1.32
1	A	235	THR	C-O	5.06	1.29	1.23
1	D	77	TRP	CD2-CE2	5.02	1.49	1.41

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	323	PRO	CA-C-N	8.41	129.05	120.38
1	C	323	PRO	C-N-CA	8.41	129.05	120.38
1	C	328	GLY	CA-C-N	-6.86	116.33	122.43
1	C	328	GLY	C-N-CA	-6.86	116.33	122.43
1	C	174	ARG	CB-CA-C	-5.48	100.50	110.63
1	C	225	ARG	CA-C-N	-5.31	117.43	122.37
1	C	225	ARG	C-N-CA	-5.31	117.43	122.37
1	A	250	LEU	CA-C-N	-5.06	114.45	119.56
1	A	250	LEU	C-N-CA	-5.06	114.45	119.56
1	A	39	PHE	CA-C-N	5.00	124.76	119.76
1	A	39	PHE	C-N-CA	5.00	124.76	119.76

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2661	0	2725	39	0
1	B	2656	0	2714	31	0
1	C	2643	0	2694	46	1
1	D	2629	0	2681	31	0
2	A	12	0	9	2	0
2	B	12	0	10	2	0
2	C	12	0	9	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	12	0	9	2	0
3	A	44	0	26	2	0
3	B	44	0	26	1	0
3	C	44	0	26	1	0
3	D	44	0	26	2	0
4	A	13	0	15	6	0
4	C	13	0	15	0	0
4	D	13	0	15	1	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
6	A	2	0	0	0	0
6	B	2	0	0	0	0
6	C	2	0	0	0	0
6	D	1	0	0	0	0
7	A	54	0	72	10	0
7	B	42	0	56	12	0
7	C	36	0	43	2	1
7	D	36	0	48	9	0
8	A	3	0	6	1	0
8	B	3	0	6	0	0
8	C	6	0	12	13	0
8	D	6	0	12	5	0
9	A	112	0	0	4	0
9	B	118	0	0	9	0
9	C	120	0	0	12	0
9	D	90	0	0	4	0
All	All	11489	0	11255	157	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:85:ARG:NH1	9:C:2118:HOH:O	1.62	1.31
1:B:85:ARG:NH1	9:B:2108:HOH:O	1.78	1.11
1:A:296:MET:HG2	7:A:1009:GOL:H12	1.33	1.10
1:C:254:LEU:H	8:D:1009:EOH:H21	1.08	1.09
1:C:85:ARG:HH12	8:C:1010:EOH:H11	1.22	1.01

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:282:LYS:HE3	9:C:2115:HOH:O	1.60	0.97
1:D:90:LEU:HD23	2:D:800:IPM:H72	1.50	0.93
1:D:343:HIS:NE2	9:D:2022:HOH:O	2.03	0.89
1:C:85:ARG:NH1	8:C:1010:EOH:H11	1.87	0.89
1:C:112:LEU:HD21	1:C:320[A]:LEU:HG	1.53	0.89
1:C:229[A]:ARG:HD2	9:C:2064:HOH:O	1.72	0.89
1:A:296:MET:CG	7:A:1009:GOL:H12	2.03	0.88
7:B:1003:GOL:H12	9:B:2037:HOH:O	1.76	0.86
1:A:296:MET:HG2	7:A:1009:GOL:C1	2.05	0.85
1:D:321:GLU:OE2	9:D:2022:HOH:O	1.95	0.84
1:C:109:PHE:HD1	7:C:1007:GOL:H2	1.42	0.82
1:C:90:LEU:HD23	2:C:800:IPM:H72	1.62	0.80
1:C:254:LEU:N	8:D:1009:EOH:H21	1.93	0.79
1:B:179[A]:HIS:CE1	9:B:2112:HOH:O	2.36	0.77
1:D:112:LEU:HD21	1:D:320[A]:LEU:HG	1.65	0.77
1:C:109:PHE:CD1	7:C:1007:GOL:H2	2.20	0.76
1:A:146:MET:HE3	1:B:194:PHE:HD1	1.52	0.75
1:C:109:PHE:CD2	9:C:2116:HOH:O	2.41	0.73
1:A:112:LEU:HD21	1:A:320[A]:LEU:HG	1.72	0.72
1:B:203:GLY:HA3	7:B:1010:GOL:H32	1.74	0.70
1:B:85:ARG:HG3	1:B:88:THR:H	1.56	0.70
4:A:950:MPO:O4	7:A:1009:GOL:H11	1.92	0.69
1:C:24:ARG:NH2	9:C:2106:HOH:O	2.25	0.68
1:D:225:ARG:HH11	8:D:1009:EOH:H23	1.58	0.67
7:B:1010:GOL:H2	9:B:2117:HOH:O	1.94	0.66
1:C:321:GLU:HG2	1:C:322:THR:HG23	1.77	0.65
1:B:211:LEU:HB3	7:B:1010:GOL:H31	1.79	0.64
1:B:109:PHE:HZ	1:B:312:GLU:HG2	1.63	0.64
1:C:112:LEU:CD2	1:C:320[A]:LEU:HG	2.27	0.64
1:C:179[A]:HIS:CD2	9:C:2015:HOH:O	2.51	0.64
1:C:82:ARG:HG3	1:C:85:ARG:HE	1.63	0.63
1:B:109:PHE:CZ	1:B:312:GLU:HG2	2.33	0.63
1:D:236:GLY:HA3	7:D:1003:GOL:H32	1.82	0.62
1:D:109:PHE:HZ	1:D:312:GLU:HG2	1.64	0.61
1:B:90:LEU:HD23	2:B:800:IPM:H72	1.80	0.61
1:D:85:ARG:HG3	1:D:88:THR:H	1.66	0.61
1:B:85:ARG:NH1	7:B:1004:GOL:O3	2.34	0.61
1:B:159[A]:LYS:HB3	1:B:160:PRO:HD3	1.83	0.61
1:C:179[A]:HIS:HD2	9:C:2015:HOH:O	1.83	0.61
2:D:800:IPM:H2	3:D:900:NAD:C4N	2.32	0.60
1:C:109:PHE:CE2	9:C:2116:HOH:O	2.53	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:321:GLU:OE1	1:C:343:HIS:HE1	1.85	0.59
1:B:167:ARG:NH2	9:B:2100:HOH:O	2.34	0.59
7:B:1003:GOL:C1	9:B:2037:HOH:O	2.42	0.59
1:C:159:LYS:HB3	1:C:160:PRO:HD3	1.85	0.59
1:A:159:LYS:HB3	1:A:160:PRO:HD3	1.85	0.59
8:C:1009:EOH:H23	9:C:2110:HOH:O	2.03	0.59
7:A:1005:GOL:H11	1:B:225:ARG:NH1	2.18	0.58
1:C:321:GLU:OE2	1:C:342[B]:ARG:NH2	2.34	0.58
1:B:112:LEU:HD21	1:B:320:LEU:HG	1.86	0.57
2:A:800:IPM:H2	3:A:900:NAD:C4N	2.34	0.57
1:C:85:ARG:HG3	1:C:88:THR:H	1.70	0.57
1:D:109:PHE:CZ	1:D:312:GLU:HG2	2.39	0.57
1:C:85:ARG:CZ	8:C:1010:EOH:H11	2.34	0.57
1:B:211:LEU:CB	7:B:1010:GOL:H31	2.34	0.57
1:A:343:HIS:HD2	9:A:2042:HOH:O	1.87	0.56
1:A:288:THR:HG23	1:A:315:VAL:HG11	1.88	0.56
1:A:300:HIS:NE2	4:A:950:MPO:H61	2.21	0.55
1:C:85:ARG:HH22	8:C:1010:EOH:H11	1.71	0.55
1:C:85:ARG:HH22	8:C:1010:EOH:C1	2.18	0.55
1:A:177:ARG:C	1:A:178[B]:LYS:HG2	2.33	0.54
1:A:167:ARG:NH2	9:A:2063:HOH:O	2.27	0.53
1:C:85:ARG:NH2	8:C:1010:EOH:H11	2.23	0.53
1:A:118:LEU:HD23	1:B:118:LEU:HD23	1.91	0.53
1:A:174:ARG:HA	1:A:178[A]:LYS:HD3	1.90	0.53
1:D:85:ARG:NH1	7:D:1004:GOL:O1	2.42	0.52
1:B:109:PHE:HD1	7:B:1006:GOL:H2	1.74	0.52
7:B:1010:GOL:H11	9:B:2117:HOH:O	2.09	0.52
1:A:321:GLU:OE1	1:A:343:HIS:HE1	1.93	0.52
1:A:109:PHE:CD1	7:A:1007:GOL:H32	2.45	0.51
1:A:300:HIS:NE2	4:A:950:MPO:C6	2.73	0.51
1:C:109:PHE:HD2	9:C:2116:HOH:O	1.84	0.51
1:B:77:TRP:CD1	7:B:1005:GOL:H11	2.46	0.51
1:B:85:ARG:HG2	1:B:88:THR:OG1	2.11	0.51
1:A:90:LEU:HD23	2:A:800:IPM:H72	1.93	0.50
1:A:112:LEU:CD2	1:A:320[B]:LEU:HD23	2.41	0.50
3:A:900:NAD:O2A	3:A:900:NAD:H51N	2.11	0.50
1:D:288:THR:HG23	1:D:315:VAL:HG11	1.93	0.50
1:A:155:GLU:HG2	1:A:191:VAL:HG11	1.92	0.50
1:B:179[B]:HIS:CD2	9:B:2008:HOH:O	2.65	0.50
1:D:236:GLY:H	7:D:1003:GOL:H32	1.76	0.50
1:B:203:GLY:CA	7:B:1010:GOL:H32	2.41	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:236:GLY:CA	7:D:1003:GOL:H32	2.41	0.49
1:A:85:ARG:HG2	1:A:88:THR:OG1	2.12	0.49
2:B:800:IPM:H2	3:B:900:NAD:C4N	2.42	0.49
1:C:321:GLU:OE1	1:C:343:HIS:CE1	2.63	0.49
1:A:82:ARG:HG3	1:A:85:ARG:HE	1.77	0.49
8:D:1010:EOH:H22	9:D:2081:HOH:O	2.13	0.49
7:A:1005:GOL:H11	1:B:225:ARG:HH11	1.78	0.49
1:B:197[A]:LYS:HE2	1:B:201:GLU:OE2	2.13	0.49
1:B:24:ARG:NH2	9:B:2070:HOH:O	2.45	0.48
1:A:221[A]:MET:HE1	8:A:1012:EOH:H23	1.95	0.48
1:C:80:LEU:O	8:C:1010:EOH:H22	2.14	0.48
1:C:254:LEU:HB2	1:D:221[B]:MET:SD	2.54	0.48
1:D:239:PHE:CD2	7:D:1003:GOL:H31	2.48	0.48
1:D:321:GLU:OE1	1:D:343:HIS:HE1	1.97	0.48
1:D:279:ILE:HA	1:D:282:LYS:HD2	1.95	0.47
1:C:52:PRO:HB2	1:C:89:GLY:HA3	1.96	0.47
1:D:82:ARG:CZ	1:D:85:ARG:HH21	2.27	0.47
1:D:24:ARG:NH2	9:D:2085:HOH:O	2.48	0.46
1:A:112:LEU:CD2	1:A:320[B]:LEU:CD2	2.93	0.46
1:D:72:VAL:O	3:D:900:NAD:H2N	2.15	0.46
1:A:254:LEU:HB3	7:A:1005:GOL:H31	1.97	0.46
1:C:317:LYS:HD3	1:C:343:HIS:CD2	2.51	0.46
1:D:176:ARG:HD2	4:D:950:MPO:H31	1.97	0.45
1:A:109:PHE:HD1	7:A:1007:GOL:H32	1.80	0.45
1:C:148:GLU:O	8:C:1009:EOH:H21	2.17	0.45
8:C:1010:EOH:H11	9:C:2118:HOH:O	2.15	0.45
1:D:116:SER:HB2	1:D:250:LEU:O	2.17	0.45
1:D:221[B]:MET:SD	8:D:1009:EOH:H22	2.56	0.45
1:B:77:TRP:HD1	7:B:1005:GOL:H11	1.81	0.44
1:A:192:GLY:HA2	7:A:1004:GOL:O1	2.18	0.44
1:D:236:GLY:N	7:D:1003:GOL:H32	2.32	0.44
1:C:323:PRO:O	1:C:329:GLY:HA3	2.18	0.44
1:C:85:ARG:HH22	8:C:1010:EOH:C2	2.31	0.43
1:C:250:LEU:HB2	1:C:251:PRO:HD3	2.01	0.43
9:C:2110:HOH:O	1:D:159:LYS:HE3	2.18	0.43
1:A:283:GLY:HA2	9:A:2055:HOH:O	2.17	0.43
1:B:82:ARG:HG3	1:B:85:ARG:HE	1.83	0.43
1:D:296:MET:HG3	7:D:1007:GOL:H2	2.00	0.43
1:A:114:ARG:HB2	9:A:2034:HOH:O	2.19	0.43
1:C:85:ARG:HH22	8:C:1010:EOH:H21	1.83	0.43
1:A:155:GLU:CG	1:A:191:VAL:HG11	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:67:VAL:HB	1:C:268:VAL:HG22	2.01	0.43
1:A:45:ALA:HB1	1:A:54:PRO:HD3	2.00	0.43
1:B:82:ARG:CZ	1:B:85:ARG:HH21	2.32	0.43
7:D:1006:GOL:H32	7:D:1008:GOL:O2	2.18	0.42
1:D:184:ASP:O	1:D:215:TYR:HA	2.19	0.42
1:C:250:LEU:HB2	1:C:251:PRO:CD	2.49	0.42
1:A:112:LEU:HD23	1:A:320[B]:LEU:CD2	2.49	0.42
4:A:950:MPO:H21	4:A:950:MPO:H71	1.56	0.42
1:A:112:LEU:HD23	1:A:320[B]:LEU:HD21	2.02	0.42
1:A:176:ARG:HH11	4:A:950:MPO:H31	1.85	0.42
1:A:321:GLU:HG2	1:A:322:THR:HG23	2.02	0.41
1:A:321:GLU:OE1	1:A:343:HIS:CE1	2.72	0.41
1:A:82:ARG:NH2	1:B:193:GLU:HB2	2.36	0.41
1:C:254:LEU:HG	1:C:273:HIS:HB3	2.03	0.41
1:A:176:ARG:HD2	4:A:950:MPO:H31	2.03	0.41
1:D:85:ARG:HG2	1:D:88:THR:OG1	2.19	0.41
1:C:248:SER:HB2	1:C:254:LEU:HA	2.02	0.41
1:D:105:PRO:HG2	7:D:1008:GOL:H31	2.02	0.41
1:A:288:THR:HG23	1:A:315:VAL:CG1	2.50	0.41
1:C:85:ARG:NH2	8:C:1010:EOH:H21	2.36	0.41
1:B:184:ASP:O	1:B:215:TYR:HA	2.20	0.41
1:C:155:GLU:CG	1:C:191:VAL:HG11	2.51	0.41
1:D:177:ARG:NH2	1:D:230:PHE:O	2.54	0.41
1:B:45:ALA:HB1	1:B:54:PRO:HD3	2.03	0.41
1:C:193:GLU:O	1:C:197:LYS:HG3	2.21	0.40
1:C:118:LEU:HD23	1:D:118:LEU:HD23	2.03	0.40
1:B:279:ILE:HA	1:B:282:LYS:HD2	2.04	0.40
2:C:800:IPM:H2	3:C:900:NAD:C4N	2.51	0.40
1:C:94:ARG:HD3	1:C:134:LEU:HG	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:205:GLY:O	7:C:1008:GOL:O3[1_565]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	355/359 (99%)	347 (98%)	8 (2%)	0	100	100
1	B	353/359 (98%)	345 (98%)	8 (2%)	0	100	100
1	C	351/359 (98%)	342 (97%)	9 (3%)	0	100	100
1	D	350/359 (98%)	339 (97%)	11 (3%)	0	100	100
All	All	1409/1436 (98%)	1373 (97%)	36 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	275/276 (100%)	274 (100%)	1 (0%)	84	89
1	B	273/276 (99%)	270 (99%)	3 (1%)	65	73
1	C	272/276 (99%)	269 (99%)	3 (1%)	65	73
1	D	270/276 (98%)	266 (98%)	4 (2%)	57	64
All	All	1090/1104 (99%)	1079 (99%)	11 (1%)	68	75

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	55	GLU
1	B	2	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	204	ARG
1	B	320	LEU
1	C	2	LYS
1	C	55	GLU
1	C	107	LYS
1	D	2	LYS
1	D	55	GLU
1	D	204	ARG
1	D	245	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	343	HIS
1	B	343	HIS
1	C	343	HIS
1	D	343	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 57 ligands modelled in this entry, 11 are monoatomic and 1 is modelled with single atom - leaving 45 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	IPM	C	800	5	11,11,11	3.64	5 (45%)	11,15,15	3.71	5 (45%)
7	GOL	C	1006	-	5,5,5	0.93	0	5,5,5	1.07	0
7	GOL	B	1007	-	5,5,5	0.59	0	5,5,5	0.50	0
7	GOL	A	1008	-	5,5,5	0.47	0	5,5,5	0.51	0
8	EOH	D	1010	-	2,2,2	0.60	0	1,1,1	0.22	0
7	GOL	A	1009	-	5,5,5	0.66	0	5,5,5	0.81	0
7	GOL	C	1005	-	5,5,5	0.90	0	5,5,5	0.92	0
7	GOL	D	1006	-	5,5,5	0.73	0	5,5,5	1.31	0
7	GOL	D	1004	-	5,5,5	0.61	0	5,5,5	0.76	0
7	GOL	B	1003	-	5,5,5	0.90	0	5,5,5	1.58	1 (20%)
7	GOL	A	1003	-	5,5,5	0.71	0	5,5,5	0.62	0
4	MPO	A	950	-	13,13,13	2.07	1 (7%)	17,17,17	2.63	7 (41%)
7	GOL	D	1003	-	5,5,5	0.62	0	5,5,5	1.85	2 (40%)
3	NAD	D	900	-	46,48,48	1.63	6 (13%)	64,73,73	1.89	20 (31%)
7	GOL	D	1007	-	5,5,5	0.66	0	5,5,5	0.99	0
7	GOL	A	1010	-	5,5,5	0.51	0	5,5,5	0.61	0
7	GOL	B	1010	-	5,5,5	0.76	0	5,5,5	1.35	1 (20%)
7	GOL	D	1005	-	5,5,5	0.81	0	5,5,5	1.54	1 (20%)
3	NAD	A	900	-	46,48,48	1.76	12 (26%)	64,73,73	1.94	17 (26%)
7	GOL	B	1004	-	5,5,5	0.86	0	5,5,5	0.64	0
2	IPM	B	800	5	11,11,11	3.50	4 (36%)	11,15,15	2.94	5 (45%)
7	GOL	A	1007	-	5,5,5	0.24	0	5,5,5	0.59	0
8	EOH	B	1009	-	2,2,2	0.52	0	1,1,1	0.33	0
3	NAD	B	900	-	46,48,48	1.74	8 (17%)	64,73,73	1.72	14 (21%)
7	GOL	A	1004	-	5,5,5	0.64	0	5,5,5	0.72	0
7	GOL	C	1003	-	5,5,5	0.49	0	5,5,5	1.05	0
2	IPM	A	800	5	11,11,11	3.94	5 (45%)	11,15,15	3.58	4 (36%)
7	GOL	A	1006	-	5,5,5	0.30	0	5,5,5	1.26	1 (20%)
7	GOL	C	1007	-	5,5,5	0.29	0	5,5,5	0.59	0
7	GOL	B	1005	-	5,5,5	0.32	0	5,5,5	1.85	1 (20%)
2	IPM	D	800	5	11,11,11	3.81	5 (45%)	11,15,15	3.22	5 (45%)
7	GOL	A	1005	-	5,5,5	0.33	0	5,5,5	0.56	0
4	MPO	C	950	-	13,13,13	1.94	1 (7%)	17,17,17	2.34	6 (35%)
7	GOL	B	1008	-	5,5,5	0.40	0	5,5,5	0.50	0
7	GOL	C	1008	-	3,3,5	0.78	0	2,2,5	1.09	0
4	MPO	D	950	-	13,13,13	1.90	1 (7%)	17,17,17	2.40	4 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	EOH	A	1012	-	2,2,2	0.76	0	1,1,1	0.51	0
7	GOL	D	1008	-	5,5,5	0.56	0	5,5,5	0.47	0
7	GOL	A	1011	-	5,5,5	0.17	0	5,5,5	1.00	0
8	EOH	C	1009	-	2,2,2	0.44	0	1,1,1	0.09	0
3	NAD	C	900	-	46,48,48	1.85	7 (15%)	64,73,73	1.99	17 (26%)
8	EOH	C	1010	-	2,2,2	0.47	0	1,1,1	0.07	0
8	EOH	D	1009	-	2,2,2	0.70	0	1,1,1	0.69	0
7	GOL	C	1004	-	5,5,5	0.70	0	5,5,5	0.40	0
7	GOL	B	1006	-	5,5,5	0.52	0	5,5,5	0.39	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	IPM	C	800	5	-	7/16/16/16	-
7	GOL	C	1006	-	-	2/4/4/4	-
7	GOL	B	1007	-	-	0/4/4/4	-
7	GOL	A	1008	-	-	0/4/4/4	-
7	GOL	A	1009	-	-	2/4/4/4	-
7	GOL	C	1005	-	-	2/4/4/4	-
7	GOL	D	1006	-	-	4/4/4/4	-
7	GOL	D	1004	-	-	2/4/4/4	-
7	GOL	B	1003	-	-	4/4/4/4	-
7	GOL	A	1003	-	-	0/4/4/4	-
4	MPO	A	950	-	-	3/7/15/15	0/1/1/1
7	GOL	D	1003	-	-	4/4/4/4	-
3	NAD	D	900	-	-	4/30/62/62	0/5/5/5
7	GOL	D	1007	-	-	1/4/4/4	-
7	GOL	A	1010	-	-	2/4/4/4	-
7	GOL	B	1010	-	-	4/4/4/4	-
7	GOL	D	1005	-	-	0/4/4/4	-
3	NAD	A	900	-	-	5/30/62/62	0/5/5/5
7	GOL	B	1004	-	-	0/4/4/4	-
2	IPM	B	800	5	-	7/16/16/16	-
7	GOL	A	1007	-	-	2/4/4/4	-
3	NAD	B	900	-	-	5/30/62/62	0/5/5/5
7	GOL	A	1004	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	GOL	C	1003	-	-	0/4/4/4	-
2	IPM	A	800	5	-	8/16/16/16	-
7	GOL	A	1006	-	-	2/4/4/4	-
7	GOL	C	1007	-	-	2/4/4/4	-
7	GOL	B	1005	-	-	2/4/4/4	-
2	IPM	D	800	5	-	7/16/16/16	-
7	GOL	A	1005	-	-	2/4/4/4	-
4	MPO	C	950	-	-	3/7/15/15	0/1/1/1
7	GOL	B	1008	-	-	2/4/4/4	-
7	GOL	C	1008	-	-	1/1/1/4	-
4	MPO	D	950	-	-	4/7/15/15	0/1/1/1
7	GOL	D	1008	-	-	0/4/4/4	-
7	GOL	A	1011	-	-	4/4/4/4	-
3	NAD	C	900	-	-	4/30/62/62	0/5/5/5
7	GOL	C	1004	-	-	0/4/4/4	-
7	GOL	B	1006	-	-	2/4/4/4	-

All (55) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	800	IPM	C2-C1	-9.86	1.38	1.52
2	D	800	IPM	C2-C1	-9.42	1.39	1.52
2	A	800	IPM	C2-C1	-9.04	1.39	1.52
2	B	800	IPM	C2-C1	-7.93	1.41	1.52
2	A	800	IPM	O1-C2	7.67	1.57	1.42
2	B	800	IPM	O1-C2	7.15	1.56	1.42
4	A	950	MPO	C1-S1	-6.86	1.68	1.77
3	C	900	NAD	PN-O3	6.50	1.66	1.59
4	C	950	MPO	C1-S1	-6.35	1.68	1.77
3	C	900	NAD	O4D-C1D	6.15	1.49	1.40
3	D	900	NAD	O4D-C1D	6.07	1.48	1.40
4	D	950	MPO	C1-S1	-5.90	1.69	1.77
2	D	800	IPM	O1-C2	5.69	1.53	1.42
3	D	900	NAD	C4N-C3N	5.03	1.47	1.39
3	B	900	NAD	PA-O3	4.76	1.64	1.59
2	C	800	IPM	O1-C2	4.75	1.51	1.42
3	A	900	NAD	C4N-C3N	4.51	1.46	1.39
3	A	900	NAD	PN-O3	4.46	1.64	1.59
3	B	900	NAD	O4D-C1D	4.29	1.46	1.40
3	B	900	NAD	C5N-C4N	4.24	1.46	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	900	NAD	C4N-C3N	4.21	1.45	1.39
3	A	900	NAD	PA-O3	3.90	1.63	1.59
2	D	800	IPM	O2-C1	3.60	1.42	1.30
3	B	900	NAD	C5A-C4A	3.31	1.45	1.39
2	D	800	IPM	C3-C2	3.24	1.58	1.54
2	C	800	IPM	O2-C1	3.14	1.40	1.30
2	A	800	IPM	O2-C1	3.09	1.40	1.30
2	A	800	IPM	O3-C1	2.97	1.30	1.22
2	B	800	IPM	O2-C1	2.96	1.40	1.30
3	C	900	NAD	C5N-C4N	2.95	1.44	1.38
3	C	900	NAD	C6A-N6A	2.91	1.41	1.34
3	D	900	NAD	C6A-N6A	2.88	1.41	1.34
2	B	800	IPM	O3-C1	2.80	1.30	1.22
2	D	800	IPM	O3-C1	2.75	1.30	1.22
3	A	900	NAD	C5A-N7A	-2.72	1.34	1.39
3	A	900	NAD	C6A-N6A	2.71	1.41	1.34
3	A	900	NAD	O4D-C1D	2.68	1.44	1.40
3	C	900	NAD	C2N-N1N	-2.58	1.32	1.35
3	C	900	NAD	C4N-C3N	2.58	1.43	1.39
2	A	800	IPM	C3-C2	2.58	1.57	1.54
3	A	900	NAD	C5N-C4N	2.57	1.43	1.38
3	B	900	NAD	C7N-N7N	2.57	1.37	1.33
3	A	900	NAD	C5D-C4D	2.55	1.59	1.51
3	B	900	NAD	C6A-N6A	2.50	1.40	1.34
2	C	800	IPM	C3-C2	2.44	1.57	1.54
3	C	900	NAD	C3N-C7N	-2.41	1.47	1.50
3	B	900	NAD	O4B-C1B	2.30	1.47	1.42
3	D	900	NAD	PA-O3	2.30	1.62	1.59
3	A	900	NAD	C5A-C4A	2.29	1.43	1.39
3	A	900	NAD	C5B-C4B	2.28	1.58	1.51
2	C	800	IPM	O3-C1	2.21	1.28	1.22
3	A	900	NAD	C3D-C4D	2.08	1.58	1.53
3	D	900	NAD	PN-O1N	2.06	1.58	1.50
3	D	900	NAD	C5N-C4N	2.03	1.42	1.38
3	A	900	NAD	C7N-N7N	2.00	1.36	1.33

All (111) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	800	IPM	O1-C2-C3	7.75	127.66	109.62
2	C	800	IPM	O1-C2-C3	7.34	126.72	109.62
4	D	950	MPO	C7-N1-C4	6.57	123.00	108.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	800	IPM	O1-C2-C1	-6.42	96.98	110.69
3	A	900	NAD	N3A-C2A-N1A	-6.39	118.91	128.58
3	C	900	NAD	C5A-C4A-N3A	-6.19	118.19	126.72
3	D	900	NAD	N3A-C2A-N1A	-6.03	119.45	128.58
2	D	800	IPM	O1-C2-C3	5.96	123.51	109.62
2	A	800	IPM	O2-C1-O3	5.89	137.44	124.08
2	C	800	IPM	O2-C1-O3	5.76	137.15	124.08
2	B	800	IPM	O1-C2-C3	5.74	122.98	109.62
3	A	900	NAD	C2A-N1A-C6A	5.51	127.78	118.73
3	B	900	NAD	N3A-C2A-N1A	-5.31	120.54	128.58
4	C	950	MPO	C7-N1-C4	5.28	120.22	108.84
2	D	800	IPM	O2-C1-O3	5.21	135.90	124.08
4	A	950	MPO	C6-C7-N1	-5.15	102.29	110.12
2	A	800	IPM	O1-C2-C1	-5.10	99.78	110.69
3	C	900	NAD	C5N-C4N-C3N	-4.88	115.56	120.36
3	C	900	NAD	N3A-C2A-N1A	-4.79	121.33	128.58
3	A	900	NAD	O3-PA-O1A	-4.62	96.81	110.70
2	B	800	IPM	O1-C2-C1	-4.60	100.86	110.69
4	D	950	MPO	O1-S1-C1	4.59	113.66	106.73
2	B	800	IPM	O2-C1-O3	4.43	134.12	124.08
4	A	950	MPO	C7-N1-C4	4.32	118.15	108.84
4	A	950	MPO	C5-C4-N1	-4.32	103.56	110.12
2	D	800	IPM	O1-C2-C1	-4.20	101.72	110.69
4	C	950	MPO	C3-N1-C4	4.01	121.91	111.24
4	A	950	MPO	C3-N1-C4	3.99	121.88	111.24
3	D	900	NAD	O7N-C7N-N7N	-3.87	117.02	122.62
3	C	900	NAD	O2A-PA-O3	3.85	117.69	107.27
3	C	900	NAD	C2A-N3A-C4A	3.85	121.22	111.83
3	B	900	NAD	O3-PA-O1A	-3.83	99.19	110.70
3	B	900	NAD	C2A-N1A-C6A	3.81	124.99	118.73
3	C	900	NAD	N3A-C4A-N9A	3.79	133.61	127.17
4	A	950	MPO	O1-S1-C1	3.79	112.45	106.73
3	D	900	NAD	C6N-N1N-C2N	3.78	125.09	121.88
3	B	900	NAD	C5A-C4A-N3A	-3.72	121.59	126.72
4	C	950	MPO	O3-S1-C1	3.70	113.23	106.00
7	B	1005	GOL	O3-C3-C2	-3.69	93.75	110.38
3	D	900	NAD	C2A-N1A-C6A	3.68	124.78	118.73
3	B	900	NAD	O3-PN-O1N	-3.55	100.01	110.70
2	D	800	IPM	O3-C1-C2	-3.50	112.29	121.62
3	A	900	NAD	C4D-O4D-C1D	3.47	113.10	109.92
2	D	800	IPM	O4-C4-C3	-3.45	114.03	122.84
3	D	900	NAD	C2A-N3A-C4A	3.44	120.24	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	900	NAD	C5A-C4A-N3A	-3.43	122.00	126.72
3	D	900	NAD	C5A-C4A-N3A	-3.42	122.01	126.72
4	A	950	MPO	C3-N1-C7	3.28	119.97	111.24
3	C	900	NAD	C4A-C5A-N7A	-3.25	106.86	110.58
3	D	900	NAD	O3-PA-O1A	-3.24	100.95	110.70
3	C	900	NAD	O3-PA-O1A	-3.22	101.01	110.70
3	B	900	NAD	N3A-C4A-N9A	3.17	132.56	127.17
2	C	800	IPM	O3-C1-C2	-3.12	113.31	121.62
7	D	1003	GOL	O2-C2-C3	-3.09	96.38	109.18
3	C	900	NAD	C5A-N7A-C8A	3.08	108.30	103.45
4	D	950	MPO	C3-N1-C7	3.08	119.45	111.24
7	B	1003	GOL	O2-C2-C3	-3.08	96.42	109.18
7	D	1005	GOL	O1-C1-C2	-3.07	96.54	110.38
3	C	900	NAD	O3-PN-O1N	-3.06	101.48	110.70
3	D	900	NAD	O2A-PA-O3	3.01	115.41	107.27
3	D	900	NAD	C5A-N7A-C8A	3.01	108.18	103.45
3	A	900	NAD	C2A-N3A-C4A	3.01	119.18	111.83
3	C	900	NAD	O4B-C1B-C2B	-2.93	100.35	106.62
3	B	900	NAD	O3B-C3B-C4B	-2.92	102.71	111.08
3	B	900	NAD	C2A-N3A-C4A	2.89	118.88	111.83
3	A	900	NAD	C3N-C7N-N7N	2.88	121.29	117.74
2	A	800	IPM	O3-C1-C2	-2.86	113.99	121.62
3	D	900	NAD	N3A-C4A-N9A	2.76	131.86	127.17
3	A	900	NAD	C2B-C1B-N9A	-2.74	106.49	113.30
3	A	900	NAD	C4A-C5A-N7A	-2.74	107.44	110.58
3	C	900	NAD	C3N-C7N-N7N	2.73	121.10	117.74
3	D	900	NAD	O2N-PN-O3	2.73	114.64	107.27
2	C	800	IPM	O4-C4-C3	-2.70	115.94	122.84
2	B	800	IPM	O4-C4-C3	-2.70	115.96	122.84
4	C	950	MPO	C6-O4-C5	-2.66	101.28	109.88
3	A	900	NAD	C5A-N7A-C8A	2.64	107.59	103.45
7	B	1010	GOL	O3-C3-C2	2.59	122.04	110.38
3	D	900	NAD	C4B-O4B-C1B	2.55	115.09	109.47
3	A	900	NAD	N9A-C8A-N7A	-2.54	110.33	113.94
3	D	900	NAD	C2N-N1N-C1D	-2.51	113.59	119.13
4	C	950	MPO	C3-N1-C7	2.48	117.86	111.24
3	D	900	NAD	C4A-C5A-N7A	-2.48	107.75	110.58
3	B	900	NAD	C5N-C4N-C3N	-2.39	118.02	120.36
4	D	950	MPO	C3-N1-C4	2.36	117.54	111.24
4	C	950	MPO	O2-S1-C1	2.33	110.25	106.73
3	C	900	NAD	N9A-C8A-N7A	-2.32	110.64	113.94
3	D	900	NAD	O7N-C7N-C3N	2.32	122.43	119.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	900	NAD	O2N-PN-O3	2.30	113.48	107.27
3	D	900	NAD	C4A-N9A-C1B	-2.28	121.29	126.63
3	D	900	NAD	C3N-C7N-N7N	2.28	120.55	117.74
3	C	900	NAD	C4B-O4B-C1B	2.23	114.39	109.47
3	D	900	NAD	N9A-C8A-N7A	-2.23	110.78	113.94
3	B	900	NAD	C2N-C3N-C4N	2.21	120.83	118.26
4	A	950	MPO	C2-C3-N1	-2.21	107.72	113.93
3	C	900	NAD	C2A-N1A-C6A	2.18	122.31	118.73
3	B	900	NAD	C5A-N7A-C8A	2.15	106.83	103.45
3	C	900	NAD	O2N-PN-O5D	2.14	117.25	107.57
3	D	900	NAD	C5N-C6N-N1N	-2.12	117.49	120.38
3	A	900	NAD	O3-PN-O1N	-2.11	104.34	110.70
3	B	900	NAD	O2B-C2B-C1B	2.10	117.35	110.10
7	A	1006	GOL	O2-C2-C3	-2.10	100.48	109.18
3	C	900	NAD	C2N-C3N-C4N	2.10	120.70	118.26
3	A	900	NAD	C6A-C5A-N7A	2.09	136.11	132.09
3	A	900	NAD	N3A-C4A-N9A	2.06	130.67	127.17
7	D	1003	GOL	O1-C1-C2	2.06	119.65	110.38
3	B	900	NAD	C4A-C5A-N7A	-2.06	108.23	110.58
3	A	900	NAD	C5N-C4N-C3N	-2.05	118.35	120.36
2	B	800	IPM	O5-C4-C3	2.04	119.77	113.91
3	A	900	NAD	O7N-C7N-N7N	-2.03	119.69	122.62
3	B	900	NAD	C2B-C1B-N9A	-2.02	108.27	113.30
3	D	900	NAD	C1B-N9A-C8A	2.01	131.56	127.09

There are no chirality outliers.

All (103) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	800	IPM	C1-C2-C3-C5
2	A	800	IPM	O1-C2-C3-C4
2	A	800	IPM	O1-C2-C3-C5
2	B	800	IPM	C1-C2-C3-C5
2	B	800	IPM	O1-C2-C3-C4
2	B	800	IPM	O1-C2-C3-C5
2	C	800	IPM	C1-C2-C3-C5
2	C	800	IPM	O1-C2-C3-C4
2	C	800	IPM	O1-C2-C3-C5
2	C	800	IPM	C4-C3-C5-C7
2	D	800	IPM	C1-C2-C3-C5
2	D	800	IPM	O1-C2-C3-C5
2	D	800	IPM	C4-C3-C5-C7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	900	NAD	O4D-C1D-N1N-C2N
3	A	900	NAD	O4D-C1D-N1N-C6N
3	A	900	NAD	C2D-C1D-N1N-C2N
3	A	900	NAD	C2D-C1D-N1N-C6N
3	B	900	NAD	PN-O3-PA-O5B
3	B	900	NAD	O4D-C1D-N1N-C2N
3	B	900	NAD	O4D-C1D-N1N-C6N
3	B	900	NAD	C2D-C1D-N1N-C2N
3	B	900	NAD	C2D-C1D-N1N-C6N
3	C	900	NAD	O4D-C1D-N1N-C2N
3	C	900	NAD	O4D-C1D-N1N-C6N
3	C	900	NAD	C2D-C1D-N1N-C2N
3	C	900	NAD	C2D-C1D-N1N-C6N
3	D	900	NAD	O4D-C1D-N1N-C2N
3	D	900	NAD	O4D-C1D-N1N-C6N
3	D	900	NAD	C2D-C1D-N1N-C2N
3	D	900	NAD	C2D-C1D-N1N-C6N
4	C	950	MPO	C1-C2-C3-N1
7	A	1009	GOL	C1-C2-C3-O3
7	A	1010	GOL	O1-C1-C2-O2
7	A	1010	GOL	O1-C1-C2-C3
7	A	1011	GOL	C1-C2-C3-O3
7	B	1003	GOL	O2-C2-C3-O3
7	B	1005	GOL	C1-C2-C3-O3
7	B	1005	GOL	O2-C2-C3-O3
7	B	1006	GOL	C1-C2-C3-O3
7	B	1010	GOL	O1-C1-C2-C3
7	C	1005	GOL	C1-C2-C3-O3
7	C	1007	GOL	C1-C2-C3-O3
4	A	950	MPO	C2-C3-N1-C7
4	C	950	MPO	C2-C3-N1-C4
7	D	1006	GOL	O1-C1-C2-O2
4	A	950	MPO	C1-C2-C3-N1
4	D	950	MPO	C1-C2-C3-N1
7	A	1006	GOL	C1-C2-C3-O3
7	A	1007	GOL	O1-C1-C2-C3
7	A	1011	GOL	O1-C1-C2-C3
7	B	1003	GOL	O1-C1-C2-C3
7	B	1003	GOL	C1-C2-C3-O3
7	B	1010	GOL	C1-C2-C3-O3
7	C	1006	GOL	C1-C2-C3-O3
7	D	1003	GOL	O1-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	D	1003	GOL	C1-C2-C3-O3
7	D	1004	GOL	O1-C1-C2-C3
7	D	1006	GOL	O1-C1-C2-C3
7	D	1006	GOL	C1-C2-C3-O3
7	A	1009	GOL	O2-C2-C3-O3
7	A	1011	GOL	O2-C2-C3-O3
7	B	1006	GOL	O2-C2-C3-O3
7	B	1010	GOL	O1-C1-C2-O2
7	C	1006	GOL	O2-C2-C3-O3
7	C	1007	GOL	O2-C2-C3-O3
7	D	1003	GOL	O2-C2-C3-O3
7	D	1006	GOL	O2-C2-C3-O3
4	D	950	MPO	C2-C3-N1-C4
4	D	950	MPO	C2-C3-N1-C7
7	B	1003	GOL	O1-C1-C2-O2
7	C	1005	GOL	O2-C2-C3-O3
2	B	800	IPM	C1-C2-C3-C4
4	C	950	MPO	C2-C3-N1-C7
2	A	800	IPM	C1-C2-C3-C4
2	C	800	IPM	C1-C2-C3-C4
2	D	800	IPM	O3-C1-C2-C3
2	D	800	IPM	C1-C2-C3-C4
3	A	900	NAD	PN-O3-PA-O5B
7	D	1007	GOL	O2-C2-C3-O3
4	A	950	MPO	C2-C3-N1-C4
7	A	1005	GOL	O1-C1-C2-C3
2	A	800	IPM	C4-C3-C5-C6
2	A	800	IPM	C4-C3-C5-C7
2	B	800	IPM	C4-C3-C5-C6
2	B	800	IPM	C4-C3-C5-C7
2	C	800	IPM	C4-C3-C5-C6
2	D	800	IPM	C4-C3-C5-C6
7	A	1005	GOL	O1-C1-C2-O2
7	A	1006	GOL	O2-C2-C3-O3
7	B	1010	GOL	O2-C2-C3-O3
4	D	950	MPO	S1-C1-C2-C3
7	D	1003	GOL	O1-C1-C2-O2
2	B	800	IPM	O3-C1-C2-C3
7	B	1008	GOL	O1-C1-C2-C3
7	A	1011	GOL	O1-C1-C2-O2
7	D	1004	GOL	O1-C1-C2-O2
7	B	1008	GOL	O2-C2-C3-O3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	800	IPM	O3-C1-C2-C3
2	C	800	IPM	O3-C1-C2-C3
7	A	1007	GOL	O1-C1-C2-O2
7	C	1008	GOL	O2-C2-C3-O3
2	D	800	IPM	O1-C2-C3-C4
2	A	800	IPM	O2-C1-C2-C3


There are no ring outliers.


31 monomers are involved in 69 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	800	IPM	2	0
8	D	1010	EOH	1	0
7	A	1009	GOL	4	0
7	D	1006	GOL	1	0
7	D	1004	GOL	1	0
7	B	1003	GOL	2	0
4	A	950	MPO	6	0
7	D	1003	GOL	5	0
3	D	900	NAD	2	0
7	D	1007	GOL	1	0
7	B	1010	GOL	6	0
3	A	900	NAD	2	0
7	B	1004	GOL	1	0
2	B	800	IPM	2	0
7	A	1007	GOL	2	0
3	B	900	NAD	1	0
7	A	1004	GOL	1	0
2	A	800	IPM	2	0
7	C	1007	GOL	2	0
7	B	1005	GOL	2	0
2	D	800	IPM	2	0
7	A	1005	GOL	3	0
7	C	1008	GOL	0	1
4	D	950	MPO	1	0
8	A	1012	EOH	1	0
7	D	1008	GOL	2	0
8	C	1009	EOH	2	0
3	C	900	NAD	1	0
8	C	1010	EOH	11	0
8	D	1009	EOH	4	0
7	B	1006	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	350/359 (97%)	-0.58	3 (0%) 81 80	13, 28, 49, 85	9 (2%)
1	B	350/359 (97%)	-0.56	3 (0%) 81 80	16, 29, 49, 64	7 (2%)
1	C	348/359 (96%)	-0.59	0 100 100	15, 27, 49, 72	6 (1%)
1	D	349/359 (97%)	-0.40	4 (1%) 78 77	14, 32, 59, 92	6 (1%)
All	All	1397/1436 (97%)	-0.53	10 (0%) 84 84	13, 29, 53, 92	28 (2%)

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	349	LEU	14.1
1	D	306	GLU	3.2
1	A	348	ALA	3.2
1	B	349	LEU	2.9
1	D	348	ALA	2.9
1	D	85	ARG	2.9
1	A	85	ARG	2.6
1	B	229	ARG	2.5
1	B	109	PHE	2.3
1	D	81	PRO	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	GOL	C	1018	1/6	0.66	0.21	44,44,44,44	0
8	EOH	C	1010	3/3	0.68	0.23	46,46,52,59	0
7	GOL	B	1010	6/6	0.71	0.15	40,50,59,62	0
4	MPO	D	950	13/13	0.74	0.19	38,49,68,69	13
7	GOL	A	1006	6/6	0.78	0.15	43,55,57,58	0
8	EOH	C	1009	3/3	0.79	0.19	43,43,54,60	0
4	MPO	C	950	13/13	0.79	0.21	36,51,80,81	13
4	MPO	A	950	13/13	0.81	0.19	36,49,80,86	13
8	EOH	B	1009	3/3	0.83	0.20	38,38,40,48	0
7	GOL	A	1009	6/6	0.83	0.15	40,52,63,66	0
7	GOL	A	1011	6/6	0.83	0.14	45,59,62,72	0
7	GOL	D	1007	6/6	0.84	0.13	51,54,60,61	0
7	GOL	B	1003	6/6	0.84	0.11	35,42,50,53	0
7	GOL	C	1005	6/6	0.85	0.13	47,53,58,60	0
7	GOL	C	1008	5/6	0.87	0.12	36,45,49,49	0
7	GOL	B	1006	6/6	0.87	0.12	29,41,50,79	0
8	EOH	A	1012	3/3	0.87	0.13	30,30,36,38	0
7	GOL	A	1010	6/6	0.88	0.12	52,60,67,67	0
8	EOH	D	1009	3/3	0.89	0.11	19,19,32,45	0
7	GOL	B	1007	6/6	0.91	0.10	33,41,46,48	0
8	EOH	D	1010	3/3	0.91	0.14	26,26,34,40	0
7	GOL	D	1003	6/6	0.92	0.10	34,38,41,45	0
7	GOL	C	1006	6/6	0.92	0.09	29,36,44,47	0
7	GOL	D	1006	6/6	0.93	0.09	36,46,52,61	0
7	GOL	B	1005	6/6	0.93	0.08	35,38,40,43	0
7	GOL	D	1004	6/6	0.93	0.07	30,33,34,34	0
7	GOL	D	1005	6/6	0.93	0.10	32,35,36,37	0
7	GOL	D	1008	6/6	0.94	0.07	40,45,50,56	0
7	GOL	B	1008	6/6	0.94	0.07	45,50,51,60	0
7	GOL	A	1008	6/6	0.94	0.07	29,37,39,51	0
7	GOL	C	1003	6/6	0.94	0.10	33,36,45,52	0
2	IPM	A	800	12/12	0.94	0.08	22,28,34,36	0
7	GOL	A	1005	6/6	0.94	0.11	29,41,53,68	0
2	IPM	C	800	12/12	0.94	0.08	24,30,35,40	0
7	GOL	C	1007	6/6	0.95	0.13	24,37,42,54	0
7	GOL	A	1007	6/6	0.95	0.07	31,36,39,46	0
2	IPM	D	800	12/12	0.95	0.07	23,29,34,36	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	GOL	B	1004	6/6	0.96	0.06	24,26,29,31	0
7	GOL	A	1004	6/6	0.96	0.07	26,29,39,46	0
2	IPM	B	800	12/12	0.96	0.07	25,29,36,39	0
6	K	A	1002	1/1	0.96	0.09	39,39,39,39	0
7	GOL	A	1003	6/6	0.97	0.06	25,26,31,34	0
6	K	B	1002	1/1	0.97	0.05	43,43,43,43	0
3	NAD	B	900	44/44	0.98	0.04	20,24,29,33	0
6	K	C	1002	1/1	0.98	0.06	49,49,49,49	0
3	NAD	C	900	44/44	0.98	0.04	19,23,26,31	0
3	NAD	A	900	44/44	0.99	0.04	16,21,23,25	0
6	K	C	1001	1/1	0.99	0.02	25,25,25,25	0
6	K	A	1001	1/1	0.99	0.06	29,29,29,29	0
7	GOL	C	1004	6/6	0.99	0.04	25,27,30,33	0
6	K	D	1001	1/1	0.99	0.06	25,25,25,25	1
3	NAD	D	900	44/44	0.99	0.04	19,23,26,32	0
6	K	B	1001	1/1	0.99	0.02	22,22,22,22	1
5	MN	C	999	1/1	1.00	0.01	21,21,21,21	0
5	MN	D	999	1/1	1.00	0.01	22,22,22,22	0
5	MN	A	999	1/1	1.00	0.02	20,20,20,20	0
5	MN	B	999	1/1	1.00	0.01	22,22,22,22	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NAD B 900:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around NAD C 900:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD A 900:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NAD D 900:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.