



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:27 AM UTC

PDB ID : 6FOI / pdb_00006foi
Title : Human Cys57/156Ala superoxide dismutase-1 (SOD1), as isolated.
Authors : Wright, G.S.A.; Sala, F.A.; Antonyuk, S.V.; Garratt, R.C.; Hasnain, S.S.
Deposited on : 2018-02-07
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	153	% 99% .
1	D	153	% 99% .
1	F	153	2% 98% .
1	G	153	% 99% .
1	I	153	7% 100% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	K	153	 2% 100%
1	M	153	 % 100%
1	O	153	 41% 100%
1	Q	153	 8% 99% .
1	S	153	 52% 97% .
1	U	153	 67% 100%
1	W	153	 33% 99% .

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 14435 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Superoxide dismutase [Cu-Zn].

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	153	Total	C	N	O	S	0	0	0
			1108	679	203	224	2			
1	F	153	Total	C	N	O	S	0	2	0
			1121	687	206	226	2			
1	D	153	Total	C	N	O	S	0	0	0
			1108	679	203	224	2			
1	G	153	Total	C	N	O	S	0	1	0
			1114	683	203	226	2			
1	I	153	Total	C	N	O	S	0	0	0
			1103	677	203	221	2			
1	K	153	Total	C	N	O	S	0	0	0
			1108	679	203	224	2			
1	M	153	Total	C	N	O	S	0	0	0
			1108	679	203	224	2			
1	O	153	Total	C	N	O	S	0	0	0
			1101	673	202	224	2			
1	Q	153	Total	C	N	O	S	0	0	0
			1108	679	203	224	2			
1	S	153	Total	C	N	O	S	0	0	0
			1104	676	202	224	2			
1	U	153	Total	C	N	O	S	0	1	0
			1101	674	203	222	2			
1	W	152	Total	C	N	O	S	0	2	0
			1110	681	205	222	2			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	57	ALA	CYS	engineered mutation	UNP P00441
A	146	ALA	CYS	engineered mutation	UNP P00441
F	57	ALA	CYS	engineered mutation	UNP P00441
F	146	ALA	CYS	engineered mutation	UNP P00441
D	57	ALA	CYS	engineered mutation	UNP P00441

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	146	ALA	CYS	engineered mutation	UNP P00441
G	57	ALA	CYS	engineered mutation	UNP P00441
G	146	ALA	CYS	engineered mutation	UNP P00441
I	57	ALA	CYS	engineered mutation	UNP P00441
I	146	ALA	CYS	engineered mutation	UNP P00441
K	57	ALA	CYS	engineered mutation	UNP P00441
K	146	ALA	CYS	engineered mutation	UNP P00441
M	57	ALA	CYS	engineered mutation	UNP P00441
M	146	ALA	CYS	engineered mutation	UNP P00441
O	57	ALA	CYS	engineered mutation	UNP P00441
O	146	ALA	CYS	engineered mutation	UNP P00441
Q	57	ALA	CYS	engineered mutation	UNP P00441
Q	146	ALA	CYS	engineered mutation	UNP P00441
S	57	ALA	CYS	engineered mutation	UNP P00441
S	146	ALA	CYS	engineered mutation	UNP P00441
U	57	ALA	CYS	engineered mutation	UNP P00441
U	146	ALA	CYS	engineered mutation	UNP P00441
W	57	ALA	CYS	engineered mutation	UNP P00441
W	146	ALA	CYS	engineered mutation	UNP P00441

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Zn 1 1	0	0
2	F	1	Total Zn 1 1	0	0
2	D	1	Total Zn 1 1	0	0
2	G	1	Total Zn 1 1	0	0
2	I	1	Total Zn 1 1	0	0
2	K	1	Total Zn 1 1	0	0
2	M	1	Total Zn 1 1	0	0
2	O	1	Total Zn 1 1	0	0
2	Q	1	Total Zn 1 1	0	0
2	S	1	Total Zn 1 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	U	1	Total	Zn	0	0
			1	1		
2	W	1	Total	Zn	0	0
			1	1		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	1
			5	4	1		
3	F	1	Total	O	S	0	1
			5	4	1		
3	F	1	Total	O	S	0	1
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	I	1	Total	O	S	0	0
			5	4	1		
3	K	1	Total	O	S	0	0
			5	4	1		
3	M	1	Total	O	S	0	1
			5	4	1		
3	Q	1	Total	O	S	0	1
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	Q	1	Total	O	S	0	1
			5	4	1		
3	S	1	Total	O	S	0	0
			5	4	1		
3	U	1	Total	O	S	0	0
			5	4	1		
3	W	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	137	Total	O	0	0
			137	137		
4	F	156	Total	O	0	2
			156	156		
4	D	125	Total	O	0	1
			125	125		
4	G	128	Total	O	0	0
			128	128		
4	I	38	Total	O	0	0
			38	38		
4	K	80	Total	O	0	1
			80	80		
4	M	91	Total	O	0	0
			91	91		
4	O	27	Total	O	0	0
			27	27		
4	Q	103	Total	O	0	0
			103	103		
4	S	64	Total	O	0	0
			64	64		
4	U	36	Total	O	0	0
			36	36		
4	W	79	Total	O	0	2
			79	79		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Superoxide dismutase [Cu-Zn]




- Molecule 1: Superoxide dismutase [Cu-Zn]



- Molecule 1: Superoxide dismutase [Cu-Zn]



- Molecule 1: Superoxide dismutase [Cu-Zn]




- Molecule 1: Superoxide dismutase [Cu-Zn]





- Molecule 1: Superoxide dismutase [Cu-Zn]




- Molecule 1: Superoxide dismutase [Cu-Zn]




- Molecule 1: Superoxide dismutase [Cu-Zn]




- Molecule 1: Superoxide dismutase [Cu-Zn]




- Molecule 1: Superoxide dismutase [Cu-Zn]




- Molecule 1: Superoxide dismutase [Cu-Zn]





● Molecule 1: Superoxide dismutase [Cu-Zn]



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	74.65Å 162.96Å 174.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	81.48 – 2.00 81.48 – 2.00	Depositor EDS
% Data completeness (in resolution range)	100.0 (81.48-2.00) 100.0 (81.48-2.00)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.10 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.8.0189	Depositor
R, R_{free}	0.221 , 0.259 0.227 , 0.263	Depositor DCC
R_{free} test set	7261 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	30.0	Xtriage
Anisotropy	0.296	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 45.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	14435	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.54	0/1126	0.69	0/1518
1	D	0.53	0/1126	0.73	0/1518
1	F	0.54	0/1145	0.71	0/1543
1	G	0.57	0/1135	0.71	0/1530
1	I	0.52	0/1121	0.70	0/1513
1	K	0.52	0/1126	0.70	0/1518
1	M	0.53	0/1126	0.71	0/1518
1	O	0.52	0/1119	0.71	0/1510
1	Q	0.58	1/1126 (0.1%)	0.72	0/1518
1	S	0.63	0/1122	0.76	0/1514
1	U	0.58	0/1119	0.73	0/1512
1	W	0.55	0/1131	0.73	0/1525
All	All	0.55	1/13522 (0.0%)	0.72	0/18237

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	Q	12	GLY	C-N	6.38	1.40	1.34

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1108	0	1079	1	0
1	D	1108	0	1079	1	0
1	F	1121	0	1096	1	0
1	G	1114	0	1085	1	0
1	I	1103	0	1075	0	0
1	K	1108	0	1079	0	0
1	M	1108	0	1079	0	0
1	O	1101	0	1059	0	0
1	Q	1108	0	1079	0	0
1	S	1104	0	1068	2	0
1	U	1101	0	1056	0	0
1	W	1110	0	1082	0	0
2	A	1	0	0	0	0
2	D	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	I	1	0	0	0	0
2	K	1	0	0	0	0
2	M	1	0	0	0	0
2	O	1	0	0	0	0
2	Q	1	0	0	0	0
2	S	1	0	0	0	0
2	U	1	0	0	0	0
2	W	1	0	0	0	0
3	A	5	0	0	0	0
3	D	5	0	0	0	0
3	F	10	0	0	0	0
3	G	5	0	0	0	0
3	I	5	0	0	0	0
3	K	5	0	0	0	0
3	M	5	0	0	0	0
3	Q	10	0	0	0	0
3	S	5	0	0	0	0
3	U	5	0	0	0	0
3	W	5	0	0	0	0
4	A	137	0	0	0	0
4	D	125	0	0	0	0
4	F	156	0	0	0	0
4	G	128	0	0	0	0
4	I	38	0	0	0	0
4	K	80	0	0	0	0
4	M	91	0	0	0	0
4	O	27	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	Q	103	0	0	0	0
4	S	64	0	0	0	0
4	U	36	0	0	0	0
4	W	79	0	0	0	0
All	All	14435	0	12916	5	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All (5) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:S:51:GLY:HA2	1:S:116:THR:HG23	1.89	0.54
1:A:26:ASN:HA	1:D:26:ASN:HA	1.96	0.46
1:G:121:GLU:HA	1:G:144:LEU:HD11	1.99	0.44
1:F:121:GLU:HA	1:F:144:LEU:HD11	2.01	0.43
1:S:8:LEU:HD21	1:S:117:LEU:HD23	2.01	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	151/153 (99%)	149 (99%)	2 (1%)	0	100	100
1	D	151/153 (99%)	148 (98%)	3 (2%)	0	100	100
1	F	153/153 (100%)	151 (99%)	2 (1%)	0	100	100
1	G	152/153 (99%)	151 (99%)	1 (1%)	0	100	100
1	I	151/153 (99%)	147 (97%)	4 (3%)	0	100	100
1	K	151/153 (99%)	151 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	M	151/153 (99%)	150 (99%)	1 (1%)	0	100	100
1	O	151/153 (99%)	146 (97%)	5 (3%)	0	100	100
1	Q	151/153 (99%)	150 (99%)	1 (1%)	0	100	100
1	S	151/153 (99%)	147 (97%)	4 (3%)	0	100	100
1	U	152/153 (99%)	149 (98%)	3 (2%)	0	100	100
1	W	151/153 (99%)	148 (98%)	3 (2%)	0	100	100
All	All	1816/1836 (99%)	1787 (98%)	29 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	116/116 (100%)	116 (100%)	0	100	100
1	D	116/116 (100%)	116 (100%)	0	100	100
1	F	118/116 (102%)	117 (99%)	1 (1%)	73	80
1	G	117/116 (101%)	117 (100%)	0	100	100
1	I	115/116 (99%)	115 (100%)	0	100	100
1	K	116/116 (100%)	116 (100%)	0	100	100
1	M	116/116 (100%)	116 (100%)	0	100	100
1	O	114/116 (98%)	114 (100%)	0	100	100
1	Q	116/116 (100%)	116 (100%)	0	100	100
1	S	115/116 (99%)	115 (100%)	0	100	100
1	U	113/116 (97%)	113 (100%)	0	100	100
1	W	117/116 (101%)	117 (100%)	0	100	100
All	All	1389/1392 (100%)	1388 (100%)	1 (0%)	88	92

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	2	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	G	120	HIS
1	M	19	ASN
1	M	53	ASN
1	O	15	GLN
1	O	19	ASN
1	Q	19	ASN
1	Q	153	GLN
1	S	53	ASN
1	U	139	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 25 ligands modelled in this entry, 12 are monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	S	202	-	4,4,4	0.43	0	6,6,6	0.10	0
3	SO4	F	203[A]	-	4,4,4	0.43	0	6,6,6	0.12	0
3	SO4	D	202	-	4,4,4	0.43	0	6,6,6	0.13	0
3	SO4	I	202	-	4,4,4	0.44	0	6,6,6	0.05	0
3	SO4	Q	203[A]	-	4,4,4	0.42	0	6,6,6	0.14	0
3	SO4	U	202	-	4,4,4	0.43	0	6,6,6	0.10	0
3	SO4	M	202[A]	-	4,4,4	0.45	0	6,6,6	0.09	0
3	SO4	K	202	-	4,4,4	0.44	0	6,6,6	0.05	0
3	SO4	A	202[A]	-	4,4,4	0.42	0	6,6,6	0.12	0
3	SO4	Q	202[A]	-	4,4,4	0.43	0	6,6,6	0.16	0
3	SO4	F	202[A]	-	4,4,4	0.40	0	6,6,6	0.12	0
3	SO4	W	202	-	4,4,4	0.46	0	6,6,6	0.11	0
3	SO4	G	202	-	4,4,4	0.43	0	6,6,6	0.14	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2	OWAB(Å ²)	Q < 0.9
1	A	153/153 (100%)	0.06	1 (0%) 84 84	23, 32, 43, 60	3 (1%)
1	D	153/153 (100%)	0.20	2 (1%) 75 74	25, 35, 47, 65	0
1	F	153/153 (100%)	-0.10	3 (1%) 65 64	20, 29, 39, 44	7 (4%)
1	G	153/153 (100%)	-0.15	2 (1%) 75 74	22, 29, 38, 51	3 (1%)
1	I	153/153 (100%)	0.89	10 (6%) 25 23	39, 54, 75, 94	0
1	K	153/153 (100%)	0.32	3 (1%) 65 64	28, 39, 57, 68	6 (3%)
1	M	153/153 (100%)	0.35	2 (1%) 75 74	27, 39, 56, 64	1 (0%)
1	O	153/153 (100%)	1.89	62 (40%) 0 1	47, 65, 90, 110	9 (5%)
1	Q	153/153 (100%)	0.60	13 (8%) 16 15	25, 41, 62, 78	2 (1%)
1	S	153/153 (100%)	2.23	80 (52%) 0 0	34, 54, 74, 87	3 (1%)
1	U	153/153 (100%)	2.79	102 (66%) 0 0	26, 70, 97, 116	6 (3%)
1	W	152/153 (99%)	1.44	50 (32%) 1 1	21, 45, 64, 74	4 (2%)
All	All	1835/1836 (99%)	0.88	330 (17%) 3 3	20, 42, 78, 116	44 (2%)

All (330) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	O	130	GLY	10.3
1	U	38	LEU	9.1
1	U	35	ILE	7.9
1	U	119	VAL	7.3
1	U	95	ALA	6.2
1	O	131	ASN	6.0
1	U	99	ILE	6.0
1	O	135	THR	5.9
1	U	17	ILE	5.7
1	U	39	THR	5.5
1	O	127	GLY	5.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	U	29	VAL	5.4
1	U	40	GLU	5.3
1	U	97	VAL	5.2
1	U	32	TRP	5.2
1	W	149	ILE	5.2
1	U	94	VAL	5.2
1	S	118	VAL	5.1
1	O	134	SER	5.1
1	K	1	ALA	5.0
1	U	5	VAL	4.9
1	S	57	ALA	4.9
1	S	31	VAL	4.9
1	F	1	ALA	4.8
1	U	18	ILE	4.8
1	U	126	LEU	4.7
1	G	1	ALA	4.7
1	M	1	ALA	4.7
1	U	37	GLY	4.7
1	U	61	GLY	4.7
1	U	117	LEU	4.6
1	S	95	ALA	4.5
1	O	136	LYS	4.5
1	U	148	VAL	4.4
1	W	57	ALA	4.4
1	U	41	GLY	4.4
1	S	4	ALA	4.4
1	W	148	VAL	4.4
1	O	99	ILE	4.3
1	I	1	ALA	4.3
1	S	103	VAL	4.3
1	U	144	LEU	4.3
1	U	87	VAL	4.2
1	S	145	ALA	4.2
1	U	42	LEU	4.2
1	S	60	ALA	4.1
1	S	131	ASN	4.1
1	U	44	GLY	4.0
1	U	145	ALA	4.0
1	W	146	ALA	4.0
1	W	145	ALA	4.0
1	U	74	PRO	4.0
1	W	118	VAL	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	S	38	LEU	3.9
1	U	93	GLY	3.9
1	U	30	LYS	3.9
1	U	116	THR	3.9
1	U	14	VAL	3.8
1	S	104	ILE	3.8
1	U	149	ILE	3.8
1	U	89	ALA	3.8
1	O	129	GLY	3.8
1	S	112	ILE	3.8
1	M	26	ASN	3.8
1	U	137	THR	3.8
1	U	57	ALA	3.7
1	S	99	ILE	3.7
1	U	60	ALA	3.7
1	S	64	PHE	3.7
1	U	45	PHE	3.7
1	S	151	ILE	3.7
1	O	67	LEU	3.6
1	W	144	LEU	3.6
1	S	17	ILE	3.6
1	A	1	ALA	3.6
1	S	84	LEU	3.6
1	O	82	GLY	3.6
1	S	7	VAL	3.6
1	U	88	THR	3.6
1	U	106	LEU	3.6
1	S	35	ILE	3.5
1	W	17	ILE	3.5
1	S	20	PHE	3.5
1	U	112	ILE	3.5
1	Q	56	GLY	3.5
1	W	2	THR	3.5
1	Q	1	ALA	3.4
1	S	50	PHE	3.4
1	U	152	ALA	3.4
1	U	72	GLY	3.4
1	S	14	VAL	3.4
1	S	135	THR	3.4
1	S	132	GLU	3.4
1	S	146	ALA	3.4
1	U	146	ALA	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	O	42	LEU	3.4
1	U	91	LYS	3.4
1	S	81	VAL	3.4
1	U	33	GLY	3.4
1	U	150	GLY	3.4
1	W	23[A]	LYS	3.4
1	W	26	ASN	3.3
1	U	2	THR	3.3
1	W	12	GLY	3.3
1	W	55	ALA	3.3
1	O	128	LYS	3.3
1	W	119	VAL	3.3
1	W	6	CYS	3.3
1	S	1	ALA	3.3
1	U	1	ALA	3.3
1	U	64	PHE	3.3
1	Q	54	THR	3.2
1	U	98	SER	3.2
1	U	7	VAL	3.2
1	U	113	ILE	3.2
1	O	132	GLU	3.2
1	U	20	PHE	3.1
1	S	141	GLY	3.1
1	O	26	ASN	3.1
1	O	126	LEU	3.1
1	U	8	LEU	3.1
1	U	43	HIS	3.1
1	S	41	GLY	3.1
1	F	26	ASN	3.1
1	W	53	ASN	3.1
1	S	29	VAL	3.1
1	O	144	LEU	3.1
1	O	73	GLY	3.1
1	Q	152	ALA	3.1
1	S	144	LEU	3.1
1	S	32	TRP	3.0
1	U	75	LYS	3.0
1	U	136	LYS	3.0
1	S	55	ALA	3.0
1	Q	2	THR	3.0
1	S	67	LEU	3.0
1	S	97	VAL	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	S	62	PRO	3.0
1	U	3	LYS	3.0
1	S	102	SER	3.0
1	U	6	CYS	3.0
1	O	14	VAL	3.0
1	S	85	GLY	2.9
1	U	82	GLY	2.9
1	S	46	HIS	2.9
1	S	116	THR	2.9
1	U	28	PRO	2.9
1	U	73	GLY	2.9
1	W	150	GLY	2.9
1	Q	26	ASN	2.9
1	D	1	ALA	2.9
1	O	72	GLY	2.9
1	W	54	THR	2.8
1	S	149	ILE	2.8
1	S	44	GLY	2.8
1	U	96	ASP	2.8
1	I	88	THR	2.8
1	U	107	SER	2.8
1	U	46	HIS	2.8
1	U	109	ASP	2.8
1	Q	55	ALA	2.8
1	S	140	ALA	2.8
1	S	152	ALA	2.8
1	S	8	LEU	2.8
1	U	84	LEU	2.8
1	S	13	PRO	2.8
1	U	81	VAL	2.8
1	U	118	VAL	2.8
1	W	13	PRO	2.8
1	O	91	LYS	2.8
1	U	36	LYS	2.8
1	W	147	GLY	2.8
1	U	135	THR	2.8
1	W	29	VAL	2.8
1	I	99	ILE	2.8
1	W	52	ASP	2.7
1	W	61	GLY	2.7
1	S	18	ILE	2.7
1	W	18	ILE	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	S	123	ALA	2.7
1	W	152	ALA	2.7
1	W	39	THR	2.7
1	Q	151	ILE	2.7
1	U	151	ILE	2.7
1	W	113	ILE	2.7
1	S	147	GLY	2.7
1	W	50	PHE	2.7
1	O	68	SER	2.7
1	U	104	ILE	2.7
1	S	110	HIS	2.6
1	U	53[A]	ASN	2.6
1	S	5	VAL	2.6
1	S	148	VAL	2.6
1	W	97	VAL	2.6
1	I	32	TRP	2.6
1	W	11	ASP	2.6
1	U	127	GLY	2.6
1	O	137	THR	2.6
1	O	74	PRO	2.6
1	U	67	LEU	2.6
1	W	106	LEU	2.6
1	U	31	VAL	2.6
1	W	7	VAL	2.6
1	S	136	LYS	2.6
1	O	58	THR	2.6
1	W	60	ALA	2.6
1	U	9	LYS	2.5
1	S	2	THR	2.5
1	W	34	SER	2.5
1	O	31	VAL	2.5
1	U	147	GLY	2.5
1	W	93	GLY	2.5
1	S	109	ASP	2.5
1	O	38	LEU	2.5
1	O	85	GLY	2.5
1	F	132	GLU	2.5
1	U	153	GLN	2.5
1	O	88	THR	2.5
1	U	4	ALA	2.5
1	W	32	TRP	2.5
1	Q	25	SER	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	S	134	SER	2.4
1	U	102	SER	2.4
1	O	60	ALA	2.4
1	W	51	GLY	2.4
1	S	119	VAL	2.4
1	W	112	ILE	2.4
1	S	111	CYS	2.4
1	W	58	THR	2.4
1	S	91	LYS	2.4
1	U	123	ALA	2.4
1	Q	53	ASN	2.4
1	U	77	GLU	2.4
1	O	83	ASP	2.4
1	O	92	ASP	2.4
1	U	47	VAL	2.4
1	U	140	ALA	2.4
1	W	4	ALA	2.4
1	S	42	LEU	2.4
1	S	106	LEU	2.4
1	O	27	GLY	2.4
1	U	92	ASP	2.4
1	O	97	VAL	2.4
1	S	87	VAL	2.4
1	S	94	VAL	2.4
1	S	54	THR	2.4
1	O	123	ALA	2.3
1	W	19	ASN	2.3
1	I	93	GLY	2.3
1	K	136	LYS	2.3
1	W	20	PHE	2.3
1	U	103	VAL	2.3
1	U	34	SER	2.3
1	W	35	ILE	2.3
1	O	145	ALA	2.3
1	O	70	LYS	2.3
1	W	59	SER	2.3
1	O	20	PHE	2.3
1	S	153	GLN	2.3
1	S	126	LEU	2.3
1	Q	59	SER	2.2
1	S	105	SER	2.2
1	O	35	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	37	GLY	2.2
1	O	140	ALA	2.2
1	S	43	HIS	2.2
1	I	94	VAL	2.2
1	O	47	VAL	2.2
1	S	74	PRO	2.2
1	S	27	GLY	2.2
1	O	95	ALA	2.2
1	U	100	GLU	2.2
1	W	8	LEU	2.2
1	W	153	GLN	2.2
1	D	109	ASP	2.2
1	O	112	ILE	2.2
1	U	13	PRO	2.2
1	U	124	ASP	2.2
1	S	61	GLY	2.2
1	S	133	GLU	2.2
1	U	85	GLY	2.2
1	U	129	GLY	2.2
1	O	57	ALA	2.2
1	U	105	SER	2.2
1	O	124	ASP	2.2
1	S	39	THR	2.2
1	O	133	GLU	2.1
1	W	5	VAL	2.1
1	O	41	GLY	2.1
1	O	62	PRO	2.1
1	O	81	VAL	2.1
1	S	51	GLY	2.1
1	U	51	GLY	2.1
1	U	56	GLY	2.1
1	U	55	ALA	2.1
1	O	24	GLU	2.1
1	U	26	ASN	2.1
1	K	39	THR	2.1
1	Q	153	GLN	2.1
1	O	110	HIS	2.1
1	U	141	GLY	2.1
1	W	151	ILE	2.1
1	O	64	PHE	2.1
1	O	94	VAL	2.1
1	S	23	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	O	55	ALA	2.1
1	S	142	SER	2.1
1	O	77	GLU	2.1
1	G	26	ASN	2.1
1	O	96	ASP	2.1
1	U	27	GLY	2.1
1	W	56	GLY	2.1
1	S	30	LYS	2.1
1	O	119	VAL	2.1
1	O	71	HIS	2.0
1	S	63	HIS	2.0
1	O	9	LYS	2.0
1	U	114	GLY	2.0
1	O	142	SER	2.0
1	S	53	ASN	2.0
1	W	117	LEU	2.0
1	Q	11	ASP	2.0
1	O	79	ARG	2.0
1	I	91	LYS	2.0
1	I	54	THR	2.0
1	O	13	PRO	2.0
1	S	137	THR	2.0
1	I	27	GLY	2.0
1	O	37	GLY	2.0
1	U	130	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	W	202	5/5	0.59	0.18	74,75,79,80	0
3	SO4	Q	203[A]	5/5	0.68	0.20	49,50,52,52	5
3	SO4	S	202	5/5	0.69	0.17	56,56,57,58	5
3	SO4	F	203[A]	5/5	0.70	0.20	56,57,58,60	5
3	SO4	Q	202[A]	5/5	0.74	0.15	52,52,54,54	5
3	SO4	U	202	5/5	0.79	0.16	46,47,47,48	5
3	SO4	K	202	5/5	0.81	0.13	77,77,78,79	0
3	SO4	G	202	5/5	0.81	0.12	52,53,53,54	0
3	SO4	M	202[A]	5/5	0.85	0.14	49,50,50,50	5
3	SO4	I	202	5/5	0.85	0.12	60,61,62,63	0
3	SO4	F	202[A]	5/5	0.92	0.10	43,44,45,45	5
3	SO4	D	202	5/5	0.93	0.11	48,49,49,50	0
3	SO4	A	202[A]	5/5	0.93	0.09	41,41,42,42	5
2	ZN	O	201	1/1	0.95	0.08	64,64,64,64	0
2	ZN	U	201	1/1	0.97	0.06	48,48,48,48	1
2	ZN	K	201	1/1	0.98	0.04	33,33,33,33	0
2	ZN	S	201	1/1	0.98	0.04	37,37,37,37	1
2	ZN	W	201	1/1	0.99	0.04	31,31,31,31	0
2	ZN	F	201	1/1	0.99	0.03	25,25,25,25	0
2	ZN	M	201	1/1	0.99	0.03	25,25,25,25	0
2	ZN	D	201	1/1	0.99	0.02	28,28,28,28	0
2	ZN	Q	201	1/1	0.99	0.02	26,26,26,26	0
2	ZN	G	201	1/1	0.99	0.02	23,23,23,23	0
2	ZN	I	201	1/1	0.99	0.03	39,39,39,39	0
2	ZN	A	201	1/1	1.00	0.02	25,25,25,25	0

6.5 Other polymers [i](#)

There are no such residues in this entry.