



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 18, 2026 – 12:32 PM UTC

PDB ID : 2FY3 / pdb_00002fy3
Title : Structures of ligand bound human choline acetyltransferase provides insight into regulation of acetylcholine synthesis
Authors : Kim, A.R.; Rylett, R.J.; Shilton, B.H.
Deposited on : 2006-02-07
Resolution : 2.27 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.27 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	9078 (2.30-2.26)
Clashscore	190562	9802 (2.30-2.26)
Ramachandran outliers	187476	9690 (2.30-2.26)
Sidechain outliers	187428	9691 (2.30-2.26)
RSRZ outliers	180081	9085 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	612	6% 71% 24% ..

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5211 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Choline O-acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	595	Total	C	N	O	S	0	0	0
			4653	2948	814	855	36			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	ALA	-	cloning artifact	UNP P28329
A	225	ALA	GLU	engineered mutation	UNP P28329
A	226	ALA	ASP	engineered mutation	UNP P28329
A	227	ALA	GLU	engineered mutation	UNP P28329
A	?	-	SER	SEE REMARK 999	UNP P28329
A	?	-	SER	SEE REMARK 999	UNP P28329
A	346	PRO	ARG	SEE REMARK 999	UNP P28329
A	349	GLU	LYS	SEE REMARK 999	UNP P28329
A	351	VAL	ILE	SEE REMARK 999	UNP P28329
A	353	SER	ALA	SEE REMARK 999	UNP P28329
A	354	PRO	ASP	SEE REMARK 999	UNP P28329
A	355	MET	SER	SEE REMARK 999	UNP P28329
A	?	-	SER	SEE REMARK 999	UNP P28329
A	357	PRO	GLU	SEE REMARK 999	UNP P28329
A	518	ALA	LYS	engineered mutation	UNP P28329
A	519	ALA	GLU	engineered mutation	UNP P28329
A	582	ALA	LYS	engineered mutation	UNP P28329
A	583	ALA	GLU	engineered mutation	UNP P28329

- Molecule 2 is CHOLINE ION (CCD ID: CHT) (formula: C₅H₁₄NO).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			7	5	1	1		

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	545	Total 545	O 545	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Choline O-acetyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	54.78Å 76.26Å 164.29Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	17.90 – 2.27 17.90 – 2.27	Depositor EDS
% Data completeness (in resolution range)	93.3 (17.90-2.27) 93.2 (17.90-2.27)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.03 (at 2.28Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.196 , 0.233 0.193 , 0.230	Depositor DCC
R_{free} test set	2963 reflections (9.73%)	wwPDB-VP
Wilson B-factor (Å ²)	17.7	Xtriage
Anisotropy	0.191	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 54.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5211	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CHT, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	0/4754	0.89	2/6447 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	324	HIS	N-CA-C	6.96	121.00	112.23
1	A	307	SER	N-CA-C	5.91	118.21	111.11

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4653	0	4670	156	0
2	A	7	0	14	0	0
3	A	6	0	8	0	0
4	A	545	0	0	16	0
All	All	5211	0	4692	156	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:607:LEU:HG	1:A:608:PRO:HD2	1.36	1.08
1:A:487:ARG:HH11	1:A:487:ARG:HB3	1.15	1.06
1:A:608:PRO:HB2	1:A:609:PRO:CD	1.93	0.97
1:A:487:ARG:HB3	1:A:487:ARG:NH1	1.80	0.96
1:A:353:SER:H	1:A:354:PRO:CD	1.79	0.95
1:A:353:SER:H	1:A:354:PRO:HD2	1.35	0.88
1:A:183:PRO:HB3	1:A:201:ILE:HA	1.55	0.86
1:A:525:MET:HA	1:A:525:MET:HE2	1.56	0.84
1:A:607:LEU:CG	1:A:608:PRO:HD2	2.07	0.84
1:A:608:PRO:HB2	1:A:609:PRO:HD2	1.61	0.82
1:A:356:VAL:HB	1:A:357:PRO:HD3	1.62	0.82
1:A:439:ALA:HB2	1:A:452:ILE:HG13	1.61	0.81
1:A:206:LEU:CD2	1:A:355:MET:HE1	2.10	0.81
1:A:607:LEU:HG	1:A:608:PRO:CD	2.12	0.80
1:A:125:LEU:HB3	1:A:205:ARG:HD2	1.66	0.76
1:A:207:SER:HB2	1:A:353:SER:HB2	1.69	0.74
1:A:179:ILE:HG22	1:A:179:ILE:O	1.88	0.73
1:A:302:ARG:HB3	1:A:309:GLN:HE22	1.53	0.73
1:A:201:ILE:HB	1:A:204:ARG:HG3	1.70	0.73
1:A:608:PRO:HB2	1:A:609:PRO:HD3	1.72	0.71
1:A:303:TRP:H	1:A:309:GLN:NE2	1.88	0.71
1:A:356:VAL:HB	1:A:357:PRO:CD	2.21	0.70
1:A:19:PRO:HG2	1:A:505:HIS:ND1	2.07	0.70
1:A:333:VAL:HA	1:A:336:THR:HG22	1.74	0.69
1:A:390:ASN:HD21	1:A:580:SER:H	1.41	0.68
1:A:162:TYR:HE2	1:A:164:LEU:HD23	1.58	0.68
1:A:608:PRO:CB	1:A:609:PRO:CD	2.71	0.67
1:A:104:ARG:NH2	1:A:280:LEU:HD12	2.10	0.67
1:A:413:PRO:HD2	4:A:2084:HOH:O	1.93	0.67
1:A:546:THR:HG22	1:A:547:GLU:H	1.60	0.66
1:A:202:ASN:H	1:A:204:ARG:HG2	1.61	0.66
1:A:433:VAL:HG21	1:A:536:VAL:HB	1.79	0.65
1:A:202:ASN:H	1:A:204:ARG:CG	2.10	0.64
1:A:288:GLN:HG3	4:A:2091:HOH:O	1.97	0.64
1:A:412:SER:HB2	4:A:2383:HOH:O	1.99	0.63
1:A:336:THR:CG2	1:A:548:MET:HE1	2.29	0.63
1:A:531:MET:HB3	4:A:2351:HOH:O	1.98	0.63
1:A:82:ASN:HA	1:A:86:LEU:HB2	1.81	0.62
1:A:177:SER:O	1:A:180:MET:HG3	1.99	0.62
1:A:353:SER:N	1:A:354:PRO:HD2	2.13	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:201:ILE:HB	1:A:204:ARG:CG	2.29	0.62
1:A:333:VAL:HA	1:A:336:THR:CG2	2.30	0.61
1:A:336:THR:HG23	1:A:548:MET:HE1	1.83	0.61
1:A:341:LYS:O	1:A:344:THR:HB	2.00	0.60
1:A:8:SER:C	1:A:10:GLU:H	2.10	0.60
1:A:30:GLN:NE2	4:A:2025:HOH:O	2.34	0.59
1:A:202:ASN:N	1:A:204:ARG:HG2	2.17	0.58
1:A:607:LEU:CD1	1:A:608:PRO:HD2	2.33	0.58
1:A:400:ASN:HD21	1:A:601:ARG:HH11	1.52	0.58
1:A:207:SER:HB2	1:A:353:SER:CB	2.34	0.58
1:A:285:ARG:NE	4:A:2534:HOH:O	2.37	0.57
1:A:482:LEU:C	1:A:482:LEU:HD23	2.30	0.57
1:A:104:ARG:HH11	1:A:104:ARG:HG3	1.69	0.56
1:A:353:SER:N	1:A:354:PRO:CD	2.56	0.56
1:A:406:ILE:HG21	1:A:413:PRO:HA	1.87	0.56
1:A:120:LEU:C	1:A:120:LEU:HD23	2.31	0.56
1:A:413:PRO:HG2	4:A:2084:HOH:O	2.06	0.55
1:A:379:SER:O	1:A:383:LYS:HG2	2.07	0.55
1:A:131:LEU:C	1:A:131:LEU:HD23	2.31	0.55
1:A:101:ILE:N	1:A:101:ILE:HD12	2.23	0.54
1:A:546:THR:HG22	1:A:547:GLU:N	2.22	0.54
1:A:104:ARG:HG3	1:A:104:ARG:NH1	2.22	0.54
1:A:207:SER:HB3	1:A:353:SER:HA	1.91	0.53
1:A:202:ASN:C	1:A:204:ARG:H	2.15	0.53
1:A:400:ASN:HD22	1:A:401:TYR:HD2	1.55	0.52
1:A:229:LEU:HD11	1:A:366:ARG:HD3	1.91	0.52
1:A:102:PHE:O	1:A:285:ARG:NH1	2.42	0.52
1:A:356:VAL:CB	1:A:357:PRO:CD	2.86	0.52
1:A:20:PRO:HG2	1:A:23:GLN:CB	2.40	0.52
1:A:104:ARG:HH21	1:A:280:LEU:HD12	1.73	0.52
1:A:390:ASN:ND2	1:A:580:SER:H	2.07	0.52
1:A:162:TYR:CE1	1:A:305:ASP:HB2	2.45	0.52
1:A:198:ASP:O	1:A:206:LEU:HD11	2.10	0.52
1:A:29:LEU:HD21	1:A:48:VAL:HG21	1.92	0.51
1:A:141:ALA:HB2	1:A:150:LEU:HD21	1.91	0.51
1:A:179:ILE:O	1:A:179:ILE:CG2	2.59	0.51
1:A:104:ARG:CZ	1:A:280:LEU:HD12	2.42	0.50
1:A:202:ASN:O	1:A:203:PHE:HB2	2.10	0.50
1:A:125:LEU:HD21	1:A:199:VAL:HG21	1.93	0.50
1:A:201:ILE:HB	1:A:204:ARG:CD	2.42	0.49
1:A:326:PRO:HB2	1:A:327:PHE:CD2	2.47	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:20:PRO:HG2	1:A:23:GLN:HB3	1.94	0.49
1:A:487:ARG:HH11	1:A:487:ARG:CB	2.04	0.49
1:A:351:VAL:O	1:A:352:ARG:C	2.56	0.49
1:A:443:ARG:HG3	4:A:2316:HOH:O	2.11	0.49
1:A:325:SER:OG	1:A:326:PRO:HD3	2.13	0.49
1:A:211:LEU:O	1:A:215:LEU:HG	2.13	0.49
1:A:87:ASN:O	1:A:89:ARG:HD2	2.13	0.49
1:A:162:TYR:CE2	1:A:164:LEU:HD23	2.42	0.49
1:A:8:SER:C	1:A:10:GLU:N	2.71	0.49
1:A:19:PRO:HG2	1:A:505:HIS:HD1	1.77	0.48
1:A:8:SER:O	1:A:10:GLU:N	2.46	0.48
1:A:594:GLU:O	1:A:598:ILE:HG12	2.13	0.47
1:A:87:ASN:OD1	1:A:169:GLN:HG3	2.14	0.47
1:A:333:VAL:CA	1:A:336:THR:HG22	2.45	0.47
1:A:433:VAL:CG2	1:A:536:VAL:HB	2.46	0.46
1:A:525:MET:HA	1:A:525:MET:CE	2.38	0.46
1:A:301:ASN:C	1:A:302:ARG:HG2	2.40	0.46
1:A:206:LEU:HD22	1:A:355:MET:HE1	1.95	0.46
1:A:332:LEU:O	1:A:336:THR:HG22	2.16	0.46
1:A:435:THR:HG23	1:A:537:LEU:HB3	1.97	0.46
1:A:24:THR:HG23	1:A:502:ILE:HG22	1.97	0.45
1:A:336:THR:HG21	1:A:548:MET:HE1	1.98	0.45
1:A:475:ALA:HB1	1:A:606:LEU:HD11	1.97	0.45
1:A:220:LYS:HG3	4:A:2421:HOH:O	2.16	0.45
1:A:16:LEU:HD12	1:A:17:PRO:HD2	1.99	0.45
1:A:422:GLN:OE1	1:A:432:LEU:HD22	2.16	0.45
1:A:176:ASN:OD1	1:A:177:SER:N	2.50	0.45
1:A:496:ALA:HA	1:A:501:ALA:HB2	1.98	0.45
1:A:499:GLY:O	1:A:500:MET:HE2	2.17	0.44
1:A:59:GLU:HG3	4:A:2081:HOH:O	2.17	0.44
1:A:103:ALA:C	1:A:285:ARG:HH12	2.25	0.44
1:A:162:TYR:CE2	1:A:264:GLU:HG2	2.52	0.44
1:A:162:TYR:CD2	1:A:264:GLU:HG2	2.52	0.44
1:A:338:HIS:HE1	4:A:2398:HOH:O	2.00	0.44
1:A:125:LEU:HD21	1:A:199:VAL:CG2	2.47	0.44
1:A:253:ASP:OD1	1:A:255:THR:N	2.51	0.44
1:A:429:HIS:O	1:A:430:ARG:HB2	2.16	0.44
1:A:243:TRP:O	1:A:243:TRP:CE3	2.70	0.43
1:A:356:VAL:HG12	1:A:357:PRO:N	2.32	0.43
1:A:514:ARG:NH2	1:A:520:LEU:HD11	2.33	0.43
1:A:93:PRO:HG3	1:A:304:TYR:CZ	2.52	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:104:ARG:HD3	1:A:105:GLN:O	2.17	0.43
1:A:93:PRO:HG3	1:A:304:TYR:CE2	2.52	0.43
1:A:389:LYS:HD2	4:A:2467:HOH:O	2.18	0.43
1:A:484:ASP:O	1:A:487:ARG:NH1	2.51	0.43
1:A:443:ARG:NE	4:A:2546:HOH:O	2.50	0.43
1:A:99:ALA:HB1	1:A:289:LEU:HB3	2.00	0.43
1:A:599:ASP:O	1:A:603:LEU:HG	2.19	0.43
1:A:228:ARG:HG3	1:A:228:ARG:HH11	1.83	0.43
1:A:106:HIS:O	1:A:108:PRO:HD3	2.19	0.42
1:A:251:VAL:O	1:A:251:VAL:HG12	2.19	0.42
1:A:207:SER:CB	1:A:353:SER:HA	2.49	0.42
1:A:323:GLU:OE1	1:A:326:PRO:HD3	2.20	0.42
1:A:49:GLN:CD	1:A:49:GLN:C	2.88	0.42
1:A:89:ARG:NH2	1:A:166:GLY:O	2.53	0.42
1:A:436:TYR:HB2	1:A:535:PHE:CG	2.54	0.42
1:A:180:MET:HA	1:A:181:PRO:HD2	1.81	0.42
1:A:17:PRO:HD3	1:A:444:PHE:CE2	2.55	0.42
1:A:117:ALA:O	1:A:121:ILE:HG13	2.19	0.42
1:A:195:PHE:CE2	1:A:364:ARG:HB2	2.55	0.42
1:A:206:LEU:HD23	1:A:355:MET:HE1	1.95	0.42
1:A:608:PRO:CB	1:A:609:PRO:HD3	2.45	0.41
1:A:175:GLN:NE2	1:A:179:ILE:HG22	2.34	0.41
1:A:554:PRO:HG2	1:A:577:SER:HA	2.01	0.41
1:A:369:CYS:SG	1:A:370:SER:N	2.94	0.41
1:A:579:HIS:HE1	4:A:2429:HOH:O	2.02	0.41
1:A:228:ARG:HG3	1:A:228:ARG:NH1	2.36	0.41
1:A:251:VAL:HG12	4:A:2456:HOH:O	2.21	0.41
1:A:183:PRO:CB	1:A:200:VAL:O	2.69	0.40
1:A:202:ASN:C	1:A:204:ARG:N	2.79	0.40
1:A:131:LEU:C	1:A:131:LEU:CD2	2.94	0.40
1:A:400:ASN:ND2	1:A:601:ARG:HH11	2.17	0.40
1:A:140:CYS:C	1:A:142:LYS:H	2.29	0.40
1:A:581:CYS:SG	1:A:583:ALA:HB3	2.62	0.40
1:A:587:SER:HB3	4:A:2479:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	591/612 (97%)	554 (94%)	29 (5%)	8 (1%)	9 8

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	353	SER
1	A	356	VAL
1	A	608	PRO
1	A	141	ALA
1	A	9	GLU
1	A	181	PRO
1	A	201	ILE
1	A	351	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	514/527 (98%)	508 (99%)	6 (1%)	63 77

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	104	ARG
1	A	131	LEU
1	A	234	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	428	LEU
1	A	487	ARG
1	A	537	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	GLN
1	A	49	GLN
1	A	69	GLN
1	A	105	GLN
1	A	148	GLN
1	A	309	GLN
1	A	338	HIS
1	A	374	GLN
1	A	390	ASN
1	A	400	ASN
1	A	409	GLN
1	A	469	HIS
1	A	567	GLN
1	A	579	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	GOL	A	2001	-	5,5,5	0.34	0	5,5,5	0.31	0
2	CHT	A	2000	-	6,6,6	0.68	0	8,8,8	0.27	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	2001	-	-	0/4/4/4	-
2	CHT	A	2000	-	-	1/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	2000	CHT	O6-C4-C5-N1

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	595/612 (97%)	0.01	34 (5%)	29 30	8, 17, 53, 81	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	353	SER	7.3
1	A	177	SER	5.6
1	A	176	ASN	5.0
1	A	201	ILE	4.9
1	A	178	SER	4.7
1	A	350	LEU	4.6
1	A	180	MET	4.5
1	A	179	ILE	4.5
1	A	351	VAL	4.3
1	A	354	PRO	4.2
1	A	356	VAL	4.2
1	A	141	ALA	4.2
1	A	352	ARG	3.8
1	A	355	MET	3.8
1	A	609	PRO	3.4
1	A	607	LEU	3.3
1	A	608	PRO	3.2
1	A	203	PHE	3.0
1	A	8	SER	3.0
1	A	206	LEU	2.9
1	A	182	GLU	2.9
1	A	181	PRO	2.8
1	A	561	GLY	2.6
1	A	175	GLN	2.5
1	A	42	ARG	2.4
1	A	357	PRO	2.4
1	A	204	ARG	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	277	GLY	2.2
1	A	345	GLN	2.2
1	A	9	GLU	2.2
1	A	10	GLU	2.2
1	A	31	CYS	2.0
1	A	50	GLN	2.0
1	A	202	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	GOL	A	2001	6/6	0.85	0.13	28,33,35,39	0
2	CHT	A	2000	7/7	0.89	0.11	20,21,23,26	0

6.5 Other polymers [i](#)

There are no such residues in this entry.