



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 10, 2026 – 06:37 PM UTC

PDB ID : 5FYJ / pdb_00005fyj
Title : Crystal Structure at 3.4 Å Resolution of Fully Glycosylated HIV-1 Clade G X1193.c1 SOSIP.664 Prefusion Env Trimer in Complex with Broadly Neutralizing Antibodies PGT122, 35O22 and VRC01
Authors : Stewart-Jones, G.B.E.; Zhou, T.; Thomas, P.V.; Kwong, P.D.
Deposited on : 2016-03-08
Resolution : 3.11 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1816 (3.14-3.10)
Clashscore	190562	1906 (3.14-3.10)
Ramachandran outliers	187476	1802 (3.14-3.10)
Sidechain outliers	187428	1802 (3.14-3.10)
RSRZ outliers	180081	1816 (3.14-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	161	80% 16% .
2	D	243	84% 14% .
3	E	216	79% 18% ..
4	G	484	77% 19% ..
5	H	244	81% 12% • 7%


Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	L	213	% 
7	U	240	
7	V	240	
8	A	2	
8	C	2	
8	I	2	
8	d	2	
9	F	3	
9	O	3	
9	Z	3	
10	J	8	
11	K	11	
11	R	11	
12	M	10	
12	N	10	
12	X	10	
13	P	6	
14	Q	7	
15	S	9	
16	T	9	
17	W	6	
17	e	6	
17	f	6	
18	Y	7	
19	a	9	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
20	b	10	 10% 90%
21	c	7	 29% 71%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
13	BMA	P	3	-	-	X	-
13	MAN	P	4	-	-	X	-

2 Entry composition

There are 25 unique types of molecules in this entry. The entry contains 15476 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GP41 ENV ECTODOMAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	154	Total	C	N	O	S	0	0	0
			1220	770	215	230	5			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	559	PRO	ILE	engineered mutation	UNP C6ZIG9
B	605	CYS	THR	engineered mutation	UNP C6ZIG9
B	666	GLY	-	expression tag	UNP C6ZIG9
B	667	GLY	-	expression tag	UNP C6ZIG9
B	668	GLY	-	expression tag	UNP C6ZIG9
B	669	LEU	-	expression tag	UNP C6ZIG9
B	670	VAL	-	expression tag	UNP C6ZIG9
B	671	PRO	-	expression tag	UNP C6ZIG9
B	672	ARG	-	expression tag	UNP C6ZIG9

- Molecule 2 is a protein called 35O22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	243	Total	C	N	O	S	0	0	1
			1833	1165	307	353	8			

- Molecule 3 is a protein called 35O22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	213	Total	C	N	O	S	0	0	0
			1615	1012	267	328	8			

- Molecule 4 is a protein called GP120 ENV ECTODOMAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	G	479	Total	C	N	O	S	0	0	0
			3769	2351	674	716	28			

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	29	ALA	-	expression tag	UNP C6ZIG9
G	30	LEU	-	expression tag	UNP C6ZIG9
G	31	ALA	-	expression tag	UNP C6ZIG9
G	32	GLY	-	expression tag	UNP C6ZIG9
G	459	CYS	GLY	engineered mutation	UNP C6ZIG9
G	501	CYS	ALA	engineered mutation	UNP C6ZIG9
G	509	ARG	-	expression tag	UNP C6ZIG9
G	510	ARG	-	expression tag	UNP C6ZIG9
G	511	ARG	-	expression tag	UNP C6ZIG9
G	512	ARG	-	expression tag	UNP C6ZIG9
G	513	ARG	-	expression tag	UNP C6ZIG9

- Molecule 5 is a protein called PGT122.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	H	228	Total	C	N	O	S	0	0	0
			1742	1109	295	333	5			

- Molecule 6 is a protein called PGT122.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	L	210	Total	C	N	O	S	0	0	0
			1589	998	267	320	4			

- Molecule 7 is a protein called VRC01.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	U	119	Total	C	N	O	S	0	0	0
			956	603	173	171	9			
7	V	98	Total	C	N	O	S	0	0	0
			758	479	130	147	2			

- Molecule 8 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
8	A	2	Total	C	N	O	0	0	0
			28	16	2	10			
8	C	2	Total	C	N	O	0	0	0
			28	16	2	10			
8	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
8	d	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 9 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
9	F	3	Total	C	N	O	0	0	0
			39	22	2	15			
9	O	3	Total	C	N	O	0	0	0
			39	22	2	15			
9	Z	3	Total	C	N	O	0	0	0
			39	22	2	15			


- Molecule 10 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
10	J	8	Total	C	N	O	0	0	0
			94	52	2	40			


- Molecule 11 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyra

nose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
11	K	11	Total	C	N	O	0	0	0
			127	70	2	55			
11	R	11	Total	C	N	O	0	0	0
			127	70	2	55			

- Molecule 12 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
12	M	10	Total	C	N	O	0	0	0
			116	64	2	50			
12	N	10	Total	C	N	O	0	0	0
			116	64	2	50			
12	X	10	Total	C	N	O	0	0	0
			116	64	2	50			

- Molecule 13 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
13	P	6	Total	C	N	O	0	0	0
			72	40	2	30			

- Molecule 14 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
14	Q	7	Total	C	N	O	0	0	0
			83	46	2	35			

- Molecule 15 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
15	S	9	Total	C	N	O	0	0	0
			105	58	2	45			

- Molecule 16 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
16	T	9	Total	C	N	O	0	0	0
			105	58	2	45			

- Molecule 17 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
17	W	6	Total	C	N	O	0	0	0
			72	40	2	30			
17	e	6	Total	C	N	O	0	0	0
			72	40	2	30			
17	f	6	Total	C	N	O	0	0	0
			72	40	2	30			

- Molecule 18 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	Y	7	Total	C	N	O	0	0	0
			83	46	2	35			

- Molecule 19 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
19	a	9	Total	C	N	O	0	0	0
			105	58	2	45			

- Molecule 20 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
20	b	10	Total	C	N	O	0	0
			116	64	2	50		

- Molecule 21 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
21	c	7	Total	C	N	O	0	0
			83	46	2	35		

- Molecule 22 is CITRIC ACID (CCD ID: CIT) (formula: C₆H₈O₇).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
22	B	1	Total	C	O	0	0
			13	6	7		
22	G	1	Total	C	O	0	0
			13	6	7		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
22	G	1	Total	C	O	0	0
			13	6	7		

- Molecule 23 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
23	D	1	Total	C	O	0	0
			4	2	2		
23	G	1	Total	C	O	0	0
			4	2	2		

- Molecule 24 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
24	G	1	Total	C	N	O	0	0
			14	8	1	5		
24	G	1	Total	C	N	O	0	0
			14	8	1	5		
24	G	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 25 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
25	B	4	Total	O	0	0
			4	4		
25	D	2	Total	O	0	0
			2	2		
25	E	1	Total	O	0	0
			1	1		
25	G	3	Total	O	0	0
			3	3		
25	H	1	Total	O	0	0
			1	1		
25	L	1	Total	O	0	0
			1	1		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: GP41 ENV ECTODOMAIN

Chain B:  80% 16% .




• Molecule 2: 35O22

Chain D:  84% 14% .




• Molecule 3: 35O22

Chain E:  79% 18% ..





• Molecule 4: GP120 ENV ECTODOMAIN



Chain G:  77% 19% ..





- Molecule 5: PGT122





- Molecule 6: PGT122



- Molecule 7: VRC01



- Molecule 7: VRC01



LEU ARG SER LEU THR VAL ASP ASP THR THR VAL ALA VAL TYR PHE CYS THR ARG GLY LYS ASN CYS ASP TYR ASN TRP ASP PHE GLU HIS TRP GLY ARG GLY THR PRO VAL ILE VAL GLY GLY LEU VAL PRO ARG

- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain A:  100%

NAG1
NAG2

- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:  100%

NAG1
NAG2

- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  50% 50%

NAG1
NAG2

- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  100%

NAG1
NAG2

- Molecule 9: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  33% 67%

NAG1
NAG2
BMA3

- Molecule 9: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  33% 67%

NAG1
NAG2
BMA3

- Molecule 9: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  67% 33%

MAN1
MAN2
MAN3

- Molecule 10: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  38% 38% 25%

MAN1
MAN2
MAN3
MAN4
MAN5
MAN6
MAN7
MAN8

- Molecule 11: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  9% 64% 27%


MAN1
MAN2
MAN3
MAN4
MAN5
MAN6
MAN7
MAN8
MAN9
MAN10
MAN11

- Molecule 11: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  18% 82%


MAN1
MAN2
MAN3
MAN4
MAN5
MAN6
MAN7
MAN8
MAN9
MAN10
MAN11

- Molecule 12: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  10% 70% 20%


MAN1
MAN2
MAN3
MAN4
MAN5
MAN6
MAN7
MAN8
MAN9
MAN10

- Molecule 12: α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain N: 




- Molecule 12: α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain X: 




- Molecule 13: α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain P: 




- Molecule 14: α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-3)- α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain Q: 



- Molecule 15: α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-3)- α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain S: 



- Molecule 16: α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-6)-[α -D-mannopyranose-(1-3)] α -D-mannopyranose-(1-6)-[α -D-mannopyranose-(1-2)- α -D-mannopyranose

-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  11% 89%

MAN1
MAN2
MAN3
MAN4
MAN5
MAN6
MAN7
MAN8
MAN9

• Molecule 17: alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  33% 67%

MAN1
MAN2
MAN3
MAN4
MAN5
MAN6

• Molecule 17: alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  33% 67%

MAN1
MAN2
MAN3
MAN4
MAN5
MAN6

• Molecule 17: alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  33% 67%

MAN1
MAN2
MAN3
MAN4
MAN5
MAN6

• Molecule 18: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  43% 29% 29%

MAN1
MAN2
MAN3
MAN4
MAN5
MAN6
MAN7

• Molecule 19: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  22% 78%



- Molecule 20: α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-6)] α -D-mannopyranose-(1-6)-[α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-3)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain b:
10% 90%


A horizontal bar chart for Chain b. It consists of a green segment on the left representing 10% occupancy and a yellow segment on the right representing 90% occupancy. The total length of the bar represents 100%.



- Molecule 21: α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain c:
29% 71%

A horizontal bar chart for Chain c. It consists of a green segment on the left representing 29% occupancy and a yellow segment on the right representing 71% occupancy. The total length of the bar represents 100%.



4 Data and refinement statistics

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	127.16Å 127.16Å 313.65Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	44.65 – 3.11 44.65 – 3.11	Depositor EDS
% Data completeness (in resolution range)	83.3 (44.65-3.11) 83.3 (44.65-3.11)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.63 (at 3.12Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE: 1.9_1692)	Depositor
R, R_{free}	0.214 , 0.273 0.273 , 0.309	Depositor DCC
R_{free} test set	2003 reflections (4.68%)	wwPDB-VP
Wilson B-factor (Å ²)	74.9	Xtriage
Anisotropy	0.002	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.24 , 128.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	0.114 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	15476	wwPDB-VP
Average B, all atoms (Å ²)	123.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.20% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CIT, NAG, BMA, MAN, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	0.60	2/1242 (0.2%)	0.76	1/1689 (0.1%)
2	D	0.37	1/1881 (0.1%)	0.71	0/2562
3	E	0.32	0/1659	0.73	1/2269 (0.0%)
4	G	0.34	0/3843	0.76	3/5213 (0.1%)
5	H	0.32	0/1789	0.73	0/2443
6	L	0.31	0/1632	0.73	0/2236
7	U	0.30	0/981	0.74	0/1328
7	V	0.33	0/778	0.79	0/1058
All	All	0.36	3/13805 (0.0%)	0.74	5/18798 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	644	ASN	C-N	15.86	1.54	1.33
1	B	646	LEU	C-N	-7.10	1.23	1.33
2	D	224	PHE	C-N	-7.04	1.23	1.33

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	644	ASN	O-C-N	-6.89	114.97	122.07
4	G	134	VAL	N-CA-C	6.07	116.70	110.82
3	E	189	ARG	CB-CA-C	-5.36	109.94	117.23
4	G	492	LYS	CA-C-N	5.12	124.91	119.28
4	G	492	LYS	C-N-CA	5.12	124.91	119.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1220	0	1202	8	0
2	D	1833	0	1806	15	1
3	E	1615	0	1542	18	0
4	G	3769	0	3705	48	0
5	H	1742	0	1715	12	0
6	L	1589	0	1530	15	0
7	U	956	0	928	9	0
7	V	758	0	719	5	0
8	A	28	0	25	0	0
8	C	28	0	25	1	0
8	I	28	0	25	0	0
8	d	28	0	25	0	0
9	F	39	0	34	0	0
9	O	39	0	34	0	0
9	Z	39	0	34	0	0
10	J	94	0	79	1	0
11	K	127	0	106	2	0
11	R	127	0	106	2	0
12	M	116	0	97	0	1
12	N	116	0	97	4	0
12	X	116	0	97	0	0
13	P	72	0	61	6	0
14	Q	83	0	70	0	0
15	S	105	0	88	0	0
16	T	105	0	88	0	0
17	W	72	0	61	0	0
17	e	72	0	61	0	0
17	f	72	0	61	0	0
18	Y	83	0	70	4	0
19	a	105	0	88	0	0
20	b	116	0	97	1	0
21	c	83	0	70	0	0
22	B	13	0	5	1	0
22	G	26	0	10	2	0
23	D	4	0	6	0	0
23	G	4	0	6	0	0
24	G	42	0	39	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
25	B	4	0	0	1	0
25	D	2	0	0	0	0
25	E	1	0	0	0	0
25	G	3	0	0	0	0
25	H	1	0	0	1	0
25	L	1	0	0	0	0
All	All	15476	0	14812	141	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 141 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
18:Y:4:MAN:H3	18:Y:5:MAN:H5	1.19	1.13
13:P:3:BMA:H3	13:P:4:MAN:H5	1.44	0.96
4:G:459:CYS:HB2	7:U:61:ARG:HG2	1.47	0.93
18:Y:4:MAN:H3	18:Y:5:MAN:C5	2.02	0.89
12:N:3:BMA:H3	12:N:4:MAN:H3	1.56	0.86

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:65:ASP:OD1	2:D:113:SER:OG[2_555]	2.14	0.06
12:M:5:MAN:O6	12:M:8:MAN:O3[2_655]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	152/161 (94%)	141 (93%)	11 (7%)	0	100	100
2	D	241/243 (99%)	213 (88%)	26 (11%)	2 (1%)	16	45
3	E	211/216 (98%)	187 (89%)	24 (11%)	0	100	100
4	G	477/484 (99%)	434 (91%)	40 (8%)	3 (1%)	21	50
5	H	224/244 (92%)	210 (94%)	14 (6%)	0	100	100
6	L	208/213 (98%)	185 (89%)	21 (10%)	2 (1%)	12	39
7	U	117/240 (49%)	108 (92%)	8 (7%)	1 (1%)	14	42
7	V	96/240 (40%)	87 (91%)	8 (8%)	1 (1%)	12	39
All	All	1726/2041 (85%)	1565 (91%)	152 (9%)	9 (0%)	24	55

5 of 9 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	G	393	THR
2	D	85	ASP
4	G	509	ARG
2	D	167	PRO
6	L	152	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	131/135 (97%)	119 (91%)	12 (9%)	8	30
2	D	205/206 (100%)	192 (94%)	13 (6%)	16	43
3	E	186/189 (98%)	168 (90%)	18 (10%)	8	28
4	G	428/432 (99%)	385 (90%)	43 (10%)	7	27
5	H	198/213 (93%)	185 (93%)	13 (7%)	15	41
6	L	178/181 (98%)	157 (88%)	21 (12%)	5	20
7	U	102/192 (53%)	96 (94%)	6 (6%)	18	45
7	V	81/192 (42%)	79 (98%)	2 (2%)	42	66

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	1509/1740 (87%)	1381 (92%)	128 (8%)	10	33

5 of 128 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
6	L	162	THR
6	L	196	VAL
4	G	133	ASN
4	G	128	THR
7	U	32	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 11 such sidechains are listed below:

Mol	Chain	Res	Type
6	L	185	GLN
7	U	6	GLN
7	V	90	GLN
7	U	102	HIS
4	G	422	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

159 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	NAG	A	1	1,8	14,14,15	0.45	0	17,19,21	0.70	0
8	NAG	A	2	8	14,14,15	0.41	0	17,19,21	0.39	0
8	NAG	C	1	1,8	14,14,15	0.78	1 (7%)	17,19,21	1.00	1 (5%)
8	NAG	C	2	8	14,14,15	0.63	1 (7%)	17,19,21	0.52	0
9	NAG	F	1	1,9	14,14,15	0.25	0	17,19,21	0.45	0
9	NAG	F	2	9	14,14,15	0.28	0	17,19,21	1.10	2 (11%)
9	BMA	F	3	9	11,11,12	0.45	0	15,15,17	1.05	1 (6%)
8	NAG	I	1	1,8	14,14,15	0.45	0	17,19,21	0.47	0
8	NAG	I	2	8	14,14,15	0.65	1 (7%)	17,19,21	0.46	0
10	NAG	J	1	10,4	14,14,15	0.34	0	17,19,21	0.72	0
10	NAG	J	2	10	14,14,15	0.37	0	17,19,21	0.44	0
10	BMA	J	3	10	11,11,12	0.67	0	15,15,17	0.82	0
10	MAN	J	4	10	11,11,12	0.83	1 (9%)	15,15,17	1.26	2 (13%)
10	MAN	J	5	10	11,11,12	0.75	0	15,15,17	0.89	1 (6%)
10	MAN	J	6	10	11,11,12	1.01	0	15,15,17	1.24	2 (13%)
10	MAN	J	7	10	11,11,12	0.96	1 (9%)	15,15,17	0.81	1 (6%)
10	MAN	J	8	10	11,11,12	0.64	0	15,15,17	0.99	1 (6%)
11	NAG	K	1	11,4	14,14,15	0.30	0	17,19,21	0.47	0
11	MAN	K	10	11	11,11,12	0.77	0	15,15,17	0.94	1 (6%)
11	MAN	K	11	11	11,11,12	0.63	0	15,15,17	0.92	2 (13%)
11	NAG	K	2	11	14,14,15	0.43	0	17,19,21	0.89	1 (5%)
11	BMA	K	3	11	11,11,12	0.80	0	15,15,17	1.27	1 (6%)
11	MAN	K	4	11	11,11,12	0.67	0	15,15,17	0.91	1 (6%)
11	MAN	K	5	11	11,11,12	0.76	0	15,15,17	1.32	1 (6%)
11	MAN	K	6	11	11,11,12	0.24	0	15,15,17	0.47	0
11	MAN	K	7	11	11,11,12	0.76	0	15,15,17	1.21	2 (13%)
11	MAN	K	8	11	11,11,12	0.64	0	15,15,17	1.17	2 (13%)
11	MAN	K	9	11	11,11,12	0.62	0	15,15,17	0.91	2 (13%)
12	NAG	M	1	12,4	14,14,15	0.32	0	17,19,21	0.68	1 (5%)
12	MAN	M	10	12	11,11,12	0.65	0	15,15,17	1.03	2 (13%)
12	NAG	M	2	12	14,14,15	0.37	0	17,19,21	0.48	0
12	BMA	M	3	12	11,11,12	0.84	1 (9%)	15,15,17	1.02	0
12	MAN	M	4	12	11,11,12	0.94	0	15,15,17	1.05	1 (6%)
12	MAN	M	5	12	11,11,12	0.85	0	15,15,17	1.27	2 (13%)
12	MAN	M	6	12	11,11,12	0.69	0	15,15,17	0.98	2 (13%)
12	MAN	M	7	12	11,11,12	0.80	0	15,15,17	1.13	2 (13%)
12	MAN	M	8	12	11,11,12	0.54	0	15,15,17	1.05	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
12	MAN	M	9	12	11,11,12	0.64	0	15,15,17	0.98	2 (13%)
12	NAG	N	1	12,4	14,14,15	0.22	0	17,19,21	0.57	0
12	MAN	N	10	12	11,11,12	0.76	0	15,15,17	0.99	2 (13%)
12	NAG	N	2	12	14,14,15	0.25	0	17,19,21	0.45	0
12	BMA	N	3	12	11,11,12	0.91	1 (9%)	15,15,17	1.10	1 (6%)
12	MAN	N	4	12	11,11,12	0.70	0	15,15,17	1.05	1 (6%)
12	MAN	N	5	12	11,11,12	0.62	0	15,15,17	1.26	2 (13%)
12	MAN	N	6	12	11,11,12	0.67	0	15,15,17	1.01	1 (6%)
12	MAN	N	7	12	11,11,12	0.67	0	15,15,17	1.12	2 (13%)
12	MAN	N	8	12	11,11,12	0.57	0	15,15,17	1.09	2 (13%)
12	MAN	N	9	12	11,11,12	0.72	0	15,15,17	0.86	1 (6%)
9	NAG	O	1	9,4	14,14,15	1.35	1 (7%)	17,19,21	0.86	1 (5%)
9	NAG	O	2	9	14,14,15	0.27	0	17,19,21	0.56	0
9	BMA	O	3	9	11,11,12	0.87	1 (9%)	15,15,17	0.76	0
13	NAG	P	1	13,4	14,14,15	0.27	0	17,19,21	0.52	0
13	NAG	P	2	13	14,14,15	0.47	0	17,19,21	0.40	0
13	BMA	P	3	13	11,11,12	0.43	0	15,15,17	1.09	1 (6%)
13	MAN	P	4	13	11,11,12	0.30	0	15,15,17	0.92	1 (6%)
13	MAN	P	5	13	11,11,12	0.78	0	15,15,17	0.76	0
13	MAN	P	6	13	11,11,12	0.74	0	15,15,17	1.16	2 (13%)
14	NAG	Q	1	14,4	14,14,15	0.37	0	17,19,21	0.56	0
14	NAG	Q	2	14	14,14,15	0.43	0	17,19,21	0.70	0
14	BMA	Q	3	14	11,11,12	0.97	0	15,15,17	0.92	1 (6%)
14	MAN	Q	4	14	11,11,12	0.71	0	15,15,17	1.04	1 (6%)
14	MAN	Q	5	14	11,11,12	0.76	0	15,15,17	0.85	1 (6%)
14	MAN	Q	6	14	11,11,12	0.67	0	15,15,17	0.96	2 (13%)
14	MAN	Q	7	14	11,11,12	0.69	0	15,15,17	0.92	1 (6%)
11	NAG	R	1	11,4	14,14,15	0.42	0	17,19,21	0.45	0
11	MAN	R	10	11	11,11,12	0.61	0	15,15,17	1.03	2 (13%)
11	MAN	R	11	11	11,11,12	0.66	0	15,15,17	0.90	2 (13%)
11	NAG	R	2	11	14,14,15	0.30	0	17,19,21	0.40	0
11	BMA	R	3	11	11,11,12	0.66	0	15,15,17	0.84	0
11	MAN	R	4	11	11,11,12	0.78	0	15,15,17	1.23	2 (13%)
11	MAN	R	5	11	11,11,12	0.66	0	15,15,17	1.35	2 (13%)
11	MAN	R	6	11	11,11,12	0.86	0	15,15,17	0.86	1 (6%)
11	MAN	R	7	11	11,11,12	0.67	0	15,15,17	1.04	2 (13%)
11	MAN	R	8	11	11,11,12	0.69	0	15,15,17	1.21	3 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	MAN	R	9	11	11,11,12	0.76	0	15,15,17	0.87	1 (6%)
15	NAG	S	1	15,4	14,14,15	0.54	0	17,19,21	0.62	0
15	NAG	S	2	15	14,14,15	0.27	0	17,19,21	0.70	0
15	BMA	S	3	15	11,11,12	0.73	0	15,15,17	0.76	0
15	MAN	S	4	15	11,11,12	0.62	0	15,15,17	0.93	1 (6%)
15	MAN	S	5	15	11,11,12	0.64	0	15,15,17	1.34	2 (13%)
15	MAN	S	6	15	11,11,12	0.51	0	15,15,17	1.07	1 (6%)
15	MAN	S	7	15	11,11,12	0.96	0	15,15,17	1.00	1 (6%)
15	MAN	S	8	15	11,11,12	0.68	0	15,15,17	1.41	1 (6%)
15	MAN	S	9	15	11,11,12	0.60	0	15,15,17	1.15	2 (13%)
16	NAG	T	1	16,4	14,14,15	0.27	0	17,19,21	0.54	0
16	NAG	T	2	16	14,14,15	0.59	0	17,19,21	1.22	2 (11%)
16	BMA	T	3	16	11,11,12	0.62	0	15,15,17	1.43	2 (13%)
16	MAN	T	4	16	11,11,12	1.16	2 (18%)	15,15,17	1.42	3 (20%)
16	MAN	T	5	16	11,11,12	0.72	0	15,15,17	1.20	2 (13%)
16	MAN	T	6	16	11,11,12	0.65	0	15,15,17	0.86	1 (6%)
16	MAN	T	7	16	11,11,12	0.66	0	15,15,17	1.01	2 (13%)
16	MAN	T	8	16	11,11,12	1.35	3 (27%)	15,15,17	1.21	2 (13%)
16	MAN	T	9	16	11,11,12	0.73	0	15,15,17	1.01	2 (13%)
17	NAG	W	1	17,4	14,14,15	0.47	0	17,19,21	0.66	0
17	NAG	W	2	17	14,14,15	0.38	0	17,19,21	0.66	0
17	BMA	W	3	17	11,11,12	1.05	1 (9%)	15,15,17	1.07	1 (6%)
17	MAN	W	4	17	11,11,12	0.83	1 (9%)	15,15,17	1.27	2 (13%)
17	MAN	W	5	17	11,11,12	0.73	0	15,15,17	0.88	1 (6%)
17	MAN	W	6	17	11,11,12	0.75	1 (9%)	15,15,17	1.24	2 (13%)
12	NAG	X	1	12,4	14,14,15	0.47	0	17,19,21	0.45	0
12	MAN	X	10	12	11,11,12	0.75	0	15,15,17	0.86	1 (6%)
12	NAG	X	2	12	14,14,15	0.27	0	17,19,21	0.74	0
12	BMA	X	3	12	11,11,12	1.14	2 (18%)	15,15,17	1.26	2 (13%)
12	MAN	X	4	12	11,11,12	0.80	1 (9%)	15,15,17	1.42	2 (13%)
12	MAN	X	5	12	11,11,12	0.86	0	15,15,17	1.27	3 (20%)
12	MAN	X	6	12	11,11,12	1.01	1 (9%)	15,15,17	1.56	2 (13%)
12	MAN	X	7	12	11,11,12	0.64	0	15,15,17	1.10	2 (13%)
12	MAN	X	8	12	11,11,12	0.81	1 (9%)	15,15,17	1.12	1 (6%)
12	MAN	X	9	12	11,11,12	0.76	0	15,15,17	0.99	2 (13%)
18	NAG	Y	1	18,4	14,14,15	0.29	0	17,19,21	0.46	0
18	NAG	Y	2	18	14,14,15	0.21	0	17,19,21	0.44	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
18	BMA	Y	3	18	11,11,12	0.90	0	15,15,17	0.84	0
18	MAN	Y	4	18	11,11,12	0.71	0	15,15,17	1.07	2 (13%)
18	MAN	Y	5	18	11,11,12	1.09	1 (9%)	15,15,17	1.56	2 (13%)
18	MAN	Y	6	18	11,11,12	0.66	0	15,15,17	1.18	2 (13%)
18	MAN	Y	7	18	11,11,12	0.63	0	15,15,17	0.99	2 (13%)
9	NAG	Z	1	9,4	14,14,15	0.28	0	17,19,21	0.47	0
9	NAG	Z	2	9	14,14,15	0.23	0	17,19,21	0.46	0
9	BMA	Z	3	9	11,11,12	0.55	0	15,15,17	0.94	1 (6%)
19	NAG	a	1	19,4	14,14,15	0.34	0	17,19,21	0.68	0
19	NAG	a	2	19	14,14,15	0.31	0	17,19,21	0.50	0
19	BMA	a	3	19	11,11,12	1.03	2 (18%)	15,15,17	1.19	1 (6%)
19	MAN	a	4	19	11,11,12	0.88	0	15,15,17	0.82	1 (6%)
19	MAN	a	5	19	11,11,12	0.62	0	15,15,17	1.13	2 (13%)
19	MAN	a	6	19	11,11,12	0.64	0	15,15,17	0.97	2 (13%)
19	MAN	a	7	19	11,11,12	0.68	0	15,15,17	1.21	2 (13%)
19	MAN	a	8	19	11,11,12	0.64	0	15,15,17	0.91	2 (13%)
19	MAN	a	9	19	11,11,12	0.85	1 (9%)	15,15,17	1.16	2 (13%)
20	NAG	b	1	20,4	14,14,15	0.33	0	17,19,21	0.46	0
20	MAN	b	10	20	11,11,12	0.70	0	15,15,17	1.09	2 (13%)
20	NAG	b	2	20	14,14,15	0.21	0	17,19,21	0.53	0
20	BMA	b	3	20	11,11,12	0.68	0	15,15,17	0.98	1 (6%)
20	MAN	b	4	20	11,11,12	0.87	0	15,15,17	1.63	3 (20%)
20	MAN	b	5	20	11,11,12	0.73	0	15,15,17	0.87	1 (6%)
20	MAN	b	6	20	11,11,12	0.75	0	15,15,17	1.26	2 (13%)
20	MAN	b	7	20	11,11,12	0.72	0	15,15,17	0.92	1 (6%)
20	MAN	b	8	20	11,11,12	0.71	0	15,15,17	1.02	2 (13%)
20	MAN	b	9	20	11,11,12	1.06	2 (18%)	15,15,17	1.22	2 (13%)
21	NAG	c	1	21,4	14,14,15	0.31	0	17,19,21	0.48	0
21	NAG	c	2	21	14,14,15	0.26	0	17,19,21	0.67	0
21	BMA	c	3	21	11,11,12	0.72	0	15,15,17	1.42	4 (26%)
21	MAN	c	4	21	11,11,12	1.78	3 (27%)	15,15,17	1.25	2 (13%)
21	MAN	c	5	21	11,11,12	0.94	1 (9%)	15,15,17	0.82	0
21	MAN	c	6	21	11,11,12	0.71	1 (9%)	15,15,17	1.18	2 (13%)
21	MAN	c	7	21	11,11,12	0.68	0	15,15,17	1.03	2 (13%)
8	NAG	d	1	8,4	14,14,15	0.22	0	17,19,21	0.41	0
8	NAG	d	2	8	14,14,15	0.46	0	17,19,21	0.37	0
17	NAG	e	1	17,5	14,14,15	0.52	0	17,19,21	0.68	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	NAG	e	2	17	14,14,15	0.43	0	17,19,21	0.70	1 (5%)
17	BMA	e	3	17	11,11,12	1.04	0	15,15,17	0.88	0
17	MAN	e	4	17	11,11,12	0.73	0	15,15,17	0.85	1 (6%)
17	MAN	e	5	17	11,11,12	0.92	1 (9%)	15,15,17	1.31	2 (13%)
17	MAN	e	6	17	11,11,12	0.72	0	15,15,17	1.02	2 (13%)
17	NAG	f	1	17,7	14,14,15	0.42	0	17,19,21	0.57	0
17	NAG	f	2	17	14,14,15	0.43	0	17,19,21	0.52	0
17	BMA	f	3	17	11,11,12	0.92	1 (9%)	15,15,17	0.77	1 (6%)
17	MAN	f	4	17	11,11,12	0.88	1 (9%)	15,15,17	1.27	2 (13%)
17	MAN	f	5	17	11,11,12	0.72	0	15,15,17	1.06	2 (13%)
17	MAN	f	6	17	11,11,12	0.66	0	15,15,17	1.08	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	A	1	1,8	-	2/6/23/26	0/1/1/1
8	NAG	A	2	8	-	0/6/23/26	0/1/1/1
8	NAG	C	1	1,8	-	2/6/23/26	0/1/1/1
8	NAG	C	2	8	-	1/6/23/26	0/1/1/1
9	NAG	F	1	1,9	-	0/6/23/26	0/1/1/1
9	NAG	F	2	9	-	0/6/23/26	0/1/1/1
9	BMA	F	3	9	-	0/2/19/22	0/1/1/1
8	NAG	I	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	I	2	8	-	0/6/23/26	0/1/1/1
10	NAG	J	1	10,4	-	2/6/23/26	0/1/1/1
10	NAG	J	2	10	-	2/6/23/26	0/1/1/1
10	BMA	J	3	10	-	1/2/19/22	0/1/1/1
10	MAN	J	4	10	-	0/2/19/22	0/1/1/1
10	MAN	J	5	10	-	1/2/19/22	0/1/1/1
10	MAN	J	6	10	-	1/2/19/22	0/1/1/1
10	MAN	J	7	10	-	0/2/19/22	0/1/1/1
10	MAN	J	8	10	-	0/2/19/22	0/1/1/1
11	NAG	K	1	11,4	-	0/6/23/26	0/1/1/1
11	MAN	K	10	11	-	1/2/19/22	0/1/1/1
11	MAN	K	11	11	-	0/2/19/22	0/1/1/1
11	NAG	K	2	11	-	0/6/23/26	0/1/1/1
11	BMA	K	3	11	-	2/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	MAN	K	4	11	-	0/2/19/22	0/1/1/1
11	MAN	K	5	11	-	0/2/19/22	0/1/1/1
11	MAN	K	6	11	-	0/2/19/22	0/1/1/1
11	MAN	K	7	11	-	2/2/19/22	0/1/1/1
11	MAN	K	8	11	-	1/2/19/22	0/1/1/1
11	MAN	K	9	11	-	0/2/19/22	0/1/1/1
12	NAG	M	1	12,4	-	2/6/23/26	0/1/1/1
12	MAN	M	10	12	-	0/2/19/22	0/1/1/1
12	NAG	M	2	12	-	0/6/23/26	0/1/1/1
12	BMA	M	3	12	-	2/2/19/22	0/1/1/1
12	MAN	M	4	12	-	0/2/19/22	0/1/1/1
12	MAN	M	5	12	-	1/2/19/22	0/1/1/1
12	MAN	M	6	12	-	1/2/19/22	0/1/1/1
12	MAN	M	7	12	-	0/2/19/22	0/1/1/1
12	MAN	M	8	12	-	0/2/19/22	0/1/1/1
12	MAN	M	9	12	-	1/2/19/22	0/1/1/1
12	NAG	N	1	12,4	-	1/6/23/26	0/1/1/1
12	MAN	N	10	12	-	1/2/19/22	0/1/1/1
12	NAG	N	2	12	-	2/6/23/26	0/1/1/1
12	BMA	N	3	12	-	1/2/19/22	0/1/1/1
12	MAN	N	4	12	-	0/2/19/22	0/1/1/1
12	MAN	N	5	12	-	0/2/19/22	0/1/1/1
12	MAN	N	6	12	-	0/2/19/22	0/1/1/1
12	MAN	N	7	12	-	2/2/19/22	0/1/1/1
12	MAN	N	8	12	-	0/2/19/22	0/1/1/1
12	MAN	N	9	12	-	1/2/19/22	0/1/1/1
9	NAG	O	1	9,4	-	2/6/23/26	0/1/1/1
9	NAG	O	2	9	-	2/6/23/26	0/1/1/1
9	BMA	O	3	9	-	2/2/19/22	0/1/1/1
13	NAG	P	1	13,4	-	0/6/23/26	0/1/1/1
13	NAG	P	2	13	-	2/6/23/26	0/1/1/1
13	BMA	P	3	13	-	2/2/19/22	0/1/1/1
13	MAN	P	4	13	-	0/2/19/22	0/1/1/1
13	MAN	P	5	13	-	1/2/19/22	0/1/1/1
13	MAN	P	6	13	-	2/2/19/22	0/1/1/1
14	NAG	Q	1	14,4	-	2/6/23/26	0/1/1/1
14	NAG	Q	2	14	-	3/6/23/26	0/1/1/1
14	BMA	Q	3	14	-	2/2/19/22	0/1/1/1
14	MAN	Q	4	14	-	1/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	MAN	Q	5	14	-	0/2/19/22	0/1/1/1
14	MAN	Q	6	14	-	1/2/19/22	0/1/1/1
14	MAN	Q	7	14	-	0/2/19/22	0/1/1/1
11	NAG	R	1	11,4	-	2/6/23/26	0/1/1/1
11	MAN	R	10	11	-	0/2/19/22	0/1/1/1
11	MAN	R	11	11	-	0/2/19/22	0/1/1/1
11	NAG	R	2	11	-	0/6/23/26	0/1/1/1
11	BMA	R	3	11	-	0/2/19/22	0/1/1/1
11	MAN	R	4	11	-	0/2/19/22	0/1/1/1
11	MAN	R	5	11	-	1/2/19/22	0/1/1/1
11	MAN	R	6	11	-	0/2/19/22	0/1/1/1
11	MAN	R	7	11	-	0/2/19/22	0/1/1/1
11	MAN	R	8	11	-	0/2/19/22	0/1/1/1
11	MAN	R	9	11	-	0/2/19/22	0/1/1/1
15	NAG	S	1	15,4	-	0/6/23/26	0/1/1/1
15	NAG	S	2	15	-	4/6/23/26	0/1/1/1
15	BMA	S	3	15	-	2/2/19/22	0/1/1/1
15	MAN	S	4	15	-	0/2/19/22	0/1/1/1
15	MAN	S	5	15	-	1/2/19/22	0/1/1/1
15	MAN	S	6	15	-	0/2/19/22	0/1/1/1
15	MAN	S	7	15	-	1/2/19/22	0/1/1/1
15	MAN	S	8	15	-	0/2/19/22	0/1/1/1
15	MAN	S	9	15	-	1/2/19/22	0/1/1/1
16	NAG	T	1	16,4	-	0/6/23/26	0/1/1/1
16	NAG	T	2	16	-	0/6/23/26	0/1/1/1
16	BMA	T	3	16	-	0/2/19/22	0/1/1/1
16	MAN	T	4	16	-	0/2/19/22	0/1/1/1
16	MAN	T	5	16	-	2/2/19/22	0/1/1/1
16	MAN	T	6	16	-	1/2/19/22	0/1/1/1
16	MAN	T	7	16	-	0/2/19/22	0/1/1/1
16	MAN	T	8	16	-	0/2/19/22	0/1/1/1
16	MAN	T	9	16	-	0/2/19/22	0/1/1/1
17	NAG	W	1	17,4	-	1/6/23/26	0/1/1/1
17	NAG	W	2	17	-	0/6/23/26	0/1/1/1
17	BMA	W	3	17	-	1/2/19/22	0/1/1/1
17	MAN	W	4	17	-	1/2/19/22	0/1/1/1
17	MAN	W	5	17	-	1/2/19/22	0/1/1/1
17	MAN	W	6	17	-	1/2/19/22	0/1/1/1
12	NAG	X	1	12,4	-	2/6/23/26	0/1/1/1
12	MAN	X	10	12	-	0/2/19/22	0/1/1/1
12	NAG	X	2	12	-	4/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	BMA	X	3	12	-	0/2/19/22	0/1/1/1
12	MAN	X	4	12	-	0/2/19/22	0/1/1/1
12	MAN	X	5	12	-	0/2/19/22	0/1/1/1
12	MAN	X	6	12	-	0/2/19/22	0/1/1/1
12	MAN	X	7	12	-	2/2/19/22	0/1/1/1
12	MAN	X	8	12	-	1/2/19/22	0/1/1/1
12	MAN	X	9	12	-	0/2/19/22	0/1/1/1
18	NAG	Y	1	18,4	-	2/6/23/26	0/1/1/1
18	NAG	Y	2	18	-	1/6/23/26	0/1/1/1
18	BMA	Y	3	18	-	2/2/19/22	0/1/1/1
18	MAN	Y	4	18	-	0/2/19/22	0/1/1/1
18	MAN	Y	5	18	-	1/2/19/22	0/1/1/1
18	MAN	Y	6	18	-	0/2/19/22	0/1/1/1
18	MAN	Y	7	18	-	0/2/19/22	0/1/1/1
9	NAG	Z	1	9,4	-	0/6/23/26	0/1/1/1
9	NAG	Z	2	9	-	2/6/23/26	0/1/1/1
9	BMA	Z	3	9	-	1/2/19/22	0/1/1/1
19	NAG	a	1	19,4	-	2/6/23/26	0/1/1/1
19	NAG	a	2	19	-	1/6/23/26	0/1/1/1
19	BMA	a	3	19	-	2/2/19/22	0/1/1/1
19	MAN	a	4	19	-	2/2/19/22	0/1/1/1
19	MAN	a	5	19	-	1/2/19/22	0/1/1/1
19	MAN	a	6	19	-	0/2/19/22	0/1/1/1
19	MAN	a	7	19	-	0/2/19/22	0/1/1/1
19	MAN	a	8	19	-	1/2/19/22	0/1/1/1
19	MAN	a	9	19	-	0/2/19/22	0/1/1/1
20	NAG	b	1	20,4	-	2/6/23/26	0/1/1/1
20	MAN	b	10	20	-	0/2/19/22	0/1/1/1
20	NAG	b	2	20	-	1/6/23/26	0/1/1/1
20	BMA	b	3	20	-	1/2/19/22	0/1/1/1
20	MAN	b	4	20	-	2/2/19/22	0/1/1/1
20	MAN	b	5	20	-	0/2/19/22	0/1/1/1
20	MAN	b	6	20	-	1/2/19/22	0/1/1/1
20	MAN	b	7	20	-	0/2/19/22	0/1/1/1
20	MAN	b	8	20	-	0/2/19/22	0/1/1/1
20	MAN	b	9	20	-	1/2/19/22	0/1/1/1
21	NAG	c	1	21,4	-	3/6/23/26	0/1/1/1
21	NAG	c	2	21	-	1/6/23/26	0/1/1/1
21	BMA	c	3	21	-	2/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
21	MAN	c	4	21	-	2/2/19/22	0/1/1/1
21	MAN	c	5	21	-	0/2/19/22	0/1/1/1
21	MAN	c	6	21	-	0/2/19/22	0/1/1/1
21	MAN	c	7	21	-	0/2/19/22	0/1/1/1
8	NAG	d	1	8,4	-	1/6/23/26	0/1/1/1
8	NAG	d	2	8	-	0/6/23/26	0/1/1/1
17	NAG	e	1	17,5	-	1/6/23/26	0/1/1/1
17	NAG	e	2	17	-	2/6/23/26	0/1/1/1
17	BMA	e	3	17	-	2/2/19/22	0/1/1/1
17	MAN	e	4	17	-	2/2/19/22	0/1/1/1
17	MAN	e	5	17	-	0/2/19/22	0/1/1/1
17	MAN	e	6	17	-	0/2/19/22	0/1/1/1
17	NAG	f	1	17,7	-	0/6/23/26	0/1/1/1
17	NAG	f	2	17	-	2/6/23/26	0/1/1/1
17	BMA	f	3	17	-	2/2/19/22	0/1/1/1
17	MAN	f	4	17	-	0/2/19/22	0/1/1/1
17	MAN	f	5	17	-	0/2/19/22	0/1/1/1
17	MAN	f	6	17	-	1/2/19/22	0/1/1/1

The worst 5 of 36 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	O	1	NAG	O5-C1	-4.73	1.35	1.43
21	c	4	MAN	C2-C3	4.13	1.58	1.52
18	Y	5	MAN	O2-C2	-3.45	1.36	1.43
12	X	6	MAN	C1-C2	2.99	1.59	1.52
16	T	4	MAN	C1-C2	2.84	1.59	1.52

The worst 5 of 178 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	b	4	MAN	C1-O5-C5	4.83	118.66	112.19
16	T	3	BMA	C1-O5-C5	4.69	118.47	112.19
12	X	6	MAN	C1-O5-C5	4.67	118.44	112.19
18	Y	5	MAN	O2-C2-C3	-4.56	100.71	110.15
15	S	8	MAN	C1-O5-C5	4.32	117.98	112.19

There are no chirality outliers.

5 of 131 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
11	K	3	BMA	O5-C5-C6-O6
11	K	7	MAN	O5-C5-C6-O6
21	c	4	MAN	O5-C5-C6-O6
15	S	3	BMA	C4-C5-C6-O6
9	Z	2	NAG	O5-C5-C6-O6


There are no ring outliers.


18 monomers are involved in 22 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	K	7	MAN	1	0
8	C	2	NAG	1	0
12	N	4	MAN	4	0
11	R	3	BMA	2	0
10	J	4	MAN	1	0
11	K	10	MAN	1	0
18	Y	4	MAN	4	0
18	Y	5	MAN	4	0
13	P	3	BMA	6	0
20	b	2	NAG	1	0
11	K	5	MAN	1	0
13	P	4	MAN	6	0
11	K	6	MAN	1	0
10	J	5	MAN	1	0
12	M	5	MAN	0	1
12	M	8	MAN	0	1
8	C	1	NAG	1	0
12	N	3	BMA	4	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.




























Oligosaccharide Chain M






































5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
22	CIT	B	1666	-	12,12,12	1.03	0	17,17,17	1.70	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
22	CIT	G	1511	-	12,12,12	1.06	0	17,17,17	1.57	2 (11%)
24	NAG	G	1331	4	14,14,15	0.38	0	17,19,21	0.43	0
24	NAG	G	1421	4	14,14,15	0.27	0	17,19,21	0.45	0
23	EDO	D	1225	-	3,3,3	0.44	0	2,2,2	0.41	0
23	EDO	G	1512	-	3,3,3	0.44	0	2,2,2	0.35	0
22	CIT	G	1513	-	12,12,12	1.09	0	17,17,17	1.40	2 (11%)
24	NAG	G	3921	4	14,14,15	0.35	0	17,19,21	0.53	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
22	CIT	B	1666	-	-	10/16/16/16	-
22	CIT	G	1511	-	-	8/16/16/16	-
24	NAG	G	1331	4	-	1/6/23/26	0/1/1/1
24	NAG	G	1421	4	-	2/6/23/26	0/1/1/1
23	EDO	D	1225	-	-	0/1/1/1	-
23	EDO	G	1512	-	-	0/1/1/1	-
22	CIT	G	1513	-	-	4/16/16/16	-
24	NAG	G	3921	4	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	B	1666	CIT	O6-C6-C3	4.58	121.93	113.14
22	G	1511	CIT	O6-C6-C3	4.18	121.17	113.14
22	G	1513	CIT	O6-C6-C3	3.91	120.64	113.14
22	B	1666	CIT	O2-C1-C2	2.48	122.20	114.35
22	G	1511	CIT	O2-C1-C2	2.44	122.09	114.35

There are no chirality outliers.

5 of 27 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
22	B	1666	CIT	C1-C2-C3-O7
22	B	1666	CIT	C1-C2-C3-C4
22	B	1666	CIT	C2-C3-C4-C5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
22	B	1666	CIT	C6-C3-C4-C5
22	B	1666	CIT	O7-C3-C6-O5

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
22	B	1666	CIT	1	0
24	G	1331	NAG	1	0
22	G	1513	CIT	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	154/161 (95%)	-0.78	0 100 100	24, 57, 163, 187	0
2	D	243/243 (100%)	-0.49	0 100 100	54, 108, 222, 242	0
3	E	213/216 (98%)	-0.33	1 (0%) 87 73	70, 134, 195, 262	0
4	G	479/484 (98%)	-0.57	0 100 100	25, 86, 171, 260	0
5	H	228/244 (93%)	-0.21	1 (0%) 88 76	88, 140, 189, 225	0
6	L	210/213 (98%)	-0.07	2 (0%) 79 61	82, 137, 183, 216	0
7	U	119/240 (49%)	-0.23	0 100 100	84, 130, 179, 215	0
7	V	98/240 (40%)	-0.15	0 100 100	112, 158, 225, 247	0
All	All	1744/2041 (85%)	-0.39	4 (0%) 91 83	24, 118, 195, 262	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
6	L	89	HIS	2.2
3	E	185	TRP	2.1
6	L	6	ALA	2.1
5	H	168	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	NAG	A	1	14/15	-	-	107,130,146,147	0
8	NAG	A	2	14/15	-	-	125,153,161,166	0
8	NAG	C	1	14/15	-	-	111,139,152,165	0
8	NAG	C	2	14/15	-	-	167,180,189,191	0
17	MAN	W	5	11/12	0.86	0.08	152,158,167,169	0
18	MAN	Y	5	11/12	0.90	0.08	171,184,195,195	0
8	NAG	d	1	14/15	-	-	149,174,185,196	0
8	NAG	d	2	14/15	-	-	187,194,196,196	0
9	NAG	F	1	14/15	-	-	148,159,164,166	0
9	NAG	F	2	14/15	-	-	146,159,167,179	0
9	BMA	F	3	11/12	-	-	189,194,199,199	0
8	NAG	I	2	14/15	0.91	0.08	135,140,148,149	0
17	BMA	W	3	11/12	0.92	0.09	153,164,169,172	0
9	BMA	Z	3	11/12	0.92	0.07	186,192,199,201	0
13	MAN	P	4	11/12	0.92	0.06	154,158,167,169	0
12	MAN	N	9	11/12	0.93	0.07	193,195,196,197	0
13	NAG	P	1	14/15	0.93	0.13	119,147,158,167	0
13	BMA	P	3	11/12	0.93	0.07	171,174,183,192	0
9	NAG	Z	2	14/15	0.93	0.09	193,201,203,204	0
10	BMA	J	3	11/12	-	-	71,89,112,125	0
10	MAN	J	4	11/12	-	-	77,91,104,109	0
10	MAN	J	5	11/12	-	-	113,128,134,134	0
10	MAN	J	6	11/12	-	-	119,126,161,163	0
10	MAN	J	7	11/12	-	-	137,142,146,147	0
10	MAN	J	8	11/12	-	-	96,105,113,118	0
13	MAN	P	6	11/12	0.93	0.08	201,225,228,228	0
15	BMA	S	3	11/12	0.93	0.06	120,131,143,151	0
11	BMA	K	3	11/12	0.93	0.09	168,183,193,196	0
11	MAN	K	4	11/12	-	-	182,184,187,188	0
11	MAN	K	5	11/12	-	-	152,159,169,177	0
11	MAN	K	6	11/12	-	-	163,167,185,188	0
11	MAN	K	7	11/12	-	-	198,206,211,212	0
11	MAN	K	8	11/12	-	-	176,189,200,200	0
11	MAN	K	9	11/12	-	-	204,207,212,212	0
11	MAN	K	10	11/12	-	-	199,203,206,206	0
11	MAN	K	11	11/12	-	-	200,204,206,206	0
12	MAN	N	7	11/12	0.93	0.09	177,182,189,189	0
17	MAN	W	6	11/12	0.93	0.10	164,166,171,173	0
18	MAN	Y	4	11/12	0.93	0.07	183,185,188,188	0
12	MAN	N	8	11/12	0.93	0.07	194,200,201,202	0
18	MAN	Y	6	11/12	0.93	0.10	193,197,207,209	0
15	MAN	S	5	11/12	0.94	0.07	137,139,143,144	0
11	MAN	R	7	11/12	-	-	92,115,123,124	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
11	MAN	R	8	11/12	-	-	119,130,135,146	0
11	MAN	R	9	11/12	-	-	144,154,158,158	0
11	MAN	R	10	11/12	-	-	121,125,139,146	0
11	MAN	R	11	11/12	-	-	151,154,157,157	0
15	MAN	S	6	11/12	0.94	0.10	134,138,141,147	0
15	MAN	S	7	11/12	0.94	0.10	127,130,142,150	0
16	MAN	T	9	11/12	0.94	0.09	152,160,174,180	0
13	NAG	P	2	14/15	0.94	0.09	170,176,182,182	0
11	BMA	R	3	11/12	0.94	0.05	66,70,80,83	0
12	MAN	N	10	11/12	0.94	0.10	163,173,182,184	0
13	MAN	P	5	11/12	0.94	0.08	148,150,152,152	0
12	MAN	X	8	11/12	0.94	0.07	144,151,165,167	0
12	MAN	M	9	11/12	-	-	167,173,175,178	0
12	MAN	M	10	11/12	-	-	195,199,203,206	0
12	MAN	M	8	11/12	0.94	0.08	183,191,193,194	0
18	MAN	Y	7	11/12	0.94	0.08	189,194,196,196	0
12	MAN	M	5	11/12	0.95	0.08	213,216,217,217	0
16	MAN	T	8	11/12	0.95	0.07	174,179,184,184	0
9	BMA	O	3	11/12	0.95	0.07	118,122,134,138	0
12	NAG	N	2	14/15	0.95	0.09	188,198,201,202	0
10	NAG	J	1	14/15	0.95	0.09	11,43,63,82	0
10	NAG	J	2	14/15	0.95	0.09	43,53,61,72	0
18	BMA	Y	3	11/12	0.95	0.10	178,187,191,192	0
9	NAG	Z	1	14/15	0.95	0.07	147,167,177,188	0
9	NAG	O	2	14/15	0.95	0.11	124,133,139,140	0
12	MAN	X	7	11/12	0.95	0.09	148,150,151,153	0
11	MAN	R	5	11/12	0.95	0.09	98,107,107,108	0
11	MAN	R	6	11/12	0.96	0.14	95,109,116,120	0
12	BMA	N	3	11/12	0.96	0.10	192,197,202,203	0
17	MAN	W	4	11/12	0.96	0.07	160,172,174,174	0
12	MAN	X	4	11/12	0.96	0.10	77,81,93,94	0
12	MAN	N	5	11/12	0.96	0.07	163,175,181,187	0
18	NAG	Y	2	14/15	0.96	0.08	150,157,171,172	0
12	MAN	N	6	11/12	0.96	0.07	189,191,197,198	0
12	MAN	X	9	11/12	0.96	0.09	135,151,162,163	0
12	MAN	X	10	11/12	0.96	0.08	146,151,152,153	0
11	MAN	R	4	11/12	0.96	0.09	86,92,95,104	0
8	NAG	I	1	14/15	0.96	0.10	92,101,115,126	0
11	NAG	K	2	14/15	0.97	0.10	104,117,128,150	0
16	MAN	T	4	11/12	0.97	0.07	181,192,203,205	0
16	MAN	T	6	11/12	0.97	0.09	192,192,195,195	0
16	MAN	T	7	11/12	0.97	0.06	168,174,177,178	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
12	NAG	M	2	14/15	0.97	0.09	155,182,190,200	0
14	MAN	Q	4	11/12	-	-	137,150,167,174	0
14	MAN	Q	5	11/12	-	-	181,185,188,191	0
14	MAN	Q	6	11/12	-	-	172,177,182,186	0
14	MAN	Q	7	11/12	-	-	186,191,194,194	0
12	MAN	N	4	11/12	0.97	0.08	181,184,194,198	0
17	NAG	W	2	14/15	0.97	0.06	128,139,142,147	0
12	MAN	X	5	11/12	0.97	0.07	66,68,86,98	0
12	MAN	X	6	11/12	0.97	0.06	113,136,141,149	0
11	NAG	R	1	14/15	0.97	0.11	20,38,69,70	0
14	NAG	Q	1	14/15	0.97	0.09	64,74,82,93	0
18	NAG	Y	1	14/15	0.97	0.10	110,138,156,158	0
15	MAN	S	8	11/12	-	-	143,145,146,146	0
15	MAN	S	9	11/12	-	-	131,139,144,144	0
14	NAG	Q	2	14/15	0.97	0.10	105,120,131,135	0
14	BMA	Q	3	11/12	0.97	0.09	144,152,173,175	0
12	MAN	M	6	11/12	0.97	0.08	196,198,205,210	0
15	MAN	S	4	11/12	0.97	0.06	124,132,134,137	0
12	MAN	M	7	11/12	0.97	0.10	201,211,212,212	0
11	NAG	R	2	14/15	0.97	0.10	46,55,63,69	0
12	NAG	N	1	14/15	0.98	0.07	141,156,167,179	0
12	BMA	M	3	11/12	0.98	0.09	205,211,211,211	0
16	MAN	T	5	11/12	0.98	0.06	190,196,202,203	0
15	NAG	S	1	14/15	0.98	0.07	86,106,119,126	0
15	NAG	S	2	14/15	0.98	0.06	92,131,140,142	0
12	NAG	X	1	14/15	0.98	0.07	56,80,89,96	0
12	BMA	X	3	11/12	0.98	0.07	74,108,134,144	0
17	NAG	W	1	14/15	0.98	0.09	76,100,120,125	0
12	MAN	M	4	11/12	0.98	0.07	196,205,210,215	0
17	NAG	e	1	14/15	-	-	145,155,161,174	0
17	NAG	e	2	14/15	-	-	170,185,192,193	0
17	BMA	e	3	11/12	-	-	183,185,188,190	0
17	MAN	e	4	11/12	-	-	190,191,198,201	0
17	MAN	e	5	11/12	-	-	188,191,199,201	0
17	MAN	e	6	11/12	-	-	189,191,193,193	0
17	NAG	f	1	14/15	-	-	196,213,219,221	0
17	NAG	f	2	14/15	-	-	191,206,210,210	0
17	BMA	f	3	11/12	-	-	199,204,233,235	0
17	MAN	f	4	11/12	-	-	188,191,195,197	0
17	MAN	f	5	11/12	-	-	181,186,191,193	0
17	MAN	f	6	11/12	-	-	204,211,214,220	0
9	NAG	O	1	14/15	0.98	0.10	90,112,117,127	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
12	NAG	M	1	14/15	0.99	0.05	120,140,157,171	0
12	NAG	X	2	14/15	0.99	0.05	79,87,90,90	0
16	NAG	T	1	14/15	0.99	0.07	67,88,96,114	0
16	NAG	T	2	14/15	0.99	0.04	123,137,149,156	0
16	BMA	T	3	11/12	0.99	0.05	163,167,178,185	0
11	NAG	K	1	14/15	0.99	0.10	66,82,119,126	0
19	NAG	a	1	14/15	-	-	75,97,107,111	0
19	NAG	a	2	14/15	-	-	123,130,142,155	0
19	BMA	a	3	11/12	-	-	163,172,179,184	0
19	MAN	a	4	11/12	-	-	186,192,207,209	0
19	MAN	a	5	11/12	-	-	184,190,194,198	0
19	MAN	a	6	11/12	-	-	168,181,187,188	0
19	MAN	a	7	11/12	-	-	175,183,185,187	0
19	MAN	a	8	11/12	-	-	183,186,187,188	0
19	MAN	a	9	11/12	-	-	162,167,171,172	0
20	NAG	b	1	14/15	-	-	53,73,96,99	0
20	NAG	b	2	14/15	-	-	103,118,123,135	0
20	BMA	b	3	11/12	-	-	147,160,172,178	0
20	MAN	b	4	11/12	-	-	183,196,198,202	0
20	MAN	b	5	11/12	-	-	181,188,192,193	0
20	MAN	b	6	11/12	-	-	178,182,188,191	0
20	MAN	b	7	11/12	-	-	202,207,213,215	0
20	MAN	b	8	11/12	-	-	163,174,195,203	0
20	MAN	b	9	11/12	-	-	169,173,174,176	0
20	MAN	b	10	11/12	-	-	170,173,176,176	0
21	NAG	c	1	14/15	-	-	115,130,148,154	0
21	NAG	c	2	14/15	-	-	158,176,183,189	0
21	BMA	c	3	11/12	-	-	181,183,193,196	0
21	MAN	c	4	11/12	-	-	200,207,210,212	0
21	MAN	c	5	11/12	-	-	191,193,199,202	0
21	MAN	c	6	11/12	-	-	205,211,220,220	0
21	MAN	c	7	11/12	-	-	168,181,192,194	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain A:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain d:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain F:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain O:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around Chain Z:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain R:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain M:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain N:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain X:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain P:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain Q:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain S:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain T:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain W:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain e:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain f:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain Y:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around Chain a:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain b:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
23	EDO	D	1225	4/4	0.90	0.12	70,76,83,89	0
23	EDO	G	1512	4/4	0.94	0.10	82,84,87,90	0
24	NAG	G	1421	14/15	0.94	0.09	164,183,186,188	0
24	NAG	G	3921	14/15	0.96	0.11	144,164,170,172	0
22	CIT	G	1511	13/13	0.98	0.09	178,185,196,196	0
24	NAG	G	1331	14/15	0.98	0.08	114,138,145,148	0
22	CIT	G	1513	13/13	0.98	0.08	113,123,129,129	0
22	CIT	B	1666	13/13	0.98	0.10	77,93,97,101	0

6.5 Other polymers [i](#)

There are no such residues in this entry.