



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 24, 2026 – 08:14 PM UTC

PDB ID : 8G2D / pdb_00008g2d
Title : Crystal structure of the wild-type *Thermus thermophilus* 70S ribosome in complex with tylosin, mRNA, deacylated A- and E-site tRNA^{phe}, and deacylated P-site tRNA^{met} at 2.70Å resolution
Authors : Aleksandrova, E.V.; Wu, K.J.Y.; Tresco, B.I.C.; Syroegin, E.A.; Killeavy, E.E.; Balasanyants, S.M.; Svetlov, M.S.; Gregory, S.T.; Atkinson, G.C.; Myers, A.G.; Polikanov, Y.S.
Deposited on : 2023-02-03
Resolution : 2.70 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<https://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)
RNA backbone	3983	1044 (2.90-2.50)














The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1A	2915	4% 57% 34% 7%
1	2A	2915	4% 51% 37% 7%

Continued on next page...

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	1B	121	
2	2B	121	
3	1D	276	
3	2D	276	
4	1E	206	
4	2E	206	
5	1F	210	
5	2F	210	
6	1G	182	
6	2G	182	
7	1H	180	
7	2H	180	
8	1I	148	
8	2I	148	
9	1N	140	
9	2N	140	
10	1O	122	
10	2O	122	
11	1P	150	
11	2P	150	
12	1Q	141	
12	2Q	141	
13	1R	118	
13	2R	118	
14	1S	112	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
14	2S	112	
15	1T	146	
15	2T	146	
16	1U	118	
16	2U	118	
17	1V	101	
17	2V	101	
18	1W	113	
18	2W	113	
19	1X	96	
19	2X	96	
20	1Y	110	
20	2Y	110	
21	1Z	206	
21	2Z	206	
22	10	85	
22	20	85	
23	11	98	
23	21	98	
24	12	72	
24	22	72	
25	13	60	
25	23	60	
26	14	71	
26	24	71	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
27	15	60	
27	25	60	
28	16	54	
28	26	54	
29	17	49	
29	27	49	
30	18	65	
30	28	65	
31	19	37	
31	29	37	
32	1a	1521	
32	2a	1521	
33	1b	256	
33	2b	256	
34	1c	239	
34	2c	239	
35	1d	209	
35	2d	209	
36	1e	162	
36	2e	162	
37	1f	101	
37	2f	101	
38	1g	156	
38	2g	156	
39	1h	138	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
39	2h	138	
40	1i	128	
40	2i	128	
41	1j	105	
41	2j	105	
42	1k	129	
42	2k	129	
43	1l	132	
43	2l	132	
44	1m	126	
44	2m	126	
45	1n	61	
45	2n	61	
46	1o	89	
46	2o	89	
47	1p	88	
47	2p	88	
48	1q	105	
48	2q	105	
49	1r	88	
49	2r	88	
50	1s	93	
50	2s	93	
51	1t	106	
51	2t	106	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
52	1u	27	
52	2u	27	
53	1v	24	
53	2v	24	
54	1w	76	
54	1y	76	
54	2w	76	
54	2y	76	
55	1x	77	
55	2x	77	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
54	PSU	2y	55	-	-	X	-
59	SF4	1d	302	-	-	X	-

2 Entry composition

There are 61 unique types of molecules in this entry. The entry contains 299892 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	1A	2871	Total	C	N	O	P	0	0	0
			61852	27531	11572	19878	2871			
1	2A	2800	Total	C	N	O	P	0	0	0
			60322	26848	11284	19390	2800			

- Molecule 2 is a RNA chain called 5S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	1B	120	Total	C	N	O	P	0	0	0
			2577	1146	476	835	120			
2	2B	120	Total	C	N	O	P	0	0	0
			2575	1146	476	833	120			

- Molecule 3 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	1D	275	Total	C	N	O	S	0	0	0
			2136	1349	423	361	3			
3	2D	275	Total	C	N	O	S	0	0	0
			2136	1349	423	361	3			

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	1E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			
4	2E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			

- Molecule 5 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	1F	202	Total	C	N	O	S	0	0	0
			1583	1009	297	275	2			
5	2F	202	Total	C	N	O	S	0	0	0
			1579	1007	296	274	2			

- Molecule 6 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	1G	181	Total	C	N	O	S	0	0	0
			1423	913	253	253	4			
6	2G	181	Total	C	N	O	S	0	0	0
			1428	913	258	253	4			

- Molecule 7 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	1H	174	Total	C	N	O	S	0	0	0
			1330	845	248	236	1			
7	2H	174	Total	C	N	O	S	0	0	0
			1330	845	248	236	1			

- Molecule 8 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	1I	146	Total	C	N	O	S	0	0	0
			1097	701	191	204	1			
8	2I	146	Total	C	N	O	S	0	0	0
			1064	681	186	196	1			

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	1N	140	Total	C	N	O	S	0	0	0
			1117	719	207	187	4			
9	2N	140	Total	C	N	O	S	0	0	0
			1117	719	207	187	4			

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	1O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	2O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	1P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			
11	2P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	1Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			
12	2Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	1R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			
13	2R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
14	1S	110	Total	C	N	O	0	0	0
			873	550	174	149			
14	2S	110	Total	C	N	O	0	0	0
			870	549	173	148			

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	1T	131	Total	C	N	O	S	0	0	0
			1091	680	225	185	1			
15	2T	131	Total	C	N	O	S	0	0	0
			1083	675	224	183	1			

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	1U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			
16	2U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	1V	101	Total	C	N	O	S	0	0	0
			771	495	140	135	1			
17	2V	101	Total	C	N	O	S	0	0	0
			771	495	140	135	1			

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	1W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			
18	2W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	1X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			
19	2X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	1Y	107	Total	C	N	O	S	0	0	0
			806	517	152	131	6			
20	2Y	107	Total	C	N	O	S	0	0	0
			806	517	152	131	6			

- Molecule 21 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	1Z	154	Total	C	N	O	S	0	0	0
			1240	795	222	220	3			
21	2Z	160	Total	C	N	O	S	0	0	0
			1271	814	228	227	2			

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	10	83	Total	C	N	O	S	0	0	0
			653	404	139	109	1			
22	20	83	Total	C	N	O	S	0	0	0
			653	404	139	109	1			

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	11	97	Total	C	N	O	S	0	0	0
			755	475	148	131	1			
23	21	97	Total	C	N	O	S	0	0	0
			755	475	148	131	1			

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	12	70	Total	C	N	O	S	0	0	0
			588	365	118	103	2			
24	22	70	Total	C	N	O	S	0	0	0
			588	365	118	103	2			

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
25	13	59	Total	C	N	O	0	0	0
			469	298	90	81			
25	23	59	Total	C	N	O	0	0	0
			464	296	90	78			

- Molecule 26 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	14	69	Total	C	N	O	S	0	0	0
			552	349	99	99	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	24	69	Total	C	N	O	S	0	0	0
			532	339	97	91	5			

- Molecule 27 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	15	59	Total	C	N	O	S	0	0	0
			455	285	89	76	5			
27	25	59	Total	C	N	O	S	0	0	0
			455	285	89	76	5			

- Molecule 28 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	16	53	Total	C	N	O	S	0	0	0
			453	281	91	77	4			
28	26	53	Total	C	N	O	S	0	0	0
			449	279	91	75	4			

- Molecule 29 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	17	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			
29	27	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			

- Molecule 30 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	18	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			
30	28	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			

- Molecule 31 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	19	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			
31	29	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			

- Molecule 32 is a RNA chain called 16S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	1a	1500	Total	C	N	O	P	0	0	0
			32246	14358	5975	10413	1500			
32	2a	1503	Total	C	N	O	P	0	0	0
			32327	14396	5990	10438	1503			

- Molecule 33 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	1b	231	Total	C	N	O	S	0	0	0
			1846	1179	331	331	5			
33	2b	231	Total	C	N	O	S	0	0	0
			1825	1167	326	327	5			

- Molecule 34 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	1c	206	Total	C	N	O	S	0	0	0
			1548	973	301	273	1			
34	2c	206	Total	C	N	O	S	0	0	0
			1542	968	300	273	1			

- Molecule 35 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	1d	208	Total	C	N	O	S	0	0	0
			1655	1038	326	284	7			
35	2d	208	Total	C	N	O	S	0	0	0
			1674	1050	333	284	7			

- Molecule 36 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	1e	148	Total	C	N	O	S	0	0	0
			1129	714	213	198	4			
36	2e	148	Total	C	N	O	S	0	0	0
			1133	716	214	199	4			

- Molecule 37 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	1f	100	Total	C	N	O	S	0	0	0
			810	514	144	149	3			
37	2f	100	Total	C	N	O	S	0	0	0
			816	516	146	151	3			

- Molecule 38 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	1g	155	Total	C	N	O	S	0	0	0
			1231	766	243	216	6			
38	2g	155	Total	C	N	O	S	0	0	0
			1235	769	244	216	6			

- Molecule 39 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	1h	137	Total	C	N	O	S	0	0	0
			1088	689	206	191	2			
39	2h	137	Total	C	N	O	S	0	0	0
			1088	689	206	191	2			

- Molecule 40 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
40	1i	127	Total	C	N	O	0	0	0
			983	623	193	167			
40	2i	127	Total	C	N	O	0	0	0
			978	619	190	169			

- Molecule 41 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
41	1j	97	Total	C	N	O	0	0	0
			709	440	138	131			
41	2j	96	Total	C	N	O	0	0	0
			714	445	138	131			

- Molecule 42 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	1k	114	Total	C	N	O	S	0	0	0
			829	516	155	155	3			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	2k	114	Total	C	N	O	S	0	0	0
			833	519	156	155	3			

- Molecule 43 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	1l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			
43	2l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			

- Molecule 44 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	1m	123	Total	C	N	O	S	0	0	0
			958	592	198	166	2			
44	2m	122	Total	C	N	O	S	0	0	0
			950	586	197	165	2			

- Molecule 45 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	1n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			
45	2n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 46 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	1o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			
46	2o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			

- Molecule 47 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	1p	82	Total	C	N	O	S	0	0	0
			681	433	134	113	1			
47	2p	82	Total	C	N	O	S	0	0	0
			677	430	133	113	1			

- Molecule 48 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	1q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			
48	2q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			

- Molecule 49 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	1r	68	Total	C	N	O		0	0	0
			555	355	108	92				
49	2r	68	Total	C	N	O		0	0	0
			555	355	108	92				

- Molecule 50 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	1s	83	Total	C	N	O	S	0	0	0
			652	417	120	113	2			
50	2s	83	Total	C	N	O	S	0	0	0
			646	412	119	113	2			

- Molecule 51 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	1t	96	Total	C	N	O	S	0	0	0
			728	446	156	124	2			
51	2t	96	Total	C	N	O	S	0	0	0
			727	446	155	124	2			

- Molecule 52 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
52	1u	23	Total	C	N	O	0	0	0
			199	122	48	29			
52	2u	23	Total	C	N	O	0	0	0
			199	122	48	29			

- Molecule 53 is a RNA chain called MF-mRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	1v	13	Total	C	N	O	P	0	0	0
			277	125	51	88	13			
53	2v	13	Total	C	N	O	P	0	0	0
			277	125	51	88	13			

- Molecule 54 is a RNA chain called A-site and E-site Deacylated tRNAphe.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
54	1w	74	Total	C	N	O	P	S	0	0	0
			1592	713	285	518	74	2			
54	1y	74	Total	C	N	O	P	S	0	0	0
			1585	707	285	518	74	1			
54	2w	72	Total	C	N	O	P	S	0	0	0
			1544	690	278	502	72	2			
54	2y	73	Total	C	N	O	P	S	0	0	0
			1565	698	283	510	73	1			

- Molecule 55 is a RNA chain called P-site Deacylated tRNAm^{et}.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
55	1x	76	Total	C	N	O	P	S	0	0	0
			1625	725	294	529	76	1			
55	2x	76	Total	C	N	O	P	S	0	0	0
			1625	725	294	529	76	1			

- Molecule 56 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	1A	1106	Total	Mg	0	0
			1106	1106		
56	1B	35	Total	Mg	0	0
			35	35		
56	1D	11	Total	Mg	0	0
			11	11		
56	1E	13	Total	Mg	0	0
			13	13		
56	1F	10	Total	Mg	0	0
			10	10		
56	1G	4	Total	Mg	0	0
			4	4		
56	1I	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	1N	5	Total 5	Mg 5	0	0
56	1O	6	Total 6	Mg 6	0	0
56	1P	5	Total 5	Mg 5	0	0
56	1Q	6	Total 6	Mg 6	0	0
56	1R	6	Total 6	Mg 6	0	0
56	1S	3	Total 3	Mg 3	0	0
56	1T	3	Total 3	Mg 3	0	0
56	1U	12	Total 12	Mg 12	0	0
56	1V	6	Total 6	Mg 6	0	0
56	1W	7	Total 7	Mg 7	0	0
56	1X	7	Total 7	Mg 7	0	0
56	1Y	3	Total 3	Mg 3	0	0
56	1Z	3	Total 3	Mg 3	0	0
56	10	7	Total 7	Mg 7	0	0
56	11	3	Total 3	Mg 3	0	0
56	12	2	Total 2	Mg 2	0	0
56	13	6	Total 6	Mg 6	0	0
56	15	5	Total 5	Mg 5	0	0
56	16	4	Total 4	Mg 4	0	0
56	17	3	Total 3	Mg 3	0	0
56	18	5	Total 5	Mg 5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	19	1	Total 1	Mg 1	0	0
56	1a	224	Total 224	Mg 224	0	0
56	1b	2	Total 2	Mg 2	0	0
56	1d	1	Total 1	Mg 1	0	0
56	1e	2	Total 2	Mg 2	0	0
56	1f	2	Total 2	Mg 2	0	0
56	1h	1	Total 1	Mg 1	0	0
56	1k	1	Total 1	Mg 1	0	0
56	1l	2	Total 2	Mg 2	0	0
56	1m	1	Total 1	Mg 1	0	0
56	1n	2	Total 2	Mg 2	0	0
56	1p	1	Total 1	Mg 1	0	0
56	1t	1	Total 1	Mg 1	0	0
56	1v	1	Total 1	Mg 1	0	0
56	1w	7	Total 7	Mg 7	0	0
56	1x	14	Total 14	Mg 14	0	0
56	1y	4	Total 4	Mg 4	0	0
56	2A	877	Total 877	Mg 877	0	0
56	2B	21	Total 21	Mg 21	0	0
56	2D	6	Total 6	Mg 6	0	0
56	2E	10	Total 10	Mg 10	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	2F	7	Total 7	Mg 7	0	0
56	2G	1	Total 1	Mg 1	0	0
56	2N	1	Total 1	Mg 1	0	0
56	2O	1	Total 1	Mg 1	0	0
56	2P	3	Total 3	Mg 3	0	0
56	2Q	3	Total 3	Mg 3	0	0
56	2R	2	Total 2	Mg 2	0	0
56	2T	3	Total 3	Mg 3	0	0
56	2U	1	Total 1	Mg 1	0	0
56	2V	2	Total 2	Mg 2	0	0
56	2W	3	Total 3	Mg 3	0	0
56	2X	2	Total 2	Mg 2	0	0
56	2Y	1	Total 1	Mg 1	0	0
56	2Z	1	Total 1	Mg 1	0	0
56	20	3	Total 3	Mg 3	0	0
56	21	1	Total 1	Mg 1	0	0
56	23	4	Total 4	Mg 4	0	0
56	25	4	Total 4	Mg 4	0	0
56	26	1	Total 1	Mg 1	0	0
56	27	1	Total 1	Mg 1	0	0
56	28	4	Total 4	Mg 4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	29	1	Total 1	Mg 1	0	0
56	2a	234	Total 234	Mg 234	0	0
56	2d	2	Total 2	Mg 2	0	0
56	2e	1	Total 1	Mg 1	0	0
56	2f	1	Total 1	Mg 1	0	0
56	2g	1	Total 1	Mg 1	0	0
56	2j	2	Total 2	Mg 2	0	0
56	2k	1	Total 1	Mg 1	0	0
56	2l	4	Total 4	Mg 4	0	0
56	2m	1	Total 1	Mg 1	0	0
56	2q	2	Total 2	Mg 2	0	0
56	2r	2	Total 2	Mg 2	0	0
56	2t	1	Total 1	Mg 1	0	0
56	2v	2	Total 2	Mg 2	0	0
56	2w	7	Total 7	Mg 7	0	0
56	2x	4	Total 4	Mg 4	0	0
56	2y	6	Total 6	Mg 6	0	0

- Molecule 57 is TYLOSIN (CCD ID: TYK) (formula: $C_{46}H_{77}NO_{17}$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
57	1A	1	Total	C	N	O	0	0
			64	46	1	17		
57	2A	1	Total	C	N	O	0	0
			64	46	1	17		

- Molecule 58 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
58	1Y	1	Total	Zn	0	0
			1	1		
58	14	1	Total	Zn	0	0
			1	1		
58	15	1	Total	Zn	0	0
			1	1		
58	16	1	Total	Zn	0	0
			1	1		
58	19	1	Total	Zn	0	0
			1	1		
58	1n	1	Total	Zn	0	0
			1	1		
58	2Y	1	Total	Zn	0	0
			1	1		
58	24	1	Total	Zn	0	0
			1	1		
58	25	1	Total	Zn	0	0
			1	1		
58	26	1	Total	Zn	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
58	29	1	Total	Zn	0	0
			1	1		
58	2n	1	Total	Zn	0	0
			1	1		

- Molecule 59 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe_4S_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
59	1d	1	Total	Fe	S	0	0
			8	4	4		
59	2d	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 60 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
60	1x	1	Total	K	0	0
			1	1		
60	2A	1	Total	K	0	0
			1	1		

- Molecule 61 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	1A	1864	Total	O	0	0
			1864	1864		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	1B	59	Total 59	O 59	0	0
61	1D	24	Total 24	O 24	0	0
61	1E	26	Total 26	O 26	0	0
61	1F	17	Total 17	O 17	0	0
61	1G	5	Total 5	O 5	0	0
61	1H	1	Total 1	O 1	0	0
61	1I	2	Total 2	O 2	0	0
61	1N	7	Total 7	O 7	0	0
61	1O	9	Total 9	O 9	0	0
61	1P	21	Total 21	O 21	0	0
61	1Q	10	Total 10	O 10	0	0
61	1R	10	Total 10	O 10	0	0
61	1S	5	Total 5	O 5	0	0
61	1T	7	Total 7	O 7	0	0
61	1U	10	Total 10	O 10	0	0
61	1V	7	Total 7	O 7	0	0
61	1W	8	Total 8	O 8	0	0
61	1X	5	Total 5	O 5	0	0
61	1Y	3	Total 3	O 3	0	0
61	1Z	1	Total 1	O 1	0	0
61	10	10	Total 10	O 10	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	11	9	Total 9	O 9	0	0
61	12	4	Total 4	O 4	0	0
61	13	4	Total 4	O 4	0	0
61	14	1	Total 1	O 1	0	0
61	15	5	Total 5	O 5	0	0
61	16	2	Total 2	O 2	0	0
61	17	10	Total 10	O 10	0	0
61	18	13	Total 13	O 13	0	0
61	1a	264	Total 264	O 264	0	0
61	1b	1	Total 1	O 1	0	0
61	1d	1	Total 1	O 1	0	0
61	1f	1	Total 1	O 1	0	0
61	1g	1	Total 1	O 1	0	0
61	1i	2	Total 2	O 2	0	0
61	1k	1	Total 1	O 1	0	0
61	1l	4	Total 4	O 4	0	0
61	1m	1	Total 1	O 1	0	0
61	1o	1	Total 1	O 1	0	0
61	1p	1	Total 1	O 1	0	0
61	1q	5	Total 5	O 5	0	0
61	1u	1	Total 1	O 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	1v	4	Total 4	O 4	0	0
61	1w	13	Total 13	O 13	0	0
61	1x	13	Total 13	O 13	0	0
61	2A	1086	Total 1086	O 1086	0	0
61	2B	21	Total 21	O 21	0	0
61	2D	18	Total 18	O 18	0	0
61	2E	11	Total 11	O 11	0	0
61	2F	13	Total 13	O 13	0	0
61	2I	5	Total 5	O 5	0	0
61	2N	1	Total 1	O 1	0	0
61	2O	1	Total 1	O 1	0	0
61	2P	9	Total 9	O 9	0	0
61	2Q	3	Total 3	O 3	0	0
61	2R	3	Total 3	O 3	0	0
61	2T	6	Total 6	O 6	0	0
61	2U	1	Total 1	O 1	0	0
61	2W	1	Total 1	O 1	0	0
61	2X	3	Total 3	O 3	0	0
61	2Y	2	Total 2	O 2	0	0
61	2Z	1	Total 1	O 1	0	0
61	20	5	Total 5	O 5	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	21	9	Total 9	O 9	0	0
61	22	1	Total 1	O 1	0	0
61	23	1	Total 1	O 1	0	0
61	25	3	Total 3	O 3	0	0
61	27	3	Total 3	O 3	0	0
61	28	6	Total 6	O 6	0	0
61	29	1	Total 1	O 1	0	0
61	2a	226	Total 226	O 226	0	0
61	2d	2	Total 2	O 2	0	0
61	2e	1	Total 1	O 1	0	0
61	2i	1	Total 1	O 1	0	0
61	2j	4	Total 4	O 4	0	0
61	2l	6	Total 6	O 6	0	0
61	2p	3	Total 3	O 3	0	0
61	2q	1	Total 1	O 1	0	0
61	2t	4	Total 4	O 4	0	0
61	2u	1	Total 1	O 1	0	0
61	2v	1	Total 1	O 1	0	0
61	2w	2	Total 2	O 2	0	0
61	2x	7	Total 7	O 7	0	0
61	2y	16	Total 16	O 16	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 23S Ribosomal RNA



U2233	G2151	C1999	G1785	G1687	C1557	A1489	A1360	C1258	U1165	U1078	C1008
G2234	G2152	C2006	A1786	A1688	A1588	G1450	G1366	G1259	C1166	C1079	A1009
G2235	G2093	G1900	C1790	A1689	A1566	A1452	A1365	G1260	U1167	C1080	A1010
G2236	G2094	G1903	C1791	A1671	A1567	A1453	G1368	G1261	G1170	U1081	C1011
G2237	G2095	G1906	U1794	G1674	A1568	G1455	G1369	G1264	G1171	U1082	C1012
G2238	G2096	G1907	C1795	C1675	A1569	G1456	U1372	A1265	G1173	U1083	C1013
G2239	G2097	G1908	C1796	C1676	A1570	G1461	G1372	G1266	A1174	A1084	U1014
U2243	U2099	G1909	C1797	C1677	A1571	G1462	U1373	U1267	A1175	A1085	A1021
U2244	G2100	C1907	U1796	C1678	A1572	G1463	A1379	U1268	A1176	A1086	G1022
U2245	G2101	C1908	U1797	C1679	A1573	G1464	G1380	A1269	A1177	A1087	G1023
G2251	U2102	U1911	U1798	U1680	U1574	G1465	G1381	G1270	C1178	G1089	G1024
G2252	G2103	C1914	C1800	G1681	A1575	C1466	G1382	G1271	C1179	U1090	G1025
G2253	G2104	U1915	G1801	C1686	G1581	A1468	G1383	A1272	C1180	U1091	U1026
G2254	C2105	U1916	A1802	U1687	C1582	A1469	A1384	U1273	G1183	G1092	A1027
G2255	G2106	U1917	A1803	U1688	C1583	G1482	G1385	U1274	G1184	U1093	A1028
G2256	C2107	U1918	A1804	U1689	A1584	G1483	U1394	A1275	G1185	U1094	A1032
A2268	A2108	A1919	A1810	U1693	A1585	C1493	U1395	A1276	G1186	A1095	U1033
G2270	U2109	C1920	A1811	C1684	C1586	A1494	A1396	A1277	U1187	A1096	G1034
G2271	U2110	G1929	A1812	G1685	A1587	A1495	U1397	U1288	U1188	U1097	U1035
A2273	C2111	G1930	G1813	A1700	G1589	A1496	C1398	C1289	A1189	A1098	U1036
A2274	G2112	G1931	A1814	A1701	G1590	U1503	U1405	G1291	G1190	G1099	G1037
G2275	U2113	A1937	G1815	G1702	G1591	C1504	U1406	G1292	C1100	U1101	C1038
G2276	G2114	U1938	G1816	G1703	A1603	C1505	U1407	G1293	C1101	C1102	G1039
G2277	A2115	U1939	G1817	G1704	C1607	C1506	G1413	C1294	G1196	A1103	G1040
A2278	G2116	A1825	U1826	U1709	A1608	A1507	G1414	U1295	C1201	G1104	G1041
G2279	A2117	G1827	C1827	C1710	A1609	A1508	G1415	G1296	A1204	U1105	A1044
G2280	G2118	C1828	G1828	U1713	A1610	C1509	G1416	G1297	G1205	G1106	A1045
C2283	C2119	U1946	G1829	G1714	A1611	A1509A	G1417	C1298	U1210	G1107	A1046
G2284	G2120	C1947	A1829	G1715	A1612	A1509B	G1418	G1299	A1211	U1108	G1047
C2285	U2121	U1951	U1833	G1721	A1613	U1518	A1419	U1300	G1212	U1109	A1048
A2286	G2122	A1952	A1834	A1722	C1617	G1519	U1420	A1301	G1213	A1111	C1052
A2287	G2123	A1953	C1843	G1739	A1618	G1520	G1421	G1302	U1212	G1112	C1053
A2288	G2124	G1954	G1740	G1741	G1619	G1521	G1422	G1303	G1218	U1113	A1054
G2289	A2126	U1955	A1847	A1741	G1620	G1522	G1423	G1315	G1227	G1114	G1055
G2290	G2127	U1956	G1847	G1742	A1631A	A1523	G1424	U1316	G1115	G1115	G1056
U2291	C2128	C1962	U1851	C1743	G1632	C1530	G1425	A1317	G1116	G1116	A1057
C2292	U2129	U1963	C1852	A1743	G1633	C1531	G1426	G1230	G1117	G1117	G1058
C2293	G2131	G1964	G1858	C1745A	C1636	C1532	C1427	G1231	G1122	G1122	G1059
C2294	U2132	C1965	G1859	G1746	A1637	G1533	U1430	U1234	G1125	U1125	U1060
C2295	G2133	A1966	A1859	G1747	A1641	G1534	U1431	G1235	A1126	G1126	G1062
U2296	A2134	C1967	G1860	G1750	G1642	U1540	C1432	G1236	U1130	G1130	G1063
G2299	A2135	G1968	G1861	G1751	G1643	G1541	U1433	A1237	G1135	U1135	U1065
G2300	C2136	A1969	G1862	G1752	G1644	G1542	A1434	G1238	G1136	G1136	U1066
G2301	G2137	A1970	G1863	A1752	G1645	U1543	G1435	G1239	G1137	G1137	A1067
G2302	C2138	A1971	C1864	G1753	G1646	G1544	G1436	U1240	G1138	G1138	G1068
G2303	G2139	A1972	A1876	G1754	C1647	G1545	C1437	A1241	U1141	U1141	A1069
G2304	C2140	A1973	A1877	G1755	C1648	C1546	U1438	G1242	G1142	G1142	G1071
A2305	G2141	G1975	G1878	A1773	A1652	C1547	U1439	G1243	G1143	G1143	A1070
G2308	C2142	A1986	C1881	U1778	G1653	C1548	G1442	G1244	G1144	G1144	A1072
U2312	U2143	A1987	G1882	U1779	A1654	C1549	G1443	G1245	G1145	G1145	A1073
G2315	G2144	U1988	G1883	A1780	A1655	C1550	A1445	A1253	C1152	C1152	G1074
G2316	C2145	A1989	A1889	C1781	A1656	C1551	G1446	U1357	C1153	C1153	C1075
C2317	U2146	G1992	A1890	G1782	A1664	C1552	G1447	G1256	G1164	G1164	U1076
G2318	G2147	U1993	A1891	A1783	A1665	C1553	G1448	A1359			A1077
G2319	C2148	C1996	A1892	A1784	A1666	C1554	G1449				
A2320	U2150	G1998	C1893	A1785	G1666	C1555	G1450				



• Molecule 1: 23S Ribosomal RNA






C	G2818	A2733	G2641	U2555	A2476	G2383	G2306	G2182	G2120	C2036	A1936	U1833	A1722
	G2819	A2740	G2645	G2556	A2477	G2394	G2307	C2183	G2121	G2037	A1937	U1837	U1739
	A2820	A2741	G2646	G2557	A2478	C2385	G2308	G2184	U1838	G2038	A1938	U1839	G1740
	A2821		G2647	G2558		C2386	A2309	G2185	U1839	G2039	U1939	G1835	
	A2822	C2745	U2648	A2564	C2483	U2387	A2310	G2186	A2125	U2040	G1940	C1836	G1746
	A2823	U2746		A2565	G2484		A2311		A2126	U2041	G1941	C1837	
	A2826	G2751	A2654	A2566	G2485	U2390	U2312	U2189	G2127	A2042	C1942	G1838	G1756
	G2833	C2752	G2655	G2567	G2486	G2391	C2314	G2190	G2128	C2043	U1946	U1757	
	A2835	A2753	G2656	C2568	A2487	A2392	G2315	G2191	U1843	G2049	G1758	G1758	
	U2836	G2754	A2665	C2569	A2488	C2393	G2316	G2192	U1848	G2044	A1759	A1760	
	G2837	U2755	A2666	A2572	A2489	G2394	G2317	A2199	U1847	G2045	G1761	A1762	
	G2838	U2756	G2669	C2573	G2490	G2395	G2318	G2206	A1848	G2053	U1955	A1847	
	G2839	A2757	A2671	G2575	U2491	G2396	G2319	G2207	G1857	C2055	U1956	A1848	
	G2840	G2758	G2672	G2576	G2494	U2400	A2320	A2208	G1858	G2056	C1957	G1857	
	C2841	G2759	G2673	C2579	G2495	G2401	G2325	G2209	U1858	A2060	C1958	G1857	
	G2842	G2760	G2674	U2584	A2497	C2403	A2327	U2218	G1859	G2061	C1962	G1862	
		G2761	A2675	U2585	G2498	U2406	A2328	G2224	U1862	G2062	U1963	G1863	
		A2764	G2677	C2586	G2499	G2410	G2329	C2226	G1865	G2063	C1967	G1865	
		G2766		A2589	G2502	A2425	G2331	G2238	A1877	U2074	A1970	A1877	
		C2769	G2686	G2597	U2504	U2504	G2334	G2239	G1878	G2070	A1971	G1878	
		G2770	U2687	A2598	G2505	G2505	A2335	G2242	A1889	A2071	G1972	G1889	
		C2773	U2688	G2599	U2506	U2506	A2336	U2243	A1890	G1984	G1973	A1890	
		C2774	U2689	U2690	C2507	C2507	G2337	U2244	G1896	U2075	C1988	A1785	
		U2778	C2690	A2502	G2513	A2432	C2343	C2248	G1896	U2079	G1989	A1786	
		U2779	C2691	U2603	A2518	A2434	C2347	G2251	G1899	G2080	G1992	C1790	
		G2780	C2692	U2604	U2519	A2435	C2347	G2271	A1900	U2086	U1993	A1791	
		G2781	A2693	U2605	C2520	G2436	U2437	G2272	C1902	U2087	G1997	G1792	
		G2782	G2694	G2607	G2525	U2438	G2351	G2155	G1906	G2093	C2006	U1796	
		U2786	U2695	U2608	G2526	A2439	G2354	G2157	G1906	G2094	C2006	C1797	
		C2787	C2699	U2610	G2526	C2441	G2355	A2158	G1906	G2094	C2006	C1797	
		G2788	G2703	U2611	G2529	C2442	G2358	G2159	U1911	C2095	G2010	U1798	
		C2789	C2704	C2612	A2530	C2443	G2359	G2160	A1912	U2096	G2011	U1912	
		A	A2705	U2615	A2531	G2444	C2359	G2161	A1913	U2099	G2012	A1913	
		G2792	G2710	G2616	A2532	G2445	A2360	G2162	C1914	A2013	G2013	A1802	
		C2793	A2711	C2617	A2533	G2446	G2362	C2163	U1915	A2014	U1915	A1803	
		G2794	G2712	G2618	G2534	A2448	C2363	G2164	U1916	A2014	U1917	A1804	
		G	U2712	G2624	G2535	U2449	G2364	G2165	A1918	A2019	A1918	U1805	
		U	A2713	G2625	U2537	A2450	G2365	U2167	A1919	A2020	A1919	U1805	
		C	G2714	G2626	C2538	C2456	A2366	G2168	C1920	G2021	U2022	A1812	
		A	G2715	C2627	C2539	C2456	G2367	A2169	G1924	G2023	U2023	A1815	
		A2801A	G2718	G2628	C2540	C2461	C2368	A2170	G1925	G2024	G2024	G1816	
		G2802	G2719	A2629	A2541	U2462	A2369	A2171	G1926	G2025	G2025	G1817	
		C2803	G2723	G2630	A2542	C2465	G2373	U2172	U1927	C2026	A1927	U1818	
		C2804	G2724	G2631	G2544	C2465	G2373	C2173	A1928	G2027	G2027	U1818	
		G2805	A2725	G2632	G2549	A2469	A2376	G2175	G1929	A2030	A2030	A1821	
		C2807	U2726	G2633	G2549	G2470	A2377	A2176	G1930	A2031	A2031	G1822	
		U2808	G2727	G2634	U2552	G2471	A2378	C2177	U1931	G2032	G2032	G1826	
		G2811		A2639	U2553	G2472	G2380	C2178	A1932	A2033	A2033	G1933	
		C2815	G2732	G2640	U2554	U2473		G2181					


• Molecule 2: 5S Ribosomal RNA

Chain 1B:  67% 26% 6% .




• Molecule 2: 5S Ribosomal RNA

Chain 2B:  7% 41% 49% 9% .




• Molecule 3: 50S ribosomal protein L2

Chain 1D:  71% 25% .




• Molecule 3: 50S ribosomal protein L2

Chain 2D:  73% 25% .




• Molecule 4: 50S ribosomal protein L3

Chain 1E:  72% 24% .




• Molecule 4: 50S ribosomal protein L3

Chain 2E: 71% 23% . .




• Molecule 5: 50S ribosomal protein L4

Chain 1F: 60% 33% . .




• Molecule 5: 50S ribosomal protein L4

Chain 2F: 57% 34% 6% .




• Molecule 6: 50S ribosomal protein L5


Chain 1G: 5% 65% 29% 5% . .




• Molecule 6: 50S ribosomal protein L5




• Molecule 7: 50S ribosomal protein L6





• Molecule 7: 50S ribosomal protein L6







- Molecule 8: 50S ribosomal protein L9



- Molecule 8: 50S ribosomal protein L9




- Molecule 9: 50S ribosomal protein L13



- Molecule 9: 50S ribosomal protein L13




- Molecule 10: 50S ribosomal protein L14







- Molecule 10: 50S ribosomal protein L14





- Molecule 11: 50S ribosomal protein L15



- Molecule 11: 50S ribosomal protein L15




- Molecule 12: 50S ribosomal protein L16



- Molecule 12: 50S ribosomal protein L16





• Molecule 13: 50S ribosomal protein L17

Chain 1R: 73% 25% .




• Molecule 13: 50S ribosomal protein L17

Chain 2R: 70% 25% .




• Molecule 14: 50S ribosomal protein L18

Chain 1S: 72% 23% . .




• Molecule 14: 50S ribosomal protein L18

Chain 2S: 12% 61% 33% . .




• Molecule 15: 50S ribosomal protein L19


Chain 1T: % 63% 26% 10% .




• Molecule 15: 50S ribosomal protein L19




• Molecule 16: 50S ribosomal protein L20




• Molecule 16: 50S ribosomal protein L20




• Molecule 17: 50S ribosomal protein L21




• Molecule 17: 50S ribosomal protein L21




• Molecule 18: 50S ribosomal protein L22



• Molecule 18: 50S ribosomal protein L22







- Molecule 19: 50S ribosomal protein L23




- Molecule 19: 50S ribosomal protein L23




- Molecule 20: 50S ribosomal protein L24



- Molecule 20: 50S ribosomal protein L24




- Molecule 21: 50S ribosomal protein L25




LYS
LEU
ALA
GLU
GLU
GLU
ALA
ALA
ALA
ALA
GLU
VAL
PRO
GLU
GLU
VAL
ILE
LYS
LYS
GLY
LYS
GLU
GLU
GLU
GLU


• Molecule 21: 50S ribosomal protein L25




• Molecule 22: 50S ribosomal protein L27



• Molecule 22: 50S ribosomal protein L27




• Molecule 23: 50S ribosomal protein L28



• Molecule 23: 50S ribosomal protein L28






- Molecule 24: 50S ribosomal protein L29



- Molecule 24: 50S ribosomal protein L29




- Molecule 25: 50S ribosomal protein L30




- Molecule 25: 50S ribosomal protein L30




- Molecule 26: 50S ribosomal protein L31




- Molecule 26: 50S ribosomal protein L31




- Molecule 27: 50S ribosomal protein L32




- Molecule 27: 50S ribosomal protein L32




- Molecule 28: 50S ribosomal protein L33




- Molecule 28: 50S ribosomal protein L33



- Molecule 29: 50S ribosomal protein L34




- Molecule 29: 50S ribosomal protein L34




- Molecule 30: 50S ribosomal protein L35




- Molecule 30: 50S ribosomal protein L35




- Molecule 31: 50S ribosomal protein L36




- Molecule 31: 50S ribosomal protein L36





- Molecule 32: 16S Ribosomal RNA







• Molecule 32: 16S Ribosomal RNA




U1199	C1075	C1018	U957	G874	A780	C708	A614	G543	A452	A374	C267	C174
C1200	C1076	C1019	A958	C875	C783	G713	G617	G544	A453	C175	C268	C176
A1201	G1077	U1020	A959	C876	C784	G714	G618	G545	C457	C177	C269	C178
C1203	U1078	G1021	U960	C877	G785	A716	U619	A647	C458	C179	A279	C180
A1204	G1079	G1022	U961	C878	G786	C717	C620	G548	C459	U180	C280	U181
U1205	A1080	G1023	C880	C879	G787	G718	G621	G549	A461	G182	C283	G183
C1206	G1081	U1024	A964	C881	A790	C719	C624	U552	C470	U184	C284	A185
G1207	U1082	U1025	A965	G885	G791	G720	G625	A553	A472	A186	G289	C187
C1208	G1083	G1026	G966	C886	C792	G721	U626	A554	A473	C188	G292	U189E
U1209	U1084	C1027	A967	C887	C793	G722	G627	C554	G474	U189F	G293	C297
C1210	U1085	C1028	A968	C888	U793	A723	G628	C555	C475	U189G	A300	A298
U1211	U1086	U1029	G969	C889	A794	U724	G629	C556	G481	A195	G302	A196
C1212	G1087	C1030	C970	U891	C806	G724	G630	G557	A482	A197	G309	U190
U1213	U1088	G1031	G971	A892	A807	G725	G631	G558	A483	G200	A313	C201
A1214	U1089	C1032	C972	C893	C807	C726	A642	G559	C484	C202	A321	U202
C1215	U1090	U1033	G973	C894	C808	G727	C643	A560	G485	U203	G326	U204
G1216	U1091	A1034	A974	C895	C809	C728	C644	G561	A496	U205	G327	C217
U1217	U1092	G1035	A975	A918	C812	A729	G645	G562	U498	G216	G332	C218
C1218	A1093	G1036	A976	A919	C813	A730	U646	G563	C501	C219	C328	C219
U1219	U1094	U1037	G977	C920	C814	G731	C647	G564	G502	G220	C337	U222
G1220	U1095	A1038	A978	G921	A815	G732	A648	G565	G503	U223	C338	C224
C1221	C1096	C1039	C979	C922	A816	A733	G649	G566	C504	C225	U340	C226
U1222	U1097	U1040	U982	C923	C817	G734	G650	G567	G505	G230	C341	G231
G1223	C1098	U1041	A983	A924	C818	A735	U652	G568	C506	G232	C342	G233
A1224	U1099	G1042	C984	A925	C819	G736	A653	A572	C507	C237	C345	G247
C1225	A1101	U1043	C985	A926	C820	C737	C656	A573	G508	G247	G350	G250
U1226	U1102	G1044	A986	C927	C821	A738	G657	A574	C509	G254	C357	G255
C1227	C1103	U1045	A987	C928	C822	G739	G658	G575	A510	G259	A363	G260
U1228	A1104	G1046	A988	C929	C823	A740	G659	G576	C511	U261	U367	A262
A1229	U1105	U1047	C989	C930	C824	G741	G660	G577	U512	A263	C372	G266
G1230	A1106	C1048	C990	A931	C825	G742	G661	G578	C513			
C1231	U1107	U1049	C991	C932	C826	G743	G662	G579	U514			
U1232	G1108	G1050	C992	A933	C827	A744	G663	C580	U515			
A1233	C1109	C1051	G993	C934	C828	G745	A664	U582	U516			
U1234	U1110	U1052	C994	A935	C829	A746	G665	G584	C517			
C1235	A1111	G1053	C995	C936	C830	G747	G666	G585	C518			
U1236	U1112	C1054	C996	A937	C831	A748	G667	G586	C519			
A1237	C1113	U1055	C997	C938	C832	G749	G668	G587	A520			
C1238	U1114	G1056	A998	C939	C833	G750	G669	G588	C521			
U1239	C1115	C1057	C999	A940	C834	A751	U672	G590	C522			
A1240	U1116	U1058	C999	C941	C835	G752	G673	U591	C523			
C1241	C1117	G1059	C999	A942	C836	A753	G674	C596	C524			
U1242	U1118	C1060	U1000	C943	C837	G754	A675	G597	C525			
A1243	C1119	U1061	A1001	A944	C838	G755	A676	U598	C526			
C1244	U1120	G1062	G1001A	C945	C839	G756	U677	C600	C527			
U1245	G1121	C1063	G1002	A946	C840	G757	G678	C601	C528			
A1246	U1122	U1064	G1003	C947	C841	G758	G679	G604	U531			
C1247	C1123	G1065	C1004	A948	C842	G759	G680	U605	A532			
U1248	U1124	C1066	A1005	C949	C843	G760	G681	G606	A533			
A1249	G1125	U1067	C1006	A949	C844	G761	G682	A607	C536			
C1250	U1126	C1068	C1007	C950	C845	G762	G683	G608	G537			
U1251	G1127	U1069	G1008	A951	C846	G763	G684	C609	G538			
A1252	U1128	C1070	C1009	C952	C847	G764	G685	G610	G539			
C1253	G1129	U1071	G1010	A953	C848	G765	G686	G611	G540			
U1254	C1130	C1072	G1011	C954	C849	G766	G687	G612	G541			
A1255	U1131	U1073	U1012	A955	C850	G767	G688	G613	G542			
C1256	C1132	G1074	G1013	U956	C851	G768	G689	G614				
U1257	U1133		A1014		C852	G769	G690	G615				
G1258	G1134		G1015		C853	G770	G691	G616				
C1259	U1135		A1016		C854	G771	G692	G617				
U1260			U1017		C855	G772	G693	G618				
A1261			G1018		C856	G773	G694	G619				




• Molecule 33: 30S ribosomal protein S2




• Molecule 33: 30S ribosomal protein S2







• Molecule 34: 30S ribosomal protein S3




• Molecule 34: 30S ribosomal protein S3




• Molecule 35: 30S ribosomal protein S4




• Molecule 35: 30S ribosomal protein S4




• Molecule 36: 30S ribosomal protein S5




• Molecule 36: 30S ribosomal protein S5




• Molecule 37: 30S ribosomal protein S6




• Molecule 37: 30S ribosomal protein S6




- Molecule 38: 30S ribosomal protein S7




- Molecule 38: 30S ribosomal protein S7



- Molecule 39: 30S ribosomal protein S8




- Molecule 39: 30S ribosomal protein S8





- Molecule 40: 30S ribosomal protein S9








• Molecule 40: 30S ribosomal protein S9




• Molecule 41: 30S ribosomal protein S10




• Molecule 41: 30S ribosomal protein S10




• Molecule 42: 30S ribosomal protein S11




- Molecule 42: 30S ribosomal protein S11




- Molecule 43: 30S ribosomal protein S12




- Molecule 43: 30S ribosomal protein S12




- Molecule 44: 30S ribosomal protein S13




- Molecule 44: 30S ribosomal protein S13







- Molecule 45: 30S ribosomal protein S14 type Z




- Molecule 45: 30S ribosomal protein S14 type Z




- Molecule 46: 30S ribosomal protein S15



- Molecule 46: 30S ribosomal protein S15




- Molecule 47: 30S ribosomal protein S16




- Molecule 47: 30S ribosomal protein S16







- Molecule 48: 30S ribosomal protein S17




- Molecule 48: 30S ribosomal protein S17



- Molecule 49: 30S ribosomal protein S18




- Molecule 49: 30S ribosomal protein S18




- Molecule 50: 30S ribosomal protein S19







- Molecule 50: 30S ribosomal protein S19



- Molecule 51: 30S ribosomal protein S20




- Molecule 51: 30S ribosomal protein S20




- Molecule 52: 30S ribosomal protein Thx




- Molecule 52: 30S ribosomal protein Thx







• Molecule 53: MF-mRNA




• Molecule 53: MF-mRNA




• Molecule 54: A-site and E-site Deacylated tRNAphe




• Molecule 54: A-site and E-site Deacylated tRNAphe




• Molecule 54: A-site and E-site Deacylated tRNAphe




- Molecule 54: A-site and E-site Deacylated tRNA^{phe}



- Molecule 55: P-site Deacylated tRNA^{met}



- Molecule 55: P-site Deacylated tRNA^{met}



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	209.36Å 449.77Å 616.87Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	254.37 – 2.70 254.37 – 2.70	Depositor EDS
% Data completeness (in resolution range)	97.1 (254.37-2.70) 97.1 (254.37-2.70)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.23 (at 2.69Å)	Xtriage
Refinement program	PHENIX 1.8.2	Depositor
R, R_{free}	0.224 , 0.277 0.225 , 0.278	Depositor DCC
R_{free} test set	76639 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	47.4	Xtriage
Anisotropy	0.166	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 56.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.38$, $\langle L^2 \rangle = 0.21$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	299892	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: G7M, MG, 0TD, ZN, UR3, OMG, 2MU, PSU, SF4, 2MA, M2G, 4OC, TYK, K, OMC, MIA, MA6, 4SU, 5MC, 2MG, 5MU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1A	0.28	0/69010	0.46	1/107716 (0.0%)
1	2A	0.22	0/67294	0.40	1/105038 (0.0%)
2	1B	0.23	0/2882	0.40	0/4494
2	2B	0.19	0/2879	0.36	0/4487
3	1D	0.27	0/2186	0.50	0/2944
3	2D	0.23	0/2186	0.46	0/2944
4	1E	0.28	0/1592	0.50	0/2149
4	2E	0.22	0/1592	0.46	1/2149 (0.0%)
5	1F	0.26	0/1618	0.49	0/2191
5	2F	0.22	0/1614	0.47	2/2186 (0.1%)
6	1G	0.23	0/1448	0.45	0/1957
6	2G	0.20	0/1453	0.46	0/1963
7	1H	0.23	0/1356	0.41	0/1834
7	2H	0.19	0/1356	0.44	0/1834
8	1I	0.21	0/1112	0.44	0/1514
8	2I	0.19	0/1079	0.40	0/1475
9	1N	0.26	0/1144	0.45	0/1543
9	2N	0.19	0/1144	0.39	0/1543
10	1O	0.26	0/943	0.48	0/1269
10	2O	0.22	0/943	0.47	0/1269
11	1P	0.25	0/1152	0.53	0/1533
11	2P	0.22	0/1152	0.49	0/1533
12	1Q	0.25	0/1143	0.46	0/1527
12	2Q	0.19	0/1143	0.43	0/1527
13	1R	0.27	0/982	0.49	0/1312
13	2R	0.21	0/982	0.45	0/1312
14	1S	0.27	0/883	0.51	0/1176
14	2S	0.19	0/880	0.44	0/1172
15	1T	0.26	0/1105	0.54	1/1477 (0.1%)
15	2T	0.21	0/1097	0.43	0/1468
16	1U	0.29	0/977	0.47	0/1301

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
16	2U	0.20	0/977	0.42	0/1301
17	1V	0.26	0/782	0.52	0/1049
17	2V	0.19	0/782	0.40	0/1049
18	1W	0.30	0/897	0.49	0/1205
18	2W	0.21	0/897	0.40	0/1205
19	1X	0.26	0/764	0.54	3/1025 (0.3%)
19	2X	0.21	0/764	0.51	2/1025 (0.2%)
20	1Y	0.25	0/819	0.54	0/1095
20	2Y	0.19	0/819	0.42	0/1095
21	1Z	0.21	0/1267	0.44	0/1717
21	2Z	0.22	0/1299	0.47	0/1763
22	10	0.27	0/662	0.48	0/881
22	20	0.20	0/662	0.43	0/881
23	11	0.26	0/762	0.44	0/1014
23	21	0.23	0/762	0.43	0/1014
24	12	0.26	0/590	0.45	0/781
24	22	0.19	0/590	0.37	0/781
25	13	0.27	0/474	0.48	0/635
25	23	0.20	0/469	0.44	0/630
26	14	0.29	0/565	0.68	1/761 (0.1%)
26	24	0.25	0/545	0.67	1/737 (0.1%)
27	15	0.26	0/469	0.53	0/635
27	25	0.26	0/469	0.49	0/635
28	16	0.27	0/460	0.47	0/613
28	26	0.21	0/456	0.43	0/608
29	17	0.31	0/426	0.52	0/561
29	27	0.25	0/426	0.50	0/561
30	18	0.27	0/525	0.47	0/691
30	28	0.22	0/525	0.41	0/691
31	19	0.28	0/310	0.52	0/407
31	29	0.20	0/310	0.45	0/407
32	1a	0.21	0/35795	0.39	0/55864
32	2a	0.20	0/35886	0.38	0/56005
33	1b	0.21	0/1881	0.50	0/2542
33	2b	0.22	0/1860	0.50	0/2518
34	1c	0.19	0/1572	0.43	0/2126
34	2c	0.22	0/1566	0.47	0/2119
35	1d	0.19	0/1685	0.46	0/2262
35	2d	0.21	0/1704	0.44	0/2284
36	1e	0.22	0/1145	0.46	0/1543
36	2e	0.22	0/1149	0.52	0/1548
37	1f	0.21	0/823	0.43	0/1115
37	2f	0.20	0/829	0.43	0/1123

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
38	1g	0.19	0/1250	0.43	0/1679
38	2g	0.19	0/1254	0.42	0/1683
39	1h	0.19	0/1108	0.45	0/1494
39	2h	0.19	0/1108	0.44	0/1494
40	1i	0.20	0/1002	0.51	0/1346
40	2i	0.21	0/997	0.49	0/1343
41	1j	0.20	0/722	0.43	0/982
41	2j	0.22	0/727	0.54	0/988
42	1k	0.19	0/844	0.42	0/1145
42	2k	0.18	0/848	0.41	0/1149
43	1l	0.21	0/937	0.44	0/1260
43	2l	0.19	0/937	0.41	0/1260
44	1m	0.21	0/969	0.48	1/1302 (0.1%)
44	2m	0.21	0/961	0.45	0/1291
45	1n	0.19	0/501	0.46	0/664
45	2n	0.21	0/501	0.47	0/664
46	1o	0.20	0/739	0.38	0/985
46	2o	0.18	0/739	0.38	0/985
47	1p	0.20	0/697	0.47	0/939
47	2p	0.20	0/693	0.46	0/935
48	1q	0.20	0/836	0.43	0/1117
48	2q	0.19	0/836	0.46	0/1117
49	1r	0.22	0/560	0.42	0/746
49	2r	0.18	0/560	0.39	0/746
50	1s	0.19	0/667	0.49	0/900
50	2s	0.24	0/661	0.59	0/893
51	1t	0.20	0/730	0.49	0/965
51	2t	0.21	0/729	0.51	0/965
52	1u	0.19	0/203	0.42	0/266
52	2u	0.22	0/203	0.45	0/266
53	1v	0.19	0/310	0.32	0/480
53	2v	0.21	0/310	0.32	0/480
54	1w	0.29	1/1606 (0.1%)	0.41	0/2497
54	1y	0.28	2/1606 (0.1%)	0.40	0/2497
54	2w	0.30	1/1556 (0.1%)	0.41	0/2418
54	2y	0.29	2/1583 (0.1%)	0.44	0/2459
55	1x	0.27	0/1725	0.42	0/2689
55	2x	0.24	1/1725 (0.1%)	0.36	0/2689
All	All	0.23	7/316686 (0.0%)	0.43	14/474117 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a

sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
11	1P	0	1
11	2P	0	1
33	2b	0	1
All	All	0	3

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
54	1y	8	4SU	O3'-P	5.43	1.61	1.56
54	1w	46	G7M	O3'-P	5.34	1.61	1.56
54	2w	46	G7M	O3'-P	5.24	1.61	1.56
55	2x	8	4SU	O3'-P	5.09	1.61	1.56
54	2y	46	G7M	O3'-P	5.07	1.61	1.56

The worst 5 of 14 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	1T	89	VAL	N-CA-C	-6.52	106.44	112.96
1	1A	1992	G	C2'-C3'-O3'	5.99	118.48	109.50
4	2E	186	GLY	N-CA-C	5.69	118.91	110.60
5	2F	21	ALA	CA-C-N	5.41	131.43	121.70
5	2F	21	ALA	C-N-CA	5.41	131.43	121.70

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
11	1P	35	HIS	Peptide
11	2P	35	HIS	Peptide
33	2b	186	ALA	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1A	61852	0	31193	773	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	2A	60322	0	30423	825	0
2	1B	2577	0	1305	28	0
2	2B	2575	0	1303	48	0
3	1D	2136	0	2218	70	0
3	2D	2136	0	2217	61	0
4	1E	1559	0	1618	36	0
4	2E	1559	0	1618	34	0
5	1F	1583	0	1625	47	0
5	2F	1579	0	1619	59	0
6	1G	1423	0	1436	49	0
6	2G	1428	0	1438	59	0
7	1H	1330	0	1407	44	0
7	2H	1330	0	1407	43	0
8	1I	1097	0	1140	27	0
8	2I	1064	0	1082	29	0
9	1N	1117	0	1184	22	0
9	2N	1117	0	1184	21	0
10	1O	933	0	996	25	0
10	2O	933	0	996	28	0
11	1P	1135	0	1212	48	0
11	2P	1135	0	1212	50	0
12	1Q	1122	0	1179	23	0
12	2Q	1122	0	1179	36	0
13	1R	968	0	1033	25	0
13	2R	968	0	1033	26	0
14	1S	873	0	927	18	0
14	2S	870	0	923	29	0
15	1T	1091	0	1151	25	0
15	2T	1083	0	1136	36	0
16	1U	959	0	1019	19	0
16	2U	959	0	1019	22	0
17	1V	771	0	830	10	1
17	2V	771	0	830	15	0
18	1W	886	0	939	12	0
18	2W	886	0	940	16	0
19	1X	750	0	814	23	0
19	2X	750	0	814	22	0
20	1Y	806	0	881	22	0
20	2Y	806	0	881	16	0
21	1Z	1240	0	1240	37	0
21	2Z	1271	0	1273	55	0
22	10	653	0	674	20	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
22	20	653	0	674	25	0
23	11	755	0	826	11	0
23	21	755	0	826	22	0
24	12	588	0	643	11	0
24	22	588	0	643	21	0
25	13	469	0	518	16	0
25	23	464	0	514	18	0
26	14	552	0	533	31	0
26	24	532	0	503	37	0
27	15	455	0	465	12	1
27	25	455	0	465	16	0
28	16	453	0	473	14	0
28	26	449	0	469	15	0
29	17	418	0	467	11	0
29	27	418	0	467	16	0
30	18	517	0	582	27	0
30	28	517	0	582	19	0
31	19	307	0	335	4	0
31	29	307	0	335	8	0
32	1a	32246	0	16294	514	0
32	2a	32327	0	16338	639	1
33	1b	1846	0	1867	74	0
33	2b	1825	0	1828	95	0
34	1c	1548	0	1535	40	0
34	2c	1542	0	1517	61	0
35	1d	1655	0	1672	71	0
35	2d	1674	0	1714	54	0
36	1e	1129	0	1185	31	0
36	2e	1133	0	1191	45	0
37	1f	810	0	804	13	0
37	2f	816	0	808	19	0
38	1g	1231	0	1238	27	0
38	2g	1235	0	1249	37	0
39	1h	1088	0	1126	40	0
39	2h	1088	0	1126	42	0
40	1i	983	0	986	44	0
40	2i	978	0	966	47	0
41	1j	709	0	650	31	0
41	2j	714	0	672	37	0
42	1k	829	0	825	11	0
42	2k	833	0	836	24	0
43	1l	932	0	981	19	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
43	2l	932	0	981	36	0
44	1m	958	0	1002	32	0
44	2m	950	0	988	55	0
45	1n	492	0	529	18	0
45	2n	492	0	529	26	0
46	1o	728	0	760	19	0
46	2o	728	0	760	22	0
47	1p	681	0	697	25	0
47	2p	677	0	686	21	0
48	1q	823	0	891	29	0
48	2q	823	0	891	21	0
49	1r	555	0	618	9	0
49	2r	555	0	618	15	0
50	1s	652	0	662	33	0
50	2s	646	0	644	31	0
51	1t	728	0	798	21	0
51	2t	727	0	796	26	0
52	1u	199	0	208	10	0
52	2u	199	0	208	7	0
53	1v	277	0	140	3	0
53	2v	277	0	140	7	0
54	1w	1592	0	818	31	0
54	1y	1585	0	803	18	0
54	2w	1544	0	787	41	0
54	2y	1565	0	794	30	0
55	1x	1625	0	829	15	0
55	2x	1625	0	829	16	0
56	10	7	0	0	0	0
56	11	3	0	0	0	0
56	12	2	0	0	0	0
56	13	6	0	0	0	0
56	15	5	0	0	0	0
56	16	4	0	0	0	0
56	17	3	0	0	0	0
56	18	5	0	0	0	0
56	19	1	0	0	0	0
56	1A	1106	0	0	0	0
56	1B	35	0	0	0	0
56	1D	11	0	0	0	0
56	1E	13	0	0	0	0
56	1F	10	0	0	0	0
56	1G	4	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
56	1I	1	0	0	0	0
56	1N	5	0	0	0	0
56	1O	6	0	0	0	0
56	1P	5	0	0	0	0
56	1Q	6	0	0	0	0
56	1R	6	0	0	0	0
56	1S	3	0	0	0	0
56	1T	3	0	0	0	0
56	1U	12	0	0	0	0
56	1V	6	0	0	0	0
56	1W	7	0	0	0	0
56	1X	7	0	0	0	0
56	1Y	3	0	0	0	0
56	1Z	3	0	0	0	0
56	1a	224	0	0	0	0
56	1b	2	0	0	0	0
56	1d	1	0	0	0	0
56	1e	2	0	0	0	0
56	1f	2	0	0	0	0
56	1h	1	0	0	0	0
56	1k	1	0	0	0	0
56	1l	2	0	0	0	0
56	1m	1	0	0	0	0
56	1n	2	0	0	0	0
56	1p	1	0	0	0	0
56	1t	1	0	0	0	0
56	1v	1	0	0	0	0
56	1w	7	0	0	0	0
56	1x	14	0	0	0	0
56	1y	4	0	0	0	0
56	20	3	0	0	0	0
56	21	1	0	0	0	0
56	23	4	0	0	0	0
56	25	4	0	0	0	0
56	26	1	0	0	0	0
56	27	1	0	0	0	0
56	28	4	0	0	0	0
56	29	1	0	0	0	0
56	2A	877	0	0	0	0
56	2B	21	0	0	0	0
56	2D	6	0	0	0	0
56	2E	10	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
56	2F	7	0	0	0	0
56	2G	1	0	0	0	0
56	2N	1	0	0	0	0
56	2O	1	0	0	0	0
56	2P	3	0	0	0	0
56	2Q	3	0	0	0	0
56	2R	2	0	0	0	0
56	2T	3	0	0	0	0
56	2U	1	0	0	0	0
56	2V	2	0	0	0	0
56	2W	3	0	0	0	0
56	2X	2	0	0	0	0
56	2Y	1	0	0	0	0
56	2Z	1	0	0	0	0
56	2a	234	0	0	0	0
56	2d	2	0	0	0	0
56	2e	1	0	0	0	0
56	2f	1	0	0	0	0
56	2g	1	0	0	0	0
56	2j	2	0	0	0	0
56	2k	1	0	0	0	0
56	2l	4	0	0	0	0
56	2m	1	0	0	0	0
56	2q	2	0	0	0	0
56	2r	2	0	0	0	0
56	2t	1	0	0	0	0
56	2v	2	0	0	0	0
56	2w	7	0	0	0	0
56	2x	4	0	0	0	0
56	2y	6	0	0	0	0
57	1A	64	0	76	6	0
57	2A	64	0	76	4	0
58	14	1	0	0	0	0
58	15	1	0	0	0	0
58	16	1	0	0	0	0
58	19	1	0	0	0	0
58	1Y	1	0	0	0	0
58	1n	1	0	0	0	0
58	24	1	0	0	0	0
58	25	1	0	0	0	0
58	26	1	0	0	0	0
58	29	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
58	2Y	1	0	0	0	0
58	2n	1	0	0	0	0
59	1d	8	0	0	5	0
59	2d	8	0	0	0	0
60	1x	1	0	0	0	0
60	2A	1	0	0	0	0
61	10	10	0	0	1	0
61	11	9	0	0	0	0
61	12	4	0	0	1	0
61	13	4	0	0	1	0
61	14	1	0	0	0	0
61	15	5	0	0	0	0
61	16	2	0	0	0	0
61	17	10	0	0	0	0
61	18	13	0	0	1	0
61	1A	1864	0	0	102	0
61	1B	59	0	0	3	0
61	1D	24	0	0	1	0
61	1E	26	0	0	3	0
61	1F	17	0	0	1	0
61	1G	5	0	0	1	0
61	1H	1	0	0	0	0
61	1I	2	0	0	0	0
61	1N	7	0	0	0	0
61	1O	9	0	0	0	0
61	1P	21	0	0	1	0
61	1Q	10	0	0	0	0
61	1R	10	0	0	1	0
61	1S	5	0	0	0	0
61	1T	7	0	0	0	0
61	1U	10	0	0	0	0
61	1V	7	0	0	0	0
61	1W	8	0	0	2	0
61	1X	5	0	0	1	0
61	1Y	3	0	0	0	0
61	1Z	1	0	0	0	0
61	1a	264	0	0	25	0
61	1b	1	0	0	1	0
61	1d	1	0	0	0	0
61	1f	1	0	0	0	0
61	1g	1	0	0	1	0
61	1i	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6l	1k	1	0	0	0	0
6l	1l	4	0	0	0	0
6l	1m	1	0	0	0	0
6l	1o	1	0	0	0	0
6l	1p	1	0	0	0	0
6l	1q	5	0	0	0	0
6l	1u	1	0	0	1	0
6l	1v	4	0	0	0	0
6l	1w	13	0	0	0	0
6l	1x	13	0	0	1	0
6l	20	5	0	0	1	0
6l	21	9	0	0	1	0
6l	22	1	0	0	0	0
6l	23	1	0	0	0	0
6l	25	3	0	0	0	0
6l	27	3	0	0	1	0
6l	28	6	0	0	1	0
6l	29	1	0	0	0	0
6l	2A	1086	0	0	84	0
6l	2B	21	0	0	1	0
6l	2D	18	0	0	1	0
6l	2E	11	0	0	1	0
6l	2F	13	0	0	0	0
6l	2I	5	0	0	1	0
6l	2N	1	0	0	0	0
6l	2O	1	0	0	0	0
6l	2P	9	0	0	0	0
6l	2Q	3	0	0	0	0
6l	2R	3	0	0	0	0
6l	2T	6	0	0	0	0
6l	2U	1	0	0	0	0
6l	2W	1	0	0	0	0
6l	2X	3	0	0	1	0
6l	2Y	2	0	0	0	0
6l	2Z	1	0	0	0	0
6l	2a	226	0	0	28	0
6l	2d	2	0	0	0	0
6l	2e	1	0	0	0	0
6l	2i	1	0	0	0	0
6l	2j	4	0	0	2	0
6l	2l	6	0	0	1	0
6l	2p	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
61	2q	1	0	0	0	0
61	2t	4	0	0	0	0
61	2u	1	0	0	0	0
61	2v	1	0	0	0	0
61	2w	2	0	0	0	0
61	2x	7	0	0	0	0
61	2y	16	0	0	0	0
All	All	299892	0	196834	5098	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

The worst 5 of 5098 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:1A:1082:U:H3	1:1A:1086:A:N6	1.56	1.03
1:1A:1082:U:O4	1:1A:1086:A:N1	1.94	1.00
33:1b:185:ILE:HG22	33:1b:199:TYR:HB2	1.45	0.98
1:1A:2124:G:H1	1:1A:2174:C:H42	1.02	0.97
1:2A:2585:U:H5	54:2w:76:A:HO3'	1.03	0.96

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:1A:2136:C:O3'	32:2a:1000:U:O2'[3_654]	2.15	0.05
17:1V:49:THR:OG1	27:15:60:VAL:O[4_545]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	1D	273/276 (99%)	258 (94%)	15 (6%)	0	100	100
3	2D	273/276 (99%)	252 (92%)	21 (8%)	0	100	100
4	1E	202/206 (98%)	191 (95%)	10 (5%)	1 (0%)	24	48
4	2E	202/206 (98%)	186 (92%)	13 (6%)	3 (2%)	8	22
5	1F	200/210 (95%)	194 (97%)	5 (2%)	1 (0%)	24	48
5	2F	200/210 (95%)	183 (92%)	15 (8%)	2 (1%)	12	32
6	1G	179/182 (98%)	160 (89%)	16 (9%)	3 (2%)	7	19
6	2G	179/182 (98%)	153 (86%)	20 (11%)	6 (3%)	3	7
7	1H	172/180 (96%)	157 (91%)	15 (9%)	0	100	100
7	2H	172/180 (96%)	152 (88%)	18 (10%)	2 (1%)	10	27
8	1I	144/148 (97%)	131 (91%)	12 (8%)	1 (1%)	18	41
8	2I	144/148 (97%)	120 (83%)	23 (16%)	1 (1%)	18	41
9	1N	138/140 (99%)	133 (96%)	5 (4%)	0	100	100
9	2N	138/140 (99%)	132 (96%)	6 (4%)	0	100	100
10	1O	120/122 (98%)	110 (92%)	10 (8%)	0	100	100
10	2O	120/122 (98%)	111 (92%)	8 (7%)	1 (1%)	16	37
11	1P	147/150 (98%)	130 (88%)	17 (12%)	0	100	100
11	2P	147/150 (98%)	130 (88%)	16 (11%)	1 (1%)	18	41
12	1Q	139/141 (99%)	128 (92%)	11 (8%)	0	100	100
12	2Q	139/141 (99%)	129 (93%)	8 (6%)	2 (1%)	9	23
13	1R	116/118 (98%)	109 (94%)	7 (6%)	0	100	100
13	2R	116/118 (98%)	111 (96%)	5 (4%)	0	100	100
14	1S	108/112 (96%)	100 (93%)	8 (7%)	0	100	100
14	2S	108/112 (96%)	100 (93%)	7 (6%)	1 (1%)	14	35
15	1T	129/146 (88%)	118 (92%)	10 (8%)	1 (1%)	16	37
15	2T	129/146 (88%)	122 (95%)	6 (5%)	1 (1%)	16	37
16	1U	114/118 (97%)	113 (99%)	1 (1%)	0	100	100
16	2U	114/118 (97%)	111 (97%)	3 (3%)	0	100	100
17	1V	99/101 (98%)	93 (94%)	4 (4%)	2 (2%)	6	16
17	2V	99/101 (98%)	94 (95%)	4 (4%)	1 (1%)	12	32
18	1W	110/113 (97%)	110 (100%)	0	0	100	100
18	2W	110/113 (97%)	109 (99%)	1 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
19	1X	93/96 (97%)	86 (92%)	5 (5%)	2 (2%)	5	14
19	2X	93/96 (97%)	83 (89%)	10 (11%)	0	100	100
20	1Y	105/110 (96%)	97 (92%)	7 (7%)	1 (1%)	12	32
20	2Y	105/110 (96%)	94 (90%)	10 (10%)	1 (1%)	12	32
21	1Z	148/206 (72%)	126 (85%)	17 (12%)	5 (3%)	3	7
21	2Z	156/206 (76%)	124 (80%)	25 (16%)	7 (4%)	2	4
22	10	81/85 (95%)	76 (94%)	4 (5%)	1 (1%)	10	27
22	20	81/85 (95%)	73 (90%)	8 (10%)	0	100	100
23	11	95/98 (97%)	92 (97%)	2 (2%)	1 (1%)	11	29
23	21	95/98 (97%)	92 (97%)	3 (3%)	0	100	100
24	12	68/72 (94%)	67 (98%)	1 (2%)	0	100	100
24	22	68/72 (94%)	63 (93%)	5 (7%)	0	100	100
25	13	57/60 (95%)	56 (98%)	1 (2%)	0	100	100
25	23	57/60 (95%)	52 (91%)	5 (9%)	0	100	100
26	14	67/71 (94%)	52 (78%)	8 (12%)	7 (10%)	0	0
26	24	67/71 (94%)	43 (64%)	18 (27%)	6 (9%)	0	0
27	15	57/60 (95%)	57 (100%)	0	0	100	100
27	25	57/60 (95%)	51 (90%)	6 (10%)	0	100	100
28	16	51/54 (94%)	50 (98%)	1 (2%)	0	100	100
28	26	51/54 (94%)	46 (90%)	5 (10%)	0	100	100
29	17	46/49 (94%)	45 (98%)	1 (2%)	0	100	100
29	27	46/49 (94%)	45 (98%)	1 (2%)	0	100	100
30	18	62/65 (95%)	62 (100%)	0	0	100	100
30	28	62/65 (95%)	61 (98%)	1 (2%)	0	100	100
31	19	35/37 (95%)	32 (91%)	3 (9%)	0	100	100
31	29	35/37 (95%)	33 (94%)	2 (6%)	0	100	100
33	1b	229/256 (90%)	184 (80%)	38 (17%)	7 (3%)	3	8
33	2b	229/256 (90%)	189 (82%)	32 (14%)	8 (4%)	3	6
34	1c	204/239 (85%)	184 (90%)	16 (8%)	4 (2%)	6	16
34	2c	204/239 (85%)	167 (82%)	31 (15%)	6 (3%)	3	9
35	1d	206/209 (99%)	185 (90%)	19 (9%)	2 (1%)	12	32

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
35	2d	206/209 (99%)	186 (90%)	19 (9%)	1 (0%)	24	48
36	1e	146/162 (90%)	123 (84%)	20 (14%)	3 (2%)	5	15
36	2e	146/162 (90%)	132 (90%)	12 (8%)	2 (1%)	9	23
37	1f	98/101 (97%)	89 (91%)	9 (9%)	0	100	100
37	2f	98/101 (97%)	91 (93%)	6 (6%)	1 (1%)	12	32
38	1g	153/156 (98%)	137 (90%)	15 (10%)	1 (1%)	18	41
38	2g	153/156 (98%)	135 (88%)	15 (10%)	3 (2%)	6	16
39	1h	135/138 (98%)	121 (90%)	12 (9%)	2 (2%)	8	22
39	2h	135/138 (98%)	118 (87%)	15 (11%)	2 (2%)	8	22
40	1i	125/128 (98%)	105 (84%)	18 (14%)	2 (2%)	7	20
40	2i	125/128 (98%)	104 (83%)	18 (14%)	3 (2%)	4	12
41	1j	95/105 (90%)	81 (85%)	8 (8%)	6 (6%)	1	2
41	2j	94/105 (90%)	76 (81%)	12 (13%)	6 (6%)	1	1
42	1k	112/129 (87%)	93 (83%)	16 (14%)	3 (3%)	4	10
42	2k	112/129 (87%)	97 (87%)	12 (11%)	3 (3%)	4	10
43	1l	119/132 (90%)	113 (95%)	6 (5%)	0	100	100
43	2l	119/132 (90%)	111 (93%)	8 (7%)	0	100	100
44	1m	121/126 (96%)	104 (86%)	16 (13%)	1 (1%)	16	37
44	2m	120/126 (95%)	96 (80%)	22 (18%)	2 (2%)	7	19
45	1n	58/61 (95%)	52 (90%)	5 (9%)	1 (2%)	7	19
45	2n	58/61 (95%)	48 (83%)	10 (17%)	0	100	100
46	1o	86/89 (97%)	78 (91%)	7 (8%)	1 (1%)	10	27
46	2o	86/89 (97%)	78 (91%)	7 (8%)	1 (1%)	10	27
47	1p	80/88 (91%)	72 (90%)	8 (10%)	0	100	100
47	2p	80/88 (91%)	74 (92%)	6 (8%)	0	100	100
48	1q	97/105 (92%)	90 (93%)	5 (5%)	2 (2%)	5	15
48	2q	97/105 (92%)	86 (89%)	9 (9%)	2 (2%)	5	15
49	1r	66/88 (75%)	60 (91%)	6 (9%)	0	100	100
49	2r	66/88 (75%)	62 (94%)	4 (6%)	0	100	100
50	1s	81/93 (87%)	69 (85%)	11 (14%)	1 (1%)	10	27
50	2s	81/93 (87%)	63 (78%)	16 (20%)	2 (2%)	4	11

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
51	1t	94/106 (89%)	84 (89%)	5 (5%)	5 (5%)	1	3
51	2t	94/106 (89%)	81 (86%)	9 (10%)	4 (4%)	2	4
52	1u	21/27 (78%)	21 (100%)	0	0	100	100
52	2u	21/27 (78%)	20 (95%)	1 (5%)	0	100	100
All	All	11368/12128 (94%)	10247 (90%)	973 (9%)	148 (1%)	9	25

5 of 148 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	1F	130	ALA
23	11	3	LYS
26	14	58	ARG
26	14	62	ARG
34	1c	66	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	1D	215/218 (99%)	200 (93%)	15 (7%)	14	34
3	2D	215/218 (99%)	201 (94%)	14 (6%)	15	37
4	1E	164/166 (99%)	150 (92%)	14 (8%)	10	25
4	2E	164/166 (99%)	151 (92%)	13 (8%)	11	28
5	1F	160/166 (96%)	142 (89%)	18 (11%)	5	14
5	2F	159/166 (96%)	142 (89%)	17 (11%)	6	16
6	1G	143/156 (92%)	130 (91%)	13 (9%)	9	22
6	2G	143/156 (92%)	122 (85%)	21 (15%)	3	8
7	1H	144/148 (97%)	125 (87%)	19 (13%)	4	10
7	2H	144/148 (97%)	127 (88%)	17 (12%)	5	13
8	1I	113/124 (91%)	94 (83%)	19 (17%)	2	6
8	2I	105/124 (85%)	91 (87%)	14 (13%)	4	10

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
9	1N	118/119 (99%)	109 (92%)	9 (8%)	12	30
9	2N	118/119 (99%)	108 (92%)	10 (8%)	10	25
10	1O	100/100 (100%)	95 (95%)	5 (5%)	22	48
10	2O	100/100 (100%)	92 (92%)	8 (8%)	11	28
11	1P	115/116 (99%)	103 (90%)	12 (10%)	7	17
11	2P	115/116 (99%)	97 (84%)	18 (16%)	2	7
12	1Q	111/111 (100%)	102 (92%)	9 (8%)	11	27
12	2Q	111/111 (100%)	102 (92%)	9 (8%)	11	27
13	1R	101/101 (100%)	94 (93%)	7 (7%)	14	34
13	2R	101/101 (100%)	95 (94%)	6 (6%)	18	42
14	1S	86/88 (98%)	80 (93%)	6 (7%)	14	34
14	2S	85/88 (97%)	74 (87%)	11 (13%)	4	10
15	1T	115/127 (91%)	109 (95%)	6 (5%)	21	47
15	2T	113/127 (89%)	107 (95%)	6 (5%)	20	46
16	1U	93/94 (99%)	90 (97%)	3 (3%)	34	64
16	2U	93/94 (99%)	89 (96%)	4 (4%)	26	54
17	1V	80/82 (98%)	74 (92%)	6 (8%)	12	31
17	2V	80/82 (98%)	73 (91%)	7 (9%)	9	23
18	1W	90/92 (98%)	88 (98%)	2 (2%)	45	74
18	2W	90/92 (98%)	84 (93%)	6 (7%)	15	36
19	1X	77/78 (99%)	73 (95%)	4 (5%)	21	47
19	2X	77/78 (99%)	74 (96%)	3 (4%)	28	57
20	1Y	85/91 (93%)	75 (88%)	10 (12%)	5	13
20	2Y	85/91 (93%)	74 (87%)	11 (13%)	4	10
21	1Z	135/179 (75%)	119 (88%)	16 (12%)	5	13
21	2Z	137/179 (76%)	116 (85%)	21 (15%)	3	7
22	10	65/67 (97%)	59 (91%)	6 (9%)	8	22
22	20	65/67 (97%)	60 (92%)	5 (8%)	12	30
23	11	80/83 (96%)	71 (89%)	9 (11%)	5	14
23	21	80/83 (96%)	74 (92%)	6 (8%)	12	31
24	12	65/67 (97%)	59 (91%)	6 (9%)	8	22

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
24	22	65/67 (97%)	58 (89%)	7 (11%)	6	16
25	13	51/52 (98%)	47 (92%)	4 (8%)	11	29
25	23	50/52 (96%)	46 (92%)	4 (8%)	11	28
26	14	59/63 (94%)	51 (86%)	8 (14%)	3	9
26	24	53/63 (84%)	40 (76%)	13 (24%)	1	2
27	15	50/52 (96%)	45 (90%)	5 (10%)	7	19
27	25	50/52 (96%)	46 (92%)	4 (8%)	11	28
28	16	51/52 (98%)	46 (90%)	5 (10%)	7	19
28	26	50/52 (96%)	44 (88%)	6 (12%)	5	12
29	17	41/42 (98%)	39 (95%)	2 (5%)	22	49
29	27	41/42 (98%)	39 (95%)	2 (5%)	22	49
30	18	54/55 (98%)	50 (93%)	4 (7%)	13	32
30	28	54/55 (98%)	52 (96%)	2 (4%)	30	59
31	19	34/34 (100%)	33 (97%)	1 (3%)	37	67
31	29	34/34 (100%)	28 (82%)	6 (18%)	2	5
33	1b	192/220 (87%)	167 (87%)	25 (13%)	4	10
33	2b	187/220 (85%)	163 (87%)	24 (13%)	4	11
34	1c	142/188 (76%)	127 (89%)	15 (11%)	6	17
34	2c	140/188 (74%)	122 (87%)	18 (13%)	4	10
35	1d	169/181 (93%)	151 (89%)	18 (11%)	6	16
35	2d	173/181 (96%)	156 (90%)	17 (10%)	7	19
36	1e	113/123 (92%)	99 (88%)	14 (12%)	4	11
36	2e	114/123 (93%)	103 (90%)	11 (10%)	8	20
37	1f	84/90 (93%)	79 (94%)	5 (6%)	17	41
37	2f	85/90 (94%)	79 (93%)	6 (7%)	13	33
38	1g	119/127 (94%)	105 (88%)	14 (12%)	5	13
38	2g	120/127 (94%)	106 (88%)	14 (12%)	5	13
39	1h	114/119 (96%)	101 (89%)	13 (11%)	5	14
39	2h	114/119 (96%)	102 (90%)	12 (10%)	6	17
40	1i	90/99 (91%)	78 (87%)	12 (13%)	4	10
40	2i	89/99 (90%)	74 (83%)	15 (17%)	2	6

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
41	1j	66/92 (72%)	61 (92%)	5 (8%)	12	30
41	2j	69/92 (75%)	65 (94%)	4 (6%)	18	42
42	1k	82/99 (83%)	75 (92%)	7 (8%)	10	25
42	2k	83/99 (84%)	75 (90%)	8 (10%)	8	20
43	1l	96/108 (89%)	88 (92%)	8 (8%)	10	26
43	2l	96/108 (89%)	89 (93%)	7 (7%)	13	32
44	1m	93/101 (92%)	82 (88%)	11 (12%)	5	13
44	2m	92/101 (91%)	78 (85%)	14 (15%)	3	7
45	1n	49/50 (98%)	43 (88%)	6 (12%)	5	12
45	2n	49/50 (98%)	45 (92%)	4 (8%)	10	27
46	1o	78/80 (98%)	73 (94%)	5 (6%)	16	38
46	2o	78/80 (98%)	72 (92%)	6 (8%)	12	30
47	1p	69/74 (93%)	62 (90%)	7 (10%)	7	18
47	2p	68/74 (92%)	58 (85%)	10 (15%)	3	8
48	1q	94/97 (97%)	85 (90%)	9 (10%)	8	20
48	2q	94/97 (97%)	86 (92%)	8 (8%)	10	25
49	1r	59/77 (77%)	56 (95%)	3 (5%)	21	48
49	2r	59/77 (77%)	51 (86%)	8 (14%)	3	9
50	1s	69/80 (86%)	63 (91%)	6 (9%)	9	24
50	2s	67/80 (84%)	60 (90%)	7 (10%)	7	17
51	1t	70/82 (85%)	65 (93%)	5 (7%)	13	33
51	2t	70/82 (85%)	62 (89%)	8 (11%)	5	14
52	1u	18/22 (82%)	14 (78%)	4 (22%)	1	3
52	2u	18/22 (82%)	17 (94%)	1 (6%)	19	44
All	All	9303/10064 (92%)	8395 (90%)	908 (10%)	7	19

5 of 908 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	2F	32	LEU
49	2r	37	VAL
12	2Q	109	VAL
48	2q	14	LYS
39	2h	52	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 141 such sidechains are listed below:

Mol	Chain	Res	Type
35	2d	116	GLN
36	2e	127	ASN
40	2i	89	ASN
40	1i	31	GLN
40	1i	3	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1A	2864/2915 (98%)	472 (16%)	36 (1%)
1	2A	2791/2915 (95%)	518 (18%)	25 (0%)
2	1B	120/121 (99%)	12 (10%)	1 (0%)
2	2B	118/121 (97%)	30 (25%)	0
32	1a	1497/1521 (98%)	270 (18%)	0
32	2a	1501/1521 (98%)	301 (20%)	0
53	1v	12/24 (50%)	2 (16%)	0
53	2v	12/24 (50%)	3 (25%)	0
54	1w	72/76 (94%)	18 (25%)	0
54	1y	72/76 (94%)	27 (37%)	0
54	2w	69/76 (90%)	22 (31%)	0
54	2y	70/76 (92%)	28 (40%)	0
55	1x	75/77 (97%)	12 (16%)	0
55	2x	75/77 (97%)	17 (22%)	0
All	All	9348/9620 (97%)	1732 (18%)	62 (0%)

5 of 1732 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1A	10	G
1	1A	11	G
1	1A	12	U
1	1A	27	G
1	1A	34	C

5 of 62 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	1A	2181	G
1	2A	1653	G
1	1A	2756	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2A	1530	C
1	2A	2126	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

84 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
54	MIA	2y	37	54	21,24,32	1.58	3 (14%)	30,35,47	2.03	10 (33%)
54	PSU	2w	39	54	18,21,22	1.41	2 (11%)	21,30,33	1.74	3 (14%)
32	5MC	2a	1404	32	19,22,23	1.61	3 (15%)	26,32,35	1.22	3 (11%)
54	PSU	1w	39	54	18,21,22	1.34	2 (11%)	21,30,33	1.94	4 (19%)
32	2MG	1a	1207	32	23,26,27	1.22	2 (8%)	33,38,41	2.19	9 (27%)
54	MIA	2w	37	54	24,27,32	2.09	6 (25%)	32,39,47	2.28	9 (28%)
55	5MC	2x	32	55	19,22,23	1.70	3 (15%)	26,32,35	1.19	3 (11%)
32	MA6	1a	1519	32	23,26,27	0.47	0	33,38,41	2.09	8 (24%)
54	PSU	1y	55	54	18,21,22	1.36	2 (11%)	21,30,33	2.07	4 (19%)
1	OMC	1A	1920	1	19,22,23	0.83	0	25,31,34	0.92	1 (4%)
54	G7M	1w	46	54	23,26,27	1.53	4 (17%)	34,39,42	1.59	4 (11%)
32	5MC	1a	967	32	19,22,23	1.73	3 (15%)	26,32,35	1.13	2 (7%)
1	2MA	2A	2503	56,1	22,25,26	1.45	5 (22%)	32,37,40	2.26	9 (28%)
32	5MC	2a	1407	32	19,22,23	1.65	3 (15%)	26,32,35	1.32	3 (11%)
54	PSU	2y	39	54	18,21,22	1.38	2 (11%)	21,30,33	1.90	3 (14%)
1	5MC	1A	1942	56,1	19,22,23	1.50	3 (15%)	26,32,35	1.18	2 (7%)
55	PSU	2x	55	55	18,21,22	1.37	2 (11%)	21,30,33	2.00	3 (14%)
1	OMG	1A	2251	55,56,1	23,26,27	1.27	3 (13%)	32,38,41	1.92	6 (18%)
54	PSU	1w	55	54	18,21,22	1.37	2 (11%)	21,30,33	2.04	3 (14%)
1	OMC	2A	1920	1	19,22,23	0.82	0	25,31,34	0.98	1 (4%)
54	PSU	2y	32	54	18,21,22	1.35	2 (11%)	21,30,33	1.91	3 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	PSU	2A	1917	1	18,21,22	1.32	2 (11%)	21,30,33	1.97	4 (19%)
43	0TD	2l	92	43	8,9,10	4.63	2 (25%)	6,11,13	2.40	3 (50%)
32	G7M	2a	527	32,56	23,26,27	1.48	4 (17%)	34,39,42	1.78	5 (14%)
54	4SU	2y	8	54	18,21,22	1.86	5 (27%)	25,30,33	2.18	5 (20%)
54	PSU	2y	55	54	18,21,22	1.37	2 (11%)	21,30,33	1.90	5 (23%)
1	5MU	2A	1915	1	19,22,23	1.47	6 (31%)	27,32,35	2.16	5 (18%)
54	4SU	2w	8	54	18,21,22	1.75	4 (22%)	25,30,33	2.29	5 (20%)
54	PSU	1y	39	54	18,21,22	1.40	2 (11%)	21,30,33	1.83	4 (19%)
32	MA6	1a	1518	32	23,26,27	0.42	0	33,38,41	2.01	10 (30%)
55	4SU	2x	8	55	18,21,22	2.06	6 (33%)	25,30,33	1.37	3 (12%)
1	PSU	1A	2605	56,1	18,21,22	1.43	4 (22%)	21,30,33	2.04	4 (19%)
55	5MC	1x	32	55	19,22,23	1.74	3 (15%)	26,32,35	1.19	2 (7%)
32	PSU	2a	516	32	18,21,22	1.36	2 (11%)	21,30,33	2.01	5 (23%)
54	PSU	2w	55	54	18,21,22	1.42	2 (11%)	21,30,33	2.00	3 (14%)
54	G7M	1y	46	54	23,26,27	1.51	4 (17%)	34,39,42	1.68	4 (11%)
54	4SU	1y	8	54,56	18,21,22	1.72	4 (22%)	25,30,33	2.17	4 (16%)
32	2MG	2a	1207	32	23,26,27	1.24	3 (13%)	33,38,41	2.14	7 (21%)
54	5MU	2w	54	54	19,22,23	1.35	4 (21%)	27,32,35	1.71	6 (22%)
1	5MU	1A	1939	56,1	19,22,23	1.49	6 (31%)	27,32,35	2.24	6 (22%)
32	M2G	1a	966	32	24,27,28	1.31	4 (16%)	33,40,43	1.84	6 (18%)
32	MA6	2a	1519	32	23,26,27	0.40	0	33,38,41	2.11	9 (27%)
1	PSU	2A	2605	1	18,21,22	1.31	3 (16%)	21,30,33	2.06	4 (19%)
54	G7M	2w	46	54	23,26,27	1.48	3 (13%)	34,39,42	1.63	5 (14%)
32	4OC	1a	1402	32	20,23,24	0.78	0	25,32,35	1.00	1 (4%)
54	PSU	2w	32	54	18,21,22	1.36	3 (16%)	21,30,33	1.88	3 (14%)
54	5MU	1w	54	54	19,22,23	1.40	5 (26%)	27,32,35	2.01	7 (25%)
32	M2G	2a	966	32	24,27,28	1.26	3 (12%)	33,40,43	1.89	6 (18%)
32	5MC	2a	967	32	19,22,23	1.77	3 (15%)	26,32,35	1.10	2 (7%)
54	5MU	2y	54	54	19,22,23	1.51	4 (21%)	27,32,35	2.00	8 (29%)
32	5MC	1a	1400	32	19,22,23	1.69	3 (15%)	26,32,35	1.13	2 (7%)
1	2MA	1A	2503	56,1	22,25,26	1.45	4 (18%)	32,37,40	2.25	9 (28%)
1	5MU	2A	1939	56,1	19,22,23	1.36	5 (26%)	27,32,35	2.25	6 (22%)
54	4SU	1w	8	54	18,21,22	1.81	4 (22%)	25,30,33	1.92	6 (24%)
1	5MC	2A	1962	56,1	19,22,23	1.61	3 (15%)	26,32,35	1.11	2 (7%)
1	PSU	1A	1911	1	18,21,22	1.33	2 (11%)	21,30,33	2.13	4 (19%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
32	5MC	1a	1404	32	19,22,23	1.71	3 (15%)	26,32,35	1.15	2 (7%)
32	5MC	1a	1407	32	19,22,23	1.63	3 (15%)	26,32,35	1.17	4 (15%)
1	PSU	2A	1911	1	18,21,22	1.36	2 (11%)	21,30,33	2.07	3 (14%)
54	G7M	2y	46	54	23,26,27	1.61	3 (13%)	34,39,42	1.93	4 (11%)
54	PSU	1y	32	54	18,21,22	1.39	2 (11%)	21,30,33	1.82	3 (14%)
1	2MU	2A	2552	56,1	19,22,24	1.30	2 (10%)	25,31,36	1.80	5 (20%)
32	5MC	2a	1400	32	19,22,23	1.70	3 (15%)	26,32,35	1.23	3 (11%)
32	G7M	1a	527	32	23,26,27	1.52	3 (13%)	34,39,42	1.71	5 (14%)
1	2MU	1A	2552	56,1	19,22,24	1.32	3 (15%)	25,31,36	1.85	5 (20%)
1	5MC	2A	1942	1	19,22,23	1.67	2 (10%)	26,32,35	1.05	2 (7%)
1	OMG	2A	2251	55,1	23,26,27	1.21	3 (13%)	32,38,41	1.96	6 (18%)
55	5MU	2x	54	55	19,22,23	1.36	5 (26%)	27,32,35	2.02	7 (25%)
43	0TD	1l	92	43	8,9,10	4.51	1 (12%)	6,11,13	7.45	2 (33%)
55	4SU	1x	8	55	18,21,22	2.19	5 (27%)	25,30,33	1.58	5 (20%)
54	MIA	1w	37	54	28,31,32	2.40	7 (25%)	38,44,47	2.61	12 (31%)
1	5MC	1A	1962	1	19,22,23	1.58	3 (15%)	26,32,35	1.14	2 (7%)
32	MA6	2a	1518	32	23,26,27	0.41	0	33,38,41	1.98	9 (27%)
54	5MU	1y	54	54	19,22,23	1.50	6 (31%)	27,32,35	2.25	8 (29%)
1	PSU	1A	1917	1	18,21,22	1.32	2 (11%)	21,30,33	1.90	4 (19%)
54	PSU	1w	32	54,56	18,21,22	1.34	2 (11%)	21,30,33	1.97	3 (14%)
32	PSU	1a	516	32,56	18,21,22	1.39	2 (11%)	21,30,33	1.97	4 (19%)
32	4OC	2a	1402	32,56	20,23,24	0.79	0	25,32,35	0.90	1 (4%)
32	UR3	2a	1498	32	19,22,23	1.00	1 (5%)	26,32,35	1.71	3 (11%)
55	PSU	1x	55	55,56	18,21,22	1.36	2 (11%)	21,30,33	1.95	4 (19%)
1	5MU	1A	1915	1	19,22,23	1.46	5 (26%)	27,32,35	2.06	8 (29%)
32	UR3	1a	1498	32	19,22,23	1.02	1 (5%)	26,32,35	1.87	3 (11%)
54	MIA	1y	37	54	21,24,32	1.64	4 (19%)	30,35,47	2.00	7 (23%)
55	5MU	1x	54	55,56	19,22,23	1.43	5 (26%)	27,32,35	1.92	6 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
54	MIA	2y	37	54	-	0/7/25/34	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
54	PSU	2w	39	54	-	0/7/25/26	0/2/2/2
32	5MC	2a	1404	32	-	2/7/25/26	0/2/2/2
54	PSU	1w	39	54	-	0/7/25/26	0/2/2/2
32	2MG	1a	1207	32	-	0/9/27/28	0/3/3/3
54	MIA	2w	37	54	-	4/11/29/34	0/3/3/3
55	5MC	2x	32	55	-	0/7/25/26	0/2/2/2
32	MA6	1a	1519	32	-	3/11/29/30	0/3/3/3
54	PSU	1y	55	54	-	1/7/25/26	0/2/2/2
1	OMC	1A	1920	1	-	0/9/27/28	0/2/2/2
54	G7M	1w	46	54	-	1/7/25/26	0/3/3/3
32	5MC	1a	967	32	-	0/7/25/26	0/2/2/2
1	2MA	2A	2503	56,1	-	2/7/25/26	0/3/3/3
32	5MC	2a	1407	32	-	0/7/25/26	0/2/2/2
54	PSU	2y	39	54	-	0/7/25/26	0/2/2/2
1	5MC	1A	1942	56,1	-	0/7/25/26	0/2/2/2
55	PSU	2x	55	55	-	0/7/25/26	0/2/2/2
1	OMG	1A	2251	55,56,1	-	0/9/27/28	0/3/3/3
54	PSU	1w	55	54	-	2/7/25/26	0/2/2/2
1	OMC	2A	1920	1	-	0/9/27/28	0/2/2/2
54	PSU	2y	32	54	-	0/7/25/26	0/2/2/2
1	PSU	2A	1917	1	-	2/7/25/26	0/2/2/2
43	0TD	2l	92	43	-	1/7/12/14	-
32	G7M	2a	527	32,56	-	2/7/25/26	0/3/3/3
54	4SU	2y	8	54	-	0/7/25/26	0/2/2/2
54	PSU	2y	55	54	-	4/7/25/26	0/2/2/2
1	5MU	2A	1915	1	-	1/7/25/26	0/2/2/2
54	4SU	2w	8	54	-	0/7/25/26	0/2/2/2
54	PSU	1y	39	54	-	0/7/25/26	0/2/2/2
32	MA6	1a	1518	32	-	0/11/29/30	0/3/3/3
55	4SU	2x	8	55	-	0/7/25/26	0/2/2/2
1	PSU	1A	2605	56,1	-	0/7/25/26	0/2/2/2
55	5MC	1x	32	55	-	0/7/25/26	0/2/2/2
32	PSU	2a	516	32	-	0/7/25/26	0/2/2/2
54	PSU	2w	55	54	-	0/7/25/26	0/2/2/2
54	G7M	1y	46	54	-	1/7/25/26	0/3/3/3
54	4SU	1y	8	54,56	-	3/7/25/26	0/2/2/2
32	2MG	2a	1207	32	-	1/9/27/28	0/3/3/3
54	5MU	2w	54	54	-	0/7/25/26	0/2/2/2
1	5MU	1A	1939	56,1	-	0/7/25/26	0/2/2/2
32	M2G	1a	966	32	-	0/11/29/30	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	MA6	2a	1519	32	-	3/11/29/30	0/3/3/3
1	PSU	2A	2605	1	-	0/7/25/26	0/2/2/2
54	G7M	2w	46	54	-	3/7/25/26	0/3/3/3
32	4OC	1a	1402	32	-	2/9/29/30	0/2/2/2
54	PSU	2w	32	54	-	0/7/25/26	0/2/2/2
54	5MU	1w	54	54	-	0/7/25/26	0/2/2/2
32	M2G	2a	966	32	-	0/11/29/30	0/3/3/3
32	5MC	2a	967	32	-	0/7/25/26	0/2/2/2
54	5MU	2y	54	54	-	4/7/25/26	0/2/2/2
32	5MC	1a	1400	32	-	0/7/25/26	0/2/2/2
1	2MA	1A	2503	56,1	-	1/7/25/26	0/3/3/3
1	5MU	2A	1939	56,1	-	0/7/25/26	0/2/2/2
54	4SU	1w	8	54	-	0/7/25/26	0/2/2/2
1	5MC	2A	1962	56,1	-	1/7/25/26	0/2/2/2
1	PSU	1A	1911	1	-	0/7/25/26	0/2/2/2
32	5MC	1a	1404	32	-	0/7/25/26	0/2/2/2
32	5MC	1a	1407	32	-	0/7/25/26	0/2/2/2
1	PSU	2A	1911	1	-	0/7/25/26	0/2/2/2
54	G7M	2y	46	54	-	2/7/25/26	0/3/3/3
54	PSU	1y	32	54	-	0/7/25/26	0/2/2/2
1	2MU	2A	2552	56,1	-	0/9/27/28	0/2/2/2
32	5MC	2a	1400	32	-	3/7/25/26	0/2/2/2
32	G7M	1a	527	32	-	3/7/25/26	0/3/3/3
1	2MU	1A	2552	56,1	-	0/9/27/28	0/2/2/2
1	5MC	2A	1942	1	-	0/7/25/26	0/2/2/2
1	OMG	2A	2251	55,1	-	0/9/27/28	0/3/3/3
55	5MU	2x	54	55	-	0/7/25/26	0/2/2/2
43	0TD	1l	92	43	-	2/7/12/14	-
55	4SU	1x	8	55	-	0/7/25/26	0/2/2/2
54	MIA	1w	37	54	-	2/15/33/34	0/3/3/3
1	5MC	1A	1962	1	-	2/7/25/26	0/2/2/2
32	MA6	2a	1518	32	-	0/11/29/30	0/3/3/3
54	5MU	1y	54	54	-	2/7/25/26	0/2/2/2
1	PSU	1A	1917	1	-	0/7/25/26	0/2/2/2
54	PSU	1w	32	54,56	-	0/7/25/26	0/2/2/2
32	PSU	1a	516	32,56	-	0/7/25/26	0/2/2/2
32	4OC	2a	1402	32,56	-	2/9/29/30	0/2/2/2
32	UR3	2a	1498	32	-	0/7/25/26	0/2/2/2
55	PSU	1x	55	55,56	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	5MU	1A	1915	1	-	0/7/25/26	0/2/2/2
32	UR3	1a	1498	32	-	0/7/25/26	0/2/2/2
54	MIA	1y	37	54	-	0/7/25/34	0/3/3/3
55	5MU	1x	54	55,56	-	0/7/25/26	0/2/2/2

The worst 5 of 246 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
43	2l	92	0TD	CB-SB	-12.58	1.69	1.82
43	1l	92	0TD	CB-SB	-12.34	1.69	1.82
54	1w	37	MIA	C2-S10	-7.20	1.69	1.75
54	1w	37	MIA	C13-C14	7.11	1.53	1.32
54	2w	37	MIA	C2-S10	-6.73	1.70	1.75

The worst 5 of 393 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
43	1l	92	0TD	CSB-SB-CB	-17.77	70.41	102.36
54	1w	37	MIA	C12-C13-C14	-8.35	112.02	127.01
54	2w	37	MIA	C5-C4-N3	-7.83	118.93	127.18
32	1a	1498	UR3	C4-N3-C2	-7.53	118.52	124.58
1	2A	2503	2MA	C5-C4-N3	-7.40	119.39	127.18

There are no chirality outliers.

5 of 62 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
43	1l	92	0TD	O-C-CA-CB
54	1w	37	MIA	C12-C13-C14-C15
54	1w	37	MIA	C12-C13-C14-C16
54	1y	8	4SU	O4'-C4'-C5'-O5'
32	2a	1207	2MG	N3-C2-N2-CM2

There are no ring outliers.

42 monomers are involved in 60 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
54	2y	37	MIA	1	0
32	2a	1404	5MC	2	0
54	1w	39	PSU	1	0
32	1a	1519	MA6	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
54	1w	46	G7M	1	0
32	1a	967	5MC	1	0
1	2A	2503	2MA	2	0
54	2y	39	PSU	1	0
55	2x	55	PSU	1	0
1	1A	2251	OMG	1	0
54	2y	32	PSU	1	0
1	2A	1917	PSU	1	0
43	2l	92	0TD	1	0
54	2y	8	4SU	1	0
54	2y	55	PSU	7	0
54	2w	8	4SU	1	0
54	1y	39	PSU	1	0
32	1a	1518	MA6	3	0
54	1y	8	4SU	1	0
32	2a	1207	2MG	1	0
54	2w	54	5MU	2	0
1	1A	1939	5MU	1	0
32	1a	966	M2G	1	0
32	2a	1519	MA6	2	0
54	2w	46	G7M	1	0
32	1a	1402	4OC	1	0
32	2a	966	M2G	1	0
32	2a	967	5MC	1	0
1	1A	2503	2MA	2	0
1	2A	1939	5MU	1	0
54	1w	8	4SU	1	0
1	1A	1911	PSU	1	0
1	2A	2552	2MU	2	0
43	1l	92	0TD	2	0
55	1x	8	4SU	3	0
54	1w	37	MIA	1	0
32	2a	1518	MA6	4	0
32	2a	1402	4OC	3	0
32	2a	1498	UR3	1	0
55	1x	55	PSU	1	0
1	1A	1915	5MU	1	0
54	1y	37	MIA	1	0

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 2807 ligands modelled in this entry, 2803 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
59	SF4	2d	303	35	0,12,12	-	-	-		
57	TYK	1A	4107	1	67,67,67	1.75	8 (11%)	87,97,97	1.26	13 (14%)
57	TYK	2A	3879	1	67,67,67	1.83	5 (7%)	87,97,97	1.38	13 (14%)
59	SF4	1d	302	35	0,12,12	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
59	SF4	2d	303	35	-	-	0/6/5/5
57	TYK	1A	4107	1	-	2/67/126/126	0/3/4/4
57	TYK	2A	3879	1	-	4/67/126/126	0/3/4/4
59	SF4	1d	302	35	-	-	0/6/5/5

The worst 5 of 13 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
57	2A	3879	TYK	C8-C9	-8.87	1.37	1.51
57	1A	4107	TYK	C8-C9	-7.71	1.39	1.51
57	2A	3879	TYK	C14-C13	-7.35	1.37	1.50
57	1A	4107	TYK	C14-C13	-7.15	1.38	1.50
57	2A	3879	TYK	C2-C1	-4.99	1.41	1.50

The worst 5 of 26 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
57	2A	3879	TYK	C10-C11-C12	-4.01	120.30	126.23
57	2A	3879	TYK	C23-O1C-C1C	-3.67	105.93	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
57	2A	3879	TYK	C3B-C2B-C1B	-3.47	108.32	114.77
57	2A	3879	TYK	C18-C4-C3	-3.29	105.84	111.09
57	2A	3879	TYK	C6B-C5B-C4B	-2.74	108.04	112.58

There are no chirality outliers.

5 of 6 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
57	1A	4107	TYK	C15-C14-C23-O1C
57	2A	3879	TYK	C2B-C1B-O4A-C4A
57	2A	3879	TYK	C18-C4-C5-C6
57	1A	4107	TYK	C18-C4-C5-C6
57	2A	3879	TYK	C3-C4-C5-C6

There are no ring outliers.

3 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
57	1A	4107	TYK	6	0
57	2A	3879	TYK	4	0
59	1d	302	SF4	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	1A	2860/2915 (98%)	-0.40	125 (4%)	39	35	14, 32, 85, 95	0
1	2A	2789/2915 (95%)	0.18	125 (4%)	38	34	30, 51, 84, 99	0
2	1B	120/121 (99%)	-0.29	0	100	100	27, 46, 59, 76	0
2	2B	120/121 (99%)	1.00	8 (6%)	24	21	55, 71, 78, 84	0
3	1D	275/276 (99%)	-0.15	3 (1%)	78	76	17, 32, 45, 65	0
3	2D	275/276 (99%)	0.34	5 (1%)	67	65	29, 45, 56, 75	0
4	1E	204/206 (99%)	-0.12	1 (0%)	87	86	14, 34, 54, 69	0
4	2E	204/206 (99%)	0.42	1 (0%)	87	86	31, 51, 64, 72	0
5	1F	202/210 (96%)	-0.04	1 (0%)	87	86	15, 37, 59, 77	0
5	2F	202/210 (96%)	0.45	2 (0%)	79	78	29, 59, 70, 77	0
6	1G	181/182 (99%)	0.46	9 (4%)	34	30	39, 53, 66, 78	0
6	2G	181/182 (99%)	1.37	35 (19%)	3	3	61, 70, 75, 86	0
7	1H	174/180 (96%)	0.17	3 (1%)	69	67	35, 46, 58, 68	0
7	2H	174/180 (96%)	1.40	28 (16%)	4	4	58, 73, 81, 88	0
8	1I	146/148 (98%)	0.66	7 (4%)	35	32	38, 64, 74, 78	0
8	2I	146/148 (98%)	0.96	5 (3%)	48	44	46, 62, 71, 77	0
9	1N	140/140 (100%)	-0.04	1 (0%)	84	83	20, 34, 53, 65	0
9	2N	140/140 (100%)	0.61	5 (3%)	46	42	40, 57, 68, 76	0
10	1O	122/122 (100%)	-0.03	0	100	100	24, 36, 50, 53	0
10	2O	122/122 (100%)	0.46	0	100	100	42, 52, 64, 68	0
11	1P	149/150 (99%)	0.11	3 (2%)	65	62	17, 40, 62, 70	0
11	2P	149/150 (99%)	0.65	1 (0%)	84	83	37, 58, 74, 81	0
12	1Q	141/141 (100%)	-0.07	1 (0%)	84	83	24, 38, 52, 68	0
12	2Q	141/141 (100%)	1.03	17 (12%)	8	7	46, 61, 70, 74	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	1R	118/118 (100%)	-0.21	0 100 100	18, 32, 43, 53	0
13	2R	118/118 (100%)	0.22	0 100 100	37, 47, 55, 62	0
14	1S	110/112 (98%)	0.05	0 100 100	34, 46, 55, 63	0
14	2S	110/112 (98%)	1.13	14 (12%) 8 7	55, 65, 74, 79	0
15	1T	131/146 (89%)	0.08	2 (1%) 72 70	25, 39, 60, 65	0
15	2T	131/146 (89%)	0.61	2 (1%) 72 70	45, 54, 67, 74	0
16	1U	116/118 (98%)	-0.31	1 (0%) 81 80	18, 25, 40, 59	0
16	2U	116/118 (98%)	0.57	1 (0%) 81 80	39, 56, 67, 74	0
17	1V	101/101 (100%)	-0.21	0 100 100	18, 34, 51, 65	0
17	2V	101/101 (100%)	0.80	3 (2%) 52 49	39, 62, 69, 83	0
18	1W	112/113 (99%)	-0.27	1 (0%) 81 80	19, 27, 43, 69	0
18	2W	112/113 (99%)	0.23	1 (0%) 81 80	35, 43, 58, 82	0
19	1X	95/96 (98%)	0.06	1 (1%) 78 76	22, 34, 55, 64	0
19	2X	95/96 (98%)	0.71	3 (3%) 50 46	42, 54, 66, 78	0
20	1Y	107/110 (97%)	0.33	0 100 100	31, 44, 58, 70	0
20	2Y	107/110 (97%)	0.89	8 (7%) 20 17	51, 62, 73, 77	0
21	1Z	154/206 (74%)	0.74	9 (5%) 29 25	32, 58, 76, 82	0
21	2Z	160/206 (77%)	1.39	30 (18%) 3 3	63, 72, 79, 86	0
22	10	83/85 (97%)	0.25	7 (8%) 17 14	26, 33, 59, 73	0
22	20	83/85 (97%)	1.28	14 (16%) 4 3	38, 59, 74, 83	0
23	11	97/98 (98%)	0.08	1 (1%) 79 78	23, 38, 62, 68	0
23	21	97/98 (98%)	0.63	5 (5%) 33 29	34, 47, 65, 67	0
24	12	70/72 (97%)	0.11	1 (1%) 73 72	30, 42, 55, 59	0
24	22	70/72 (97%)	0.61	1 (1%) 73 72	50, 60, 67, 73	0
25	13	59/60 (98%)	-0.23	0 100 100	19, 32, 55, 63	0
25	23	59/60 (98%)	0.67	1 (1%) 69 67	48, 59, 69, 74	0
26	14	69/71 (97%)	1.23	14 (20%) 3 2	48, 67, 77, 81	0
26	24	69/71 (97%)	1.58	14 (20%) 3 2	64, 77, 84, 87	0
27	15	59/60 (98%)	-0.14	1 (1%) 69 67	17, 29, 52, 59	0
27	25	59/60 (98%)	0.38	0 100 100	33, 46, 64, 76	0
28	16	53/54 (98%)	-0.26	0 100 100	29, 37, 50, 57	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
28	26	53/54 (98%)	0.64	2 (3%) 44 40	46, 55, 61, 62	0
29	17	48/49 (97%)	-0.27	1 (2%) 63 61	17, 24, 52, 60	0
29	27	48/49 (97%)	0.11	4 (8%) 17 14	29, 36, 58, 68	0
30	18	64/65 (98%)	-0.31	0 100 100	23, 29, 36, 48	0
30	28	64/65 (98%)	0.56	1 (1%) 70 68	42, 50, 55, 59	0
31	19	37/37 (100%)	-0.16	0 100 100	22, 32, 52, 59	0
31	29	37/37 (100%)	0.90	2 (5%) 31 27	54, 61, 68, 72	0
32	1a	1488/1521 (97%)	0.50	58 (3%) 43 39	31, 60, 83, 97	0
32	2a	1491/1521 (98%)	0.84	135 (9%) 15 12	43, 68, 86, 96	0
33	1b	231/256 (90%)	1.31	37 (16%) 5 4	50, 69, 78, 85	0
33	2b	231/256 (90%)	1.52	63 (27%) 1 1	59, 75, 81, 84	0
34	1c	206/239 (86%)	1.05	25 (12%) 8 7	48, 66, 75, 82	0
34	2c	206/239 (86%)	1.65	68 (33%) 1 1	65, 74, 80, 84	0
35	1d	208/209 (99%)	1.13	29 (13%) 6 5	45, 63, 72, 80	0
35	2d	208/209 (99%)	0.84	7 (3%) 48 44	50, 61, 70, 75	0
36	1e	148/162 (91%)	0.60	2 (1%) 73 72	42, 57, 66, 71	0
36	2e	148/162 (91%)	1.10	15 (10%) 12 10	57, 68, 74, 80	0
37	1f	100/101 (99%)	0.63	0 100 100	51, 60, 67, 73	0
37	2f	100/101 (99%)	0.88	4 (4%) 42 38	51, 62, 69, 75	0
38	1g	155/156 (99%)	0.77	10 (6%) 25 22	52, 62, 73, 82	0
38	2g	155/156 (99%)	1.14	14 (9%) 15 13	61, 70, 78, 85	0
39	1h	137/138 (99%)	0.68	6 (4%) 39 35	47, 58, 64, 71	0
39	2h	137/138 (99%)	0.96	8 (5%) 29 25	60, 67, 74, 78	0
40	1i	127/128 (99%)	1.26	17 (13%) 7 6	50, 67, 75, 78	0
40	2i	127/128 (99%)	1.92	56 (44%) 0 0	63, 74, 79, 82	0
41	1j	97/105 (92%)	1.28	10 (10%) 12 10	53, 70, 79, 86	0
41	2j	96/105 (91%)	1.88	35 (36%) 1 0	67, 76, 83, 85	0
42	1k	114/129 (88%)	0.53	3 (2%) 57 54	38, 57, 67, 71	0
42	2k	114/129 (88%)	1.11	12 (10%) 11 9	50, 65, 71, 74	0
43	1l	121/132 (91%)	0.34	2 (1%) 69 67	36, 49, 58, 65	0
43	2l	121/132 (91%)	0.96	7 (5%) 29 25	49, 63, 70, 74	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
44	1m	123/126 (97%)	0.92	9 (7%) 21 18	47, 62, 69, 73	0
44	2m	122/126 (96%)	1.71	40 (32%) 1 1	64, 73, 77, 81	0
45	1n	60/61 (98%)	0.99	3 (5%) 34 30	53, 61, 67, 71	0
45	2n	60/61 (98%)	2.37	36 (60%) 0 0	70, 76, 82, 85	0
46	1o	88/89 (98%)	0.79	6 (6%) 23 20	42, 57, 70, 77	0
46	2o	88/89 (98%)	0.91	6 (6%) 23 20	53, 64, 73, 76	0
47	1p	82/88 (93%)	1.50	22 (26%) 1 1	47, 62, 70, 77	0
47	2p	82/88 (93%)	0.88	6 (7%) 21 18	50, 59, 67, 72	0
48	1q	99/105 (94%)	0.80	5 (5%) 33 29	45, 58, 69, 72	0
48	2q	99/105 (94%)	0.98	5 (5%) 33 29	51, 64, 71, 75	0
49	1r	68/88 (77%)	0.61	1 (1%) 72 70	46, 58, 67, 69	0
49	2r	68/88 (77%)	0.97	5 (7%) 20 18	51, 63, 71, 75	0
50	1s	83/93 (89%)	0.94	7 (8%) 17 14	49, 64, 73, 79	0
50	2s	83/93 (89%)	1.75	29 (34%) 1 1	70, 77, 81, 86	0
51	1t	96/106 (90%)	1.09	12 (12%) 8 7	51, 63, 69, 72	0
51	2t	96/106 (90%)	0.93	5 (5%) 33 29	51, 62, 72, 80	0
52	1u	23/27 (85%)	1.05	1 (4%) 40 36	57, 59, 64, 67	0
52	2u	23/27 (85%)	1.81	10 (43%) 0 0	64, 71, 75, 78	0
53	1v	13/24 (54%)	0.72	1 (7%) 19 17	42, 55, 75, 87	0
53	2v	13/24 (54%)	1.68	4 (30%) 1 1	63, 74, 87, 91	0
54	1w	67/76 (88%)	1.27	11 (16%) 4 4	55, 79, 89, 95	0
54	1y	67/76 (88%)	1.09	6 (8%) 15 13	33, 83, 90, 93	0
54	2w	65/76 (85%)	1.62	19 (29%) 1 1	74, 85, 92, 97	0
54	2y	66/76 (86%)	1.35	11 (16%) 4 3	49, 87, 92, 95	0
55	1x	72/77 (93%)	0.29	0 100 100	26, 55, 74, 83	0
55	2x	72/77 (93%)	0.86	2 (2%) 55 51	44, 71, 80, 89	0
All	All	20873/21748 (95%)	0.48	1416 (6%) 23 20	14, 57, 80, 99	0

The worst 5 of 1416 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
21	2Z	172	ALA	6.3
36	2e	22	GLY	6.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
22	20	7	LEU	5.9
38	2g	84	ASN	5.8
32	2a	1033	G	5.8

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
54	G7M	2w	46	24/25	0.63	0.15	80,90,96,109	0
54	G7M	1w	46	24/25	0.64	0.17	69,79,94,113	0
54	G7M	1y	46	24/25	0.66	0.16	77,87,100,106	0
54	PSU	2y	55	20/21	0.67	0.18	83,90,100,105	0
54	4SU	2w	8	20/21	0.69	0.15	83,90,102,110	0
54	5MU	2y	54	21/22	0.70	0.19	82,87,95,111	0
54	G7M	2y	46	24/25	0.71	0.15	77,86,90,100	0
54	PSU	2w	55	20/21	0.72	0.15	74,85,94,95	0
54	5MU	1y	54	21/22	0.72	0.14	75,79,90,97	0
54	PSU	1y	55	20/21	0.76	0.15	79,86,93,101	0
54	4SU	1y	8	20/21	0.77	0.12	79,86,92,95	0
54	MIA	2y	37	22/30	0.78	0.14	69,78,85,91	0
54	4SU	2y	8	20/21	0.78	0.12	79,87,100,106	0
32	2MG	2a	1207	24/25	0.79	0.17	70,78,84,88	0
54	PSU	2y	32	20/21	0.81	0.13	61,76,85,89	0
54	PSU	1y	32	20/21	0.82	0.13	67,75,82,83	0
54	MIA	1y	37	22/30	0.84	0.14	70,76,80,89	0
54	PSU	2y	39	20/21	0.85	0.12	72,75,93,95	0
54	5MU	2w	54	21/22	0.85	0.13	68,77,83,89	0
54	PSU	1y	39	20/21	0.86	0.12	68,74,83,84	0
43	0TD	2l	92	10/11	0.87	0.15	56,61,65,71	0
55	4SU	2x	8	20/21	0.87	0.12	74,78,83,87	0
54	PSU	1w	55	20/21	0.87	0.12	62,73,80,80	0
55	PSU	2x	55	20/21	0.88	0.11	68,74,78,81	0
54	4SU	1w	8	20/21	0.88	0.10	71,76,84,85	0
1	5MU	2A	1915	21/22	0.89	0.13	62,69,73,75	0
32	M2G	2a	966	25/26	0.90	0.16	61,67,77,80	0
54	PSU	2w	32	20/21	0.90	0.14	68,80,86,87	0
55	5MC	2x	32	21/22	0.90	0.14	64,70,72,79	0
55	5MU	2x	54	21/22	0.90	0.12	67,75,80,83	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MIA	2w	37	25/30	0.91	0.14	60,73,79,85	0
55	PSU	1x	55	20/21	0.91	0.10	55,61,66,68	0
32	PSU	2a	516	20/21	0.91	0.11	62,73,80,82	0
32	G7M	2a	527	24/25	0.91	0.12	56,61,66,71	0
43	0TD	1l	92	10/11	0.91	0.12	46,50,51,59	0
32	4OC	2a	1402	22/23	0.92	0.12	48,59,62,71	0
1	PSU	2A	1911	20/21	0.92	0.09	56,59,63,64	0
55	4SU	1x	8	20/21	0.92	0.11	54,60,65,66	0
1	PSU	2A	1917	20/21	0.92	0.10	56,63,69,70	0
55	5MU	1x	54	21/22	0.92	0.11	59,62,66,72	0
54	PSU	2w	39	20/21	0.92	0.13	67,76,80,81	0
32	2MG	1a	1207	24/25	0.92	0.12	59,62,66,70	0
54	5MU	1w	54	21/22	0.92	0.09	60,67,71,74	0
54	PSU	1w	32	20/21	0.92	0.11	60,66,72,75	0
32	5MC	2a	1400	21/22	0.92	0.15	57,65,70,74	0
32	5MC	2a	1404	21/22	0.93	0.11	45,51,54,57	0
32	5MC	2a	967	21/22	0.93	0.12	61,66,74,79	0
32	UR3	2a	1498	21/22	0.94	0.12	41,55,58,63	0
1	5MU	1A	1915	21/22	0.94	0.10	36,48,59,64	0
1	OMC	2A	1920	21/22	0.94	0.10	49,58,62,67	0
32	5MC	2a	1407	21/22	0.94	0.10	42,52,56,57	0
32	MA6	2a	1519	24/25	0.95	0.12	44,59,64,67	0
32	G7M	1a	527	24/25	0.95	0.10	42,46,50,54	0
32	M2G	1a	966	25/26	0.95	0.10	43,48,58,60	0
55	5MC	1x	32	21/22	0.95	0.10	46,48,53,62	0
54	MIA	1w	37	29/30	0.95	0.12	48,56,62,68	0
1	5MC	2A	1942	21/22	0.95	0.10	48,53,57,58	0
1	2MU	2A	2552	21/23	0.95	0.10	31,40,44,50	0
1	PSU	1A	1911	20/21	0.95	0.10	33,44,52,54	0
32	PSU	1a	516	20/21	0.95	0.09	50,55,59,60	0
32	MA6	2a	1518	24/25	0.95	0.10	51,59,64,66	0
1	5MC	1A	1942	21/22	0.96	0.11	32,40,46,48	0
1	5MU	2A	1939	21/22	0.96	0.09	33,36,40,42	0
1	PSU	1A	1917	20/21	0.96	0.09	38,46,54,55	0
1	5MC	2A	1962	21/22	0.96	0.09	33,45,51,56	0
54	PSU	1w	39	20/21	0.96	0.08	37,57,64,66	0
32	5MC	1a	967	21/22	0.96	0.09	45,49,55,56	0
32	5MC	1a	1400	21/22	0.97	0.08	40,44,46,50	0
1	OMG	2A	2251	24/25	0.97	0.09	35,40,44,45	0
32	4OC	1a	1402	22/23	0.97	0.08	33,39,41,45	0
1	PSU	2A	2605	20/21	0.97	0.08	28,37,43,53	0
32	5MC	1a	1407	21/22	0.97	0.08	31,38,41,42	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
32	UR3	1a	1498	21/22	0.97	0.08	30,37,41,44	0
32	MA6	1a	1519	24/25	0.97	0.09	30,37,40,54	0
1	PSU	1A	2605	20/21	0.98	0.06	17,20,31,34	0
32	5MC	1a	1404	21/22	0.98	0.07	32,33,38,41	0
1	5MU	1A	1939	21/22	0.98	0.07	20,28,30,33	0
1	OMC	1A	1920	21/22	0.98	0.07	31,39,46,47	0
32	MA6	1a	1518	24/25	0.98	0.08	27,37,42,42	0
1	5MC	1A	1962	21/22	0.98	0.07	25,30,35,41	0
1	2MA	2A	2503	23/24	0.98	0.07	25,31,35,36	0
1	OMG	1A	2251	24/25	0.98	0.06	17,19,22,29	0
1	2MA	1A	2503	23/24	0.98	0.07	13,17,19,23	0
1	2MU	1A	2552	21/23	0.98	0.07	19,22,28,30	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	4100	1/1	0.21	0.31	76,76,76,76	0
56	MG	2A	3090	1/1	0.58	0.24	60,60,60,60	0
56	MG	2A	3635	1/1	0.59	0.26	76,76,76,76	0
56	MG	1A	3875	1/1	0.65	0.15	68,68,68,68	0
56	MG	2a	3214	1/1	0.67	0.26	64,64,64,64	0
56	MG	2a	3227	1/1	0.67	0.16	66,66,66,66	0
56	MG	2A	3415	1/1	0.68	0.27	67,67,67,67	0
56	MG	2A	3821	1/1	0.68	0.13	58,58,58,58	0
56	MG	2a	3154	1/1	0.70	0.15	60,60,60,60	0
56	MG	1A	3166	1/1	0.71	0.19	59,59,59,59	0
56	MG	2A	3669	1/1	0.71	0.21	79,79,79,79	0
56	MG	2A	3685	1/1	0.71	0.18	58,58,58,58	0
56	MG	2A	3805	1/1	0.71	0.13	75,75,75,75	0
56	MG	2a	3187	1/1	0.72	0.16	61,61,61,61	0
56	MG	2a	3188	1/1	0.72	0.14	65,65,65,65	0
56	MG	1w	104	1/1	0.72	0.22	70,70,70,70	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3632	1/1	0.72	0.17	68,68,68,68	0
56	MG	2y	104	1/1	0.72	0.13	80,80,80,80	0
56	MG	1y	103	1/1	0.73	0.18	66,66,66,66	0
56	MG	2A	3867	1/1	0.73	0.19	33,33,33,33	0
56	MG	1A	3938	1/1	0.74	0.17	51,51,51,51	0
56	MG	2A	3529	1/1	0.74	0.19	62,62,62,62	0
56	MG	2A	3554	1/1	0.74	0.14	42,42,42,42	0
56	MG	2A	3100	1/1	0.74	0.20	64,64,64,64	0
56	MG	2A	3296	1/1	0.74	0.18	69,69,69,69	0
56	MG	2a	3130	1/1	0.74	0.28	60,60,60,60	0
56	MG	2a	3167	1/1	0.75	0.13	75,75,75,75	0
56	MG	1A	3979	1/1	0.75	0.14	64,64,64,64	0
56	MG	2j	201	1/1	0.75	0.11	69,69,69,69	0
56	MG	2A	3538	1/1	0.75	0.28	61,61,61,61	0
56	MG	2F	307	1/1	0.76	0.17	52,52,52,52	0
56	MG	2A	3766	1/1	0.76	0.10	48,48,48,48	0
56	MG	2A	3661	1/1	0.76	0.20	68,68,68,68	0
56	MG	1A	3520	1/1	0.76	0.14	56,56,56,56	0
56	MG	1x	110	1/1	0.76	0.20	66,66,66,66	0
56	MG	1A	4060	1/1	0.77	0.14	31,31,31,31	0
56	MG	2A	3178	1/1	0.77	0.21	48,48,48,48	0
56	MG	2a	3055	1/1	0.77	0.19	70,70,70,70	0
56	MG	1A	3880	1/1	0.77	0.15	45,45,45,45	0
56	MG	1A	3359	1/1	0.78	0.18	50,50,50,50	0
56	MG	2A	3566	1/1	0.78	0.16	42,42,42,42	0
56	MG	2a	3228	1/1	0.78	0.17	77,77,77,77	0
56	MG	2a	3074	1/1	0.78	0.30	67,67,67,67	0
56	MG	2A	3597	1/1	0.78	0.13	54,54,54,54	0
56	MG	1A	3203	1/1	0.79	0.14	59,59,59,59	0
56	MG	2A	3478	1/1	0.79	0.12	71,71,71,71	0
56	MG	2A	3526	1/1	0.79	0.14	40,40,40,40	0
56	MG	1A	3538	1/1	0.79	0.18	59,59,59,59	0
56	MG	1A	3892	1/1	0.79	0.16	37,37,37,37	0
56	MG	1A	3931	1/1	0.79	0.18	53,53,53,53	0
56	MG	1a	1635	1/1	0.79	0.21	66,66,66,66	0
56	MG	1a	1717	1/1	0.79	0.18	57,57,57,57	0
56	MG	2A	3179	1/1	0.79	0.16	59,59,59,59	0
56	MG	1w	102	1/1	0.79	0.26	68,68,68,68	0
56	MG	1A	3504	1/1	0.80	0.17	47,47,47,47	0
56	MG	2A	3333	1/1	0.80	0.13	62,62,62,62	0
56	MG	2A	3345	1/1	0.80	0.16	64,64,64,64	0
56	MG	2A	3379	1/1	0.80	0.26	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3789	1/1	0.80	0.17	49,49,49,49	0
56	MG	2A	3440	1/1	0.80	0.22	56,56,56,56	0
56	MG	2a	3186	1/1	0.80	0.14	66,66,66,66	0
56	MG	1B	212	1/1	0.80	0.14	62,62,62,62	0
56	MG	1A	3946	1/1	0.80	0.17	38,38,38,38	0
56	MG	2A	3767	1/1	0.80	0.12	40,40,40,40	0
56	MG	1A	3833	1/1	0.80	0.14	58,58,58,58	0
56	MG	2A	3810	1/1	0.80	0.23	77,77,77,77	0
56	MG	1d	301	1/1	0.80	0.31	58,58,58,58	0
56	MG	2l	204	1/1	0.80	0.12	59,59,59,59	0
56	MG	1A	4023	1/1	0.80	0.16	39,39,39,39	0
56	MG	2A	3306	1/1	0.81	0.12	71,71,71,71	0
56	MG	2A	3311	1/1	0.81	0.16	53,53,53,53	0
56	MG	2A	3327	1/1	0.81	0.13	52,52,52,52	0
56	MG	1A	3695	1/1	0.81	0.11	43,43,43,43	0
56	MG	1a	1810	1/1	0.81	0.13	66,66,66,66	0
56	MG	2Q	203	1/1	0.81	0.15	49,49,49,49	0
56	MG	2A	3350	1/1	0.81	0.24	66,66,66,66	0
56	MG	2A	3353	1/1	0.81	0.18	66,66,66,66	0
56	MG	1A	3740	1/1	0.81	0.16	37,37,37,37	0
56	MG	1a	1628	1/1	0.81	0.14	59,59,59,59	0
56	MG	2a	3166	1/1	0.81	0.19	50,50,50,50	0
56	MG	1A	3835	1/1	0.81	0.23	58,58,58,58	0
56	MG	2A	3463	1/1	0.81	0.25	65,65,65,65	0
56	MG	2A	3689	1/1	0.81	0.14	63,63,63,63	0
56	MG	2A	3713	1/1	0.81	0.14	56,56,56,56	0
56	MG	2a	3213	1/1	0.81	0.19	56,56,56,56	0
56	MG	2A	3744	1/1	0.81	0.14	55,55,55,55	0
56	MG	2A	3760	1/1	0.81	0.13	58,58,58,58	0
56	MG	2A	3475	1/1	0.81	0.10	51,51,51,51	0
56	MG	1a	1680	1/1	0.81	0.23	59,59,59,59	0
56	MG	2A	3787	1/1	0.81	0.14	64,64,64,64	0
56	MG	2A	3798	1/1	0.81	0.18	54,54,54,54	0
56	MG	1A	3823	1/1	0.82	0.21	81,81,81,81	0
56	MG	2A	3545	1/1	0.82	0.14	68,68,68,68	0
56	MG	2A	3313	1/1	0.82	0.13	59,59,59,59	0
56	MG	1a	1693	1/1	0.82	0.14	60,60,60,60	0
56	MG	1A	3543	1/1	0.82	0.09	44,44,44,44	0
56	MG	2A	3620	1/1	0.82	0.14	39,39,39,39	0
56	MG	1x	113	1/1	0.82	0.23	51,51,51,51	0
56	MG	2a	3018	1/1	0.82	0.26	66,66,66,66	0
56	MG	2a	3025	1/1	0.82	0.14	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1a	1777	1/1	0.82	0.18	64,64,64,64	0
56	MG	1y	104	1/1	0.82	0.24	72,72,72,72	0
56	MG	1a	1781	1/1	0.82	0.14	76,76,76,76	0
56	MG	2A	3684	1/1	0.82	0.17	63,63,63,63	0
56	MG	2A	3414	1/1	0.82	0.23	57,57,57,57	0
56	MG	1a	1788	1/1	0.82	0.35	67,67,67,67	0
56	MG	2a	3185	1/1	0.82	0.16	65,65,65,65	0
56	MG	1a	1803	1/1	0.82	0.17	56,56,56,56	0
56	MG	2A	3737	1/1	0.82	0.12	55,55,55,55	0
56	MG	1a	1805	1/1	0.82	0.16	57,57,57,57	0
56	MG	2A	3753	1/1	0.82	0.13	55,55,55,55	0
56	MG	2A	3261	1/1	0.82	0.23	55,55,55,55	0
56	MG	1A	3764	1/1	0.82	0.18	54,54,54,54	0
56	MG	2A	3304	1/1	0.82	0.24	52,52,52,52	0
56	MG	2A	3773	1/1	0.82	0.22	60,60,60,60	0
56	MG	1A	3473	1/1	0.82	0.19	54,54,54,54	0
56	MG	2v	102	1/1	0.82	0.26	64,64,64,64	0
56	MG	2A	3790	1/1	0.82	0.17	58,58,58,58	0
56	MG	2A	3089	1/1	0.83	0.22	60,60,60,60	0
56	MG	2A	3633	1/1	0.83	0.15	46,46,46,46	0
56	MG	2B	216	1/1	0.83	0.19	58,58,58,58	0
56	MG	1A	3399	1/1	0.83	0.11	62,62,62,62	0
56	MG	2G	201	1/1	0.83	0.28	69,69,69,69	0
56	MG	1A	3799	1/1	0.83	0.12	27,27,27,27	0
56	MG	2A	3663	1/1	0.83	0.11	50,50,50,50	0
56	MG	2A	3403	1/1	0.83	0.22	59,59,59,59	0
56	MG	2A	3125	1/1	0.83	0.13	52,52,52,52	0
56	MG	2a	3069	1/1	0.83	0.22	60,60,60,60	0
56	MG	1a	1641	1/1	0.83	0.20	64,64,64,64	0
56	MG	2a	3096	1/1	0.83	0.15	61,61,61,61	0
56	MG	2a	3115	1/1	0.83	0.15	67,67,67,67	0
56	MG	2a	3119	1/1	0.83	0.26	59,59,59,59	0
56	MG	1a	1656	1/1	0.83	0.30	61,61,61,61	0
56	MG	2A	3457	1/1	0.83	0.16	45,45,45,45	0
56	MG	2A	3720	1/1	0.83	0.14	38,38,38,38	0
56	MG	2A	3201	1/1	0.83	0.20	59,59,59,59	0
56	MG	2A	3742	1/1	0.83	0.14	56,56,56,56	0
56	MG	1A	3550	1/1	0.83	0.12	64,64,64,64	0
56	MG	1A	3920	1/1	0.83	0.13	26,26,26,26	0
56	MG	1a	1713	1/1	0.83	0.17	74,74,74,74	0
56	MG	1A	3756	1/1	0.83	0.16	45,45,45,45	0
56	MG	1a	1763	1/1	0.83	0.17	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2a	3217	1/1	0.83	0.18	72,72,72,72	0
56	MG	2a	3221	1/1	0.83	0.26	74,74,74,74	0
56	MG	1A	3673	1/1	0.83	0.16	55,55,55,55	0
56	MG	1X	106	1/1	0.83	0.10	51,51,51,51	0
56	MG	2A	3332	1/1	0.83	0.11	52,52,52,52	0
56	MG	2A	3042	1/1	0.83	0.27	59,59,59,59	0
56	MG	2A	3065	1/1	0.83	0.20	49,49,49,49	0
56	MG	2A	3622	1/1	0.83	0.11	39,39,39,39	0
56	MG	1U	211	1/1	0.84	0.37	52,52,52,52	0
56	MG	2A	3213	1/1	0.84	0.17	61,61,61,61	0
56	MG	2A	3607	1/1	0.84	0.20	53,53,53,53	0
56	MG	2A	3412	1/1	0.84	0.11	57,57,57,57	0
56	MG	1A	3524	1/1	0.84	0.21	55,55,55,55	0
56	MG	2A	3768	1/1	0.84	0.15	60,60,60,60	0
56	MG	1A	3812	1/1	0.84	0.16	36,36,36,36	0
56	MG	1A	4010	1/1	0.84	0.09	11,11,11,11	0
56	MG	1A	3349	1/1	0.84	0.26	55,55,55,55	0
56	MG	2A	3055	1/1	0.84	0.21	60,60,60,60	0
56	MG	2a	3178	1/1	0.84	0.16	69,69,69,69	0
56	MG	2A	3801	1/1	0.84	0.24	66,66,66,66	0
56	MG	1A	4052	1/1	0.84	0.11	38,38,38,38	0
56	MG	1A	3766	1/1	0.84	0.11	57,57,57,57	0
56	MG	1A	3642	1/1	0.84	0.12	33,33,33,33	0
56	MG	2a	3211	1/1	0.84	0.24	68,68,68,68	0
56	MG	2A	3865	1/1	0.84	0.10	46,46,46,46	0
56	MG	1n	102	1/1	0.84	0.16	62,62,62,62	0
56	MG	1A	3842	1/1	0.84	0.15	37,37,37,37	0
56	MG	2A	3708	1/1	0.84	0.19	58,58,58,58	0
56	MG	2a	3222	1/1	0.84	0.14	68,68,68,68	0
56	MG	2a	3226	1/1	0.84	0.20	62,62,62,62	0
56	MG	1B	221	1/1	0.84	0.10	43,43,43,43	0
56	MG	2A	3553	1/1	0.84	0.17	60,60,60,60	0
56	MG	2a	3004	1/1	0.84	0.24	57,57,57,57	0
56	MG	1x	102	1/1	0.84	0.29	57,57,57,57	0
56	MG	2A	3560	1/1	0.84	0.14	51,51,51,51	0
56	MG	2w	104	1/1	0.84	0.40	73,73,73,73	0
56	MG	2y	102	1/1	0.84	0.12	73,73,73,73	0
56	MG	2a	3039	1/1	0.84	0.25	65,65,65,65	0
56	MG	2y	106	1/1	0.84	0.14	81,81,81,81	0
56	MG	2A	3400	1/1	0.85	0.14	68,68,68,68	0
56	MG	2a	3002	1/1	0.85	0.11	63,63,63,63	0
56	MG	1A	3061	1/1	0.85	0.16	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3665	1/1	0.85	0.13	56,56,56,56	0
56	MG	1A	3899	1/1	0.85	0.16	43,43,43,43	0
56	MG	2a	3027	1/1	0.85	0.12	61,61,61,61	0
56	MG	2A	3675	1/1	0.85	0.23	61,61,61,61	0
56	MG	1A	3908	1/1	0.85	0.29	41,41,41,41	0
56	MG	1A	3526	1/1	0.85	0.14	47,47,47,47	0
56	MG	2A	3239	1/1	0.85	0.15	54,54,54,54	0
56	MG	2A	3707	1/1	0.85	0.11	67,67,67,67	0
56	MG	1A	3831	1/1	0.85	0.12	41,41,41,41	0
56	MG	2A	3268	1/1	0.85	0.21	77,77,77,77	0
56	MG	2a	3121	1/1	0.85	0.18	66,66,66,66	0
56	MG	2a	3125	1/1	0.85	0.14	50,50,50,50	0
56	MG	2A	3278	1/1	0.85	0.09	55,55,55,55	0
56	MG	2a	3135	1/1	0.85	0.37	67,67,67,67	0
56	MG	2a	3148	1/1	0.85	0.10	56,56,56,56	0
56	MG	1a	1776	1/1	0.85	0.15	57,57,57,57	0
56	MG	2a	3157	1/1	0.85	0.12	57,57,57,57	0
56	MG	2A	3490	1/1	0.85	0.10	49,49,49,49	0
56	MG	1A	3558	1/1	0.85	0.20	41,41,41,41	0
56	MG	2A	3305	1/1	0.85	0.15	53,53,53,53	0
56	MG	1a	1779	1/1	0.85	0.15	65,65,65,65	0
56	MG	1A	3605	1/1	0.85	0.10	42,42,42,42	0
56	MG	1Y	202	1/1	0.85	0.15	58,58,58,58	0
56	MG	1A	3947	1/1	0.85	0.10	34,34,34,34	0
56	MG	2A	3329	1/1	0.85	0.20	56,56,56,56	0
56	MG	1A	3636	1/1	0.85	0.12	23,23,23,23	0
56	MG	2A	3573	1/1	0.85	0.11	31,31,31,31	0
56	MG	2A	3577	1/1	0.85	0.14	67,67,67,67	0
56	MG	1A	3530	1/1	0.85	0.20	52,52,52,52	0
56	MG	1A	3373	1/1	0.85	0.17	54,54,54,54	0
56	MG	1e	201	1/1	0.85	0.08	59,59,59,59	0
56	MG	2A	3621	1/1	0.85	0.13	41,41,41,41	0
56	MG	2A	3136	1/1	0.85	0.14	49,49,49,49	0
56	MG	2a	3233	1/1	0.85	0.21	61,61,61,61	0
56	MG	2A	3367	1/1	0.85	0.12	59,59,59,59	0
56	MG	2A	3878	1/1	0.85	0.11	63,63,63,63	0
56	MG	2B	210	1/1	0.85	0.14	57,57,57,57	0
56	MG	2B	214	1/1	0.85	0.14	73,73,73,73	0
56	MG	2A	3153	1/1	0.85	0.15	60,60,60,60	0
56	MG	2A	3399	1/1	0.85	0.23	54,54,54,54	0
56	MG	2A	3647	1/1	0.85	0.19	49,49,49,49	0
56	MG	2A	3696	1/1	0.86	0.12	50,50,50,50	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3703	1/1	0.86	0.15	52,52,52,52	0
56	MG	1A	3546	1/1	0.86	0.10	37,37,37,37	0
56	MG	1A	3026	1/1	0.86	0.15	45,45,45,45	0
56	MG	16	105	1/1	0.86	0.09	51,51,51,51	0
56	MG	2a	3085	1/1	0.86	0.14	49,49,49,49	0
56	MG	2a	3087	1/1	0.86	0.20	55,55,55,55	0
56	MG	1A	4047	1/1	0.86	0.10	52,52,52,52	0
56	MG	2A	3491	1/1	0.86	0.16	43,43,43,43	0
56	MG	2A	3023	1/1	0.86	0.20	60,60,60,60	0
56	MG	1A	3936	1/1	0.86	0.16	47,47,47,47	0
56	MG	2A	3747	1/1	0.86	0.14	59,59,59,59	0
56	MG	1a	1795	1/1	0.86	0.14	58,58,58,58	0
56	MG	1A	3251	1/1	0.86	0.14	50,50,50,50	0
56	MG	2A	3069	1/1	0.86	0.29	55,55,55,55	0
56	MG	1A	3413	1/1	0.86	0.15	64,64,64,64	0
56	MG	1a	1661	1/1	0.86	0.15	59,59,59,59	0
56	MG	2a	3163	1/1	0.86	0.15	66,66,66,66	0
56	MG	2A	3099	1/1	0.86	0.19	58,58,58,58	0
56	MG	1B	208	1/1	0.86	0.13	56,56,56,56	0
56	MG	2a	3174	1/1	0.86	0.17	58,58,58,58	0
56	MG	2A	3108	1/1	0.86	0.12	68,68,68,68	0
56	MG	2A	3791	1/1	0.86	0.14	66,66,66,66	0
56	MG	2A	3348	1/1	0.86	0.21	61,61,61,61	0
56	MG	1A	3467	1/1	0.86	0.11	63,63,63,63	0
56	MG	1h	201	1/1	0.86	0.08	62,62,62,62	0
56	MG	2a	3197	1/1	0.86	0.19	67,67,67,67	0
56	MG	2a	3203	1/1	0.86	0.20	71,71,71,71	0
56	MG	2A	3807	1/1	0.86	0.13	70,70,70,70	0
56	MG	2A	3362	1/1	0.86	0.24	52,52,52,52	0
56	MG	1l	201	1/1	0.86	0.12	59,59,59,59	0
56	MG	2A	3371	1/1	0.86	0.13	60,60,60,60	0
56	MG	1A	3973	1/1	0.86	0.16	27,27,27,27	0
56	MG	2A	3876	1/1	0.86	0.14	66,66,66,66	0
56	MG	1D	310	1/1	0.86	0.33	49,49,49,49	0
56	MG	2A	3194	1/1	0.86	0.12	49,49,49,49	0
56	MG	1a	1757	1/1	0.86	0.21	66,66,66,66	0
56	MG	2a	3229	1/1	0.86	0.20	66,66,66,66	0
56	MG	1w	106	1/1	0.86	0.15	75,75,75,75	0
56	MG	2A	3221	1/1	0.86	0.18	55,55,55,55	0
56	MG	1A	3912	1/1	0.86	0.11	39,39,39,39	0
56	MG	2A	3243	1/1	0.86	0.15	52,52,52,52	0
56	MG	2A	3448	1/1	0.86	0.17	48,48,48,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2w	106	1/1	0.86	0.10	72,72,72,72	0
56	MG	2A	3246	1/1	0.86	0.15	56,56,56,56	0
56	MG	2A	3461	1/1	0.86	0.19	75,75,75,75	0
56	MG	2A	3690	1/1	0.86	0.15	67,67,67,67	0
56	MG	1S	202	1/1	0.87	0.14	49,49,49,49	0
56	MG	2a	3009	1/1	0.87	0.18	68,68,68,68	0
56	MG	1T	202	1/1	0.87	0.12	46,46,46,46	0
56	MG	1a	1773	1/1	0.87	0.12	58,58,58,58	0
56	MG	1U	210	1/1	0.87	0.17	49,49,49,49	0
56	MG	2A	3354	1/1	0.87	0.10	60,60,60,60	0
56	MG	2a	3052	1/1	0.87	0.16	54,54,54,54	0
56	MG	2A	3357	1/1	0.87	0.21	65,65,65,65	0
56	MG	1A	3821	1/1	0.87	0.11	42,42,42,42	0
56	MG	2A	3365	1/1	0.87	0.12	56,56,56,56	0
56	MG	1A	3470	1/1	0.87	0.11	62,62,62,62	0
56	MG	1A	4058	1/1	0.87	0.15	49,49,49,49	0
56	MG	2A	3118	1/1	0.87	0.17	66,66,66,66	0
56	MG	1a	1786	1/1	0.87	0.12	74,74,74,74	0
56	MG	2a	3118	1/1	0.87	0.25	61,61,61,61	0
56	MG	10	104	1/1	0.87	0.10	51,51,51,51	0
56	MG	15	105	1/1	0.87	0.11	48,48,48,48	0
56	MG	2a	3124	1/1	0.87	0.10	49,49,49,49	0
56	MG	1A	3898	1/1	0.87	0.09	41,41,41,41	0
56	MG	1a	1604	1/1	0.87	0.10	55,55,55,55	0
56	MG	1a	1806	1/1	0.87	0.10	70,70,70,70	0
56	MG	2a	3146	1/1	0.87	0.12	65,65,65,65	0
56	MG	1a	1609	1/1	0.87	0.16	50,50,50,50	0
56	MG	2A	3209	1/1	0.87	0.08	62,62,62,62	0
56	MG	1A	3089	1/1	0.87	0.09	41,41,41,41	0
56	MG	1a	1629	1/1	0.87	0.17	56,56,56,56	0
56	MG	2a	3165	1/1	0.87	0.25	60,60,60,60	0
56	MG	1a	1634	1/1	0.87	0.17	65,65,65,65	0
56	MG	2A	3470	1/1	0.87	0.10	60,60,60,60	0
56	MG	1A	3426	1/1	0.87	0.14	55,55,55,55	0
56	MG	1l	202	1/1	0.87	0.12	66,66,66,66	0
56	MG	2A	3254	1/1	0.87	0.16	61,61,61,61	0
56	MG	1B	211	1/1	0.87	0.13	57,57,57,57	0
56	MG	1A	3254	1/1	0.87	0.11	53,53,53,53	0
56	MG	2A	3271	1/1	0.87	0.13	55,55,55,55	0
56	MG	1B	214	1/1	0.87	0.09	54,54,54,54	0
56	MG	1a	1667	1/1	0.87	0.20	62,62,62,62	0
56	MG	2A	3549	1/1	0.87	0.09	37,37,37,37	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3298	1/1	0.87	0.17	48,48,48,48	0
56	MG	2A	3300	1/1	0.87	0.14	53,53,53,53	0
56	MG	2A	3301	1/1	0.87	0.19	58,58,58,58	0
56	MG	1a	1676	1/1	0.87	0.12	45,45,45,45	0
56	MG	1A	3721	1/1	0.87	0.14	29,29,29,29	0
56	MG	2A	3830	1/1	0.87	0.09	66,66,66,66	0
56	MG	1A	3541	1/1	0.87	0.11	60,60,60,60	0
56	MG	1a	1695	1/1	0.87	0.13	47,47,47,47	0
56	MG	2A	3599	1/1	0.87	0.25	63,63,63,63	0
56	MG	2a	3231	1/1	0.87	0.26	58,58,58,58	0
56	MG	1a	1702	1/1	0.87	0.33	57,57,57,57	0
56	MG	2B	205	1/1	0.87	0.15	52,52,52,52	0
56	MG	2A	3613	1/1	0.87	0.17	57,57,57,57	0
56	MG	2A	3614	1/1	0.87	0.18	57,57,57,57	0
56	MG	2w	101	1/1	0.87	0.27	61,61,61,61	0
56	MG	2A	3001	1/1	0.87	0.36	60,60,60,60	0
56	MG	1I	201	1/1	0.87	0.14	63,63,63,63	0
56	MG	2w	107	1/1	0.87	0.20	74,74,74,74	0
56	MG	1O	201	1/1	0.87	0.12	62,62,62,62	0
56	MG	2y	103	1/1	0.87	0.11	56,56,56,56	0
56	MG	2A	3627	1/1	0.87	0.19	59,59,59,59	0
56	MG	2y	105	1/1	0.87	0.12	69,69,69,69	0
56	MG	1a	1726	1/1	0.87	0.14	44,44,44,44	0
56	MG	1w	105	1/1	0.88	0.10	58,58,58,58	0
56	MG	1a	1700	1/1	0.88	0.23	42,42,42,42	0
56	MG	1A	3621	1/1	0.88	0.20	42,42,42,42	0
56	MG	2A	3275	1/1	0.88	0.15	58,58,58,58	0
56	MG	1A	3367	1/1	0.88	0.15	54,54,54,54	0
56	MG	2A	3292	1/1	0.88	0.11	67,67,67,67	0
56	MG	2A	3293	1/1	0.88	0.12	62,62,62,62	0
56	MG	2A	3562	1/1	0.88	0.13	42,42,42,42	0
56	MG	2E	301	1/1	0.88	0.18	50,50,50,50	0
56	MG	2E	308	1/1	0.88	0.11	52,52,52,52	0
56	MG	2F	302	1/1	0.88	0.10	58,58,58,58	0
56	MG	1A	3529	1/1	0.88	0.11	44,44,44,44	0
56	MG	2A	3567	1/1	0.88	0.13	69,69,69,69	0
56	MG	1A	3656	1/1	0.88	0.12	58,58,58,58	0
56	MG	2W	202	1/1	0.88	0.09	44,44,44,44	0
56	MG	25	104	1/1	0.88	0.12	46,46,46,46	0
56	MG	26	101	1/1	0.88	0.14	52,52,52,52	0
56	MG	1A	3661	1/1	0.88	0.08	21,21,21,21	0
56	MG	1a	1759	1/1	0.88	0.16	58,58,58,58	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3016	1/1	0.88	0.18	60,60,60,60	0
56	MG	2a	3012	1/1	0.88	0.32	62,62,62,62	0
56	MG	2A	3018	1/1	0.88	0.13	53,53,53,53	0
56	MG	2A	3612	1/1	0.88	0.12	57,57,57,57	0
56	MG	1A	4044	1/1	0.88	0.19	47,47,47,47	0
56	MG	2a	3038	1/1	0.88	0.13	69,69,69,69	0
56	MG	1A	3671	1/1	0.88	0.10	20,20,20,20	0
56	MG	2a	3041	1/1	0.88	0.23	56,56,56,56	0
56	MG	2a	3050	1/1	0.88	0.10	56,56,56,56	0
56	MG	2A	3617	1/1	0.88	0.14	48,48,48,48	0
56	MG	2a	3053	1/1	0.88	0.16	62,62,62,62	0
56	MG	2A	3051	1/1	0.88	0.08	41,41,41,41	0
56	MG	2a	3057	1/1	0.88	0.17	59,59,59,59	0
56	MG	2a	3060	1/1	0.88	0.28	70,70,70,70	0
56	MG	2A	3316	1/1	0.88	0.15	53,53,53,53	0
56	MG	1A	3271	1/1	0.88	0.17	57,57,57,57	0
56	MG	2a	3083	1/1	0.88	0.10	55,55,55,55	0
56	MG	1A	3683	1/1	0.88	0.12	31,31,31,31	0
56	MG	1A	3380	1/1	0.88	0.22	63,63,63,63	0
56	MG	2A	3071	1/1	0.88	0.16	60,60,60,60	0
56	MG	2A	3076	1/1	0.88	0.08	50,50,50,50	0
56	MG	1A	3715	1/1	0.88	0.12	40,40,40,40	0
56	MG	2A	3660	1/1	0.88	0.15	55,55,55,55	0
56	MG	1A	3480	1/1	0.88	0.12	45,45,45,45	0
56	MG	1a	1630	1/1	0.88	0.25	51,51,51,51	0
56	MG	1a	1794	1/1	0.88	0.16	48,48,48,48	0
56	MG	1A	3730	1/1	0.88	0.11	25,25,25,25	0
56	MG	2A	3360	1/1	0.88	0.12	66,66,66,66	0
56	MG	2a	3140	1/1	0.88	0.10	56,56,56,56	0
56	MG	2a	3141	1/1	0.88	0.14	64,64,64,64	0
56	MG	2A	3111	1/1	0.88	0.15	55,55,55,55	0
56	MG	2A	3363	1/1	0.88	0.14	50,50,50,50	0
56	MG	2A	3686	1/1	0.88	0.11	66,66,66,66	0
56	MG	2A	3114	1/1	0.88	0.22	60,60,60,60	0
56	MG	1a	1799	1/1	0.88	0.12	60,60,60,60	0
56	MG	2A	3695	1/1	0.88	0.14	52,52,52,52	0
56	MG	1A	3737	1/1	0.88	0.17	32,32,32,32	0
56	MG	2A	3378	1/1	0.88	0.09	50,50,50,50	0
56	MG	2A	3704	1/1	0.88	0.18	62,62,62,62	0
56	MG	1A	3542	1/1	0.88	0.10	56,56,56,56	0
56	MG	2a	3179	1/1	0.88	0.16	60,60,60,60	0
56	MG	1a	1650	1/1	0.88	0.31	55,55,55,55	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3154	1/1	0.88	0.12	51,51,51,51	0
56	MG	2A	3164	1/1	0.88	0.12	43,43,43,43	0
56	MG	2A	3725	1/1	0.88	0.10	59,59,59,59	0
56	MG	2A	3173	1/1	0.88	0.17	74,74,74,74	0
56	MG	2A	3740	1/1	0.88	0.10	54,54,54,54	0
56	MG	2A	3175	1/1	0.88	0.10	42,42,42,42	0
56	MG	1A	3489	1/1	0.88	0.18	51,51,51,51	0
56	MG	2A	3746	1/1	0.88	0.11	43,43,43,43	0
56	MG	2A	3430	1/1	0.88	0.10	44,44,44,44	0
56	MG	2A	3751	1/1	0.88	0.13	54,54,54,54	0
56	MG	2A	3434	1/1	0.88	0.18	49,49,49,49	0
56	MG	2A	3755	1/1	0.88	0.15	39,39,39,39	0
56	MG	2A	3435	1/1	0.88	0.10	56,56,56,56	0
56	MG	2A	3438	1/1	0.88	0.23	53,53,53,53	0
56	MG	1A	3491	1/1	0.88	0.11	48,48,48,48	0
56	MG	1A	3312	1/1	0.88	0.28	64,64,64,64	0
56	MG	1A	3214	1/1	0.88	0.15	61,61,61,61	0
56	MG	2a	3234	1/1	0.88	0.15	58,58,58,58	0
56	MG	2A	3782	1/1	0.88	0.10	55,55,55,55	0
56	MG	1R	204	1/1	0.88	0.17	49,49,49,49	0
56	MG	2A	3212	1/1	0.88	0.23	60,60,60,60	0
56	MG	1a	1681	1/1	0.88	0.27	66,66,66,66	0
56	MG	1a	1691	1/1	0.88	0.17	55,55,55,55	0
56	MG	1p	101	1/1	0.88	0.10	38,38,38,38	0
56	MG	1w	101	1/1	0.88	0.11	60,60,60,60	0
56	MG	1A	3232	1/1	0.88	0.14	53,53,53,53	0
56	MG	2A	3503	1/1	0.88	0.15	62,62,62,62	0
56	MG	2A	3525	1/1	0.88	0.20	47,47,47,47	0
56	MG	1T	201	1/1	0.88	0.15	44,44,44,44	0
56	MG	2A	3863	1/1	0.88	0.10	42,42,42,42	0
56	MG	2A	3853	1/1	0.89	0.12	66,66,66,66	0
56	MG	2A	3497	1/1	0.89	0.17	61,61,61,61	0
56	MG	2A	3207	1/1	0.89	0.11	54,54,54,54	0
56	MG	1A	3618	1/1	0.89	0.19	49,49,49,49	0
56	MG	1T	203	1/1	0.89	0.16	55,55,55,55	0
56	MG	1A	3913	1/1	0.89	0.09	18,18,18,18	0
56	MG	1A	3749	1/1	0.89	0.13	52,52,52,52	0
56	MG	2A	3238	1/1	0.89	0.12	64,64,64,64	0
56	MG	1A	3189	1/1	0.89	0.07	41,41,41,41	0
56	MG	1A	3935	1/1	0.89	0.09	53,53,53,53	0
56	MG	2B	218	1/1	0.89	0.17	62,62,62,62	0
56	MG	1A	3622	1/1	0.89	0.22	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2E	303	1/1	0.89	0.06	41,41,41,41	0
56	MG	2A	3251	1/1	0.89	0.13	55,55,55,55	0
56	MG	1A	3383	1/1	0.89	0.09	47,47,47,47	0
56	MG	2A	3563	1/1	0.89	0.15	41,41,41,41	0
56	MG	1A	3640	1/1	0.89	0.09	24,24,24,24	0
56	MG	18	103	1/1	0.89	0.09	48,48,48,48	0
56	MG	2R	201	1/1	0.89	0.16	56,56,56,56	0
56	MG	2V	201	1/1	0.89	0.32	49,49,49,49	0
56	MG	1A	3798	1/1	0.89	0.09	25,25,25,25	0
56	MG	2X	101	1/1	0.89	0.15	60,60,60,60	0
56	MG	1A	3287	1/1	0.89	0.07	39,39,39,39	0
56	MG	1a	1623	1/1	0.89	0.14	50,50,50,50	0
56	MG	1A	3976	1/1	0.89	0.09	34,34,34,34	0
56	MG	1A	3474	1/1	0.89	0.14	56,56,56,56	0
56	MG	1A	3988	1/1	0.89	0.08	18,18,18,18	0
56	MG	2a	3010	1/1	0.89	0.23	67,67,67,67	0
56	MG	1A	4002	1/1	0.89	0.10	58,58,58,58	0
56	MG	1A	3816	1/1	0.89	0.10	77,77,77,77	0
56	MG	2a	3021	1/1	0.89	0.16	58,58,58,58	0
56	MG	1A	4019	1/1	0.89	0.14	45,45,45,45	0
56	MG	1A	3405	1/1	0.89	0.25	17,17,17,17	0
56	MG	2a	3028	1/1	0.89	0.28	59,59,59,59	0
56	MG	2a	3033	1/1	0.89	0.10	59,59,59,59	0
56	MG	1A	4026	1/1	0.89	0.10	26,26,26,26	0
56	MG	1A	3670	1/1	0.89	0.13	48,48,48,48	0
56	MG	2a	3040	1/1	0.89	0.16	58,58,58,58	0
56	MG	2A	3626	1/1	0.89	0.11	37,37,37,37	0
56	MG	1A	3829	1/1	0.89	0.12	18,18,18,18	0
56	MG	1A	3409	1/1	0.89	0.33	35,35,35,35	0
56	MG	2A	3005	1/1	0.89	0.32	55,55,55,55	0
56	MG	2A	3318	1/1	0.89	0.23	55,55,55,55	0
56	MG	2a	3056	1/1	0.89	0.15	69,69,69,69	0
56	MG	2A	3319	1/1	0.89	0.30	55,55,55,55	0
56	MG	2A	3648	1/1	0.89	0.13	33,33,33,33	0
56	MG	2a	3061	1/1	0.89	0.08	59,59,59,59	0
56	MG	1A	4053	1/1	0.89	0.19	48,48,48,48	0
56	MG	1A	3041	1/1	0.89	0.14	38,38,38,38	0
56	MG	1A	3345	1/1	0.89	0.09	51,51,51,51	0
56	MG	2A	3031	1/1	0.89	0.15	62,62,62,62	0
56	MG	1a	1692	1/1	0.89	0.29	62,62,62,62	0
56	MG	2a	3094	1/1	0.89	0.16	61,61,61,61	0
56	MG	1A	4073	1/1	0.89	0.09	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2a	3102	1/1	0.89	0.15	48,48,48,48	0
56	MG	1A	3518	1/1	0.89	0.16	51,51,51,51	0
56	MG	1A	4102	1/1	0.89	0.09	54,54,54,54	0
56	MG	1A	3843	1/1	0.89	0.10	28,28,28,28	0
56	MG	1a	1705	1/1	0.89	0.25	45,45,45,45	0
56	MG	1A	3869	1/1	0.89	0.11	42,42,42,42	0
56	MG	1a	1715	1/1	0.89	0.10	45,45,45,45	0
56	MG	2a	3128	1/1	0.89	0.29	63,63,63,63	0
56	MG	1A	3710	1/1	0.89	0.16	47,47,47,47	0
56	MG	2A	3702	1/1	0.89	0.12	44,44,44,44	0
56	MG	1a	1725	1/1	0.89	0.12	47,47,47,47	0
56	MG	1A	3713	1/1	0.89	0.10	45,45,45,45	0
56	MG	2A	3104	1/1	0.89	0.16	54,54,54,54	0
56	MG	1a	1733	1/1	0.89	0.24	55,55,55,55	0
56	MG	2A	3712	1/1	0.89	0.23	69,69,69,69	0
56	MG	2A	3109	1/1	0.89	0.13	55,55,55,55	0
56	MG	2A	3383	1/1	0.89	0.19	57,57,57,57	0
56	MG	2A	3721	1/1	0.89	0.14	49,49,49,49	0
56	MG	2A	3390	1/1	0.89	0.22	63,63,63,63	0
56	MG	2A	3726	1/1	0.89	0.07	50,50,50,50	0
56	MG	2a	3170	1/1	0.89	0.14	65,65,65,65	0
56	MG	2A	3729	1/1	0.89	0.15	55,55,55,55	0
56	MG	2A	3736	1/1	0.89	0.13	50,50,50,50	0
56	MG	1a	1755	1/1	0.89	0.23	61,61,61,61	0
56	MG	1B	217	1/1	0.89	0.09	43,43,43,43	0
56	MG	2A	3741	1/1	0.89	0.10	50,50,50,50	0
56	MG	1A	3883	1/1	0.89	0.08	13,13,13,13	0
56	MG	2A	3743	1/1	0.89	0.12	51,51,51,51	0
56	MG	2A	3408	1/1	0.89	0.18	66,66,66,66	0
56	MG	1A	3432	1/1	0.89	0.10	52,52,52,52	0
56	MG	2a	3206	1/1	0.89	0.21	58,58,58,58	0
56	MG	2A	3132	1/1	0.89	0.15	71,71,71,71	0
56	MG	1a	1768	1/1	0.89	0.10	61,61,61,61	0
56	MG	2A	3426	1/1	0.89	0.19	35,35,35,35	0
56	MG	2a	3215	1/1	0.89	0.17	61,61,61,61	0
56	MG	1E	308	1/1	0.89	0.09	16,16,16,16	0
56	MG	2A	3757	1/1	0.89	0.09	54,54,54,54	0
56	MG	2A	3759	1/1	0.89	0.10	47,47,47,47	0
56	MG	1G	204	1/1	0.89	0.09	54,54,54,54	0
56	MG	1A	3897	1/1	0.89	0.10	34,34,34,34	0
56	MG	2A	3171	1/1	0.89	0.23	72,72,72,72	0
56	MG	1A	3565	1/1	0.89	0.12	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1O	206	1/1	0.89	0.20	57,57,57,57	0
56	MG	2A	3449	1/1	0.89	0.14	65,65,65,65	0
56	MG	2A	3454	1/1	0.89	0.12	45,45,45,45	0
56	MG	1a	1782	1/1	0.89	0.15	55,55,55,55	0
56	MG	1A	3570	1/1	0.89	0.10	54,54,54,54	0
56	MG	2t	201	1/1	0.89	0.17	47,47,47,47	0
56	MG	2A	3793	1/1	0.89	0.09	63,63,63,63	0
56	MG	2A	3185	1/1	0.89	0.20	50,50,50,50	0
56	MG	2A	3189	1/1	0.89	0.10	58,58,58,58	0
56	MG	2A	3190	1/1	0.89	0.19	60,60,60,60	0
56	MG	2A	3193	1/1	0.89	0.09	53,53,53,53	0
56	MG	2A	3482	1/1	0.89	0.18	56,56,56,56	0
56	MG	2A	3811	1/1	0.89	0.12	57,57,57,57	0
56	MG	1A	3906	1/1	0.89	0.15	41,41,41,41	0
56	MG	1A	3448	1/1	0.89	0.11	39,39,39,39	0
56	MG	2A	3831	1/1	0.89	0.14	38,38,38,38	0
58	ZN	24	501	1/1	0.89	0.15	134,134,134,134	0
60	K	2A	3473	1/1	0.89	0.17	75,75,75,75	0
56	MG	1A	3952	1/1	0.90	0.10	50,50,50,50	0
56	MG	1A	3960	1/1	0.90	0.12	46,46,46,46	0
56	MG	1A	3968	1/1	0.90	0.08	58,58,58,58	0
56	MG	2A	3629	1/1	0.90	0.23	54,54,54,54	0
56	MG	2A	3630	1/1	0.90	0.10	47,47,47,47	0
56	MG	1A	3264	1/1	0.90	0.15	53,53,53,53	0
56	MG	25	102	1/1	0.90	0.14	45,45,45,45	0
56	MG	1A	3229	1/1	0.90	0.09	41,41,41,41	0
56	MG	2A	3351	1/1	0.90	0.09	49,49,49,49	0
56	MG	2A	3352	1/1	0.90	0.08	48,48,48,48	0
56	MG	1A	3553	1/1	0.90	0.24	55,55,55,55	0
56	MG	2a	3008	1/1	0.90	0.18	57,57,57,57	0
56	MG	2A	3650	1/1	0.90	0.13	53,53,53,53	0
56	MG	2A	3656	1/1	0.90	0.10	39,39,39,39	0
56	MG	1A	3516	1/1	0.90	0.11	37,37,37,37	0
56	MG	2A	3113	1/1	0.90	0.15	50,50,50,50	0
56	MG	1Z	3701	1/1	0.90	0.08	51,51,51,51	0
56	MG	2A	3115	1/1	0.90	0.17	53,53,53,53	0
56	MG	2A	3117	1/1	0.90	0.14	50,50,50,50	0
56	MG	1A	3995	1/1	0.90	0.10	39,39,39,39	0
56	MG	13	104	1/1	0.90	0.12	53,53,53,53	0
56	MG	1A	3428	1/1	0.90	0.11	38,38,38,38	0
56	MG	1A	4003	1/1	0.90	0.09	50,50,50,50	0
56	MG	1A	4007	1/1	0.90	0.16	57,57,57,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3381	1/1	0.90	0.18	59,59,59,59	0
56	MG	2a	3042	1/1	0.90	0.25	65,65,65,65	0
56	MG	1A	3050	1/1	0.90	0.16	25,25,25,25	0
56	MG	1a	1797	1/1	0.90	0.15	53,53,53,53	0
56	MG	2A	3397	1/1	0.90	0.14	58,58,58,58	0
56	MG	1a	1608	1/1	0.90	0.10	42,42,42,42	0
56	MG	1A	3841	1/1	0.90	0.11	42,42,42,42	0
56	MG	1A	3581	1/1	0.90	0.26	64,64,64,64	0
56	MG	1A	3599	1/1	0.90	0.14	57,57,57,57	0
56	MG	2A	3409	1/1	0.90	0.20	66,66,66,66	0
56	MG	2a	3064	1/1	0.90	0.09	70,70,70,70	0
56	MG	2a	3065	1/1	0.90	0.12	55,55,55,55	0
56	MG	1A	3853	1/1	0.90	0.09	19,19,19,19	0
56	MG	1a	1821	1/1	0.90	0.27	55,55,55,55	0
56	MG	2a	3076	1/1	0.90	0.20	56,56,56,56	0
56	MG	1a	1824	1/1	0.90	0.18	54,54,54,54	0
56	MG	2A	3723	1/1	0.90	0.12	59,59,59,59	0
56	MG	2A	3423	1/1	0.90	0.24	42,42,42,42	0
56	MG	1A	3858	1/1	0.90	0.06	27,27,27,27	0
56	MG	1A	3717	1/1	0.90	0.07	39,39,39,39	0
56	MG	2a	3099	1/1	0.90	0.22	58,58,58,58	0
56	MG	1A	3437	1/1	0.90	0.10	50,50,50,50	0
56	MG	2a	3114	1/1	0.90	0.14	65,65,65,65	0
56	MG	1A	3728	1/1	0.90	0.08	20,20,20,20	0
56	MG	2A	3739	1/1	0.90	0.17	62,62,62,62	0
56	MG	1a	1646	1/1	0.90	0.14	53,53,53,53	0
56	MG	2A	3208	1/1	0.90	0.07	32,32,32,32	0
56	MG	1A	3615	1/1	0.90	0.15	33,33,33,33	0
56	MG	1A	3884	1/1	0.90	0.15	47,47,47,47	0
56	MG	2a	3126	1/1	0.90	0.15	62,62,62,62	0
56	MG	1a	1660	1/1	0.90	0.17	63,63,63,63	0
56	MG	2A	3745	1/1	0.90	0.10	58,58,58,58	0
56	MG	2A	3455	1/1	0.90	0.21	50,50,50,50	0
56	MG	1A	3733	1/1	0.90	0.08	22,22,22,22	0
56	MG	2A	3458	1/1	0.90	0.24	64,64,64,64	0
56	MG	2A	3224	1/1	0.90	0.14	62,62,62,62	0
56	MG	2A	3226	1/1	0.90	0.13	58,58,58,58	0
56	MG	1A	4101	1/1	0.90	0.16	56,56,56,56	0
56	MG	1a	1670	1/1	0.90	0.13	49,49,49,49	0
56	MG	1A	3616	1/1	0.90	0.13	50,50,50,50	0
56	MG	2A	3763	1/1	0.90	0.13	43,43,43,43	0
56	MG	1A	3375	1/1	0.90	0.10	46,46,46,46	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3249	1/1	0.90	0.24	60,60,60,60	0
56	MG	1A	3378	1/1	0.90	0.09	42,42,42,42	0
56	MG	2A	3769	1/1	0.90	0.14	56,56,56,56	0
56	MG	2A	3253	1/1	0.90	0.09	58,58,58,58	0
56	MG	2A	3780	1/1	0.90	0.09	48,48,48,48	0
56	MG	1a	1683	1/1	0.90	0.19	64,64,64,64	0
56	MG	2A	3504	1/1	0.90	0.30	52,52,52,52	0
56	MG	2A	3505	1/1	0.90	0.11	41,41,41,41	0
56	MG	1x	115	1/1	0.90	0.13	62,62,62,62	0
56	MG	2a	3191	1/1	0.90	0.08	64,64,64,64	0
56	MG	1A	3001	1/1	0.90	0.06	34,34,34,34	0
56	MG	2a	3199	1/1	0.90	0.13	50,50,50,50	0
56	MG	2A	3796	1/1	0.90	0.15	64,64,64,64	0
56	MG	1A	3533	1/1	0.90	0.23	33,33,33,33	0
56	MG	2a	3207	1/1	0.90	0.18	60,60,60,60	0
56	MG	2a	3209	1/1	0.90	0.14	58,58,58,58	0
56	MG	1A	3324	1/1	0.90	0.14	54,54,54,54	0
56	MG	1A	3769	1/1	0.90	0.10	43,43,43,43	0
56	MG	2A	3291	1/1	0.90	0.12	62,62,62,62	0
56	MG	2A	3808	1/1	0.90	0.12	58,58,58,58	0
56	MG	1B	230	1/1	0.90	0.14	60,60,60,60	0
56	MG	1A	3770	1/1	0.90	0.11	47,47,47,47	0
56	MG	2A	3020	1/1	0.90	0.15	55,55,55,55	0
56	MG	2a	3223	1/1	0.90	0.14	58,58,58,58	0
56	MG	2A	3297	1/1	0.90	0.27	68,68,68,68	0
56	MG	1A	3925	1/1	0.90	0.16	54,54,54,54	0
56	MG	2A	3843	1/1	0.90	0.13	41,41,41,41	0
56	MG	2A	3851	1/1	0.90	0.10	55,55,55,55	0
56	MG	2a	3230	1/1	0.90	0.11	60,60,60,60	0
56	MG	1E	310	1/1	0.90	0.11	58,58,58,58	0
56	MG	2A	3041	1/1	0.90	0.16	54,54,54,54	0
56	MG	1A	3341	1/1	0.90	0.17	52,52,52,52	0
56	MG	2A	3575	1/1	0.90	0.08	40,40,40,40	0
56	MG	2j	202	1/1	0.90	0.07	58,58,58,58	0
56	MG	1A	3172	1/1	0.90	0.14	53,53,53,53	0
56	MG	2A	3586	1/1	0.90	0.14	62,62,62,62	0
56	MG	2A	3053	1/1	0.90	0.13	54,54,54,54	0
56	MG	2A	3598	1/1	0.90	0.09	51,51,51,51	0
56	MG	2B	213	1/1	0.90	0.15	55,55,55,55	0
56	MG	2A	3309	1/1	0.90	0.13	49,49,49,49	0
56	MG	1A	3261	1/1	0.90	0.37	46,46,46,46	0
56	MG	2x	103	1/1	0.90	0.20	59,59,59,59	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3810	1/1	0.90	0.08	21,21,21,21	0
56	MG	1a	1732	1/1	0.90	0.23	43,43,43,43	0
56	MG	1A	3667	1/1	0.90	0.08	44,44,44,44	0
56	MG	2E	304	1/1	0.90	0.15	58,58,58,58	0
56	MG	1a	1735	1/1	0.90	0.17	60,60,60,60	0
56	MG	2A	3084	1/1	0.90	0.19	60,60,60,60	0
56	MG	1A	3669	1/1	0.90	0.09	39,39,39,39	0
56	MG	1A	4040	1/1	0.91	0.07	41,41,41,41	0
56	MG	1A	3410	1/1	0.91	0.12	43,43,43,43	0
56	MG	1A	4045	1/1	0.91	0.08	69,69,69,69	0
56	MG	2A	3874	1/1	0.91	0.11	45,45,45,45	0
56	MG	1x	108	1/1	0.91	0.14	49,49,49,49	0
56	MG	1A	3854	1/1	0.91	0.10	35,35,35,35	0
56	MG	2B	204	1/1	0.91	0.14	71,71,71,71	0
56	MG	2A	3252	1/1	0.91	0.10	55,55,55,55	0
56	MG	1A	3190	1/1	0.91	0.10	56,56,56,56	0
56	MG	1A	3120	1/1	0.91	0.12	55,55,55,55	0
56	MG	2A	3257	1/1	0.91	0.10	42,42,42,42	0
56	MG	2B	215	1/1	0.91	0.08	52,52,52,52	0
56	MG	2A	3258	1/1	0.91	0.16	62,62,62,62	0
56	MG	1a	1665	1/1	0.91	0.16	55,55,55,55	0
56	MG	2B	221	1/1	0.91	0.12	59,59,59,59	0
56	MG	2A	3267	1/1	0.91	0.14	49,49,49,49	0
56	MG	1A	3329	1/1	0.91	0.13	52,52,52,52	0
56	MG	1A	3876	1/1	0.91	0.09	53,53,53,53	0
56	MG	2A	3565	1/1	0.91	0.11	33,33,33,33	0
56	MG	2E	309	1/1	0.91	0.10	42,42,42,42	0
56	MG	2A	3273	1/1	0.91	0.07	59,59,59,59	0
56	MG	2F	303	1/1	0.91	0.12	39,39,39,39	0
56	MG	1A	3332	1/1	0.91	0.18	52,52,52,52	0
56	MG	1A	4088	1/1	0.91	0.11	36,36,36,36	0
56	MG	2A	3280	1/1	0.91	0.15	34,34,34,34	0
56	MG	2A	3283	1/1	0.91	0.12	54,54,54,54	0
56	MG	2R	202	1/1	0.91	0.10	46,46,46,46	0
56	MG	2A	3579	1/1	0.91	0.11	53,53,53,53	0
56	MG	2A	3287	1/1	0.91	0.09	42,42,42,42	0
56	MG	2A	3588	1/1	0.91	0.10	29,29,29,29	0
56	MG	2I	101	1/1	0.91	0.23	44,44,44,44	0
56	MG	2A	3596	1/1	0.91	0.16	53,53,53,53	0
56	MG	2A	3289	1/1	0.91	0.10	41,41,41,41	0
56	MG	1A	3130	1/1	0.91	0.15	44,44,44,44	0
56	MG	1A	3137	1/1	0.91	0.06	39,39,39,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3449	1/1	0.91	0.08	42,42,42,42	0
56	MG	2a	3005	1/1	0.91	0.13	54,54,54,54	0
56	MG	2A	3608	1/1	0.91	0.08	28,28,28,28	0
56	MG	2A	3024	1/1	0.91	0.17	46,46,46,46	0
56	MG	2A	3029	1/1	0.91	0.21	54,54,54,54	0
56	MG	1A	3554	1/1	0.91	0.11	26,26,26,26	0
56	MG	2A	3299	1/1	0.91	0.14	52,52,52,52	0
56	MG	2A	3040	1/1	0.91	0.10	47,47,47,47	0
56	MG	1A	3152	1/1	0.91	0.25	33,33,33,33	0
56	MG	2A	3302	1/1	0.91	0.09	49,49,49,49	0
56	MG	2A	3624	1/1	0.91	0.16	43,43,43,43	0
56	MG	2a	3031	1/1	0.91	0.19	46,46,46,46	0
56	MG	1A	3562	1/1	0.91	0.08	39,39,39,39	0
56	MG	2a	3034	1/1	0.91	0.25	67,67,67,67	0
56	MG	1A	3468	1/1	0.91	0.12	60,60,60,60	0
56	MG	1A	3907	1/1	0.91	0.13	25,25,25,25	0
56	MG	1a	1703	1/1	0.91	0.19	41,41,41,41	0
56	MG	2A	3056	1/1	0.91	0.13	56,56,56,56	0
56	MG	1A	3742	1/1	0.91	0.08	40,40,40,40	0
56	MG	2a	3043	1/1	0.91	0.13	62,62,62,62	0
56	MG	2a	3044	1/1	0.91	0.10	54,54,54,54	0
56	MG	2a	3049	1/1	0.91	0.09	63,63,63,63	0
56	MG	1B	222	1/1	0.91	0.09	41,41,41,41	0
56	MG	1A	3566	1/1	0.91	0.13	50,50,50,50	0
56	MG	1B	231	1/1	0.91	0.15	53,53,53,53	0
56	MG	2A	3649	1/1	0.91	0.16	44,44,44,44	0
56	MG	2A	3321	1/1	0.91	0.09	57,57,57,57	0
56	MG	1A	3350	1/1	0.91	0.17	45,45,45,45	0
56	MG	2A	3087	1/1	0.91	0.08	49,49,49,49	0
56	MG	1A	3571	1/1	0.91	0.13	49,49,49,49	0
56	MG	1A	3924	1/1	0.91	0.16	55,55,55,55	0
56	MG	2A	3664	1/1	0.91	0.11	67,67,67,67	0
56	MG	2A	3097	1/1	0.91	0.12	50,50,50,50	0
56	MG	2a	3071	1/1	0.91	0.17	45,45,45,45	0
56	MG	2A	3668	1/1	0.91	0.14	59,59,59,59	0
56	MG	1E	311	1/1	0.91	0.22	37,37,37,37	0
56	MG	1F	309	1/1	0.91	0.12	44,44,44,44	0
56	MG	2A	3680	1/1	0.91	0.08	43,43,43,43	0
56	MG	1a	1739	1/1	0.91	0.34	59,59,59,59	0
56	MG	1A	3237	1/1	0.91	0.18	45,45,45,45	0
56	MG	1A	3930	1/1	0.91	0.09	45,45,45,45	0
56	MG	1N	204	1/1	0.91	0.20	39,39,39,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3164	1/1	0.91	0.27	35,35,35,35	0
56	MG	2a	3112	1/1	0.91	0.14	60,60,60,60	0
56	MG	1A	3933	1/1	0.91	0.20	39,39,39,39	0
56	MG	1P	204	1/1	0.91	0.07	33,33,33,33	0
56	MG	1A	3476	1/1	0.91	0.17	42,42,42,42	0
56	MG	1A	3773	1/1	0.91	0.13	40,40,40,40	0
56	MG	1A	3080	1/1	0.91	0.15	49,49,49,49	0
56	MG	2A	3706	1/1	0.91	0.07	47,47,47,47	0
56	MG	2A	3368	1/1	0.91	0.08	58,58,58,58	0
56	MG	2A	3369	1/1	0.91	0.11	57,57,57,57	0
56	MG	2a	3127	1/1	0.91	0.14	56,56,56,56	0
56	MG	2A	3128	1/1	0.91	0.14	61,61,61,61	0
56	MG	2A	3372	1/1	0.91	0.08	47,47,47,47	0
56	MG	2A	3376	1/1	0.91	0.09	46,46,46,46	0
56	MG	1A	3942	1/1	0.91	0.18	26,26,26,26	0
56	MG	1A	3791	1/1	0.91	0.10	11,11,11,11	0
56	MG	2A	3141	1/1	0.91	0.15	50,50,50,50	0
56	MG	2A	3151	1/1	0.91	0.14	55,55,55,55	0
56	MG	2A	3385	1/1	0.91	0.17	51,51,51,51	0
56	MG	1A	3485	1/1	0.91	0.12	49,49,49,49	0
56	MG	1A	3948	1/1	0.91	0.17	40,40,40,40	0
56	MG	2A	3155	1/1	0.91	0.11	52,52,52,52	0
56	MG	2A	3163	1/1	0.91	0.18	53,53,53,53	0
56	MG	1A	3487	1/1	0.91	0.15	59,59,59,59	0
56	MG	2A	3406	1/1	0.91	0.09	48,48,48,48	0
56	MG	2A	3169	1/1	0.91	0.11	61,61,61,61	0
56	MG	2a	3177	1/1	0.91	0.12	48,48,48,48	0
56	MG	1A	3800	1/1	0.91	0.09	38,38,38,38	0
56	MG	1A	3374	1/1	0.91	0.10	41,41,41,41	0
56	MG	2A	3413	1/1	0.91	0.08	59,59,59,59	0
56	MG	1Z	3702	1/1	0.91	0.14	53,53,53,53	0
56	MG	2A	3748	1/1	0.91	0.09	57,57,57,57	0
56	MG	2A	3750	1/1	0.91	0.14	56,56,56,56	0
56	MG	1a	1800	1/1	0.91	0.16	38,38,38,38	0
56	MG	2a	3196	1/1	0.91	0.13	68,68,68,68	0
56	MG	1A	3972	1/1	0.91	0.12	31,31,31,31	0
56	MG	2a	3198	1/1	0.91	0.12	53,53,53,53	0
56	MG	2A	3424	1/1	0.91	0.24	36,36,36,36	0
56	MG	2A	3756	1/1	0.91	0.09	53,53,53,53	0
56	MG	1A	3096	1/1	0.91	0.12	49,49,49,49	0
56	MG	2A	3428	1/1	0.91	0.22	49,49,49,49	0
56	MG	2a	3208	1/1	0.91	0.14	51,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3176	1/1	0.91	0.08	33,33,33,33	0
56	MG	16	102	1/1	0.91	0.12	51,51,51,51	0
56	MG	2A	3765	1/1	0.91	0.12	54,54,54,54	0
56	MG	2A	3192	1/1	0.91	0.11	53,53,53,53	0
56	MG	1A	3511	1/1	0.91	0.12	62,62,62,62	0
56	MG	1A	3265	1/1	0.91	0.11	31,31,31,31	0
56	MG	2a	3218	1/1	0.91	0.08	42,42,42,42	0
56	MG	2a	3219	1/1	0.91	0.14	71,71,71,71	0
56	MG	2A	3441	1/1	0.91	0.14	47,47,47,47	0
56	MG	1A	3269	1/1	0.91	0.15	44,44,44,44	0
56	MG	2A	3203	1/1	0.91	0.16	49,49,49,49	0
56	MG	2a	3225	1/1	0.91	0.12	57,57,57,57	0
56	MG	2A	3205	1/1	0.91	0.10	60,60,60,60	0
56	MG	2A	3784	1/1	0.91	0.09	48,48,48,48	0
56	MG	2A	3785	1/1	0.91	0.10	64,64,64,64	0
56	MG	1A	3389	1/1	0.91	0.10	38,38,38,38	0
56	MG	1A	3521	1/1	0.91	0.09	50,50,50,50	0
56	MG	1A	3187	1/1	0.91	0.07	53,53,53,53	0
56	MG	1a	1627	1/1	0.91	0.17	36,36,36,36	0
56	MG	2A	3462	1/1	0.91	0.32	51,51,51,51	0
56	MG	1A	3402	1/1	0.91	0.14	42,42,42,42	0
56	MG	2A	3219	1/1	0.91	0.26	57,57,57,57	0
56	MG	2l	202	1/1	0.91	0.11	56,56,56,56	0
56	MG	1A	3114	1/1	0.91	0.24	35,35,35,35	0
56	MG	2A	3476	1/1	0.91	0.09	52,52,52,52	0
56	MG	1A	3300	1/1	0.91	0.09	37,37,37,37	0
56	MG	1A	3846	1/1	0.91	0.12	44,44,44,44	0
56	MG	2A	3227	1/1	0.91	0.22	59,59,59,59	0
56	MG	2A	3230	1/1	0.91	0.11	46,46,46,46	0
56	MG	2A	3494	1/1	0.91	0.11	50,50,50,50	0
56	MG	2x	102	1/1	0.91	0.07	52,52,52,52	0
56	MG	2A	3496	1/1	0.91	0.09	61,61,61,61	0
56	MG	2A	3832	1/1	0.91	0.13	30,30,30,30	0
56	MG	2A	3839	1/1	0.91	0.08	51,51,51,51	0
56	MG	1A	4030	1/1	0.91	0.13	36,36,36,36	0
56	MG	2A	3847	1/1	0.91	0.18	48,48,48,48	0
56	MG	2A	3499	1/1	0.91	0.28	54,54,54,54	0
56	MG	2A	3500	1/1	0.91	0.26	49,49,49,49	0
56	MG	2A	3862	1/1	0.91	0.11	50,50,50,50	0
56	MG	1A	3647	1/1	0.92	0.11	11,11,11,11	0
56	MG	1A	3958	1/1	0.92	0.07	22,22,22,22	0
56	MG	2A	3487	1/1	0.92	0.08	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1S	203	1/1	0.92	0.11	70,70,70,70	0
56	MG	2A	3218	1/1	0.92	0.18	45,45,45,45	0
56	MG	1A	3654	1/1	0.92	0.10	35,35,35,35	0
56	MG	1a	1804	1/1	0.92	0.14	47,47,47,47	0
56	MG	2A	3869	1/1	0.92	0.12	50,50,50,50	0
56	MG	2A	3222	1/1	0.92	0.18	53,53,53,53	0
56	MG	2A	3223	1/1	0.92	0.09	52,52,52,52	0
56	MG	2A	3877	1/1	0.92	0.07	45,45,45,45	0
56	MG	1A	3306	1/1	0.92	0.14	32,32,32,32	0
56	MG	1A	3307	1/1	0.92	0.17	54,54,54,54	0
56	MG	1A	3664	1/1	0.92	0.10	54,54,54,54	0
56	MG	2B	206	1/1	0.92	0.13	50,50,50,50	0
56	MG	2B	208	1/1	0.92	0.17	52,52,52,52	0
56	MG	1A	3024	1/1	0.92	0.14	44,44,44,44	0
56	MG	2A	3513	1/1	0.92	0.09	47,47,47,47	0
56	MG	2A	3514	1/1	0.92	0.13	47,47,47,47	0
56	MG	2A	3518	1/1	0.92	0.09	32,32,32,32	0
56	MG	2A	3524	1/1	0.92	0.15	54,54,54,54	0
56	MG	1a	1822	1/1	0.92	0.11	59,59,59,59	0
56	MG	2B	219	1/1	0.92	0.14	49,49,49,49	0
56	MG	2B	220	1/1	0.92	0.22	70,70,70,70	0
56	MG	1X	105	1/1	0.92	0.07	40,40,40,40	0
56	MG	2D	306	1/1	0.92	0.09	52,52,52,52	0
56	MG	2A	3240	1/1	0.92	0.17	38,38,38,38	0
56	MG	2A	3242	1/1	0.92	0.08	43,43,43,43	0
56	MG	2A	3542	1/1	0.92	0.13	44,44,44,44	0
56	MG	1A	3196	1/1	0.92	0.16	44,44,44,44	0
56	MG	1A	3981	1/1	0.92	0.09	33,33,33,33	0
56	MG	1f	201	1/1	0.92	0.11	42,42,42,42	0
56	MG	1A	3326	1/1	0.92	0.12	33,33,33,33	0
56	MG	1A	3991	1/1	0.92	0.10	37,37,37,37	0
56	MG	1A	3834	1/1	0.92	0.06	43,43,43,43	0
56	MG	1n	101	1/1	0.92	0.22	44,44,44,44	0
56	MG	2A	3256	1/1	0.92	0.14	66,66,66,66	0
56	MG	1A	3997	1/1	0.92	0.14	55,55,55,55	0
56	MG	1A	3999	1/1	0.92	0.07	60,60,60,60	0
56	MG	2A	3260	1/1	0.92	0.17	49,49,49,49	0
56	MG	1A	4001	1/1	0.92	0.09	30,30,30,30	0
56	MG	2Z	301	1/1	0.92	0.09	68,68,68,68	0
56	MG	20	102	1/1	0.92	0.13	52,52,52,52	0
56	MG	1A	3545	1/1	0.92	0.09	42,42,42,42	0
56	MG	1A	3327	1/1	0.92	0.12	43,43,43,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	4004	1/1	0.92	0.10	74,74,74,74	0
56	MG	1A	3153	1/1	0.92	0.17	31,31,31,31	0
56	MG	1A	4008	1/1	0.92	0.09	67,67,67,67	0
56	MG	2A	3277	1/1	0.92	0.08	40,40,40,40	0
56	MG	1x	104	1/1	0.92	0.11	53,53,53,53	0
56	MG	2a	3006	1/1	0.92	0.11	42,42,42,42	0
56	MG	2a	3007	1/1	0.92	0.15	54,54,54,54	0
56	MG	1A	3185	1/1	0.92	0.08	45,45,45,45	0
56	MG	2A	3604	1/1	0.92	0.18	50,50,50,50	0
56	MG	1a	1626	1/1	0.92	0.23	53,53,53,53	0
56	MG	2A	3284	1/1	0.92	0.19	56,56,56,56	0
56	MG	2A	3610	1/1	0.92	0.09	49,49,49,49	0
56	MG	1A	4014	1/1	0.92	0.09	34,34,34,34	0
56	MG	2a	3024	1/1	0.92	0.09	38,38,38,38	0
56	MG	2A	3288	1/1	0.92	0.10	40,40,40,40	0
56	MG	2a	3026	1/1	0.92	0.09	50,50,50,50	0
56	MG	1A	4015	1/1	0.92	0.09	29,29,29,29	0
56	MG	1A	3340	1/1	0.92	0.07	46,46,46,46	0
56	MG	1A	3218	1/1	0.92	0.07	36,36,36,36	0
56	MG	1a	1632	1/1	0.92	0.10	55,55,55,55	0
56	MG	1A	3226	1/1	0.92	0.10	42,42,42,42	0
56	MG	2A	3007	1/1	0.92	0.13	43,43,43,43	0
56	MG	1A	4028	1/1	0.92	0.07	66,66,66,66	0
56	MG	1a	1637	1/1	0.92	0.13	43,43,43,43	0
56	MG	1A	3054	1/1	0.92	0.12	38,38,38,38	0
56	MG	2A	3022	1/1	0.92	0.20	46,46,46,46	0
56	MG	1A	3860	1/1	0.92	0.11	41,41,41,41	0
56	MG	1A	4042	1/1	0.92	0.12	60,60,60,60	0
56	MG	1A	3505	1/1	0.92	0.10	48,48,48,48	0
56	MG	2A	3638	1/1	0.92	0.08	30,30,30,30	0
56	MG	2A	3642	1/1	0.92	0.18	39,39,39,39	0
56	MG	2A	3643	1/1	0.92	0.19	47,47,47,47	0
56	MG	2A	3645	1/1	0.92	0.09	43,43,43,43	0
56	MG	1A	3722	1/1	0.92	0.12	16,16,16,16	0
56	MG	2A	3039	1/1	0.92	0.14	46,46,46,46	0
56	MG	1A	3425	1/1	0.92	0.07	36,36,36,36	0
56	MG	1A	3512	1/1	0.92	0.16	54,54,54,54	0
56	MG	2A	3651	1/1	0.92	0.09	41,41,41,41	0
56	MG	2A	3655	1/1	0.92	0.11	44,44,44,44	0
56	MG	1a	1666	1/1	0.92	0.09	50,50,50,50	0
56	MG	2a	3070	1/1	0.92	0.14	49,49,49,49	0
56	MG	2A	3047	1/1	0.92	0.15	41,41,41,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3279	1/1	0.92	0.11	44,44,44,44	0
56	MG	2A	3052	1/1	0.92	0.15	66,66,66,66	0
56	MG	2a	3080	1/1	0.92	0.13	53,53,53,53	0
56	MG	2A	3325	1/1	0.92	0.13	49,49,49,49	0
56	MG	1A	3734	1/1	0.92	0.10	17,17,17,17	0
56	MG	2A	3667	1/1	0.92	0.12	42,42,42,42	0
56	MG	2a	3088	1/1	0.92	0.16	53,53,53,53	0
56	MG	2a	3093	1/1	0.92	0.12	72,72,72,72	0
56	MG	1a	1671	1/1	0.92	0.18	56,56,56,56	0
56	MG	1A	3886	1/1	0.92	0.13	57,57,57,57	0
56	MG	1A	4064	1/1	0.92	0.14	28,28,28,28	0
56	MG	2A	3343	1/1	0.92	0.10	55,55,55,55	0
56	MG	2a	3108	1/1	0.92	0.19	63,63,63,63	0
56	MG	2a	3109	1/1	0.92	0.09	48,48,48,48	0
56	MG	2a	3110	1/1	0.92	0.14	65,65,65,65	0
56	MG	1A	4066	1/1	0.92	0.09	24,24,24,24	0
56	MG	2A	3346	1/1	0.92	0.06	54,54,54,54	0
56	MG	1A	3597	1/1	0.92	0.19	30,30,30,30	0
56	MG	2a	3117	1/1	0.92	0.20	73,73,73,73	0
56	MG	2A	3349	1/1	0.92	0.23	64,64,64,64	0
56	MG	1A	4076	1/1	0.92	0.14	63,63,63,63	0
56	MG	2A	3694	1/1	0.92	0.12	46,46,46,46	0
56	MG	1A	3598	1/1	0.92	0.23	33,33,33,33	0
56	MG	2A	3086	1/1	0.92	0.07	40,40,40,40	0
56	MG	2A	3698	1/1	0.92	0.07	37,37,37,37	0
56	MG	1A	3351	1/1	0.92	0.09	39,39,39,39	0
56	MG	1A	3743	1/1	0.92	0.09	37,37,37,37	0
56	MG	1a	1696	1/1	0.92	0.21	61,61,61,61	0
56	MG	2a	3133	1/1	0.92	0.16	45,45,45,45	0
56	MG	2A	3093	1/1	0.92	0.08	41,41,41,41	0
56	MG	2a	3138	1/1	0.92	0.12	64,64,64,64	0
56	MG	1A	3900	1/1	0.92	0.12	28,28,28,28	0
56	MG	1A	4105	1/1	0.92	0.17	50,50,50,50	0
56	MG	2a	3143	1/1	0.92	0.10	62,62,62,62	0
56	MG	2A	3711	1/1	0.92	0.10	24,24,24,24	0
56	MG	2a	3147	1/1	0.92	0.16	64,64,64,64	0
56	MG	2A	3364	1/1	0.92	0.13	56,56,56,56	0
56	MG	2a	3153	1/1	0.92	0.10	73,73,73,73	0
56	MG	1B	207	1/1	0.92	0.14	41,41,41,41	0
56	MG	2A	3715	1/1	0.92	0.10	52,52,52,52	0
56	MG	2A	3719	1/1	0.92	0.10	29,29,29,29	0
56	MG	2A	3366	1/1	0.92	0.10	55,55,55,55	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3101	1/1	0.92	0.15	49,49,49,49	0
56	MG	1a	1704	1/1	0.92	0.18	53,53,53,53	0
56	MG	2a	3169	1/1	0.92	0.08	55,55,55,55	0
56	MG	1A	3903	1/1	0.92	0.10	29,29,29,29	0
56	MG	1a	1709	1/1	0.92	0.17	43,43,43,43	0
56	MG	1a	1710	1/1	0.92	0.34	61,61,61,61	0
56	MG	2A	3112	1/1	0.92	0.18	57,57,57,57	0
56	MG	1a	1711	1/1	0.92	0.15	48,48,48,48	0
56	MG	2a	3180	1/1	0.92	0.10	54,54,54,54	0
56	MG	1A	3745	1/1	0.92	0.20	50,50,50,50	0
56	MG	1A	3747	1/1	0.92	0.13	55,55,55,55	0
56	MG	1a	1716	1/1	0.92	0.11	49,49,49,49	0
56	MG	1B	213	1/1	0.92	0.17	50,50,50,50	0
56	MG	2A	3386	1/1	0.92	0.12	46,46,46,46	0
56	MG	2A	3389	1/1	0.92	0.26	53,53,53,53	0
56	MG	1A	3430	1/1	0.92	0.14	48,48,48,48	0
56	MG	1A	3614	1/1	0.92	0.08	34,34,34,34	0
56	MG	1a	1730	1/1	0.92	0.14	46,46,46,46	0
56	MG	1B	220	1/1	0.92	0.10	50,50,50,50	0
56	MG	1A	3280	1/1	0.92	0.13	43,43,43,43	0
56	MG	2A	3404	1/1	0.92	0.13	65,65,65,65	0
56	MG	2A	3145	1/1	0.92	0.13	56,56,56,56	0
56	MG	1A	3522	1/1	0.92	0.13	31,31,31,31	0
56	MG	1A	3365	1/1	0.92	0.12	50,50,50,50	0
56	MG	1a	1752	1/1	0.92	0.10	41,41,41,41	0
56	MG	2A	3758	1/1	0.92	0.07	35,35,35,35	0
56	MG	1a	1753	1/1	0.92	0.10	46,46,46,46	0
56	MG	2A	3159	1/1	0.92	0.08	58,58,58,58	0
56	MG	1A	3620	1/1	0.92	0.10	46,46,46,46	0
56	MG	2A	3418	1/1	0.92	0.13	43,43,43,43	0
56	MG	1B	233	1/1	0.92	0.10	63,63,63,63	0
56	MG	1D	301	1/1	0.92	0.12	55,55,55,55	0
56	MG	1A	3929	1/1	0.92	0.10	41,41,41,41	0
56	MG	1a	1767	1/1	0.92	0.09	57,57,57,57	0
56	MG	2A	3770	1/1	0.92	0.09	47,47,47,47	0
56	MG	1A	3525	1/1	0.92	0.09	42,42,42,42	0
56	MG	2A	3779	1/1	0.92	0.12	65,65,65,65	0
56	MG	2A	3431	1/1	0.92	0.14	54,54,54,54	0
56	MG	1a	1770	1/1	0.92	0.19	46,46,46,46	0
56	MG	1A	3780	1/1	0.92	0.08	39,39,39,39	0
56	MG	2A	3180	1/1	0.92	0.18	58,58,58,58	0
56	MG	1a	1774	1/1	0.92	0.17	55,55,55,55	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2d	302	1/1	0.92	0.11	59,59,59,59	0
56	MG	1A	3783	1/1	0.92	0.14	46,46,46,46	0
56	MG	1A	3188	1/1	0.92	0.24	67,67,67,67	0
56	MG	2A	3191	1/1	0.92	0.17	55,55,55,55	0
56	MG	2A	3450	1/1	0.92	0.18	51,51,51,51	0
56	MG	2r	101	1/1	0.92	0.10	56,56,56,56	0
56	MG	2r	102	1/1	0.92	0.11	54,54,54,54	0
56	MG	1G	203	1/1	0.92	0.09	41,41,41,41	0
56	MG	2A	3800	1/1	0.92	0.11	37,37,37,37	0
56	MG	1A	3088	1/1	0.92	0.22	37,37,37,37	0
56	MG	2w	103	1/1	0.92	0.10	54,54,54,54	0
56	MG	1A	3792	1/1	0.92	0.12	38,38,38,38	0
56	MG	2A	3200	1/1	0.92	0.28	63,63,63,63	0
56	MG	1A	3794	1/1	0.92	0.13	18,18,18,18	0
56	MG	1A	3639	1/1	0.92	0.09	50,50,50,50	0
56	MG	2A	3204	1/1	0.92	0.16	54,54,54,54	0
56	MG	2x	104	1/1	0.92	0.14	48,48,48,48	0
56	MG	2A	3464	1/1	0.92	0.15	46,46,46,46	0
56	MG	2A	3823	1/1	0.92	0.10	61,61,61,61	0
56	MG	2A	3466	1/1	0.92	0.11	40,40,40,40	0
56	MG	1A	3455	1/1	0.92	0.09	48,48,48,48	0
56	MG	2A	3472	1/1	0.92	0.07	45,45,45,45	0
56	MG	1A	3532	1/1	0.92	0.14	37,37,37,37	0
56	MG	1a	1796	1/1	0.92	0.14	47,47,47,47	0
56	MG	1A	4024	1/1	0.93	0.12	20,20,20,20	0
56	MG	2A	3852	1/1	0.93	0.10	55,55,55,55	0
56	MG	2A	3489	1/1	0.93	0.07	56,56,56,56	0
56	MG	2A	3854	1/1	0.93	0.11	64,64,64,64	0
56	MG	2A	3861	1/1	0.93	0.10	51,51,51,51	0
56	MG	1a	1605	1/1	0.93	0.12	50,50,50,50	0
56	MG	1A	3606	1/1	0.93	0.13	32,32,32,32	0
56	MG	2A	3492	1/1	0.93	0.11	57,57,57,57	0
56	MG	1A	3613	1/1	0.93	0.23	56,56,56,56	0
56	MG	2A	3495	1/1	0.93	0.13	47,47,47,47	0
56	MG	2A	3871	1/1	0.93	0.07	52,52,52,52	0
56	MG	1a	1611	1/1	0.93	0.07	57,57,57,57	0
56	MG	1a	1613	1/1	0.93	0.12	48,48,48,48	0
56	MG	1w	103	1/1	0.93	0.14	50,50,50,50	0
56	MG	1A	3889	1/1	0.93	0.13	44,44,44,44	0
56	MG	1a	1624	1/1	0.93	0.22	47,47,47,47	0
56	MG	2A	3250	1/1	0.93	0.16	56,56,56,56	0
56	MG	1a	1625	1/1	0.93	0.12	55,55,55,55	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3506	1/1	0.93	0.14	53,53,53,53	0
56	MG	2B	209	1/1	0.93	0.19	53,53,53,53	0
56	MG	2A	3509	1/1	0.93	0.19	58,58,58,58	0
56	MG	2A	3510	1/1	0.93	0.11	54,54,54,54	0
56	MG	1A	3103	1/1	0.93	0.11	56,56,56,56	0
56	MG	1A	3234	1/1	0.93	0.21	26,26,26,26	0
56	MG	2A	3515	1/1	0.93	0.15	35,35,35,35	0
56	MG	2A	3517	1/1	0.93	0.14	55,55,55,55	0
56	MG	1x	105	1/1	0.93	0.13	56,56,56,56	0
56	MG	1A	3192	1/1	0.93	0.09	35,35,35,35	0
56	MG	1x	109	1/1	0.93	0.18	65,65,65,65	0
56	MG	2D	301	1/1	0.93	0.12	41,41,41,41	0
56	MG	1A	3754	1/1	0.93	0.10	45,45,45,45	0
56	MG	2A	3259	1/1	0.93	0.18	49,49,49,49	0
56	MG	2E	302	1/1	0.93	0.13	52,52,52,52	0
56	MG	2A	3532	1/1	0.93	0.15	32,32,32,32	0
56	MG	2A	3536	1/1	0.93	0.06	38,38,38,38	0
56	MG	1A	3246	1/1	0.93	0.09	26,26,26,26	0
56	MG	2A	3539	1/1	0.93	0.08	31,31,31,31	0
56	MG	1A	3901	1/1	0.93	0.07	33,33,33,33	0
56	MG	2A	3264	1/1	0.93	0.17	46,46,46,46	0
56	MG	2A	3265	1/1	0.93	0.12	43,43,43,43	0
56	MG	2A	3266	1/1	0.93	0.07	42,42,42,42	0
56	MG	2P	201	1/1	0.93	0.25	46,46,46,46	0
56	MG	2P	202	1/1	0.93	0.06	52,52,52,52	0
56	MG	2Q	202	1/1	0.93	0.08	44,44,44,44	0
56	MG	1y	101	1/1	0.93	0.18	41,41,41,41	0
56	MG	1A	3757	1/1	0.93	0.05	47,47,47,47	0
56	MG	1A	4057	1/1	0.93	0.16	40,40,40,40	0
56	MG	2T	201	1/1	0.93	0.11	49,49,49,49	0
56	MG	1A	3759	1/1	0.93	0.10	45,45,45,45	0
56	MG	2A	3274	1/1	0.93	0.15	54,54,54,54	0
56	MG	1A	4059	1/1	0.93	0.15	58,58,58,58	0
56	MG	1A	3438	1/1	0.93	0.13	44,44,44,44	0
56	MG	20	101	1/1	0.93	0.17	45,45,45,45	0
56	MG	2A	3569	1/1	0.93	0.08	31,31,31,31	0
56	MG	2A	3012	1/1	0.93	0.07	34,34,34,34	0
56	MG	23	101	1/1	0.93	0.16	54,54,54,54	0
56	MG	25	101	1/1	0.93	0.25	53,53,53,53	0
56	MG	2A	3279	1/1	0.93	0.07	48,48,48,48	0
56	MG	1A	3440	1/1	0.93	0.19	51,51,51,51	0
56	MG	2A	3282	1/1	0.93	0.07	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	28	102	1/1	0.93	0.18	47,47,47,47	0
56	MG	28	104	1/1	0.93	0.17	53,53,53,53	0
56	MG	2A	3580	1/1	0.93	0.09	37,37,37,37	0
56	MG	2A	3584	1/1	0.93	0.10	44,44,44,44	0
56	MG	1A	3444	1/1	0.93	0.12	36,36,36,36	0
56	MG	1a	1659	1/1	0.93	0.21	58,58,58,58	0
56	MG	2A	3589	1/1	0.93	0.12	54,54,54,54	0
56	MG	2A	3591	1/1	0.93	0.08	33,33,33,33	0
56	MG	2A	3595	1/1	0.93	0.22	58,58,58,58	0
56	MG	2A	3285	1/1	0.93	0.10	45,45,45,45	0
56	MG	1A	4072	1/1	0.93	0.06	18,18,18,18	0
56	MG	1A	3623	1/1	0.93	0.24	37,37,37,37	0
56	MG	2a	3019	1/1	0.93	0.12	59,59,59,59	0
56	MG	1a	1662	1/1	0.93	0.10	54,54,54,54	0
56	MG	2a	3023	1/1	0.93	0.28	65,65,65,65	0
56	MG	1a	1663	1/1	0.93	0.10	53,53,53,53	0
56	MG	1A	3624	1/1	0.93	0.17	54,54,54,54	0
56	MG	2A	3036	1/1	0.93	0.12	43,43,43,43	0
56	MG	2A	3294	1/1	0.93	0.06	50,50,50,50	0
56	MG	1A	3922	1/1	0.93	0.07	22,22,22,22	0
56	MG	2a	3030	1/1	0.93	0.06	46,46,46,46	0
56	MG	1A	4089	1/1	0.93	0.10	20,20,20,20	0
56	MG	1A	4095	1/1	0.93	0.14	47,47,47,47	0
56	MG	1A	4097	1/1	0.93	0.08	49,49,49,49	0
56	MG	2a	3037	1/1	0.93	0.17	46,46,46,46	0
56	MG	1a	1672	1/1	0.93	0.20	48,48,48,48	0
56	MG	1A	3923	1/1	0.93	0.11	22,22,22,22	0
56	MG	1A	3778	1/1	0.93	0.21	52,52,52,52	0
56	MG	1A	3625	1/1	0.93	0.16	39,39,39,39	0
56	MG	1A	3631	1/1	0.93	0.16	49,49,49,49	0
56	MG	1B	202	1/1	0.93	0.18	38,38,38,38	0
56	MG	2A	3060	1/1	0.93	0.20	53,53,53,53	0
56	MG	2a	3048	1/1	0.93	0.08	59,59,59,59	0
56	MG	2A	3063	1/1	0.93	0.20	57,57,57,57	0
56	MG	1A	3087	1/1	0.93	0.16	21,21,21,21	0
56	MG	2A	3315	1/1	0.93	0.27	57,57,57,57	0
56	MG	1A	3314	1/1	0.93	0.24	40,40,40,40	0
56	MG	2a	3054	1/1	0.93	0.10	55,55,55,55	0
56	MG	2A	3070	1/1	0.93	0.08	46,46,46,46	0
56	MG	1B	210	1/1	0.93	0.14	41,41,41,41	0
56	MG	2A	3073	1/1	0.93	0.16	59,59,59,59	0
56	MG	2A	3324	1/1	0.93	0.10	44,44,44,44	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3454	1/1	0.93	0.11	41,41,41,41	0
56	MG	1A	3323	1/1	0.93	0.15	36,36,36,36	0
56	MG	1A	3252	1/1	0.93	0.11	49,49,49,49	0
56	MG	2A	3330	1/1	0.93	0.16	60,60,60,60	0
56	MG	1A	3184	1/1	0.93	0.10	29,29,29,29	0
56	MG	1A	3940	1/1	0.93	0.15	46,46,46,46	0
56	MG	2A	3341	1/1	0.93	0.09	57,57,57,57	0
56	MG	2A	3657	1/1	0.93	0.09	51,51,51,51	0
56	MG	2a	3078	1/1	0.93	0.15	55,55,55,55	0
56	MG	2A	3342	1/1	0.93	0.13	56,56,56,56	0
56	MG	2a	3081	1/1	0.93	0.18	60,60,60,60	0
56	MG	1A	3381	1/1	0.93	0.13	50,50,50,50	0
56	MG	2a	3084	1/1	0.93	0.23	62,62,62,62	0
56	MG	2A	3091	1/1	0.93	0.10	40,40,40,40	0
56	MG	1A	3945	1/1	0.93	0.08	15,15,15,15	0
56	MG	2A	3347	1/1	0.93	0.13	54,54,54,54	0
56	MG	2a	3092	1/1	0.93	0.21	51,51,51,51	0
56	MG	2A	3666	1/1	0.93	0.10	58,58,58,58	0
56	MG	2A	3096	1/1	0.93	0.12	59,59,59,59	0
56	MG	1A	3803	1/1	0.93	0.08	18,18,18,18	0
56	MG	2a	3098	1/1	0.93	0.14	67,67,67,67	0
56	MG	1B	224	1/1	0.93	0.07	46,46,46,46	0
56	MG	2a	3100	1/1	0.93	0.11	58,58,58,58	0
56	MG	1B	226	1/1	0.93	0.08	36,36,36,36	0
56	MG	2a	3104	1/1	0.93	0.15	62,62,62,62	0
56	MG	2a	3105	1/1	0.93	0.18	53,53,53,53	0
56	MG	1B	228	1/1	0.93	0.07	59,59,59,59	0
56	MG	2A	3103	1/1	0.93	0.17	50,50,50,50	0
56	MG	1A	3804	1/1	0.93	0.09	47,47,47,47	0
56	MG	2A	3356	1/1	0.93	0.14	48,48,48,48	0
56	MG	2A	3687	1/1	0.93	0.07	61,61,61,61	0
56	MG	2A	3688	1/1	0.93	0.09	36,36,36,36	0
56	MG	1A	3208	1/1	0.93	0.07	42,42,42,42	0
56	MG	1B	232	1/1	0.93	0.08	69,69,69,69	0
56	MG	2A	3692	1/1	0.93	0.14	43,43,43,43	0
56	MG	2A	3693	1/1	0.93	0.17	57,57,57,57	0
56	MG	2a	3123	1/1	0.93	0.27	59,59,59,59	0
56	MG	2A	3361	1/1	0.93	0.08	47,47,47,47	0
56	MG	1A	3950	1/1	0.93	0.11	34,34,34,34	0
56	MG	1A	3951	1/1	0.93	0.09	54,54,54,54	0
56	MG	1A	3095	1/1	0.93	0.19	44,44,44,44	0
56	MG	2A	3700	1/1	0.93	0.09	65,65,65,65	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3154	1/1	0.93	0.12	37,37,37,37	0
56	MG	1A	3959	1/1	0.93	0.07	35,35,35,35	0
56	MG	1A	3337	1/1	0.93	0.07	35,35,35,35	0
56	MG	2A	3705	1/1	0.93	0.12	47,47,47,47	0
56	MG	1a	1740	1/1	0.93	0.11	55,55,55,55	0
56	MG	2A	3121	1/1	0.93	0.14	56,56,56,56	0
56	MG	1A	3481	1/1	0.93	0.10	27,27,27,27	0
56	MG	2a	3144	1/1	0.93	0.15	76,76,76,76	0
56	MG	1A	3825	1/1	0.93	0.14	46,46,46,46	0
56	MG	2A	3131	1/1	0.93	0.07	46,46,46,46	0
56	MG	1A	3220	1/1	0.93	0.10	42,42,42,42	0
56	MG	1A	3224	1/1	0.93	0.10	40,40,40,40	0
56	MG	1a	1758	1/1	0.93	0.12	53,53,53,53	0
56	MG	1A	3121	1/1	0.93	0.08	30,30,30,30	0
56	MG	2A	3150	1/1	0.93	0.16	52,52,52,52	0
56	MG	1a	1761	1/1	0.93	0.10	44,44,44,44	0
56	MG	2A	3387	1/1	0.93	0.06	48,48,48,48	0
56	MG	2A	3152	1/1	0.93	0.16	46,46,46,46	0
56	MG	2A	3728	1/1	0.93	0.11	39,39,39,39	0
56	MG	1a	1762	1/1	0.93	0.11	52,52,52,52	0
56	MG	2A	3391	1/1	0.93	0.10	47,47,47,47	0
56	MG	2a	3176	1/1	0.93	0.16	40,40,40,40	0
56	MG	2A	3393	1/1	0.93	0.09	55,55,55,55	0
56	MG	2A	3738	1/1	0.93	0.12	48,48,48,48	0
56	MG	1A	3694	1/1	0.93	0.10	17,17,17,17	0
56	MG	2A	3398	1/1	0.93	0.15	60,60,60,60	0
56	MG	1a	1765	1/1	0.93	0.19	52,52,52,52	0
56	MG	1A	3985	1/1	0.93	0.07	40,40,40,40	0
56	MG	2A	3162	1/1	0.93	0.11	60,60,60,60	0
56	MG	1A	3347	1/1	0.93	0.12	53,53,53,53	0
56	MG	1A	3989	1/1	0.93	0.08	43,43,43,43	0
56	MG	2A	3407	1/1	0.93	0.09	62,62,62,62	0
56	MG	2A	3166	1/1	0.93	0.18	51,51,51,51	0
56	MG	1R	205	1/1	0.93	0.16	34,34,34,34	0
56	MG	1A	3569	1/1	0.93	0.11	57,57,57,57	0
56	MG	1A	3503	1/1	0.93	0.09	51,51,51,51	0
56	MG	1A	3417	1/1	0.93	0.09	45,45,45,45	0
56	MG	1A	3998	1/1	0.93	0.09	52,52,52,52	0
56	MG	2A	3416	1/1	0.93	0.09	50,50,50,50	0
56	MG	1a	1780	1/1	0.93	0.08	51,51,51,51	0
56	MG	2A	3419	1/1	0.93	0.21	41,41,41,41	0
56	MG	2A	3421	1/1	0.93	0.18	43,43,43,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3573	1/1	0.93	0.14	33,33,33,33	0
56	MG	2A	3762	1/1	0.93	0.22	60,60,60,60	0
56	MG	1U	205	1/1	0.93	0.22	38,38,38,38	0
56	MG	2A	3187	1/1	0.93	0.18	49,49,49,49	0
56	MG	1a	1783	1/1	0.93	0.11	49,49,49,49	0
56	MG	1A	3577	1/1	0.93	0.41	35,35,35,35	0
56	MG	1A	3421	1/1	0.93	0.09	39,39,39,39	0
56	MG	1a	1790	1/1	0.93	0.18	77,77,77,77	0
56	MG	2a	3224	1/1	0.93	0.23	62,62,62,62	0
56	MG	1W	202	1/1	0.93	0.12	34,34,34,34	0
56	MG	2A	3772	1/1	0.93	0.08	40,40,40,40	0
56	MG	2A	3437	1/1	0.93	0.23	46,46,46,46	0
56	MG	1W	205	1/1	0.93	0.12	28,28,28,28	0
56	MG	1A	3590	1/1	0.93	0.14	53,53,53,53	0
56	MG	1A	3729	1/1	0.93	0.08	36,36,36,36	0
56	MG	2A	3202	1/1	0.93	0.10	39,39,39,39	0
56	MG	1A	4005	1/1	0.93	0.13	68,68,68,68	0
56	MG	1A	3422	1/1	0.93	0.12	42,42,42,42	0
56	MG	2A	3453	1/1	0.93	0.23	43,43,43,43	0
56	MG	1A	3873	1/1	0.93	0.13	39,39,39,39	0
56	MG	2A	3206	1/1	0.93	0.10	45,45,45,45	0
56	MG	2l	201	1/1	0.93	0.07	59,59,59,59	0
56	MG	1A	3424	1/1	0.93	0.09	34,34,34,34	0
56	MG	10	106	1/1	0.93	0.07	40,40,40,40	0
56	MG	10	107	1/1	0.93	0.16	63,63,63,63	0
56	MG	12	101	1/1	0.93	0.09	44,44,44,44	0
56	MG	1A	4011	1/1	0.93	0.07	21,21,21,21	0
56	MG	2v	101	1/1	0.93	0.13	51,51,51,51	0
56	MG	2A	3217	1/1	0.93	0.12	51,51,51,51	0
56	MG	15	102	1/1	0.93	0.18	32,32,32,32	0
56	MG	2w	102	1/1	0.93	0.11	59,59,59,59	0
56	MG	2A	3809	1/1	0.93	0.11	47,47,47,47	0
56	MG	2A	3468	1/1	0.93	0.10	36,36,36,36	0
56	MG	1A	3058	1/1	0.93	0.12	36,36,36,36	0
56	MG	1A	3877	1/1	0.93	0.11	48,48,48,48	0
56	MG	1A	3601	1/1	0.93	0.07	34,34,34,34	0
56	MG	2A	3824	1/1	0.93	0.10	34,34,34,34	0
56	MG	2A	3826	1/1	0.93	0.09	35,35,35,35	0
56	MG	1A	3285	1/1	0.93	0.16	54,54,54,54	0
56	MG	2A	3477	1/1	0.93	0.16	48,48,48,48	0
56	MG	1a	1601	1/1	0.93	0.18	60,60,60,60	0
56	MG	2A	3479	1/1	0.93	0.12	52,52,52,52	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3842	1/1	0.93	0.12	60,60,60,60	0
58	ZN	14	501	1/1	0.93	0.14	110,110,110,110	0
56	MG	1a	1602	1/1	0.93	0.13	48,48,48,48	0
56	MG	2A	3486	1/1	0.93	0.17	41,41,41,41	0
56	MG	1U	207	1/1	0.94	0.14	34,34,34,34	0
56	MG	1A	3797	1/1	0.94	0.10	36,36,36,36	0
56	MG	2A	3229	1/1	0.94	0.07	31,31,31,31	0
56	MG	1A	3982	1/1	0.94	0.07	37,37,37,37	0
56	MG	2A	3233	1/1	0.94	0.27	43,43,43,43	0
56	MG	2A	3875	1/1	0.94	0.10	57,57,57,57	0
56	MG	2A	3508	1/1	0.94	0.11	46,46,46,46	0
56	MG	1A	3165	1/1	0.94	0.13	34,34,34,34	0
56	MG	1A	3986	1/1	0.94	0.06	32,32,32,32	0
56	MG	2B	202	1/1	0.94	0.07	53,53,53,53	0
56	MG	2B	203	1/1	0.94	0.15	63,63,63,63	0
56	MG	1a	1811	1/1	0.94	0.10	56,56,56,56	0
56	MG	1a	1812	1/1	0.94	0.15	46,46,46,46	0
56	MG	1A	3083	1/1	0.94	0.24	28,28,28,28	0
56	MG	1A	3407	1/1	0.94	0.07	37,37,37,37	0
56	MG	2A	3248	1/1	0.94	0.17	48,48,48,48	0
56	MG	1A	3519	1/1	0.94	0.15	57,57,57,57	0
56	MG	2B	211	1/1	0.94	0.16	52,52,52,52	0
56	MG	1Z	3700	1/1	0.94	0.13	57,57,57,57	0
56	MG	1A	3309	1/1	0.94	0.07	39,39,39,39	0
56	MG	1A	3805	1/1	0.94	0.09	12,12,12,12	0
56	MG	1A	3626	1/1	0.94	0.20	52,52,52,52	0
56	MG	1A	3628	1/1	0.94	0.08	32,32,32,32	0
56	MG	1A	4000	1/1	0.94	0.09	62,62,62,62	0
56	MG	1A	3814	1/1	0.94	0.14	48,48,48,48	0
56	MG	2A	3540	1/1	0.94	0.13	48,48,48,48	0
56	MG	1A	3815	1/1	0.94	0.09	23,23,23,23	0
56	MG	2D	302	1/1	0.94	0.16	42,42,42,42	0
56	MG	2A	3544	1/1	0.94	0.15	53,53,53,53	0
56	MG	13	105	1/1	0.94	0.11	19,19,19,19	0
56	MG	2A	3547	1/1	0.94	0.09	43,43,43,43	0
56	MG	1t	201	1/1	0.94	0.26	50,50,50,50	0
56	MG	2A	3552	1/1	0.94	0.11	38,38,38,38	0
56	MG	1v	101	1/1	0.94	0.18	58,58,58,58	0
56	MG	2A	3262	1/1	0.94	0.10	57,57,57,57	0
56	MG	1A	3227	1/1	0.94	0.08	46,46,46,46	0
56	MG	2A	3561	1/1	0.94	0.11	32,32,32,32	0
56	MG	2F	304	1/1	0.94	0.11	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3168	1/1	0.94	0.13	23,23,23,23	0
56	MG	1A	3523	1/1	0.94	0.11	30,30,30,30	0
56	MG	1A	3317	1/1	0.94	0.16	33,33,33,33	0
56	MG	1A	3641	1/1	0.94	0.11	50,50,50,50	0
56	MG	1A	3830	1/1	0.94	0.08	10,10,10,10	0
56	MG	1w	107	1/1	0.94	0.09	45,45,45,45	0
56	MG	1A	3319	1/1	0.94	0.20	46,46,46,46	0
56	MG	1a	1603	1/1	0.94	0.10	43,43,43,43	0
56	MG	1A	3231	1/1	0.94	0.09	37,37,37,37	0
56	MG	2U	201	1/1	0.94	0.08	49,49,49,49	0
56	MG	1A	3651	1/1	0.94	0.09	29,29,29,29	0
56	MG	1a	1606	1/1	0.94	0.11	51,51,51,51	0
56	MG	1A	3527	1/1	0.94	0.08	44,44,44,44	0
56	MG	1x	112	1/1	0.94	0.18	50,50,50,50	0
56	MG	2A	3587	1/1	0.94	0.16	70,70,70,70	0
56	MG	1A	4022	1/1	0.94	0.10	45,45,45,45	0
56	MG	20	103	1/1	0.94	0.12	54,54,54,54	0
56	MG	1A	3022	1/1	0.94	0.13	36,36,36,36	0
56	MG	1A	3002	1/1	0.94	0.11	52,52,52,52	0
56	MG	23	102	1/1	0.94	0.10	59,59,59,59	0
56	MG	23	104	1/1	0.94	0.08	53,53,53,53	0
56	MG	2A	3592	1/1	0.94	0.16	44,44,44,44	0
56	MG	1a	1621	1/1	0.94	0.16	50,50,50,50	0
56	MG	1a	1622	1/1	0.94	0.20	52,52,52,52	0
56	MG	1A	3123	1/1	0.94	0.16	32,32,32,32	0
56	MG	27	101	1/1	0.94	0.25	44,44,44,44	0
56	MG	1A	3844	1/1	0.94	0.07	35,35,35,35	0
56	MG	1A	3244	1/1	0.94	0.10	44,44,44,44	0
56	MG	2a	3001	1/1	0.94	0.18	60,60,60,60	0
56	MG	2A	3009	1/1	0.94	0.11	44,44,44,44	0
56	MG	2a	3003	1/1	0.94	0.07	62,62,62,62	0
56	MG	2A	3606	1/1	0.94	0.14	52,52,52,52	0
56	MG	2A	3010	1/1	0.94	0.11	45,45,45,45	0
56	MG	2A	3295	1/1	0.94	0.13	56,56,56,56	0
56	MG	1A	4031	1/1	0.94	0.10	27,27,27,27	0
56	MG	2A	3611	1/1	0.94	0.14	53,53,53,53	0
56	MG	2A	3013	1/1	0.94	0.10	50,50,50,50	0
56	MG	1A	4033	1/1	0.94	0.09	27,27,27,27	0
56	MG	1A	4039	1/1	0.94	0.08	65,65,65,65	0
56	MG	2a	3013	1/1	0.94	0.20	62,62,62,62	0
56	MG	2a	3014	1/1	0.94	0.13	48,48,48,48	0
56	MG	2a	3017	1/1	0.94	0.06	51,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3429	1/1	0.94	0.12	29,29,29,29	0
56	MG	2A	3619	1/1	0.94	0.08	58,58,58,58	0
56	MG	2a	3020	1/1	0.94	0.10	71,71,71,71	0
56	MG	1A	3127	1/1	0.94	0.19	35,35,35,35	0
56	MG	1A	4043	1/1	0.94	0.09	55,55,55,55	0
56	MG	1A	3249	1/1	0.94	0.14	35,35,35,35	0
56	MG	2A	3026	1/1	0.94	0.27	43,43,43,43	0
56	MG	1A	3436	1/1	0.94	0.06	38,38,38,38	0
56	MG	2A	3308	1/1	0.94	0.09	60,60,60,60	0
56	MG	2A	3628	1/1	0.94	0.08	54,54,54,54	0
56	MG	2A	3030	1/1	0.94	0.12	43,43,43,43	0
56	MG	2A	3310	1/1	0.94	0.18	45,45,45,45	0
56	MG	1A	4046	1/1	0.94	0.08	34,34,34,34	0
56	MG	2A	3032	1/1	0.94	0.09	45,45,45,45	0
56	MG	2a	3036	1/1	0.94	0.18	44,44,44,44	0
56	MG	2A	3035	1/1	0.94	0.13	42,42,42,42	0
56	MG	2A	3636	1/1	0.94	0.10	28,28,28,28	0
56	MG	1a	1640	1/1	0.94	0.11	32,32,32,32	0
56	MG	2A	3641	1/1	0.94	0.07	33,33,33,33	0
56	MG	2A	3038	1/1	0.94	0.09	29,29,29,29	0
56	MG	1A	3861	1/1	0.94	0.12	27,27,27,27	0
56	MG	1a	1644	1/1	0.94	0.16	61,61,61,61	0
56	MG	2A	3646	1/1	0.94	0.11	35,35,35,35	0
56	MG	2A	3322	1/1	0.94	0.22	57,57,57,57	0
56	MG	2A	3323	1/1	0.94	0.14	51,51,51,51	0
56	MG	1A	4050	1/1	0.94	0.09	49,49,49,49	0
56	MG	1A	3865	1/1	0.94	0.08	49,49,49,49	0
56	MG	2A	3326	1/1	0.94	0.15	51,51,51,51	0
56	MG	2A	3043	1/1	0.94	0.06	45,45,45,45	0
56	MG	2A	3045	1/1	0.94	0.23	65,65,65,65	0
56	MG	1A	3677	1/1	0.94	0.08	28,28,28,28	0
56	MG	2A	3658	1/1	0.94	0.19	61,61,61,61	0
56	MG	2a	3058	1/1	0.94	0.05	56,56,56,56	0
56	MG	2A	3659	1/1	0.94	0.22	46,46,46,46	0
56	MG	2A	3331	1/1	0.94	0.31	63,63,63,63	0
56	MG	2a	3063	1/1	0.94	0.10	48,48,48,48	0
56	MG	1A	3870	1/1	0.94	0.09	61,61,61,61	0
56	MG	1A	3678	1/1	0.94	0.07	27,27,27,27	0
56	MG	2a	3067	1/1	0.94	0.09	63,63,63,63	0
56	MG	1A	3128	1/1	0.94	0.25	36,36,36,36	0
56	MG	1A	3688	1/1	0.94	0.07	40,40,40,40	0
56	MG	1A	4061	1/1	0.94	0.12	38,38,38,38	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2a	3073	1/1	0.94	0.15	50,50,50,50	0
56	MG	2A	3344	1/1	0.94	0.06	37,37,37,37	0
56	MG	2A	3059	1/1	0.94	0.14	41,41,41,41	0
56	MG	1a	1664	1/1	0.94	0.07	45,45,45,45	0
56	MG	2a	3079	1/1	0.94	0.21	52,52,52,52	0
56	MG	2A	3670	1/1	0.94	0.07	51,51,51,51	0
56	MG	2A	3061	1/1	0.94	0.07	52,52,52,52	0
56	MG	2A	3062	1/1	0.94	0.12	50,50,50,50	0
56	MG	2A	3682	1/1	0.94	0.13	44,44,44,44	0
56	MG	1A	3690	1/1	0.94	0.09	24,24,24,24	0
56	MG	2a	3086	1/1	0.94	0.12	44,44,44,44	0
56	MG	1A	3879	1/1	0.94	0.08	44,44,44,44	0
56	MG	1A	4071	1/1	0.94	0.08	38,38,38,38	0
56	MG	1a	1669	1/1	0.94	0.17	56,56,56,56	0
56	MG	1A	3692	1/1	0.94	0.07	28,28,28,28	0
56	MG	1A	3006	1/1	0.94	0.10	42,42,42,42	0
56	MG	1A	3549	1/1	0.94	0.18	31,31,31,31	0
56	MG	2A	3078	1/1	0.94	0.13	45,45,45,45	0
56	MG	2A	3081	1/1	0.94	0.15	46,46,46,46	0
56	MG	2A	3083	1/1	0.94	0.11	44,44,44,44	0
56	MG	2a	3101	1/1	0.94	0.16	55,55,55,55	0
56	MG	1a	1674	1/1	0.94	0.13	43,43,43,43	0
56	MG	1A	4077	1/1	0.94	0.06	35,35,35,35	0
56	MG	1a	1677	1/1	0.94	0.16	47,47,47,47	0
56	MG	2a	3106	1/1	0.94	0.18	48,48,48,48	0
56	MG	1a	1678	1/1	0.94	0.07	54,54,54,54	0
56	MG	1A	4080	1/1	0.94	0.16	59,59,59,59	0
56	MG	1A	3885	1/1	0.94	0.16	47,47,47,47	0
56	MG	2a	3111	1/1	0.94	0.12	52,52,52,52	0
56	MG	1A	3696	1/1	0.94	0.07	28,28,28,28	0
56	MG	2A	3095	1/1	0.94	0.11	50,50,50,50	0
56	MG	1a	1684	1/1	0.94	0.10	47,47,47,47	0
56	MG	1a	1689	1/1	0.94	0.17	48,48,48,48	0
56	MG	2A	3374	1/1	0.94	0.06	47,47,47,47	0
56	MG	1A	4094	1/1	0.94	0.14	45,45,45,45	0
56	MG	1A	3887	1/1	0.94	0.09	26,26,26,26	0
56	MG	1A	3699	1/1	0.94	0.07	26,26,26,26	0
56	MG	1A	3702	1/1	0.94	0.08	28,28,28,28	0
56	MG	1A	3706	1/1	0.94	0.10	12,12,12,12	0
56	MG	2A	3384	1/1	0.94	0.14	30,30,30,30	0
56	MG	1A	3133	1/1	0.94	0.14	31,31,31,31	0
56	MG	1A	3442	1/1	0.94	0.09	31,31,31,31	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	4106	1/1	0.94	0.09	45,45,45,45	0
56	MG	1A	3257	1/1	0.94	0.09	31,31,31,31	0
56	MG	1B	203	1/1	0.94	0.20	52,52,52,52	0
56	MG	1a	1708	1/1	0.94	0.24	48,48,48,48	0
56	MG	2a	3139	1/1	0.94	0.15	71,71,71,71	0
56	MG	2A	3731	1/1	0.94	0.07	43,43,43,43	0
56	MG	2A	3733	1/1	0.94	0.08	35,35,35,35	0
56	MG	2A	3735	1/1	0.94	0.13	52,52,52,52	0
56	MG	1A	3556	1/1	0.94	0.17	52,52,52,52	0
56	MG	2A	3395	1/1	0.94	0.10	46,46,46,46	0
56	MG	1A	3348	1/1	0.94	0.10	36,36,36,36	0
56	MG	1A	3561	1/1	0.94	0.21	38,38,38,38	0
56	MG	1a	1712	1/1	0.94	0.14	51,51,51,51	0
56	MG	2A	3123	1/1	0.94	0.21	59,59,59,59	0
56	MG	2A	3401	1/1	0.94	0.09	55,55,55,55	0
56	MG	2a	3158	1/1	0.94	0.09	68,68,68,68	0
56	MG	1A	3725	1/1	0.94	0.08	19,19,19,19	0
56	MG	2a	3164	1/1	0.94	0.10	65,65,65,65	0
56	MG	2A	3126	1/1	0.94	0.08	61,61,61,61	0
56	MG	2A	3127	1/1	0.94	0.17	46,46,46,46	0
56	MG	1A	3040	1/1	0.94	0.14	44,44,44,44	0
56	MG	1A	3563	1/1	0.94	0.17	53,53,53,53	0
56	MG	1A	3262	1/1	0.94	0.15	31,31,31,31	0
56	MG	1a	1721	1/1	0.94	0.22	59,59,59,59	0
56	MG	1a	1722	1/1	0.94	0.32	54,54,54,54	0
56	MG	1A	3146	1/1	0.94	0.09	39,39,39,39	0
56	MG	1A	3148	1/1	0.94	0.10	19,19,19,19	0
56	MG	1A	3268	1/1	0.94	0.07	36,36,36,36	0
56	MG	1A	3201	1/1	0.94	0.09	48,48,48,48	0
56	MG	1A	3369	1/1	0.94	0.08	52,52,52,52	0
56	MG	1a	1734	1/1	0.94	0.13	51,51,51,51	0
56	MG	1A	3926	1/1	0.94	0.13	27,27,27,27	0
56	MG	1a	1737	1/1	0.94	0.19	55,55,55,55	0
56	MG	2a	3190	1/1	0.94	0.20	63,63,63,63	0
56	MG	2A	3425	1/1	0.94	0.12	43,43,43,43	0
56	MG	2a	3194	1/1	0.94	0.09	58,58,58,58	0
56	MG	2A	3160	1/1	0.94	0.07	53,53,53,53	0
56	MG	1A	3576	1/1	0.94	0.14	28,28,28,28	0
56	MG	1A	3202	1/1	0.94	0.05	28,28,28,28	0
56	MG	1a	1742	1/1	0.94	0.14	58,58,58,58	0
56	MG	2A	3432	1/1	0.94	0.25	45,45,45,45	0
56	MG	1A	3580	1/1	0.94	0.19	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3771	1/1	0.94	0.09	28,28,28,28	0
56	MG	1A	3068	1/1	0.94	0.11	43,43,43,43	0
56	MG	1A	3585	1/1	0.94	0.09	50,50,50,50	0
56	MG	2A	3777	1/1	0.94	0.11	64,64,64,64	0
56	MG	2a	3212	1/1	0.94	0.11	59,59,59,59	0
56	MG	2A	3172	1/1	0.94	0.07	44,44,44,44	0
56	MG	1A	3479	1/1	0.94	0.10	48,48,48,48	0
56	MG	2A	3781	1/1	0.94	0.10	70,70,70,70	0
56	MG	2a	3216	1/1	0.94	0.14	58,58,58,58	0
56	MG	1D	308	1/1	0.94	0.06	35,35,35,35	0
56	MG	2A	3176	1/1	0.94	0.09	47,47,47,47	0
56	MG	1A	3596	1/1	0.94	0.08	37,37,37,37	0
56	MG	1E	304	1/1	0.94	0.11	26,26,26,26	0
56	MG	2A	3789	1/1	0.94	0.12	52,52,52,52	0
56	MG	2A	3451	1/1	0.94	0.10	37,37,37,37	0
56	MG	1E	307	1/1	0.94	0.09	41,41,41,41	0
56	MG	1A	3101	1/1	0.94	0.05	58,58,58,58	0
56	MG	1A	3376	1/1	0.94	0.09	41,41,41,41	0
56	MG	1A	3007	1/1	0.94	0.06	30,30,30,30	0
56	MG	1E	312	1/1	0.94	0.13	45,45,45,45	0
56	MG	1a	1769	1/1	0.94	0.11	63,63,63,63	0
56	MG	1A	3160	1/1	0.94	0.07	42,42,42,42	0
56	MG	1A	3602	1/1	0.94	0.08	30,30,30,30	0
56	MG	1A	3288	1/1	0.94	0.05	30,30,30,30	0
56	MG	2A	3197	1/1	0.94	0.18	48,48,48,48	0
56	MG	1A	3776	1/1	0.94	0.08	42,42,42,42	0
56	MG	1N	201	1/1	0.94	0.23	43,43,43,43	0
56	MG	2A	3813	1/1	0.94	0.08	67,67,67,67	0
56	MG	2k	201	1/1	0.94	0.15	49,49,49,49	0
56	MG	2A	3815	1/1	0.94	0.10	41,41,41,41	0
56	MG	2A	3818	1/1	0.94	0.06	45,45,45,45	0
56	MG	1A	3292	1/1	0.94	0.13	26,26,26,26	0
56	MG	2q	202	1/1	0.94	0.17	60,60,60,60	0
56	MG	1A	3498	1/1	0.94	0.13	41,41,41,41	0
56	MG	1O	205	1/1	0.94	0.09	47,47,47,47	0
56	MG	2A	3825	1/1	0.94	0.11	43,43,43,43	0
56	MG	1A	3953	1/1	0.94	0.09	46,46,46,46	0
56	MG	1A	3956	1/1	0.94	0.10	66,66,66,66	0
56	MG	1a	1785	1/1	0.94	0.08	63,63,63,63	0
56	MG	1Q	206	1/1	0.94	0.16	36,36,36,36	0
56	MG	2A	3833	1/1	0.94	0.14	54,54,54,54	0
56	MG	1A	3781	1/1	0.94	0.06	30,30,30,30	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3499	1/1	0.94	0.08	47,47,47,47	0
56	MG	1a	1792	1/1	0.94	0.15	36,36,36,36	0
56	MG	2A	3845	1/1	0.94	0.09	38,38,38,38	0
56	MG	2A	3846	1/1	0.94	0.07	40,40,40,40	0
56	MG	1A	3786	1/1	0.94	0.13	25,25,25,25	0
56	MG	2y	101	1/1	0.94	0.13	59,59,59,59	0
56	MG	2A	3850	1/1	0.94	0.08	58,58,58,58	0
56	MG	1A	3788	1/1	0.94	0.10	55,55,55,55	0
56	MG	1A	3386	1/1	0.94	0.14	51,51,51,51	0
56	MG	1A	3105	1/1	0.94	0.14	30,30,30,30	0
56	MG	1A	3395	1/1	0.94	0.24	51,51,51,51	0
56	MG	1A	3301	1/1	0.94	0.21	48,48,48,48	0
56	MG	1a	1802	1/1	0.94	0.08	52,52,52,52	0
56	MG	2A	3225	1/1	0.94	0.43	44,44,44,44	0
56	MG	1a	1823	1/1	0.95	0.12	34,34,34,34	0
56	MG	1A	3256	1/1	0.95	0.15	40,40,40,40	0
56	MG	2A	3241	1/1	0.95	0.09	39,39,39,39	0
56	MG	2A	3527	1/1	0.95	0.15	47,47,47,47	0
56	MG	1A	3994	1/1	0.95	0.10	38,38,38,38	0
56	MG	1A	3414	1/1	0.95	0.16	44,44,44,44	0
56	MG	2A	3244	1/1	0.95	0.06	43,43,43,43	0
56	MG	2A	3537	1/1	0.95	0.10	53,53,53,53	0
56	MG	2A	3245	1/1	0.95	0.09	59,59,59,59	0
56	MG	1A	3627	1/1	0.95	0.16	29,29,29,29	0
56	MG	2B	212	1/1	0.95	0.10	52,52,52,52	0
56	MG	1f	202	1/1	0.95	0.19	58,58,58,58	0
56	MG	1A	3513	1/1	0.95	0.11	38,38,38,38	0
56	MG	1A	3416	1/1	0.95	0.10	41,41,41,41	0
56	MG	1A	3633	1/1	0.95	0.07	23,23,23,23	0
56	MG	2B	217	1/1	0.95	0.12	49,49,49,49	0
56	MG	2A	3546	1/1	0.95	0.07	42,42,42,42	0
56	MG	1A	3635	1/1	0.95	0.07	39,39,39,39	0
56	MG	1A	3140	1/1	0.95	0.09	28,28,28,28	0
56	MG	1A	3420	1/1	0.95	0.06	34,34,34,34	0
56	MG	1A	3144	1/1	0.95	0.10	32,32,32,32	0
56	MG	1A	3338	1/1	0.95	0.14	41,41,41,41	0
56	MG	1A	3817	1/1	0.95	0.09	39,39,39,39	0
56	MG	1A	3819	1/1	0.95	0.06	52,52,52,52	0
56	MG	1A	3042	1/1	0.95	0.12	22,22,22,22	0
56	MG	1A	3644	1/1	0.95	0.07	30,30,30,30	0
56	MG	2A	3564	1/1	0.95	0.10	46,46,46,46	0
56	MG	18	104	1/1	0.95	0.12	34,34,34,34	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	18	105	1/1	0.95	0.12	51,51,51,51	0
56	MG	1A	4013	1/1	0.95	0.07	17,17,17,17	0
56	MG	1A	3200	1/1	0.95	0.14	26,26,26,26	0
56	MG	1A	3104	1/1	0.95	0.08	33,33,33,33	0
56	MG	1A	3653	1/1	0.95	0.05	23,23,23,23	0
56	MG	2A	3270	1/1	0.95	0.10	44,44,44,44	0
56	MG	2N	201	1/1	0.95	0.09	40,40,40,40	0
56	MG	1A	4020	1/1	0.95	0.07	38,38,38,38	0
56	MG	2A	3272	1/1	0.95	0.07	54,54,54,54	0
56	MG	2P	203	1/1	0.95	0.07	53,53,53,53	0
56	MG	1A	3427	1/1	0.95	0.06	37,37,37,37	0
56	MG	1a	1607	1/1	0.95	0.09	51,51,51,51	0
56	MG	1A	3150	1/1	0.95	0.15	40,40,40,40	0
56	MG	1A	3034	1/1	0.95	0.17	27,27,27,27	0
56	MG	1A	4025	1/1	0.95	0.15	29,29,29,29	0
56	MG	2T	202	1/1	0.95	0.17	54,54,54,54	0
56	MG	1A	3270	1/1	0.95	0.16	48,48,48,48	0
56	MG	1a	1615	1/1	0.95	0.10	51,51,51,51	0
56	MG	1A	3431	1/1	0.95	0.13	33,33,33,33	0
56	MG	2W	203	1/1	0.95	0.09	57,57,57,57	0
56	MG	1A	4029	1/1	0.95	0.06	55,55,55,55	0
56	MG	2X	102	1/1	0.95	0.13	44,44,44,44	0
56	MG	2A	3004	1/1	0.95	0.14	38,38,38,38	0
56	MG	1A	3082	1/1	0.95	0.16	23,23,23,23	0
56	MG	1A	3435	1/1	0.95	0.16	43,43,43,43	0
56	MG	2A	3008	1/1	0.95	0.08	55,55,55,55	0
56	MG	1A	4032	1/1	0.95	0.06	22,22,22,22	0
56	MG	2A	3290	1/1	0.95	0.10	48,48,48,48	0
56	MG	1A	3272	1/1	0.95	0.21	54,54,54,54	0
56	MG	1A	4036	1/1	0.95	0.05	28,28,28,28	0
56	MG	1A	3672	1/1	0.95	0.09	10,10,10,10	0
56	MG	1A	3851	1/1	0.95	0.06	35,35,35,35	0
56	MG	1A	3539	1/1	0.95	0.06	42,42,42,42	0
56	MG	1a	1631	1/1	0.95	0.15	43,43,43,43	0
56	MG	1A	3352	1/1	0.95	0.14	32,32,32,32	0
56	MG	2A	3618	1/1	0.95	0.11	58,58,58,58	0
56	MG	1A	3856	1/1	0.95	0.11	31,31,31,31	0
56	MG	1A	3117	1/1	0.95	0.10	31,31,31,31	0
56	MG	1A	3859	1/1	0.95	0.09	38,38,38,38	0
56	MG	1a	1639	1/1	0.95	0.20	52,52,52,52	0
56	MG	2A	3623	1/1	0.95	0.07	35,35,35,35	0
56	MG	1A	3679	1/1	0.95	0.06	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3625	1/1	0.95	0.12	37,37,37,37	0
56	MG	1A	4049	1/1	0.95	0.05	33,33,33,33	0
56	MG	1a	1643	1/1	0.95	0.12	59,59,59,59	0
56	MG	2A	3033	1/1	0.95	0.16	39,39,39,39	0
56	MG	1A	3051	1/1	0.95	0.10	25,25,25,25	0
56	MG	1A	3862	1/1	0.95	0.16	57,57,57,57	0
56	MG	2A	3631	1/1	0.95	0.10	37,37,37,37	0
56	MG	1A	3686	1/1	0.95	0.08	48,48,48,48	0
56	MG	2a	3016	1/1	0.95	0.11	55,55,55,55	0
56	MG	1A	3867	1/1	0.95	0.08	32,32,32,32	0
56	MG	2A	3634	1/1	0.95	0.06	26,26,26,26	0
56	MG	1a	1657	1/1	0.95	0.09	45,45,45,45	0
56	MG	1a	1658	1/1	0.95	0.14	51,51,51,51	0
56	MG	1A	3053	1/1	0.95	0.07	44,44,44,44	0
56	MG	2a	3022	1/1	0.95	0.09	51,51,51,51	0
56	MG	2A	3640	1/1	0.95	0.12	46,46,46,46	0
56	MG	1A	3443	1/1	0.95	0.07	32,32,32,32	0
56	MG	2A	3044	1/1	0.95	0.08	44,44,44,44	0
56	MG	1A	3871	1/1	0.95	0.07	38,38,38,38	0
56	MG	1A	3872	1/1	0.95	0.07	40,40,40,40	0
56	MG	2A	3050	1/1	0.95	0.14	55,55,55,55	0
56	MG	1A	3036	1/1	0.95	0.07	29,29,29,29	0
56	MG	1A	3445	1/1	0.95	0.08	40,40,40,40	0
56	MG	2a	3032	1/1	0.95	0.18	51,51,51,51	0
56	MG	1A	4069	1/1	0.95	0.09	32,32,32,32	0
56	MG	1A	3446	1/1	0.95	0.07	55,55,55,55	0
56	MG	2A	3328	1/1	0.95	0.12	47,47,47,47	0
56	MG	2A	3652	1/1	0.95	0.10	49,49,49,49	0
56	MG	2A	3654	1/1	0.95	0.16	60,60,60,60	0
56	MG	1A	3447	1/1	0.95	0.08	39,39,39,39	0
56	MG	2A	3058	1/1	0.95	0.15	53,53,53,53	0
56	MG	1A	3698	1/1	0.95	0.08	18,18,18,18	0
56	MG	1A	4075	1/1	0.95	0.06	33,33,33,33	0
56	MG	1A	3371	1/1	0.95	0.07	44,44,44,44	0
56	MG	2A	3336	1/1	0.95	0.07	38,38,38,38	0
56	MG	2a	3047	1/1	0.95	0.08	51,51,51,51	0
56	MG	1A	3225	1/1	0.95	0.09	32,32,32,32	0
56	MG	1A	4078	1/1	0.95	0.10	42,42,42,42	0
56	MG	1A	4079	1/1	0.95	0.16	35,35,35,35	0
56	MG	1A	3705	1/1	0.95	0.05	15,15,15,15	0
56	MG	1A	4083	1/1	0.95	0.07	37,37,37,37	0
56	MG	1A	3560	1/1	0.95	0.08	24,24,24,24	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3450	1/1	0.95	0.08	49,49,49,49	0
56	MG	2A	3074	1/1	0.95	0.09	43,43,43,43	0
56	MG	1a	1682	1/1	0.95	0.16	56,56,56,56	0
56	MG	1A	4093	1/1	0.95	0.17	42,42,42,42	0
56	MG	2a	3059	1/1	0.95	0.24	46,46,46,46	0
56	MG	2A	3679	1/1	0.95	0.06	40,40,40,40	0
56	MG	2A	3079	1/1	0.95	0.15	51,51,51,51	0
56	MG	2a	3062	1/1	0.95	0.15	64,64,64,64	0
56	MG	1A	3452	1/1	0.95	0.08	34,34,34,34	0
56	MG	2A	3683	1/1	0.95	0.06	47,47,47,47	0
56	MG	2A	3082	1/1	0.95	0.14	45,45,45,45	0
56	MG	1a	1686	1/1	0.95	0.12	31,31,31,31	0
56	MG	1A	3124	1/1	0.95	0.10	32,32,32,32	0
56	MG	1A	3125	1/1	0.95	0.10	23,23,23,23	0
56	MG	1A	3895	1/1	0.95	0.07	46,46,46,46	0
56	MG	2A	3088	1/1	0.95	0.09	41,41,41,41	0
56	MG	1A	3461	1/1	0.95	0.15	35,35,35,35	0
56	MG	2a	3075	1/1	0.95	0.07	46,46,46,46	0
56	MG	1A	3568	1/1	0.95	0.12	52,52,52,52	0
56	MG	2a	3077	1/1	0.95	0.13	45,45,45,45	0
56	MG	1A	4103	1/1	0.95	0.17	47,47,47,47	0
56	MG	1a	1698	1/1	0.95	0.06	53,53,53,53	0
56	MG	1A	3462	1/1	0.95	0.13	34,34,34,34	0
56	MG	1a	1701	1/1	0.95	0.22	45,45,45,45	0
56	MG	2a	3082	1/1	0.95	0.16	50,50,50,50	0
56	MG	2A	3697	1/1	0.95	0.18	56,56,56,56	0
56	MG	1A	3465	1/1	0.95	0.10	56,56,56,56	0
56	MG	2A	3699	1/1	0.95	0.06	54,54,54,54	0
56	MG	1B	201	1/1	0.95	0.10	38,38,38,38	0
56	MG	1A	3171	1/1	0.95	0.13	19,19,19,19	0
56	MG	1A	3902	1/1	0.95	0.11	30,30,30,30	0
56	MG	2a	3089	1/1	0.95	0.19	53,53,53,53	0
56	MG	2a	3090	1/1	0.95	0.12	59,59,59,59	0
56	MG	2a	3091	1/1	0.95	0.15	47,47,47,47	0
56	MG	2A	3102	1/1	0.95	0.09	37,37,37,37	0
56	MG	2A	3375	1/1	0.95	0.14	49,49,49,49	0
56	MG	1B	206	1/1	0.95	0.12	36,36,36,36	0
56	MG	2a	3095	1/1	0.95	0.15	40,40,40,40	0
56	MG	1A	3018	1/1	0.95	0.08	32,32,32,32	0
56	MG	2a	3097	1/1	0.95	0.12	59,59,59,59	0
56	MG	1A	3904	1/1	0.95	0.17	25,25,25,25	0
56	MG	2A	3710	1/1	0.95	0.14	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3731	1/1	0.95	0.07	31,31,31,31	0
56	MG	2A	3110	1/1	0.95	0.14	49,49,49,49	0
56	MG	1A	3574	1/1	0.95	0.09	42,42,42,42	0
56	MG	2a	3103	1/1	0.95	0.17	54,54,54,54	0
56	MG	1A	3469	1/1	0.95	0.15	33,33,33,33	0
56	MG	1A	3910	1/1	0.95	0.06	23,23,23,23	0
56	MG	1A	3735	1/1	0.95	0.06	42,42,42,42	0
56	MG	1A	3175	1/1	0.95	0.16	42,42,42,42	0
56	MG	2A	3116	1/1	0.95	0.06	48,48,48,48	0
56	MG	1a	1720	1/1	0.95	0.18	50,50,50,50	0
56	MG	2A	3392	1/1	0.95	0.10	43,43,43,43	0
56	MG	1B	218	1/1	0.95	0.08	36,36,36,36	0
56	MG	2a	3113	1/1	0.95	0.13	58,58,58,58	0
56	MG	2A	3394	1/1	0.95	0.11	50,50,50,50	0
56	MG	1A	3915	1/1	0.95	0.12	21,21,21,21	0
56	MG	2A	3732	1/1	0.95	0.08	54,54,54,54	0
56	MG	1A	3738	1/1	0.95	0.07	28,28,28,28	0
56	MG	1A	3472	1/1	0.95	0.08	43,43,43,43	0
56	MG	2a	3120	1/1	0.95	0.28	67,67,67,67	0
56	MG	1a	1727	1/1	0.95	0.09	37,37,37,37	0
56	MG	1a	1729	1/1	0.95	0.21	46,46,46,46	0
56	MG	1B	223	1/1	0.95	0.08	51,51,51,51	0
56	MG	1A	3741	1/1	0.95	0.09	49,49,49,49	0
56	MG	1A	3023	1/1	0.95	0.05	21,21,21,21	0
56	MG	2A	3133	1/1	0.95	0.06	35,35,35,35	0
56	MG	2A	3135	1/1	0.95	0.06	36,36,36,36	0
56	MG	1A	3583	1/1	0.95	0.21	40,40,40,40	0
56	MG	2a	3132	1/1	0.95	0.18	58,58,58,58	0
56	MG	2A	3137	1/1	0.95	0.11	36,36,36,36	0
56	MG	2a	3134	1/1	0.95	0.21	49,49,49,49	0
56	MG	2A	3411	1/1	0.95	0.05	41,41,41,41	0
56	MG	1B	229	1/1	0.95	0.09	55,55,55,55	0
56	MG	1A	3183	1/1	0.95	0.05	25,25,25,25	0
56	MG	2A	3146	1/1	0.95	0.11	51,51,51,51	0
56	MG	2A	3148	1/1	0.95	0.19	37,37,37,37	0
56	MG	1a	1738	1/1	0.95	0.26	47,47,47,47	0
56	MG	2A	3752	1/1	0.95	0.12	53,53,53,53	0
56	MG	1A	3241	1/1	0.95	0.13	62,62,62,62	0
56	MG	2A	3754	1/1	0.95	0.10	52,52,52,52	0
56	MG	1A	3591	1/1	0.95	0.19	38,38,38,38	0
56	MG	2A	3420	1/1	0.95	0.14	35,35,35,35	0
56	MG	1A	3752	1/1	0.95	0.08	29,29,29,29	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1a	1744	1/1	0.95	0.10	52,52,52,52	0
56	MG	1a	1748	1/1	0.95	0.09	34,34,34,34	0
56	MG	2a	3162	1/1	0.95	0.11	53,53,53,53	0
56	MG	1A	3388	1/1	0.95	0.18	46,46,46,46	0
56	MG	2A	3761	1/1	0.95	0.13	55,55,55,55	0
56	MG	1A	3755	1/1	0.95	0.10	40,40,40,40	0
56	MG	1a	1754	1/1	0.95	0.10	50,50,50,50	0
56	MG	1A	3315	1/1	0.95	0.09	35,35,35,35	0
56	MG	1D	311	1/1	0.95	0.16	29,29,29,29	0
56	MG	2A	3165	1/1	0.95	0.20	46,46,46,46	0
56	MG	2a	3171	1/1	0.95	0.13	54,54,54,54	0
56	MG	2A	3433	1/1	0.95	0.24	49,49,49,49	0
56	MG	1E	301	1/1	0.95	0.12	30,30,30,30	0
56	MG	1A	3062	1/1	0.95	0.14	44,44,44,44	0
56	MG	1A	3484	1/1	0.95	0.06	47,47,47,47	0
56	MG	1A	3761	1/1	0.95	0.06	30,30,30,30	0
56	MG	1A	3396	1/1	0.95	0.10	48,48,48,48	0
56	MG	2a	3184	1/1	0.95	0.09	50,50,50,50	0
56	MG	2A	3776	1/1	0.95	0.07	51,51,51,51	0
56	MG	1A	3398	1/1	0.95	0.16	37,37,37,37	0
56	MG	2A	3444	1/1	0.95	0.17	31,31,31,31	0
56	MG	2A	3446	1/1	0.95	0.18	40,40,40,40	0
56	MG	2a	3189	1/1	0.95	0.10	49,49,49,49	0
56	MG	1a	1766	1/1	0.95	0.12	46,46,46,46	0
56	MG	1A	3768	1/1	0.95	0.18	44,44,44,44	0
56	MG	2a	3192	1/1	0.95	0.24	55,55,55,55	0
56	MG	2A	3783	1/1	0.95	0.07	53,53,53,53	0
56	MG	1F	306	1/1	0.95	0.08	39,39,39,39	0
56	MG	1A	3488	1/1	0.95	0.06	52,52,52,52	0
56	MG	1G	202	1/1	0.95	0.06	46,46,46,46	0
56	MG	2A	3186	1/1	0.95	0.07	50,50,50,50	0
56	MG	1A	3132	1/1	0.95	0.10	59,59,59,59	0
56	MG	2A	3456	1/1	0.95	0.23	52,52,52,52	0
56	MG	1A	3771	1/1	0.95	0.08	47,47,47,47	0
56	MG	1A	3607	1/1	0.95	0.07	31,31,31,31	0
56	MG	2A	3460	1/1	0.95	0.11	50,50,50,50	0
56	MG	2a	3210	1/1	0.95	0.20	54,54,54,54	0
56	MG	1A	3774	1/1	0.95	0.11	12,12,12,12	0
56	MG	1N	202	1/1	0.95	0.06	46,46,46,46	0
56	MG	2A	3802	1/1	0.95	0.12	41,41,41,41	0
56	MG	2A	3803	1/1	0.95	0.09	49,49,49,49	0
56	MG	2A	3804	1/1	0.95	0.07	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3955	1/1	0.95	0.06	35,35,35,35	0
56	MG	1A	3775	1/1	0.95	0.13	26,26,26,26	0
56	MG	2A	3196	1/1	0.95	0.08	48,48,48,48	0
56	MG	1O	203	1/1	0.95	0.14	43,43,43,43	0
56	MG	2a	3220	1/1	0.95	0.07	54,54,54,54	0
56	MG	2A	3198	1/1	0.95	0.11	48,48,48,48	0
56	MG	1A	3608	1/1	0.95	0.06	42,42,42,42	0
56	MG	1a	1784	1/1	0.95	0.11	43,43,43,43	0
56	MG	1A	3777	1/1	0.95	0.07	12,12,12,12	0
56	MG	2A	3816	1/1	0.95	0.09	48,48,48,48	0
56	MG	1A	3610	1/1	0.95	0.14	34,34,34,34	0
56	MG	2A	3819	1/1	0.95	0.09	61,61,61,61	0
56	MG	1Q	204	1/1	0.95	0.09	44,44,44,44	0
56	MG	1A	3964	1/1	0.95	0.10	45,45,45,45	0
56	MG	1a	1791	1/1	0.95	0.12	61,61,61,61	0
56	MG	2A	3485	1/1	0.95	0.10	56,56,56,56	0
56	MG	1R	203	1/1	0.95	0.25	42,42,42,42	0
56	MG	1a	1793	1/1	0.95	0.12	50,50,50,50	0
56	MG	2d	301	1/1	0.95	0.17	46,46,46,46	0
56	MG	1A	3967	1/1	0.95	0.07	29,29,29,29	0
56	MG	2e	201	1/1	0.95	0.08	52,52,52,52	0
56	MG	2g	201	1/1	0.95	0.16	64,64,64,64	0
56	MG	1A	3490	1/1	0.95	0.10	40,40,40,40	0
56	MG	1A	3401	1/1	0.95	0.09	42,42,42,42	0
56	MG	2A	3215	1/1	0.95	0.09	41,41,41,41	0
56	MG	2A	3216	1/1	0.95	0.10	48,48,48,48	0
56	MG	1A	3493	1/1	0.95	0.20	52,52,52,52	0
56	MG	2l	203	1/1	0.95	0.08	62,62,62,62	0
56	MG	1A	3186	1/1	0.95	0.08	41,41,41,41	0
56	MG	2m	201	1/1	0.95	0.21	61,61,61,61	0
56	MG	1A	3787	1/1	0.95	0.05	42,42,42,42	0
56	MG	2A	3220	1/1	0.95	0.13	49,49,49,49	0
56	MG	2A	3849	1/1	0.95	0.13	61,61,61,61	0
56	MG	1A	3980	1/1	0.95	0.06	59,59,59,59	0
56	MG	2A	3502	1/1	0.95	0.20	45,45,45,45	0
56	MG	1U	204	1/1	0.95	0.05	26,26,26,26	0
56	MG	1A	3100	1/1	0.95	0.07	34,34,34,34	0
56	MG	1A	3500	1/1	0.95	0.06	33,33,33,33	0
56	MG	2A	3856	1/1	0.95	0.08	37,37,37,37	0
56	MG	2A	3858	1/1	0.95	0.06	55,55,55,55	0
56	MG	2A	3860	1/1	0.95	0.13	28,28,28,28	0
56	MG	1A	3067	1/1	0.95	0.09	31,31,31,31	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1a	1809	1/1	0.95	0.13	38,38,38,38	0
56	MG	1A	3138	1/1	0.95	0.11	23,23,23,23	0
56	MG	1A	3328	1/1	0.95	0.15	42,42,42,42	0
56	MG	1A	3509	1/1	0.95	0.11	46,46,46,46	0
56	MG	2A	3868	1/1	0.95	0.14	41,41,41,41	0
56	MG	2A	3232	1/1	0.95	0.14	37,37,37,37	0
56	MG	1W	207	1/1	0.95	0.08	18,18,18,18	0
56	MG	2A	3873	1/1	0.95	0.15	59,59,59,59	0
56	MG	2A	3516	1/1	0.95	0.17	48,48,48,48	0
56	MG	2A	3237	1/1	0.95	0.26	55,55,55,55	0
56	MG	1A	3990	1/1	0.95	0.06	38,38,38,38	0
56	MG	2A	3522	1/1	0.95	0.12	40,40,40,40	0
56	MG	1A	3584	1/1	0.96	0.08	35,35,35,35	0
56	MG	1A	3267	1/1	0.96	0.07	37,37,37,37	0
56	MG	1A	3368	1/1	0.96	0.06	58,58,58,58	0
56	MG	2A	3157	1/1	0.96	0.08	42,42,42,42	0
56	MG	1A	3939	1/1	0.96	0.09	34,34,34,34	0
56	MG	1A	3198	1/1	0.96	0.15	30,30,30,30	0
56	MG	1A	3594	1/1	0.96	0.15	23,23,23,23	0
56	MG	2A	3859	1/1	0.96	0.08	51,51,51,51	0
56	MG	2A	3469	1/1	0.96	0.11	42,42,42,42	0
56	MG	1D	305	1/1	0.96	0.13	33,33,33,33	0
56	MG	2A	3471	1/1	0.96	0.08	47,47,47,47	0
56	MG	1D	306	1/1	0.96	0.11	29,29,29,29	0
56	MG	1A	3595	1/1	0.96	0.25	33,33,33,33	0
56	MG	2A	3866	1/1	0.96	0.07	44,44,44,44	0
56	MG	1A	3471	1/1	0.96	0.10	40,40,40,40	0
56	MG	2A	3167	1/1	0.96	0.13	34,34,34,34	0
56	MG	2A	3168	1/1	0.96	0.07	55,55,55,55	0
56	MG	1A	3370	1/1	0.96	0.06	37,37,37,37	0
56	MG	2A	3170	1/1	0.96	0.08	45,45,45,45	0
56	MG	2A	3483	1/1	0.96	0.07	40,40,40,40	0
56	MG	2A	3484	1/1	0.96	0.11	42,42,42,42	0
56	MG	1a	1741	1/1	0.96	0.15	39,39,39,39	0
56	MG	1A	3767	1/1	0.96	0.05	41,41,41,41	0
56	MG	1A	3949	1/1	0.96	0.07	44,44,44,44	0
56	MG	2B	201	1/1	0.96	0.15	52,52,52,52	0
56	MG	1A	3199	1/1	0.96	0.26	29,29,29,29	0
56	MG	1a	1749	1/1	0.96	0.06	32,32,32,32	0
56	MG	1A	3112	1/1	0.96	0.12	23,23,23,23	0
56	MG	1E	309	1/1	0.96	0.14	19,19,19,19	0
56	MG	1A	3113	1/1	0.96	0.14	39,39,39,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3182	1/1	0.96	0.08	43,43,43,43	0
56	MG	1A	3477	1/1	0.96	0.08	40,40,40,40	0
56	MG	1A	3954	1/1	0.96	0.11	41,41,41,41	0
56	MG	1F	303	1/1	0.96	0.06	33,33,33,33	0
56	MG	1A	3005	1/1	0.96	0.08	36,36,36,36	0
56	MG	2A	3501	1/1	0.96	0.14	53,53,53,53	0
56	MG	1F	308	1/1	0.96	0.10	40,40,40,40	0
56	MG	1A	3273	1/1	0.96	0.06	28,28,28,28	0
56	MG	1F	310	1/1	0.96	0.11	31,31,31,31	0
56	MG	1a	1764	1/1	0.96	0.12	33,33,33,33	0
56	MG	1G	201	1/1	0.96	0.07	36,36,36,36	0
56	MG	1A	3957	1/1	0.96	0.07	30,30,30,30	0
56	MG	1A	3274	1/1	0.96	0.12	51,51,51,51	0
56	MG	1A	3379	1/1	0.96	0.06	39,39,39,39	0
56	MG	2A	3511	1/1	0.96	0.07	34,34,34,34	0
56	MG	1A	3609	1/1	0.96	0.11	31,31,31,31	0
56	MG	2D	305	1/1	0.96	0.24	40,40,40,40	0
56	MG	1A	3115	1/1	0.96	0.06	31,31,31,31	0
56	MG	1a	1772	1/1	0.96	0.09	43,43,43,43	0
56	MG	1A	3611	1/1	0.96	0.19	40,40,40,40	0
56	MG	1A	3204	1/1	0.96	0.11	35,35,35,35	0
56	MG	1a	1775	1/1	0.96	0.07	41,41,41,41	0
56	MG	2E	307	1/1	0.96	0.07	26,26,26,26	0
56	MG	1N	205	1/1	0.96	0.15	48,48,48,48	0
56	MG	1A	3970	1/1	0.96	0.05	44,44,44,44	0
56	MG	1a	1778	1/1	0.96	0.22	54,54,54,54	0
56	MG	1A	3205	1/1	0.96	0.12	18,18,18,18	0
56	MG	2A	3211	1/1	0.96	0.10	51,51,51,51	0
56	MG	2F	306	1/1	0.96	0.11	47,47,47,47	0
56	MG	2A	3528	1/1	0.96	0.07	33,33,33,33	0
56	MG	1A	3084	1/1	0.96	0.10	22,22,22,22	0
56	MG	2A	3531	1/1	0.96	0.06	54,54,54,54	0
56	MG	2O	201	1/1	0.96	0.09	46,46,46,46	0
56	MG	1A	3974	1/1	0.96	0.09	41,41,41,41	0
56	MG	2A	3535	1/1	0.96	0.06	43,43,43,43	0
56	MG	2A	3214	1/1	0.96	0.10	43,43,43,43	0
56	MG	1P	203	1/1	0.96	0.25	29,29,29,29	0
56	MG	1A	3387	1/1	0.96	0.12	47,47,47,47	0
56	MG	1Q	203	1/1	0.96	0.04	33,33,33,33	0
56	MG	1A	3617	1/1	0.96	0.21	40,40,40,40	0
56	MG	2A	3541	1/1	0.96	0.13	47,47,47,47	0
56	MG	1A	3213	1/1	0.96	0.07	37,37,37,37	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3543	1/1	0.96	0.10	39,39,39,39	0
56	MG	1a	1787	1/1	0.96	0.09	70,70,70,70	0
56	MG	1R	202	1/1	0.96	0.18	38,38,38,38	0
56	MG	1a	1789	1/1	0.96	0.14	53,53,53,53	0
56	MG	1A	3290	1/1	0.96	0.20	25,25,25,25	0
56	MG	1A	3494	1/1	0.96	0.08	38,38,38,38	0
56	MG	2Y	201	1/1	0.96	0.11	48,48,48,48	0
56	MG	1A	3983	1/1	0.96	0.12	39,39,39,39	0
56	MG	1S	201	1/1	0.96	0.13	43,43,43,43	0
56	MG	1A	3984	1/1	0.96	0.06	38,38,38,38	0
56	MG	2A	3556	1/1	0.96	0.12	28,28,28,28	0
56	MG	2A	3228	1/1	0.96	0.07	42,42,42,42	0
56	MG	1A	3495	1/1	0.96	0.06	31,31,31,31	0
56	MG	1A	3795	1/1	0.96	0.09	37,37,37,37	0
56	MG	23	103	1/1	0.96	0.14	53,53,53,53	0
56	MG	2A	3231	1/1	0.96	0.07	36,36,36,36	0
56	MG	1A	3796	1/1	0.96	0.06	19,19,19,19	0
56	MG	1A	3497	1/1	0.96	0.21	38,38,38,38	0
56	MG	25	103	1/1	0.96	0.07	42,42,42,42	0
56	MG	2A	3236	1/1	0.96	0.07	35,35,35,35	0
56	MG	1U	203	1/1	0.96	0.10	23,23,23,23	0
56	MG	2A	3568	1/1	0.96	0.07	51,51,51,51	0
56	MG	28	101	1/1	0.96	0.14	59,59,59,59	0
56	MG	1A	3392	1/1	0.96	0.05	35,35,35,35	0
56	MG	28	103	1/1	0.96	0.10	37,37,37,37	0
56	MG	2A	3571	1/1	0.96	0.08	40,40,40,40	0
56	MG	1A	3393	1/1	0.96	0.07	28,28,28,28	0
56	MG	2A	3574	1/1	0.96	0.09	51,51,51,51	0
56	MG	1A	3291	1/1	0.96	0.10	40,40,40,40	0
56	MG	1U	208	1/1	0.96	0.11	34,34,34,34	0
56	MG	1A	3501	1/1	0.96	0.06	41,41,41,41	0
56	MG	1A	3156	1/1	0.96	0.19	35,35,35,35	0
56	MG	1V	204	1/1	0.96	0.08	39,39,39,39	0
56	MG	2A	3585	1/1	0.96	0.08	55,55,55,55	0
56	MG	1A	3299	1/1	0.96	0.13	41,41,41,41	0
56	MG	1A	3809	1/1	0.96	0.08	32,32,32,32	0
56	MG	2a	3011	1/1	0.96	0.06	49,49,49,49	0
56	MG	1a	1813	1/1	0.96	0.08	52,52,52,52	0
56	MG	1a	1814	1/1	0.96	0.14	51,51,51,51	0
56	MG	2A	3590	1/1	0.96	0.13	40,40,40,40	0
56	MG	1a	1815	1/1	0.96	0.06	48,48,48,48	0
56	MG	1a	1816	1/1	0.96	0.07	51,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1a	1817	1/1	0.96	0.06	40,40,40,40	0
56	MG	1A	3118	1/1	0.96	0.19	22,22,22,22	0
56	MG	1X	104	1/1	0.96	0.19	34,34,34,34	0
56	MG	2A	3255	1/1	0.96	0.12	60,60,60,60	0
56	MG	1A	3506	1/1	0.96	0.13	33,33,33,33	0
56	MG	2A	3603	1/1	0.96	0.17	47,47,47,47	0
56	MG	1A	3813	1/1	0.96	0.07	35,35,35,35	0
56	MG	1b	301	1/1	0.96	0.05	70,70,70,70	0
56	MG	1Y	201	1/1	0.96	0.10	44,44,44,44	0
56	MG	1A	3508	1/1	0.96	0.06	42,42,42,42	0
56	MG	1e	202	1/1	0.96	0.10	51,51,51,51	0
56	MG	2a	3029	1/1	0.96	0.14	51,51,51,51	0
56	MG	1A	3400	1/1	0.96	0.14	38,38,38,38	0
56	MG	1A	3162	1/1	0.96	0.13	25,25,25,25	0
56	MG	1A	3302	1/1	0.96	0.08	44,44,44,44	0
56	MG	10	102	1/1	0.96	0.06	40,40,40,40	0
56	MG	1A	3222	1/1	0.96	0.11	28,28,28,28	0
56	MG	2a	3035	1/1	0.96	0.11	38,38,38,38	0
56	MG	10	105	1/1	0.96	0.08	45,45,45,45	0
56	MG	2A	3269	1/1	0.96	0.15	48,48,48,48	0
56	MG	1A	4009	1/1	0.96	0.09	50,50,50,50	0
56	MG	1A	3086	1/1	0.96	0.11	22,22,22,22	0
56	MG	11	101	1/1	0.96	0.20	29,29,29,29	0
56	MG	11	102	1/1	0.96	0.06	47,47,47,47	0
56	MG	11	103	1/1	0.96	0.07	43,43,43,43	0
56	MG	1A	3822	1/1	0.96	0.09	20,20,20,20	0
56	MG	2A	3276	1/1	0.96	0.22	50,50,50,50	0
56	MG	2a	3046	1/1	0.96	0.20	55,55,55,55	0
56	MG	12	102	1/1	0.96	0.12	39,39,39,39	0
56	MG	13	103	1/1	0.96	0.08	30,30,30,30	0
56	MG	1A	3646	1/1	0.96	0.05	31,31,31,31	0
56	MG	1A	3063	1/1	0.96	0.12	46,46,46,46	0
56	MG	2a	3051	1/1	0.96	0.07	52,52,52,52	0
56	MG	2A	3281	1/1	0.96	0.06	36,36,36,36	0
56	MG	13	106	1/1	0.96	0.07	35,35,35,35	0
56	MG	1A	3064	1/1	0.96	0.05	29,29,29,29	0
56	MG	1A	4016	1/1	0.96	0.06	52,52,52,52	0
56	MG	1A	4018	1/1	0.96	0.09	53,53,53,53	0
56	MG	1x	106	1/1	0.96	0.23	52,52,52,52	0
56	MG	1A	3412	1/1	0.96	0.18	38,38,38,38	0
56	MG	18	102	1/1	0.96	0.16	38,38,38,38	0
56	MG	1A	3066	1/1	0.96	0.11	29,29,29,29	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1x	111	1/1	0.96	0.06	36,36,36,36	0
56	MG	1A	4021	1/1	0.96	0.06	36,36,36,36	0
56	MG	1A	3091	1/1	0.96	0.11	32,32,32,32	0
56	MG	1x	114	1/1	0.96	0.13	60,60,60,60	0
56	MG	19	101	1/1	0.96	0.07	41,41,41,41	0
56	MG	1A	3230	1/1	0.96	0.09	44,44,44,44	0
56	MG	1A	3663	1/1	0.96	0.05	16,16,16,16	0
56	MG	1A	3836	1/1	0.96	0.08	19,19,19,19	0
56	MG	1A	3838	1/1	0.96	0.08	43,43,43,43	0
56	MG	2a	3072	1/1	0.96	0.13	42,42,42,42	0
56	MG	2A	3002	1/1	0.96	0.27	45,45,45,45	0
56	MG	1A	3839	1/1	0.96	0.05	17,17,17,17	0
56	MG	1A	3318	1/1	0.96	0.15	38,38,38,38	0
56	MG	2A	3303	1/1	0.96	0.13	46,46,46,46	0
56	MG	2A	3006	1/1	0.96	0.20	50,50,50,50	0
56	MG	1A	3419	1/1	0.96	0.08	36,36,36,36	0
56	MG	1A	3668	1/1	0.96	0.05	36,36,36,36	0
56	MG	1A	3094	1/1	0.96	0.06	18,18,18,18	0
56	MG	1A	3173	1/1	0.96	0.08	49,49,49,49	0
56	MG	2A	3662	1/1	0.96	0.10	43,43,43,43	0
56	MG	2A	3011	1/1	0.96	0.08	48,48,48,48	0
56	MG	1a	1612	1/1	0.96	0.06	57,57,57,57	0
56	MG	2A	3312	1/1	0.96	0.08	53,53,53,53	0
56	MG	1A	3849	1/1	0.96	0.05	40,40,40,40	0
56	MG	2A	3014	1/1	0.96	0.12	49,49,49,49	0
56	MG	1a	1614	1/1	0.96	0.07	55,55,55,55	0
56	MG	2A	3317	1/1	0.96	0.09	40,40,40,40	0
56	MG	1A	3528	1/1	0.96	0.19	41,41,41,41	0
56	MG	2A	3671	1/1	0.96	0.10	49,49,49,49	0
56	MG	2A	3673	1/1	0.96	0.08	48,48,48,48	0
56	MG	2A	3674	1/1	0.96	0.10	34,34,34,34	0
56	MG	1a	1616	1/1	0.96	0.08	46,46,46,46	0
56	MG	2A	3676	1/1	0.96	0.07	45,45,45,45	0
56	MG	2A	3677	1/1	0.96	0.07	44,44,44,44	0
56	MG	2A	3320	1/1	0.96	0.10	39,39,39,39	0
56	MG	2A	3021	1/1	0.96	0.06	37,37,37,37	0
56	MG	1a	1620	1/1	0.96	0.06	44,44,44,44	0
56	MG	1A	3852	1/1	0.96	0.09	45,45,45,45	0
56	MG	1A	4041	1/1	0.96	0.09	40,40,40,40	0
56	MG	2A	3025	1/1	0.96	0.20	44,44,44,44	0
56	MG	1A	3027	1/1	0.96	0.10	65,65,65,65	0
56	MG	2A	3028	1/1	0.96	0.20	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3325	1/1	0.96	0.07	42,42,42,42	0
56	MG	1A	3674	1/1	0.96	0.10	52,52,52,52	0
56	MG	2a	3107	1/1	0.96	0.06	61,61,61,61	0
56	MG	1A	3531	1/1	0.96	0.08	25,25,25,25	0
56	MG	1A	3236	1/1	0.96	0.06	40,40,40,40	0
56	MG	1A	3129	1/1	0.96	0.24	32,32,32,32	0
56	MG	1A	3680	1/1	0.96	0.08	37,37,37,37	0
56	MG	2A	3334	1/1	0.96	0.07	53,53,53,53	0
56	MG	2A	3335	1/1	0.96	0.13	43,43,43,43	0
56	MG	1A	3681	1/1	0.96	0.07	41,41,41,41	0
56	MG	2A	3338	1/1	0.96	0.12	46,46,46,46	0
56	MG	2a	3116	1/1	0.96	0.15	48,48,48,48	0
56	MG	2A	3037	1/1	0.96	0.06	37,37,37,37	0
56	MG	1A	3864	1/1	0.96	0.05	40,40,40,40	0
56	MG	1A	3535	1/1	0.96	0.14	50,50,50,50	0
56	MG	1A	3537	1/1	0.96	0.06	36,36,36,36	0
56	MG	1A	3239	1/1	0.96	0.08	39,39,39,39	0
56	MG	1A	3689	1/1	0.96	0.07	39,39,39,39	0
56	MG	1A	3178	1/1	0.96	0.34	28,28,28,28	0
56	MG	1A	3330	1/1	0.96	0.05	28,28,28,28	0
56	MG	1A	4062	1/1	0.96	0.06	36,36,36,36	0
56	MG	2A	3709	1/1	0.96	0.08	59,59,59,59	0
56	MG	2A	3046	1/1	0.96	0.10	49,49,49,49	0
56	MG	2a	3129	1/1	0.96	0.22	46,46,46,46	0
56	MG	1A	4063	1/1	0.96	0.05	34,34,34,34	0
56	MG	2a	3131	1/1	0.96	0.25	58,58,58,58	0
56	MG	2A	3048	1/1	0.96	0.08	41,41,41,41	0
56	MG	2A	3049	1/1	0.96	0.07	20,20,20,20	0
56	MG	2A	3714	1/1	0.96	0.09	50,50,50,50	0
56	MG	1A	3057	1/1	0.96	0.12	19,19,19,19	0
56	MG	2a	3136	1/1	0.96	0.07	60,60,60,60	0
56	MG	2A	3716	1/1	0.96	0.07	37,37,37,37	0
56	MG	2A	3718	1/1	0.96	0.10	43,43,43,43	0
56	MG	1a	1645	1/1	0.96	0.07	55,55,55,55	0
56	MG	1A	4065	1/1	0.96	0.09	22,22,22,22	0
56	MG	2A	3358	1/1	0.96	0.21	42,42,42,42	0
56	MG	1a	1649	1/1	0.96	0.14	49,49,49,49	0
56	MG	1A	3874	1/1	0.96	0.06	32,32,32,32	0
56	MG	1a	1651	1/1	0.96	0.13	49,49,49,49	0
56	MG	2A	3057	1/1	0.96	0.13	38,38,38,38	0
56	MG	2a	3150	1/1	0.96	0.11	38,38,38,38	0
56	MG	2a	3152	1/1	0.96	0.10	46,46,46,46	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1a	1655	1/1	0.96	0.12	50,50,50,50	0
56	MG	1A	4067	1/1	0.96	0.25	45,45,45,45	0
56	MG	2a	3156	1/1	0.96	0.08	58,58,58,58	0
56	MG	1A	3335	1/1	0.96	0.08	45,45,45,45	0
56	MG	1A	3070	1/1	0.96	0.06	12,12,12,12	0
56	MG	2a	3161	1/1	0.96	0.12	60,60,60,60	0
56	MG	1A	3433	1/1	0.96	0.05	47,47,47,47	0
56	MG	1A	3878	1/1	0.96	0.08	41,41,41,41	0
56	MG	2A	3064	1/1	0.96	0.15	58,58,58,58	0
56	MG	1A	3071	1/1	0.96	0.07	18,18,18,18	0
56	MG	2A	3373	1/1	0.96	0.07	41,41,41,41	0
56	MG	2A	3066	1/1	0.96	0.20	47,47,47,47	0
56	MG	2a	3168	1/1	0.96	0.07	62,62,62,62	0
56	MG	1A	3339	1/1	0.96	0.09	31,31,31,31	0
56	MG	1A	3551	1/1	0.96	0.18	36,36,36,36	0
56	MG	2A	3377	1/1	0.96	0.17	57,57,57,57	0
56	MG	2a	3173	1/1	0.96	0.10	45,45,45,45	0
56	MG	1A	3552	1/1	0.96	0.15	37,37,37,37	0
56	MG	1A	3708	1/1	0.96	0.06	15,15,15,15	0
56	MG	1A	3102	1/1	0.96	0.10	41,41,41,41	0
56	MG	2A	3382	1/1	0.96	0.23	42,42,42,42	0
56	MG	1A	3079	1/1	0.96	0.10	26,26,26,26	0
56	MG	1A	4084	1/1	0.96	0.07	44,44,44,44	0
56	MG	2a	3181	1/1	0.96	0.22	52,52,52,52	0
56	MG	2a	3182	1/1	0.96	0.16	47,47,47,47	0
56	MG	1A	4087	1/1	0.96	0.08	28,28,28,28	0
56	MG	2A	3080	1/1	0.96	0.08	41,41,41,41	0
56	MG	1A	3888	1/1	0.96	0.10	23,23,23,23	0
56	MG	2A	3388	1/1	0.96	0.20	41,41,41,41	0
56	MG	1A	3342	1/1	0.96	0.22	49,49,49,49	0
56	MG	1A	3344	1/1	0.96	0.09	35,35,35,35	0
56	MG	1A	3720	1/1	0.96	0.06	33,33,33,33	0
56	MG	2A	3085	1/1	0.96	0.07	37,37,37,37	0
56	MG	1A	3896	1/1	0.96	0.05	33,33,33,33	0
56	MG	2a	3193	1/1	0.96	0.06	53,53,53,53	0
56	MG	1A	4096	1/1	0.96	0.08	46,46,46,46	0
56	MG	2a	3195	1/1	0.96	0.07	62,62,62,62	0
56	MG	1a	1679	1/1	0.96	0.06	46,46,46,46	0
56	MG	1A	3559	1/1	0.96	0.18	36,36,36,36	0
56	MG	1A	4098	1/1	0.96	0.07	29,29,29,29	0
56	MG	2A	3764	1/1	0.96	0.06	48,48,48,48	0
56	MG	2a	3201	1/1	0.96	0.12	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2a	3202	1/1	0.96	0.05	41,41,41,41	0
56	MG	1A	3253	1/1	0.96	0.07	43,43,43,43	0
56	MG	2a	3205	1/1	0.96	0.15	51,51,51,51	0
56	MG	1A	3723	1/1	0.96	0.08	21,21,21,21	0
56	MG	1A	3139	1/1	0.96	0.26	25,25,25,25	0
56	MG	2A	3402	1/1	0.96	0.10	38,38,38,38	0
56	MG	1a	1685	1/1	0.96	0.19	47,47,47,47	0
56	MG	1A	3727	1/1	0.96	0.07	28,28,28,28	0
56	MG	2A	3405	1/1	0.96	0.10	48,48,48,48	0
56	MG	1a	1687	1/1	0.96	0.11	32,32,32,32	0
56	MG	1a	1688	1/1	0.96	0.15	53,53,53,53	0
56	MG	1A	4104	1/1	0.96	0.05	46,46,46,46	0
56	MG	1a	1690	1/1	0.96	0.09	58,58,58,58	0
56	MG	2A	3410	1/1	0.96	0.09	60,60,60,60	0
56	MG	1A	3010	1/1	0.96	0.10	32,32,32,32	0
56	MG	1A	3142	1/1	0.96	0.07	33,33,33,33	0
56	MG	1A	3052	1/1	0.96	0.07	42,42,42,42	0
56	MG	1a	1694	1/1	0.96	0.13	43,43,43,43	0
56	MG	1A	3193	1/1	0.96	0.14	29,29,29,29	0
56	MG	1A	3263	1/1	0.96	0.06	36,36,36,36	0
56	MG	2A	3786	1/1	0.96	0.17	56,56,56,56	0
56	MG	1a	1697	1/1	0.96	0.11	36,36,36,36	0
56	MG	1B	204	1/1	0.96	0.13	39,39,39,39	0
56	MG	1A	3355	1/1	0.96	0.09	49,49,49,49	0
56	MG	1A	3356	1/1	0.96	0.14	27,27,27,27	0
56	MG	2A	3422	1/1	0.96	0.16	46,46,46,46	0
56	MG	2A	3794	1/1	0.96	0.04	46,46,46,46	0
56	MG	1A	3358	1/1	0.96	0.04	45,45,45,45	0
56	MG	2A	3797	1/1	0.96	0.05	52,52,52,52	0
56	MG	1B	209	1/1	0.96	0.13	31,31,31,31	0
56	MG	2A	3799	1/1	0.96	0.13	68,68,68,68	0
56	MG	1A	3194	1/1	0.96	0.15	27,27,27,27	0
56	MG	1A	3457	1/1	0.96	0.11	39,39,39,39	0
56	MG	2A	3427	1/1	0.96	0.17	36,36,36,36	0
56	MG	1A	3917	1/1	0.96	0.08	36,36,36,36	0
56	MG	2A	3429	1/1	0.96	0.17	30,30,30,30	0
56	MG	1A	3361	1/1	0.96	0.21	26,26,26,26	0
56	MG	1A	3363	1/1	0.96	0.11	23,23,23,23	0
56	MG	1B	215	1/1	0.96	0.06	46,46,46,46	0
56	MG	1A	3578	1/1	0.96	0.17	31,31,31,31	0
56	MG	2A	3129	1/1	0.96	0.11	46,46,46,46	0
56	MG	2A	3130	1/1	0.96	0.09	36,36,36,36	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3436	1/1	0.96	0.13	47,47,47,47	0
56	MG	2q	201	1/1	0.96	0.08	58,58,58,58	0
56	MG	2A	3814	1/1	0.96	0.08	56,56,56,56	0
56	MG	1A	3744	1/1	0.96	0.05	32,32,32,32	0
56	MG	1a	1714	1/1	0.96	0.27	52,52,52,52	0
56	MG	1B	219	1/1	0.96	0.07	31,31,31,31	0
56	MG	2A	3134	1/1	0.96	0.14	41,41,41,41	0
56	MG	2A	3442	1/1	0.96	0.14	46,46,46,46	0
56	MG	1A	3579	1/1	0.96	0.10	33,33,33,33	0
56	MG	2A	3445	1/1	0.96	0.16	46,46,46,46	0
56	MG	1A	3746	1/1	0.96	0.07	13,13,13,13	0
56	MG	1a	1718	1/1	0.96	0.13	56,56,56,56	0
56	MG	2w	105	1/1	0.96	0.13	67,67,67,67	0
56	MG	1a	1719	1/1	0.96	0.13	41,41,41,41	0
56	MG	2A	3142	1/1	0.96	0.16	38,38,38,38	0
56	MG	2x	101	1/1	0.96	0.15	66,66,66,66	0
56	MG	1A	3463	1/1	0.96	0.25	43,43,43,43	0
56	MG	2A	3452	1/1	0.96	0.09	32,32,32,32	0
56	MG	2A	3834	1/1	0.96	0.07	38,38,38,38	0
56	MG	1A	3109	1/1	0.96	0.19	28,28,28,28	0
56	MG	2A	3841	1/1	0.96	0.09	65,65,65,65	0
56	MG	1A	3751	1/1	0.96	0.06	42,42,42,42	0
56	MG	2A	3149	1/1	0.96	0.11	40,40,40,40	0
56	MG	2A	3844	1/1	0.96	0.10	47,47,47,47	0
56	MG	1a	1723	1/1	0.96	0.28	44,44,44,44	0
57	TYK	2A	3879	64/64	0.96	0.09	26,33,41,50	0
56	MG	1A	3366	1/1	0.96	0.06	38,38,38,38	0
56	MG	1A	3934	1/1	0.96	0.22	22,22,22,22	0
56	MG	2A	3459	1/1	0.96	0.24	43,43,43,43	0
56	MG	1A	3693	1/1	0.97	0.05	18,18,18,18	0
56	MG	2A	3578	1/1	0.97	0.04	33,33,33,33	0
56	MG	1A	4074	1/1	0.97	0.10	42,42,42,42	0
56	MG	1A	3141	1/1	0.97	0.11	30,30,30,30	0
56	MG	1A	3074	1/1	0.97	0.09	36,36,36,36	0
56	MG	1A	3108	1/1	0.97	0.20	44,44,44,44	0
56	MG	1A	3075	1/1	0.97	0.05	22,22,22,22	0
56	MG	2E	310	1/1	0.97	0.09	47,47,47,47	0
56	MG	1A	3195	1/1	0.97	0.19	27,27,27,27	0
56	MG	1A	3881	1/1	0.97	0.07	50,50,50,50	0
56	MG	1a	1638	1/1	0.97	0.22	38,38,38,38	0
56	MG	2F	305	1/1	0.97	0.10	37,37,37,37	0
56	MG	2A	3019	1/1	0.97	0.07	28,28,28,28	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	4082	1/1	0.97	0.07	36,36,36,36	0
56	MG	1A	3439	1/1	0.97	0.06	39,39,39,39	0
56	MG	2A	3593	1/1	0.97	0.12	34,34,34,34	0
56	MG	2A	3594	1/1	0.97	0.12	39,39,39,39	0
56	MG	1A	3343	1/1	0.97	0.09	35,35,35,35	0
56	MG	1a	1642	1/1	0.97	0.16	42,42,42,42	0
56	MG	1A	4086	1/1	0.97	0.04	43,43,43,43	0
56	MG	1A	3441	1/1	0.97	0.13	39,39,39,39	0
56	MG	1A	3557	1/1	0.97	0.11	17,17,17,17	0
56	MG	2A	3602	1/1	0.97	0.06	41,41,41,41	0
56	MG	2A	3027	1/1	0.97	0.06	35,35,35,35	0
56	MG	1A	3709	1/1	0.97	0.05	24,24,24,24	0
56	MG	1a	1647	1/1	0.97	0.08	40,40,40,40	0
56	MG	2T	203	1/1	0.97	0.12	39,39,39,39	0
56	MG	1a	1648	1/1	0.97	0.07	45,45,45,45	0
56	MG	1A	4091	1/1	0.97	0.10	37,37,37,37	0
56	MG	2V	202	1/1	0.97	0.08	49,49,49,49	0
56	MG	2A	3609	1/1	0.97	0.14	56,56,56,56	0
56	MG	1A	4092	1/1	0.97	0.05	35,35,35,35	0
56	MG	1A	3111	1/1	0.97	0.04	21,21,21,21	0
56	MG	1a	1653	1/1	0.97	0.11	45,45,45,45	0
56	MG	2A	3307	1/1	0.97	0.07	31,31,31,31	0
56	MG	1A	3711	1/1	0.97	0.09	45,45,45,45	0
56	MG	1A	3891	1/1	0.97	0.06	59,59,59,59	0
56	MG	1A	3258	1/1	0.97	0.07	49,49,49,49	0
56	MG	1A	3894	1/1	0.97	0.06	35,35,35,35	0
56	MG	1A	3346	1/1	0.97	0.13	36,36,36,36	0
56	MG	1A	4099	1/1	0.97	0.08	35,35,35,35	0
56	MG	2A	3314	1/1	0.97	0.04	53,53,53,53	0
56	MG	1A	3260	1/1	0.97	0.06	51,51,51,51	0
56	MG	1A	3197	1/1	0.97	0.23	29,29,29,29	0
56	MG	1A	3078	1/1	0.97	0.15	27,27,27,27	0
56	MG	1A	3564	1/1	0.97	0.12	40,40,40,40	0
56	MG	1A	3030	1/1	0.97	0.15	33,33,33,33	0
56	MG	1A	3724	1/1	0.97	0.05	49,49,49,49	0
56	MG	1A	3032	1/1	0.97	0.19	20,20,20,20	0
56	MG	1a	1668	1/1	0.97	0.09	44,44,44,44	0
56	MG	1A	3567	1/1	0.97	0.06	32,32,32,32	0
56	MG	1A	3019	1/1	0.97	0.21	43,43,43,43	0
56	MG	1A	3354	1/1	0.97	0.07	38,38,38,38	0
56	MG	1A	3453	1/1	0.97	0.16	35,35,35,35	0
56	MG	29	101	1/1	0.97	0.09	59,59,59,59	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1a	1673	1/1	0.97	0.04	34,34,34,34	0
56	MG	1A	3266	1/1	0.97	0.04	31,31,31,31	0
56	MG	2A	3637	1/1	0.97	0.13	53,53,53,53	0
56	MG	1a	1675	1/1	0.97	0.07	56,56,56,56	0
56	MG	2A	3639	1/1	0.97	0.06	36,36,36,36	0
56	MG	1A	3572	1/1	0.97	0.12	22,22,22,22	0
56	MG	1A	3035	1/1	0.97	0.07	38,38,38,38	0
56	MG	1A	3357	1/1	0.97	0.12	28,28,28,28	0
56	MG	1A	3458	1/1	0.97	0.13	33,33,33,33	0
56	MG	1A	3916	1/1	0.97	0.07	37,37,37,37	0
56	MG	1A	3459	1/1	0.97	0.09	40,40,40,40	0
56	MG	1A	3919	1/1	0.97	0.09	17,17,17,17	0
56	MG	1A	3739	1/1	0.97	0.07	34,34,34,34	0
56	MG	2A	3340	1/1	0.97	0.06	56,56,56,56	0
56	MG	2a	3015	1/1	0.97	0.13	51,51,51,51	0
56	MG	1A	3460	1/1	0.97	0.13	32,32,32,32	0
56	MG	2A	3067	1/1	0.97	0.10	40,40,40,40	0
56	MG	1A	3157	1/1	0.97	0.10	33,33,33,33	0
56	MG	2A	3653	1/1	0.97	0.08	38,38,38,38	0
56	MG	1A	3159	1/1	0.97	0.06	28,28,28,28	0
56	MG	1A	3360	1/1	0.97	0.12	40,40,40,40	0
56	MG	1A	3582	1/1	0.97	0.10	42,42,42,42	0
56	MG	1A	3927	1/1	0.97	0.08	46,46,46,46	0
56	MG	1A	3464	1/1	0.97	0.19	27,27,27,27	0
56	MG	2A	3077	1/1	0.97	0.09	26,26,26,26	0
56	MG	1A	3020	1/1	0.97	0.04	30,30,30,30	0
56	MG	1A	3466	1/1	0.97	0.10	25,25,25,25	0
56	MG	1B	225	1/1	0.97	0.07	52,52,52,52	0
56	MG	1A	3932	1/1	0.97	0.07	34,34,34,34	0
56	MG	1B	227	1/1	0.97	0.04	39,39,39,39	0
56	MG	1A	3748	1/1	0.97	0.12	22,22,22,22	0
56	MG	1A	3588	1/1	0.97	0.07	49,49,49,49	0
56	MG	1A	3750	1/1	0.97	0.12	34,34,34,34	0
56	MG	2A	3359	1/1	0.97	0.05	38,38,38,38	0
56	MG	1a	1699	1/1	0.97	0.16	35,35,35,35	0
56	MG	1A	3362	1/1	0.97	0.16	34,34,34,34	0
56	MG	1A	3085	1/1	0.97	0.12	30,30,30,30	0
56	MG	1A	3593	1/1	0.97	0.09	32,32,32,32	0
56	MG	1B	234	1/1	0.97	0.05	33,33,33,33	0
56	MG	1A	3209	1/1	0.97	0.08	19,19,19,19	0
56	MG	1D	303	1/1	0.97	0.09	10,10,10,10	0
56	MG	2A	3094	1/1	0.97	0.05	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3678	1/1	0.97	0.13	50,50,50,50	0
56	MG	1a	1706	1/1	0.97	0.26	48,48,48,48	0
56	MG	2a	3045	1/1	0.97	0.05	46,46,46,46	0
56	MG	1D	304	1/1	0.97	0.05	28,28,28,28	0
56	MG	2A	3681	1/1	0.97	0.13	46,46,46,46	0
56	MG	2A	3370	1/1	0.97	0.09	50,50,50,50	0
56	MG	1A	3210	1/1	0.97	0.09	28,28,28,28	0
56	MG	1A	3211	1/1	0.97	0.10	40,40,40,40	0
56	MG	1A	3758	1/1	0.97	0.05	46,46,46,46	0
56	MG	1A	3277	1/1	0.97	0.05	28,28,28,28	0
56	MG	1A	3278	1/1	0.97	0.04	28,28,28,28	0
56	MG	1A	3059	1/1	0.97	0.09	40,40,40,40	0
56	MG	1A	3765	1/1	0.97	0.08	43,43,43,43	0
56	MG	2A	3105	1/1	0.97	0.06	48,48,48,48	0
56	MG	2A	3691	1/1	0.97	0.07	46,46,46,46	0
56	MG	2A	3106	1/1	0.97	0.05	39,39,39,39	0
56	MG	2A	3107	1/1	0.97	0.05	33,33,33,33	0
56	MG	1E	305	1/1	0.97	0.07	35,35,35,35	0
56	MG	1A	3600	1/1	0.97	0.07	33,33,33,33	0
56	MG	1A	3122	1/1	0.97	0.14	38,38,38,38	0
56	MG	1A	3372	1/1	0.97	0.11	47,47,47,47	0
56	MG	1A	3604	1/1	0.97	0.09	30,30,30,30	0
56	MG	1A	3281	1/1	0.97	0.09	49,49,49,49	0
56	MG	2a	3066	1/1	0.97	0.07	38,38,38,38	0
56	MG	1A	3282	1/1	0.97	0.12	36,36,36,36	0
56	MG	2A	3701	1/1	0.97	0.05	54,54,54,54	0
56	MG	1F	302	1/1	0.97	0.09	33,33,33,33	0
56	MG	1a	1724	1/1	0.97	0.14	31,31,31,31	0
56	MG	1A	3772	1/1	0.97	0.08	32,32,32,32	0
56	MG	1F	304	1/1	0.97	0.15	25,25,25,25	0
56	MG	2A	3120	1/1	0.97	0.07	41,41,41,41	0
56	MG	1A	3283	1/1	0.97	0.10	34,34,34,34	0
56	MG	2A	3122	1/1	0.97	0.10	51,51,51,51	0
56	MG	1a	1728	1/1	0.97	0.13	35,35,35,35	0
56	MG	2A	3124	1/1	0.97	0.14	50,50,50,50	0
56	MG	1A	3483	1/1	0.97	0.12	34,34,34,34	0
56	MG	1A	3284	1/1	0.97	0.15	27,27,27,27	0
56	MG	1A	3215	1/1	0.97	0.07	30,30,30,30	0
56	MG	1A	3966	1/1	0.97	0.04	23,23,23,23	0
56	MG	1A	3216	1/1	0.97	0.11	36,36,36,36	0
56	MG	1A	3003	1/1	0.97	0.04	22,22,22,22	0
56	MG	1a	1736	1/1	0.97	0.25	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3779	1/1	0.97	0.04	47,47,47,47	0
56	MG	1A	3219	1/1	0.97	0.06	35,35,35,35	0
56	MG	1A	3167	1/1	0.97	0.07	36,36,36,36	0
56	MG	2A	3722	1/1	0.97	0.11	50,50,50,50	0
56	MG	1A	3782	1/1	0.97	0.08	33,33,33,33	0
56	MG	1N	203	1/1	0.97	0.13	45,45,45,45	0
56	MG	1A	3975	1/1	0.97	0.06	45,45,45,45	0
56	MG	2A	3139	1/1	0.97	0.08	46,46,46,46	0
56	MG	1A	3385	1/1	0.97	0.10	34,34,34,34	0
56	MG	2A	3730	1/1	0.97	0.07	35,35,35,35	0
56	MG	1a	1747	1/1	0.97	0.09	58,58,58,58	0
56	MG	2A	3144	1/1	0.97	0.07	33,33,33,33	0
56	MG	1A	3978	1/1	0.97	0.07	42,42,42,42	0
56	MG	2A	3734	1/1	0.97	0.05	38,38,38,38	0
56	MG	1O	202	1/1	0.97	0.14	49,49,49,49	0
56	MG	1a	1750	1/1	0.97	0.11	25,25,25,25	0
56	MG	1a	1751	1/1	0.97	0.10	34,34,34,34	0
56	MG	1A	3011	1/1	0.97	0.09	31,31,31,31	0
56	MG	1O	204	1/1	0.97	0.07	48,48,48,48	0
56	MG	1A	3294	1/1	0.97	0.23	27,27,27,27	0
56	MG	1A	3298	1/1	0.97	0.07	38,38,38,38	0
56	MG	1P	202	1/1	0.97	0.12	23,23,23,23	0
56	MG	1A	3169	1/1	0.97	0.09	26,26,26,26	0
56	MG	1A	3790	1/1	0.97	0.08	39,39,39,39	0
56	MG	1A	3390	1/1	0.97	0.14	36,36,36,36	0
56	MG	1A	3391	1/1	0.97	0.08	47,47,47,47	0
56	MG	1A	3015	1/1	0.97	0.21	32,32,32,32	0
56	MG	1A	3987	1/1	0.97	0.05	34,34,34,34	0
56	MG	1A	3126	1/1	0.97	0.23	28,28,28,28	0
56	MG	1A	3502	1/1	0.97	0.05	26,26,26,26	0
56	MG	1A	3043	1/1	0.97	0.16	27,27,27,27	0
56	MG	1R	206	1/1	0.97	0.10	29,29,29,29	0
56	MG	1A	3303	1/1	0.97	0.08	35,35,35,35	0
56	MG	1A	3092	1/1	0.97	0.12	28,28,28,28	0
56	MG	1a	1771	1/1	0.97	0.09	48,48,48,48	0
56	MG	1A	3632	1/1	0.97	0.09	38,38,38,38	0
56	MG	1A	3996	1/1	0.97	0.06	40,40,40,40	0
56	MG	1A	3801	1/1	0.97	0.13	23,23,23,23	0
56	MG	2A	3174	1/1	0.97	0.12	36,36,36,36	0
56	MG	1A	3802	1/1	0.97	0.07	20,20,20,20	0
56	MG	1U	201	1/1	0.97	0.07	26,26,26,26	0
56	MG	2A	3447	1/1	0.97	0.15	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3065	1/1	0.97	0.13	41,41,41,41	0
56	MG	1A	3634	1/1	0.97	0.07	29,29,29,29	0
56	MG	1A	3308	1/1	0.97	0.05	36,36,36,36	0
56	MG	2A	3181	1/1	0.97	0.04	36,36,36,36	0
56	MG	1A	3806	1/1	0.97	0.09	20,20,20,20	0
56	MG	2A	3183	1/1	0.97	0.15	48,48,48,48	0
56	MG	2A	3184	1/1	0.97	0.06	37,37,37,37	0
56	MG	1A	3808	1/1	0.97	0.08	51,51,51,51	0
56	MG	1A	3046	1/1	0.97	0.08	33,33,33,33	0
56	MG	1A	3638	1/1	0.97	0.07	17,17,17,17	0
56	MG	2A	3775	1/1	0.97	0.18	55,55,55,55	0
56	MG	1U	212	1/1	0.97	0.07	36,36,36,36	0
56	MG	2a	3142	1/1	0.97	0.08	50,50,50,50	0
56	MG	1V	201	1/1	0.97	0.34	25,25,25,25	0
56	MG	1A	4006	1/1	0.97	0.04	43,43,43,43	0
56	MG	1V	206	1/1	0.97	0.07	39,39,39,39	0
56	MG	1W	201	1/1	0.97	0.07	33,33,33,33	0
56	MG	1A	3510	1/1	0.97	0.10	33,33,33,33	0
56	MG	2a	3149	1/1	0.97	0.09	42,42,42,42	0
56	MG	1W	203	1/1	0.97	0.14	44,44,44,44	0
56	MG	2A	3465	1/1	0.97	0.06	56,56,56,56	0
56	MG	1A	3311	1/1	0.97	0.17	33,33,33,33	0
56	MG	1W	206	1/1	0.97	0.07	34,34,34,34	0
56	MG	2a	3155	1/1	0.97	0.09	67,67,67,67	0
56	MG	2A	3199	1/1	0.97	0.11	45,45,45,45	0
56	MG	2A	3788	1/1	0.97	0.05	33,33,33,33	0
56	MG	1A	3403	1/1	0.97	0.27	44,44,44,44	0
56	MG	2a	3159	1/1	0.97	0.10	39,39,39,39	0
56	MG	1X	101	1/1	0.97	0.23	25,25,25,25	0
56	MG	1X	102	1/1	0.97	0.13	28,28,28,28	0
56	MG	2A	3792	1/1	0.97	0.07	46,46,46,46	0
56	MG	1A	3180	1/1	0.97	0.10	23,23,23,23	0
56	MG	1A	3643	1/1	0.97	0.10	37,37,37,37	0
56	MG	2A	3795	1/1	0.97	0.12	42,42,42,42	0
56	MG	1a	1798	1/1	0.97	0.06	42,42,42,42	0
56	MG	1A	3514	1/1	0.97	0.10	22,22,22,22	0
56	MG	1A	3645	1/1	0.97	0.08	12,12,12,12	0
56	MG	2A	3480	1/1	0.97	0.17	28,28,28,28	0
56	MG	2A	3481	1/1	0.97	0.13	35,35,35,35	0
56	MG	1A	3515	1/1	0.97	0.10	31,31,31,31	0
56	MG	1A	3313	1/1	0.97	0.17	22,22,22,22	0
56	MG	2a	3175	1/1	0.97	0.10	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3210	1/1	0.97	0.09	40,40,40,40	0
56	MG	1A	4017	1/1	0.97	0.05	49,49,49,49	0
56	MG	1A	3649	1/1	0.97	0.12	27,27,27,27	0
56	MG	2A	3806	1/1	0.97	0.14	64,64,64,64	0
56	MG	10	101	1/1	0.97	0.15	43,43,43,43	0
56	MG	2A	3488	1/1	0.97	0.09	40,40,40,40	0
56	MG	1a	1807	1/1	0.97	0.09	36,36,36,36	0
56	MG	2a	3183	1/1	0.97	0.08	40,40,40,40	0
56	MG	1A	3408	1/1	0.97	0.30	32,32,32,32	0
56	MG	10	103	1/1	0.97	0.13	32,32,32,32	0
56	MG	2A	3812	1/1	0.97	0.07	63,63,63,63	0
56	MG	1A	3826	1/1	0.97	0.07	41,41,41,41	0
56	MG	1A	3652	1/1	0.97	0.04	20,20,20,20	0
56	MG	1A	3233	1/1	0.97	0.15	31,31,31,31	0
56	MG	1A	3182	1/1	0.97	0.10	17,17,17,17	0
56	MG	2A	3817	1/1	0.97	0.07	53,53,53,53	0
56	MG	1A	3655	1/1	0.97	0.06	45,45,45,45	0
56	MG	2A	3498	1/1	0.97	0.11	38,38,38,38	0
56	MG	2A	3820	1/1	0.97	0.09	49,49,49,49	0
56	MG	1A	3411	1/1	0.97	0.08	45,45,45,45	0
56	MG	1A	3316	1/1	0.97	0.09	23,23,23,23	0
56	MG	1a	1819	1/1	0.97	0.17	43,43,43,43	0
56	MG	1a	1820	1/1	0.97	0.13	27,27,27,27	0
56	MG	1A	3662	1/1	0.97	0.08	24,24,24,24	0
56	MG	2a	3200	1/1	0.97	0.09	63,63,63,63	0
56	MG	2A	3827	1/1	0.97	0.08	35,35,35,35	0
56	MG	2A	3828	1/1	0.97	0.05	32,32,32,32	0
56	MG	2A	3829	1/1	0.97	0.08	43,43,43,43	0
56	MG	1A	3837	1/1	0.97	0.09	24,24,24,24	0
56	MG	1A	3235	1/1	0.97	0.16	25,25,25,25	0
56	MG	1A	3048	1/1	0.97	0.07	22,22,22,22	0
56	MG	2A	3507	1/1	0.97	0.09	47,47,47,47	0
56	MG	1A	3665	1/1	0.97	0.12	23,23,23,23	0
56	MG	2A	3837	1/1	0.97	0.08	50,50,50,50	0
56	MG	1b	302	1/1	0.97	0.12	58,58,58,58	0
56	MG	1A	3666	1/1	0.97	0.08	13,13,13,13	0
56	MG	15	101	1/1	0.97	0.18	29,29,29,29	0
56	MG	2A	3234	1/1	0.97	0.11	35,35,35,35	0
56	MG	2A	3235	1/1	0.97	0.11	42,42,42,42	0
56	MG	1A	4034	1/1	0.97	0.07	19,19,19,19	0
56	MG	15	104	1/1	0.97	0.06	27,27,27,27	0
56	MG	1A	3415	1/1	0.97	0.07	36,36,36,36	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	16	101	1/1	0.97	0.06	37,37,37,37	0
56	MG	2A	3520	1/1	0.97	0.10	21,21,21,21	0
56	MG	1A	4037	1/1	0.97	0.04	32,32,32,32	0
56	MG	16	103	1/1	0.97	0.08	46,46,46,46	0
56	MG	1A	3049	1/1	0.97	0.11	35,35,35,35	0
56	MG	18	101	1/1	0.97	0.08	33,33,33,33	0
56	MG	2A	3855	1/1	0.97	0.07	64,64,64,64	0
56	MG	1A	3320	1/1	0.97	0.12	41,41,41,41	0
56	MG	1A	3848	1/1	0.97	0.04	17,17,17,17	0
56	MG	1A	3322	1/1	0.97	0.05	36,36,36,36	0
56	MG	2A	3530	1/1	0.97	0.07	36,36,36,36	0
56	MG	2A	3247	1/1	0.97	0.12	42,42,42,42	0
56	MG	1A	3850	1/1	0.97	0.28	29,29,29,29	0
56	MG	2A	3534	1/1	0.97	0.10	29,29,29,29	0
56	MG	2A	3864	1/1	0.97	0.10	32,32,32,32	0
56	MG	1A	3238	1/1	0.97	0.05	36,36,36,36	0
56	MG	1A	3136	1/1	0.97	0.04	29,29,29,29	0
56	MG	1A	3240	1/1	0.97	0.17	35,35,35,35	0
56	MG	2f	201	1/1	0.97	0.12	40,40,40,40	0
56	MG	1A	3423	1/1	0.97	0.17	39,39,39,39	0
56	MG	1A	3855	1/1	0.97	0.06	31,31,31,31	0
56	MG	2A	3870	1/1	0.97	0.09	48,48,48,48	0
56	MG	1A	3676	1/1	0.97	0.07	19,19,19,19	0
56	MG	1A	3069	1/1	0.97	0.09	28,28,28,28	0
56	MG	1x	103	1/1	0.97	0.06	58,58,58,58	0
56	MG	1A	3534	1/1	0.97	0.11	29,29,29,29	0
56	MG	1A	4056	1/1	0.97	0.04	36,36,36,36	0
56	MG	1A	3242	1/1	0.97	0.24	24,24,24,24	0
56	MG	1x	107	1/1	0.97	0.09	51,51,51,51	0
56	MG	1A	3017	1/1	0.97	0.09	48,48,48,48	0
56	MG	2A	3548	1/1	0.97	0.07	56,56,56,56	0
56	MG	1A	3245	1/1	0.97	0.17	34,34,34,34	0
56	MG	2A	3551	1/1	0.97	0.06	39,39,39,39	0
56	MG	2A	3263	1/1	0.97	0.08	57,57,57,57	0
56	MG	1A	3682	1/1	0.97	0.04	20,20,20,20	0
56	MG	2B	207	1/1	0.97	0.10	55,55,55,55	0
56	MG	1A	3008	1/1	0.97	0.07	19,19,19,19	0
56	MG	1A	3866	1/1	0.97	0.05	32,32,32,32	0
56	MG	2A	3557	1/1	0.97	0.05	46,46,46,46	0
56	MG	1A	3684	1/1	0.97	0.07	35,35,35,35	0
56	MG	1a	1617	1/1	0.97	0.06	36,36,36,36	0
56	MG	1a	1618	1/1	0.97	0.07	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1a	1619	1/1	0.97	0.07	40,40,40,40	0
56	MG	1y	102	1/1	0.97	0.04	45,45,45,45	0
56	MG	1A	3868	1/1	0.97	0.10	41,41,41,41	0
56	MG	1A	3540	1/1	0.97	0.09	46,46,46,46	0
56	MG	1A	3687	1/1	0.97	0.06	41,41,41,41	0
56	MG	1A	3247	1/1	0.97	0.21	31,31,31,31	0
56	MG	2A	3003	1/1	0.97	0.18	47,47,47,47	0
56	MG	1A	4068	1/1	0.97	0.09	31,31,31,31	0
56	MG	1A	3334	1/1	0.97	0.17	22,22,22,22	0
56	MG	1A	3072	1/1	0.97	0.21	27,27,27,27	0
57	TYK	1A	4107	64/64	0.97	0.08	13,21,29,34	0
56	MG	2D	303	1/1	0.97	0.22	41,41,41,41	0
56	MG	2D	304	1/1	0.97	0.08	28,28,28,28	0
56	MG	1A	3250	1/1	0.97	0.07	48,48,48,48	0
60	K	1x	101	1/1	0.97	0.07	62,62,62,62	0
56	MG	2A	3576	1/1	0.97	0.09	43,43,43,43	0
56	MG	1X	103	1/1	0.98	0.05	42,42,42,42	0
56	MG	1A	3321	1/1	0.98	0.03	25,25,25,25	0
56	MG	1A	3038	1/1	0.98	0.14	28,28,28,28	0
56	MG	2A	3601	1/1	0.98	0.03	29,29,29,29	0
56	MG	1A	3110	1/1	0.98	0.14	24,24,24,24	0
56	MG	1X	107	1/1	0.98	0.12	32,32,32,32	0
56	MG	2A	3396	1/1	0.98	0.04	38,38,38,38	0
56	MG	2A	3605	1/1	0.98	0.09	41,41,41,41	0
56	MG	1A	3824	1/1	0.98	0.04	34,34,34,34	0
56	MG	1A	4090	1/1	0.98	0.04	31,31,31,31	0
56	MG	1Y	203	1/1	0.98	0.17	39,39,39,39	0
56	MG	2a	3068	1/1	0.98	0.04	47,47,47,47	0
56	MG	1A	3028	1/1	0.98	0.16	25,25,25,25	0
56	MG	1A	3217	1/1	0.98	0.17	26,26,26,26	0
56	MG	2A	3034	1/1	0.98	0.07	38,38,38,38	0
56	MG	1A	3828	1/1	0.98	0.07	15,15,15,15	0
56	MG	1A	3612	1/1	0.98	0.28	38,38,38,38	0
56	MG	1A	3716	1/1	0.98	0.04	20,20,20,20	0
56	MG	2A	3615	1/1	0.98	0.07	41,41,41,41	0
56	MG	1A	3456	1/1	0.98	0.05	44,44,44,44	0
56	MG	1a	1731	1/1	0.98	0.10	33,33,33,33	0
56	MG	1A	3832	1/1	0.98	0.04	29,29,29,29	0
56	MG	1A	3718	1/1	0.98	0.04	18,18,18,18	0
56	MG	1A	3719	1/1	0.98	0.04	17,17,17,17	0
56	MG	1A	3961	1/1	0.98	0.05	28,28,28,28	0
56	MG	1A	3962	1/1	0.98	0.06	32,32,32,32	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3174	1/1	0.98	0.10	29,29,29,29	0
56	MG	1A	3965	1/1	0.98	0.09	17,17,17,17	0
56	MG	1A	3029	1/1	0.98	0.08	28,28,28,28	0
56	MG	1A	3056	1/1	0.98	0.09	32,32,32,32	0
56	MG	2A	3835	1/1	0.98	0.11	33,33,33,33	0
56	MG	2A	3417	1/1	0.98	0.09	39,39,39,39	0
56	MG	2A	3838	1/1	0.98	0.15	32,32,32,32	0
56	MG	13	101	1/1	0.98	0.06	25,25,25,25	0
56	MG	2A	3840	1/1	0.98	0.04	37,37,37,37	0
56	MG	13	102	1/1	0.98	0.09	31,31,31,31	0
56	MG	1A	3177	1/1	0.98	0.10	34,34,34,34	0
56	MG	1a	1745	1/1	0.98	0.09	35,35,35,35	0
56	MG	1a	1746	1/1	0.98	0.07	39,39,39,39	0
56	MG	2A	3054	1/1	0.98	0.05	42,42,42,42	0
56	MG	1A	3223	1/1	0.98	0.04	36,36,36,36	0
56	MG	1A	3971	1/1	0.98	0.04	31,31,31,31	0
56	MG	1A	3840	1/1	0.98	0.18	17,17,17,17	0
56	MG	1A	3536	1/1	0.98	0.10	20,20,20,20	0
56	MG	1A	3726	1/1	0.98	0.04	25,25,25,25	0
56	MG	15	103	1/1	0.98	0.17	32,32,32,32	0
56	MG	1A	3394	1/1	0.98	0.06	28,28,28,28	0
56	MG	1A	3016	1/1	0.98	0.16	38,38,38,38	0
56	MG	1A	3333	1/1	0.98	0.06	24,24,24,24	0
56	MG	2A	3644	1/1	0.98	0.14	52,52,52,52	0
56	MG	1A	3847	1/1	0.98	0.10	49,49,49,49	0
56	MG	1A	3179	1/1	0.98	0.14	33,33,33,33	0
56	MG	1A	3013	1/1	0.98	0.13	23,23,23,23	0
56	MG	17	101	1/1	0.98	0.07	25,25,25,25	0
56	MG	2A	3068	1/1	0.98	0.09	28,28,28,28	0
56	MG	1A	3275	1/1	0.98	0.05	28,28,28,28	0
56	MG	2A	3439	1/1	0.98	0.21	45,45,45,45	0
56	MG	1A	3143	1/1	0.98	0.09	17,17,17,17	0
56	MG	1A	3544	1/1	0.98	0.12	41,41,41,41	0
56	MG	2A	3072	1/1	0.98	0.06	41,41,41,41	0
56	MG	1B	216	1/1	0.98	0.11	42,42,42,42	0
56	MG	1A	3736	1/1	0.98	0.06	18,18,18,18	0
56	MG	2A	3075	1/1	0.98	0.12	33,33,33,33	0
56	MG	1A	3629	1/1	0.98	0.10	38,38,38,38	0
56	MG	2A	3872	1/1	0.98	0.10	30,30,30,30	0
56	MG	2a	3122	1/1	0.98	0.12	53,53,53,53	0
56	MG	1A	3228	1/1	0.98	0.11	37,37,37,37	0
56	MG	1A	3073	1/1	0.98	0.05	12,12,12,12	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3857	1/1	0.98	0.04	33,33,33,33	0
56	MG	1A	3547	1/1	0.98	0.06	28,28,28,28	0
56	MG	1A	3404	1/1	0.98	0.24	24,24,24,24	0
56	MG	1A	3992	1/1	0.98	0.04	37,37,37,37	0
56	MG	1A	3993	1/1	0.98	0.06	19,19,19,19	0
56	MG	1A	3145	1/1	0.98	0.06	37,37,37,37	0
56	MG	1A	3406	1/1	0.98	0.11	17,17,17,17	0
56	MG	1A	3093	1/1	0.98	0.08	44,44,44,44	0
56	MG	1A	3475	1/1	0.98	0.11	38,38,38,38	0
56	MG	1A	3147	1/1	0.98	0.19	28,28,28,28	0
56	MG	1A	3555	1/1	0.98	0.14	32,32,32,32	0
56	MG	2A	3672	1/1	0.98	0.04	28,28,28,28	0
56	MG	2a	3137	1/1	0.98	0.08	48,48,48,48	0
56	MG	1A	3044	1/1	0.98	0.10	29,29,29,29	0
56	MG	1A	3149	1/1	0.98	0.06	28,28,28,28	0
56	MG	2A	3092	1/1	0.98	0.12	48,48,48,48	0
56	MG	1A	3060	1/1	0.98	0.08	25,25,25,25	0
56	MG	1B	235	1/1	0.98	0.07	39,39,39,39	0
56	MG	1A	3286	1/1	0.98	0.11	33,33,33,33	0
56	MG	2A	3467	1/1	0.98	0.13	56,56,56,56	0
56	MG	2a	3145	1/1	0.98	0.04	45,45,45,45	0
56	MG	1D	302	1/1	0.98	0.12	23,23,23,23	0
56	MG	1A	3482	1/1	0.98	0.15	24,24,24,24	0
56	MG	2A	3098	1/1	0.98	0.07	47,47,47,47	0
56	MG	1A	3151	1/1	0.98	0.15	20,20,20,20	0
56	MG	1A	3648	1/1	0.98	0.10	30,30,30,30	0
56	MG	2a	3151	1/1	0.98	0.09	44,44,44,44	0
56	MG	1A	3191	1/1	0.98	0.12	28,28,28,28	0
56	MG	1A	3650	1/1	0.98	0.12	54,54,54,54	0
56	MG	2A	3286	1/1	0.98	0.10	46,46,46,46	0
56	MG	1D	309	1/1	0.98	0.25	22,22,22,22	0
56	MG	1A	3289	1/1	0.98	0.07	19,19,19,19	0
56	MG	1A	3486	1/1	0.98	0.10	38,38,38,38	0
56	MG	1A	3077	1/1	0.98	0.12	37,37,37,37	0
56	MG	1E	303	1/1	0.98	0.07	31,31,31,31	0
56	MG	2a	3160	1/1	0.98	0.07	58,58,58,58	0
56	MG	1A	4012	1/1	0.98	0.10	26,26,26,26	0
56	MG	1A	3763	1/1	0.98	0.04	21,21,21,21	0
56	MG	1a	1633	1/1	0.98	0.08	19,19,19,19	0
56	MG	2E	306	1/1	0.98	0.10	40,40,40,40	0
56	MG	1E	306	1/1	0.98	0.07	20,20,20,20	0
56	MG	1A	3097	1/1	0.98	0.10	25,25,25,25	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1a	1636	1/1	0.98	0.17	45,45,45,45	0
56	MG	1A	3418	1/1	0.98	0.04	44,44,44,44	0
56	MG	2F	301	1/1	0.98	0.09	41,41,41,41	0
56	MG	1A	3882	1/1	0.98	0.10	36,36,36,36	0
56	MG	1A	3353	1/1	0.98	0.05	38,38,38,38	0
56	MG	1A	3657	1/1	0.98	0.06	23,23,23,23	0
56	MG	2A	3493	1/1	0.98	0.05	25,25,25,25	0
56	MG	1a	1808	1/1	0.98	0.05	40,40,40,40	0
56	MG	2A	3119	1/1	0.98	0.08	31,31,31,31	0
56	MG	1A	3659	1/1	0.98	0.03	15,15,15,15	0
56	MG	1E	313	1/1	0.98	0.05	23,23,23,23	0
56	MG	1F	301	1/1	0.98	0.09	30,30,30,30	0
56	MG	1A	3660	1/1	0.98	0.05	19,19,19,19	0
56	MG	1A	3099	1/1	0.98	0.09	19,19,19,19	0
56	MG	1A	3293	1/1	0.98	0.22	29,29,29,29	0
56	MG	2Q	201	1/1	0.98	0.05	45,45,45,45	0
56	MG	1F	305	1/1	0.98	0.11	22,22,22,22	0
56	MG	1A	3155	1/1	0.98	0.04	23,23,23,23	0
56	MG	1F	307	1/1	0.98	0.05	39,39,39,39	0
56	MG	1A	3297	1/1	0.98	0.10	32,32,32,32	0
56	MG	1A	3045	1/1	0.98	0.06	22,22,22,22	0
56	MG	1a	1652	1/1	0.98	0.04	45,45,45,45	0
56	MG	1A	3033	1/1	0.98	0.17	18,18,18,18	0
56	MG	1a	1654	1/1	0.98	0.10	47,47,47,47	0
56	MG	1A	3575	1/1	0.98	0.07	17,17,17,17	0
56	MG	1A	3158	1/1	0.98	0.10	25,25,25,25	0
56	MG	2W	201	1/1	0.98	0.27	40,40,40,40	0
56	MG	1A	3025	1/1	0.98	0.07	32,32,32,32	0
56	MG	2A	3724	1/1	0.98	0.05	32,32,32,32	0
56	MG	1A	3081	1/1	0.98	0.12	30,30,30,30	0
56	MG	2A	3138	1/1	0.98	0.21	38,38,38,38	0
56	MG	2A	3727	1/1	0.98	0.05	58,58,58,58	0
56	MG	1A	3248	1/1	0.98	0.10	19,19,19,19	0
56	MG	1A	3364	1/1	0.98	0.24	28,28,28,28	0
56	MG	1A	3304	1/1	0.98	0.12	12,12,12,12	0
56	MG	2A	3519	1/1	0.98	0.07	42,42,42,42	0
56	MG	1A	4035	1/1	0.98	0.03	27,27,27,27	0
56	MG	2A	3521	1/1	0.98	0.07	57,57,57,57	0
56	MG	1A	3305	1/1	0.98	0.04	32,32,32,32	0
56	MG	1A	3784	1/1	0.98	0.05	35,35,35,35	0
56	MG	1A	4038	1/1	0.98	0.08	30,30,30,30	0
56	MG	1A	3785	1/1	0.98	0.05	34,34,34,34	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3905	1/1	0.98	0.16	24,24,24,24	0
56	MG	1A	3675	1/1	0.98	0.12	19,19,19,19	0
56	MG	1A	3161	1/1	0.98	0.08	28,28,28,28	0
56	MG	1A	3507	1/1	0.98	0.15	35,35,35,35	0
56	MG	1A	3909	1/1	0.98	0.04	42,42,42,42	0
56	MG	1A	3434	1/1	0.98	0.21	30,30,30,30	0
56	MG	2A	3337	1/1	0.98	0.09	52,52,52,52	0
56	MG	2A	3156	1/1	0.98	0.04	33,33,33,33	0
56	MG	2A	3339	1/1	0.98	0.06	43,43,43,43	0
56	MG	1A	3911	1/1	0.98	0.06	31,31,31,31	0
56	MG	1P	205	1/1	0.98	0.13	34,34,34,34	0
56	MG	2A	3749	1/1	0.98	0.09	47,47,47,47	0
56	MG	1Q	201	1/1	0.98	0.06	22,22,22,22	0
56	MG	2A	3161	1/1	0.98	0.15	32,32,32,32	0
56	MG	1Q	202	1/1	0.98	0.05	34,34,34,34	0
56	MG	1A	3586	1/1	0.98	0.12	26,26,26,26	0
56	MG	1A	3587	1/1	0.98	0.04	18,18,18,18	0
56	MG	1Q	205	1/1	0.98	0.07	38,38,38,38	0
56	MG	1A	3914	1/1	0.98	0.12	29,29,29,29	0
56	MG	1A	3021	1/1	0.98	0.04	15,15,15,15	0
56	MG	1A	3589	1/1	0.98	0.08	27,27,27,27	0
56	MG	1A	3163	1/1	0.98	0.17	32,32,32,32	0
56	MG	1A	3918	1/1	0.98	0.04	39,39,39,39	0
56	MG	2A	3550	1/1	0.98	0.04	38,38,38,38	0
56	MG	1A	3009	1/1	0.98	0.06	23,23,23,23	0
56	MG	1A	3685	1/1	0.98	0.04	48,48,48,48	0
56	MG	2A	3355	1/1	0.98	0.12	41,41,41,41	0
56	MG	1A	3921	1/1	0.98	0.07	17,17,17,17	0
56	MG	1A	3592	1/1	0.98	0.07	21,21,21,21	0
56	MG	1A	3131	1/1	0.98	0.04	20,20,20,20	0
56	MG	2A	3558	1/1	0.98	0.09	34,34,34,34	0
56	MG	1A	3206	1/1	0.98	0.06	24,24,24,24	0
56	MG	2A	3177	1/1	0.98	0.09	36,36,36,36	0
56	MG	1A	3255	1/1	0.98	0.12	23,23,23,23	0
56	MG	1A	3207	1/1	0.98	0.08	26,26,26,26	0
56	MG	1U	202	1/1	0.98	0.22	31,31,31,31	0
56	MG	2A	3774	1/1	0.98	0.09	45,45,45,45	0
56	MG	1A	3691	1/1	0.98	0.04	19,19,19,19	0
56	MG	1A	3928	1/1	0.98	0.04	23,23,23,23	0
56	MG	1A	3106	1/1	0.98	0.04	28,28,28,28	0
56	MG	1U	206	1/1	0.98	0.16	29,29,29,29	0
56	MG	1A	3517	1/1	0.98	0.07	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3037	1/1	0.98	0.12	18,18,18,18	0
56	MG	2A	3572	1/1	0.98	0.09	36,36,36,36	0
56	MG	1A	3377	1/1	0.98	0.06	41,41,41,41	0
56	MG	2A	3188	1/1	0.98	0.09	41,41,41,41	0
56	MG	1A	3259	1/1	0.98	0.04	40,40,40,40	0
56	MG	1A	3134	1/1	0.98	0.05	25,25,25,25	0
56	MG	1A	3811	1/1	0.98	0.04	21,21,21,21	0
56	MG	1V	202	1/1	0.98	0.13	25,25,25,25	0
56	MG	1A	3603	1/1	0.98	0.07	37,37,37,37	0
56	MG	1V	205	1/1	0.98	0.06	30,30,30,30	0
56	MG	2A	3581	1/1	0.98	0.07	41,41,41,41	0
56	MG	2A	3195	1/1	0.98	0.05	41,41,41,41	0
56	MG	1a	1707	1/1	0.98	0.20	50,50,50,50	0
56	MG	2A	3380	1/1	0.98	0.07	45,45,45,45	0
56	MG	1A	3701	1/1	0.98	0.07	17,17,17,17	0
56	MG	1A	3135	1/1	0.98	0.04	35,35,35,35	0
56	MG	1A	3704	1/1	0.98	0.05	18,18,18,18	0
56	MG	2A	3017	1/1	0.98	0.09	32,32,32,32	0
56	MG	1A	3170	1/1	0.98	0.05	24,24,24,24	0
56	MG	1A	4081	1/1	0.98	0.07	21,21,21,21	0
56	MG	1A	3382	1/1	0.98	0.21	38,38,38,38	0
58	ZN	2Y	202	1/1	0.98	0.04	83,83,83,83	0
56	MG	1A	3818	1/1	0.98	0.04	26,26,26,26	0
58	ZN	25	105	1/1	0.98	0.05	74,74,74,74	0
58	ZN	2n	501	1/1	0.98	0.04	86,86,86,86	0
56	MG	1A	3707	1/1	0.98	0.06	20,20,20,20	0
56	MG	1A	4085	1/1	0.98	0.04	35,35,35,35	0
56	MG	1A	3107	1/1	0.99	0.03	20,20,20,20	0
56	MG	1A	3619	1/1	0.99	0.04	32,32,32,32	0
56	MG	1A	3969	1/1	0.99	0.05	28,28,28,28	0
56	MG	1E	302	1/1	0.99	0.06	28,28,28,28	0
56	MG	1A	4027	1/1	0.99	0.03	21,21,21,21	0
56	MG	1U	209	1/1	0.99	0.06	23,23,23,23	0
56	MG	1A	3031	1/1	0.99	0.18	22,22,22,22	0
56	MG	1A	3863	1/1	0.99	0.07	35,35,35,35	0
56	MG	1a	1610	1/1	0.99	0.06	17,17,17,17	0
56	MG	1k	201	1/1	0.99	0.12	36,36,36,36	0
56	MG	2A	3555	1/1	0.99	0.07	41,41,41,41	0
56	MG	1a	1756	1/1	0.99	0.10	28,28,28,28	0
56	MG	1A	3098	1/1	0.99	0.05	29,29,29,29	0
56	MG	1m	3001	1/1	0.99	0.04	53,53,53,53	0
56	MG	2A	3559	1/1	0.99	0.07	26,26,26,26	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3397	1/1	0.99	0.08	18,18,18,18	0
56	MG	1A	3004	1/1	0.99	0.06	19,19,19,19	0
56	MG	1a	1760	1/1	0.99	0.04	39,39,39,39	0
56	MG	1A	3090	1/1	0.99	0.08	29,29,29,29	0
56	MG	2A	3857	1/1	0.99	0.03	28,28,28,28	0
56	MG	1A	3658	1/1	0.99	0.06	33,33,33,33	0
56	MG	2A	3474	1/1	0.99	0.13	20,20,20,20	0
56	MG	1A	3977	1/1	0.99	0.03	30,30,30,30	0
56	MG	1A	3820	1/1	0.99	0.03	24,24,24,24	0
56	MG	1A	3732	1/1	0.99	0.07	17,17,17,17	0
56	MG	1A	3047	1/1	0.99	0.04	30,30,30,30	0
56	MG	2A	3570	1/1	0.99	0.09	51,51,51,51	0
56	MG	2a	3204	1/1	0.99	0.05	65,65,65,65	0
56	MG	2A	3140	1/1	0.99	0.12	39,39,39,39	0
56	MG	1W	204	1/1	0.99	0.04	22,22,22,22	0
56	MG	1A	3451	1/1	0.99	0.09	26,26,26,26	0
56	MG	2A	3143	1/1	0.99	0.11	37,37,37,37	0
56	MG	1A	3478	1/1	0.99	0.03	31,31,31,31	0
56	MG	1A	3221	1/1	0.99	0.06	33,33,33,33	0
56	MG	1A	3697	1/1	0.99	0.04	29,29,29,29	0
56	MG	2A	3147	1/1	0.99	0.14	40,40,40,40	0
56	MG	1A	3827	1/1	0.99	0.04	17,17,17,17	0
56	MG	1A	3331	1/1	0.99	0.07	40,40,40,40	0
56	MG	1A	3630	1/1	0.99	0.11	12,12,12,12	0
56	MG	2A	3582	1/1	0.99	0.10	30,30,30,30	0
56	MG	2A	3583	1/1	0.99	0.09	35,35,35,35	0
56	MG	1A	3700	1/1	0.99	0.08	12,12,12,12	0
56	MG	2A	3778	1/1	0.99	0.09	38,38,38,38	0
56	MG	1A	3310	1/1	0.99	0.07	28,28,28,28	0
56	MG	1B	205	1/1	0.99	0.04	37,37,37,37	0
56	MG	1A	4048	1/1	0.99	0.03	38,38,38,38	0
56	MG	1A	3014	1/1	0.99	0.04	19,19,19,19	0
56	MG	1A	3703	1/1	0.99	0.04	18,18,18,18	0
56	MG	1A	4051	1/1	0.99	0.08	35,35,35,35	0
56	MG	2A	3158	1/1	0.99	0.09	30,30,30,30	0
56	MG	1A	3076	1/1	0.99	0.04	23,23,23,23	0
56	MG	1A	3055	1/1	0.99	0.07	27,27,27,27	0
56	MG	1A	4054	1/1	0.99	0.04	23,23,23,23	0
56	MG	1A	3336	1/1	0.99	0.03	21,21,21,21	0
56	MG	1A	3181	1/1	0.99	0.06	30,30,30,30	0
56	MG	2a	3232	1/1	0.99	0.07	48,48,48,48	0
56	MG	1A	3637	1/1	0.99	0.07	30,30,30,30	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3384	1/1	0.99	0.11	31,31,31,31	0
56	MG	1A	3941	1/1	0.99	0.04	29,29,29,29	0
56	MG	2A	3600	1/1	0.99	0.03	26,26,26,26	0
56	MG	1A	3793	1/1	0.99	0.06	28,28,28,28	0
56	MG	1A	3943	1/1	0.99	0.04	19,19,19,19	0
56	MG	1A	3944	1/1	0.99	0.02	22,22,22,22	0
56	MG	1P	201	1/1	0.99	0.14	26,26,26,26	0
56	MG	1A	3890	1/1	0.99	0.16	26,26,26,26	0
56	MG	1A	3276	1/1	0.99	0.10	26,26,26,26	0
56	MG	2A	3512	1/1	0.99	0.07	44,44,44,44	0
56	MG	1A	3295	1/1	0.99	0.11	33,33,33,33	0
56	MG	1A	3893	1/1	0.99	0.03	27,27,27,27	0
56	MG	1A	3712	1/1	0.99	0.03	18,18,18,18	0
56	MG	1A	3753	1/1	0.99	0.06	13,13,13,13	0
56	MG	1A	4070	1/1	0.99	0.09	23,23,23,23	0
56	MG	1a	1801	1/1	0.99	0.03	46,46,46,46	0
56	MG	2A	3015	1/1	0.99	0.08	34,34,34,34	0
56	MG	2E	305	1/1	0.99	0.07	27,27,27,27	0
56	MG	1A	3845	1/1	0.99	0.10	48,48,48,48	0
56	MG	2A	3616	1/1	0.99	0.06	35,35,35,35	0
56	MG	1A	3548	1/1	0.99	0.11	30,30,30,30	0
56	MG	1A	3714	1/1	0.99	0.07	17,17,17,17	0
56	MG	2A	3523	1/1	0.99	0.06	31,31,31,31	0
56	MG	1R	201	1/1	0.99	0.08	31,31,31,31	0
56	MG	1A	3296	1/1	0.99	0.04	33,33,33,33	0
56	MG	1A	3116	1/1	0.99	0.07	33,33,33,33	0
56	MG	1A	3492	1/1	0.99	0.11	40,40,40,40	0
56	MG	1A	3243	1/1	0.99	0.11	18,18,18,18	0
56	MG	1A	3760	1/1	0.99	0.04	31,31,31,31	0
56	MG	1A	3012	1/1	0.99	0.03	21,21,21,21	0
56	MG	1A	3762	1/1	0.99	0.04	17,17,17,17	0
56	MG	2A	3822	1/1	0.99	0.03	26,26,26,26	0
56	MG	2A	3443	1/1	0.99	0.11	43,43,43,43	0
56	MG	2A	3533	1/1	0.99	0.04	44,44,44,44	0
56	MG	17	102	1/1	0.99	0.07	23,23,23,23	0
56	MG	17	103	1/1	0.99	0.04	35,35,35,35	0
56	MG	1A	3807	1/1	0.99	0.04	22,22,22,22	0
56	MG	1A	3212	1/1	0.99	0.08	29,29,29,29	0
56	MG	1A	3963	1/1	0.99	0.04	14,14,14,14	0
56	MG	1a	1818	1/1	0.99	0.02	46,46,46,46	0
58	ZN	1Y	204	1/1	0.99	0.03	67,67,67,67	0
56	MG	1A	3496	1/1	0.99	0.05	35,35,35,35	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
58	ZN	1n	103	1/1	0.99	0.03	58,58,58,58	0
56	MG	1a	1743	1/1	0.99	0.07	38,38,38,38	0
56	MG	2a	3172	1/1	0.99	0.09	41,41,41,41	0
56	MG	1D	307	1/1	0.99	0.14	37,37,37,37	0
58	ZN	26	102	1/1	0.99	0.04	57,57,57,57	0
58	ZN	29	102	1/1	0.99	0.03	64,64,64,64	0
56	MG	1A	3039	1/1	0.99	0.14	29,29,29,29	0
59	SF4	1d	302	8/8	0.99	0.04	51,55,66,66	0
59	SF4	2d	303	8/8	0.99	0.04	53,64,70,73	0
56	MG	1A	3119	1/1	0.99	0.11	27,27,27,27	0
56	MG	2A	3836	1/1	0.99	0.07	27,27,27,27	0
56	MG	1A	3937	1/1	1.00	0.07	27,27,27,27	0
56	MG	2A	3717	1/1	1.00	0.02	27,27,27,27	0
58	ZN	15	106	1/1	1.00	0.02	52,52,52,52	0
58	ZN	16	104	1/1	1.00	0.02	28,28,28,28	0
58	ZN	19	102	1/1	1.00	0.03	39,39,39,39	0
56	MG	1V	203	1/1	1.00	0.11	27,27,27,27	0
56	MG	1A	4055	1/1	1.00	0.02	16,16,16,16	0
56	MG	2A	3848	1/1	1.00	0.05	27,27,27,27	0

6.5 Other polymers [i](#)

There are no such residues in this entry.