



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 11:56 PM UTC

PDB ID : 2GPA / pdb_00002gpa
Title : ALLOSTERIC INHIBITION OF GLYCOGEN PHOSPHORYLASE A BY A
POTENTIAL ANTIDIABETIC DRUG
Authors : Oikonomakos, N.G.; Tsitsanou, K.E.; Zographos, S.E.; Skamnaki, V.T.
Deposited on : 1999-02-18
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	842	 78% 16% . .

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7461 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called PROTEIN (GLYCOGEN PHOSPHORYLASE).

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	P	S			
1	A	813	6621	4215	1168	1208	1	29	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	609	ALA	PRO	conflict	UNP P00489

- Molecule 2 is alpha-D-glucopyranose (CCD ID: GLC) (formula: $C_6H_{12}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	12	6	6	0	0

- Molecule 3 is PYRIDOXAL-5'-PHOSPHATE (CCD ID: PLP) (formula: $C_8H_{10}NO_6P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	807	Total 807	O 807	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: PROTEIN (GLYCOGEN PHOSPHORYLASE)

Chain A: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	127.20Å 127.20Å 116.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.00	Depositor
% Data completeness (in resolution range)	90.1 (10.00-2.00)	Depositor
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR 3.8	Depositor
R, R_{free}	0.179 , 0.230	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	7461	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PLP, GLC, SEP, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/6757	1.02	42/9140 (0.5%)

There are no bond length outliers.

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	129	ALA	N-CA-C	-8.55	93.57	108.20
1	A	230	VAL	CA-C-N	7.66	128.26	119.99
1	A	230	VAL	C-N-CA	7.66	128.26	119.99
1	A	91	MET	N-CA-C	7.42	121.58	112.23
1	A	565	VAL	N-CA-C	7.14	118.10	108.11
1	A	507	ILE	N-CA-C	6.72	118.61	112.43
1	A	575	ARG	N-CA-C	6.66	120.58	111.39
1	A	24	VAL	N-CA-C	6.57	123.01	109.34
1	A	748	GLY	N-CA-C	-6.51	105.89	115.72
1	A	479	PHE	N-CA-C	6.51	119.21	109.25
1	A	467	ILE	N-CA-C	6.44	119.10	111.05
1	A	435	ALA	N-CA-C	-6.04	104.77	111.36
1	A	278	VAL	N-CA-C	6.02	116.30	108.35
1	A	746	SER	CA-C-N	5.99	128.31	120.28
1	A	746	SER	C-N-CA	5.99	128.31	120.28
1	A	834	LEU	N-CA-C	-5.99	102.33	110.36
1	A	454	GLY	N-CA-C	-5.97	103.46	112.89
1	A	712	GLY	N-CA-C	5.89	123.19	112.58
1	A	262	TYR	N-CA-C	5.84	117.32	111.07
1	A	675	GLY	N-CA-C	-5.73	105.54	112.48
1	A	688	THR	N-CA-C	5.73	118.30	109.07
1	A	714	ARG	N-CA-C	-5.73	101.99	110.46
1	A	135	GLY	N-CA-C	5.67	119.51	112.64
1	A	80	LYS	N-CA-C	-5.67	101.89	110.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	677	GLY	N-CA-C	-5.64	105.96	112.73
1	A	576	GLN	N-CA-C	-5.60	105.27	111.71
1	A	666	ILE	N-CA-C	5.57	120.93	109.34
1	A	219	GLN	N-CA-C	-5.49	100.75	109.59
1	A	506	ARG	CA-CB-CG	5.47	125.04	114.10
1	A	491	TRP	N-CA-C	5.41	119.51	113.02
1	A	786	ARG	NE-CZ-NH1	-5.40	116.10	121.50
1	A	767	HIS	N-CA-C	5.37	121.38	114.56
1	A	772	LYS	N-CA-C	5.18	118.48	111.17
1	A	234	ARG	N-CA-C	5.18	118.73	111.90
1	A	385	GLU	N-CA-C	5.16	117.15	109.25
1	A	455	VAL	N-CA-C	5.12	117.03	112.17
1	A	372	CYS	N-CA-C	5.10	118.39	110.17
1	A	602	THR	N-CA-C	-5.10	99.10	108.02
1	A	676	THR	N-CA-C	-5.10	108.33	114.75
1	A	240	THR	N-CA-C	5.08	117.69	109.40
1	A	380	LEU	CA-C-N	5.02	124.62	119.05
1	A	380	LEU	C-N-CA	5.02	124.62	119.05

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6621	0	6562	91	0
2	A	12	0	12	1	0
3	A	15	0	7	0	0
4	A	6	0	8	0	0
5	A	807	0	0	21	0
All	All	7461	0	6589	92	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:18:LEU:HD22	1:A:19:ALA:H	1.29	0.95
1:A:18:LEU:HD22	1:A:19:ALA:N	1.93	0.83
1:A:81:ARG:NH1	1:A:155:TYR:OH	2.11	0.83
1:A:22:GLU:HG3	5:A:1433:HOH:O	1.82	0.78
1:A:16:ARG:HG3	1:A:17:GLY:H	1.52	0.75
1:A:82:ILE:HD11	1:A:827:VAL:HG11	1.69	0.74
1:A:641:ARG:CG	1:A:641:ARG:HH11	2.00	0.74
1:A:325:ASN:HB3	5:A:1764:HOH:O	1.88	0.73
1:A:389:VAL:O	1:A:393:GLU:HG2	1.87	0.73
1:A:641:ARG:HH11	1:A:641:ARG:HG3	1.57	0.70
1:A:405:GLU:OE2	1:A:409:ARG:NH1	2.25	0.69
1:A:641:ARG:HH11	1:A:641:ARG:HA	1.62	0.65
1:A:571:HIS:H	1:A:576:GLN:HE22	1.45	0.64
1:A:528:GLU:CD	1:A:795:ARG:HH12	2.06	0.63
1:A:641:ARG:HG3	1:A:641:ARG:NH1	2.09	0.63
1:A:379:VAL:HG13	5:A:1111:HOH:O	1.99	0.62
1:A:753:LYS:NZ	1:A:753:LYS:H	1.99	0.61
1:A:16:ARG:O	1:A:838:ASP:HA	2.01	0.60
1:A:18:LEU:HD13	1:A:20:GLY:H	1.67	0.59
1:A:273:GLU:OE1	5:A:1086:HOH:O	2.17	0.59
1:A:162:GLU:OE2	1:A:277:ARG:NH1	2.35	0.59
1:A:641:ARG:HH11	1:A:641:ARG:CA	2.17	0.58
1:A:71:GLN:NE2	5:A:1792:HOH:O	2.35	0.57
1:A:386:ARG:HB2	1:A:438:ARG:HD3	1.86	0.57
1:A:287:GLU:HG2	1:A:289:LYS:HG2	1.85	0.57
1:A:568:LYS:HD3	1:A:574:LYS:HD3	1.88	0.55
1:A:18:LEU:CD2	1:A:19:ALA:H	2.09	0.55
1:A:743:GLU:O	1:A:747:SER:HB2	2.07	0.55
1:A:641:ARG:HH11	1:A:641:ARG:CB	2.19	0.54
1:A:640:LEU:O	1:A:641:ARG:NH1	2.41	0.54
1:A:477:HIS:HB3	5:A:1537:HOH:O	2.08	0.53
1:A:214:LYS:HE3	1:A:216:VAL:HG12	1.91	0.53
1:A:358:ARG:HD2	5:A:1748:HOH:O	2.09	0.53
1:A:741:ILE:HA	1:A:744:GLN:HE21	1.74	0.52
1:A:786:ARG:NH1	5:A:1805:HOH:O	2.41	0.52
1:A:201:HIS:HD2	1:A:218:THR:OG1	1.92	0.52
1:A:329:PHE:HB3	1:A:330:PRO:HD3	1.92	0.52
1:A:18:LEU:HD13	1:A:20:GLY:N	2.25	0.51
1:A:247:LYS:HA	1:A:273:GLU:HG2	1.94	0.50
1:A:18:LEU:HD13	1:A:18:LEU:C	2.37	0.49
1:A:793:ASN:HD22	1:A:793:ASN:C	2.19	0.49
1:A:16:ARG:NH2	5:A:1650:HOH:O	2.45	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:247:LYS:HD2	5:A:1670:HOH:O	2.13	0.49
1:A:283:ASP:OD2	1:A:571:HIS:HE1	1.95	0.49
1:A:390:HIS:O	1:A:394:THR:HG23	2.12	0.48
1:A:641:ARG:HA	1:A:641:ARG:NH1	2.27	0.48
1:A:35:LEU:O	1:A:35:LEU:HG	2.14	0.47
1:A:450:HIS:HE1	5:A:1017:HOH:O	1.96	0.47
1:A:504:ALA:HB2	5:A:1388:HOH:O	2.14	0.47
1:A:63:LEU:HD21	1:A:229:PRO:HG2	1.97	0.47
1:A:528:GLU:OE1	1:A:795:ARG:NH1	2.45	0.47
1:A:592:LYS:HD2	5:A:1694:HOH:O	2.15	0.47
1:A:562:LEU:C	1:A:562:LEU:HD12	2.40	0.47
1:A:648:TYR:HA	1:A:652:LEU:HD23	1.97	0.47
1:A:562:LEU:HG	1:A:601:ARG:HG2	1.97	0.46
1:A:341:HIS:HB2	1:A:342:PRO:HD3	1.96	0.46
1:A:212:GLY:HA3	1:A:358:ARG:HH12	1.80	0.46
1:A:647:ASN:O	1:A:649:ARG:HD3	2.15	0.46
1:A:786:ARG:NH2	5:A:1231:HOH:O	2.48	0.46
1:A:21:VAL:C	1:A:22:GLU:HG2	2.41	0.46
1:A:354:VAL:O	1:A:358:ARG:HA	2.16	0.45
1:A:739:ARG:O	1:A:743:GLU:HG3	2.16	0.45
1:A:490:ARG:HA	1:A:494:LEU:HB2	1.99	0.45
1:A:18:LEU:HD22	1:A:19:ALA:HB3	1.99	0.44
1:A:18:LEU:C	1:A:20:GLY:H	2.25	0.44
1:A:212:GLY:HA3	1:A:358:ARG:NH1	2.33	0.44
1:A:753:LYS:HE2	1:A:753:LYS:HB2	1.67	0.44
1:A:16:ARG:HG3	1:A:17:GLY:N	2.27	0.44
1:A:67:TRP:O	1:A:71:GLN:HG2	2.17	0.44
1:A:67:TRP:HA	1:A:238:VAL:HB	1.99	0.43
1:A:569:ARG:O	1:A:574:LYS:HD2	2.18	0.43
1:A:18:LEU:CD2	1:A:19:ALA:N	2.74	0.43
1:A:309:ARG:HH11	1:A:309:ARG:HG2	1.84	0.43
2:A:998:GLC:H1	5:A:1316:HOH:O	2.18	0.43
1:A:18:LEU:HD22	1:A:19:ALA:CB	2.49	0.43
1:A:457:ARG:NH1	5:A:1753:HOH:O	2.34	0.43
1:A:599:VAL:CG2	1:A:792:LYS:HG3	2.48	0.43
1:A:23:ASN:HD22	1:A:23:ASN:HA	1.62	0.42
1:A:550:GLU:O	1:A:554:LYS:HE2	2.19	0.42
1:A:105:GLU:HB3	5:A:1036:HOH:O	2.19	0.42
1:A:211:GLN:O	1:A:358:ARG:NH1	2.53	0.41
1:A:6:ASP:O	1:A:9:LYS:HB2	2.21	0.41
1:A:539:GLN:HG2	5:A:1440:HOH:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:724:ARG:NH2	5:A:1626:HOH:O	2.54	0.41
1:A:510:GLU:HG3	5:A:1747:HOH:O	2.20	0.41
1:A:60:ARG:HD2	1:A:188:PRO:O	2.21	0.41
1:A:689:ILE:HG23	1:A:689:ILE:O	2.20	0.40
1:A:583:VAL:HG11	1:A:642:VAL:HG21	2.03	0.40
1:A:642:VAL:O	1:A:643:ILE:HD13	2.20	0.40
1:A:18:LEU:O	1:A:20:GLY:N	2.54	0.40
1:A:506:ARG:NH1	5:A:1270:HOH:O	2.36	0.40
1:A:230:VAL:O	1:A:230:VAL:HG22	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	806/842 (96%)	774 (96%)	28 (4%)	4 (0%)	24 21

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	16	ARG
1	A	19	ALA
1	A	22	GLU
1	A	837	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	703/730 (96%)	665 (95%)	38 (5%)	20	17

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	ARG
1	A	15	VAL
1	A	18	LEU
1	A	23	ASN
1	A	27	LEU
1	A	29	LYS
1	A	144	LEU
1	A	184	ARG
1	A	210	SER
1	A	217	ASP
1	A	230	VAL
1	A	313	SER
1	A	332	LYS
1	A	360	ASP
1	A	370	LYS
1	A	379	VAL
1	A	384	LEU
1	A	386	ARG
1	A	389	VAL
1	A	394	THR
1	A	437	LYS
1	A	465	LYS
1	A	499	LEU
1	A	506	ARG
1	A	519	ARG
1	A	539	GLN
1	A	551	ARG
1	A	562	LEU
1	A	568	LYS
1	A	576	GLN
1	A	592	LYS
1	A	641	ARG
1	A	708	PHE
1	A	724	ARG
1	A	747	SER
1	A	753	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	832	GLN
1	A	833	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	ASN
1	A	32	ASN
1	A	36	HIS
1	A	97	ASN
1	A	106	ASN
1	A	201	HIS
1	A	305	GLN
1	A	325	ASN
1	A	412	ASN
1	A	450	HIS
1	A	484	ASN
1	A	496	ASN
1	A	517	GLN
1	A	541	ASN
1	A	556	HIS
1	A	560	ASN
1	A	566	GLN
1	A	571	HIS
1	A	576	GLN
1	A	579	ASN
1	A	588	ASN
1	A	632	HIS
1	A	684	ASN
1	A	744	GLN
1	A	767	HIS
1	A	793	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	SEP	A	14	1	8,9,10	1.33	1 (12%)	7,12,14	4.47	3 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	A	14	1	-	5/6/8/10	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	14	SEP	P-O2P	-2.63	1.45	1.54

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	14	SEP	OG-CB-CA	11.12	118.97	108.14
1	A	14	SEP	O3P-P-OG	2.68	113.67	106.67
1	A	14	SEP	O2P-P-O1P	2.10	119.00	110.83

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	14	SEP	C-CA-CB-OG
1	A	14	SEP	CA-CB-OG-P
1	A	14	SEP	CB-OG-P-O1P
1	A	14	SEP	N-CA-CB-OG
1	A	14	SEP	CB-OG-P-O2P

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GOL	A	996	-	5,5,5	0.18	0	5,5,5	0.87	0
2	GLC	A	998	-	12,12,12	1.53	3 (25%)	17,17,17	0.95	0
3	PLP	A	999	1	15,15,16	1.32	2 (13%)	21,22,23	1.22	3 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	996	-	-	2/4/4/4	-
2	GLC	A	998	-	-	0/2/22/22	0/1/1/1
3	PLP	A	999	1	-	1/6/6/8	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	998	GLC	C1-C2	3.12	1.59	1.52
3	A	999	PLP	C5-C4	-2.63	1.37	1.40
2	A	998	GLC	O5-C1	2.49	1.49	1.42
2	A	998	GLC	C4-C5	2.37	1.58	1.53
3	A	999	PLP	P-O3P	-2.20	1.46	1.54

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	999	PLP	C6-C5-C4	2.79	120.38	118.10
3	A	999	PLP	O3P-P-O1P	2.21	119.46	110.83
3	A	999	PLP	C5A-C5-C6	-2.08	115.97	119.36

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	996	GOL	C1-C2-C3-O3
4	A	996	GOL	O2-C2-C3-O3
3	A	999	PLP	C4-C5-C5A-O4P

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	998	GLC	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.