



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 02:57 AM UTC

PDB ID : 3HWK / pdb_00003hwk
Title : Crystal structure of methylcitrate synthase from Mycobacterium tuberculosis
Authors : Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2009-06-17
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	414	
1	B	414	
1	C	414	
1	D	414	
1	E	414	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	414	83%5%12%
1	G	414	% 81%6%•12%
1	H	414	5% 79%8%•12%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 23319 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Methylcitrate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	366	Total	C	N	O	S	0	2	0
			2826	1780	509	517	20			
1	B	364	Total	C	N	O	S	0	2	0
			2766	1749	487	509	21			
1	C	364	Total	C	N	O	S	0	0	0
			2758	1742	492	504	20			
1	D	365	Total	C	N	O	S	0	1	0
			2795	1764	501	509	21			
1	E	367	Total	C	N	O	S	0	1	0
			2795	1763	499	513	20			
1	F	365	Total	C	N	O	S	0	1	0
			2779	1757	496	506	20			
1	G	364	Total	C	N	O	S	0	0	0
			2770	1749	493	508	20			
1	H	365	Total	C	N	O	S	0	0	0
			2742	1732	492	498	20			

There are 168 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	expression tag	UNP O08395
A	-19	ALA	-	expression tag	UNP O08395
A	-18	HIS	-	expression tag	UNP O08395
A	-17	HIS	-	expression tag	UNP O08395
A	-16	HIS	-	expression tag	UNP O08395
A	-15	HIS	-	expression tag	UNP O08395
A	-14	HIS	-	expression tag	UNP O08395
A	-13	HIS	-	expression tag	UNP O08395
A	-12	MET	-	expression tag	UNP O08395
A	-11	GLY	-	expression tag	UNP O08395
A	-10	THR	-	expression tag	UNP O08395
A	-9	LEU	-	expression tag	UNP O08395
A	-8	GLU	-	expression tag	UNP O08395

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	ALA	-	expression tag	UNP O08395
A	-6	GLN	-	expression tag	UNP O08395
A	-5	THR	-	expression tag	UNP O08395
A	-4	GLN	-	expression tag	UNP O08395
A	-3	GLY	-	expression tag	UNP O08395
A	-2	PRO	-	expression tag	UNP O08395
A	-1	GLY	-	expression tag	UNP O08395
A	0	SER	-	expression tag	UNP O08395
B	-20	MET	-	expression tag	UNP O08395
B	-19	ALA	-	expression tag	UNP O08395
B	-18	HIS	-	expression tag	UNP O08395
B	-17	HIS	-	expression tag	UNP O08395
B	-16	HIS	-	expression tag	UNP O08395
B	-15	HIS	-	expression tag	UNP O08395
B	-14	HIS	-	expression tag	UNP O08395
B	-13	HIS	-	expression tag	UNP O08395
B	-12	MET	-	expression tag	UNP O08395
B	-11	GLY	-	expression tag	UNP O08395
B	-10	THR	-	expression tag	UNP O08395
B	-9	LEU	-	expression tag	UNP O08395
B	-8	GLU	-	expression tag	UNP O08395
B	-7	ALA	-	expression tag	UNP O08395
B	-6	GLN	-	expression tag	UNP O08395
B	-5	THR	-	expression tag	UNP O08395
B	-4	GLN	-	expression tag	UNP O08395
B	-3	GLY	-	expression tag	UNP O08395
B	-2	PRO	-	expression tag	UNP O08395
B	-1	GLY	-	expression tag	UNP O08395
B	0	SER	-	expression tag	UNP O08395
C	-20	MET	-	expression tag	UNP O08395
C	-19	ALA	-	expression tag	UNP O08395
C	-18	HIS	-	expression tag	UNP O08395
C	-17	HIS	-	expression tag	UNP O08395
C	-16	HIS	-	expression tag	UNP O08395
C	-15	HIS	-	expression tag	UNP O08395
C	-14	HIS	-	expression tag	UNP O08395
C	-13	HIS	-	expression tag	UNP O08395
C	-12	MET	-	expression tag	UNP O08395
C	-11	GLY	-	expression tag	UNP O08395
C	-10	THR	-	expression tag	UNP O08395
C	-9	LEU	-	expression tag	UNP O08395
C	-8	GLU	-	expression tag	UNP O08395

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-7	ALA	-	expression tag	UNP O08395
C	-6	GLN	-	expression tag	UNP O08395
C	-5	THR	-	expression tag	UNP O08395
C	-4	GLN	-	expression tag	UNP O08395
C	-3	GLY	-	expression tag	UNP O08395
C	-2	PRO	-	expression tag	UNP O08395
C	-1	GLY	-	expression tag	UNP O08395
C	0	SER	-	expression tag	UNP O08395
D	-20	MET	-	expression tag	UNP O08395
D	-19	ALA	-	expression tag	UNP O08395
D	-18	HIS	-	expression tag	UNP O08395
D	-17	HIS	-	expression tag	UNP O08395
D	-16	HIS	-	expression tag	UNP O08395
D	-15	HIS	-	expression tag	UNP O08395
D	-14	HIS	-	expression tag	UNP O08395
D	-13	HIS	-	expression tag	UNP O08395
D	-12	MET	-	expression tag	UNP O08395
D	-11	GLY	-	expression tag	UNP O08395
D	-10	THR	-	expression tag	UNP O08395
D	-9	LEU	-	expression tag	UNP O08395
D	-8	GLU	-	expression tag	UNP O08395
D	-7	ALA	-	expression tag	UNP O08395
D	-6	GLN	-	expression tag	UNP O08395
D	-5	THR	-	expression tag	UNP O08395
D	-4	GLN	-	expression tag	UNP O08395
D	-3	GLY	-	expression tag	UNP O08395
D	-2	PRO	-	expression tag	UNP O08395
D	-1	GLY	-	expression tag	UNP O08395
D	0	SER	-	expression tag	UNP O08395
E	-20	MET	-	expression tag	UNP O08395
E	-19	ALA	-	expression tag	UNP O08395
E	-18	HIS	-	expression tag	UNP O08395
E	-17	HIS	-	expression tag	UNP O08395
E	-16	HIS	-	expression tag	UNP O08395
E	-15	HIS	-	expression tag	UNP O08395
E	-14	HIS	-	expression tag	UNP O08395
E	-13	HIS	-	expression tag	UNP O08395
E	-12	MET	-	expression tag	UNP O08395
E	-11	GLY	-	expression tag	UNP O08395
E	-10	THR	-	expression tag	UNP O08395
E	-9	LEU	-	expression tag	UNP O08395
E	-8	GLU	-	expression tag	UNP O08395

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	-7	ALA	-	expression tag	UNP O08395
E	-6	GLN	-	expression tag	UNP O08395
E	-5	THR	-	expression tag	UNP O08395
E	-4	GLN	-	expression tag	UNP O08395
E	-3	GLY	-	expression tag	UNP O08395
E	-2	PRO	-	expression tag	UNP O08395
E	-1	GLY	-	expression tag	UNP O08395
E	0	SER	-	expression tag	UNP O08395
F	-20	MET	-	expression tag	UNP O08395
F	-19	ALA	-	expression tag	UNP O08395
F	-18	HIS	-	expression tag	UNP O08395
F	-17	HIS	-	expression tag	UNP O08395
F	-16	HIS	-	expression tag	UNP O08395
F	-15	HIS	-	expression tag	UNP O08395
F	-14	HIS	-	expression tag	UNP O08395
F	-13	HIS	-	expression tag	UNP O08395
F	-12	MET	-	expression tag	UNP O08395
F	-11	GLY	-	expression tag	UNP O08395
F	-10	THR	-	expression tag	UNP O08395
F	-9	LEU	-	expression tag	UNP O08395
F	-8	GLU	-	expression tag	UNP O08395
F	-7	ALA	-	expression tag	UNP O08395
F	-6	GLN	-	expression tag	UNP O08395
F	-5	THR	-	expression tag	UNP O08395
F	-4	GLN	-	expression tag	UNP O08395
F	-3	GLY	-	expression tag	UNP O08395
F	-2	PRO	-	expression tag	UNP O08395
F	-1	GLY	-	expression tag	UNP O08395
F	0	SER	-	expression tag	UNP O08395
G	-20	MET	-	expression tag	UNP O08395
G	-19	ALA	-	expression tag	UNP O08395
G	-18	HIS	-	expression tag	UNP O08395
G	-17	HIS	-	expression tag	UNP O08395
G	-16	HIS	-	expression tag	UNP O08395
G	-15	HIS	-	expression tag	UNP O08395
G	-14	HIS	-	expression tag	UNP O08395
G	-13	HIS	-	expression tag	UNP O08395
G	-12	MET	-	expression tag	UNP O08395
G	-11	GLY	-	expression tag	UNP O08395
G	-10	THR	-	expression tag	UNP O08395
G	-9	LEU	-	expression tag	UNP O08395
G	-8	GLU	-	expression tag	UNP O08395

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	-7	ALA	-	expression tag	UNP O08395
G	-6	GLN	-	expression tag	UNP O08395
G	-5	THR	-	expression tag	UNP O08395
G	-4	GLN	-	expression tag	UNP O08395
G	-3	GLY	-	expression tag	UNP O08395
G	-2	PRO	-	expression tag	UNP O08395
G	-1	GLY	-	expression tag	UNP O08395
G	0	SER	-	expression tag	UNP O08395
H	-20	MET	-	expression tag	UNP O08395
H	-19	ALA	-	expression tag	UNP O08395
H	-18	HIS	-	expression tag	UNP O08395
H	-17	HIS	-	expression tag	UNP O08395
H	-16	HIS	-	expression tag	UNP O08395
H	-15	HIS	-	expression tag	UNP O08395
H	-14	HIS	-	expression tag	UNP O08395
H	-13	HIS	-	expression tag	UNP O08395
H	-12	MET	-	expression tag	UNP O08395
H	-11	GLY	-	expression tag	UNP O08395
H	-10	THR	-	expression tag	UNP O08395
H	-9	LEU	-	expression tag	UNP O08395
H	-8	GLU	-	expression tag	UNP O08395
H	-7	ALA	-	expression tag	UNP O08395
H	-6	GLN	-	expression tag	UNP O08395
H	-5	THR	-	expression tag	UNP O08395
H	-4	GLN	-	expression tag	UNP O08395
H	-3	GLY	-	expression tag	UNP O08395
H	-2	PRO	-	expression tag	UNP O08395
H	-1	GLY	-	expression tag	UNP O08395
H	0	SER	-	expression tag	UNP O08395

- Molecule 2 is SUCCINIC ACID (CCD ID: SIN) (formula: C₄H₆O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			8	4	4		
2	A	1	Total	C	O	0	0
			8	4	4		
2	A	1	Total	C	O	0	0
			8	4	4		
2	A	1	Total	C	O	0	0
			8	4	4		
2	B	1	Total	C	O	0	0
			8	4	4		
2	B	1	Total	C	O	0	0
			8	4	4		
2	C	1	Total	C	O	0	0
			8	4	4		
2	C	1	Total	C	O	0	0
			8	4	4		
2	D	1	Total	C	O	0	0
			8	4	4		
2	D	1	Total	C	O	0	0
			8	4	4		
2	E	1	Total	C	O	0	0
			8	4	4		
2	F	1	Total	C	O	0	0
			8	4	4		
2	F	1	Total	C	O	0	0
			8	4	4		
2	G	1	Total	C	O	0	0
			8	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	G	1	Total	C	O	0	0
			8	4	4		
2	H	1	Total	C	O	0	0
			8	4	4		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	172	Total	O		0	0
			172	172			
3	B	126	Total	O		0	0
			126	126			
3	C	96	Total	O		0	0
			96	96			
3	D	156	Total	O		0	0
			156	156			
3	E	89	Total	O		0	0
			89	89			
3	F	123	Total	O		0	0
			123	123			
3	G	127	Total	O		0	0
			127	127			
3	H	71	Total	O		0	0
			71	71			


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Methylcitrate synthase




- Molecule 1: Methylcitrate synthase






- Molecule 1: Methylcitrate synthase









• Molecule 1: Methylcitrate synthase





• Molecule 1: Methylcitrate synthase




• Molecule 1: Methylcitrate synthase



• Molecule 1: Methylcitrate synthase



● Molecule 1: Methylcitrate synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	111.58Å 179.68Å 193.83Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.91 – 2.30 19.91 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.6 (19.91-2.30) 96.4 (19.91-2.30)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.04 (at 2.30Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.186 , 0.228 (Not available) , 0.197	Depositor DCC
R_{free} test set	8613 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	33.1	Xtriage
Anisotropy	0.037	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 30.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	23319	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SIN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.71	1/2886 (0.0%)	0.85	0/3915
1	B	0.69	0/2829	0.88	0/3846
1	C	0.70	0/2818	0.89	1/3831 (0.0%)
1	D	0.75	1/2858 (0.0%)	0.89	1/3878 (0.0%)
1	E	0.67	0/2859	0.90	0/3885
1	F	0.66	0/2842	0.87	0/3860
1	G	0.69	1/2830 (0.0%)	0.88	1/3845 (0.0%)
1	H	0.69	0/2802	0.87	0/3810
All	All	0.69	3/22724 (0.0%)	0.88	3/30870 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	291	VAL	CA-CB	7.28	1.58	1.53
1	A	291	VAL	CA-CB	6.57	1.57	1.54
1	G	291	VAL	CA-CB	5.20	1.57	1.54

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	140	ASN	N-CA-C	5.43	117.89	111.33
1	G	372	ASN	N-CA-C	5.32	118.48	109.76
1	D	120	VAL	CB-CA-C	5.15	119.32	112.22

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2826	0	2813	27	0
1	B	2766	0	2720	20	0
1	C	2758	0	2714	23	0
1	D	2795	0	2778	13	0
1	E	2795	0	2743	24	0
1	F	2779	0	2756	12	0
1	G	2770	0	2733	16	0
1	H	2742	0	2685	24	0
2	A	32	0	16	2	0
2	B	16	0	8	0	0
2	C	16	0	8	2	0
2	D	16	0	8	0	0
2	E	8	0	4	0	0
2	F	16	0	8	0	0
2	G	16	0	8	0	0
2	H	8	0	4	0	0
3	A	172	0	0	0	0
3	B	126	0	0	1	0
3	C	96	0	0	1	0
3	D	156	0	0	0	0
3	E	89	0	0	0	0
3	F	123	0	0	1	0
3	G	127	0	0	3	0
3	H	71	0	0	0	0
All	All	23319	0	22006	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:49:THR:HG22	1:A:51:SER:HB2	1.42	0.98
1:A:141:ARG:HB3	2:A:404:SIN:H31	1.46	0.95
1:C:141:ARG:HB3	2:C:408:SIN:H22	1.53	0.91

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:49:THR:CG2	1:A:51:SER:HB2	2.05	0.86
1:C:282:ARG:HG2	1:D:376:ARG:HG3	1.63	0.80
1:H:147:MET:HE3	1:H:227:TYR:CD1	2.21	0.76
1:A:141:ARG:HB3	2:A:404:SIN:C3	2.18	0.72
1:C:266:LEU:HD21	1:C:321:MET:HG2	1.71	0.71
1:C:141:ARG:CB	2:C:408:SIN:H22	2.23	0.67
1:C:288:ASP:HB3	1:C:291:VAL:HG23	1.76	0.66
1:B:277:MET:HE2	1:B:277:MET:HA	1.78	0.64
1:F:50:ASN:O	1:F:289:SER:HB3	1.99	0.62
1:C:277:MET:HA	1:C:277:MET:HE2	1.82	0.62
3:C:763:HOH:O	1:D:240:ARG:HD3	2.00	0.62
1:E:46:VAL:HG22	1:E:51:SER:O	2.00	0.62
1:F:168:ILE:HD13	1:F:186:GLY:HA2	1.83	0.61
1:G:39:THR:HG22	1:H:380:ALA:HB3	1.83	0.60
1:C:331:LEU:O	1:C:334:PRO:HD2	2.03	0.59
1:A:299:GLU:O	1:A:303:THR:HG23	2.03	0.58
1:A:147:MET:HE3	1:A:227:TYR:CD1	2.38	0.58
1:A:195:SER:O	1:A:199:GLN:HG3	2.04	0.58
1:A:247:GLU:HG3	1:A:346:ILE:HG22	1.85	0.58
1:H:247:GLU:HG3	1:H:346:ILE:HG22	1.85	0.58
1:H:288:ASP:HB3	1:H:291:VAL:HG23	1.84	0.58
1:E:147:MET:HE1	1:E:230:VAL:HG11	1.85	0.57
1:E:157:ILE:HG12	1:E:167:PRO:HB3	1.85	0.57
1:D:147:MET:HE1	1:D:226:ILE:HG12	1.86	0.57
1:G:288:ASP:HB3	1:G:291:VAL:HG23	1.86	0.57
1:G:299:GLU:O	1:G:303:THR:HG23	2.03	0.57
1:B:168:ILE:HD13	1:B:186:GLY:HA2	1.86	0.57
1:F:247:GLU:HG3	1:F:346:ILE:HG22	1.88	0.56
1:C:195:SER:O	1:C:199:GLN:HG3	2.06	0.56
1:E:384[B]:HIS:HD2	1:E:385:GLU:O	1.89	0.55
1:B:366:MET:O	1:B:370:THR:HG23	2.07	0.54
1:E:124:ILE:HG23	1:E:147:MET:HE3	1.90	0.54
1:G:49:THR:HG23	1:G:51:SER:HB2	1.89	0.54
1:G:338:ALA:O	1:G:342:MET:HG3	2.08	0.54
1:C:274:GLU:O	1:C:276:ILE:HD12	2.07	0.54
1:B:109:LYS:HE3	3:G:856:HOH:O	2.07	0.53
1:A:134:GLU:OE1	1:B:118:ASP:OD2	2.25	0.53
1:E:247:GLU:HG3	1:E:346:ILE:HG22	1.91	0.53
1:C:209:PHE:O	1:D:376:ARG:HD3	2.09	0.53
1:D:247:GLU:HG3	1:D:346:ILE:HG22	1.90	0.53
1:E:37:VAL:CG2	1:F:32:LEU:HD21	2.38	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:50:ASN:O	1:C:289:SER:HB3	2.09	0.52
1:A:221:SER:HA	1:A:372:ASN:OD1	2.09	0.52
1:C:203:LEU:HD22	1:C:290:ARG:HB3	1.91	0.52
1:G:376:ARG:HG3	1:H:282:ARG:HG2	1.92	0.52
1:A:124:ILE:HG23	1:A:147:MET:CE	2.39	0.52
1:F:44:LYS:HE2	1:F:46:VAL:HG22	1.91	0.52
1:C:129:ALA:O	1:E:101:ARG:HD2	2.10	0.51
1:E:147:MET:CE	1:E:230:VAL:HG11	2.40	0.51
1:E:50:ASN:O	1:E:289:SER:HB3	2.11	0.51
1:E:71:VAL:HG21	1:E:202:ILE:HG12	1.92	0.51
1:A:32:LEU:HD21	1:B:37:VAL:HG22	1.93	0.50
1:H:59:VAL:CG1	1:H:203:LEU:HD23	2.41	0.50
1:H:314:TYR:CE2	1:H:333:PHE:CD2	2.99	0.50
1:C:299:GLU:O	1:C:303:THR:HG23	2.10	0.50
1:A:32:LEU:CD2	1:B:37:VAL:HG22	2.41	0.50
1:H:147:MET:HE1	1:H:227:TYR:HA	1.94	0.50
1:B:193:VAL:HG13	1:B:342:MET:HG2	1.94	0.50
1:H:90:SER:O	1:H:94:ARG:HG3	2.11	0.50
1:E:193:VAL:HG13	1:E:342:MET:HG2	1.94	0.49
1:B:252:ASP:O	1:B:256:ILE:HG13	2.13	0.49
1:E:297:ALA:O	1:E:301:VAL:HG23	2.13	0.49
1:D:221:SER:HA	1:D:372:ASN:OD1	2.13	0.48
1:E:299:GLU:O	1:E:303:THR:HG23	2.13	0.48
1:H:49:THR:HG23	1:H:51:SER:HB3	1.95	0.48
1:E:221:SER:HA	1:E:372:ASN:OD1	2.13	0.48
1:C:213:THR:O	1:C:217:ARG:HG3	2.14	0.48
1:H:193:VAL:HG21	1:H:305:ARG:HH21	1.77	0.48
1:A:288:ASP:HB3	1:A:291:VAL:HG23	1.95	0.48
1:A:32:LEU:HD21	1:B:37:VAL:CG2	2.44	0.47
1:A:49:THR:HG22	1:A:51:SER:CB	2.30	0.47
1:A:118:ASP:OD2	1:B:134:GLU:OE1	2.31	0.47
1:D:195:SER:O	1:D:199:GLN:HG3	2.15	0.47
1:B:346:ILE:HA	1:B:349:PHE:CE1	2.50	0.47
1:E:37:VAL:HG23	1:F:32:LEU:HD21	1.97	0.47
1:H:113:ASN:OD1	1:H:113:ASN:N	2.48	0.47
1:E:147:MET:HE1	1:E:230:VAL:CG1	2.45	0.47
1:A:338:ALA:O	1:A:342:MET:HG3	2.15	0.46
1:A:233:ALA:HB1	1:A:361:TRP:CE2	2.50	0.46
1:C:193:VAL:HG13	1:C:342:MET:HG2	1.97	0.45
1:C:288:ASP:HB3	1:C:291:VAL:CG2	2.44	0.45
1:D:109:LYS:HE3	3:F:816:HOH:O	2.15	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:62:LEU:O	1:H:66:CYS:HB2	2.16	0.45
1:A:201:MET:HA	1:A:201:MET:HE2	1.98	0.45
1:B:221:SER:HA	1:B:372:ASN:OD1	2.16	0.45
1:H:59:VAL:HG12	1:H:203:LEU:HD23	1.99	0.45
1:A:39:THR:HA	1:B:380:ALA:O	2.18	0.44
1:G:143:LYS:NZ	3:G:422:HOH:O	2.51	0.44
1:B:120:VAL:HG12	1:B:234:ILE:HD13	2.00	0.44
1:B:147[A]:MET:HE1	1:B:230:VAL:HB	2.00	0.44
1:B:163:ARG:NH1	3:B:692:HOH:O	2.48	0.44
1:B:195:SER:O	1:B:199:GLN:HG3	2.17	0.43
1:E:50:ASN:O	1:E:289:SER:CB	2.66	0.43
1:G:92:ARG:NH1	3:G:439:HOH:O	2.51	0.43
1:A:30:LYS:NZ	1:B:371:ALA:O	2.50	0.43
1:C:118:ASP:OD2	1:D:134:GLU:OE1	2.36	0.43
1:D:250:MET:HE2	1:D:340:TYR:CD2	2.54	0.43
1:D:233:ALA:HB1	1:D:361:TRP:CE2	2.53	0.43
1:G:190:GLU:H	1:G:190:GLU:HG3	1.58	0.43
1:H:353:PHE:O	1:H:353:PHE:HD1	2.02	0.43
1:E:209:PHE:CE2	1:F:379:SER:HB3	2.53	0.43
1:D:92:ARG:HD3	1:D:92:ARG:HA	1.77	0.43
1:F:221:SER:HA	1:F:372:ASN:OD1	2.19	0.43
1:H:127:LEU:HD11	1:H:150:VAL:HG11	2.01	0.43
1:H:159:MET:HE1	1:H:184:CYS:HB3	2.01	0.43
1:H:288:ASP:HB3	1:H:291:VAL:CG2	2.48	0.43
1:G:99:VAL:HB	1:G:103:MET:HB3	2.01	0.42
1:G:389:LEU:HD12	1:H:80:LEU:HD11	2.01	0.42
1:A:124:ILE:HG23	1:A:147:MET:HE2	2.01	0.42
1:G:134:GLU:OE1	1:H:118:ASP:OD2	2.37	0.42
1:E:277:MET:HA	1:E:277:MET:HE2	2.00	0.42
1:E:371:ALA:O	1:F:30:LYS:NZ	2.52	0.42
1:F:216:ALA:HB2	1:F:233:ALA:HB2	2.01	0.42
1:H:222:THR:O	1:H:223:GLN:HB2	2.20	0.42
1:A:157:ILE:HG12	1:A:167:PRO:HB3	2.02	0.42
1:B:77:ARG:HD3	1:B:141:ARG:NH1	2.35	0.42
1:C:221:SER:HA	1:C:372:ASN:OD1	2.20	0.42
1:A:350:THR:O	1:A:353:PHE:HB3	2.20	0.42
1:C:109:LYS:NZ	1:F:112:ASP:OD1	2.42	0.41
1:F:346:ILE:HA	1:F:349:PHE:CE1	2.56	0.41
1:H:60:GLN:H	1:H:60:GLN:HG3	1.55	0.41
1:E:120:VAL:HG12	1:E:234:ILE:HD13	2.02	0.41
1:C:216:ALA:HB2	1:C:233:ALA:HB2	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:112:ASP:OD1	1:E:109:LYS:NZ	2.46	0.41
1:E:94:ARG:HD3	1:E:172:SER:O	2.20	0.41
1:G:247:GLU:HG3	1:G:346:ILE:HG22	2.03	0.41
1:G:316:VAL:O	1:G:320:GLU:HG2	2.20	0.41
1:A:52:LEU:HG	1:A:59:VAL:HG21	2.03	0.41
1:C:252:ASP:O	1:C:256:ILE:HD12	2.21	0.40
1:C:330:ASN:OD1	1:C:330:ASN:C	2.65	0.40
1:G:32:LEU:HD21	1:H:37:VAL:HG22	2.03	0.40
1:G:288:ASP:HB3	1:G:291:VAL:CG2	2.50	0.40
1:A:101:ARG:HD2	1:H:129:ALA:O	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	366/414 (88%)	358 (98%)	8 (2%)	0	100	100
1	B	364/414 (88%)	354 (97%)	10 (3%)	0	100	100
1	C	362/414 (87%)	353 (98%)	9 (2%)	0	100	100
1	D	364/414 (88%)	354 (97%)	10 (3%)	0	100	100
1	E	366/414 (88%)	355 (97%)	11 (3%)	0	100	100
1	F	364/414 (88%)	355 (98%)	8 (2%)	1 (0%)	36	46
1	G	362/414 (87%)	353 (98%)	9 (2%)	0	100	100
1	H	363/414 (88%)	344 (95%)	18 (5%)	1 (0%)	36	46
All	All	2911/3312 (88%)	2826 (97%)	83 (3%)	2 (0%)	48	60

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	207	HIS
1	F	50	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	292/328 (89%)	289 (99%)	3 (1%)	68	82
1	B	282/328 (86%)	275 (98%)	7 (2%)	42	60
1	C	280/328 (85%)	270 (96%)	10 (4%)	31	47
1	D	287/328 (88%)	281 (98%)	6 (2%)	47	66
1	E	284/328 (87%)	276 (97%)	8 (3%)	38	56
1	F	284/328 (87%)	280 (99%)	4 (1%)	59	76
1	G	283/328 (86%)	276 (98%)	7 (2%)	42	60
1	H	274/328 (84%)	268 (98%)	6 (2%)	45	65
All	All	2266/2624 (86%)	2215 (98%)	51 (2%)	44	63

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	THR
1	A	204	TYR
1	A	345	ASP
1	B	30	LYS
1	B	37	VAL
1	B	49	THR
1	B	83	ASP
1	B	204	TYR
1	B	345	ASP
1	B	370	THR
1	C	30	LYS
1	C	60	GLN
1	C	190	GLU
1	C	204	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	281	HIS
1	C	289	SER
1	C	303	THR
1	C	304	VAL
1	C	321	MET
1	C	328	LEU
1	D	30	LYS
1	D	49	THR
1	D	51	SER
1	D	92	ARG
1	D	120	VAL
1	D	204	TYR
1	E	37	VAL
1	E	43	SER
1	E	191	THR
1	E	195	SER
1	E	204	TYR
1	E	254	ILE
1	E	255	GLU
1	E	277	MET
1	F	39	THR
1	F	109	LYS
1	F	195	SER
1	F	204	TYR
1	G	37	VAL
1	G	120	VAL
1	G	190	GLU
1	G	195	SER
1	G	204	TYR
1	G	345	ASP
1	G	376	ARG
1	H	60	GLN
1	H	113	ASN
1	H	204	TYR
1	H	207	HIS
1	H	317	LEU
1	H	345	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	286	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	384	HIS
1	C	60	GLN
1	C	199	GLN
1	E	386	GLN
1	F	60	GLN
1	F	384	HIS
1	G	178	GLN
1	H	60	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SIN	H	415	-	7,7,7	1.10	0	8,8,8	1.70	3 (37%)
2	SIN	C	408	-	7,7,7	1.02	0	8,8,8	1.44	0
2	SIN	A	403	-	7,7,7	1.10	0	8,8,8	1.57	2 (25%)
2	SIN	F	411	-	7,7,7	1.16	0	8,8,8	1.51	1 (12%)
2	SIN	G	413	-	7,7,7	1.22	0	8,8,8	1.40	1 (12%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SIN	B	406	-	7,7,7	1.13	0	8,8,8	1.61	2 (25%)
2	SIN	D	409	-	7,7,7	0.94	0	8,8,8	1.66	2 (25%)
2	SIN	D	410	-	7,7,7	1.04	0	8,8,8	1.59	1 (12%)
2	SIN	A	401	-	7,7,7	1.20	0	8,8,8	1.96	4 (50%)
2	SIN	G	414	-	7,7,7	1.13	0	8,8,8	1.62	2 (25%)
2	SIN	E	416	-	7,7,7	1.07	0	8,8,8	1.71	2 (25%)
2	SIN	A	404	-	7,7,7	1.04	0	8,8,8	1.77	1 (12%)
2	SIN	F	412	-	7,7,7	1.05	0	8,8,8	1.64	3 (37%)
2	SIN	C	407	-	7,7,7	1.14	0	8,8,8	1.55	2 (25%)
2	SIN	A	402	-	7,7,7	1.08	0	8,8,8	1.65	1 (12%)
2	SIN	B	405	-	7,7,7	1.15	0	8,8,8	1.72	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SIN	H	415	-	-	1/5/5/5	-
2	SIN	C	408	-	-	3/5/5/5	-
2	SIN	A	403	-	-	0/5/5/5	-
2	SIN	F	411	-	-	1/5/5/5	-
2	SIN	G	413	-	-	2/5/5/5	-
2	SIN	B	406	-	-	1/5/5/5	-
2	SIN	D	409	-	-	1/5/5/5	-
2	SIN	D	410	-	-	0/5/5/5	-
2	SIN	A	401	-	-	3/5/5/5	-
2	SIN	G	414	-	-	0/5/5/5	-
2	SIN	E	416	-	-	1/5/5/5	-
2	SIN	A	404	-	-	3/5/5/5	-
2	SIN	F	412	-	-	2/5/5/5	-
2	SIN	C	407	-	-	1/5/5/5	-
2	SIN	A	402	-	-	2/5/5/5	-
2	SIN	B	405	-	-	0/5/5/5	-

There are no bond length outliers.

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	SIN	O4-C4-C3	3.16	123.99	114.00
2	A	404	SIN	O2-C1-C2	3.10	123.80	114.00
2	A	401	SIN	O4-C4-O3	-3.00	115.62	123.33
2	E	416	SIN	O4-C4-C3	2.99	123.43	114.00
2	F	411	SIN	O2-C1-C2	2.81	122.88	114.00
2	D	410	SIN	O2-C1-C2	2.80	122.86	114.00
2	D	409	SIN	O4-C4-C3	2.72	122.59	114.00
2	B	405	SIN	O4-C4-C3	2.71	122.56	114.00
2	F	412	SIN	O2-C1-O1	-2.68	116.44	123.33
2	B	405	SIN	O2-C1-O1	-2.66	116.50	123.33
2	A	403	SIN	O2-C1-C2	2.65	122.37	114.00
2	H	415	SIN	O4-C4-C3	2.56	122.09	114.00
2	B	406	SIN	O2-C1-C2	2.48	121.85	114.00
2	A	402	SIN	O4-C4-C3	2.44	121.72	114.00
2	A	401	SIN	O2-C1-O1	-2.40	117.16	123.33
2	G	413	SIN	O4-C4-C3	2.39	121.56	114.00
2	G	414	SIN	O4-C4-C3	2.38	121.52	114.00
2	F	412	SIN	O4-C4-C3	2.34	121.38	114.00
2	B	406	SIN	O2-C1-O1	-2.23	117.59	123.33
2	G	414	SIN	O2-C1-O1	-2.22	117.63	123.33
2	E	416	SIN	O4-C4-O3	-2.18	117.71	123.33
2	A	401	SIN	O2-C1-C2	2.17	120.87	114.00
2	F	412	SIN	O2-C1-C2	2.17	120.86	114.00
2	H	415	SIN	O2-C1-C2	2.16	120.81	114.00
2	C	407	SIN	O4-C4-O3	-2.15	117.81	123.33
2	C	407	SIN	O4-C4-C3	2.10	120.65	114.00
2	D	409	SIN	O2-C1-C2	2.05	120.48	114.00
2	H	415	SIN	O2-C1-O1	-2.03	118.12	123.33
2	A	403	SIN	O2-C1-O1	-2.02	118.15	123.33

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	407	SIN	C1-C2-C3-C4
2	D	409	SIN	C1-C2-C3-C4
2	C	408	SIN	C1-C2-C3-C4
2	A	404	SIN	C1-C2-C3-C4
2	F	411	SIN	C1-C2-C3-C4
2	H	415	SIN	C1-C2-C3-C4
2	A	401	SIN	C1-C2-C3-C4
2	F	412	SIN	C1-C2-C3-C4
2	C	408	SIN	O1-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	408	SIN	O2-C1-C2-C3
2	A	401	SIN	C2-C3-C4-O4
2	A	404	SIN	C2-C3-C4-O3
2	G	413	SIN	C2-C3-C4-O4
2	A	404	SIN	C2-C3-C4-O4
2	A	401	SIN	C2-C3-C4-O3
2	A	402	SIN	C2-C3-C4-O4
2	A	402	SIN	C2-C3-C4-O3
2	G	413	SIN	C2-C3-C4-O3
2	E	416	SIN	C1-C2-C3-C4
2	F	412	SIN	C2-C3-C4-O4
2	B	406	SIN	C2-C3-C4-O4

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	408	SIN	2	0
2	A	404	SIN	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	366/414 (88%)	-0.54	1 (0%) 90 90	13, 28, 47, 58	2 (0%)
1	B	364/414 (87%)	-0.38	4 (1%) 78 79	15, 30, 56, 68	2 (0%)
1	C	364/414 (87%)	-0.04	21 (5%) 29 31	19, 32, 66, 71	0
1	D	365/414 (88%)	-0.51	3 (0%) 82 83	17, 27, 46, 57	1 (0%)
1	E	367/414 (88%)	-0.11	6 (1%) 70 72	21, 36, 62, 74	1 (0%)
1	F	365/414 (88%)	-0.39	0 100 100	16, 30, 55, 69	1 (0%)
1	G	364/414 (87%)	-0.34	6 (1%) 70 72	20, 31, 56, 62	0
1	H	365/414 (88%)	0.19	21 (5%) 29 31	25, 39, 68, 77	0
All	All	2920/3312 (88%)	-0.26	62 (2%) 63 65	13, 31, 60, 77	7 (0%)

All (62) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	327	ILE	4.3
1	C	322	ALA	4.2
1	C	326	GLY	4.2
1	H	391	GLY	4.0
1	C	281	HIS	4.0
1	C	280	GLY	3.6
1	C	319	ALA	3.6
1	C	325	THR	3.5
1	B	48	GLN	3.5
1	C	328	LEU	3.2
1	G	47	PRO	3.1
1	C	283	VAL	3.1
1	H	48	GLN	3.1
1	C	289	SER	3.0
1	E	280	GLY	3.0
1	C	268	ALA	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	27	ASP	2.9
1	C	274	GLU	2.8
1	E	46	VAL	2.8
1	G	49	THR	2.8
1	H	264	GLU	2.8
1	C	263	ARG	2.8
1	H	324	ALA	2.7
1	D	48	GLN	2.7
1	C	271	ALA	2.6
1	E	263	ARG	2.6
1	B	49	THR	2.6
1	H	276	ILE	2.6
1	G	48	GLN	2.6
1	G	27	ASP	2.6
1	E	49	THR	2.6
1	D	391	GLY	2.5
1	C	323	SER	2.5
1	H	319	ALA	2.5
1	H	265	TRP	2.4
1	C	284	TYR	2.4
1	H	315	GLN	2.4
1	C	317	LEU	2.4
1	D	47	PRO	2.4
1	E	271	ALA	2.4
1	H	49	THR	2.4
1	G	46	VAL	2.3
1	H	262	ALA	2.3
1	G	388	VAL	2.3
1	H	317	LEU	2.2
1	C	270	LEU	2.2
1	H	328	LEU	2.2
1	C	321	MET	2.2
1	H	263	ARG	2.2
1	H	266	LEU	2.2
1	C	262	ALA	2.2
1	C	276	ILE	2.1
1	E	47	PRO	2.1
1	H	321	MET	2.1
1	H	258	ASP	2.1
1	H	257	GLY	2.1
1	B	286	HIS	2.0
1	H	327	ILE	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	259	PRO	2.0
1	H	325	THR	2.0
1	A	271	ALA	2.0
1	B	267	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SIN	A	404	8/8	0.82	0.13	58,61,64,64	0
2	SIN	C	408	8/8	0.86	0.12	50,54,59,60	0
2	SIN	A	403	8/8	0.89	0.11	60,61,63,64	0
2	SIN	F	412	8/8	0.89	0.16	52,52,54,54	0
2	SIN	D	410	8/8	0.91	0.13	51,53,54,54	0
2	SIN	G	414	8/8	0.92	0.13	54,57,58,59	0
2	SIN	H	415	8/8	0.92	0.11	42,43,45,45	0
2	SIN	C	407	8/8	0.93	0.09	33,34,35,37	0
2	SIN	B	406	8/8	0.95	0.12	48,51,52,52	0
2	SIN	A	402	8/8	0.95	0.06	29,32,35,36	0
2	SIN	E	416	8/8	0.95	0.06	37,38,38,39	0
2	SIN	F	411	8/8	0.96	0.06	28,30,33,34	0
2	SIN	G	413	8/8	0.96	0.07	29,31,33,33	0
2	SIN	A	401	8/8	0.97	0.07	25,27,27,28	0
2	SIN	B	405	8/8	0.97	0.06	25,29,31,32	0
2	SIN	D	409	8/8	0.98	0.04	25,26,26,29	0

6.5 Other polymers [i](#)

There are no such residues in this entry.