



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 10:48 PM EDT

PDB ID : 4HZH / pdb_00004hzh
Title : Structure of recombinant Gla-domainless prothrombin mutant S525A
Authors : Pozzi, N.; Niu, W.; Gohara, D.W.; Chen, Z.; Di Cera, E.
Deposited on : 2012-11-15
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1169 (3.32-3.28)
Clashscore	190562	1209 (3.32-3.28)
Ramachandran outliers	187476	1188 (3.32-3.28)
Sidechain outliers	187428	1187 (3.32-3.28)
RSRZ outliers	180081	1169 (3.32-3.28)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	533	
1	B	533	

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 6940 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Prothrombin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	392	Total	C	N	O	S	0	0	0
			3141	1986	549	585	21			
1	B	468	Total	C	N	O	S	0	0	0
			3743	2353	663	701	26			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	525	ALA	SER	engineered mutation	UNP P00734
B	525	ALA	SER	engineered mutation	UNP P00734

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	82.58Å 103.14Å 149.55Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 3.30 40.00 – 3.30	Depositor EDS
% Data completeness (in resolution range)	96.0 (40.00-3.30) 96.0 (40.00-3.30)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.07 (at 3.32Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.295 , 0.329 0.296 , 0.338	Depositor DCC
R_{free} test set	1011 reflections (5.12%)	wwPDB-VP
Wilson B-factor (Å ²)	51.1	Xtriage
Anisotropy	0.066	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 19.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.34$, $\langle L^2 \rangle = 0.17$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.77	EDS
Total number of atoms	6940	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.63	5/3220 (0.2%)	0.94	10/4353 (0.2%)
1	B	0.50	2/3839 (0.1%)	0.86	4/5198 (0.1%)
All	All	0.57	7/7059 (0.1%)	0.90	14/9551 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	3
All	All	0	4

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	468	TRP	C-N	17.46	1.58	1.33
1	B	481	GLN	C-N	-7.30	1.23	1.33
1	A	467	THR	C-O	-6.80	1.16	1.24
1	A	468	TRP	CA-C	6.17	1.61	1.52
1	A	466	GLU	C-O	-5.84	1.17	1.24
1	B	283	PRO	C-N	5.52	1.41	1.33
1	A	326	ASP	CA-C	-5.15	1.46	1.52

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	468	TRP	O-C-N	13.25	140.21	122.59
1	A	468	TRP	N-CA-C	12.10	136.57	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	470	ALA	N-CA-C	-7.87	102.78	112.38
1	B	139	SER	N-CA-C	7.32	119.86	108.96
1	B	140	ILE	N-CA-C	6.55	123.04	108.88
1	A	399	SER	N-CA-C	6.19	118.36	109.14
1	A	468	TRP	CA-C-N	-5.71	113.70	122.61
1	A	468	TRP	C-N-CA	-5.71	113.70	122.61
1	A	368	PRO	N-CA-C	5.47	117.37	110.70
1	A	427	LYS	CA-C-N	5.43	125.74	119.93
1	A	427	LYS	C-N-CA	5.43	125.74	119.93
1	A	467	THR	CB-CA-C	5.36	119.22	110.96
1	B	368	PRO	N-CA-C	5.14	116.97	110.70
1	B	219	CYS	N-CA-C	5.09	117.69	110.10

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	469	THR	Peptide
1	B	123	GLY	Peptide
1	B	140	ILE	Peptide
1	B	284	ARG	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3141	0	3024	81	0
1	B	3743	0	3581	120	0
2	A	14	0	13	0	0
2	B	42	0	39	4	0
All	All	6940	0	6657	201	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (201) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:468:TRP:CZ2	1:A:547:TRP:CD2	2.41	1.09
1:B:330:GLY:HA3	1:B:434:TYR:HD1	1.17	1.04
1:A:468:TRP:HZ2	1:A:547:TRP:CD2	1.75	1.00
1:B:459:THR:HG22	1:B:482:VAL:HB	1.56	0.87
1:B:330:GLY:HA3	1:B:434:TYR:CD1	2.08	0.85
1:A:468:TRP:HZ2	1:A:547:TRP:CG	1.95	0.84
1:B:551:CYS:HA	1:B:554:ASP:HB2	1.60	0.82
1:B:483:VAL:HG22	1:B:484:ASN:N	1.95	0.81
1:B:69:LEU:HD12	1:B:122:THR:HG23	1.62	0.80
1:B:340:ARG:O	1:B:344:GLN:HA	1.82	0.78
1:B:459:THR:HG22	1:B:482:VAL:CB	2.17	0.75
1:B:459:THR:HG22	1:B:482:VAL:CG2	2.17	0.75
1:A:541:GLN:O	1:A:563:VAL:HG21	1.90	0.71
1:B:473:GLY:O	1:B:474:LYS:HB2	1.89	0.71
1:B:76:HIS:CD2	2:B:703:NAG:C8	2.74	0.70
1:A:463:ASN:HB3	1:A:524:ASP:HA	1.73	0.69
1:A:367:TYR:HD2	1:A:370:TRP:HB2	1.59	0.68
1:A:468:TRP:CZ2	1:A:547:TRP:CE2	2.81	0.68
1:A:468:TRP:CZ2	1:A:547:TRP:CE3	2.81	0.67
1:B:551:CYS:HA	1:B:554:ASP:CB	2.24	0.67
1:B:483:VAL:CG2	1:B:484:ASN:N	2.58	0.67
1:A:468:TRP:CZ2	1:A:547:TRP:CG	2.78	0.66
1:A:468:TRP:C	1:A:470:ALA:H	2.03	0.66
1:B:372:LYS:HD2	1:B:374:PHE:HE2	1.60	0.66
1:B:415:ASN:HD21	1:B:500:ARG:H	1.43	0.65
1:A:327:ALA:O	1:A:386:HIS:HE1	1.80	0.64
1:B:483:VAL:CG2	1:B:484:ASN:H	2.11	0.64
1:B:483:VAL:HG22	1:B:484:ASN:H	1.61	0.64
1:A:351:SER:HB3	1:A:528:PRO:HG3	1.80	0.63
1:B:536:ASN:H	1:B:536:ASN:HD22	1.47	0.62
1:A:382:ARG:HD3	1:A:385:LYS:HD2	1.82	0.62
1:B:459:THR:CG2	1:B:482:VAL:CG2	2.78	0.62
1:B:116:ASN:HB2	1:B:124:PRO:HA	1.83	0.61
1:B:86:CYS:HB2	1:B:112:ASN:HD22	1.64	0.61
1:A:467:THR:O	1:A:469:THR:N	2.31	0.60
1:B:480:LEU:O	1:B:480:LEU:HG	2.01	0.60
1:A:286:PHE:CE2	1:A:354:SER:HB3	2.35	0.60
1:A:341:LYS:HE2	1:A:380:LEU:HD23	1.84	0.59
1:B:382:ARG:HG2	1:B:398:ILE:HB	1.86	0.58
1:B:479:VAL:O	1:B:481:GLN:N	2.36	0.58
1:A:440:LEU:HB2	1:A:567:LYS:HE2	1.85	0.58
1:B:76:HIS:CD2	2:B:703:NAG:H81	2.39	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:308:THR:O	1:B:311:GLU:HB3	2.05	0.57
1:B:563:VAL:HA	1:B:566:LEU:HD21	1.86	0.57
1:A:550:GLY:HA3	1:A:559:PHE:CE2	2.40	0.57
1:A:550:GLY:HA3	1:A:559:PHE:HE2	1.70	0.56
1:A:370:TRP:O	1:A:371:ASP:HB2	2.04	0.56
1:A:472:VAL:HG13	1:A:474:LYS:O	2.05	0.56
1:B:469:THR:C	1:B:471:ASN:H	2.11	0.56
1:A:186:THR:HG21	1:A:409:ARG:HG3	1.87	0.56
1:A:490:ARG:HH22	1:A:502:THR:C	2.14	0.56
1:B:326:ASP:CG	1:B:479:VAL:HG11	2.31	0.56
1:B:340:ARG:HB3	1:B:343:PRO:O	2.05	0.56
1:B:183:ALA:HB2	1:B:218:PHE:CD1	2.41	0.55
1:B:520:ALA:O	1:B:521:CYS:HB2	2.06	0.55
1:B:297:PRO:HA	1:B:301:LYS:HD3	1.88	0.55
1:B:79:ILE:HD13	1:B:79:ILE:H	1.72	0.55
1:A:458:VAL:HG23	1:A:529:PHE:HD1	1.69	0.55
1:B:140:ILE:HB	1:B:141:PRO:HD3	1.87	0.55
1:B:176:GLN:HA	1:B:221:ASN:HB3	1.87	0.55
1:B:466:GLU:C	1:B:468:TRP:H	2.15	0.55
1:A:573:VAL:O	1:A:576:GLN:HB3	2.06	0.54
1:B:98:GLU:OE2	1:B:127:TYR:HE2	1.91	0.54
1:A:325:SER:O	1:A:482:VAL:HG12	2.06	0.54
1:A:464:LEU:HD23	1:A:521:CYS:HA	1.90	0.54
1:A:548:GLY:O	1:A:551:CYS:HB2	2.07	0.54
1:B:415:ASN:O	1:B:417:ASP:N	2.35	0.54
1:B:194:TRP:HZ3	1:B:232:TYR:HD2	1.56	0.53
1:A:553:ARG:HA	1:A:553:ARG:HE	1.72	0.53
1:B:325:SER:O	1:B:481:GLN:OE1	2.27	0.53
1:B:460:GLY:O	1:B:481:GLN:HB2	2.08	0.53
1:A:466:GLU:HG3	1:A:476:GLN:NE2	2.24	0.52
1:B:137:GLU:H	1:B:137:GLU:CD	2.18	0.52
1:B:192:LEU:HD21	1:B:234:ALA:HB2	1.89	0.52
1:B:98:GLU:OE1	1:B:135:ARG:NH1	2.42	0.52
1:A:317:ILE:HD12	1:A:317:ILE:H	1.75	0.52
1:A:468:TRP:C	1:A:470:ALA:N	2.65	0.52
1:B:497:THR:HG21	1:B:501:ILE:HD11	1.91	0.52
1:A:308:THR:O	1:A:311:GLU:HB3	2.10	0.52
1:A:361:ALA:HA	1:A:419:ASP:O	2.11	0.51
1:B:81:ARG:O	1:B:82:SER:HB3	2.11	0.51
1:B:436:HIS:CG	1:B:437:PRO:HD2	2.46	0.51
1:B:536:ASN:O	1:B:538:ARG:N	2.44	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:466:GLU:HG3	1:A:476:GLN:HE21	1.76	0.51
1:A:473:GLY:O	1:A:474:LYS:HB2	2.11	0.50
1:B:253:GLU:HB3	1:B:450:LEU:HD13	1.93	0.50
1:B:459:THR:HG22	1:B:482:VAL:HG21	1.92	0.50
1:B:445:THR:HA	1:B:448:SER:OG	2.10	0.50
1:A:418:ARG:HG3	1:A:420:ILE:HD11	1.93	0.50
1:A:340:ARG:N	1:A:345:GLU:O	2.40	0.50
1:A:357:TRP:CZ3	1:A:424:LYS:HB2	2.47	0.50
1:A:530:VAL:HG12	1:A:541:GLN:HA	1.94	0.49
1:B:512:PRO:HA	1:B:516:LYS:HB3	1.94	0.49
1:B:89:TRP:HE3	1:B:109:LEU:HB3	1.77	0.49
1:B:340:ARG:HD3	1:B:343:PRO:HD2	1.94	0.49
1:B:533:SER:O	1:B:537:ASN:HA	2.13	0.48
1:B:339:PHE:O	1:B:379:LEU:HA	2.13	0.48
1:A:531:MET:SD	1:A:542:MET:HG3	2.53	0.48
1:B:459:THR:CG2	1:B:482:VAL:HG21	2.44	0.48
1:A:550:GLY:CA	1:A:559:PHE:HE2	2.26	0.48
1:A:455:LYS:HA	1:A:486:PRO:HA	1.95	0.47
1:A:309:GLU:OE1	1:A:532:LYS:NZ	2.44	0.47
1:A:469:THR:C	1:A:471:ASN:N	2.70	0.47
1:A:407:HIS:HB3	1:A:420:ILE:HG13	1.96	0.47
1:B:82:SER:OG	1:B:136:GLN:NE2	2.48	0.47
1:A:282:ASN:HD21	1:A:284:ARG:HB2	1.79	0.47
1:A:336:VAL:HG22	1:A:383:ILE:HG23	1.97	0.47
1:A:412:TRP:HA	1:A:416:LEU:HD23	1.97	0.47
1:B:458:VAL:O	1:B:482:VAL:HG23	2.14	0.47
1:B:69:LEU:CD1	1:B:122:THR:HG23	2.40	0.47
1:A:468:TRP:CH2	1:A:547:TRP:CE2	3.04	0.46
1:A:487:ILE:HD12	1:A:487:ILE:H	1.79	0.46
1:B:388:ARG:HB2	1:B:461:TRP:CD1	2.50	0.46
1:A:252:VAL:HA	1:A:443:ARG:HH12	1.81	0.46
1:A:409:ARG:O	1:A:418:ARG:HB2	2.15	0.46
1:A:385:LYS:HG3	1:A:396:GLU:HB3	1.97	0.46
1:A:431:PHE:CE1	1:A:437:PRO:HD3	2.51	0.46
1:B:125:TRP:CE3	1:B:135:ARG:HD2	2.51	0.46
1:B:362:ALA:HA	1:B:421:ALA:HB2	1.97	0.46
1:B:251:ALA:HB2	1:B:490:ARG:HD3	1.98	0.46
1:B:482:VAL:HG13	1:B:482:VAL:O	2.15	0.46
1:B:529:PHE:O	1:B:542:MET:N	2.39	0.46
1:B:407:HIS:HB2	1:B:420:ILE:HB	1.96	0.46
1:A:325:SER:HA	1:A:481:GLN:OE1	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:511:LYS:O	1:B:516:LYS:HD2	2.15	0.46
1:A:503:ASP:OD2	1:A:565:ARG:NH1	2.45	0.46
1:B:108:ASP:O	1:B:115:ARG:HD2	2.15	0.46
1:B:381:VAL:O	1:B:398:ILE:HA	2.16	0.46
1:B:469:THR:C	1:B:471:ASN:N	2.74	0.46
1:A:547:TRP:O	1:A:548:GLY:C	2.58	0.45
1:B:193:ALA:HB3	1:B:196:SER:HB3	1.98	0.45
1:A:385:LYS:HG3	1:A:396:GLU:CB	2.47	0.45
1:A:472:VAL:HG12	1:A:472:VAL:O	2.15	0.45
1:B:93:TYR:CD1	1:B:94:PRO:HA	2.52	0.45
1:B:420:ILE:HD13	1:B:566:LEU:HD22	1.98	0.45
1:B:334:TRP:O	1:B:336:VAL:HG23	2.16	0.45
1:B:315:SER:O	1:B:316:TYR:C	2.59	0.45
1:B:424:LYS:HE3	1:B:577:PHE:CE2	2.52	0.45
1:B:532:LYS:HE2	1:B:537:ASN:OD1	2.16	0.45
1:A:445:THR:O	1:A:449:LEU:HG	2.16	0.45
1:B:341:LYS:N	1:B:378:ASP:O	2.47	0.45
1:A:536:ASN:C	1:A:536:ASN:HD22	2.25	0.44
1:B:227:GLU:HB3	1:B:242:TYR:CE2	2.52	0.44
1:B:76:HIS:HD2	2:B:703:NAG:C8	2.27	0.44
1:B:119:SER:O	1:B:120:SER:O	2.35	0.44
1:B:529:PHE:CD1	1:B:542:MET:HB2	2.52	0.44
1:B:128:THR:HG21	1:B:133:VAL:HG12	1.99	0.44
1:B:441:PRO:HG3	1:B:540:TYR:HB3	1.99	0.44
1:B:88:LEU:HG	1:B:111:GLU:HA	2.00	0.44
1:B:191:CYS:HA	1:B:232:TYR:O	2.18	0.44
1:A:415:ASN:O	1:A:416:LEU:HB2	2.18	0.43
1:B:326:ASP:OD1	1:B:479:VAL:HG21	2.18	0.43
1:B:366:LEU:HA	1:B:372:LYS:O	2.18	0.43
1:A:468:TRP:CE2	1:A:547:TRP:CE3	3.06	0.43
1:B:455:LYS:O	1:B:531:MET:HE3	2.18	0.43
1:B:488:VAL:HB	1:B:507:CYS:HB3	2.00	0.43
1:B:562:HIS:ND1	1:B:564:PHE:HE1	2.16	0.43
1:A:349:GLY:HA3	1:A:524:ASP:HB3	2.01	0.43
1:A:459:THR:HA	1:A:481:GLN:O	2.19	0.43
1:B:536:ASN:HD22	1:B:536:ASN:N	2.12	0.43
1:B:543:GLY:HA2	1:B:561:THR:O	2.19	0.43
1:A:441:PRO:HD3	1:A:540:TYR:HB3	2.01	0.43
1:A:298:LEU:HD12	1:A:330:GLY:HA3	2.01	0.43
1:A:463:ASN:O	1:A:467:THR:HG23	2.18	0.43
1:A:550:GLY:HA2	1:A:553:ARG:HG3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:92:ARG:HD3	1:B:96:LYS:HG3	2.01	0.42
1:B:357:TRP:CZ3	1:B:424:LYS:HB2	2.54	0.42
1:B:415:ASN:ND2	1:B:500:ARG:H	2.13	0.42
1:A:412:TRP:H	1:A:412:TRP:CD1	2.37	0.42
1:B:465:LYS:HD3	1:B:521:CYS:HB3	2.02	0.42
1:B:286:PHE:CE2	1:B:354:SER:HB3	2.55	0.42
1:A:468:TRP:CE3	1:A:468:TRP:CA	3.03	0.42
1:B:102:THR:HG23	2:B:702:NAG:H82	2.02	0.42
1:B:183:ALA:HB2	1:B:218:PHE:HD1	1.82	0.42
1:A:193:ALA:HA	1:A:217:ASN:CB	2.49	0.41
1:B:456:GLY:HA2	1:B:531:MET:HG2	2.02	0.41
1:A:460:GLY:O	1:A:480:LEU:HD12	2.19	0.41
1:B:81:ARG:O	1:B:82:SER:CB	2.68	0.41
1:B:99:ILE:HG13	1:B:103:THR:CG2	2.50	0.41
1:A:275:SER:OG	1:A:536:ASN:O	2.38	0.41
1:A:213:GLN:H	1:A:213:GLN:HG2	1.74	0.41
1:A:367:TYR:CD2	1:A:370:TRP:HB2	2.46	0.41
1:A:464:LEU:HD23	1:A:521:CYS:CA	2.50	0.41
1:A:471:ASN:O	1:A:473:GLY:N	2.51	0.41
1:B:334:TRP:HA	1:B:352:LEU:HB3	2.02	0.41
1:A:333:PRO:HD2	1:A:334:TRP:CZ3	2.56	0.41
1:B:194:TRP:HZ3	1:B:232:TYR:CD2	2.36	0.41
1:B:333:PRO:HD2	1:B:334:TRP:CE3	2.56	0.41
1:B:520:ALA:O	1:B:521:CYS:CB	2.68	0.41
1:B:99:ILE:HG23	1:B:104:HIS:HB2	2.02	0.41
1:B:179:GLN:HE21	1:B:179:GLN:HB2	1.66	0.41
1:B:342:SER:HA	1:B:343:PRO:HA	1.85	0.41
1:A:525:ALA:C	1:A:527:GLY:H	2.29	0.40
1:B:193:ALA:HA	1:B:217:ASN:HB3	2.03	0.40
1:B:426:LYS:O	1:B:428:PRO:HD3	2.21	0.40
1:B:186:THR:HG21	1:B:409:ARG:NE	2.36	0.40
1:B:473:GLY:O	1:B:474:LYS:CB	2.65	0.40
1:B:490:ARG:HH21	1:B:503:ASP:HA	1.85	0.40
1:B:130:ASP:HA	1:B:131:PRO:HD3	1.92	0.40
1:B:221:ASN:HB2	1:B:229:VAL:HG12	2.04	0.40
1:B:185:THR:HA	1:B:243:CYS:HA	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	388/533 (73%)	325 (84%)	51 (13%)	12 (3%)	3	20
1	B	462/533 (87%)	358 (78%)	72 (16%)	32 (7%)	1	7
All	All	850/1066 (80%)	683 (80%)	123 (14%)	44 (5%)	1	11

All (44) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	468	TRP
1	A	474	LYS
1	A	548	GLY
1	B	69	LEU
1	B	82	SER
1	B	117	PRO
1	B	119	SER
1	B	120	SER
1	B	140	ILE
1	B	142	VAL
1	B	316	TYR
1	B	344	GLN
1	B	474	LYS
1	B	480	LEU
1	B	537	ASN
1	A	372	LYS
1	A	472	VAL
1	B	112	ASN
1	B	141	PRO
1	B	216	GLU
1	B	222	PRO
1	B	416	LEU
1	B	467	THR
1	B	482	VAL
1	A	204	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	311	GLU
1	A	555	GLY
1	B	481	GLN
1	A	205	HIS
1	A	469	THR
1	A	550	GLY
1	B	238	GLY
1	B	508	ALA
1	B	515	GLY
1	B	197	ALA
1	B	395	ILE
1	B	415	ASN
1	A	395	ILE
1	B	106	GLY
1	B	428	PRO
1	B	172	PRO
1	B	289	GLY
1	B	528	PRO
1	B	237	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	335/456 (74%)	313 (93%)	22 (7%)	15	43
1	B	404/456 (89%)	364 (90%)	40 (10%)	7	27
All	All	739/912 (81%)	677 (92%)	62 (8%)	10	34

All (62) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	184	VAL
1	A	245	LEU
1	A	253	GLU
1	A	301	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	312	LEU
1	A	313	LEU
1	A	317	ILE
1	A	332	SER
1	A	340	ARG
1	A	372	LYS
1	A	383	ILE
1	A	385	LYS
1	A	396	GLU
1	A	440	LEU
1	A	443	ARG
1	A	464	LEU
1	A	469	THR
1	A	479	VAL
1	A	521	CYS
1	A	536	ASN
1	A	547	TRP
1	A	554	ASP
1	B	69	LEU
1	B	79	ILE
1	B	84	ILE
1	B	95	HIS
1	B	98	GLU
1	B	99	ILE
1	B	115	ARG
1	B	122	THR
1	B	128	THR
1	B	130	ASP
1	B	137	GLU
1	B	198	GLN
1	B	205	HIS
1	B	239	ASP
1	B	248	CYS
1	B	301	LYS
1	B	308	THR
1	B	309	GLU
1	B	321	ILE
1	B	325	SER
1	B	326	ASP
1	B	338	LEU
1	B	347	LEU
1	B	351	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	392	GLU
1	B	398	ILE
1	B	414	GLU
1	B	423	MET
1	B	429	VAL
1	B	466	GLU
1	B	490	ARG
1	B	493	CYS
1	B	498	ARG
1	B	499	ILE
1	B	502	THR
1	B	514	GLU
1	B	530	VAL
1	B	536	ASN
1	B	553	ARG
1	B	566	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	176	GLN
1	A	179	GLN
1	A	187	HIS
1	A	246	ASN
1	A	282	ASN
1	A	386	HIS
1	A	476	GLN
1	A	536	ASN
1	A	541	GLN
1	A	562	HIS
1	B	76	HIS
1	B	116	ASN
1	B	136	GLN
1	B	179	GLN
1	B	415	ASN
1	B	463	ASN
1	B	536	ASN
1	B	576	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	B	703	1	14,14,15	0.59	0	17,19,21	1.10	1 (5%)
2	NAG	B	701	1	14,14,15	0.48	0	17,19,21	1.03	1 (5%)
2	NAG	A	701	1	14,14,15	0.56	0	17,19,21	1.29	1 (5%)
2	NAG	B	702	1	14,14,15	0.51	0	17,19,21	1.03	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	703	1	-	0/6/23/26	0/1/1/1
2	NAG	B	701	1	-	2/6/23/26	0/1/1/1
2	NAG	A	701	1	-	2/6/23/26	0/1/1/1
2	NAG	B	702	1	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	NAG	C1-O5-C5	4.54	118.27	112.19
2	B	701	NAG	C1-O5-C5	3.04	116.27	112.19
2	B	703	NAG	O5-C1-C2	-2.74	107.06	111.29
2	B	702	NAG	C1-O5-C5	2.43	115.44	112.19

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	701	NAG	O5-C5-C6-O6
2	B	701	NAG	C4-C5-C6-O6
2	B	701	NAG	O5-C5-C6-O6
2	A	701	NAG	C4-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	703	NAG	3	0
2	B	702	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	392/533 (73%)	0.10	8 (2%) 65 46	20, 38, 70, 82	0
1	B	468/533 (87%)	0.73	21 (4%) 38 25	48, 66, 105, 112	0
All	All	860/1066 (80%)	0.45	29 (3%) 48 32	20, 59, 101, 112	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	547	TRP	4.6
1	B	552	ASP	3.6
1	B	275	SER	3.6
1	B	201	ALA	3.4
1	B	317	ILE	3.2
1	B	547	TRP	3.0
1	B	212	VAL	3.0
1	B	122	THR	2.7
1	B	452	ALA	2.7
1	B	325	SER	2.6
1	B	202	LEU	2.6
1	B	93	TYR	2.5
1	B	548	GLY	2.4
1	B	321	ILE	2.4
1	A	549	GLU	2.4
1	B	277	TYR	2.4
1	A	467	THR	2.3
1	B	205	HIS	2.3
1	A	254	GLU	2.3
1	A	317	ILE	2.2
1	A	468	TRP	2.2
1	B	274	THR	2.2
1	A	472	VAL	2.2
1	B	206	GLN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	322	VAL	2.1
1	B	123	GLY	2.1
1	A	197	ALA	2.1
1	B	214	LEU	2.0
1	B	187	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	B	703	14/15	0.62	0.15	69,70,71,71	0
2	NAG	B	702	14/15	0.76	0.15	61,61,62,62	0
2	NAG	B	701	14/15	0.78	0.12	54,56,56,56	0
2	NAG	A	701	14/15	0.85	0.10	28,30,31,31	0

6.5 Other polymers [i](#)

There are no such residues in this entry.