



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 4, 2026 – 11:26 AM EDT

PDB ID : 2I5N / pdb_00002i5n
Title : 1.96 Å X-ray structure of photosynthetic reaction center from Rhodospseudomonas viridis: Crystals grown by microfluidic technique
Authors : Li, L.; Mustafi, D.; Fu, Q.; Tereshko, V.; Chen, D.L.; Tice, J.D.; Ismagilov, R.F.
Deposited on : 2006-08-25
Resolution : 1.96 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3494 (1.96-1.96)
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)
RSRZ outliers	180081	3495 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	336	
2	H	258	
3	L	273	
4	M	323	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	BCB	L	400	X	-	-	-
11	BCB	L	401	X	-	-	-
11	BCB	M	400	X	-	-	-
11	BCB	M	401	X	-	-	-
6	HEC	C	401	X	-	-	-
6	HEC	C	402	X	-	-	-
6	HEC	C	403	X	-	-	-
6	HEC	C	404	X	-	-	-

2 Entry composition

There are 16 unique types of molecules in this entry. The entry contains 11035 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Photosynthetic reaction center cytochrome c subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	332	Total	C	N	O	S	0	0	0
			2598	1637	465	478	18			

- Molecule 2 is a protein called Reaction center protein H chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	250	Total	C	N	O	S	0	1	0
			1959	1251	335	371	2			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
H	1	FME	MET	modified residue	UNP P06008

- Molecule 3 is a protein called Reaction center protein L chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	L	273	Total	C	N	O	S	0	2	0
			2174	1462	350	355	7			

- Molecule 4 is a protein called Reaction center protein M chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	M	323	Total	C	N	O	S	0	2	0
			2559	1704	419	424	12			

- Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	5	0
			5	4	1		
5	C	1	Total	O	S	5	0
			5	4	1		
5	H	1	Total	O	S	0	0
			5	4	1		
5	H	1	Total	O	S	0	0
			5	4	1		
5	H	1	Total	O	S	0	0
			5	4	1		
5	H	1	Total	O	S	0	0
			5	4	1		
5	L	1	Total	O	S	5	0
			5	4	1		
5	M	1	Total	O	S	0	0
			5	4	1		
5	M	1	Total	O	S	0	0
			5	4	1		


Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	M	1	Total	O	S	0	0
			5	4	1		
5	M	1	Total	O	S	0	0
			5	4	1		
5	M	1	Total	O	S	5	0
			5	4	1		
5	M	1	Total	O	S	5	0
			5	4	1		
5	M	1	Total	O	S	5	0
			5	4	1		


- Molecule 6 is HEME C (CCD ID: HEC) (formula: $C_{34}H_{36}FeN_4O_4$).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	C	1	Total	C	O	0	0
			10	7	3		
7	C	1	Total	C	O	0	0
			10	7	3		
7	H	1	Total	C	O	0	0
			10	7	3		
7	L	1	Total	C	O	10	0
			10	7	3		
7	L	1	Total	C	O	10	0
			10	7	3		

- Molecule 8 is LAURYL DIMETHYLAMINE-N-OXIDE (CCD ID: LDA) (formula: $C_{14}H_{31}NO$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	H	1	Total C N O 16 14 1 1	0	0
8	H	1	Total C N O 16 14 1 1	0	0
8	L	1	Total C N O 16 14 1 1	0	0
8	M	1	Total C N O 16 14 1 1	0	0


- Molecule 9 is UNKNOWN LIGAND (CCD ID: UNL) (formula:).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	H	1	Total C 10 10	10	0
9	L	3	Total C 30 30	30	0
9	M	2	Total C 20 20	20	0

- Molecule 10 is FE (II) ION (CCD ID: FE2) (formula: Fe).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	L	1	Total Fe 1 1	0	0

- Molecule 11 is BACTERIOCHLOROPHYLL B (CCD ID: BCB) (formula: C₅₅H₇₂MgN₄O₆).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
11	L	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
11	L	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
11	M	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
11	M	1	Total 66	C 55	Mg 1	N 4	O 6	0	0

- Molecule 12 is BACTERIOPHEOPHYTIN B (CCD ID: BPB) (formula: $C_{55}H_{74}N_4O_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
12	L	1	Total	C	N	O	0	0
			65	55	4	6		
12	M	1	Total	C	N	O	0	0
			65	55	4	6		

- Molecule 13 is MENAQUINONE-9 (CCD ID: MQ9) (formula: $C_{56}H_{80}O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	L	1	Total	C	O	0	0
			58	56	2		

- Molecule 14 is UBIQUINONE-1 (CCD ID: UQ1) (formula: $C_{14}H_{18}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
14	L	1	Total	C	O	0	0
			18	14	4		
14	L	1	Total	C	O	0	0
			18	14	4		

- Molecule 15 is 15-cis-1,2-dihydroneurosporene (CCD ID: NS5) (formula: $C_{40}H_{60}$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	M	1	Total C 44 44	0	1



- Molecule 16 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	C	327	Total O 327 327	0	0
16	H	179	Total O 179 179	0	0
16	L	100	Total O 100 100	0	0
16	M	165	Total O 165 165	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Photosynthetic reaction center cytochrome c subunit




- Molecule 2: Reaction center protein H chain



- Molecule 3: Reaction center protein L chain



- Molecule 4: Reaction center protein M chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	220.40Å 220.40Å 113.01Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.96 20.00 – 1.96	Depositor EDS
% Data completeness (in resolution range)	96.5 (20.00-1.96) 96.3 (20.00-1.96)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.07 (at 1.96Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.172 , 0.190 0.178 , 0.195	Depositor DCC
R_{free} test set	9533 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	24.9	Xtriage
Anisotropy	0.004	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 49.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11035	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: UQ1, BPB, NS5, FE2, LDA, SO4, HEC, HTO, MQ9, BCB, FME, UNL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	C	0.45	0/2665	1.03	0/3633
2	H	0.45	0/1999	1.00	0/2728
3	L	0.48	0/2274	1.11	2/3105 (0.1%)
4	M	0.45	0/2673	1.06	0/3655
All	All	0.46	0/9611	1.05	2/13121 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	L	66[A]	ILE	CB-CG1-CD1	-7.35	98.36	113.80
3	L	66[B]	ILE	CB-CG1-CD1	-7.35	98.36	113.80

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	248	HIS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2598	0	2568	14	0
2	H	1959	0	1947	11	0
3	L	2174	0	2102	14	0
4	M	2559	0	2458	31	0
5	C	35	0	0	0	0
5	H	20	0	0	0	0
5	L	5	0	0	0	0
5	M	35	0	0	1	0
6	C	172	0	120	2	0
7	C	20	0	32	1	0
7	H	10	0	16	0	0
7	L	20	0	32	0	0
8	H	32	0	62	0	0
8	L	16	0	31	0	0
8	M	16	0	31	1	0
9	H	10	0	0	0	0
9	L	30	0	0	0	0
9	M	20	0	0	0	0
10	L	1	0	0	0	0
11	L	132	0	144	7	0
11	M	132	0	144	20	0
12	L	65	0	74	3	0
12	M	65	0	74	16	0
13	L	58	0	80	3	0
14	L	36	0	36	0	0
15	M	44	0	18	0	0
16	C	327	0	0	4	0
16	H	179	0	0	0	0
16	L	100	0	0	0	0
16	M	165	0	0	0	0
All	All	11035	0	9969	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:M:402:BPB:H7A	12:M:402:BPB:H4	1.29	1.14
3:L:39:ILE:HD12	13:L:501:MQ9:H43	1.42	0.99
12:M:402:BPB:H4	12:M:402:BPB:C7	1.97	0.91
4:M:120:MET:HE2	11:M:401:BCB:C17	2.04	0.87
4:M:59:PHE:HA	12:M:402:BPB:H4A	1.54	0.86
4:M:120:MET:HE2	11:M:401:BCB:H171	1.61	0.82
12:M:402:BPB:HHC	12:M:402:BPB:CBB	2.11	0.80
11:M:401:BCB:C2	12:M:402:BPB:HBBB	2.13	0.78
12:M:402:BPB:HHC	12:M:402:BPB:HBBB	1.70	0.73
4:M:120:MET:HE3	11:M:401:BCB:H193	1.70	0.72
11:M:400:BCB:HHC	11:M:400:BCB:CBB	2.20	0.71
4:M:73:MET:HE1	4:M:88:PHE:CE1	2.26	0.71
5:M:802:SO4:O4	8:M:704:LDA:HM11	1.90	0.71
4:M:107:LEU:CD2	4:M:115[B]:MET:CE	2.72	0.68
1:C:123:GLN:H	1:C:123:GLN:HE21	1.40	0.68
4:M:73:MET:HE3	4:M:91:LEU:HB2	1.75	0.67
4:M:66:ILE:HD12	12:M:402:BPB:H9A	1.78	0.65
11:M:400:BCB:HBB2	11:M:400:BCB:HHC	1.79	0.65
4:M:120:MET:HE2	11:M:401:BCB:H172	1.78	0.65
4:M:107:LEU:HD21	4:M:115[B]:MET:CE	2.26	0.64
4:M:59:PHE:HA	12:M:402:BPB:C4	2.26	0.61
3:L:49:ILE:HG23	3:L:66[B]:ILE:HD11	1.83	0.60
4:M:239:ARG:HD3	4:M:244:GLU:CG	2.32	0.60
4:M:107:LEU:HD21	4:M:115[B]:MET:HE2	1.84	0.59
4:M:107:LEU:CD2	4:M:115[B]:MET:HE2	2.35	0.57
4:M:239:ARG:HD3	4:M:244:GLU:HG2	1.86	0.57
1:C:123:GLN:H	1:C:123:GLN:NE2	2.02	0.57
2:H:22:LEU:HD23	2:H:22:LEU:O	2.04	0.57
2:H:22:LEU:HD23	2:H:22:LEU:C	2.29	0.57
3:L:65:SER:C	3:L:66[A]:ILE:HD13	2.30	0.56
7:C:707:HTO:H41	16:C:1062:HOH:O	2.05	0.56
3:L:39:ILE:HD12	13:L:501:MQ9:C43	2.26	0.56
11:M:401:BCB:HMB3	11:M:401:BCB:CBB	2.37	0.54
4:M:112:TRP:CE3	4:M:115[B]:MET:HE3	2.44	0.53
11:M:401:BCB:HMB3	11:M:401:BCB:HBB2	1.91	0.53
11:L:400:BCB:HMB1	11:L:400:BCB:HBB3	1.92	0.52
11:M:401:BCB:H12	12:M:402:BPB:HBB	1.92	0.51
3:L:135:ARG:HB3	3:L:136:PRO:HD3	1.92	0.51
11:L:401:BCB:CBB	11:L:401:BCB:HMB3	2.41	0.51
12:L:402:BPB:CBB	12:L:402:BPB:HMBB	2.40	0.51
12:L:402:BPB:OBB	12:L:402:BPB:HHC	2.11	0.50
4:M:120:MET:CE	11:M:401:BCB:H193	2.39	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:L:401:BCB:HMB3	11:L:401:BCB:HBB2	1.93	0.50
1:C:105:VAL:HG22	16:C:1106:HOH:O	2.12	0.49
11:L:400:BCB:HMB1	11:L:400:BCB:CBB	2.43	0.49
12:M:402:BPB:CBB	12:M:402:BPB:CHC	2.86	0.49
11:M:401:BCB:C1	12:M:402:BPB:CBB	2.91	0.49
12:M:402:BPB:HHC	12:M:402:BPB:HBBA	1.91	0.48
11:M:401:BCB:H12	12:M:402:BPB:CBB	2.44	0.48
2:H:55:GLU:H	2:H:58:GLN:HE21	1.60	0.48
2:H:86:ARG:NH2	2:H:111:ALA:HB3	2.29	0.48
12:L:402:BPB:HMBB	12:L:402:BPB:HBBA	1.96	0.47
4:M:41:ILE:HD12	4:M:41:ILE:C	2.40	0.47
4:M:184:LEU:HD21	11:M:400:BCB:CAC	2.44	0.47
1:C:105:VAL:HG13	16:C:1106:HOH:O	2.14	0.47
3:L:65:SER:O	3:L:66[A]:ILE:HD13	2.15	0.47
4:M:107:LEU:HD21	4:M:115[B]:MET:HE1	1.95	0.47
3:L:214:GLN:NE2	4:M:19:VAL:H	2.13	0.47
11:M:401:BCB:C1	12:M:402:BPB:HBBB	2.45	0.47
1:C:145:VAL:O	1:C:146:ARG:HD2	2.16	0.46
11:L:401:BCB:HBA1	11:L:401:BCB:C4A	2.45	0.46
4:M:107:LEU:CD2	4:M:115[B]:MET:HE1	2.46	0.45
1:C:301:PRO:HG2	6:C:402:HEC:HBD1	1.99	0.45
1:C:309:HIS:CE1	1:C:315:PRO:HD3	2.51	0.45
4:M:132:TYR:CE1	4:M:142:THR:HG21	2.51	0.44
2:H:22:LEU:C	2:H:22:LEU:CD2	2.91	0.44
4:M:29:VAL:HG22	4:M:51:LEU:HD13	1.99	0.44
1:C:102:TYR:N	1:C:103:PRO:CD	2.81	0.43
2:H:255:GLU:CD	3:L:12:ARG:HH22	2.22	0.43
1:C:10:THR:O	1:C:20:GLY:HA3	2.19	0.43
1:C:230:PHE:CE2	4:M:185:THR:HG21	2.54	0.42
3:L:17:ILE:HD12	3:L:34:PHE:CZ	2.54	0.42
1:C:240:LEU:HD22	1:C:309:HIS:CG	2.55	0.42
3:L:17:ILE:HD12	3:L:34:PHE:HZ	1.84	0.42
4:M:127:TRP:CD1	12:M:402:BPB:HBA	2.56	0.41
4:M:200:HIS:CE1	4:M:204:ILE:HD11	2.55	0.41
3:L:181:PHE:HB3	12:M:402:BPB:HBBA	2.02	0.41
4:M:54[B]:SER:OG	4:M:129:ILE:CG2	2.68	0.41
11:M:400:BCB:HHC	11:M:400:BCB:HBB3	2.00	0.41
11:M:400:BCB:HBC1	11:M:401:BCB:CAD	2.50	0.41
6:C:401:HEC:HMB2	16:C:1022:HOH:O	2.20	0.41
3:L:94:LEU:HD23	3:L:94:LEU:HA	1.91	0.41
4:M:160:CYS:C	4:M:163:PRO:HD2	2.46	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:139:VAL:HG21	2:H:228:ASP:HB3	2.02	0.41
1:C:283:ALA:N	1:C:284:PRO:CD	2.83	0.41
2:H:43:LEU:CD2	3:L:3:LEU:HD23	2.50	0.41
11:L:400:BCB:H193	13:L:501:MQ9:H252	2.03	0.41
1:C:80:TRP:CD1	1:C:133:TYR:HB2	2.56	0.40
11:L:401:BCB:OBB	11:L:401:BCB:HHC	2.21	0.40
1:C:152:LEU:HA	1:C:153:PRO:C	2.46	0.40
2:H:56:ASP:HB3	2:H:60:TYR:CE2	2.57	0.40
2:H:115:ALA:HB2	2:H:244:GLY:HA3	2.03	0.40
4:M:73:MET:HE1	4:M:88:PHE:CD1	2.55	0.40
4:M:112:TRP:CE3	4:M:115[B]:MET:CE	3.04	0.40
2:H:41:TYR:HA	2:H:42:PRO:C	2.47	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	330/336 (98%)	318 (96%)	12 (4%)	0	100	100
2	H	247/258 (96%)	246 (100%)	1 (0%)	0	100	100
3	L	273/273 (100%)	268 (98%)	5 (2%)	0	100	100
4	M	323/323 (100%)	315 (98%)	7 (2%)	1 (0%)	36	28
All	All	1173/1190 (99%)	1147 (98%)	25 (2%)	1 (0%)	48	41

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	M	193	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	280/282 (99%)	278 (99%)	2 (1%)	76	76
2	H	206/212 (97%)	204 (99%)	2 (1%)	68	67
3	L	220/218 (101%)	217 (99%)	3 (1%)	59	56
4	M	251/249 (101%)	247 (98%)	4 (2%)	55	52
All	All	957/961 (100%)	946 (99%)	11 (1%)	63	64

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	123	GLN
1	C	240	LEU
2	H	9	HIS
2	H	236	ASP
3	L	80	LEU
3	L	94	LEU
3	L	109	ARG
4	M	51	LEU
4	M	147	ASN
4	M	194	PHE
4	M	214	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	123	GLN
1	C	302	GLN
2	H	58	GLN
2	H	102	GLN
2	H	220	ASN
2	H	225	GLN
3	L	55	GLN
3	L	214	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	L	239	ASN
4	M	16	HIS
4	M	147	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FME	H	1	2	8,9,10	0.84	0	8,9,11	2.44	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FME	H	1	2	-	3/7/9/11	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	1	FME	CA-N-CN	-6.18	113.32	122.82
2	H	1	FME	O-C-CA	-2.06	119.46	124.77

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	H	1	FME	O1-CN-N-CA
2	H	1	FME	CB-CA-N-CN
2	H	1	FME	CB-CG-SD-CE

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 50 ligands modelled in this entry, 6 are unknown and 1 is monoatomic - leaving 43 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
14	UQ1	L	503	-	18,18,18	2.23	2 (11%)	24,25,25	1.22	3 (12%)
5	SO4	C	817	-	4,4,4	0.25	0	6,6,6	0.12	0
11	BCB	M	401	4	68,74,74	1.54	9 (13%)	77,115,115	1.94	15 (19%)
5	SO4	M	802	-	4,4,4	0.18	0	6,6,6	0.12	0
5	SO4	M	818	-	4,4,4	0.23	0	6,6,6	0.16	0
5	SO4	M	816	-	4,4,4	0.24	0	6,6,6	0.13	0
7	HTO	L	708	-	9,9,9	0.34	0	10,10,10	0.60	0
5	SO4	H	812	-	4,4,4	0.24	0	6,6,6	0.10	0
12	BPB	M	402	-	57,70,70	1.88	10 (17%)	55,101,101	2.08	10 (18%)
12	BPB	L	402	-	57,70,70	1.91	10 (17%)	55,101,101	1.92	9 (16%)
7	HTO	H	705	-	9,9,9	0.44	0	10,10,10	0.89	0
7	HTO	C	706	-	9,9,9	0.39	0	10,10,10	0.64	0
11	BCB	L	400	3	68,74,74	1.45	8 (11%)	77,115,115	1.89	12 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	LDA	H	701	-	13,15,15	2.09	2 (15%)	14,17,17	0.68	0
6	HEC	C	404	1	50,50,50	1.41	5 (10%)	68,82,82	1.15	6 (8%)
7	HTO	L	709	-	9,9,9	0.33	0	10,10,10	0.68	0
15	NS5	M	600[A]	-	39,39,39	1.40	1 (2%)	46,46,46	1.97	12 (26%)
5	SO4	C	810	-	4,4,4	0.23	0	6,6,6	0.12	0
15	NS5	M	600[B]	-	39,39,39	1.41	1 (2%)	46,46,46	1.96	12 (26%)
5	SO4	L	814	-	4,4,4	0.26	0	6,6,6	0.26	0
5	SO4	M	805	-	4,4,4	0.21	0	6,6,6	0.31	0
8	LDA	M	704	-	13,15,15	2.25	2 (15%)	14,17,17	0.44	0
8	LDA	H	703	-	13,15,15	2.24	2 (15%)	14,17,17	0.61	0
11	BCB	M	400	4	68,74,74	1.51	10 (14%)	77,115,115	1.81	13 (16%)
5	SO4	M	804	-	4,4,4	0.23	0	6,6,6	0.17	0
5	SO4	M	801	-	4,4,4	0.19	0	6,6,6	0.32	0
6	HEC	C	401	1	50,50,50	1.44	5 (10%)	68,82,82	1.17	5 (7%)
13	MQ9	L	501	-	59,59,59	1.78	19 (32%)	73,75,75	1.35	16 (21%)
5	SO4	H	807	-	4,4,4	0.24	0	6,6,6	0.12	0
5	SO4	C	813	-	4,4,4	0.28	0	6,6,6	0.10	0
7	HTO	C	707	-	9,9,9	0.49	0	10,10,10	0.77	0
11	BCB	L	401	3	68,74,74	1.57	9 (13%)	77,115,115	1.85	13 (16%)
5	SO4	C	809	-	4,4,4	0.20	0	6,6,6	0.11	0
5	SO4	C	815	-	4,4,4	0.22	0	6,6,6	0.19	0
5	SO4	C	808	-	4,4,4	0.24	0	6,6,6	0.25	0
8	LDA	L	702	-	13,15,15	2.23	2 (15%)	14,17,17	0.67	0
5	SO4	H	806	-	4,4,4	0.31	0	6,6,6	0.19	0
5	SO4	C	811	-	4,4,4	0.24	0	6,6,6	0.09	0
14	UQ1	L	502	-	18,18,18	2.10	2 (11%)	24,25,25	1.17	3 (12%)
6	HEC	C	403	1	50,50,50	1.42	5 (10%)	68,82,82	1.17	4 (5%)
5	SO4	M	819	-	4,4,4	0.20	0	6,6,6	0.27	0
6	HEC	C	402	1	50,50,50	1.38	5 (10%)	68,82,82	1.10	6 (8%)
5	SO4	H	803	-	4,4,4	0.24	0	6,6,6	0.23	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	UQ1	L	503	-	-	0/9/33/33	0/1/1/1
11	BCB	M	401	4	3/3/21/26	9/41/137/137	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	HTO	L	708	-	-	4/10/10/10	-
12	BPB	M	402	-	-	14/37/105/105	0/5/6/6
12	BPB	L	402	-	-	4/37/105/105	0/5/6/6
7	HTO	H	705	-	-	4/10/10/10	-
7	HTO	C	706	-	-	5/10/10/10	-
11	BCB	L	400	3	2/2/21/26	6/41/137/137	-
8	LDA	H	701	-	-	3/13/13/13	-
6	HEC	C	404	1	1/1/3/7	3/14/54/54	-
7	HTO	L	709	-	-	2/10/10/10	-
15	NS5	M	600[A]	-	-	8/43/43/43	-
15	NS5	M	600[B]	-	-	8/43/43/43	-
11	BCB	M	400	4	2/2/21/26	14/41/137/137	-
8	LDA	M	704	-	-	3/13/13/13	-
8	LDA	H	703	-	-	5/13/13/13	-
13	MQ9	L	501	-	-	13/53/73/73	0/2/2/2
6	HEC	C	401	1	1/1/3/7	6/14/54/54	-
7	HTO	C	707	-	-	7/10/10/10	-
11	BCB	L	401	3	2/2/21/26	3/41/137/137	-
8	LDA	L	702	-	-	4/13/13/13	-
14	UQ1	L	502	-	-	1/9/33/33	0/1/1/1
6	HEC	C	403	1	1/1/3/7	4/14/54/54	-
6	HEC	C	402	1	1/1/3/7	8/14/54/54	-

All (109) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	L	402	BPB	C1D-C2D	8.63	1.49	1.39
14	L	503	UQ1	C6-C5	8.21	1.49	1.35
12	M	402	BPB	C1D-C2D	8.05	1.48	1.39
14	L	502	UQ1	C6-C5	7.85	1.49	1.35
11	L	401	BCB	CAC-C3C	7.54	1.52	1.33
11	M	401	BCB	CAC-C3C	7.30	1.52	1.33
11	L	400	BCB	CAC-C3C	7.24	1.51	1.33
15	M	600[B]	NS5	C35-C36	7.00	1.53	1.32
15	M	600[A]	NS5	C35-C36	6.90	1.53	1.32
11	M	400	BCB	CAC-C3C	6.70	1.50	1.33
8	M	704	LDA	O1-N1	-6.65	1.25	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	L	702	LDA	O1-N1	-6.42	1.26	1.42
8	H	703	LDA	O1-N1	-6.15	1.27	1.42
8	H	701	LDA	O1-N1	-6.02	1.27	1.42
8	H	703	LDA	C1-N1	-5.16	1.46	1.51
8	L	702	LDA	C1-N1	-4.75	1.46	1.51
6	C	401	HEC	FE-ND	4.73	2.09	1.94
12	M	402	BPB	C3A-C2A	-4.59	1.50	1.54
8	M	704	LDA	C1-N1	-4.57	1.46	1.51
6	C	403	HEC	FE-ND	4.51	2.08	1.94
6	C	401	HEC	FE-NB	4.41	2.08	1.94
8	H	701	LDA	C1-N1	-4.37	1.47	1.51
11	M	400	BCB	MG-NA	4.31	2.16	2.06
6	C	402	HEC	FE-NC	4.28	2.09	1.95
12	L	402	BPB	C1B-C2B	4.28	1.44	1.39
6	C	404	HEC	FE-NC	4.28	2.09	1.95
11	M	401	BCB	O2D-CGD	4.17	1.43	1.33
12	L	402	BPB	O2A-CGA	4.04	1.45	1.33
11	M	400	BCB	O2A-CGA	4.02	1.45	1.33
13	L	501	MQ9	C3-C4	-4.02	1.40	1.48
11	L	401	BCB	MG-NA	4.02	2.15	2.06
11	L	400	BCB	O2D-CGD	4.02	1.43	1.33
12	L	402	BPB	O2D-CGD	3.92	1.42	1.33
11	L	401	BCB	O2D-CGD	3.90	1.42	1.33
12	M	402	BPB	O2A-CGA	3.90	1.44	1.33
13	L	501	MQ9	C6-C5	3.89	1.42	1.35
12	M	402	BPB	O2D-CGD	3.85	1.42	1.33
6	C	402	HEC	FE-ND	3.85	2.06	1.94
6	C	403	HEC	FE-NA	3.84	2.07	1.95
12	M	402	BPB	C1B-C2B	3.80	1.43	1.39
11	L	401	BCB	O2A-CGA	3.73	1.44	1.33
6	C	404	HEC	FE-ND	3.70	2.06	1.94
11	M	401	BCB	O2A-CGA	3.65	1.44	1.33
14	L	503	UQ1	C3-C2	3.65	1.49	1.36
12	L	402	BPB	C3A-C2A	-3.64	1.51	1.54
6	C	401	HEC	FE-NC	3.64	2.07	1.95
13	L	501	MQ9	C2-C1	-3.61	1.41	1.48
11	M	400	BCB	O2D-CGD	3.60	1.42	1.33
6	C	404	HEC	FE-NA	3.58	2.07	1.95
13	L	501	MQ9	C8-C9	3.58	1.41	1.33
6	C	402	HEC	FE-NA	3.54	2.06	1.95
14	L	502	UQ1	C3-C2	3.49	1.49	1.36
6	C	404	HEC	FE-NB	3.48	2.05	1.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	M	401	BCB	MG-NA	3.46	2.14	2.06
6	C	403	HEC	FE-NC	3.36	2.06	1.95
11	L	400	BCB	O2A-CGA	3.28	1.42	1.33
12	L	402	BPB	C3D-C4D	-3.27	1.36	1.41
12	M	402	BPB	C3D-C4D	-3.12	1.37	1.41
6	C	401	HEC	FE-NA	3.09	2.05	1.95
12	M	402	BPB	C3D-C2D	-3.09	1.34	1.39
11	L	400	BCB	MG-NA	3.01	2.13	2.06
12	L	402	BPB	C2-C3	2.98	1.39	1.33
13	L	501	MQ9	C33-C34	2.97	1.39	1.33
6	C	403	HEC	FE-NB	2.94	2.04	1.94
13	L	501	MQ9	C28-C29	2.92	1.39	1.33
6	C	402	HEC	FE-NB	2.92	2.03	1.94
13	L	501	MQ9	C5-C4	-2.88	1.41	1.47
13	L	501	MQ9	C18-C19	2.87	1.39	1.33
13	L	501	MQ9	C13-C14	2.85	1.39	1.33
13	L	501	MQ9	C43-C44	2.83	1.39	1.33
12	M	402	BPB	C2-C3	2.81	1.39	1.33
13	L	501	MQ9	C38-C39	2.75	1.39	1.33
11	L	401	BCB	C2-C3	2.75	1.39	1.33
11	L	401	BCB	MG-NC	2.71	2.12	2.06
12	L	402	BPB	C1D-ND	2.70	1.43	1.38
12	L	402	BPB	C3D-C2D	-2.70	1.35	1.39
13	L	501	MQ9	C6-C1	-2.68	1.40	1.47
11	M	401	BCB	MG-ND	-2.67	2.00	2.05
12	M	402	BPB	C1D-ND	2.65	1.43	1.38
13	L	501	MQ9	C23-C24	2.57	1.39	1.33
11	M	400	BCB	MG-NC	2.52	2.12	2.06
11	M	401	BCB	C2-C3	2.48	1.38	1.33
11	L	401	BCB	C3B-C4B	2.48	1.46	1.41
11	M	400	BCB	C2-C3	2.46	1.38	1.33
11	L	400	BCB	C2C-C3C	-2.44	1.48	1.51
12	L	402	BPB	C3B-C4B	2.32	1.45	1.41
12	M	402	BPB	C3B-C4B	2.30	1.45	1.41
11	M	400	BCB	C3B-C4B	2.30	1.45	1.41
11	L	400	BCB	C3B-C4B	2.29	1.45	1.41
11	L	400	BCB	C1-C2	-2.26	1.42	1.49
11	M	401	BCB	C3B-C4B	2.26	1.45	1.41
13	L	501	MQ9	C7-C8	-2.24	1.47	1.50
6	C	404	HEC	CAC-C3C	2.24	1.56	1.51
11	L	401	BCB	C2C-C3C	-2.23	1.48	1.51
6	C	402	HEC	CAC-C3C	2.22	1.56	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	L	401	BCB	C4C-C3C	2.21	1.49	1.44
13	L	501	MQ9	C47-C48	-2.20	1.43	1.50
13	L	501	MQ9	C37-C38	-2.20	1.43	1.50
11	M	401	BCB	C4C-C3C	2.19	1.49	1.44
11	M	400	BCB	C2C-C3C	-2.19	1.49	1.51
6	C	403	HEC	CAC-C3C	2.18	1.56	1.51
13	L	501	MQ9	C48-C49	2.13	1.38	1.32
11	L	400	BCB	C4C-C3C	2.12	1.48	1.44
11	M	400	BCB	C4C-C3C	2.10	1.48	1.44
13	L	501	MQ9	C42-C43	-2.08	1.44	1.50
6	C	401	HEC	CAC-C3C	2.06	1.56	1.51
13	L	501	MQ9	O1-C1	2.05	1.27	1.23
11	M	401	BCB	C2C-C3C	-2.03	1.49	1.51
11	M	400	BCB	CAA-C2A	2.00	1.57	1.54

All (139) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	M	402	BPB	O2D-CGD-CBD	8.57	120.37	110.95
11	L	401	BCB	C4A-NA-C1A	8.05	110.35	106.68
12	L	402	BPB	O2D-CGD-CBD	7.75	119.46	110.95
11	L	400	BCB	C4A-NA-C1A	7.30	110.01	106.68
11	M	401	BCB	C4A-NA-C1A	7.23	109.98	106.68
11	L	400	BCB	C1C-NC-C4C	6.72	109.74	106.68
11	M	400	BCB	C1C-NC-C4C	6.56	109.67	106.68
12	M	402	BPB	C3D-C4D-ND	-6.21	99.75	107.71
11	L	401	BCB	C1C-NC-C4C	5.98	109.41	106.68
11	M	400	BCB	C4A-NA-C1A	5.96	109.40	106.68
12	L	402	BPB	C3D-C4D-ND	-5.83	100.23	107.71
11	M	401	BCB	C1C-NC-C4C	5.77	109.31	106.68
15	M	600[A]	NS5	C19-C20-C21	-5.62	119.39	127.28
15	M	600[B]	NS5	C19-C20-C21	-5.62	119.39	127.28
12	M	402	BPB	CMD-C2D-C3D	5.26	135.19	124.68
11	M	401	BCB	O2D-CGD-CBD	5.24	120.39	111.23
11	M	401	BCB	C1D-ND-C4D	5.11	109.89	106.31
12	L	402	BPB	CMD-C2D-C3D	5.10	134.88	124.68
11	M	400	BCB	O2D-CGD-CBD	5.06	120.08	111.23
11	L	401	BCB	O2D-CGD-CBD	4.93	119.84	111.23
15	M	600[A]	NS5	C34-C35-C36	-4.87	111.40	127.64
15	M	600[B]	NS5	C34-C35-C36	-4.68	112.04	127.64
11	L	400	BCB	O2D-CGD-CBD	4.60	119.28	111.23
11	L	401	BCB	C1D-ND-C4D	4.37	109.38	106.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	L	400	BCB	C1D-ND-C4D	3.97	109.10	106.31
15	M	600[B]	NS5	CM4-C36-C35	-3.93	110.86	122.66
15	M	600[A]	NS5	CM3-C36-C35	-3.88	111.02	122.66
15	M	600[A]	NS5	CM4-C36-C35	-3.86	111.07	122.66
11	L	400	BCB	C4-C3-C5	3.82	121.85	115.23
11	M	400	BCB	C1D-ND-C4D	3.77	108.96	106.31
15	M	600[B]	NS5	CM3-C36-C35	-3.77	111.34	122.66
11	M	401	BCB	CHA-C4D-ND	3.56	139.89	132.55
11	L	401	BCB	CHA-C4D-ND	3.49	139.75	132.55
11	L	400	BCB	C2A-C1A-CHA	3.47	129.89	123.87
11	M	400	BCB	C1-C2-C3	-3.42	120.60	126.20
12	M	402	BPB	O1D-CGD-CBD	-3.38	119.60	124.72
11	L	400	BCB	C1-C2-C3	-3.27	120.84	126.20
15	M	600[A]	NS5	C29-C30-C31	-3.26	123.10	127.69
15	M	600[B]	NS5	C29-C30-C31	-3.26	123.10	127.69
11	L	400	BCB	CHA-C4D-ND	3.24	139.24	132.55
12	L	402	BPB	O1D-CGD-CBD	-3.21	119.86	124.72
11	M	400	BCB	CHA-C4D-ND	3.21	139.16	132.55
11	M	401	BCB	C2A-C1A-CHA	3.06	129.18	123.87
6	C	401	HEC	C1D-ND-C4D	3.04	108.81	105.21
12	M	402	BPB	C1-O2A-CGA	3.04	124.01	116.65
6	C	403	HEC	C4B-NB-C1B	2.97	108.73	105.21
6	C	401	HEC	C4B-NB-C1B	2.91	108.65	105.21
11	M	401	BCB	O2D-CGD-O1D	-2.89	118.22	123.85
6	C	404	HEC	C1D-ND-C4D	2.87	108.61	105.21
11	M	400	BCB	CBC-CAC-C3C	-2.84	119.00	126.70
11	M	401	BCB	C3A-C2A-C1A	2.84	105.59	101.34
6	C	403	HEC	C2A-C1A-NA	-2.79	107.63	110.32
15	M	600[A]	NS5	C12-C13-C14	-2.79	115.13	123.20
15	M	600[B]	NS5	C12-C13-C14	-2.79	115.13	123.20
6	C	404	HEC	C4B-NB-C1B	2.78	108.50	105.21
15	M	600[A]	NS5	C6-C5-C4	2.78	120.05	115.23
15	M	600[B]	NS5	C6-C5-C4	2.78	120.05	115.23
11	L	401	BCB	O1D-CGD-CBD	-2.76	119.07	124.52
6	C	403	HEC	C1D-ND-C4D	2.70	108.41	105.21
13	L	501	MQ9	C37-C38-C39	-2.70	121.45	127.62
6	C	403	HEC	C3D-C4D-ND	-2.69	107.75	110.35
11	M	401	BCB	C3C-C4C-NC	-2.66	107.15	110.45
6	C	401	HEC	C2A-C1A-NA	-2.64	107.77	110.32
11	M	401	BCB	C2D-C1D-ND	-2.61	107.54	110.13
11	M	400	BCB	O1D-CGD-CBD	-2.60	119.38	124.52
6	C	402	HEC	C1D-ND-C4D	2.59	108.28	105.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	M	402	BPB	C4-C3-C2	-2.59	116.98	123.63
14	L	503	UQ1	CM5-C5-C6	-2.56	120.24	124.45
11	L	400	BCB	O2A-CGA-CBA	2.55	119.61	111.83
12	L	402	BPB	CED-O2D-CGD	2.54	121.68	115.92
11	M	400	BCB	C4-C3-C5	2.54	119.64	115.23
13	L	501	MQ9	C20-C19-C21	2.54	119.64	115.23
15	M	600[A]	NS5	C18-C17-C15	-2.53	123.73	127.28
15	M	600[B]	NS5	C18-C17-C15	-2.53	123.73	127.28
13	L	501	MQ9	C22-C23-C24	-2.51	121.88	127.62
6	C	401	HEC	C3D-C4D-ND	-2.51	107.93	110.35
6	C	402	HEC	C4B-NB-C1B	2.50	108.17	105.21
6	C	402	HEC	C2A-C1A-NA	-2.50	107.91	110.32
11	L	401	BCB	C4-C3-C5	2.50	119.56	115.23
11	M	401	BCB	C4-C3-C5	2.49	119.55	115.23
13	L	501	MQ9	C42-C43-C44	-2.49	121.93	127.62
11	M	401	BCB	CHA-C1A-NA	-2.47	120.79	126.39
15	M	600[A]	NS5	C32-C31-C33	2.47	119.51	115.23
15	M	600[B]	NS5	C32-C31-C33	2.47	119.51	115.23
11	M	401	BCB	CAA-C2A-C1A	2.45	119.99	111.97
13	L	501	MQ9	C17-C18-C19	-2.43	122.06	127.62
12	M	402	BPB	CMA-C3A-C4A	-2.41	109.41	114.61
13	L	501	MQ9	C40-C39-C41	2.41	119.42	115.23
11	M	401	BCB	CED-O2D-CGD	2.41	121.38	115.92
14	L	503	UQ1	C7-C6-C5	-2.41	120.76	124.89
13	L	501	MQ9	C35-C34-C36	2.37	119.34	115.23
15	M	600[A]	NS5	C24-C25-C26	-2.37	123.96	127.28
15	M	600[B]	NS5	C24-C25-C26	-2.37	123.96	127.28
6	C	404	HEC	C2A-C1A-NA	-2.35	108.05	110.32
15	M	600[A]	NS5	C11-C10-C9	2.32	119.26	115.23
15	M	600[B]	NS5	C11-C10-C9	2.32	119.26	115.23
12	L	402	BPB	CMA-C3A-C4A	-2.32	109.62	114.61
6	C	404	HEC	C3D-C4D-ND	-2.31	108.12	110.35
6	C	404	HEC	C3C-C4C-NC	-2.26	107.64	110.15
11	M	400	BCB	CED-O2D-CGD	2.26	121.04	115.92
11	L	401	BCB	O2A-CGA-CBA	2.25	118.69	111.83
11	M	400	BCB	O2A-CGA-CBA	2.24	118.68	111.83
12	M	402	BPB	OBD-CAD-C3D	2.24	131.39	127.89
13	L	501	MQ9	C5M-C5-C6	-2.24	120.77	124.45
13	L	501	MQ9	C25-C24-C26	2.23	119.09	115.23
13	L	501	MQ9	C40-C39-C38	-2.22	117.93	123.63
14	L	502	UQ1	CM5-C5-C6	-2.19	120.85	124.45
11	L	401	BCB	CBC-CAC-C3C	-2.19	120.76	126.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	M	401	BCB	CBC-CAC-C3C	-2.19	120.76	126.70
14	L	503	UQ1	C11-C9-C10	2.17	119.59	114.59
11	L	400	BCB	C6-C7-C8	-2.17	108.77	115.97
11	L	401	BCB	C3A-C2A-C1A	2.15	104.56	101.34
12	M	402	BPB	C4-C3-C5	2.15	118.96	115.23
13	L	501	MQ9	C47-C48-C49	-2.15	120.48	127.64
14	L	502	UQ1	C11-C9-C10	2.14	119.53	114.59
11	L	400	BCB	CBC-CAC-C3C	-2.12	120.94	126.70
6	C	401	HEC	C3B-C4B-NB	-2.11	107.85	110.17
11	L	401	BCB	CHA-C1A-NA	-2.11	121.62	126.39
11	M	400	BCB	C3C-C4C-NC	-2.10	107.85	110.45
6	C	404	HEC	C2D-C1D-ND	-2.10	107.43	109.84
14	L	502	UQ1	C7-C6-C5	-2.09	121.30	124.89
12	L	402	BPB	OBD-CAD-C3D	2.09	131.16	127.89
13	L	501	MQ9	C27-C28-C29	-2.08	122.86	127.62
13	L	501	MQ9	C30-C29-C31	2.08	118.83	115.23
11	L	400	BCB	O1D-CGD-CBD	-2.07	120.43	124.52
6	C	402	HEC	C3C-C4C-NC	-2.07	107.85	110.15
13	L	501	MQ9	C51-C49-C50	2.06	119.33	114.59
13	L	501	MQ9	C7-C6-C5	-2.06	121.36	124.89
6	C	402	HEC	C3D-C4D-ND	-2.06	108.36	110.35
11	L	401	BCB	C1-C2-C3	-2.06	122.83	126.20
12	M	402	BPB	C3D-CAD-CBD	-2.04	104.91	107.61
6	C	402	HEC	C3B-C4B-NB	-2.03	107.94	110.17
11	M	400	BCB	C6-C7-C8	-2.03	109.22	115.97
12	L	402	BPB	C3D-CAD-CBD	-2.03	104.94	107.61
13	L	501	MQ9	C10-C9-C11	2.02	118.74	115.23
12	L	402	BPB	O2A-CGA-CBA	2.02	118.00	111.83
15	M	600[A]	NS5	C8-C7-C5	-2.01	123.02	127.62
15	M	600[B]	NS5	C8-C7-C5	-2.01	123.02	127.62
11	L	401	BCB	C2D-C1D-ND	-2.01	108.14	110.13

All (13) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	C	401	HEC	NA
6	C	402	HEC	NA
6	C	403	HEC	NA
6	C	404	HEC	NA
11	L	400	BCB	NA
11	L	400	BCB	NC
11	L	401	BCB	NA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
11	L	401	BCB	NC
11	M	400	BCB	NA
11	M	400	BCB	NC
11	M	401	BCB	NA
11	M	401	BCB	NC
11	M	401	BCB	ND

All (138) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	C	706	HTO	O2-C2-C3-C4
7	C	707	HTO	O1-C1-C2-O2
7	C	707	HTO	O1-C1-C2-C3
7	C	707	HTO	C1-C2-C3-O3
7	H	705	HTO	O2-C2-C3-C4
7	L	708	HTO	C1-C2-C3-O3
7	L	708	HTO	C1-C2-C3-C4
11	L	401	BCB	C2C-C3C-CAC-CBC
11	M	400	BCB	C2C-C3C-CAC-CBC
11	M	401	BCB	C2C-C3C-CAC-CBC
11	M	401	BCB	CAD-CBD-CGD-O1D
11	M	401	BCB	CAD-CBD-CGD-O2D
12	M	402	BPB	C11-C10-C8-C9
13	L	501	MQ9	C37-C38-C39-C40
13	L	501	MQ9	C37-C38-C39-C41
13	L	501	MQ9	C39-C41-C42-C43
13	L	501	MQ9	C42-C43-C44-C46
13	L	501	MQ9	C47-C48-C49-C50
15	M	600[B]	NS5	C34-C35-C36-CM3
13	L	501	MQ9	C47-C48-C49-C51
15	M	600[A]	NS5	C34-C35-C36-CM3
15	M	600[A]	NS5	C34-C35-C36-CM4
15	M	600[B]	NS5	C34-C35-C36-CM4
15	M	600[A]	NS5	C2-C3-C4-C5
15	M	600[B]	NS5	C2-C3-C4-C5
12	M	402	BPB	C4-C3-C5-C6
12	M	402	BPB	C2-C3-C5-C6
13	L	501	MQ9	C38-C39-C41-C42
13	L	501	MQ9	C42-C43-C44-C45
6	C	403	HEC	C2B-C3B-CAB-CBB
6	C	403	HEC	C2C-C3C-CAC-CBC
13	L	501	MQ9	C34-C36-C37-C38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	M	600[A]	NS5	C31-C33-C34-C35
15	M	600[B]	NS5	C31-C33-C34-C35
11	L	400	BCB	C4-C3-C5-C6
11	L	400	BCB	C2-C3-C5-C6
6	C	401	HEC	C2C-C3C-CAC-CBC
11	M	400	BCB	C5-C6-C7-C8
12	M	402	BPB	C8-C10-C11-C12
11	M	401	BCB	C2A-CAA-CBA-CGA
6	C	403	HEC	C4C-C3C-CAC-CBC
11	M	400	BCB	C13-C15-C16-C17
11	L	400	BCB	C15-C16-C17-C18
12	M	402	BPB	C10-C11-C12-C13
12	M	402	BPB	C15-C16-C17-C18
6	C	401	HEC	C4C-C3C-CAC-CBC
12	M	402	BPB	C13-C15-C16-C17
11	M	401	BCB	C13-C15-C16-C17
8	H	703	LDA	C5-C6-C7-C8
8	H	701	LDA	C7-C8-C9-C10
12	M	402	BPB	C16-C17-C18-C19
12	M	402	BPB	C16-C17-C18-C20
8	H	701	LDA	C6-C7-C8-C9
8	H	703	LDA	C4-C5-C6-C7
8	M	704	LDA	C7-C8-C9-C10
6	C	401	HEC	C2B-C3B-CAB-CBB
11	L	401	BCB	C16-C17-C18-C19
6	C	404	HEC	C2B-C3B-CAB-CBB
15	M	600[A]	NS5	C1-C2-C3-C4
15	M	600[B]	NS5	C1-C2-C3-C4
8	H	701	LDA	C4-C5-C6-C7
6	C	403	HEC	C4B-C3B-CAB-CBB
11	L	401	BCB	C16-C17-C18-C20
11	M	400	BCB	C6-C7-C8-C10
11	M	400	BCB	C11-C12-C13-C15
12	M	402	BPB	C11-C10-C8-C7
12	M	402	BPB	C11-C12-C13-C15
8	H	703	LDA	C11-C10-C9-C8
11	M	400	BCB	C6-C7-C8-C9
12	M	402	BPB	C11-C12-C13-C14
7	C	706	HTO	O2-C2-C3-O3
7	C	707	HTO	O2-C2-C3-O3
7	L	708	HTO	O2-C2-C3-O3
6	C	402	HEC	C2B-C3B-CAB-CBB

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
12	L	402	BPB	O2A-C1-C2-C3
8	H	703	LDA	C1-C2-C3-C4
7	L	709	HTO	C4-C5-C6-C7
11	M	400	BCB	C4-C3-C5-C6
7	H	705	HTO	C4-C5-C6-C7
11	M	400	BCB	C11-C12-C13-C14
6	C	404	HEC	C4B-C3B-CAB-CBB
7	C	706	HTO	C1-C2-C3-C4
7	H	705	HTO	C1-C2-C3-C4
7	C	707	HTO	O2-C2-C3-C4
11	M	400	BCB	C2-C3-C5-C6
11	M	400	BCB	C11-C10-C8-C9
11	M	400	BCB	C11-C10-C8-C7
15	M	600[A]	NS5	C7-C8-C9-C10
15	M	600[B]	NS5	C7-C8-C9-C10
6	C	402	HEC	C3D-CAD-CBD-CGD
11	M	400	BCB	C3-C5-C6-C7
12	M	402	BPB	C12-C13-C15-C16
12	L	402	BPB	C4-C3-C5-C6
6	C	402	HEC	C4B-C3B-CAB-CBB
11	L	400	BCB	CAD-CBD-CGD-O2D
11	L	400	BCB	C16-C17-C18-C20
12	L	402	BPB	C8-C10-C11-C12
11	L	400	BCB	CAD-CBD-CGD-O1D
6	C	401	HEC	C4B-C3B-CAB-CBB
12	L	402	BPB	C2-C3-C5-C6
8	L	702	LDA	C11-C10-C9-C8
11	M	400	BCB	C16-C17-C18-C19
12	M	402	BPB	C14-C13-C15-C16
14	L	502	UQ1	C1-C2-O2-CM2
11	M	400	BCB	C16-C17-C18-C20
11	M	401	BCB	C16-C17-C18-C20
8	H	703	LDA	C7-C8-C9-C10
13	L	501	MQ9	C40-C39-C41-C42
7	L	709	HTO	C3-C4-C5-C6
15	M	600[A]	NS5	C11-C10-C9-C8
15	M	600[B]	NS5	C11-C10-C9-C8
11	M	401	BCB	C16-C17-C18-C19
8	L	702	LDA	C2-C3-C4-C5
15	M	600[A]	NS5	C12-C10-C9-C8
15	M	600[B]	NS5	C12-C10-C9-C8
6	C	401	HEC	CAA-CBA-CGA-O2A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	C	402	HEC	C2C-C3C-CAC-CBC
6	C	402	HEC	CAA-CBA-CGA-O2A
6	C	401	HEC	CAA-CBA-CGA-O1A
13	L	501	MQ9	C45-C44-C46-C47
11	M	401	BCB	C11-C12-C13-C15
6	C	402	HEC	CAA-CBA-CGA-O1A
7	H	705	HTO	O2-C2-C3-O3
11	M	401	BCB	C11-C12-C13-C14
13	L	501	MQ9	C33-C34-C36-C37
6	C	402	HEC	CAD-CBD-CGD-O2D
6	C	402	HEC	CAD-CBD-CGD-O1D
7	C	706	HTO	C1-C2-C3-O3
8	L	702	LDA	C2-C1-N1-CM1
8	L	702	LDA	C2-C1-N1-CM2
7	C	706	HTO	O3-C3-C4-C5
8	M	704	LDA	C11-C10-C9-C8
6	C	404	HEC	CAD-CBD-CGD-O2D
7	C	707	HTO	C1-C2-C3-C4
7	C	707	HTO	C3-C4-C5-C6
7	L	708	HTO	O2-C2-C3-C4
8	M	704	LDA	C2-C1-N1-O1
13	L	501	MQ9	C41-C42-C43-C44


There are no ring outliers.




12 monomers are involved in 47 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	M	401	BCB	13	0
5	M	802	SO4	1	0
12	M	402	BPB	16	0
12	L	402	BPB	3	0
11	L	400	BCB	3	0
8	M	704	LDA	1	0
11	M	400	BCB	8	0
6	C	401	HEC	1	0
13	L	501	MQ9	3	0
7	C	707	HTO	1	0
11	L	401	BCB	4	0
6	C	402	HEC	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.












Ligand HEC C 401




Ligand MQ9 L 501




Ligand BCB L 401




Ligand UQ1 L 502




Ligand HEC C 403



Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	C	332/336 (98%)	-0.14	3 (0%) 81 85	16, 24, 40, 54	0
2	H	249/258 (96%)	0.09	17 (6%) 23 27	16, 25, 44, 60	1 (0%)
3	L	273/273 (100%)	-0.35	4 (1%) 72 78	14, 20, 31, 41	2 (0%)
4	M	323/323 (100%)	-0.22	5 (1%) 72 78	14, 22, 37, 47	2 (0%)
All	All	1177/1190 (98%)	-0.16	29 (2%) 58 65	14, 23, 39, 60	5 (0%)

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	H	85	THR	7.5
2	H	83	PRO	3.9
2	H	96	PHE	3.9
2	H	45	GLU	3.7
2	H	7	ALA	3.6
2	H	9	HIS	3.6
3	L	51	TYR	3.5
1	C	1	CYS	3.2
2	H	86	ARG	3.2
2	H	54	PRO	3.2
2	H	44	VAL	3.1
2	H	8	GLN	3.0
2	H	94	ASP	2.9
3	L	271	PHE	2.6
3	L	1	ALA	2.6
4	M	31	LYS	2.6
3	L	202	ASP	2.5
1	C	57	LYS	2.5
4	M	71	PHE	2.5
2	H	97	GLU	2.5
4	M	22	GLU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	M	136	ARG	2.3
4	M	30	GLY	2.3
2	H	87	GLU	2.3
2	H	84	GLU	2.2
2	H	147	GLU	2.2
2	H	216	GLU	2.2
1	C	55	VAL	2.2
2	H	81	ARG	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	FME	H	1	10/11	0.90	0.10	24,27,40,48	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	SO4	C	813	5/5	0.82	0.21	41,41,42,44	5
8	LDA	M	704	16/16	0.83	0.24	56,59,67,68	0
7	HTO	C	706	10/10	0.84	0.19	28,40,44,45	0
14	UQ1	L	503	18/18	0.84	0.15	44,46,52,53	0
5	SO4	C	809	5/5	0.86	0.20	37,46,48,50	5
5	SO4	C	815	5/5	-	-	27,31,34,37	5
5	SO4	C	817	5/5	-	-	32,32,39,39	5
7	HTO	C	707	10/10	0.86	0.15	27,38,44,45	0
5	SO4	C	811	5/5	0.87	0.23	41,42,42,45	5

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	SO4	C	808	5/5	0.87	0.15	39,39,45,46	5
14	UQ1	L	502	18/18	0.88	0.12	33,34,38,40	0
5	SO4	L	814	5/5	-	-	29,30,35,37	5
5	SO4	H	812	5/5	0.90	0.18	45,46,46,47	5
5	SO4	H	806	5/5	0.90	0.15	45,46,50,50	5
15	NS5	M	600[A]	40/40	0.90	0.15	20,29,57,58	4
15	NS5	M	600[B]	40/40	0.90	0.15	20,29,57,58	4
5	SO4	M	816	5/5	-	-	35,36,38,39	5
5	SO4	M	818	5/5	-	-	50,52,52,54	5
5	SO4	M	819	5/5	-	-	38,40,42,42	5
7	HTO	H	705	10/10	0.91	0.11	26,32,35,37	0
5	SO4	C	810	5/5	0.91	0.18	36,38,38,39	5
5	SO4	M	805	5/5	0.91	0.13	38,39,45,47	5
8	LDA	H	701	16/16	0.92	0.11	24,33,42,44	0
5	SO4	H	807	5/5	0.92	0.14	44,49,51,51	5
8	LDA	H	703	16/16	0.93	0.14	35,49,60,62	0
8	LDA	L	702	16/16	0.94	0.09	29,34,38,39	0
7	HTO	L	708	10/10	-	-	25,33,35,35	10
7	HTO	L	709	10/10	-	-	20,36,41,42	10
12	BPB	M	402	65/65	0.94	0.14	14,19,91,92	0
5	SO4	M	804	5/5	0.95	0.12	43,45,48,49	0
11	BCB	M	400	66/66	0.96	0.09	14,18,69,71	0
12	BPB	L	402	65/65	0.96	0.06	13,16,22,25	0
9	UNL	H	710	10/-	-	-	30,42,49,49	10
9	UNL	L	711	10/-	-	-	35,45,52,53	10
9	UNL	L	712	10/-	-	-	44,49,53,55	10
9	UNL	L	713	10/-	-	-	38,43,54,54	10
9	UNL	M	714	10/-	-	-	48,52,60,60	10
9	UNL	M	715	10/-	-	-	41,53,63,64	10
5	SO4	H	803	5/5	0.96	0.15	40,41,44,44	0
13	MQ9	L	501	58/58	0.96	0.08	13,20,66,68	0
11	BCB	M	401	66/66	0.97	0.06	12,16,36,38	0
11	BCB	L	400	66/66	0.97	0.06	12,15,25,32	0
11	BCB	L	401	66/66	0.97	0.05	12,16,35,43	0
5	SO4	M	802	5/5	0.97	0.10	38,41,45,46	0
6	HEC	C	402	43/43	0.98	0.06	18,21,26,28	0
6	HEC	C	404	43/43	0.98	0.06	15,18,27,37	0
5	SO4	M	801	5/5	0.98	0.07	23,30,32,37	0
6	HEC	C	401	43/43	0.98	0.07	19,25,34,39	0
6	HEC	C	403	43/43	0.99	0.05	12,16,19,24	0
10	FE2	L	500	1/1	1.00	0.01	16,16,16,16	0

The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around UQ1 L 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UQ1 L 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around NS5 M 600 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NS5 M 600 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BPB M 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCB M 400:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BPB L 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MQ9 L 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCB M 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCB L 400:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCB L 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC C 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEC C 404:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.