



wwPDB EM Validation Summary Report ⓘ

Jun 23, 2026 – 01:28 PM JST

PDB ID : 8IDT / pdb_00008idt
EMDB ID : EMD-35370
Title : human nuclear pre-60S ribosomal particle - State G
Authors : Zhang, Y.; Gao, N.
Deposited on : 2023-02-14
Resolution : 2.80 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	11806 (2.30 - 3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	5	120	 9% 82% 16%
2	6	245	 9% 88% 12%
3	7	163	 73% 10% 17%











Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	8	156	
5	9	134	
6	B	403	
7	C	159	
8	D	427	
9	E	115	
10	F	117	
11	G	266	
12	H	123	
13	I	192	
14	K	105	
15	L	148	
16	M	97	
17	N	178	
18	O	70	
19	P	51	
20	Q	211	
21	S	215	
22	U	204	
23	V	203	
24	W	106	
25	X	92	
26	Z	188	
27	a	196	
28	b	176	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	c	160	
30	e	140	
31	g	156	
32	h	145	
33	i	136	
34	l	137	
35	m	257	
36	n	110	
37	o	288	
38	p	248	
39	r	297	
40	A	731	
41	R	203	
42	J	239	
43	T	99	
44	2	5054	
45	y	165	
46	4	634	
47	d	128	
48	j	125	
49	k	135	
50	Y	184	
51	z	129	

2 Entry composition

There are 55 unique types of molecules in this entry. The entry contains 147681 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	5	120	Total	C	N	O	P	0	0
			2558	1141	456	842	119		

- Molecule 2 is a protein called Eukaryotic translation initiation factor 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	6	244	Total	C	N	O	S	0	0
			1852	1149	318	372	13		

- Molecule 3 is a protein called Probable ribosome biogenesis protein RLP24.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	7	135	Total	C	N	O	S	0	0
			1159	737	225	187	10		

- Molecule 4 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	8	156	Total	C	N	O	P	0	0
			3315	1481	585	1094	155		

- Molecule 5 is a protein called Zinc finger protein 593.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	9	97	Total	C	N	O	S	0	0
			793	484	171	134	4		

- Molecule 6 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	B	402	Total	C	N	O	S	1	0
			3244	2065	609	556	14		

- Molecule 7 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	C	93	Total	C	N	O	S	0	0
			764	476	167	117	4		

- Molecule 8 is a protein called 60S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	D	358	Total	C	N	O	S	0	0
			2853	1797	570	473	13		

- Molecule 9 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	E	98	Total	C	N	O	S	0	0
			764	485	135	138	6		

- Molecule 10 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	F	109	Total	C	N	O	S	0	0
			868	544	179	139	6		

- Molecule 11 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	G	241	Total	C	N	O	S	1	0
			1935	1233	374	324	4		

- Molecule 12 is a protein called 60S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	H	122	Total	C	N	O	S	0	0
			1015	641	205	168	1		

- Molecule 13 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	I	190	Total	C	N	O	S	0	0
			1518	956	284	272	6		

- Molecule 14 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	K	102	Total	C	N	O	S	0	0
			832	521	177	129	5		

- Molecule 15 is a protein called 60S ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	L	147	Total	C	N	O	S	0	0
			1162	736	237	186	3		

- Molecule 16 is a protein called 60S ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	M	86	Total	C	N	O	S	0	0
			705	434	155	111	5		

- Molecule 17 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	N	165	Total	C	N	O	S	0	0
			1319	836	245	233	5		

- Molecule 18 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	O	69	Total	C	N	O	S	0	0
			569	366	103	99	1		

- Molecule 19 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	P	50	Total	C	N	O	S	0	0
			444	281	98	64	1		

- Molecule 20 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	Q	210	Total	C	N	O	S	0	0
			1701	1064	352	281	4		

- Molecule 21 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	S	135	Total	C	N	O	S	0	0
			1111	713	213	178	7		

- Molecule 22 is a protein called 60S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	U	203	Total	C	N	O	S	0	0
			1701	1072	359	266	4		

- Molecule 23 is a protein called 60S ribosomal protein L13a.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	V	201	Total	C	N	O	S	0	0
			1650	1063	321	261	5		

- Molecule 24 is a protein called 60S ribosomal protein L36a.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	W	101	Total	C	N	O	S	0	0
			827	517	170	134	6		

- Molecule 25 is a protein called 60S ribosomal protein L37a.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	X	91	Total	C	N	O	S	0	0
			708	445	136	120	7		

- Molecule 26 is a protein called 60S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	Z	187	Total	C	N	O	S	0	0
			1513	944	314	250	5		

- Molecule 27 is a protein called 60S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	a	148	Total	C	N	O	S	0	0
			1239	772	266	192	9		

- Molecule 28 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	b	176	Total	C	N	O	S	0	0
			1461	930	284	236	11		

- Molecule 29 is a protein called 60S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	c	155	Total	C	N	O	S	0	0
			1264	801	248	210	5		

- Molecule 30 is a protein called 60S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	e	131	Total	C	N	O	S	0	0
			979	618	184	172	5		

- Molecule 31 is a protein called 60S ribosomal protein L23a.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	g	118	Total	C	N	O	S	0	0
			967	618	181	167	1		

- Molecule 32 is a protein called 60S ribosomal protein L26.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	h	134	Total	C	N	O	S	0	0
			1115	700	226	186	3		

- Molecule 33 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	i	135	Total	C	N	O	S	0	0
			1107	714	208	182	3		

- Molecule 34 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	l	125	Total	C	N	O	S	0	0
			1002	622	207	168	5		

- Molecule 35 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	m	248	Total	C	N	O	S	0	0
			1898	1189	389	314	6		

- Molecule 36 is a protein called 60S ribosomal protein L35a.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	n	109	Total	C	N	O	S	0	0
			876	555	174	144	3		

- Molecule 37 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	o	235	Total	C	N	O	S	0	0
			1897	1217	360	316	4		

- Molecule 38 is a protein called 60S ribosomal protein L7.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	p	225	Total	C	N	O	S	1	0
			1878	1207	361	301	9		

- Molecule 39 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	r	293	Total	C	N	O	S	0	0
			2382	1507	434	427	14		

- Molecule 40 is a protein called G Protein Nucleolar 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	A	307	Total	C	N	O	S	0	0
			2460	1576	419	457	8		

- Molecule 41 is a protein called Translation machinery-associated protein 16.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	R	153	Total	C	N	O	S	0	0
			1296	810	248	233	5		

- Molecule 42 is a protein called mRNA turnover protein 4 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	J	223	Total	C	N	O	S	0	0
			1809	1140	309	349	11		

- Molecule 43 is a protein called Leydig cell tumor 10 kDa protein homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	T	50	Total	C	N	O	S	0	0
			393	247	82	63	1		

- Molecule 44 is a RNA chain called 28S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	2	3524	Total	C	N	O	P	0	0
			75681	33754	13848	24556	3523		

- Molecule 45 is a protein called 60S ribosomal protein L12.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	y	165	Total	C	N	O	S	0	0
			1250	779	232	234	5		

- Molecule 46 is a protein called GTP-binding protein 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	4	611	Total	C	N	O	S	0	0
			5016	3151	918	920	27		

- Molecule 47 is a protein called 60S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	d	104	Total	C	N	O	S	0	0
			850	542	149	157	2		

- Molecule 48 is a protein called 60S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	j	111	Total	C	N	O	S	0	0
			918	578	178	160	2		

- Molecule 49 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	k	129	Total	C	N	O	S	0	0
			1064	673	220	166	5		


- Molecule 50 is a protein called 60S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	Y	167	Total	C	N	O	S	0	0
			1355	848	260	238	9		

- Molecule 51 is a protein called Protein LLP homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	z	67	Total	C	N	O	S	0	0
			581	363	128	88	2		

- Molecule 52 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: $\text{C}_{10}\text{H}_{15}\text{N}_5\text{O}_{11}\text{P}_2$).



Mol	Chain	Residues	Atoms					AltConf
52	A	1	Total	C	N	O	P	0
			28	10	5	11	2	

- Molecule 53 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
53	A	1	Total Mg 1 1	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
53	4	1	Total	Mg	0
			1	1	

- Molecule 54 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		AltConf
54	A	1	Total	K	0
			1	1	

- Molecule 55 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).




Mol	Chain	Residues	Atoms					AltConf
55	4	1	Total	C	N	O	P	0
			32	10	5	14	3	

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 5S rRNA

Chain 5: 




- Molecule 2: Eukaryotic translation initiation factor 6

Chain 6: 




- Molecule 3: Probable ribosome biogenesis protein RLP24

Chain 7: 




- Molecule 4: 5.8S rRNA



Chain 8: 





- Molecule 5: Zinc finger protein 593




- Molecule 10: 60S ribosomal protein L34




- Molecule 11: 60S ribosomal protein L7a




- Molecule 12: 60S ribosomal protein L35



- Molecule 13: 60S ribosomal protein L9




- Molecule 14: 60S ribosomal protein L36




- Molecule 15: 60S ribosomal protein L27a






- Molecule 16: 60S ribosomal protein L37

Chain M: 77% 11% 11%




- Molecule 17: 60S ribosomal protein L11

Chain N: 56% 83% 10% 7%



- Molecule 18: 60S ribosomal protein L38

Chain O: 34% 93% 6%




- Molecule 19: 60S ribosomal protein L39

Chain P: 90% 8%




- Molecule 20: 60S ribosomal protein L13

Chain Q: 7% 92% 8%




- Molecule 21: 60S ribosomal protein L14





- Molecule 28: 60S ribosomal protein L18a




- Molecule 29: 60S ribosomal protein L21




- Molecule 30: 60S ribosomal protein L23




- Molecule 31: 60S ribosomal protein L23a




- Molecule 32: 60S ribosomal protein L26




- Molecule 33: 60S ribosomal protein L27






- Molecule 34: 60S ribosomal protein L28





- Molecule 35: 60S ribosomal protein L8





- Molecule 36: 60S ribosomal protein L35a




- Molecule 37: 60S ribosomal protein L6




- Molecule 38: 60S ribosomal protein L7




- Molecule 41: Translation machinery-associated protein 16




- Molecule 42: mRNA turnover protein 4 homolog



- Molecule 43: Leydig cell tumor 10 kDa protein homolog




- Molecule 44: 28S rRNA















• Molecule 45: 60S ribosomal protein L12




• Molecule 46: GTP-binding protein 4







• Molecule 47: 60S ribosomal protein L22




• Molecule 48: 60S ribosomal protein L31




• Molecule 49: 60S ribosomal protein L32



• Molecule 50: 60S ribosomal protein L17



• Molecule 51: Protein LLP homolog



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	175116	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.8	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	0.312	Depositor
Minimum map value	-0.098	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.007	Depositor
Recommended contour level	0.045	Depositor
Map size (Å)	548.0, 548.0, 548.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.37, 1.37, 1.37	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: A2M, B8H, BGH, I4U, UR3, P4U, 7MG, B8T, P7G, E7G, B9B, 6MZ, M7A, OMG, 5MC, OMU, MHG, GDP, 2MG, OMC, 5MU, K, E6G, 1MA, B9H, GTP, MG, B8W, B8K, B8Q

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	5	0.23	0/2858	0.41	0/4455
2	6	0.31	0/1877	0.74	1/2554 (0.0%)
3	7	0.35	0/1181	0.76	0/1563
4	8	0.28	0/3679	0.45	0/5732
5	9	0.32	0/808	0.83	2/1076 (0.2%)
6	B	0.30	0/3315	0.71	3/4435 (0.1%)
7	C	0.26	0/777	0.63	0/1026
8	D	0.32	0/2907	0.76	9/3905 (0.2%)
9	E	0.25	0/774	0.57	0/1038
10	F	0.29	0/878	0.67	0/1170
11	G	0.31	0/1971	0.69	2/2651 (0.1%)
12	H	0.31	0/1023	0.59	0/1351
13	I	0.32	0/1537	0.78	6/2066 (0.3%)
14	K	0.28	0/843	0.65	0/1115
15	L	0.27	0/1191	0.62	1/1591 (0.1%)
16	M	0.32	0/720	0.72	0/952
17	N	0.33	0/1341	0.84	7/1793 (0.4%)
18	O	0.26	0/575	0.62	0/761
19	P	0.31	0/454	0.66	0/599
20	Q	0.34	0/1732	0.72	2/2315 (0.1%)
21	S	0.33	0/1133	0.71	2/1516 (0.1%)
22	U	0.27	0/1746	0.62	2/2338 (0.1%)
23	V	0.31	0/1682	0.61	1/2250 (0.0%)
24	W	0.26	0/840	0.69	3/1107 (0.3%)
25	X	0.28	0/718	0.62	2/953 (0.2%)
26	Z	0.27	0/1537	0.59	0/2052
27	a	0.29	0/1255	0.68	1/1662 (0.1%)
28	b	0.27	0/1501	0.58	0/2013
29	c	0.32	0/1291	0.74	5/1725 (0.3%)
30	e	0.30	0/993	0.68	2/1332 (0.2%)
31	g	0.27	0/984	0.56	0/1323

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	h	0.30	0/1132	0.66	0/1504
33	i	0.35	0/1130	0.76	2/1507 (0.1%)
34	l	0.28	0/1017	0.65	2/1364 (0.1%)
35	m	0.29	0/1936	0.72	6/2596 (0.2%)
36	n	0.28	0/895	0.80	5/1198 (0.4%)
37	o	0.32	0/1935	0.78	5/2596 (0.2%)
38	p	0.37	0/1916	0.74	6/2553 (0.2%)
39	r	0.29	0/2428	0.70	2/3252 (0.1%)
40	A	0.26	0/2515	0.55	0/3403
41	R	0.35	0/1317	0.66	0/1757
42	J	0.30	0/1844	0.71	3/2476 (0.1%)
43	T	0.29	0/396	0.70	0/522
44	2	0.26	1/82562 (0.0%)	0.45	13/128718 (0.0%)
45	y	0.31	0/1269	0.77	0/1712
46	4	0.36	0/5099	0.86	18/6840 (0.3%)
47	d	0.36	0/864	0.90	4/1160 (0.3%)
48	j	0.29	0/933	0.63	0/1256
49	k	0.30	0/1082	0.64	0/1443
50	Y	0.28	0/1383	0.59	0/1856
51	z	0.34	0/587	0.76	0/767
All	All	0.28	1/156361 (0.0%)	0.57	117/228899 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
6	B	0	1
17	N	0	1
20	Q	0	1
35	m	0	1
36	n	0	1
42	J	0	1
46	4	0	1
All	All	0	7

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
44	2	2401	A2M	O3'-P	5.01	1.61	1.56

The worst 5 of 117 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
36	n	62	GLY	CA-C-N	8.91	134.22	120.68
36	n	62	GLY	C-N-CA	8.91	134.22	120.68
46	4	503	THR	CA-C-N	8.35	136.74	121.70
46	4	503	THR	C-N-CA	8.35	136.74	121.70
46	4	406	GLY	CA-C-N	8.05	136.91	121.54

There are no chirality outliers.

5 of 7 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
6	B	16	PHE	Peptide
17	N	94	LEU	Peptide
20	Q	154	VAL	Peptide
35	m	54	ARG	Peptide
36	n	106	TYR	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	5	2558	0	1296	7	0
2	6	1852	0	1828	18	0
3	7	1159	0	1224	12	0
4	8	3315	0	1685	7	0
5	9	793	0	807	8	0
6	B	3244	0	3389	24	0
7	C	764	0	822	0	0
8	D	2853	0	3028	19	0
9	E	764	0	804	3	0
10	F	868	0	963	3	0
11	G	1935	0	2087	7	0
12	H	1015	0	1148	12	0
13	I	1518	0	1601	9	0
14	K	832	0	917	3	0
15	L	1162	0	1213	4	0
16	M	705	0	741	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
17	N	1319	0	1358	10	0
18	O	569	0	637	3	0
19	P	444	0	483	4	0
20	Q	1701	0	1818	9	0
21	S	1111	0	1174	5	0
22	U	1701	0	1749	12	0
23	V	1650	0	1794	7	0
24	W	827	0	896	6	0
25	X	708	0	760	5	0
26	Z	1513	0	1628	6	0
27	a	1239	0	1363	5	0
28	b	1461	0	1502	7	0
29	c	1264	0	1337	5	0
30	e	979	0	1039	9	0
31	g	967	0	1040	3	0
32	h	1115	0	1205	10	0
33	i	1107	0	1182	9	0
34	l	1002	0	1068	8	0
35	m	1898	0	1993	14	0
36	n	876	0	912	2	0
37	o	1897	0	2046	11	0
38	p	1878	0	2009	8	0
39	r	2382	0	2410	13	0
40	A	2460	0	2488	11	0
41	R	1296	0	1324	10	0
42	J	1809	0	1783	23	0
43	T	393	0	452	2	0
44	2	75681	0	38024	152	0
45	y	1250	0	1305	11	0
46	4	5016	0	5151	34	0
47	d	850	0	868	0	0
48	j	918	0	964	4	0
49	k	1064	0	1160	6	0
50	Y	1355	0	1389	4	0
51	z	581	0	656	7	0
52	A	28	0	12	1	0
53	4	1	0	0	0	0
53	A	1	0	0	0	0
54	A	1	0	0	0	0
55	4	32	0	9	0	0
All	All	147681	0	110541	451	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 451 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
44:2:4083:5MU:C5	44:2:4083:5MU:C4	1.79	1.61
44:2:4296:B8H:C5	44:2:4296:B8H:C4	1.81	1.58
44:2:1860:B8H:C5	44:2:1860:B8H:C4	1.82	1.58
44:2:1739:G:H22	44:2:1790:U:H3	1.42	0.66
2:6:129:LEU:O	2:6:133:LEU:HB2	1.96	0.64

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	6	242/245 (99%)	227 (94%)	15 (6%)	0	100	100
3	7	133/163 (82%)	129 (97%)	4 (3%)	0	100	100
5	9	93/134 (69%)	81 (87%)	11 (12%)	1 (1%)	11	36
6	B	401/403 (100%)	382 (95%)	19 (5%)	0	100	100
7	C	89/159 (56%)	86 (97%)	3 (3%)	0	100	100
8	D	356/427 (83%)	335 (94%)	21 (6%)	0	100	100
9	E	96/115 (84%)	94 (98%)	2 (2%)	0	100	100
10	F	107/117 (92%)	104 (97%)	3 (3%)	0	100	100
11	G	240/266 (90%)	231 (96%)	9 (4%)	0	100	100
12	H	120/123 (98%)	116 (97%)	4 (3%)	0	100	100
13	I	188/192 (98%)	179 (95%)	9 (5%)	0	100	100
14	K	100/105 (95%)	93 (93%)	7 (7%)	0	100	100
15	L	145/148 (98%)	137 (94%)	8 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
16	M	84/97 (87%)	79 (94%)	5 (6%)	0	100	100
17	N	163/178 (92%)	147 (90%)	16 (10%)	0	100	100
18	O	67/70 (96%)	62 (92%)	5 (8%)	0	100	100
19	P	48/51 (94%)	46 (96%)	2 (4%)	0	100	100
20	Q	208/211 (99%)	193 (93%)	15 (7%)	0	100	100
21	S	133/215 (62%)	125 (94%)	8 (6%)	0	100	100
22	U	201/204 (98%)	192 (96%)	9 (4%)	0	100	100
23	V	199/203 (98%)	192 (96%)	7 (4%)	0	100	100
24	W	99/106 (93%)	95 (96%)	4 (4%)	0	100	100
25	X	89/92 (97%)	86 (97%)	3 (3%)	0	100	100
26	Z	185/188 (98%)	179 (97%)	6 (3%)	0	100	100
27	a	146/196 (74%)	142 (97%)	4 (3%)	0	100	100
28	b	174/176 (99%)	169 (97%)	5 (3%)	0	100	100
29	c	153/160 (96%)	148 (97%)	5 (3%)	0	100	100
30	e	129/140 (92%)	117 (91%)	12 (9%)	0	100	100
31	g	116/156 (74%)	114 (98%)	2 (2%)	0	100	100
32	h	132/145 (91%)	130 (98%)	2 (2%)	0	100	100
33	i	133/136 (98%)	124 (93%)	9 (7%)	0	100	100
34	l	123/137 (90%)	115 (94%)	8 (6%)	0	100	100
35	m	246/257 (96%)	221 (90%)	25 (10%)	0	100	100
36	n	107/110 (97%)	103 (96%)	3 (3%)	1 (1%)	14	41
37	o	231/288 (80%)	214 (93%)	17 (7%)	0	100	100
38	p	224/248 (90%)	216 (96%)	8 (4%)	0	100	100
39	r	291/297 (98%)	279 (96%)	12 (4%)	0	100	100
40	A	305/731 (42%)	300 (98%)	4 (1%)	1 (0%)	36	66
41	R	151/203 (74%)	148 (98%)	2 (1%)	1 (1%)	18	47
42	J	221/239 (92%)	206 (93%)	15 (7%)	0	100	100
43	T	48/99 (48%)	48 (100%)	0	0	100	100
45	y	163/165 (99%)	158 (97%)	5 (3%)	0	100	100
46	4	607/634 (96%)	559 (92%)	44 (7%)	4 (1%)	18	47
47	d	102/128 (80%)	95 (93%)	7 (7%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
48	j	109/125 (87%)	104 (95%)	5 (5%)	0	100	100
49	k	127/135 (94%)	121 (95%)	6 (5%)	0	100	100
50	Y	165/184 (90%)	158 (96%)	7 (4%)	0	100	100
51	z	63/129 (49%)	59 (94%)	3 (5%)	1 (2%)	7	27
All	All	8052/9430 (85%)	7638 (95%)	405 (5%)	9 (0%)	49	77

5 of 9 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
36	n	106	TYR
5	9	99	GLN
51	z	24	LYS
40	A	160	MET
46	4	88	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	6	212/213 (100%)	212 (100%)	0	100	100
3	7	126/149 (85%)	126 (100%)	0	100	100
5	9	82/114 (72%)	81 (99%)	1 (1%)	63	87
6	B	349/349 (100%)	349 (100%)	0	100	100
7	C	78/126 (62%)	78 (100%)	0	100	100
8	D	298/348 (86%)	298 (100%)	0	100	100
9	E	83/97 (86%)	83 (100%)	0	100	100
10	F	94/100 (94%)	94 (100%)	0	100	100
11	G	204/223 (92%)	202 (99%)	2 (1%)	68	88
12	H	109/110 (99%)	109 (100%)	0	100	100
13	I	169/171 (99%)	169 (100%)	0	100	100
14	K	86/89 (97%)	86 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
15	L	120/121 (99%)	120 (100%)	0	100	100
16	M	73/80 (91%)	73 (100%)	0	100	100
17	N	138/149 (93%)	138 (100%)	0	100	100
18	O	64/65 (98%)	64 (100%)	0	100	100
19	P	47/48 (98%)	47 (100%)	0	100	100
20	Q	176/177 (99%)	176 (100%)	0	100	100
21	S	115/161 (71%)	115 (100%)	0	100	100
22	U	171/172 (99%)	171 (100%)	0	100	100
23	V	173/174 (99%)	173 (100%)	0	100	100
24	W	89/94 (95%)	89 (100%)	0	100	100
25	X	74/75 (99%)	74 (100%)	0	100	100
26	Z	164/165 (99%)	164 (100%)	0	100	100
27	a	133/175 (76%)	133 (100%)	0	100	100
28	b	157/157 (100%)	157 (100%)	0	100	100
29	c	136/140 (97%)	136 (100%)	0	100	100
30	e	101/107 (94%)	101 (100%)	0	100	100
31	g	106/133 (80%)	106 (100%)	0	100	100
32	h	124/135 (92%)	124 (100%)	0	100	100
33	i	117/118 (99%)	117 (100%)	0	100	100
34	l	109/121 (90%)	109 (100%)	0	100	100
35	m	190/199 (96%)	190 (100%)	0	100	100
36	n	88/89 (99%)	88 (100%)	0	100	100
37	o	208/252 (82%)	208 (100%)	0	100	100
38	p	195/215 (91%)	195 (100%)	0	100	100
39	r	246/250 (98%)	246 (100%)	0	100	100
40	A	272/654 (42%)	272 (100%)	0	100	100
41	R	141/184 (77%)	141 (100%)	0	100	100
42	J	199/214 (93%)	199 (100%)	0	100	100
43	T	43/76 (57%)	43 (100%)	0	100	100
45	y	137/137 (100%)	137 (100%)	0	100	100
46	4	554/574 (96%)	554 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
47	d	94/115 (82%)	94 (100%)	0	100	100
48	j	101/110 (92%)	101 (100%)	0	100	100
49	k	115/121 (95%)	115 (100%)	0	100	100
50	Y	147/163 (90%)	147 (100%)	0	100	100
51	z	61/115 (53%)	61 (100%)	0	100	100
All	All	7068/8124 (87%)	7065 (100%)	3 (0%)	100	100

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	9	116	ARG
11	G	137[A]	ARG
11	G	137[B]	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 79 such sidechains are listed below:

Mol	Chain	Res	Type
39	r	94	ASN
47	d	94	ASN
40	A	161	GLN
42	J	70	ASN
49	k	63	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	5	119/120 (99%)	16 (13%)	0
4	8	155/156 (99%)	31 (20%)	0
44	2	3508/5054 (69%)	783 (22%)	15 (0%)
All	All	3782/5330 (70%)	830 (21%)	15 (0%)

5 of 830 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	5	11	A
1	5	24	C
1	5	29	C
1	5	33	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	5	37	G

5 of 15 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
44	2	2760	G
44	2	4699	U
44	2	3596	A
44	2	4913	G
44	2	4498	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

80 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
44	5MC	2	4335	44	18,22,23	3.56	7 (38%)	26,32,35	1.07	2 (7%)
44	OMC	2	2861	44	19,22,23	3.03	8 (42%)	26,31,34	1.06	2 (7%)
44	B8Q	2	1456	44	17,22,23	2.97	5 (29%)	22,32,35	2.39	6 (27%)
44	OMG	2	4370	44	23,26,27	2.62	8 (34%)	33,38,41	2.72	11 (33%)
44	OMG	2	2050	44	23,26,27	2.62	9 (39%)	33,38,41	2.66	11 (33%)
44	B8H	2	4296	44	19,22,23	6.77	6 (31%)	22,32,35	2.30	5 (22%)
44	1MA	2	4415	44	21,25,26	3.01	5 (23%)	31,37,40	1.85	8 (25%)
44	OMG	2	4494	44	23,26,27	2.69	8 (34%)	33,38,41	2.74	9 (27%)
44	6MZ	2	4220	44	22,25,26	2.61	4 (18%)	30,36,39	3.33	10 (33%)
44	OMG	2	373	44	23,26,27	2.65	8 (34%)	33,38,41	2.69	14 (42%)
44	E7G	2	2297	44	24,27,28	3.93	11 (45%)	30,40,43	2.14	9 (30%)
44	OMG	2	1522	44	23,26,27	2.61	9 (39%)	33,38,41	2.70	13 (39%)
44	B8W	2	4529	44	23,26,27	2.80	5 (21%)	33,38,41	2.65	15 (45%)
44	A2M	2	4571	44	22,25,26	3.18	9 (40%)	31,36,39	2.91	11 (35%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
44	OMG	2	4623	44	23,26,27	2.55	9 (39%)	33,38,41	2.70	13 (39%)
44	OMC	2	3701	44	19,22,23	2.98	8 (42%)	26,31,34	0.82	0
44	OMG	2	1316	44	23,26,27	2.62	8 (34%)	33,38,41	2.71	12 (36%)
44	5MU	2	4083	44	19,22,23	7.23	8 (42%)	28,32,35	3.38	10 (35%)
44	P7G	2	1909	44	24,28,29	3.96	11 (45%)	27,41,44	1.59	4 (14%)
44	UR3	2	1866	44	19,22,23	2.91	6 (31%)	26,32,35	1.31	2 (7%)
44	OMG	2	4870	44	23,26,27	2.68	8 (34%)	33,38,41	2.92	10 (30%)
44	OMU	2	4620	44	19,22,23	2.94	8 (42%)	26,31,34	1.67	5 (19%)
44	MHG	2	4371	44	29,32,33	3.94	11 (37%)	34,46,49	2.32	12 (35%)
44	B8K	2	3897	44	24,28,29	3.41	11 (45%)	30,42,45	2.54	11 (36%)
44	2MG	2	1517	44	23,26,27	2.94	8 (34%)	32,38,41	2.45	8 (25%)
44	A2M	2	4523	44	22,25,26	3.16	9 (40%)	31,36,39	3.04	10 (32%)
44	A2M	2	2363	44	22,25,26	3.18	9 (40%)	31,36,39	2.94	11 (35%)
44	7MG	2	4550	44	22,26,27	3.84	10 (45%)	29,39,42	1.96	9 (31%)
44	B9B	2	2754	44	25,28,29	1.72	6 (24%)	35,40,43	5.21	10 (28%)
44	B8K	2	4690	44	24,28,29	3.31	12 (50%)	30,42,45	2.64	12 (40%)
44	OMC	2	4536	44	19,22,23	3.00	8 (42%)	26,31,34	1.15	3 (11%)
44	B8T	2	4483	44	19,22,23	3.64	8 (42%)	26,31,34	1.31	3 (11%)
44	A2M	2	1524	44	22,25,26	3.19	9 (40%)	31,36,39	2.98	10 (32%)
44	B9B	2	237	44	25,28,29	1.77	6 (24%)	35,40,43	5.26	13 (37%)
44	OMC	2	2422	44	19,22,23	2.98	8 (42%)	26,31,34	1.10	2 (7%)
44	B9H	2	2786	44	20,25,26	3.35	4 (20%)	22,35,38	2.75	7 (31%)
44	OMG	2	2424	44	23,26,27	2.69	8 (34%)	33,38,41	2.80	10 (30%)
44	A2M	2	398	44	22,25,26	3.18	9 (40%)	31,36,39	2.99	10 (32%)
44	A2M	2	1326	44	22,25,26	3.24	10 (45%)	31,36,39	2.93	10 (32%)
44	E7G	2	1797	44	24,27,28	4.04	11 (45%)	30,40,43	2.29	10 (33%)
44	OMG	2	2773	44	23,26,27	2.66	8 (34%)	33,38,41	2.68	11 (33%)
44	B8W	2	4185	44	23,26,27	2.75	6 (26%)	33,38,41	2.60	12 (36%)
44	P7G	2	3880	44	24,28,29	4.04	11 (45%)	27,41,44	1.53	4 (14%)
44	I4U	2	1659	44	21,24,25	3.50	9 (42%)	27,34,37	1.31	2 (7%)
44	B8W	2	4129	44	23,26,27	2.87	6 (26%)	33,38,41	2.84	14 (42%)
44	OMC	2	3887	44	19,22,23	3.03	8 (42%)	26,31,34	0.92	1 (3%)
44	2MG	2	4872	44	23,26,27	2.84	9 (39%)	32,38,41	2.42	10 (31%)
44	A2M	2	3723	44	22,25,26	3.16	9 (40%)	31,36,39	2.96	10 (32%)
44	7MG	2	1605	44	22,26,27	3.79	10 (45%)	29,39,42	1.96	8 (27%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
44	OMG	2	4637	44	23,26,27	2.62	8 (34%)	33,38,41	2.76	11 (33%)
44	OMG	2	1883	44	23,26,27	2.66	9 (39%)	33,38,41	2.62	13 (39%)
44	E6G	2	4355	44	24,27,28	1.99	4 (16%)	34,39,42	2.68	15 (44%)
44	OMU	2	4306	44	19,22,23	3.02	8 (42%)	26,31,34	1.70	4 (15%)
44	OMC	2	3869	44	19,22,23	3.04	8 (42%)	26,31,34	1.63	5 (19%)
44	B8H	2	1860	44	19,22,23	6.75	6 (31%)	22,32,35	2.28	5 (22%)
44	M7A	2	4564	44	20,25,26	1.98	3 (15%)	28,37,40	3.90	6 (21%)
44	UR3	2	4530	44	19,22,23	2.87	7 (36%)	26,32,35	1.34	2 (7%)
44	OMC	2	3909	44	19,22,23	3.04	8 (42%)	26,31,34	1.23	3 (11%)
44	A2M	2	3718	44	22,25,26	3.19	9 (40%)	31,36,39	2.78	10 (32%)
44	P4U	2	1348	44	21,24,25	3.52	8 (38%)	27,33,36	1.09	2 (7%)
44	A2M	2	3867	44	22,25,26	3.17	9 (40%)	31,36,39	2.95	11 (35%)
44	7MG	2	2522	44	22,26,27	3.67	10 (45%)	29,39,42	2.00	9 (31%)
44	A2M	2	3825	44	22,25,26	3.20	9 (40%)	31,36,39	2.95	10 (32%)
44	OMG	2	1625	44	23,26,27	2.69	8 (34%)	33,38,41	2.70	9 (27%)
44	B8W	2	4472	44	23,26,27	2.76	6 (26%)	33,38,41	2.75	11 (33%)
44	B9B	2	1574	44	25,28,29	1.73	6 (24%)	35,40,43	5.13	11 (31%)
44	A2M	2	1534	44	22,25,26	3.19	9 (40%)	31,36,39	3.07	11 (35%)
4	OMU	8	14	4,44	19,22,23	2.91	8 (42%)	26,31,34	1.80	6 (23%)
44	OMC	2	2804	44	19,22,23	2.94	8 (42%)	26,31,34	1.22	3 (11%)
44	2MG	2	729	44	23,26,27	2.94	7 (30%)	32,38,41	2.28	8 (25%)
44	OMG	2	2364	44	23,26,27	2.60	9 (39%)	33,38,41	2.65	12 (36%)
44	OMG	2	4196	44	23,26,27	2.75	8 (34%)	33,38,41	2.85	12 (36%)
44	B8T	2	4671	44	19,22,23	3.55	8 (42%)	26,31,34	0.97	1 (3%)
44	BGH	2	3899	44	25,29,30	4.56	17 (68%)	31,43,46	2.61	12 (38%)
44	A2M	2	2401	44	22,25,26	3.20	10 (45%)	31,36,39	3.00	11 (35%)
44	OMC	2	2365	44	19,22,23	2.91	8 (42%)	26,31,34	0.82	0
44	UR3	2	4597	44	19,22,23	2.76	6 (31%)	26,32,35	2.11	6 (23%)
44	A2M	2	1871	44	22,25,26	3.19	9 (40%)	31,36,39	3.01	11 (35%)
44	B8W	2	2380	44	23,26,27	2.68	5 (21%)	33,38,41	2.59	13 (39%)
44	2MG	2	978	44	23,26,27	2.97	7 (30%)	32,38,41	2.20	10 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
44	5MC	2	4335	44	-	0/7/25/26	0/2/2/2
44	OMC	2	2861	44	-	0/9/27/28	0/2/2/2
44	B8Q	2	1456	44	-	0/7/42/43	0/2/2/2
44	OMG	2	4370	44	-	0/9/27/28	0/3/3/3
44	OMG	2	2050	44	-	0/9/27/28	0/3/3/3
44	B8H	2	4296	44	-	2/7/25/26	0/2/2/2
44	1MA	2	4415	44	-	3/7/25/26	0/3/3/3
44	OMG	2	4494	44	-	0/9/27/28	0/3/3/3
44	6MZ	2	4220	44	-	0/9/27/28	0/3/3/3
44	OMG	2	373	44	-	1/9/27/28	0/3/3/3
44	E7G	2	2297	44	-	1/9/39/40	0/3/3/3
44	OMG	2	1522	44	-	0/9/27/28	0/3/3/3
44	B8W	2	4529	44	-	0/9/27/28	0/3/3/3
44	A2M	2	4571	44	-	0/9/27/28	0/3/3/3
44	OMG	2	4623	44	-	0/9/27/28	0/3/3/3
44	OMC	2	3701	44	-	4/9/27/28	0/2/2/2
44	OMG	2	1316	44	-	1/9/27/28	0/3/3/3
44	5MU	2	4083	44	-	0/7/25/26	0/2/2/2
44	P7G	2	1909	44	-	2/10/40/41	0/3/3/3
44	UR3	2	1866	44	-	2/7/25/26	0/2/2/2
44	OMG	2	4870	44	-	3/9/27/28	0/3/3/3
44	OMU	2	4620	44	-	0/9/27/28	0/2/2/2
44	MHG	2	4371	44	-	3/16/46/47	0/3/3/3
44	B8K	2	3897	44	-	3/11/41/42	0/3/3/3
44	2MG	2	1517	44	-	3/9/27/28	0/3/3/3
44	A2M	2	4523	44	-	3/9/27/28	0/3/3/3
44	A2M	2	2363	44	-	0/9/27/28	0/3/3/3
44	7MG	2	4550	44	-	0/7/37/38	0/3/3/3
44	B9B	2	2754	44	-	3/11/29/30	0/3/3/3
44	B8K	2	4690	44	-	1/11/41/42	0/3/3/3
44	OMC	2	4536	44	-	0/9/27/28	0/2/2/2
44	B8T	2	4483	44	-	0/7/27/28	0/2/2/2
44	A2M	2	1524	44	-	3/9/27/28	0/3/3/3
44	B9B	2	237	44	-	5/11/29/30	0/3/3/3
44	OMC	2	2422	44	-	1/9/27/28	0/2/2/2
44	B9H	2	2786	44	-	1/12/47/48	0/2/2/2
44	OMG	2	2424	44	-	2/9/27/28	0/3/3/3
44	A2M	2	398	44	-	2/9/27/28	0/3/3/3
44	A2M	2	1326	44	-	3/9/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
44	E7G	2	1797	44	-	2/9/39/40	0/3/3/3
44	OMG	2	2773	44	-	1/9/27/28	0/3/3/3
44	B8W	2	4185	44	-	2/9/27/28	0/3/3/3
44	P7G	2	3880	44	-	4/10/40/41	0/3/3/3
44	I4U	2	1659	44	-	2/9/29/30	0/2/2/2
44	B8W	2	4129	44	-	2/9/27/28	0/3/3/3
44	OMC	2	3887	44	-	1/9/27/28	0/2/2/2
44	2MG	2	4872	44	-	2/9/27/28	0/3/3/3
44	A2M	2	3723	44	-	2/9/27/28	0/3/3/3
44	7MG	2	1605	44	-	0/7/37/38	0/3/3/3
44	OMG	2	4637	44	-	3/9/27/28	0/3/3/3
44	OMG	2	1883	44	-	2/9/27/28	0/3/3/3
44	E6G	2	4355	44	-	2/10/28/29	0/3/3/3
44	OMU	2	4306	44	-	0/9/27/28	0/2/2/2
44	OMC	2	3869	44	-	5/9/27/28	0/2/2/2
44	B8H	2	1860	44	-	0/7/25/26	0/2/2/2
44	M7A	2	4564	44	-	0/7/37/38	0/3/3/3
44	UR3	2	4530	44	-	0/7/25/26	0/2/2/2
44	OMC	2	3909	44	-	0/9/27/28	0/2/2/2
44	A2M	2	3718	44	-	0/9/27/28	0/3/3/3
44	P4U	2	1348	44	-	2/10/29/30	0/2/2/2
44	A2M	2	3867	44	-	2/9/27/28	0/3/3/3
44	7MG	2	2522	44	-	0/7/37/38	0/3/3/3
44	A2M	2	3825	44	-	0/9/27/28	0/3/3/3
44	OMG	2	1625	44	-	2/9/27/28	0/3/3/3
44	B8W	2	4472	44	-	1/9/27/28	0/3/3/3
44	B9B	2	1574	44	-	3/11/29/30	0/3/3/3
44	A2M	2	1534	44	-	1/9/27/28	0/3/3/3
4	OMU	8	14	4,44	-	1/9/27/28	0/2/2/2
44	OMC	2	2804	44	-	0/9/27/28	0/2/2/2
44	2MG	2	729	44	-	1/9/27/28	0/3/3/3
44	OMG	2	2364	44	-	2/9/27/28	0/3/3/3
44	OMG	2	4196	44	-	2/9/27/28	0/3/3/3
44	B8T	2	4671	44	-	0/7/27/28	0/2/2/2
44	BGH	2	3899	44	-	0/13/43/44	0/3/3/3
44	A2M	2	2401	44	-	1/9/27/28	0/3/3/3
44	OMC	2	2365	44	-	0/9/27/28	0/2/2/2
44	UR3	2	4597	44	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
44	A2M	2	1871	44	-	0/9/27/28	0/3/3/3
44	B8W	2	2380	44	-	2/9/27/28	0/3/3/3
44	2MG	2	978	44	-	0/9/27/28	0/3/3/3

The worst 5 of 646 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
44	2	4083	5MU	C4-C5	20.75	1.79	1.44
44	2	4296	B8H	C6-C5	-16.42	1.11	1.34
44	2	1860	B8H	C6-C5	-16.38	1.11	1.34
44	2	4083	5MU	C6-N1	15.93	1.65	1.38
44	2	4296	B8H	C4-N3	-15.69	1.09	1.38

The worst 5 of 668 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
44	2	237	B9B	O6-C6-C5	21.43	143.71	116.57
44	2	2754	B9B	O6-C6-C5	21.41	143.68	116.57
44	2	1574	B9B	O6-C6-C5	21.21	143.42	116.57
44	2	237	B9B	O6-C6-N1	-18.47	94.27	120.00
44	2	2754	B9B	O6-C6-N1	-18.33	94.47	120.00

There are no chirality outliers.

5 of 102 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	8	14	OMU	C1'-C2'-O2'-CM2
44	2	237	B9B	C5-C6-O6-C61
44	2	237	B9B	N1-C6-O6-C61
44	2	237	B9B	C3'-C4'-C5'-O5'
44	2	237	B9B	O4'-C4'-C5'-O5'

There are no ring outliers.

16 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
44	2	4296	B8H	1	0
44	2	4571	A2M	1	0
44	2	1316	OMG	1	0
44	2	4083	5MU	2	0
44	2	4620	OMU	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
44	2	2363	A2M	1	0
44	2	2773	OMG	1	0
44	2	4872	2MG	1	0
44	2	3723	A2M	1	0
44	2	1860	B8H	1	0
44	2	2522	7MG	1	0
44	2	1625	OMG	1	0
44	2	1574	B9B	1	0
4	8	14	OMU	1	0
44	2	729	2MG	1	0
44	2	2364	OMG	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 3 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
55	GTP	4	701	53	30,34,34	0.84	1 (3%)	46,54,54	1.84	11 (23%)
52	GDP	A	801	54,53	28,30,30	1.27	3 (10%)	44,47,47	1.91	9 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
55	GTP	4	701	53	-	2/22/38/38	0/3/3/3
52	GDP	A	801	54,53	-	2/16/32/32	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
52	A	801	GDP	C6-N1	-3.31	1.32	1.38
52	A	801	GDP	C5-N7	-2.51	1.34	1.39
52	A	801	GDP	C5-C4	2.34	1.45	1.38
55	4	701	GTP	C2-N3	2.16	1.38	1.33

The worst 5 of 20 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
52	A	801	GDP	C5-C4-N3	-6.17	118.45	128.46
55	4	701	GTP	C5-C4-N3	-5.57	119.43	128.46
55	4	701	GTP	C2-N3-C4	5.01	121.23	112.30
52	A	801	GDP	C2-N3-C4	4.98	121.17	112.30
52	A	801	GDP	N9-C4-N3	4.62	135.22	125.94

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
52	A	801	GDP	PA-O3A-PB-O2B
55	4	701	GTP	C4'-C5'-O5'-PA
52	A	801	GDP	PA-O3A-PB-O1B
55	4	701	GTP	C5'-O5'-PA-O1A

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
52	A	801	GDP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-35370. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 206




Y Index: 182




Z Index: 215


6.3.2 Raw map



X Index: 206



Y Index: 181




Z Index: 201


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.045. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 836 nm³; this corresponds to an approximate mass of 755 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.357 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.357 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.80	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.22	4.12	3.29

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.22 differs from the reported value 2.8 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-35370 and PDB model 8IDT. Per-residue inclusion information can be found in [section 3](#) on [page 14](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.045 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.045).

9.4 Atom inclusion [i](#)



At the recommended contour level, 82% of all backbone atoms, 79% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.045) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7910	 0.5500
2	 0.8320	 0.5460
4	 0.6000	 0.4920
5	 0.8910	 0.5750
6	 0.7140	 0.5450
7	 0.8060	 0.5820
8	 0.9220	 0.5940
9	 0.3770	 0.4980
A	 0.4620	 0.5310
B	 0.8960	 0.6100
C	 0.6720	 0.5150
D	 0.9220	 0.6120
E	 0.5600	 0.5360
F	 0.8450	 0.5860
G	 0.6810	 0.5200
H	 0.8420	 0.5950
I	 0.7840	 0.5710
J	 0.0470	 0.1950
K	 0.8180	 0.5860
L	 0.9260	 0.6220
M	 0.9520	 0.6190
N	 0.3540	 0.4200
O	 0.6140	 0.5240
P	 0.9690	 0.6220
Q	 0.8290	 0.5770
R	 0.4980	 0.5180
S	 0.8750	 0.5950
T	 0.5200	 0.5110
U	 0.9620	 0.6320
V	 0.9120	 0.6080
W	 0.7270	 0.5800
X	 0.7280	 0.5670
Y	 0.8490	 0.5990
Z	 0.9400	 0.6330
a	 0.8080	 0.5880



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
b	 0.9340	 0.6260
c	 0.8400	 0.5810
d	 0.7320	 0.5550
e	 0.8610	 0.5910
g	 0.8650	 0.6000
h	 0.8650	 0.5980
i	 0.6720	 0.5570
j	 0.8290	 0.5890
k	 0.9380	 0.6230
l	 0.9200	 0.6100
m	 0.8700	 0.5950
n	 0.9480	 0.6280
o	 0.7250	 0.5330
p	 0.9030	 0.6060
r	 0.5570	 0.5000
y	 0.0200	 0.2250
z	 0.4800	 0.4980