



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 01:22 PM UTC

PDB ID : 1IR6 / pdb_00001ir6
Title : Crystal structure of exonuclease RecJ bound to manganese
Authors : Yamagata, A.; Kakuta, Y.; Masui, R.; Fukuyama, K.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)
Deposited on : 2001-09-11
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	424	5% 48% 35% 7% 9%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 2920 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called exonuclease RecJ.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	385	Total	C	N	O	S	0	0	0
			2919	1868	520	526	5			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	168	PRO	SER	SEE REMARK 999	UNP Q93R48
A	191	ALA	VAL	SEE REMARK 999	UNP Q93R48


- Molecule 2 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mn	0	0
			1	1		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: exonuclease RecJ



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 3	Depositor
Cell constants a, b, c, α , β , γ	141.60Å 141.60Å 141.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.83 – 2.90 19.83 – 2.90	Depositor EDS
% Data completeness (in resolution range)	98.3 (19.83-2.90) 98.0 (19.83-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.55 (at 2.91Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.228 , 0.259 0.228 , 0.257	Depositor DCC
R_{free} test set	1008 reflections (4.76%)	wwPDB-VP
Wilson B-factor (Å ²)	71.1	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 34.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.039 for l,-k,h	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	2920	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.52	0/2980	1.09	24/4059 (0.6%)

There are no bond length outliers.

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	145	LEU	N-CA-C	-10.85	99.31	112.54
1	A	431	LEU	N-CA-C	-9.52	101.86	113.19
1	A	420	ARG	N-CA-C	-8.52	99.93	110.41
1	A	144	GLU	N-CA-C	-8.45	103.09	112.72
1	A	201	ARG	N-CA-C	-8.04	100.52	110.41
1	A	389	LEU	N-CA-C	-7.26	104.40	113.55
1	A	129	SER	N-CA-C	7.17	119.65	108.96
1	A	383	SER	N-CA-C	-6.94	101.88	110.41
1	A	290	THR	N-CA-C	6.91	125.51	110.80
1	A	178	THR	CA-C-N	6.55	128.03	119.84
1	A	178	THR	C-N-CA	6.55	128.03	119.84
1	A	172	VAL	N-CA-C	6.54	117.71	108.36
1	A	380	ALA	N-CA-C	-6.50	104.12	111.14
1	A	103	VAL	N-CA-C	6.49	117.94	108.53
1	A	364	GLN	N-CA-C	-6.11	98.96	108.00
1	A	130	ASP	N-CA-C	-5.71	106.96	114.04
1	A	326	ASP	CA-C-N	5.60	125.31	119.82
1	A	326	ASP	C-N-CA	5.60	125.31	119.82
1	A	228	TRP	N-CA-C	-5.54	105.62	112.38
1	A	139	ILE	N-CA-C	5.29	120.35	109.34
1	A	432	ASP	N-CA-C	-5.19	105.60	112.34
1	A	419	ALA	N-CA-C	-5.11	105.71	111.28
1	A	135	VAL	N-CA-C	5.11	119.96	109.34
1	A	99	LEU	N-CA-C	-5.04	107.62	112.97

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2919	0	3004	174	0
2	A	1	0	0	0	0
All	All	2920	0	3004	174	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 29.

All (174) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:280:GLU:HG3	1:A:283:LYS:HG3	1.34	1.04
1:A:395:LYS:H	1:A:395:LYS:HD2	1.21	1.03
1:A:373:ALA:HB1	1:A:374:PRO:HD3	1.44	0.94
1:A:165:LYS:HD2	1:A:165:LYS:H	1.36	0.90
1:A:246:VAL:HG22	1:A:291:ASP:HA	1.58	0.82
1:A:430:LEU:O	1:A:433:LEU:HG	1.79	0.82
1:A:340:HIS:HD2	1:A:342:GLY:H	1.24	0.81
1:A:382:ARG:O	1:A:385:GLU:HB2	1.80	0.81
1:A:134:THR:O	1:A:158:THR:HB	1.80	0.81
1:A:242:ALA:HA	1:A:249:ARG:HD3	1.64	0.79
1:A:260:LYS:HB2	1:A:263:GLU:HG3	1.65	0.79
1:A:395:LYS:HD2	1:A:395:LYS:N	1.98	0.77
1:A:373:ALA:CB	1:A:374:PRO:HD3	2.14	0.77
1:A:282:GLU:H	1:A:282:GLU:CD	1.93	0.76
1:A:431:LEU:O	1:A:431:LEU:HD13	1.86	0.75
1:A:340:HIS:CD2	1:A:342:GLY:H	2.04	0.75
1:A:139:ILE:HA	1:A:168:PRO:HG3	1.70	0.73
1:A:53:LEU:HD12	1:A:54:PRO:HD2	1.71	0.73
1:A:84:ASP:O	1:A:87:THR:HG22	1.89	0.73
1:A:373:ALA:CB	1:A:374:PRO:CD	2.68	0.71
1:A:201:ARG:O	1:A:202:LEU:HB2	1.90	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:246:VAL:CG2	1:A:291:ASP:HA	2.20	0.71
1:A:147:GLU:HA	1:A:147:GLU:OE2	1.91	0.70
1:A:375:ILE:H	1:A:375:ILE:HD12	1.56	0.69
1:A:430:LEU:O	1:A:430:LEU:HD13	1.93	0.69
1:A:60:GLU:H	1:A:60:GLU:CD	2.01	0.69
1:A:139:ILE:HD13	1:A:174:HIS:CE1	2.29	0.68
1:A:71:GLN:HE21	1:A:71:GLN:N	1.91	0.67
1:A:258:THR:HG22	1:A:263:GLU:OE1	1.94	0.67
1:A:149:LEU:O	1:A:151:ASN:N	2.28	0.67
1:A:199:HIS:ND1	1:A:207:PRO:HG3	2.09	0.67
1:A:258:THR:HG22	1:A:263:GLU:CD	2.21	0.66
1:A:135:VAL:O	1:A:158:THR:HG22	1.97	0.65
1:A:429:ALA:C	1:A:431:LEU:H	2.06	0.64
1:A:94:ARG:HH22	1:A:291:ASP:HB3	1.61	0.64
1:A:119:MET:HE2	1:A:146:ARG:HH11	1.63	0.64
1:A:325:ALA:O	1:A:326:ASP:HB3	1.99	0.63
1:A:430:LEU:C	1:A:432:ASP:H	2.07	0.63
1:A:341:PRO:HA	1:A:344:MET:HG3	1.80	0.63
1:A:134:THR:HG21	1:A:137:CYS:O	1.98	0.63
1:A:212:ASP:OD2	1:A:243:SER:HB2	1.99	0.63
1:A:379:GLU:O	1:A:382:ARG:HB2	1.99	0.62
1:A:385:GLU:HG3	1:A:391:TYR:HE2	1.64	0.62
1:A:60:GLU:HB3	1:A:171:LEU:HD11	1.80	0.62
1:A:407:PHE:HB3	1:A:408:PRO:HD3	1.83	0.61
1:A:383:SER:C	1:A:385:GLU:H	2.08	0.61
1:A:423:ASP:OD1	1:A:425:VAL:HG22	2.01	0.61
1:A:113:GLU:HB3	1:A:118:LEU:HD22	1.82	0.61
1:A:396:GLU:H	1:A:396:GLU:CD	2.08	0.60
1:A:87:THR:HG21	1:A:217:GLY:HA3	1.82	0.60
1:A:64:LEU:HD12	1:A:171:LEU:HD12	1.84	0.59
1:A:240:ILE:HB	1:A:241:PRO:HD3	1.84	0.58
1:A:297:GLN:HG3	1:A:298:ALA:N	2.18	0.58
1:A:384:ALA:HB2	1:A:413:ARG:HG2	1.85	0.58
1:A:390:ARG:O	1:A:391:TYR:HB3	2.05	0.57
1:A:430:LEU:C	1:A:432:ASP:N	2.60	0.57
1:A:378:VAL:HG22	1:A:394:HIS:O	2.04	0.57
1:A:201:ARG:C	1:A:203:GLY:H	2.10	0.57
1:A:257:TYR:CZ	1:A:259:GLY:HA2	2.41	0.56
1:A:325:ALA:O	1:A:326:ASP:CB	2.53	0.55
1:A:379:GLU:OE2	1:A:382:ARG:NH1	2.39	0.55
1:A:251:LEU:O	1:A:255:VAL:HG22	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:417:TYR:O	1:A:420:ARG:HG3	2.08	0.54
1:A:292:ASP:OD1	1:A:292:ASP:C	2.50	0.54
1:A:76:ARG:HB2	1:A:104:HIS:CE1	2.43	0.54
1:A:113:GLU:CB	1:A:118:LEU:HD22	2.38	0.54
1:A:94:ARG:NH2	1:A:291:ASP:HB3	2.23	0.53
1:A:333:VAL:HB	1:A:411:LYS:HG3	1.89	0.53
1:A:290:THR:HG23	1:A:291:ASP:N	2.24	0.53
1:A:310:ARG:O	1:A:314:GLU:HG3	2.08	0.53
1:A:372:LEU:N	1:A:372:LEU:HD23	2.24	0.53
1:A:84:ASP:HB2	1:A:221:ASP:OD2	2.09	0.53
1:A:165:LYS:H	1:A:165:LYS:CD	2.13	0.53
1:A:134:THR:CG2	1:A:137:CYS:O	2.57	0.53
1:A:174:HIS:HD2	1:A:176:ALA:HB3	1.75	0.52
1:A:226:TRP:CD1	1:A:227:GLY:N	2.78	0.52
1:A:314:GLU:HG2	1:A:343:VAL:HG22	1.91	0.52
1:A:335:LEU:HD12	1:A:362:VAL:O	2.10	0.52
1:A:69:LEU:CD2	1:A:101:ALA:HB2	2.40	0.52
1:A:138:GLY:O	1:A:140:THR:N	2.43	0.51
1:A:60:GLU:CB	1:A:171:LEU:HD11	2.40	0.51
1:A:119:MET:HA	1:A:122:VAL:HG23	1.93	0.51
1:A:122:VAL:HB	1:A:123:PRO:HD3	1.91	0.51
1:A:383:SER:O	1:A:384:ALA:HB3	2.10	0.51
1:A:183:GLU:CG	1:A:228:TRP:HB3	2.40	0.51
1:A:391:TYR:CD1	1:A:391:TYR:C	2.88	0.50
1:A:139:ILE:HG12	1:A:159:ASP:OD2	2.11	0.50
1:A:158:THR:HG23	1:A:190:VAL:CG1	2.42	0.50
1:A:84:ASP:CB	1:A:221:ASP:OD2	2.59	0.50
1:A:219:ILE:CG2	1:A:265:ALA:HB2	2.42	0.50
1:A:382:ARG:O	1:A:385:GLU:CB	2.58	0.50
1:A:258:THR:HG21	1:A:260:LYS:HD2	1.95	0.49
1:A:144:GLU:O	1:A:147:GLU:HB2	2.11	0.49
1:A:174:HIS:CD2	1:A:176:ALA:HB3	2.47	0.49
1:A:383:SER:C	1:A:385:GLU:N	2.70	0.49
1:A:418:ALA:O	1:A:420:ARG:O	2.30	0.49
1:A:69:LEU:HD21	1:A:101:ALA:HB2	1.94	0.49
1:A:54:PRO:O	1:A:58:LEU:HD12	2.13	0.49
1:A:87:THR:HG21	1:A:217:GLY:CA	2.42	0.49
1:A:326:ASP:OD1	1:A:328:GLU:HB2	2.13	0.49
1:A:384:ALA:H	1:A:413:ARG:HH11	1.60	0.49
1:A:255:VAL:HG21	1:A:268:ILE:HG12	1.94	0.48
1:A:429:ALA:C	1:A:431:LEU:N	2.71	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:133:LEU:HD13	1:A:156:ILE:HB	1.95	0.48
1:A:60:GLU:CD	1:A:60:GLU:N	2.66	0.47
1:A:375:ILE:HD12	1:A:375:ILE:N	2.28	0.47
1:A:384:ALA:HA	1:A:413:ARG:NH1	2.29	0.47
1:A:89:THR:O	1:A:93:VAL:HG23	2.14	0.47
1:A:282:GLU:CD	1:A:282:GLU:N	2.68	0.47
1:A:96:LEU:HD12	1:A:103:VAL:HG11	1.97	0.46
1:A:146:ARG:O	1:A:150:GLU:HB2	2.15	0.46
1:A:286:ARG:HD2	1:A:299:LEU:HD11	1.97	0.46
1:A:79:GLY:HA2	1:A:135:VAL:HB	1.98	0.46
1:A:290:THR:HG23	1:A:291:ASP:H	1.81	0.46
1:A:196:TRP:CE2	1:A:206:PRO:HB3	2.51	0.45
1:A:344:MET:HE3	1:A:344:MET:HB2	1.82	0.45
1:A:106:PHE:CD1	1:A:106:PHE:C	2.94	0.45
1:A:433:LEU:C	1:A:433:LEU:HD12	2.41	0.45
1:A:416:ALA:O	1:A:419:ALA:HB3	2.16	0.45
1:A:119:MET:HE3	1:A:122:VAL:HB	1.99	0.45
1:A:212:ASP:OD1	1:A:213:LEU:N	2.46	0.45
1:A:277:ARG:HE	1:A:310:ARG:HH21	1.64	0.45
1:A:81:TYR:HA	1:A:86:LEU:HD13	1.99	0.45
1:A:246:VAL:HG23	1:A:247:GLY:H	1.82	0.45
1:A:375:ILE:H	1:A:375:ILE:CD1	2.26	0.45
1:A:138:GLY:HA2	1:A:141:ASN:HD22	1.82	0.44
1:A:372:LEU:N	1:A:372:LEU:CD2	2.80	0.44
1:A:196:TRP:O	1:A:199:HIS:HB2	2.17	0.44
1:A:395:LYS:N	1:A:395:LYS:CD	2.76	0.44
1:A:246:VAL:HG23	1:A:247:GLY:N	2.32	0.44
1:A:260:LYS:HB2	1:A:263:GLU:CG	2.44	0.44
1:A:352:LEU:C	1:A:352:LEU:HD23	2.43	0.44
1:A:363:ALA:O	1:A:364:GLN:HB2	2.18	0.44
1:A:201:ARG:C	1:A:203:GLY:N	2.76	0.44
1:A:54:PRO:O	1:A:55:LEU:HB2	2.18	0.43
1:A:75:ILE:HB	1:A:103:VAL:CG1	2.48	0.43
1:A:333:VAL:HG11	1:A:411:LYS:HA	2.00	0.43
1:A:290:THR:O	1:A:291:ASP:OD1	2.37	0.43
1:A:81:TYR:CE1	1:A:110:ARG:HG3	2.54	0.43
1:A:431:LEU:C	1:A:433:LEU:N	2.75	0.43
1:A:386:ASP:OD2	1:A:386:ASP:N	2.50	0.43
1:A:50:LEU:HD23	1:A:50:LEU:HA	1.86	0.43
1:A:50:LEU:HD22	1:A:228:TRP:CZ3	2.53	0.42
1:A:71:GLN:HE21	1:A:71:GLN:CA	2.31	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:ARG:HG2	1:A:150:GLU:HB2	2.01	0.42
1:A:374:PRO:HG2	1:A:422:PRO:HD2	2.00	0.42
1:A:206:PRO:HA	1:A:207:PRO:HD3	1.88	0.42
1:A:322:LEU:HB3	1:A:323:PRO:HD3	2.02	0.42
1:A:64:LEU:HD12	1:A:171:LEU:CD1	2.48	0.42
1:A:94:ARG:CZ	1:A:245:TRP:CE3	3.02	0.42
1:A:394:HIS:HB2	1:A:396:GLU:OE2	2.18	0.42
1:A:278:LEU:HD22	1:A:340:HIS:CE1	2.55	0.42
1:A:420:ARG:O	1:A:421:PHE:HB2	2.20	0.42
1:A:93:VAL:HG21	1:A:105:PRO:HB3	2.01	0.42
1:A:382:ARG:HH11	1:A:382:ARG:CG	2.33	0.42
1:A:71:GLN:N	1:A:71:GLN:NE2	2.66	0.41
1:A:242:ALA:HA	1:A:249:ARG:CD	2.41	0.41
1:A:52:LEU:CD2	1:A:200:GLU:HG3	2.51	0.41
1:A:311:GLN:O	1:A:315:GLU:HG3	2.20	0.41
1:A:278:LEU:CD2	1:A:340:HIS:CE1	3.04	0.41
1:A:281:ALA:O	1:A:282:GLU:C	2.62	0.41
1:A:379:GLU:OE1	1:A:382:ARG:HG3	2.21	0.41
1:A:420:ARG:C	1:A:421:PHE:CD1	2.99	0.41
1:A:52:LEU:HD13	1:A:196:TRP:HB3	2.03	0.41
1:A:53:LEU:CD1	1:A:54:PRO:HD2	2.47	0.41
1:A:80:ASP:HB3	1:A:85:GLY:HA3	2.03	0.41
1:A:201:ARG:O	1:A:202:LEU:CB	2.60	0.41
1:A:347:VAL:O	1:A:351:ILE:HG13	2.20	0.41
1:A:423:ASP:CG	1:A:425:VAL:HG22	2.46	0.41
1:A:250:LEU:HD12	1:A:296:ALA:CB	2.50	0.41
1:A:282:GLU:O	1:A:283:LYS:C	2.64	0.40
1:A:430:LEU:HD22	1:A:430:LEU:HA	1.96	0.40
1:A:51:ALA:O	1:A:53:LEU:N	2.54	0.40
1:A:240:ILE:O	1:A:241:PRO:C	2.64	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	222/424 (52%)	193 (87%)	20 (9%)	9 (4%)	2 9

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	290	THR
1	A	325	ALA
1	A	373	ALA
1	A	427	GLU
1	A	294	ALA
1	A	326	ASP
1	A	391	TYR
1	A	430	LEU
1	A	374	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	284/329 (86%)	253 (89%)	31 (11%)	6 20

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	71	GLN
1	A	86	LEU
1	A	103	VAL
1	A	112	GLU
1	A	113	GLU
1	A	134	THR
1	A	165	LYS
1	A	179	PRO
1	A	194	LEU
1	A	221	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	225	LEU
1	A	228	TRP
1	A	271	ARG
1	A	282	GLU
1	A	302	GLU
1	A	318	LEU
1	A	330	LYS
1	A	343	VAL
1	A	372	LEU
1	A	378	VAL
1	A	382	ARG
1	A	383	SER
1	A	389	LEU
1	A	390	ARG
1	A	395	LYS
1	A	396	GLU
1	A	406	LEU
1	A	415	GLU
1	A	427	GLU
1	A	430	LEU
1	A	433	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	71	GLN
1	A	78	HIS
1	A	141	ASN
1	A	142	HIS
1	A	174	HIS
1	A	311	GLN
1	A	340	HIS
1	A	364	GLN
1	A	394	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	385/424 (90%)	0.15	23 (5%) 27 21	34, 60, 89, 109	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	431	LEU	5.4
1	A	433	LEU	4.9
1	A	49	PRO	4.0
1	A	226	TRP	3.8
1	A	139	ILE	3.2
1	A	143	ALA	3.1
1	A	228	TRP	3.1
1	A	151	ASN	3.0
1	A	150	GLU	2.9
1	A	429	ALA	2.8
1	A	227	GLY	2.7
1	A	144	GLU	2.6
1	A	428	VAL	2.5
1	A	373	ALA	2.5
1	A	242	ALA	2.4
1	A	145	LEU	2.3
1	A	147	GLU	2.2
1	A	149	LEU	2.1
1	A	258	THR	2.1
1	A	383	SER	2.1
1	A	54	PRO	2.0
1	A	338	GLU	2.0
1	A	395	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	MN	A	1434	1/1	0.99	0.03	61,61,61,61	0

6.5 Other polymers [i](#)

There are no such residues in this entry.