



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 24, 2026 – 07:50 PM UTC

PDB ID : 4IRD / pdb_00004ird
Title : Structure of Polymerase-DNA complex
Authors : Nair, D.T.; Sharma, A.
Deposited on : 2013-01-14
Resolution : 2.48 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.48 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7589 (2.50-2.46)
Clashscore	190562	8295 (2.50-2.46)
Ramachandran outliers	187476	8164 (2.50-2.46)
Sidechain outliers	187428	8166 (2.50-2.46)
RSRZ outliers	180081	7593 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	18	
1	G	18	
2	H	14	
3	C	17	
4	A	342	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	F	342	% 61% 33% 6% •

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 6900 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called DNA (5'-D(*TP*CP*TP*TP*GP*GP*GP*TP*CP*CP*TP*AP*GP*GP*AP*CP*CP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	G	18	Total	C	N	O	P	0	0	0
			363	174	63	109	17			
1	B	18	Total	C	N	O	P	0	0	0
			363	174	63	109	17			

- Molecule 2 is a DNA chain called DNA (5'-D(*GP*GP*GP*TP*CP*CP*TP*AP*GP*GP*AP*CP*CP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	14	Total	C	N	O	P	0	0	0
			284	135	54	82	13			

- Molecule 3 is a DNA chain called DNA (5'-D(*CP*TP*AP*GP*GP*GP*TP*CP*CP*TP*AP*GP*GP*AP*CP*CP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	17	Total	C	N	O	P	0	0	0
			344	164	64	100	16			

- Molecule 4 is a protein called DNA polymerase IV.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	342	Total	C	N	O	S	0	0	0
			2688	1695	494	485	14			
4	A	342	Total	C	N	O	S	0	0	0
			2688	1695	494	485	14			

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
F	0	GLY	-	expression tag	UNP Q47155

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	1	SER	-	expression tag	UNP Q47155
F	64	ALA	LYS	conflict	UNP Q47155
F	205	ALA	LYS	conflict	UNP Q47155
A	0	GLY	-	expression tag	UNP Q47155
A	1	SER	-	expression tag	UNP Q47155
A	64	ALA	LYS	conflict	UNP Q47155
A	205	ALA	LYS	conflict	UNP Q47155

- Molecule 5 is 2'-deoxy-5'-O-[(R)-hydroxy{[(R)-hydroxy(phosphonooxy)phosphoryl]amino}p
hosphoryl]adenosine (CCD ID: DZ4) (formula: C₁₀H₁₇N₆O₁₁P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	F	1	Total	C	N	O	P	0	0
			30	10	6	11	3		
5	A	1	Total	C	N	O	P	0	0
			30	10	6	11	3		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	F	2	Total	Mg	0	0
			2	2		
6	A	2	Total	Mg	0	0
			2	2		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	G	17	Total 17	O 17	0	0
7	H	10	Total 10	O 10	0	0
7	B	4	Total 4	O 4	0	0
7	C	8	Total 8	O 8	0	0
7	F	57	Total 57	O 57	0	0
7	A	10	Total 10	O 10	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA (5'-D(*TP*CP*TP*TP*GP*GP*GP*TP*CP*CP*TP*AP*GP*GP*AP*CP*CP*C)-3')

Chain G:  72% 28%




- Molecule 1: DNA (5'-D(*TP*CP*TP*TP*GP*GP*GP*TP*CP*CP*TP*AP*GP*GP*AP*CP*CP*C)-3')

Chain B:  61% 33% 6%



- Molecule 2: DNA (5'-D(*GP*GP*GP*TP*CP*CP*TP*AP*GP*GP*AP*CP*CP*C)-3')

Chain H:  71% 29%




- Molecule 3: DNA (5'-D(*CP*TP*AP*GP*GP*GP*TP*CP*CP*TP*AP*GP*GP*AP*CP*CP*C)-3')


Chain C:  6% 59% 41%



- Molecule 4: DNA polymerase IV

Chain F:  61% 33% 6%





• Molecule 4: DNA polymerase IV

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	86.69Å 56.88Å 110.93Å 90.00° 93.99° 90.00°	Depositor
Resolution (Å)	43.28 – 2.48 43.28 – 2.48	Depositor EDS
% Data completeness (in resolution range)	99.7 (43.28-2.48) 99.6 (43.28-2.48)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.24 (at 2.48Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.213 , 0.277 0.218 , 0.278	Depositor DCC
R_{free} test set	1906 reflections (2.79%)	wwPDB-VP
Wilson B-factor (Å ²)	55.3	Xtriage
Anisotropy	0.633	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 43.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6900	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, DZ4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	0.38	0/405	0.91	2/623 (0.3%)
1	G	0.50	0/405	0.96	1/623 (0.2%)
2	H	0.52	0/318	0.85	0/489
3	C	0.40	0/385	0.83	0/592
4	A	0.79	0/2739	1.11	3/3699 (0.1%)
4	F	1.02	2/2739 (0.1%)	1.28	17/3699 (0.5%)
All	All	0.84	2/6991 (0.0%)	1.13	23/9725 (0.2%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	F	243	VAL	CA-CB	5.97	1.64	1.55
4	F	87	ARG	CA-C	-5.23	1.45	1.52

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	227	GLN	N-CA-C	-8.04	102.53	113.30
4	A	143	ALA	N-CA-C	7.47	116.73	108.14
4	F	143	ALA	CA-C-N	-7.38	112.44	121.00
4	F	143	ALA	C-N-CA	-7.38	112.44	121.00
4	F	76	PHE	N-CA-C	6.80	119.56	111.33
1	B	839	DT	C2'-C3'-O3'	6.69	121.54	111.50
4	F	88	GLU	N-CA-C	-6.62	104.14	111.36
4	F	114	HIS	N-CA-C	6.10	119.19	111.69
1	G	842	DG	C2'-C3'-O3'	-6.07	102.40	111.50
4	F	95	SER	N-CA-C	-5.99	106.11	113.41
4	F	282	LEU	N-CA-C	5.92	117.84	108.67
4	F	274	LEU	N-CA-C	-5.47	104.85	112.45
1	B	844	DT	C2'-C3'-O3'	-5.45	103.32	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	235	ASN	N-CA-C	5.29	122.07	110.80
4	F	169	VAL	CA-C-N	-5.25	113.50	119.28
4	F	169	VAL	C-N-CA	-5.25	113.50	119.28
4	A	12	PHE	N-CA-C	5.16	117.31	111.02
4	F	214	ARG	N-CA-C	5.14	119.64	113.17
4	F	206	CYS	N-CA-C	5.11	117.82	109.59
4	F	39	GLY	N-CA-C	5.11	121.14	113.02
4	F	296	GLN	N-CA-C	-5.07	103.79	110.43
4	F	132	ASN	N-CA-C	-5.04	102.93	110.23
4	F	326	GLY	N-CA-C	5.02	122.04	115.47

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	363	0	205	4	0
1	G	363	0	205	3	0
2	H	284	0	158	3	0
3	C	344	0	192	8	0
4	A	2688	0	2745	69	0
4	F	2688	0	2745	103	0
5	A	30	0	13	3	0
5	F	30	0	13	0	0
6	A	2	0	0	0	0
6	F	2	0	0	0	0
7	A	10	0	0	0	0
7	B	4	0	0	0	0
7	C	8	0	0	3	0
7	F	57	0	0	10	0
7	G	17	0	0	1	0
7	H	10	0	0	1	0
All	All	6900	0	6276	189	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 14.

All (189) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:870:DA:H2''	7:C:1098:HOH:O	1.18	1.34
4:F:18:MET:HE3	4:F:45:ASN:HD22	1.19	1.08
4:F:324:ARG:HG2	7:F:1019:HOH:O	1.51	1.08
4:A:127:ARG:O	4:A:130:ILE:HG22	1.61	0.99
4:A:128:GLN:O	4:A:129:THR:HB	1.58	0.99
4:F:18:MET:CE	4:F:45:ASN:HD22	1.77	0.96
4:F:57:MET:HG3	4:F:61:MET:HE3	1.53	0.89
4:A:53:VAL:HA	4:A:57:MET:HE1	1.53	0.89
4:F:129:THR:N	7:F:1040:HOH:O	2.07	0.87
3:C:859:DA:N3	7:C:1096:HOH:O	2.09	0.86
4:F:235:ASN:HD21	4:F:238:ARG:HD2	1.42	0.85
4:F:27:ILE:HG13	4:F:28:PRO:HD2	1.59	0.84
1:G:846:DC:OP2	7:G:1028:HOH:O	1.95	0.83
4:F:249:MET:HE3	4:F:249:MET:HA	1.63	0.80
4:F:18:MET:HE3	4:F:45:ASN:ND2	1.96	0.80
4:A:157:LYS:HE2	5:A:875:DZ4:PG	2.24	0.78
4:F:175:THR:OG1	7:F:1082:HOH:O	2.02	0.77
4:F:327:ARG:N	7:F:1019:HOH:O	2.18	0.77
4:A:304:TRP:CD1	4:A:306:ARG:O	2.39	0.75
4:F:210:MET:HE2	4:F:211:LEU:HD12	1.69	0.75
4:F:302:HIS:HE1	4:F:315:THR:HG21	1.50	0.75
4:F:128:GLN:O	4:F:129:THR:OG1	2.06	0.73
4:F:240:ARG:HH21	4:F:277:VAL:HG21	1.53	0.73
4:F:323:ARG:O	4:F:324:ARG:HB2	1.86	0.73
4:A:18:MET:CE	4:A:45:ASN:HD22	2.04	0.70
4:A:57:MET:HE3	4:A:62:ALA:HA	1.72	0.70
4:F:118:SER:O	4:F:122:ILE:HG13	1.89	0.70
4:A:238:ARG:HB3	4:A:238:ARG:CZ	2.19	0.70
4:F:280:ASP:O	4:F:281:LEU:HB2	1.92	0.70
2:H:866:DT:H2''	2:H:867:DA:O5'	1.92	0.69
4:A:340:ASP:N	4:A:340:ASP:OD1	2.25	0.69
4:A:264:GLU:OE1	4:A:309:LYS:NZ	2.19	0.68
4:A:91:SER:HA	4:A:94:THR:O	1.94	0.68
2:H:870:DA:OP1	7:H:1060:HOH:O	2.12	0.67
4:A:12:PHE:O	4:A:16:VAL:HG23	1.94	0.67
4:F:203:VAL:O	4:F:206:CYS:HB2	1.95	0.67
4:F:132:ASN:O	4:F:133:GLU:HB2	1.95	0.66
4:F:298:THR:OG1	4:F:323:ARG:NH1	2.29	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:871:DC:H6	7:C:1098:HOH:O	1.78	0.65
4:A:304:TRP:HD1	4:A:306:ARG:O	1.80	0.64
4:A:289:LYS:HB2	4:A:299:THR:HG22	1.79	0.64
4:A:53:VAL:HA	4:A:57:MET:CE	2.26	0.64
4:F:93:TYR:OH	4:F:125:GLU:HG2	1.97	0.64
4:A:18:MET:HE1	4:A:45:ASN:HB2	1.79	0.64
4:A:57:MET:HE3	4:A:62:ALA:CA	2.28	0.64
4:A:18:MET:HE3	4:A:45:ASN:HD22	1.64	0.63
1:B:844:DT:H2''	1:B:845:DC:H5'	1.80	0.63
4:A:147:PHE:O	4:A:151:ILE:HG13	1.97	0.63
4:F:306:ARG:O	4:F:307:LEU:C	2.42	0.62
4:F:235:ASN:OD1	4:F:236:SER:N	2.31	0.62
4:F:125:GLU:O	4:F:128:GLN:O	2.17	0.62
4:F:262:ILE:HG21	4:F:332:VAL:HG13	1.81	0.62
4:A:235:ASN:HB3	4:A:237:GLU:OE1	2.00	0.62
4:F:63:LEU:CD2	4:F:69:LEU:HB3	2.30	0.62
4:F:53:VAL:HA	4:F:57:MET:HE1	1.81	0.61
4:F:63:LEU:HD23	4:F:69:LEU:HB3	1.82	0.61
4:A:235:ASN:HB3	4:A:238:ARG:HH12	1.65	0.61
4:F:115:CYS:N	7:F:1095:HOH:O	2.13	0.60
4:F:173:LEU:O	4:F:200:CYS:HB2	2.00	0.60
4:A:286:GLN:NE2	4:A:311:ASP:OD2	2.31	0.60
4:A:235:ASN:O	4:A:236:SER:HB2	2.00	0.60
4:F:57:MET:HE3	4:F:62:ALA:HA	1.84	0.60
4:F:57:MET:HG3	4:F:61:MET:CE	2.31	0.60
4:A:82:ALA:O	4:A:86:ILE:HG13	2.03	0.59
4:F:55:SER:O	4:F:56:ALA:HB3	2.01	0.59
4:F:283:ILE:HG21	4:F:336:VAL:HG21	1.85	0.59
4:F:127:ARG:HH21	4:F:159:ASN:C	2.11	0.59
4:F:127:ARG:NH2	4:F:159:ASN:C	2.61	0.59
4:F:210:MET:HG2	4:F:214:ARG:HD3	1.85	0.59
4:F:235:ASN:HD21	4:F:238:ARG:CD	2.14	0.58
4:F:184:VAL:HG22	4:F:218:PHE:HZ	1.68	0.58
4:A:74:GLY:C	4:A:75:ARG:HG3	2.28	0.58
1:G:843:DG:OP1	4:F:240:ARG:NH1	2.37	0.58
4:F:287:GLY:HA3	4:F:301:GLU:HG3	1.85	0.58
4:F:302:HIS:CE1	4:F:315:THR:HG21	2.37	0.58
4:A:34:SER:OG	4:A:37:ARG:HG2	2.04	0.58
4:F:57:MET:HE3	4:F:62:ALA:CA	2.34	0.57
4:F:290:LEU:HD12	4:F:319:THR:HG22	1.86	0.57
4:A:127:ARG:C	4:A:130:ILE:HG22	2.30	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:178:LEU:HD13	4:F:192:LEU:HD13	1.86	0.56
4:F:269:GLU:O	4:F:273:ARG:HG3	2.06	0.56
4:F:29:ILE:O	4:F:29:ILE:HG13	2.06	0.56
4:F:320:TRP:O	4:F:324:ARG:NH1	2.37	0.55
4:A:145:VAL:HB	4:A:230:ASP:HB3	1.88	0.55
3:C:863:DT:H2''	3:C:864:DC:C6	2.41	0.55
3:C:858:DT:H5''	3:C:858:DT:H6	1.71	0.55
4:F:293:ASP:C	4:F:295:PHE:H	2.14	0.55
4:A:34:SER:OG	4:A:36:GLU:HG3	2.08	0.54
4:A:283:ILE:HD12	4:A:336:VAL:CG2	2.38	0.53
4:A:127:ARG:HD2	4:A:138:ALA:O	2.08	0.53
4:A:13:PHE:HD2	4:A:31:ILE:HG21	1.73	0.53
4:A:31:ILE:O	4:A:42:SER:HB2	2.08	0.53
4:F:283:ILE:HG21	4:F:336:VAL:CG2	2.40	0.52
4:F:339:LEU:HB3	4:F:341:PRO:HD3	1.91	0.52
4:A:5:ILE:HG23	4:A:107:LEU:HB2	1.91	0.51
1:B:841:DG:H5''	4:A:247:ARG:NH1	2.26	0.51
4:F:53:VAL:HA	4:F:57:MET:CE	2.40	0.51
4:F:134:LEU:HB3	4:F:136:LEU:HD22	1.93	0.51
4:F:129:THR:O	4:F:132:ASN:O	2.28	0.51
4:F:301:GLU:OE1	4:F:335:HIS:ND1	2.44	0.50
4:F:128:GLN:HA	7:F:1040:HOH:O	2.12	0.50
4:A:318:LYS:O	4:A:322:GLU:HG3	2.12	0.50
5:A:875:DZ4:H5'	5:A:875:DZ4:PB	2.52	0.50
4:A:19:ARG:HD3	4:A:136:LEU:HD13	1.94	0.50
4:F:57:MET:HE3	4:F:62:ALA:N	2.26	0.50
4:F:100:LEU:HD11	4:F:106:TYR:CE1	2.48	0.49
4:A:245:VAL:HG12	4:A:266:LEU:HG	1.94	0.49
4:F:17:GLU:HA	4:F:17:GLU:OE1	2.12	0.49
4:F:192:LEU:HD21	4:F:222:LEU:HD21	1.95	0.49
4:F:200:CYS:O	4:F:201:GLY:C	2.56	0.49
4:A:143:ALA:HB1	4:A:144:PRO:HD2	1.93	0.49
3:C:863:DT:H2''	3:C:864:DC:H6	1.78	0.49
3:C:857:DC:H6	3:C:857:DC:H3'	1.77	0.48
4:A:235:ASN:CB	4:A:238:ARG:HH12	2.24	0.48
4:F:45:ASN:O	4:F:49:ARG:HG3	2.13	0.48
4:F:127:ARG:NH2	4:F:159:ASN:O	2.47	0.48
4:F:291:LYS:HE3	4:F:330:ARG:HD2	1.95	0.48
4:A:291:LYS:HG3	4:A:296:GLN:O	2.14	0.48
4:A:280:ASP:OD2	4:A:282:LEU:HD12	2.14	0.48
4:F:57:MET:CG	4:F:61:MET:HE3	2.34	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:266:LEU:HD23	4:F:334:LEU:HG	1.95	0.47
1:B:846:DC:OP1	4:A:217:LYS:HE2	2.15	0.47
4:A:142:VAL:HB	4:A:163:VAL:HG22	1.97	0.47
4:F:172:PHE:CE1	4:F:176:LEU:HD13	2.50	0.47
4:F:319:THR:OG1	7:F:1062:HOH:O	2.20	0.47
4:F:210:MET:CE	4:F:211:LEU:HD12	2.43	0.46
4:F:57:MET:CE	4:F:62:ALA:HA	2.45	0.46
4:A:147:PHE:CD1	4:A:225:ARG:HG2	2.49	0.46
4:F:249:MET:HE3	4:F:249:MET:CA	2.33	0.46
4:A:150:LYS:O	4:A:153:SER:OG	2.31	0.46
4:F:285:ARG:NH2	7:F:1057:HOH:O	2.43	0.46
4:A:290:LEU:HD12	4:A:319:THR:HG22	1.98	0.46
4:F:235:ASN:ND2	4:F:238:ARG:HD2	2.20	0.46
4:A:207:ASP:OD1	4:A:209:VAL:HG23	2.16	0.46
4:F:123:ALA:O	4:F:127:ARG:HG3	2.15	0.46
4:F:277:VAL:O	4:F:277:VAL:HG12	2.16	0.46
4:F:18:MET:HE2	4:F:25:ARG:O	2.16	0.46
4:A:154:ASP:HA	4:A:157:LYS:HG3	1.99	0.46
4:A:283:ILE:HD12	4:A:336:VAL:HG22	1.96	0.46
4:F:131:PHE:HB3	7:F:1040:HOH:O	2.15	0.45
4:F:132:ASN:O	4:F:133:GLU:CB	2.63	0.45
4:F:274:LEU:HD23	4:F:281:LEU:HD22	1.97	0.45
4:A:155:MET:HE2	4:A:155:MET:HB3	1.87	0.45
4:A:127:ARG:O	4:A:130:ILE:CG2	2.49	0.45
4:A:132:ASN:O	4:A:133:GLU:HB3	2.17	0.45
4:F:61:MET:O	4:F:62:ALA:C	2.60	0.45
4:A:195:MET:HE1	4:A:214:ARG:HD3	1.99	0.44
1:G:838:DC:H2''	1:G:839:DT:H72	1.98	0.44
4:F:37:ARG:HG3	4:F:37:ARG:NH1	2.32	0.44
4:A:63:LEU:HD23	4:A:69:LEU:HB3	1.98	0.44
4:F:37:ARG:HG3	4:F:37:ARG:HH11	1.83	0.44
4:F:18:MET:HE1	4:F:45:ASN:HD22	1.73	0.44
4:F:174:GLN:HG2	7:F:1021:HOH:O	2.17	0.44
4:A:143:ALA:HB1	4:A:144:PRO:CD	2.47	0.44
3:C:857:DC:C6	3:C:857:DC:C3'	3.01	0.44
4:F:46:TYR:O	4:F:47:PRO:C	2.60	0.44
4:F:221:ILE:O	4:F:222:LEU:C	2.60	0.44
4:F:275:ALA:O	4:F:276:LYS:C	2.61	0.43
4:F:204:GLN:C	4:F:206:CYS:H	2.26	0.43
4:A:24:LEU:HB3	4:A:29:ILE:HG21	2.00	0.43
4:A:34:SER:HA	4:A:71:LEU:HD21	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:125:GLU:O	4:F:129:THR:OG1	2.37	0.43
4:F:127:ARG:HD3	4:F:161:GLN:OE1	2.19	0.43
4:A:45:ASN:OD1	4:A:45:ASN:C	2.61	0.43
4:F:145:VAL:HB	4:F:230:ASP:HB3	2.01	0.42
4:F:7:VAL:HG12	4:F:8:ASP:N	2.34	0.42
4:F:241:LYS:C	4:F:338:LEU:HD22	2.45	0.42
4:A:74:GLY:O	4:A:75:ARG:HG3	2.20	0.42
4:A:130:ILE:O	4:A:134:LEU:HB2	2.20	0.42
1:B:842:DG:H2'	1:B:843:DG:O4'	2.20	0.42
4:F:277:VAL:O	4:F:278:LYS:HG2	2.20	0.42
4:A:21:ASN:OD1	4:A:23:ALA:HB3	2.20	0.42
4:F:27:ILE:HG13	4:F:28:PRO:CD	2.39	0.41
4:A:291:LYS:NZ	4:A:330:ARG:HD3	2.35	0.41
4:F:249:MET:N	4:F:249:MET:SD	2.93	0.41
2:H:867:DA:H2''	2:H:868:DG:O5'	2.20	0.41
4:A:143:ALA:HB3	4:A:149:ALA:N	2.36	0.41
4:F:139:SER:HA	4:F:160:GLY:O	2.20	0.41
5:A:875:DZ4:H5'	5:A:875:DZ4:O1B	2.20	0.41
4:A:129:THR:O	4:A:132:ASN:O	2.39	0.41
4:F:63:LEU:O	4:F:64:ALA:C	2.63	0.41
4:A:253:ILE:HG13	4:A:329:VAL:HB	2.02	0.41
4:F:55:SER:O	4:F:56:ALA:CB	2.64	0.40
4:F:63:LEU:HD21	4:F:69:LEU:HB3	2.01	0.40
4:F:37:ARG:HA	4:F:37:ARG:HD2	1.87	0.40
4:A:42:SER:O	4:A:55:SER:OG	2.30	0.40
4:F:298:THR:HG1	4:F:323:ARG:NH1	2.20	0.40
4:A:9:MET:HB2	4:A:103:ASP:HB2	2.04	0.40
4:A:59:THR:O	4:A:59:THR:HG22	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	A	340/342 (99%)	318 (94%)	21 (6%)	1 (0%)	36	53
4	F	340/342 (99%)	289 (85%)	42 (12%)	9 (3%)	4	6
All	All	680/684 (99%)	607 (89%)	63 (9%)	10 (2%)	8	14

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	F	295	PHE
4	F	324	ARG
4	A	129	THR
4	F	133	GLU
4	F	201	GLY
4	F	307	LEU
4	F	314	ALA
4	F	110	THR
4	F	325	GLY
4	F	305	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	A	286/286 (100%)	253 (88%)	33 (12%)	5	10
4	F	286/286 (100%)	262 (92%)	24 (8%)	10	20
All	All	572/572 (100%)	515 (90%)	57 (10%)	7	14

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	F	42	SER
4	F	47	PRO
4	F	110	THR
4	F	112	SER
4	F	122	ILE
4	F	136	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	F	157	LYS
4	F	191	LYS
4	F	197	LEU
4	F	206	CYS
4	F	214	ARG
4	F	227	GLN
4	F	239	LEU
4	F	243	VAL
4	F	266	LEU
4	F	270	LEU
4	F	278	LYS
4	F	299	THR
4	F	317	ARG
4	F	331	LEU
4	F	332	VAL
4	F	336	VAL
4	F	338	LEU
4	F	339	LEU
4	A	5	ILE
4	A	27	ILE
4	A	36	GLU
4	A	42	SER
4	A	65	LEU
4	A	103	ASP
4	A	109	VAL
4	A	129	THR
4	A	130	ILE
4	A	134	LEU
4	A	136	LEU
4	A	151	ILE
4	A	154	ASP
4	A	175	THR
4	A	176	LEU
4	A	191	LYS
4	A	209	VAL
4	A	221	ILE
4	A	227	GLN
4	A	229	ILE
4	A	236	SER
4	A	237	GLU
4	A	238	ARG
4	A	239	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	A	266	LEU
4	A	277	VAL
4	A	297	GLN
4	A	301	GLU
4	A	303	VAL
4	A	332	VAL
4	A	336	VAL
4	A	338	LEU
4	A	340	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
4	F	45	ASN
4	F	114	HIS
4	F	128	GLN
4	F	296	GLN
4	A	45	ASN
4	A	255	HIS
4	A	297	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	DZ4	A	875	6	31,32,32	1.85	9 (29%)	44,50,50	2.17	15 (34%)
5	DZ4	F	876	6	31,32,32	1.73	7 (22%)	44,50,50	2.14	10 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	DZ4	A	875	6	-	9/19/34/34	0/3/3/3
5	DZ4	F	876	6	-	3/19/34/34	0/3/3/3

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	F	876	DZ4	C5-C4	4.53	1.47	1.39
5	A	875	DZ4	C5-C4	4.43	1.47	1.39
5	A	875	DZ4	PB-O1B	3.90	1.52	1.46
5	A	875	DZ4	PA-O1A	3.69	1.51	1.46
5	F	876	DZ4	PA-O1A	3.56	1.51	1.46
5	F	876	DZ4	PB-O1B	3.50	1.51	1.46
5	A	875	DZ4	PB-O3B	3.36	1.63	1.59
5	A	875	DZ4	C5-N7	-2.77	1.34	1.39
5	F	876	DZ4	C5-N7	-2.61	1.34	1.39
5	A	875	DZ4	C8-N7	2.52	1.36	1.31
5	F	876	DZ4	C2-N1	2.51	1.38	1.33
5	A	875	DZ4	C5-C6	2.34	1.47	1.41
5	F	876	DZ4	C8-N7	2.26	1.36	1.31
5	A	875	DZ4	PA-O2A	-2.12	1.51	1.56
5	A	875	DZ4	C4-N9	-2.10	1.33	1.37
5	F	876	DZ4	PB-O2B	-2.07	1.51	1.56

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	F	876	DZ4	C5-C4-N3	-6.08	118.34	126.72
5	A	875	DZ4	C5-C4-N3	-6.03	118.42	126.72
5	F	876	DZ4	O1A-PA-N3A	-5.93	103.04	111.77
5	F	876	DZ4	N3-C4-N9	5.16	135.94	127.17
5	A	875	DZ4	N3-C4-N9	5.02	135.71	127.17
5	F	876	DZ4	O2A-PA-O1A	4.99	120.58	109.87
5	A	875	DZ4	O2B-PB-O1B	4.85	120.26	109.87
5	F	876	DZ4	C2-N3-C4	3.83	121.19	111.83
5	A	875	DZ4	O2A-PA-O1A	3.67	117.73	109.87
5	F	876	DZ4	N3-C2-N1	-3.66	123.04	128.58
5	A	875	DZ4	C2-N3-C4	3.57	120.56	111.83
5	A	875	DZ4	C2'-C1'-N9	-3.34	106.77	114.63
5	A	875	DZ4	N3-C2-N1	-3.01	124.02	128.58
5	A	875	DZ4	C4-N9-C8	2.84	108.72	105.74
5	A	875	DZ4	C4-C5-N7	-2.68	107.52	110.58
5	A	875	DZ4	O3B-PB-N3A	-2.64	99.26	106.59
5	A	875	DZ4	O1A-PA-N3A	-2.38	108.26	111.77
5	A	875	DZ4	N6-C6-N1	2.24	123.37	118.38
5	F	876	DZ4	O2B-PB-O1B	2.23	114.66	109.87
5	F	876	DZ4	C4-C5-N7	-2.21	108.05	110.58
5	A	875	DZ4	C5-N7-C8	2.18	106.88	103.45
5	A	875	DZ4	N9-C8-N7	-2.08	110.98	113.94
5	F	876	DZ4	C4-N9-C8	2.07	107.91	105.74
5	A	875	DZ4	O4'-C1'-N9	-2.04	104.30	107.96
5	F	876	DZ4	O2G-PG-O3B	2.03	111.45	104.64

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	F	876	DZ4	PB-N3A-PA-O5'
5	F	876	DZ4	PB-O3B-PG-O2G
5	A	875	DZ4	PB-N3A-PA-O5'
5	A	875	DZ4	C5'-O5'-PA-O2A
5	A	875	DZ4	PG-O3B-PB-O1B
5	A	875	DZ4	O4'-C4'-C5'-O5'
5	A	875	DZ4	C3'-C4'-C5'-O5'
5	A	875	DZ4	O4'-C1'-N9-C4
5	F	876	DZ4	PB-O3B-PG-O1G
5	A	875	DZ4	C2'-C1'-N9-C4
5	A	875	DZ4	PG-O3B-PB-O2B
5	A	875	DZ4	C5'-O5'-PA-N3A


There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	875	DZ4	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å²)	Q<0.9	
1	B	18/18 (100%)	-0.54	0	100	100	49, 65, 119, 124	0
1	G	18/18 (100%)	-0.50	0	100	100	36, 55, 128, 140	0
2	H	14/14 (100%)	-0.53	0	100	100	35, 53, 95, 108	0
3	C	17/17 (100%)	-0.34	1 (5%)	28	25	56, 63, 81, 145	0
4	A	342/342 (100%)	0.12	5 (1%)	72	69	36, 65, 100, 153	0
4	F	342/342 (100%)	-0.05	3 (0%)	81	79	21, 49, 75, 102	0
All	All	751/751 (100%)	-0.01	9 (1%)	76	74	21, 59, 95, 153	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	A	0	GLY	4.0
3	C	857	DC	2.7
4	F	340	ASP	2.5
4	A	1	SER	2.3
4	A	341	PRO	2.2
4	A	113	VAL	2.2
4	A	238	ARG	2.0
4	F	235	ASN	2.0
4	F	293	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	MG	A	902	1/1	0.80	0.11	101,101,101,101	0
6	MG	F	904	1/1	0.89	0.06	47,47,47,47	0
5	DZ4	A	875	30/30	0.97	0.06	41,52,58,60	0
5	DZ4	F	876	30/30	0.98	0.04	28,32,35,36	0
6	MG	A	901	1/1	0.99	0.04	38,38,38,38	0
6	MG	F	903	1/1	0.99	0.07	23,23,23,23	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around DZ4 A 875:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around DZ4 F 876:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.