



wwPDB X-ray Structure Validation Summary Report ⓘ

Jun 23, 2026 – 10:46 PM EDT

PDB ID : 5J91 / pdb_00005j91
Title : Structure of the Wild-type 70S E coli ribosome bound to Tigecycline
Authors : Cocozaki, A.; Ferguson, A.
Deposited on : 2016-04-08
Resolution : 2.96 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1130 (2.98-2.94)
Clashscore	190562	1157 (2.98-2.94)
Ramachandran outliers	187476	1101 (2.98-2.94)
Sidechain outliers	187428	1101 (2.98-2.94)
RSRZ outliers	180081	1130 (2.98-2.94)
RNA backbone	3983	1046 (3.16-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1534	9% 77% 20% .
1	BA	1534	20% 77% 21% .
2	AB	224	19% 85% 12% .
2	BB	224	20% 83% 14% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	AC	206	
3	BC	206	
4	AD	205	
4	BD	205	
5	AE	155	
5	BE	155	
6	AF	106	
6	BF	106	
7	AG	151	
7	BG	151	
8	AH	129	
8	BH	129	
9	AI	127	
9	BI	127	
10	AJ	99	
10	BJ	99	
11	AK	117	
11	BK	117	
12	AL	123	
12	BL	123	
13	AM	114	
13	BM	114	
14	AN	100	
14	BN	100	
15	AO	88	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	BO	88	
16	AP	82	
16	BP	82	
17	AQ	80	
17	BQ	80	
18	AR	55	
18	BR	55	
19	AS	79	
19	BS	79	
20	AT	86	
20	BT	86	
21	AU	56	
21	BU	56	
22	C1	56	
22	D1	56	
23	C2	51	
23	D2	51	
24	C3	46	
24	D3	46	
25	C4	64	
25	D4	64	
26	C5	38	
26	D5	38	
27	C0	58	
27	D0	58	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
28	CB	120	
28	DB	120	
29	CC	272	
29	DC	272	
30	CD	209	
31	CA	2904	
32	DD	209	
33	CE	201	
33	DE	201	
34	CF	178	
34	DF	178	
35	CG	176	
35	DG	176	
36	CH	149	
36	DH	149	
37	CJ	134	
37	DJ	134	
38	CK	142	
38	DK	142	
39	CL	123	
39	DL	123	
40	CM	144	
40	DM	144	
41	CN	136	
41	DN	136	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
42	CO	125	59% 84% 10% • •
42	DO	125	2% 91% 8% •
43	CP	117	22% 82% 15% • • •
43	DP	117	2% 86% 11% • •
44	CQ	114	36% 86% 13% •
44	DQ	114	2% 87% 13% •
45	CR	117	61% 84% 16% •
45	DR	117	2% 89% 10% •
46	CS	103	53% 83% 14% • •
46	DS	103	2% 90% 8% •
47	CT	110	74% 79% 17% •
47	DT	110	2% 85% 14% •
48	CU	93	67% 75% 22% •
48	DU	93	5% 87% 13% •
49	CV	103	66% 78% 18% • •
49	DV	103	5% 86% 10% • • •
50	CW	94	18% 88% 12% •
50	DW	94	2% 90% 10% •
51	CX	76	42% 91% 8% •
51	DX	76	3% 87% 12% •
52	CY	77	58% 79% 21% •
52	DY	77	3% 84% 16% •
53	CZ	62	56% 89% 10% •
53	DZ	62	5% 92% 8% •
54	DI	135	36% 67% 30% •

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
55	DA	2904	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
56	MG	AA	1601	-	-	-	X
56	MG	AA	1603	-	-	-	X
56	MG	AA	1605	-	-	-	X
56	MG	AA	1606	-	-	-	X
56	MG	AA	1608	-	-	-	X
56	MG	AA	1616	-	-	-	X
56	MG	BA	1640	-	-	-	X
56	MG	CA	3056	-	-	-	X
56	MG	CA	3107	-	-	-	X
56	MG	CA	3108	-	-	-	X
56	MG	CA	3110	-	-	-	X
56	MG	CA	3113	-	-	-	X
56	MG	CA	3116	-	-	-	X
56	MG	CA	3117	-	-	-	X
56	MG	CA	3130	-	-	-	X
56	MG	CA	3133	-	-	-	X
56	MG	CA	3139	-	-	-	X
56	MG	CA	3141	-	-	-	X
56	MG	CA	3147	-	-	-	X
56	MG	CA	3148	-	-	-	X
56	MG	DA	3124	-	-	-	X
56	MG	DA	3128	-	-	-	X
56	MG	DA	3139	-	-	-	X
56	MG	DA	3143	-	-	-	X
56	MG	DA	3153	-	-	-	X
59	PUT	AA	1672	-	-	-	X

2 Entry composition

There are 70 unique types of molecules in this entry. The entry contains 295202 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AA	1534	Total	C	N	O	P	0	0	0
			32930	14694	6041	10661	1534			
1	BA	1533	Total	C	N	O	P	0	0	0
			32908	14684	6036	10655	1533			

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	AB	224	Total	C	N	O	S	0	0	0
			1753	1109	315	321	8			
2	BB	224	Total	C	N	O	S	0	0	0
			1753	1109	315	321	8			

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	AC	206	Total	C	N	O	S	0	0	0
			1625	1028	305	289	3			
3	BC	206	Total	C	N	O	S	0	0	0
			1625	1028	305	289	3			

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	AD	205	Total	C	N	O	S	0	0	0
			1643	1026	315	298	4			
4	BD	205	Total	C	N	O	S	0	0	0
			1643	1026	315	298	4			

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	AE	155	Total	C	N	O	S	0	0	0
			1144	711	216	211	6			
5	BE	150	Total	C	N	O	S	0	0	0
			1105	687	211	201	6			

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	AF	106	Total	C	N	O	S	0	0	0
			862	545	156	154	7			
6	BF	100	Total	C	N	O	S	0	0	0
			817	515	148	148	6			

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	AG	151	Total	C	N	O	S	0	0	0
			1182	735	227	216	4			
7	BG	151	Total	C	N	O	S	0	0	0
			1182	735	227	216	4			

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	AH	129	Total	C	N	O	S	0	0	0
			979	616	173	184	6			
8	BH	129	Total	C	N	O	S	0	0	0
			979	616	173	184	6			

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	AI	127	Total	C	N	O	S	0	0	0
			1022	634	206	179	3			
9	BI	127	Total	C	N	O	S	0	0	0
			1022	634	206	179	3			

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	AJ	99	Total	C	N	O	S	0	0	0
			796	498	152	145	1			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	BJ	98	Total	C	N	O	S	0	0	0
			787	493	150	143	1			

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	AK	117	Total	C	N	O	S	0	0	0
			877	540	174	160	3			
11	BK	117	Total	C	N	O	S	0	0	0
			877	540	174	160	3			

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	AL	123	Total	C	N	O	S	0	0	0
			957	591	196	165	5			
12	BL	123	Total	C	N	O	S	0	0	0
			957	591	196	165	5			

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	AM	114	Total	C	N	O	S	0	0	0
			884	546	178	157	3			
13	BM	114	Total	C	N	O	S	0	0	0
			884	546	178	157	3			

- Molecule 14 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	AN	100	Total	C	N	O	S	0	0	0
			805	499	164	139	3			
14	BN	100	Total	C	N	O	S	0	0	0
			805	499	164	139	3			

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	AO	88	Total	C	N	O	S	0	0	0
			714	439	144	130	1			
15	BO	88	Total	C	N	O	S	0	0	0
			714	439	144	130	1			

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	AP	82	Total	C	N	O	S	0	0	0
			649	406	128	114	1			
16	BP	82	Total	C	N	O	S	0	0	0
			649	406	128	114	1			

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	AQ	80	Total	C	N	O	S	0	0	0
			649	411	121	114	3			
17	BQ	80	Total	C	N	O	S	0	0	0
			649	411	121	114	3			

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	AR	55	Total	C	N	O	0	0	0
			456	288	86	82			
18	BR	55	Total	C	N	O	0	0	0
			456	288	86	82			

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	AS	79	Total	C	N	O	S	0	0	0
			638	408	120	108	2			
19	BS	79	Total	C	N	O	S	0	0	0
			638	408	120	108	2			

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	AT	86	Total	C	N	O	S	0	0	0
			670	414	138	115	3			
20	BT	85	Total	C	N	O	S	0	0	0
			665	411	137	114	3			

- Molecule 21 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	AU	56	Total	C	N	O	S	0	0	0
			465	290	96	78	1			
21	BU	56	Total	C	N	O	S	0	0	0
			465	290	96	78	1			

- Molecule 22 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	C1	56	Total	C	N	O	S	0	0	0
			444	269	94	80	1			
22	D1	56	Total	C	N	O	S	0	0	0
			444	269	94	80	1			

- Molecule 23 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
23	C2	50	Total	C	N	O	0	0	0
			409	263	75	71			
23	D2	51	Total	C	N	O	0	0	0
			414	266	76	72			

- Molecule 24 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	C3	46	Total	C	N	O	S	0	0	0
			377	228	90	57	2			
24	D3	46	Total	C	N	O	S	0	0	0
			377	228	90	57	2			

- Molecule 25 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	C4	64	Total	C	N	O	S	0	0	0
			504	323	105	74	2			
25	D4	64	Total	C	N	O	S	0	0	0
			504	323	105	74	2			

- Molecule 26 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	C5	38	Total	C	N	O	S	0	0	0
			302	185	65	48	4			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	D5	38	Total	C	N	O	S	0	0	0
			302	185	65	48	4			

- Molecule 27 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	C0	58	Total	C	N	O	S	0	0	0
			449	281	87	79	2			
27	D0	58	Total	C	N	O	S	0	2	0
			463	290	90	81	2			

- Molecule 28 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	CB	118	Total	C	N	O	P	0	0	0
			2529	1126	464	821	118			
28	DB	120	Total	C	N	O	P	0	0	0
			2569	1144	468	837	120			

- Molecule 29 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	CC	271	Total	C	N	O	S	0	0	0
			2082	1288	423	364	7			
29	DC	271	Total	C	N	O	S	0	0	0
			2082	1288	423	364	7			

- Molecule 30 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	CD	209	Total	C	N	O	S	0	0	0
			1565	979	288	294	4			

- Molecule 31 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	CA	2898	Total	C	N	O	P	0	0	0
			62229	27768	11448	20115	2898			

- Molecule 32 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	DD	209	Total	C	N	O	S	0	1	0
			1576	986	290	296	4			

- Molecule 33 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	CE	201	Total	C	N	O	S	0	0	0
			1552	974	283	290	5			
33	DE	201	Total	C	N	O	S	0	0	0
			1552	974	283	290	5			

- Molecule 34 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	CF	177	Total	C	N	O	S	0	0	0
			1410	899	249	256	6			
34	DF	177	Total	C	N	O	S	0	0	0
			1410	899	249	256	6			

- Molecule 35 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	CG	176	Total	C	N	O	S	0	0	0
			1323	832	243	246	2			
35	DG	176	Total	C	N	O	S	0	0	0
			1323	832	243	246	2			

- Molecule 36 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	CH	149	Total	C	N	O	S	0	0	0
			1110	699	197	213	1			
36	DH	149	Total	C	N	O	S	0	0	0
			1110	699	197	213	1			

- Molecule 37 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	CJ	134	Total	C	N	O	S	0	0	0
			979	619	169	185	6			
37	DJ	134	Total	C	N	O	S	0	0	0
			979	619	169	185	6			

- Molecule 38 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	CK	142	Total	C	N	O	S	0	0	0
			1129	714	212	199	4			
38	DK	142	Total	C	N	O	S	0	0	0
			1129	714	212	199	4			

- Molecule 39 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	CL	122	Total	C	N	O	S	0	0	0
			938	587	180	165	6			
39	DL	123	Total	C	N	O	S	0	0	0
			946	593	181	166	6			

- Molecule 40 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
40	CM	144	Total	C	N	O	S	0	0	0
			1053	654	207	190	2			
40	DM	144	Total	C	N	O	S	0	0	0
			1053	654	207	190	2			

- Molecule 41 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
41	CN	136	Total	C	N	O	S	0	0	0
			1075	686	205	178	6			
41	DN	136	Total	C	N	O	S	0	2	0
			1092	696	211	179	6			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CN	81	4D4	ARG	conflict	UNP P0ADY7
DN	81	4D4	ARG	conflict	UNP P0ADY7

- Molecule 42 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	CO	120	Total	C	N	O	S	0	0	0
			960	593	196	166	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	DO	125	Total	C	N	O	S	0	0	0
			993	613	202	173	5			

- Molecule 43 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	CP	116	Total	C	N	O		0	0	0
			892	552	178	162				
43	DP	117	Total	C	N	O	S	0	0	0
			900	557	179	163	1			

- Molecule 44 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	CQ	114	Total	C	N	O	S	0	0	0
			917	574	179	163	1			
44	DQ	114	Total	C	N	O	S	0	0	0
			917	574	179	163	1			

- Molecule 45 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	CR	117	Total	C	N	O		0	0	0
			947	604	192	151				
45	DR	117	Total	C	N	O		0	0	0
			947	604	192	151				

- Molecule 46 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	CS	103	Total	C	N	O	S	0	0	0
			816	516	153	145	2			
46	DS	103	Total	C	N	O	S	0	0	0
			816	516	153	145	2			

- Molecule 47 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	CT	110	Total	C	N	O	S	0	0	0
			857	532	166	156	3			
47	DT	110	Total	C	N	O	S	0	0	0
			857	532	166	156	3			

- Molecule 48 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	CU	93	Total	C	N	O	S	0	0	0
			739	466	139	132	2			
48	DU	93	Total	C	N	O	S	0	0	0
			739	466	139	132	2			

- Molecule 49 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	CV	102	Total	C	N	O		0	0	0
			779	492	146	141				
49	DV	102	Total	C	N	O		0	0	0
			779	492	146	141				

- Molecule 50 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	CW	94	Total	C	N	O	S	0	0	0
			753	479	137	134	3			
50	DW	94	Total	C	N	O	S	0	0	0
			753	479	137	134	3			

- Molecule 51 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	CX	75	Total	C	N	O	S	0	0	0
			569	353	113	102	1			
51	DX	76	Total	C	N	O	S	0	1	0
			591	365	121	104	1			

- Molecule 52 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
52	CY	77	Total	C	N	O	S	0	0	0
			625	388	129	106	2			
52	DY	77	Total	C	N	O	S	0	0	0
			625	388	129	106	2			

- Molecule 53 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	CZ	62	Total	C	N	O	S	0	0	0
			501	308	98	94	1			
53	DZ	62	Total	C	N	O	S	0	0	0
			501	308	98	94	1			

- Molecule 54 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
54	DI	135	Total	C	N	O	S	0	0	0
			1023	649	179	192	3			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
DI	85	VAL	SER	conflict	UNP P0A7J3
DI	86	THR	MET	conflict	UNP P0A7J3

- Molecule 55 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
55	DA	2897	Total	C	N	O	P	0	11	0
			62423	27855	11485	20176	2907			

- Molecule 56 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	AA	71	Total	Mg	0	0
			71	71		
56	BA	43	Total	Mg	0	0
			43	43		
56	CB	3	Total	Mg	0	0
			3	3		
56	CA	156	Total	Mg	0	0
			156	156		
56	DD	2	Total	Mg	0	0
			2	2		
56	DM	1	Total	Mg	0	0
			1	1		
56	DR	2	Total	Mg	0	0
			2	2		
56	DB	9	Total	Mg	0	0
			9	9		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	DA	182	Total	Mg	0	0
			182	182		

- Molecule 57 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
57	AA	1	Total	C	O	0	0
			13	8	5		
57	BA	1	Total	C	O	0	0
			13	8	5		
57	DQ	1	Total	C	O	0	0
			13	8	5		
57	DR	1	Total	C	O	0	0
			13	8	5		
57	DS	1	Total	C	O	0	0
			13	8	5		
57	DA	1	Total	C	O	0	0
			13	8	5		
57	DA	1	Total	C	O	0	0
			13	8	5		

- Molecule 58 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: $C_6H_{14}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
58	AA	1	Total	C	O	0	0
			8	6	2		
58	AA	1	Total	C	O	0	0
			8	6	2		
58	DE	1	Total	C	O	0	0
			8	6	2		
58	DE	1	Total	C	O	0	0
			8	6	2		
58	DK	1	Total	C	O	0	0
			8	6	2		
58	DN	1	Total	C	O	0	0
			8	6	2		
58	DS	1	Total	C	O	0	0
			8	6	2		
58	DT	1	Total	C	O	0	0
			8	6	2		
58	DT	1	Total	C	O	0	0
			8	6	2		
58	DA	1	Total	C	O	0	0
			8	6	2		
58	DA	1	Total	C	O	0	0
			8	6	2		
58	DA	1	Total	C	O	0	0
			8	6	2		
58	DA	1	Total	C	O	0	0
			8	6	2		

- Molecule 59 is 1,4-DIAMINOBUTANE (CCD ID: PUT) (formula: $C_4H_{12}N_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
59	AA	1	Total	C	N	0	0
			6	4	2		
59	AA	1	Total	C	N	0	0
			6	4	2		
59	AA	1	Total	C	N	0	0
			6	4	2		
59	AA	1	Total	C	N	0	0
			6	4	2		
59	DA	1	Total	C	N	0	0
			6	4	2		
59	DA	1	Total	C	N	0	0
			6	4	2		
59	DA	1	Total	C	N	0	0
			6	4	2		
59	DA	1	Total	C	N	0	0
			6	4	2		
59	DA	1	Total	C	N	0	0
			6	4	2		
59	DA	1	Total	C	N	0	0
			6	4	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
59	DA	1	Total	C	N	0	0
			6	4	2		
59	DA	1	Total	C	N	0	0
			6	4	2		
59	DA	1	Total	C	N	0	0
			6	4	2		

- Molecule 60 is TIGECYCLINE (CCD ID: T1C) (formula: $C_{29}H_{41}N_5O_8$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
60	AA	1	Total	C	N	O	0	0
			42	29	5	8		
60	BA	1	Total	C	N	O	0	0
			42	29	5	8		

- Molecule 61 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	AB	1	Total	Zn	0	0
			1	1		
61	C5	1	Total	Zn	0	0
			1	1		
61	D5	1	Total	Zn	0	0
			1	1		

- Molecule 62 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
62	AL	1	Total	C	O	0	0
			7	4	3		
62	D1	1	Total	C	O	0	0
			7	4	3		
62	D3	1	Total	C	O	0	0
			7	4	3		
62	DL	1	Total	C	O	0	0
			7	4	3		
62	DP	1	Total	C	O	0	0
			7	4	3		
62	DQ	1	Total	C	O	0	0
			7	4	3		
62	DA	1	Total	C	O	0	0
			7	4	3		
62	DA	1	Total	C	O	0	0
			7	4	3		
62	DA	1	Total	C	O	0	0
			7	4	3		
62	DA	1	Total	C	O	0	0
			7	4	3		

- Molecule 63 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
63	D1	1	Total	C	O	0	0
			4	2	2		
63	DB	1	Total	C	O	0	0
			4	2	2		
63	DB	1	Total	C	O	0	0
			4	2	2		
63	DA	1	Total	C	O	0	0
			4	2	2		
63	DA	1	Total	C	O	0	0
			4	2	2		
63	DA	1	Total	C	O	0	0
			4	2	2		
63	DA	1	Total	C	O	0	0
			4	2	2		
63	DA	1	Total	C	O	0	0
			4	2	2		
63	DA	1	Total	C	O	0	0
			4	2	2		

- Molecule 64 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: C₆H₁₄O₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
64	D1	1	Total	C	O	0	0
			10	6	4		
64	D3	1	Total	C	O	0	0
			10	6	4		
64	DD	1	Total	C	O	0	0
			10	6	4		
64	DS	1	Total	C	O	0	0
			10	6	4		
64	DU	1	Total	C	O	0	0
			10	6	4		
64	DA	1	Total	C	O	0	0
			10	6	4		
64	DA	1	Total	C	O	0	0
			10	6	4		
64	DA	1	Total	C	O	0	0
			10	6	4		

- Molecule 65 is SPERMIDINE (CCD ID: SPD) (formula: $C_7H_{19}N_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
65	DA	1	Total	C	N	0	0
			10	7	3		
65	DA	1	Total	C	N	0	0
			10	7	3		
65	DA	1	Total	C	N	0	0
			10	7	3		
65	DA	1	Total	C	N	0	0
			10	7	3		

- Molecule 66 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: C₁₀H₂₂O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
66	DA	1	Total	C	O	0	0
			16	10	6		
66	DA	1	Total	C	O	0	0
			16	10	6		

- Molecule 67 is ACETIC ACID (CCD ID: ACY) (formula: $C_2H_4O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
67	DA	1	Total	C	O	0	0
			4	2	2		
67	DA	1	Total	C	O	0	0
			4	2	2		
67	DA	1	Total	C	O	0	0
			4	2	2		

- Molecule 68 is GUANINE (CCD ID: GUN) (formula: $C_5H_5N_5O$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
68	DA	1	Total	C	N	O	0	0
			11	5	5	1		

- Molecule 69 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (CCD ID: TRS) (formula: $C_4H_{12}NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
69	DA	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 70 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
70	AA	507	Total 507	O 507	0	0
70	AC	4	Total 4	O 4	0	0
70	AD	2	Total 2	O 2	0	0
70	AE	4	Total 4	O 4	0	0
70	AF	1	Total 1	O 1	0	0
70	AG	1	Total 1	O 1	0	0
70	AH	1	Total 1	O 1	0	0
70	AJ	2	Total 2	O 2	0	0
70	AK	5	Total 5	O 5	0	0
70	AL	8	Total 8	O 8	0	0
70	AM	4	Total 4	O 4	0	0
70	AN	5	Total 5	O 5	0	0
70	AO	2	Total 2	O 2	0	0
70	AP	2	Total 2	O 2	0	0
70	AR	1	Total 1	O 1	0	0
70	AS	1	Total 1	O 1	0	0
70	AT	2	Total 2	O 2	0	0
70	AU	3	Total 3	O 3	0	0
70	C3	3	Total 3	O 3	0	0
70	C4	1	Total 1	O 1	0	0
70	BA	287	Total 287	O 287	0	0
70	BD	13	Total 13	O 13	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
70	BE	1	Total 1	O 1	0	0
70	BF	1	Total 1	O 1	0	0
70	BK	1	Total 1	O 1	0	0
70	BL	3	Total 3	O 3	0	0
70	BN	2	Total 2	O 2	0	0
70	BO	1	Total 1	O 1	0	0
70	BP	3	Total 3	O 3	0	0
70	BR	1	Total 1	O 1	0	0
70	BT	4	Total 4	O 4	0	0
70	BU	2	Total 2	O 2	0	0
70	D1	42	Total 42	O 42	0	0
70	D2	7	Total 7	O 7	0	0
70	D3	25	Total 25	O 25	0	0
70	D4	32	Total 32	O 32	0	0
70	D5	13	Total 13	O 13	0	0
70	D0	25	Total 25	O 25	0	0
70	CB	13	Total 13	O 13	0	0
70	CC	10	Total 10	O 10	0	0
70	CD	5	Total 5	O 5	0	0
70	CA	694	Total 694	O 694	0	0
70	DC	102	Total 102	O 102	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
70	DD	105	Total 105	O 105	0	0
70	CE	6	Total 6	O 6	0	0
70	CL	1	Total 1	O 1	0	0
70	CM	3	Total 3	O 3	0	0
70	CO	1	Total 1	O 1	0	0
70	CU	3	Total 3	O 3	0	0
70	CV	1	Total 1	O 1	0	0
70	CW	1	Total 1	O 1	0	0
70	CY	1	Total 1	O 1	0	0
70	DE	63	Total 63	O 63	0	0
70	DF	14	Total 14	O 14	0	0
70	DG	6	Total 6	O 6	0	0
70	DH	2	Total 2	O 2	0	0
70	DK	58	Total 58	O 58	0	0
70	DL	51	Total 51	O 51	0	0
70	DM	60	Total 60	O 60	0	0
70	DN	71	Total 71	O 71	0	0
70	DO	44	Total 44	O 44	0	0
70	DP	35	Total 35	O 35	0	0
70	DQ	27	Total 27	O 27	0	0
70	DR	64	Total 64	O 64	0	0

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
70	DS	51	Total 51	O 51	0	0
70	DT	70	Total 70	O 70	0	0
70	DU	17	Total 17	O 17	0	0
70	DV	19	Total 19	O 19	0	0
70	DW	31	Total 31	O 31	0	0
70	DX	30	Total 30	O 30	0	0
70	DY	9	Total 9	O 9	0	0
70	DZ	7	Total 7	O 7	0	0
70	DB	213	Total 213	O 213	0	0
70	DA	4836	Total 4836	O 4836	0	0

3 Residue-property plots [i](#)



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 16S rRNA







● Molecule 1: 16S rRNA









• Molecule 2: 30S ribosomal protein S2




• Molecule 2: 30S ribosomal protein S2




• Molecule 3: 30S ribosomal protein S3




• Molecule 3: 30S ribosomal protein S3






• Molecule 4: 30S ribosomal protein S4




• Molecule 5: 30S ribosomal protein S5



• Molecule 5: 30S ribosomal protein S5




- Molecule 6: 30S ribosomal protein S6




- Molecule 6: 30S ribosomal protein S6





- Molecule 7: 30S ribosomal protein S7



- Molecule 7: 30S ribosomal protein S7






- Molecule 8: 30S ribosomal protein S8










• Molecule 8: 30S ribosomal protein S8






• Molecule 9: 30S ribosomal protein S9




• Molecule 9: 30S ribosomal protein S9




• Molecule 10: 30S ribosomal protein S10




• Molecule 10: 30S ribosomal protein S10









- Molecule 11: 30S ribosomal protein S11





- Molecule 11: 30S ribosomal protein S11




- Molecule 12: 30S ribosomal protein S12




- Molecule 12: 30S ribosomal protein S12




- Molecule 13: 30S ribosomal protein S13




- Molecule 13: 30S ribosomal protein S13




- Molecule 14: 30S ribosomal protein S14





- Molecule 14: 30S ribosomal protein S14




- Molecule 15: 30S ribosomal protein S15





- Molecule 15: 30S ribosomal protein S15





- Molecule 16: 30S ribosomal protein S16





- Molecule 16: 30S ribosomal protein S16





- Molecule 17: 30S ribosomal protein S17




- Molecule 17: 30S ribosomal protein S17




- Molecule 18: 30S ribosomal protein S18




- Molecule 18: 30S ribosomal protein S18




- Molecule 19: 30S ribosomal protein S19




- Molecule 19: 30S ribosomal protein S19




- Molecule 20: 30S ribosomal protein S20




- Molecule 20: 30S ribosomal protein S20




- Molecule 21: 30S ribosomal protein S21




- Molecule 21: 30S ribosomal protein S21




- Molecule 22: 50S ribosomal protein L32




- Molecule 22: 50S ribosomal protein L32




- Molecule 23: 50S ribosomal protein L33




- Molecule 23: 50S ribosomal protein L33



- Molecule 24: 50S ribosomal protein L34





- Molecule 24: 50S ribosomal protein L34








- Molecule 25: 50S ribosomal protein L35




- Molecule 25: 50S ribosomal protein L35





- Molecule 26: 50S ribosomal protein L36




- Molecule 26: 50S ribosomal protein L36




- Molecule 27: 50S ribosomal protein L30





- Molecule 27: 50S ribosomal protein L30







• Molecule 28: 5S rRNA





• Molecule 28: 5S rRNA




• Molecule 29: 50S ribosomal protein L2




• Molecule 29: 50S ribosomal protein L2






• Molecule 30: 50S ribosomal protein L3







Molecule 31: 23S rRNA









• Molecule 32: 50S ribosomal protein L3








- Molecule 33: 50S ribosomal protein L4





- Molecule 33: 50S ribosomal protein L4




- Molecule 34: 50S ribosomal protein L5




- Molecule 34: 50S ribosomal protein L5





- Molecule 35: 50S ribosomal protein L6











- Molecule 35: 50S ribosomal protein L6






- Molecule 36: 50S ribosomal protein L9




- Molecule 36: 50S ribosomal protein L9




- Molecule 37: 50S ribosomal protein L11





- Molecule 37: 50S ribosomal protein L11







• Molecule 38: 50S ribosomal protein L13





• Molecule 38: 50S ribosomal protein L13





• Molecule 39: 50S ribosomal protein L14




• Molecule 39: 50S ribosomal protein L14





• Molecule 40: 50S ribosomal protein L15








- Molecule 40: 50S ribosomal protein L15





- Molecule 41: 50S ribosomal protein L16




- Molecule 41: 50S ribosomal protein L16




- Molecule 42: 50S ribosomal protein L17




- Molecule 42: 50S ribosomal protein L17




- Molecule 43: 50S ribosomal protein L18




- Molecule 43: 50S ribosomal protein L18




- Molecule 44: 50S ribosomal protein L19




- Molecule 44: 50S ribosomal protein L19





- Molecule 45: 50S ribosomal protein L20




- Molecule 45: 50S ribosomal protein L20





- Molecule 46: 50S ribosomal protein L21




- Molecule 46: 50S ribosomal protein L21





- Molecule 47: 50S ribosomal protein L22



- Molecule 47: 50S ribosomal protein L22




- Molecule 48: 50S ribosomal protein L23









- Molecule 48: 50S ribosomal protein L23





- Molecule 49: 50S ribosomal protein L24



- Molecule 49: 50S ribosomal protein L24




- Molecule 50: 50S ribosomal protein L25




- Molecule 50: 50S ribosomal protein L25





- Molecule 51: 50S ribosomal protein L27







- Molecule 51: 50S ribosomal protein L27





- Molecule 52: 50S ribosomal protein L28




- Molecule 52: 50S ribosomal protein L28



- Molecule 53: 50S ribosomal protein L29




- Molecule 53: 50S ribosomal protein L29






- Molecule 54: 50S ribosomal protein L10





• Molecule 55: 23S rRNA





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	212.18Å 434.82Å 624.26Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.51 – 2.96 48.51 – 2.96	Depositor EDS
% Data completeness (in resolution range)	88.6 (48.51-2.96) 88.6 (48.51-2.96)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	21.17 (at 2.96Å)	Xtriage
Refinement program	BUSTER-TNT 2.11.6	Depositor
R, R_{free}	0.208 , 0.221 0.227 , 0.243	Depositor DCC
R_{free} test set	4163 reflections (0.40%)	wwPDB-VP
Wilson B-factor (Å ²)	57.6	Xtriage
Anisotropy	0.403	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 106.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	295202	wwPDB-VP
Average B, all atoms (Å ²)	123.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, D2T, 2MG, 4OC, T1C, 1MG, 5MC, UR3, SPD, PG4, MG, OMC, EDO, PGE, MEQ, 4D4, 2MA, TRS, PUT, MPD, MA6, G7M, ACY, H2U, GUN, PSU, OMG, 1PE, 5MU, OMU, 6MZ, 3TD, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AA	0.72	14/36593 (0.0%)	0.68	1/57081 (0.0%)
1	BA	0.72	11/36568 (0.0%)	0.68	2/57042 (0.0%)
2	AB	0.88	0/1784	1.41	4/2403 (0.2%)
2	BB	0.87	0/1784	1.41	4/2403 (0.2%)
3	AC	0.87	0/1652	1.34	2/2225 (0.1%)
3	BC	0.86	0/1652	1.34	6/2225 (0.3%)
4	AD	0.78	0/1665	1.43	11/2227 (0.5%)
4	BD	0.76	0/1665	1.45	10/2227 (0.4%)
5	AE	0.87	0/1157	1.43	3/1557 (0.2%)
5	BE	0.90	0/1118	1.45	3/1504 (0.2%)
6	AF	0.85	1/881 (0.1%)	1.36	6/1189 (0.5%)
6	BF	0.86	0/835	1.50	13/1128 (1.2%)
7	AG	0.83	0/1196	1.40	3/1602 (0.2%)
7	BG	0.84	0/1196	1.39	1/1602 (0.1%)
8	AH	0.82	0/989	1.35	0/1326
8	BH	0.84	0/989	1.34	1/1326 (0.1%)
9	AI	0.82	0/1034	1.34	2/1375 (0.1%)
9	BI	0.82	0/1034	1.33	2/1375 (0.1%)
10	AJ	0.82	1/806 (0.1%)	1.30	4/1089 (0.4%)
10	BJ	0.91	1/797 (0.1%)	1.35	6/1077 (0.6%)
11	AK	0.83	0/893	1.25	4/1205 (0.3%)
11	BK	0.83	0/893	1.29	5/1205 (0.4%)
12	AL	0.77	0/960	1.25	4/1286 (0.3%)
12	BL	0.82	0/960	1.26	3/1286 (0.2%)
13	AM	0.94	1/893 (0.1%)	1.54	9/1193 (0.8%)
13	BM	0.92	0/893	1.54	8/1193 (0.7%)
14	AN	0.83	0/817	1.37	2/1088 (0.2%)
14	BN	0.80	0/817	1.35	2/1088 (0.2%)
15	AO	0.83	0/722	1.48	1/964 (0.1%)
15	BO	0.84	0/722	1.52	0/964

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
16	AP	0.86	0/659	1.32	3/884 (0.3%)
16	BP	0.89	0/659	1.41	7/884 (0.8%)
17	AQ	0.86	0/658	1.24	1/881 (0.1%)
17	BQ	0.91	0/658	1.37	4/881 (0.5%)
18	AR	0.93	0/463	1.46	3/621 (0.5%)
18	BR	0.88	0/463	1.41	2/621 (0.3%)
19	AS	0.86	0/653	1.23	1/877 (0.1%)
19	BS	0.85	0/653	1.23	0/877
20	AT	0.85	0/676	1.61	2/895 (0.2%)
20	BT	0.93	0/671	1.65	5/888 (0.6%)
21	AU	0.79	0/472	1.42	2/627 (0.3%)
21	BU	0.77	0/472	1.46	0/627
22	C1	0.87	0/450	1.35	4/599 (0.7%)
22	D1	0.99	0/450	1.41	2/599 (0.3%)
23	C2	0.83	0/416	1.26	0/554
23	D2	0.86	0/421	1.28	1/561 (0.2%)
24	C3	0.77	0/380	1.44	0/498
24	D3	0.89	0/380	1.51	2/498 (0.4%)
25	C4	0.81	0/513	1.33	1/676 (0.1%)
25	D4	0.90	0/513	1.38	1/676 (0.1%)
26	C5	0.80	0/303	1.19	2/397 (0.5%)
26	D5	0.92	0/303	1.18	0/397
27	C0	0.96	0/453	1.45	2/605 (0.3%)
27	D0	1.01	1/467 (0.2%)	1.45	3/623 (0.5%)
28	CB	0.69	0/2828	0.68	1/4410 (0.0%)
28	DB	0.79	3/2872 (0.1%)	0.72	0/4478
29	CC	0.80	0/2121	1.30	15/2852 (0.5%)
29	DC	0.85	0/2121	1.28	11/2852 (0.4%)
30	CD	0.76	0/1586	1.20	5/2134 (0.2%)
31	CA	0.74	54/69165 (0.1%)	0.69	7/107896 (0.0%)
32	DD	0.88	0/1576	1.22	5/2119 (0.2%)
33	CE	0.82	0/1571	1.40	8/2113 (0.4%)
33	DE	0.88	0/1571	1.39	8/2113 (0.4%)
34	CF	0.79	0/1434	1.38	10/1926 (0.5%)
34	DF	0.82	0/1434	1.39	11/1926 (0.6%)
35	CG	0.79	0/1343	1.29	4/1816 (0.2%)
35	DG	0.80	0/1343	1.27	3/1816 (0.2%)
36	CH	0.89	0/1121	1.34	3/1515 (0.2%)
36	DH	0.89	0/1121	1.35	4/1515 (0.3%)
37	CJ	0.93	0/993	1.35	3/1341 (0.2%)
37	DJ	0.93	0/993	1.34	3/1341 (0.2%)
38	CK	0.76	0/1152	1.35	3/1551 (0.2%)
38	DK	0.92	0/1152	1.38	3/1551 (0.2%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
39	CL	0.84	0/947	1.24	4/1268 (0.3%)
39	DL	0.93	0/955	1.23	0/1279
40	CM	0.81	0/1062	1.37	10/1413 (0.7%)
40	DM	0.82	0/1062	1.37	7/1413 (0.5%)
41	CN	0.78	0/1081	1.32	5/1443 (0.3%)
41	DN	0.91	0/1092	1.33	4/1457 (0.3%)
42	CO	0.81	0/973	1.38	2/1301 (0.2%)
42	DO	0.95	0/1006	1.49	3/1345 (0.2%)
43	CP	0.77	0/902	1.47	4/1209 (0.3%)
43	DP	0.81	0/910	1.45	2/1219 (0.2%)
44	CQ	0.72	0/929	1.20	5/1242 (0.4%)
44	DQ	0.80	0/929	1.22	4/1242 (0.3%)
45	CR	0.83	0/960	1.52	5/1278 (0.4%)
45	DR	0.99	0/960	1.57	7/1278 (0.5%)
46	CS	0.81	0/829	1.20	5/1107 (0.5%)
46	DS	0.89	0/829	1.24	1/1107 (0.1%)
47	CT	0.77	0/864	1.39	2/1156 (0.2%)
47	DT	0.91	0/864	1.37	4/1156 (0.3%)
48	CU	0.80	0/745	1.31	1/994 (0.1%)
48	DU	0.83	0/745	1.32	3/994 (0.3%)
49	CV	0.81	0/787	1.36	11/1051 (1.0%)
49	DV	0.84	0/787	1.33	7/1051 (0.7%)
50	CW	0.74	0/766	1.21	0/1025
50	DW	0.86	0/766	1.26	0/1025
51	CX	0.69	0/576	1.16	2/762 (0.3%)
51	DX	0.84	1/598 (0.2%)	1.21	2/790 (0.3%)
52	CY	0.72	0/635	1.38	3/848 (0.4%)
52	DY	0.77	0/635	1.35	2/848 (0.2%)
53	CZ	0.75	0/502	1.49	0/667
53	DZ	0.76	0/502	1.51	0/667
54	DI	0.94	0/1037	1.48	6/1402 (0.4%)
55	DA	0.86	52/69364 (0.1%)	0.78	9/108207 (0.0%)
All	All	0.79	140/309267 (0.0%)	0.93	397/462210 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AA	0	3
1	BA	0	4

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
5	AE	0	1
10	BJ	0	1
31	CA	0	12
55	DA	0	87
All	All	0	108

The worst 5 of 140 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	CA	2095	A	O5'-C5'	-9.33	1.28	1.42
55	DA	2585	U	C1'-N1	7.89	1.59	1.47
55	DA	12	U	C1'-N1	7.78	1.60	1.48
55	DA	2097	A	O5'-C5'	-7.58	1.31	1.42
31	CA	769	U	C1'-N1	7.42	1.59	1.48

The worst 5 of 397 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
41	CN	69	PRO	CA-C-N	9.76	140.18	121.54
41	CN	69	PRO	C-N-CA	9.76	140.18	121.54
54	DI	132	TYR	CA-C-N	9.74	139.24	121.70
54	DI	132	TYR	C-N-CA	9.74	139.24	121.70
34	DF	10	ASP	CA-CB-CG	9.13	121.73	112.60

There are no chirality outliers.

5 of 108 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	AA	1432	G	Sidechain
1	AA	362	G	Sidechain
1	AA	898	G	Sidechain
5	AE	82	GLN	Sidechain
1	BA	362	G	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	32930	0	16591	87	0
1	BA	32908	0	16580	95	0
2	AB	1753	0	1780	11	0
2	BB	1753	0	1780	16	0
3	AC	1625	0	1696	14	0
3	BC	1625	0	1696	18	0
4	AD	1643	0	1707	13	0
4	BD	1643	0	1707	17	0
5	AE	1144	0	1185	15	0
5	BE	1105	0	1148	29	0
6	AF	862	0	864	9	0
6	BF	817	0	808	10	0
7	AG	1182	0	1238	7	0
7	BG	1182	0	1238	4	0
8	AH	979	0	1031	9	0
8	BH	979	0	1031	5	0
9	AI	1022	0	1070	6	0
9	BI	1022	0	1070	6	0
10	AJ	796	0	836	11	0
10	BJ	787	0	828	10	0
11	AK	877	0	887	14	0
11	BK	877	0	887	17	0
12	AL	957	0	1017	8	0
12	BL	957	0	1017	9	0
13	AM	884	0	941	13	0
13	BM	884	0	941	13	0
14	AN	805	0	844	9	0
14	BN	805	0	844	9	0
15	AO	714	0	734	1	0
15	BO	714	0	734	0	0
16	AP	649	0	666	3	0
16	BP	649	0	666	5	0
17	AQ	649	0	691	6	0
17	BQ	649	0	691	5	0
18	AR	456	0	478	5	0
18	BR	456	0	478	3	0
19	AS	638	0	665	7	0
19	BS	638	0	665	8	0
20	AT	670	0	719	2	0
20	BT	665	0	714	9	0
21	AU	465	0	491	2	0
21	BU	465	0	491	2	0
22	C1	444	0	458	18	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
22	D1	444	0	458	13	0
23	C2	409	0	440	5	0
23	D2	414	0	442	5	0
24	C3	377	0	418	16	0
24	D3	377	0	418	6	0
25	C4	504	0	572	13	0
25	D4	504	0	572	12	0
26	C5	302	0	340	10	0
26	D5	302	0	340	2	0
27	C0	449	0	488	4	0
27	D0	463	0	504	1	0
28	CB	2529	0	1281	4	0
28	DB	2569	0	1301	5	0
29	CC	2082	0	2154	17	0
29	DC	2082	0	2154	11	0
30	CD	1565	0	1616	16	0
31	CA	62229	0	31318	235	0
32	DD	1576	0	1627	16	0
33	CE	1552	0	1619	14	0
33	DE	1552	0	1619	11	0
34	CF	1410	0	1444	16	0
34	DF	1410	0	1444	13	0
35	CG	1323	0	1371	9	0
35	DG	1323	0	1371	9	0
36	CH	1110	0	1148	9	0
36	DH	1110	0	1148	6	0
37	CJ	979	0	1028	4	0
37	DJ	979	0	1028	5	0
38	CK	1129	0	1162	9	0
38	DK	1129	0	1162	5	0
39	CL	938	0	1012	9	0
39	DL	946	0	1023	8	0
40	CM	1053	0	1129	19	0
40	DM	1053	0	1129	15	0
41	CN	1075	0	1154	5	0
41	DN	1092	0	1177	7	0
42	CO	960	0	1000	5	0
42	DO	993	0	1034	5	0
43	CP	892	0	923	7	0
43	DP	900	0	935	9	0
44	CQ	917	0	962	7	0
44	DQ	917	0	962	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
45	CR	947	0	1019	13	0
45	DR	947	0	1019	9	0
46	CS	816	0	839	8	0
46	DS	816	0	839	5	0
47	CT	857	0	922	12	0
47	DT	857	0	922	10	0
48	CU	739	0	807	10	0
48	DU	739	0	807	4	0
49	CV	779	0	831	8	0
49	DV	779	0	831	5	0
50	CW	753	0	780	5	0
50	DW	753	0	780	3	0
51	CX	569	0	581	1	0
51	DX	591	0	606	5	0
52	CY	625	0	652	8	0
52	DY	625	0	652	5	0
53	CZ	501	0	531	2	0
53	DZ	501	0	531	1	0
54	DI	1023	0	1052	21	0
55	DA	62423	0	31411	171	0
56	AA	71	0	0	0	0
56	BA	43	0	0	0	0
56	CA	156	0	0	0	0
56	CB	3	0	0	0	0
56	DA	182	0	0	0	0
56	DB	9	0	0	0	0
56	DD	2	0	0	0	0
56	DM	1	0	0	0	0
56	DR	2	0	0	0	0
57	AA	13	0	18	1	0
57	BA	13	0	18	0	0
57	DA	26	0	36	2	0
57	DQ	13	0	18	0	0
57	DR	13	0	18	5	0
57	DS	13	0	18	1	0
58	AA	16	0	28	0	0
58	DA	40	0	70	5	0
58	DE	16	0	28	0	0
58	DK	8	0	14	0	0
58	DN	8	0	14	1	0
58	DS	8	0	14	0	0
58	DT	16	0	28	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
59	AA	24	0	48	0	0
59	DA	72	0	144	10	0
60	AA	42	0	38	0	0
60	BA	42	0	38	0	0
61	AB	1	0	0	0	0
61	C5	1	0	0	0	0
61	D5	1	0	0	0	0
62	AL	7	0	10	0	0
62	D1	7	0	10	1	0
62	D3	7	0	10	2	0
62	DA	35	0	50	1	0
62	DL	7	0	10	0	0
62	DP	7	0	10	1	0
62	DQ	7	0	10	0	0
63	D1	4	0	6	0	0
63	DA	36	0	54	2	0
63	DB	8	0	12	1	0
64	D1	10	0	14	2	0
64	D3	10	0	14	0	0
64	DA	40	0	56	5	0
64	DD	10	0	14	2	0
64	DS	10	0	14	0	0
64	DU	10	0	14	1	0
65	DA	40	0	76	4	0
66	DA	32	0	44	0	0
67	DA	12	0	12	0	0
68	DA	11	0	5	0	0
69	DA	8	0	12	1	0
70	AA	507	0	0	0	0
70	AC	4	0	0	0	0
70	AD	2	0	0	0	0
70	AE	4	0	0	0	0
70	AF	1	0	0	0	0
70	AG	1	0	0	0	0
70	AH	1	0	0	0	0
70	AJ	2	0	0	0	0
70	AK	5	0	0	0	0
70	AL	8	0	0	0	0
70	AM	4	0	0	1	0
70	AN	5	0	0	1	0
70	AO	2	0	0	0	0
70	AP	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
70	AR	1	0	0	0	0
70	AS	1	0	0	0	0
70	AT	2	0	0	0	0
70	AU	3	0	0	0	0
70	BA	287	0	0	1	0
70	BD	13	0	0	0	0
70	BE	1	0	0	0	0
70	BF	1	0	0	0	0
70	BK	1	0	0	0	0
70	BL	3	0	0	0	0
70	BN	2	0	0	0	0
70	BO	1	0	0	0	0
70	BP	3	0	0	0	0
70	BR	1	0	0	0	0
70	BT	4	0	0	0	0
70	BU	2	0	0	0	0
70	C3	3	0	0	1	0
70	C4	1	0	0	0	0
70	CA	694	0	0	1	0
70	CB	13	0	0	0	0
70	CC	10	0	0	0	0
70	CD	5	0	0	0	0
70	CE	6	0	0	0	0
70	CL	1	0	0	0	0
70	CM	3	0	0	0	0
70	CO	1	0	0	0	0
70	CU	3	0	0	0	0
70	CV	1	0	0	0	0
70	CW	1	0	0	0	0
70	CY	1	0	0	0	0
70	D0	25	0	0	0	0
70	D1	42	0	0	0	0
70	D2	7	0	0	0	0
70	D3	25	0	0	0	0
70	D4	32	0	0	1	0
70	D5	13	0	0	0	0
70	DA	4836	0	0	8	0
70	DB	213	0	0	0	0
70	DC	102	0	0	0	0
70	DD	105	0	0	1	0
70	DE	63	0	0	0	0
70	DF	14	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
70	DG	6	0	0	0	0
70	DH	2	0	0	0	0
70	DK	58	0	0	0	0
70	DL	51	0	0	0	0
70	DM	60	0	0	0	0
70	DN	71	0	0	0	0
70	DO	44	0	0	0	0
70	DP	35	0	0	0	0
70	DQ	27	0	0	1	0
70	DR	64	0	0	0	0
70	DS	51	0	0	0	0
70	DT	70	0	0	1	0
70	DU	17	0	0	0	0
70	DV	19	0	0	0	0
70	DW	31	0	0	0	0
70	DX	30	0	0	1	0
70	DY	9	0	0	0	0
70	DZ	7	0	0	0	0
All	All	295202	0	194489	1218	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 1218 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
26:C5:3:VAL:HG11	31:CA:2539:C:H5'	1.32	1.05
46:CS:14:VAL:HG21	46:CS:98:ILE:HG13	1.32	1.05
4:BD:85:ASN:HA	5:BE:102:GLY:HA2	1.43	0.99
31:CA:1936:A:H2	31:CA:1943:U:H3	1.01	0.98
48:CU:28:ASN:HD21	48:CU:91:GLN:HB3	1.29	0.96

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	AB	222/224 (99%)	210 (95%)	9 (4%)	3 (1%)	9	24
2	BB	222/224 (99%)	211 (95%)	7 (3%)	4 (2%)	6	19
3	AC	204/206 (99%)	192 (94%)	11 (5%)	1 (0%)	24	49
3	BC	204/206 (99%)	194 (95%)	8 (4%)	2 (1%)	12	32
4	AD	203/205 (99%)	198 (98%)	5 (2%)	0	100	100
4	BD	203/205 (99%)	198 (98%)	5 (2%)	0	100	100
5	AE	153/155 (99%)	147 (96%)	5 (3%)	1 (1%)	18	40
5	BE	148/155 (96%)	132 (89%)	12 (8%)	4 (3%)	4	11
6	AF	104/106 (98%)	101 (97%)	3 (3%)	0	100	100
6	BF	98/106 (92%)	91 (93%)	5 (5%)	2 (2%)	6	16
7	AG	149/151 (99%)	137 (92%)	11 (7%)	1 (1%)	18	40
7	BG	149/151 (99%)	140 (94%)	9 (6%)	0	100	100
8	AH	127/129 (98%)	120 (94%)	7 (6%)	0	100	100
8	BH	127/129 (98%)	119 (94%)	8 (6%)	0	100	100
9	AI	125/127 (98%)	110 (88%)	15 (12%)	0	100	100
9	BI	125/127 (98%)	110 (88%)	15 (12%)	0	100	100
10	AJ	97/99 (98%)	88 (91%)	7 (7%)	2 (2%)	5	16
10	BJ	96/99 (97%)	77 (80%)	14 (15%)	5 (5%)	1	3
11	AK	115/117 (98%)	107 (93%)	6 (5%)	2 (2%)	7	20
11	BK	115/117 (98%)	104 (90%)	9 (8%)	2 (2%)	7	20
12	AL	120/123 (98%)	115 (96%)	5 (4%)	0	100	100
12	BL	120/123 (98%)	114 (95%)	5 (4%)	1 (1%)	16	37
13	AM	112/114 (98%)	103 (92%)	6 (5%)	3 (3%)	4	11
13	BM	112/114 (98%)	102 (91%)	5 (4%)	5 (4%)	2	4
14	AN	98/100 (98%)	88 (90%)	8 (8%)	2 (2%)	6	16
14	BN	98/100 (98%)	90 (92%)	6 (6%)	2 (2%)	6	16
15	AO	86/88 (98%)	84 (98%)	2 (2%)	0	100	100
15	BO	86/88 (98%)	83 (96%)	2 (2%)	1 (1%)	10	28
16	AP	80/82 (98%)	74 (92%)	6 (8%)	0	100	100
16	BP	80/82 (98%)	70 (88%)	8 (10%)	2 (2%)	4	13

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
17	AQ	78/80 (98%)	70 (90%)	7 (9%)	1 (1%)	9	26
17	BQ	78/80 (98%)	68 (87%)	5 (6%)	5 (6%)	1	2
18	AR	53/55 (96%)	53 (100%)	0	0	100	100
18	BR	53/55 (96%)	50 (94%)	3 (6%)	0	100	100
19	AS	77/79 (98%)	70 (91%)	6 (8%)	1 (1%)	9	26
19	BS	77/79 (98%)	68 (88%)	7 (9%)	2 (3%)	4	12
20	AT	84/86 (98%)	83 (99%)	1 (1%)	0	100	100
20	BT	83/86 (96%)	79 (95%)	3 (4%)	1 (1%)	10	28
21	AU	54/56 (96%)	53 (98%)	1 (2%)	0	100	100
21	BU	54/56 (96%)	53 (98%)	1 (2%)	0	100	100
22	C1	54/56 (96%)	47 (87%)	4 (7%)	3 (6%)	1	2
22	D1	54/56 (96%)	51 (94%)	3 (6%)	0	100	100
23	C2	48/51 (94%)	44 (92%)	2 (4%)	2 (4%)	2	5
23	D2	49/51 (96%)	48 (98%)	1 (2%)	0	100	100
24	C3	44/46 (96%)	41 (93%)	2 (4%)	1 (2%)	5	14
24	D3	44/46 (96%)	43 (98%)	1 (2%)	0	100	100
25	C4	62/64 (97%)	60 (97%)	2 (3%)	0	100	100
25	D4	62/64 (97%)	60 (97%)	2 (3%)	0	100	100
26	C5	36/38 (95%)	34 (94%)	1 (3%)	1 (3%)	4	11
26	D5	36/38 (95%)	36 (100%)	0	0	100	100
27	C0	56/58 (97%)	54 (96%)	0	2 (4%)	2	6
27	D0	57/58 (98%)	56 (98%)	1 (2%)	0	100	100
29	CC	269/272 (99%)	252 (94%)	12 (4%)	5 (2%)	6	17
29	DC	269/272 (99%)	257 (96%)	10 (4%)	2 (1%)	18	40
30	CD	207/209 (99%)	201 (97%)	6 (3%)	0	100	100
32	DD	206/209 (99%)	202 (98%)	4 (2%)	0	100	100
33	CE	199/201 (99%)	191 (96%)	5 (2%)	3 (2%)	8	23
33	DE	199/201 (99%)	194 (98%)	4 (2%)	1 (0%)	24	49
34	CF	175/178 (98%)	168 (96%)	6 (3%)	1 (1%)	21	45
34	DF	175/178 (98%)	169 (97%)	5 (3%)	1 (1%)	21	45
35	CG	174/176 (99%)	162 (93%)	7 (4%)	5 (3%)	3	10

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
35	DG	174/176 (99%)	165 (95%)	8 (5%)	1 (1%)	21	45
36	CH	147/149 (99%)	136 (92%)	6 (4%)	5 (3%)	3	7
36	DH	147/149 (99%)	138 (94%)	6 (4%)	3 (2%)	6	16
37	CJ	132/134 (98%)	125 (95%)	3 (2%)	4 (3%)	3	9
37	DJ	132/134 (98%)	125 (95%)	3 (2%)	4 (3%)	3	9
38	CK	140/142 (99%)	135 (96%)	4 (3%)	1 (1%)	18	40
38	DK	140/142 (99%)	137 (98%)	2 (1%)	1 (1%)	18	40
39	CL	120/123 (98%)	112 (93%)	7 (6%)	1 (1%)	16	37
39	DL	121/123 (98%)	117 (97%)	3 (2%)	1 (1%)	16	37
40	CM	142/144 (99%)	132 (93%)	7 (5%)	3 (2%)	5	16
40	DM	142/144 (99%)	136 (96%)	6 (4%)	0	100	100
41	CN	133/136 (98%)	125 (94%)	7 (5%)	1 (1%)	16	37
41	DN	134/136 (98%)	129 (96%)	5 (4%)	0	100	100
42	CO	118/125 (94%)	111 (94%)	5 (4%)	2 (2%)	7	20
42	DO	123/125 (98%)	116 (94%)	7 (6%)	0	100	100
43	CP	114/117 (97%)	110 (96%)	4 (4%)	0	100	100
43	DP	115/117 (98%)	112 (97%)	3 (3%)	0	100	100
44	CQ	112/114 (98%)	107 (96%)	5 (4%)	0	100	100
44	DQ	112/114 (98%)	107 (96%)	4 (4%)	1 (1%)	14	34
45	CR	115/117 (98%)	113 (98%)	2 (2%)	0	100	100
45	DR	115/117 (98%)	114 (99%)	1 (1%)	0	100	100
46	CS	101/103 (98%)	93 (92%)	5 (5%)	3 (3%)	3	9
46	DS	101/103 (98%)	98 (97%)	2 (2%)	1 (1%)	12	32
47	CT	108/110 (98%)	101 (94%)	5 (5%)	2 (2%)	6	17
47	DT	108/110 (98%)	106 (98%)	2 (2%)	0	100	100
48	CU	91/93 (98%)	86 (94%)	4 (4%)	1 (1%)	11	29
48	DU	91/93 (98%)	85 (93%)	6 (7%)	0	100	100
49	CV	100/103 (97%)	91 (91%)	4 (4%)	5 (5%)	1	3
49	DV	100/103 (97%)	96 (96%)	2 (2%)	2 (2%)	6	16
50	CW	92/94 (98%)	91 (99%)	1 (1%)	0	100	100
50	DW	92/94 (98%)	91 (99%)	1 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
51	CX	73/76 (96%)	72 (99%)	1 (1%)	0	100	100
51	DX	75/76 (99%)	74 (99%)	1 (1%)	0	100	100
52	CY	75/77 (97%)	74 (99%)	1 (1%)	0	100	100
52	DY	75/77 (97%)	74 (99%)	1 (1%)	0	100	100
53	CZ	60/62 (97%)	58 (97%)	1 (2%)	1 (2%)	7	20
53	DZ	60/62 (97%)	59 (98%)	1 (2%)	0	100	100
54	DI	133/135 (98%)	114 (86%)	13 (10%)	6 (4%)	2	4
All	All	11407/11635 (98%)	10791 (95%)	485 (4%)	131 (1%)	11	29

5 of 131 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	AB	126	PHE
3	AC	156	ARG
13	AM	5	ALA
22	C1	25	VAL
2	BB	126	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	AB	186/186 (100%)	171 (92%)	15 (8%)	11	28
2	BB	186/186 (100%)	171 (92%)	15 (8%)	11	28
3	AC	170/170 (100%)	157 (92%)	13 (8%)	12	31
3	BC	170/170 (100%)	154 (91%)	16 (9%)	8	22
4	AD	172/172 (100%)	160 (93%)	12 (7%)	14	34
4	BD	172/172 (100%)	159 (92%)	13 (8%)	12	31
5	AE	118/118 (100%)	100 (85%)	18 (15%)	3	8
5	BE	113/118 (96%)	92 (81%)	21 (19%)	1	4
6	AF	92/92 (100%)	85 (92%)	7 (8%)	12	31

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	BF	87/92 (95%)	75 (86%)	12 (14%)	3	10
7	AG	124/124 (100%)	111 (90%)	13 (10%)	6	19
7	BG	124/124 (100%)	107 (86%)	17 (14%)	3	11
8	AH	104/104 (100%)	91 (88%)	13 (12%)	4	13
8	BH	104/104 (100%)	91 (88%)	13 (12%)	4	13
9	AI	105/105 (100%)	100 (95%)	5 (5%)	23	48
9	BI	105/105 (100%)	100 (95%)	5 (5%)	23	48
10	AJ	87/87 (100%)	80 (92%)	7 (8%)	11	28
10	BJ	86/87 (99%)	76 (88%)	10 (12%)	5	16
11	AK	90/90 (100%)	87 (97%)	3 (3%)	33	58
11	BK	90/90 (100%)	83 (92%)	7 (8%)	11	30
12	AL	102/102 (100%)	90 (88%)	12 (12%)	5	15
12	BL	102/102 (100%)	90 (88%)	12 (12%)	5	15
13	AM	92/92 (100%)	85 (92%)	7 (8%)	12	31
13	BM	92/92 (100%)	87 (95%)	5 (5%)	20	44
14	AN	83/83 (100%)	82 (99%)	1 (1%)	63	79
14	BN	83/83 (100%)	82 (99%)	1 (1%)	63	79
15	AO	76/76 (100%)	71 (93%)	5 (7%)	15	37
15	BO	76/76 (100%)	68 (90%)	8 (10%)	6	19
16	AP	65/65 (100%)	63 (97%)	2 (3%)	35	59
16	BP	65/65 (100%)	59 (91%)	6 (9%)	8	23
17	AQ	74/74 (100%)	67 (90%)	7 (10%)	8	22
17	BQ	74/74 (100%)	67 (90%)	7 (10%)	8	22
18	AR	48/48 (100%)	46 (96%)	2 (4%)	26	53
18	BR	48/48 (100%)	46 (96%)	2 (4%)	26	53
19	AS	70/70 (100%)	61 (87%)	9 (13%)	4	13
19	BS	70/70 (100%)	65 (93%)	5 (7%)	13	33
20	AT	65/65 (100%)	60 (92%)	5 (8%)	12	30
20	BT	65/65 (100%)	53 (82%)	12 (18%)	1	4
21	AU	48/48 (100%)	43 (90%)	5 (10%)	7	19
21	BU	48/48 (100%)	43 (90%)	5 (10%)	7	19

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
22	C1	47/47 (100%)	45 (96%)	2 (4%)	26	52
22	D1	47/47 (100%)	44 (94%)	3 (6%)	16	38
23	C2	45/46 (98%)	43 (96%)	2 (4%)	25	51
23	D2	45/46 (98%)	42 (93%)	3 (7%)	15	36
24	C3	38/38 (100%)	36 (95%)	2 (5%)	20	45
24	D3	38/38 (100%)	37 (97%)	1 (3%)	40	65
25	C4	51/51 (100%)	48 (94%)	3 (6%)	18	41
25	D4	51/51 (100%)	49 (96%)	2 (4%)	28	54
26	C5	34/34 (100%)	32 (94%)	2 (6%)	18	41
26	D5	34/34 (100%)	34 (100%)	0	100	100
27	C0	48/48 (100%)	42 (88%)	6 (12%)	4	13
27	D0	49/48 (102%)	46 (94%)	3 (6%)	17	40
29	CC	216/217 (100%)	201 (93%)	15 (7%)	14	35
29	DC	216/217 (100%)	206 (95%)	10 (5%)	24	50
30	CD	164/164 (100%)	157 (96%)	7 (4%)	26	52
32	DD	163/163 (100%)	157 (96%)	6 (4%)	30	55
33	CE	165/165 (100%)	153 (93%)	12 (7%)	13	33
33	DE	165/165 (100%)	161 (98%)	4 (2%)	43	67
34	CF	148/149 (99%)	132 (89%)	16 (11%)	6	18
34	DF	148/149 (99%)	136 (92%)	12 (8%)	11	28
35	CG	137/137 (100%)	133 (97%)	4 (3%)	37	61
35	DG	137/137 (100%)	134 (98%)	3 (2%)	45	69
36	CH	114/114 (100%)	94 (82%)	20 (18%)	2	5
36	DH	114/114 (100%)	93 (82%)	21 (18%)	1	4
37	CJ	104/104 (100%)	97 (93%)	7 (7%)	15	36
37	DJ	104/104 (100%)	97 (93%)	7 (7%)	15	36
38	CK	116/116 (100%)	111 (96%)	5 (4%)	26	52
38	DK	116/116 (100%)	113 (97%)	3 (3%)	40	65
39	CL	103/104 (99%)	97 (94%)	6 (6%)	18	41
39	DL	104/104 (100%)	97 (93%)	7 (7%)	15	36
40	CM	103/103 (100%)	96 (93%)	7 (7%)	14	35

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
40	DM	103/103 (100%)	97 (94%)	6 (6%)	18	41
41	CN	108/108 (100%)	98 (91%)	10 (9%)	8	23
41	DN	109/108 (101%)	104 (95%)	5 (5%)	24	50
42	CO	100/102 (98%)	94 (94%)	6 (6%)	17	40
42	DO	102/102 (100%)	98 (96%)	4 (4%)	28	54
43	CP	86/87 (99%)	77 (90%)	9 (10%)	6	19
43	DP	87/87 (100%)	81 (93%)	6 (7%)	14	35
44	CQ	99/99 (100%)	93 (94%)	6 (6%)	17	40
44	DQ	99/99 (100%)	96 (97%)	3 (3%)	36	60
45	CR	89/89 (100%)	83 (93%)	6 (7%)	15	36
45	DR	89/89 (100%)	86 (97%)	3 (3%)	32	58
46	CS	84/84 (100%)	78 (93%)	6 (7%)	13	33
46	DS	84/84 (100%)	81 (96%)	3 (4%)	31	56
47	CT	93/93 (100%)	88 (95%)	5 (5%)	20	44
47	DT	93/93 (100%)	92 (99%)	1 (1%)	65	80
48	CU	80/80 (100%)	73 (91%)	7 (9%)	9	24
48	DU	80/80 (100%)	76 (95%)	4 (5%)	22	47
49	CV	83/84 (99%)	79 (95%)	4 (5%)	23	48
49	DV	83/84 (99%)	80 (96%)	3 (4%)	31	56
50	CW	78/78 (100%)	74 (95%)	4 (5%)	21	47
50	DW	78/78 (100%)	75 (96%)	3 (4%)	29	55
51	CX	56/58 (97%)	54 (96%)	2 (4%)	31	56
51	DX	58/58 (100%)	56 (97%)	2 (3%)	32	58
52	CY	67/67 (100%)	63 (94%)	4 (6%)	17	40
52	DY	67/67 (100%)	64 (96%)	3 (4%)	24	50
53	CZ	54/54 (100%)	49 (91%)	5 (9%)	8	23
53	DZ	54/54 (100%)	51 (94%)	3 (6%)	19	43
54	DI	103/103 (100%)	96 (93%)	7 (7%)	14	35
All	All	9461/9484 (100%)	8777 (93%)	684 (7%)	13	33

5 of 684 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
36	CH	57	LYS
33	DE	127	GLU
37	CJ	55	ILE
36	CH	55	GLU
43	CP	78	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 146 such sidechains are listed below:

Mol	Chain	Res	Type
52	CY	16	ASN
52	DY	36	HIS
33	DE	94	GLN
38	DK	47	HIS
3	BC	139	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1533/1534 (99%)	245 (15%)	27 (1%)
1	BA	1532/1534 (99%)	251 (16%)	28 (1%)
28	CB	117/120 (97%)	11 (9%)	0
28	DB	119/120 (99%)	9 (7%)	0
31	CA	2896/2904 (99%)	443 (15%)	72 (2%)
55	DA	2884/2904 (99%)	379 (13%)	57 (1%)
All	All	9081/9116 (99%)	1338 (14%)	184 (2%)

5 of 1338 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	4	U
1	AA	5	U
1	AA	6	G
1	AA	9	G
1	AA	22	G

5 of 184 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
31	CA	2286	G
55	DA	1070	A
31	CA	2430	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
55	DA	271	G
55	DA	1175	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

75 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
55	5MU	DA	1939	55	19,22,23	0.34	0	27,32,35	0.41	0
1	5MC	BA	1407	1	19,22,23	0.32	0	26,32,35	0.44	0
55	5MU	DA	747	55	19,22,23	0.46	0	27,32,35	0.44	0
31	OMG	CA	2251	31	23,26,27	0.38	0	32,38,41	0.41	0
31	PSU	CA	746	31,56	18,21,22	0.63	1 (5%)	21,30,33	0.44	0
55	OMG	DA	2251	55	23,26,27	0.40	0	32,38,41	0.51	0
1	MA6	AA	1519	1	23,26,27	0.50	0	33,38,41	1.28	4 (12%)
1	2MG	AA	1207	1	23,26,27	0.25	0	33,38,41	0.43	0
31	PSU	CA	2457	31	18,21,22	0.45	0	21,30,33	0.47	0
31	6MZ	CA	2030	31	22,25,26	0.43	0	29,36,39	0.59	1 (3%)
31	5MU	CA	747	31	19,22,23	0.34	0	27,32,35	0.39	0
31	5MU	CA	1939	31	19,22,23	0.48	0	27,32,35	0.41	0
55	2MG	DA	2445	55	23,26,27	0.53	0	33,38,41	0.52	0
55	3TD	DA	1915	55	19,22,23	0.54	0	23,32,35	0.86	1 (4%)
1	4OC	BA	1402	1	20,23,24	0.42	0	25,32,35	0.51	0
1	G7M	AA	527	1	23,26,27	0.69	0	34,39,42	1.48	4 (11%)
55	PSU	DA	2580	55	18,21,22	0.78	1 (5%)	21,30,33	0.69	0
31	1MG	CA	745	31	23,26,27	1.03	1 (4%)	33,39,42	0.64	1 (3%)
1	PSU	BA	516	1	18,21,22	0.40	0	21,30,33	0.46	0
55	H2U	DA	2449	55	18,21,22	0.47	0	19,30,33	0.50	0
1	MA6	BA	1519	1	23,26,27	0.44	0	33,38,41	1.27	4 (12%)
55	2MG	DA	1835	55	23,26,27	0.32	0	33,38,41	0.41	0
1	UR3	AA	1498	1	19,22,23	0.29	0	26,32,35	0.35	0
55	PSU	DA	2504	55	18,21,22	0.63	0	21,30,33	0.45	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
12	D2T	AL	89	12	8,9,10	1.33	1 (12%)	6,11,13	0.68	0
1	2MG	BA	1516	1	23,26,27	0.40	0	33,38,41	0.56	0
1	MA6	AA	1518	1	23,26,27	0.50	0	33,38,41	1.01	3 (9%)
31	PSU	CA	2580	31	18,21,22	0.41	0	21,30,33	0.68	1 (4%)
55	PSU	DA	2457	55	18,21,22	0.42	0	21,30,33	0.43	0
31	6MZ	CA	1618	31	22,25,26	0.43	0	29,36,39	0.77	1 (3%)
55	2MA	DA	2503	55,56	22,25,26	0.73	0	32,37,40	1.87	6 (18%)
55	PSU	DA	2605	55	18,21,22	0.40	0	21,30,33	0.56	0
41	4D4	DN	81[B]	-	9,11,12	1.49	1 (11%)	7,13,15	2.64	2 (28%)
1	UR3	BA	1498	1	19,22,23	0.50	0	26,32,35	0.83	1 (3%)
32	MEQ	DD	150[B]	32	8,9,10	1.97	1 (12%)	5,10,12	1.71	1 (20%)
31	2MA	CA	2503	31	22,25,26	0.74	1 (4%)	32,37,40	1.89	6 (18%)
55	6MZ	DA	2030	55	22,25,26	0.56	0	29,36,39	0.48	0
1	2MG	BA	966	1	23,26,27	0.25	0	33,38,41	0.38	0
1	5MC	BA	967	1	19,22,23	0.27	0	26,32,35	0.36	0
1	MA6	BA	1518	1	23,26,27	0.46	0	33,38,41	1.03	4 (12%)
55	PSU	DA	746	55,56	18,21,22	0.98	2 (11%)	21,30,33	0.50	0
31	OMU	CA	2552	31	19,22,23	0.32	0	25,31,34	0.31	0
55	OMU	DA	2552	55	19,22,23	0.33	0	25,31,34	0.36	0
55	1MG	DA	745	55	23,26,27	1.12	1 (4%)	33,39,42	0.70	1 (3%)
31	2MG	CA	2445	31	23,26,27	0.43	0	33,38,41	0.47	0
31	PSU	CA	2605	31	18,21,22	0.33	0	21,30,33	0.57	0
1	2MG	AA	1516	1	23,26,27	0.44	0	33,38,41	0.59	0
41	4D4	CN	81	41	9,11,12	2.09	2 (22%)	7,13,15	2.62	2 (28%)
55	PSU	DA	1911	55	18,21,22	0.30	0	21,30,33	0.39	0
55	OMC	DA	2498	55,56	19,22,23	0.41	0	25,31,34	0.56	0
1	G7M	BA	527	1	23,26,27	0.73	0	34,39,42	1.82	5 (14%)
55	6MZ	DA	1618	55	22,25,26	0.57	0	29,36,39	1.20	1 (3%)
55	PSU	DA	1917	55	18,21,22	0.41	0	21,30,33	0.50	0
1	2MG	BA	1207	1	23,26,27	0.31	0	33,38,41	0.46	0
31	2MG	CA	1835	31	23,26,27	0.37	0	33,38,41	0.38	0
1	5MC	AA	1407	1	19,22,23	0.34	0	26,32,35	0.46	0
31	PSU	CA	1911	31	18,21,22	0.27	0	21,30,33	0.40	0
55	5MC	DA	1962	55	19,22,23	0.46	0	26,32,35	0.50	0
1	2MG	AA	966	1	23,26,27	0.32	0	33,38,41	0.47	0
41	4D4	DN	81[A]	-	9,11,12	2.24	2 (22%)	7,13,15	2.37	2 (28%)
31	OMC	CA	2498	31,56	19,22,23	0.45	0	25,31,34	0.47	0
55	G7M	DA	2069	55	23,26,27	0.56	0	34,39,42	1.21	4 (11%)
55	PSU	DA	955	55	18,21,22	0.62	1 (5%)	21,30,33	0.64	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	5MC	AA	967	1	19,22,23	0.29	0	26,32,35	0.37	0
31	3TD	CA	1915	31	19,22,23	0.50	0	23,32,35	0.80	1 (4%)
32	MEQ	DD	150[A]	32	8,9,10	0.56	0	5,10,12	0.45	0
31	PSU	CA	1917	31	18,21,22	0.34	0	21,30,33	0.44	0
1	PSU	AA	516	56,1	18,21,22	0.27	0	21,30,33	0.45	0
55	PSU	DA	2604	55	18,21,22	0.55	0	21,30,33	0.65	0
1	4OC	AA	1402	1	20,23,24	0.30	0	25,32,35	0.52	0
12	D2T	BL	89	12	8,9,10	0.83	0	6,11,13	0.66	0
31	G7M	CA	2069	31	23,26,27	0.65	1 (4%)	34,39,42	1.38	4 (11%)
31	PSU	CA	955	31	18,21,22	0.30	0	21,30,33	0.53	0
31	5MC	CA	1962	31	19,22,23	0.24	0	26,32,35	0.37	0
31	PSU	CA	2504	31	18,21,22	0.40	0	21,30,33	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
55	5MU	DA	1939	55	-	0/7/25/26	0/2/2/2
1	5MC	BA	1407	1	-	0/7/25/26	0/2/2/2
55	5MU	DA	747	55	-	0/7/25/26	0/2/2/2
31	OMG	CA	2251	31	-	1/9/27/28	0/3/3/3
31	PSU	CA	746	31,56	-	2/7/25/26	0/2/2/2
55	OMG	DA	2251	55	-	1/9/27/28	0/3/3/3
1	MA6	AA	1519	1	-	0/11/29/30	0/3/3/3
1	2MG	AA	1207	1	-	0/9/27/28	0/3/3/3
31	PSU	CA	2457	31	-	0/7/25/26	0/2/2/2
31	6MZ	CA	2030	31	-	1/9/27/28	0/3/3/3
31	5MU	CA	747	31	-	0/7/25/26	0/2/2/2
31	5MU	CA	1939	31	-	0/7/25/26	0/2/2/2
55	2MG	DA	2445	55	-	0/9/27/28	0/3/3/3
55	3TD	DA	1915	55	-	0/7/25/26	0/2/2/2
1	4OC	BA	1402	1	-	0/9/29/30	0/2/2/2
1	G7M	AA	527	1	-	2/7/25/26	0/3/3/3
55	PSU	DA	2580	55	-	0/7/25/26	0/2/2/2
31	1MG	CA	745	31	-	0/7/25/26	0/3/3/3
1	PSU	BA	516	1	-	0/7/25/26	0/2/2/2
55	H2U	DA	2449	55	-	1/7/38/39	0/2/2/2
1	MA6	BA	1519	1	-	0/11/29/30	0/3/3/3
55	2MG	DA	1835	55	-	2/9/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	UR3	AA	1498	1	-	0/7/25/26	0/2/2/2
55	PSU	DA	2504	55	-	1/7/25/26	0/2/2/2
12	D2T	AL	89	12	-	2/7/12/14	-
1	2MG	BA	1516	1	-	0/9/27/28	0/3/3/3
1	MA6	AA	1518	1	-	0/11/29/30	0/3/3/3
31	PSU	CA	2580	31	-	0/7/25/26	0/2/2/2
55	PSU	DA	2457	55	-	0/7/25/26	0/2/2/2
31	6MZ	CA	1618	31	-	0/9/27/28	0/3/3/3
55	2MA	DA	2503	55,56	-	1/7/25/26	0/3/3/3
55	PSU	DA	2605	55	-	0/7/25/26	0/2/2/2
41	4D4	DN	81[B]	-	-	2/11/12/14	-
1	UR3	BA	1498	1	-	0/7/25/26	0/2/2/2
32	MEQ	DD	150[B]	32	-	4/8/9/11	-
31	2MA	CA	2503	31	-	1/7/25/26	0/3/3/3
55	6MZ	DA	2030	55	-	2/9/27/28	0/3/3/3
1	2MG	BA	966	1	-	0/9/27/28	0/3/3/3
1	5MC	BA	967	1	-	0/7/25/26	0/2/2/2
1	MA6	BA	1518	1	-	0/11/29/30	0/3/3/3
55	PSU	DA	746	55,56	-	2/7/25/26	0/2/2/2
31	OMU	CA	2552	31	-	1/9/27/28	0/2/2/2
55	OMU	DA	2552	55	-	1/9/27/28	0/2/2/2
55	1MG	DA	745	55	-	0/7/25/26	0/3/3/3
31	2MG	CA	2445	31	-	0/9/27/28	0/3/3/3
31	PSU	CA	2605	31	-	0/7/25/26	0/2/2/2
1	2MG	AA	1516	1	-	0/9/27/28	0/3/3/3
41	4D4	CN	81	41	-	1/11/12/14	-
55	PSU	DA	1911	55	-	0/7/25/26	0/2/2/2
55	OMC	DA	2498	55,56	-	0/9/27/28	0/2/2/2
1	G7M	BA	527	1	-	2/7/25/26	0/3/3/3
55	6MZ	DA	1618	55	-	0/9/27/28	0/3/3/3
55	PSU	DA	1917	55	-	0/7/25/26	0/2/2/2
1	2MG	BA	1207	1	-	0/9/27/28	0/3/3/3
31	2MG	CA	1835	31	-	2/9/27/28	0/3/3/3
1	5MC	AA	1407	1	-	0/7/25/26	0/2/2/2
31	PSU	CA	1911	31	-	0/7/25/26	0/2/2/2
55	5MC	DA	1962	55	-	2/7/25/26	0/2/2/2
1	2MG	AA	966	1	-	0/9/27/28	0/3/3/3
41	4D4	DN	81[A]	-	-	0/11/12/14	-
31	OMC	CA	2498	31,56	-	0/9/27/28	0/2/2/2
55	G7M	DA	2069	55	-	1/7/25/26	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
55	PSU	DA	955	55	-	0/7/25/26	0/2/2/2
1	5MC	AA	967	1	-	0/7/25/26	0/2/2/2
31	3TD	CA	1915	31	-	0/7/25/26	0/2/2/2
32	MEQ	DD	150[A]	32	-	3/8/9/11	-
31	PSU	CA	1917	31	-	0/7/25/26	0/2/2/2
1	PSU	AA	516	56,1	-	0/7/25/26	0/2/2/2
55	PSU	DA	2604	55	-	0/7/25/26	0/2/2/2
1	4OC	AA	1402	1	-	0/9/29/30	0/2/2/2
12	D2T	BL	89	12	-	4/7/12/14	-
31	G7M	CA	2069	31	-	1/7/25/26	0/3/3/3
31	PSU	CA	955	31	-	0/7/25/26	0/2/2/2
31	5MC	CA	1962	31	-	0/7/25/26	0/2/2/2
31	PSU	CA	2504	31	-	1/7/25/26	0/2/2/2

The worst 5 of 16 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
41	DN	81[A]	4D4	CZ-NE	6.08	1.45	1.33
41	CN	81	4D4	CZ-NE	5.59	1.44	1.33
32	DD	150[B]	MEQ	CB-CA	5.36	1.61	1.53
31	CA	745	1MG	C2-N1	4.46	1.45	1.37
55	DA	745	1MG	C2-N1	4.41	1.45	1.37

The worst 5 of 60 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	CA	2503	2MA	N6-C6-N1	8.25	128.16	117.03
55	DA	2503	2MA	N6-C6-N1	8.10	127.96	117.03
1	BA	527	G7M	C6-C5-N7	-6.31	124.27	132.17
55	DA	1618	6MZ	C9-N6-C6	6.11	128.52	122.85
41	CN	81	4D4	NE-CZ-NH2	5.78	130.60	120.67

There are no chirality outliers.

5 of 44 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	AA	527	G7M	O4'-C4'-C5'-O5'
12	AL	89	D2T	SB-CB-CG-OD2
1	BA	527	G7M	O4'-C4'-C5'-O5'
12	BL	89	D2T	CG-CB-SB-CB1
12	BL	89	D2T	CA-CB-CG-OD1

There are no ring outliers.

16 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
55	DA	747	5MU	1	0
1	AA	1519	MA6	1	0
31	CA	2030	6MZ	2	0
31	CA	747	5MU	1	0
55	DA	2445	2MG	1	0
55	DA	2449	H2U	1	0
1	BA	1519	MA6	1	0
12	AL	89	D2T	1	0
1	AA	1518	MA6	1	0
41	DN	81[B]	4D4	1	0
32	DD	150[B]	MEQ	1	0
31	CA	2503	2MA	1	0
55	DA	2030	6MZ	1	0
1	BA	1518	MA6	1	0
31	CA	2445	2MG	1	0
55	DA	2498	OMC	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 554 ligands modelled in this entry, 472 are monoatomic - leaving 82 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
58	MPD	DS	203	-	7,7,7	0.42	0	9,10,10	0.73	0
58	MPD	DT	202	-	7,7,7	0.75	0	9,10,10	0.43	0
65	SPD	DA	3187	-	9,9,9	0.16	0	8,8,8	0.43	0
58	MPD	DA	3203	-	7,7,7	0.83	0	9,10,10	0.65	0
63	EDO	DA	3198	-	3,3,3	0.61	0	2,2,2	0.39	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
58	MPD	DA	3209	-	7,7,7	0.63	0	9,10,10	0.41	0
62	PEG	DA	3217	-	6,6,6	0.30	0	5,5,5	0.08	0
58	MPD	AA	1676	-	7,7,7	0.54	0	9,10,10	0.45	0
62	PEG	DA	3226	-	6,6,6	0.43	0	5,5,5	0.27	0
59	PUT	DA	3195	-	5,5,5	0.32	0	4,4,4	0.55	0
59	PUT	DA	3218	-	5,5,5	0.13	0	4,4,4	0.09	0
63	EDO	DA	3003	-	3,3,3	0.71	0	2,2,2	0.17	0
58	MPD	DA	3190	-	7,7,7	0.44	0	9,10,10	0.51	0
57	PG4	DS	202	-	12,12,12	0.47	0	11,11,11	0.43	0
67	ACY	DA	3201	-	3,3,3	0.97	0	3,3,3	0.93	0
58	MPD	AA	1671	-	7,7,7	0.64	0	9,10,10	0.50	0
62	PEG	DL	201	-	6,6,6	0.13	0	5,5,5	0.11	0
58	MPD	DA	3192	-	7,7,7	0.63	0	9,10,10	0.83	0
58	MPD	DA	3206	-	7,7,7	0.94	1 (14%)	9,10,10	0.55	0
62	PEG	AL	201	-	6,6,6	0.25	0	5,5,5	0.13	0
63	EDO	DA	3207	-	3,3,3	0.65	0	2,2,2	0.21	0
63	EDO	DA	3004	-	3,3,3	0.67	0	2,2,2	0.17	0
58	MPD	DK	201	-	7,7,7	0.68	0	9,10,10	0.24	0
59	PUT	DA	3002	-	5,5,5	0.20	0	4,4,4	0.07	0
68	GUN	DA	3210	-	12,12,12	0.69	0	15,17,17	0.47	0
58	MPD	DN	201	-	7,7,7	1.01	1 (14%)	9,10,10	0.63	0
63	EDO	DA	3197	-	3,3,3	0.59	0	2,2,2	0.27	0
58	MPD	DE	302	-	7,7,7	0.83	0	9,10,10	0.52	0
62	PEG	DP	201	-	6,6,6	0.29	0	5,5,5	0.16	0
67	ACY	DA	3191	-	3,3,3	1.01	0	3,3,3	0.90	0
59	PUT	DA	3188	-	5,5,5	0.44	0	4,4,4	0.28	0
64	PGE	DA	3224	-	9,9,9	0.24	0	8,8,8	0.17	0
57	PG4	DA	3193	-	12,12,12	0.30	0	11,11,11	0.43	0
62	PEG	DA	3199	-	6,6,6	0.30	0	5,5,5	0.20	0
59	PUT	DA	3189	-	5,5,5	0.47	0	4,4,4	0.45	0
59	PUT	DA	3204	-	5,5,5	0.35	0	4,4,4	0.30	0
59	PUT	DA	3211	-	5,5,5	0.31	0	4,4,4	0.20	0
59	PUT	AA	1673	-	5,5,5	0.15	0	4,4,4	0.15	0
64	PGE	DA	3216	-	9,9,9	0.14	0	8,8,8	0.25	0
63	EDO	DB	210	-	3,3,3	0.54	0	2,2,2	0.27	0
59	PUT	AA	1675	-	5,5,5	0.20	0	4,4,4	0.23	0
67	ACY	DA	3196	-	3,3,3	1.43	1 (33%)	3,3,3	0.84	0
63	EDO	D1	101	-	3,3,3	0.61	0	2,2,2	0.18	0
62	PEG	D1	103	-	6,6,6	0.43	0	5,5,5	0.15	0
65	SPD	DA	3205	-	9,9,9	0.24	0	8,8,8	0.19	0
59	PUT	DA	3221	-	5,5,5	0.45	0	4,4,4	0.66	0
57	PG4	DQ	202	-	12,12,12	0.15	0	11,11,11	0.16	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
65	SPD	DA	3223	-	9,9,9	0.17	0	8,8,8	0.69	0
63	EDO	DA	3208	-	3,3,3	0.53	0	2,2,2	0.34	0
60	T1C	BA	1643	56	45,45,45	1.02	3 (6%)	56,72,72	1.55	6 (10%)
64	PGE	D1	102	-	9,9,9	0.30	0	8,8,8	0.30	0
64	PGE	DS	201	-	9,9,9	0.48	0	8,8,8	0.48	0
63	EDO	DB	211	-	3,3,3	0.54	0	2,2,2	0.22	0
59	PUT	DA	3212	-	5,5,5	0.37	0	4,4,4	0.33	0
62	PEG	DQ	201	-	6,6,6	0.21	0	5,5,5	0.15	0
64	PGE	DU	101	-	9,9,9	0.25	0	8,8,8	0.37	0
59	PUT	AA	1672	-	5,5,5	0.22	0	4,4,4	0.19	0
57	PG4	DA	3215	-	12,12,12	0.16	0	11,11,11	0.13	0
62	PEG	DA	3200	-	6,6,6	0.52	0	5,5,5	0.28	0
57	PG4	DR	202	-	12,12,12	0.43	0	11,11,11	0.54	0
66	1PE	DA	3202	-	15,15,15	0.35	0	14,14,14	0.40	0
62	PEG	DA	3225	-	6,6,6	0.50	0	5,5,5	0.26	0
59	PUT	DA	3184	-	5,5,5	0.23	0	4,4,4	0.16	0
65	SPD	DA	3183	-	9,9,9	0.12	0	8,8,8	0.20	0
63	EDO	DA	3001	-	3,3,3	0.78	0	2,2,2	0.15	0
57	PG4	BA	1642	-	12,12,12	0.20	0	11,11,11	0.22	0
59	PUT	AA	1674	-	5,5,5	0.15	0	4,4,4	0.14	0
60	T1C	AA	1677	56	45,45,45	1.06	4 (8%)	56,72,72	1.61	5 (8%)
64	PGE	DA	3186	-	9,9,9	0.35	0	8,8,8	0.56	0
62	PEG	D3	102	-	6,6,6	0.33	0	5,5,5	0.24	0
58	MPD	DE	301	-	7,7,7	0.79	0	9,10,10	0.81	0
64	PGE	DA	3213	-	9,9,9	0.16	0	8,8,8	0.18	0
64	PGE	DD	301	-	9,9,9	0.29	0	8,8,8	0.33	0
63	EDO	DA	3194	-	3,3,3	0.60	0	2,2,2	0.12	0
69	TRS	DA	3219	-	7,7,7	0.35	0	9,9,9	0.36	0
64	PGE	D3	101	-	9,9,9	0.29	0	8,8,8	0.23	0
63	EDO	DA	3214	-	3,3,3	0.61	0	2,2,2	0.28	0
58	MPD	DT	201	-	7,7,7	0.57	0	9,10,10	0.19	0
59	PUT	DA	3222	-	5,5,5	0.30	0	4,4,4	0.29	0
59	PUT	DA	3220	-	5,5,5	0.18	0	4,4,4	0.14	0
66	1PE	DA	3185	-	15,15,15	0.16	0	14,14,14	0.15	0
57	PG4	AA	1670	-	12,12,12	0.26	0	11,11,11	0.41	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
58	MPD	DS	203	-	-	0/5/5/5	-
58	MPD	DT	202	-	-	3/5/5/5	-
65	SPD	DA	3187	-	-	0/7/7/7	-
58	MPD	DA	3203	-	-	1/5/5/5	-
63	EDO	DA	3198	-	-	1/1/1/1	-
58	MPD	DA	3209	-	-	1/5/5/5	-
62	PEG	DA	3217	-	-	3/4/4/4	-
58	MPD	AA	1676	-	-	1/5/5/5	-
62	PEG	DA	3226	-	-	0/4/4/4	-
59	PUT	DA	3195	-	-	1/3/3/3	-
59	PUT	DA	3218	-	-	0/3/3/3	-
63	EDO	DA	3003	-	-	0/1/1/1	-
58	MPD	DA	3190	-	-	2/5/5/5	-
57	PG4	DS	202	-	-	2/10/10/10	-
58	MPD	AA	1671	-	-	1/5/5/5	-
62	PEG	DL	201	-	-	2/4/4/4	-
58	MPD	DA	3192	-	-	2/5/5/5	-
58	MPD	DA	3206	-	-	2/5/5/5	-
62	PEG	AL	201	-	-	2/4/4/4	-
63	EDO	DA	3207	-	-	0/1/1/1	-
63	EDO	DA	3004	-	-	0/1/1/1	-
58	MPD	DK	201	-	-	2/5/5/5	-
59	PUT	DA	3002	-	-	0/3/3/3	-
68	GUN	DA	3210	-	-	-	0/2/2/2
58	MPD	DN	201	-	-	3/5/5/5	-
63	EDO	DA	3197	-	-	0/1/1/1	-
58	MPD	DE	302	-	-	1/5/5/5	-
62	PEG	DP	201	-	-	2/4/4/4	-
59	PUT	DA	3188	-	-	0/3/3/3	-
64	PGE	DA	3224	-	-	4/7/7/7	-
57	PG4	DA	3193	-	-	8/10/10/10	-
62	PEG	DA	3199	-	-	3/4/4/4	-
59	PUT	DA	3189	-	-	0/3/3/3	-
59	PUT	DA	3204	-	-	1/3/3/3	-
59	PUT	DA	3211	-	-	0/3/3/3	-
59	PUT	AA	1673	-	-	0/3/3/3	-
64	PGE	DA	3216	-	-	4/7/7/7	-
63	EDO	DB	210	-	-	0/1/1/1	-
59	PUT	AA	1675	-	-	1/3/3/3	-
63	EDO	D1	101	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
62	PEG	D1	103	-	-	1/4/4/4	-
65	SPD	DA	3205	-	-	5/7/7/7	-
59	PUT	DA	3221	-	-	1/3/3/3	-
57	PG4	DQ	202	-	-	1/10/10/10	-
65	SPD	DA	3223	-	-	4/7/7/7	-
63	EDO	DA	3208	-	-	0/1/1/1	-
60	T1C	BA	1643	56	-	11/22/80/80	0/4/4/4
64	PGE	D1	102	-	-	4/7/7/7	-
64	PGE	DS	201	-	-	3/7/7/7	-
63	EDO	DB	211	-	-	0/1/1/1	-
59	PUT	DA	3212	-	-	1/3/3/3	-
62	PEG	DQ	201	-	-	2/4/4/4	-
64	PGE	DU	101	-	-	4/7/7/7	-
59	PUT	AA	1672	-	-	0/3/3/3	-
57	PG4	DA	3215	-	-	4/10/10/10	-
62	PEG	DA	3200	-	-	3/4/4/4	-
57	PG4	DR	202	-	-	6/10/10/10	-
66	1PE	DA	3202	-	-	8/13/13/13	-
62	PEG	DA	3225	-	-	2/4/4/4	-
59	PUT	DA	3184	-	-	0/3/3/3	-
65	SPD	DA	3183	-	-	1/7/7/7	-
63	EDO	DA	3001	-	-	1/1/1/1	-
57	PG4	BA	1642	-	-	0/10/10/10	-
59	PUT	AA	1674	-	-	0/3/3/3	-
60	T1C	AA	1677	56	-	8/22/80/80	0/4/4/4
64	PGE	DA	3186	-	-	4/7/7/7	-
62	PEG	D3	102	-	-	2/4/4/4	-
58	MPD	DE	301	-	-	5/5/5/5	-
64	PGE	DA	3213	-	-	3/7/7/7	-
64	PGE	DD	301	-	-	4/7/7/7	-
63	EDO	DA	3194	-	-	1/1/1/1	-
69	TRS	DA	3219	-	-	0/9/9/9	-
64	PGE	D3	101	-	-	2/7/7/7	-
63	EDO	DA	3214	-	-	0/1/1/1	-
58	MPD	DT	201	-	-	2/5/5/5	-
59	PUT	DA	3222	-	-	1/3/3/3	-
59	PUT	DA	3220	-	-	0/3/3/3	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
66	1PE	DA	3185	-	-	5/13/13/13	-
57	PG4	AA	1670	-	-	4/10/10/10	-

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
60	BA	1643	T1C	C4-C3	3.40	1.58	1.51
60	AA	1677	T1C	C4-C3	3.00	1.57	1.51
60	AA	1677	T1C	C7-C61	2.77	1.43	1.40
60	BA	1643	T1C	C7-C61	2.66	1.43	1.40
60	BA	1643	T1C	C7-N7	2.63	1.49	1.42

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
60	BA	1643	T1C	C92-N92-C93	6.95	124.57	115.77
60	AA	1677	T1C	C92-N92-C93	6.82	124.40	115.77
60	AA	1677	T1C	C61-C6-C51	-4.93	106.59	113.12
60	BA	1643	T1C	C8-C9-C10	-4.80	115.88	120.53
60	AA	1677	T1C	C8-C9-C10	-4.33	116.33	120.53

There are no chirality outliers.

5 of 156 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
58	AA	1676	MPD	C2-C3-C4-O4
58	DE	301	MPD	C1-C2-C3-C4
58	DE	301	MPD	O2-C2-C3-C4
58	DE	301	MPD	C2-C3-C4-O4
58	DE	301	MPD	C2-C3-C4-C5

There are no ring outliers.

30 monomers are involved in 48 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
58	DA	3203	MPD	2	0
59	DA	3195	PUT	3	0
59	DA	3218	PUT	1	0
58	DA	3190	MPD	1	0
57	DS	202	PG4	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
58	DA	3192	MPD	2	0
58	DN	201	MPD	1	0
63	DA	3197	EDO	1	0
62	DP	201	PEG	1	0
64	DA	3224	PGE	3	0
57	DA	3193	PG4	1	0
59	DA	3189	PUT	1	0
64	DA	3216	PGE	1	0
62	D1	103	PEG	1	0
59	DA	3221	PUT	3	0
65	DA	3223	SPD	4	0
64	D1	102	PGE	2	0
63	DB	211	EDO	1	0
59	DA	3212	PUT	1	0
64	DU	101	PGE	1	0
57	DA	3215	PG4	1	0
62	DA	3200	PEG	1	0
57	DR	202	PG4	5	0
62	D3	102	PEG	2	0
64	DA	3213	PGE	1	0
64	DD	301	PGE	2	0
63	DA	3194	EDO	1	0
69	DA	3219	TRS	1	0
59	DA	3222	PUT	1	0
57	AA	1670	PG4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AA	1523/1534 (99%)	0.74	136 (8%) 15 14	46, 105, 241, 293	0
1	BA	1522/1534 (99%)	1.26	309 (20%) 3 2	61, 140, 279, 284	0
2	AB	224/224 (100%)	1.24	42 (18%) 3 3	83, 127, 202, 270	0
2	BB	224/224 (100%)	1.40	45 (20%) 3 2	99, 144, 211, 261	0
3	AC	206/206 (100%)	1.04	23 (11%) 10 9	80, 108, 141, 163	0
3	BC	206/206 (100%)	1.57	58 (28%) 1 1	115, 151, 190, 231	0
4	AD	205/205 (100%)	0.95	20 (9%) 13 12	64, 103, 131, 154	0
4	BD	205/205 (100%)	0.64	10 (4%) 35 29	61, 81, 107, 131	0
5	AE	155/155 (100%)	0.83	21 (13%) 7 6	67, 91, 133, 169	0
5	BE	150/155 (96%)	1.23	25 (16%) 4 4	77, 97, 144, 227	0
6	AF	106/106 (100%)	0.86	10 (9%) 14 12	82, 105, 128, 142	0
6	BF	100/106 (94%)	0.88	6 (6%) 27 23	86, 121, 146, 154	0
7	AG	151/151 (100%)	1.38	34 (22%) 2 2	107, 137, 166, 179	0
7	BG	151/151 (100%)	1.93	69 (45%) 0 0	147, 202, 218, 228	0
8	AH	129/129 (100%)	0.85	16 (12%) 8 8	71, 91, 118, 136	0
8	BH	129/129 (100%)	1.37	22 (17%) 4 3	91, 116, 150, 168	0
9	AI	127/127 (100%)	1.61	37 (29%) 1 1	96, 132, 169, 200	0
9	BI	127/127 (100%)	2.18	59 (46%) 0 0	138, 176, 209, 229	0
10	AJ	99/99 (100%)	1.80	33 (33%) 1 1	94, 121, 153, 168	0
10	BJ	98/99 (98%)	2.04	46 (46%) 0 0	141, 171, 197, 207	0
11	AK	117/117 (100%)	1.27	19 (16%) 4 4	68, 112, 147, 163	0
11	BK	117/117 (100%)	1.36	24 (20%) 2 2	83, 116, 148, 168	0
12	AL	122/123 (99%)	0.76	12 (9%) 13 12	55, 72, 104, 132	0
12	BL	122/123 (99%)	1.45	33 (27%) 1 1	79, 97, 118, 142	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å²)	Q<0.9	
13	AM	114/114 (100%)	1.81	45 (39%)	10	0	106, 131, 182, 202	0
13	BM	114/114 (100%)	1.81	41 (35%)	1	1	203, 237, 245, 249	0
14	AN	100/100 (100%)	1.95	45 (45%)	0	0	90, 117, 206, 215	0
14	BN	100/100 (100%)	2.05	55 (55%)	0	0	132, 181, 239, 250	0
15	AO	88/88 (100%)	0.93	10 (11%)	10	9	72, 94, 112, 132	0
15	BO	88/88 (100%)	1.14	12 (13%)	7	6	79, 112, 132, 150	0
16	AP	82/82 (100%)	0.96	6 (7%)	21	18	67, 86, 121, 139	0
16	BP	82/82 (100%)	2.37	53 (64%)	0	0	94, 111, 157, 166	0
17	AQ	80/80 (100%)	0.83	4 (5%)	34	28	70, 86, 119, 143	0
17	BQ	80/80 (100%)	1.75	29 (36%)	1	1	100, 128, 151, 156	0
18	AR	55/55 (100%)	1.09	7 (12%)	8	7	79, 99, 135, 164	0
18	BR	55/55 (100%)	1.10	6 (10%)	10	9	80, 96, 129, 157	0
19	AS	79/79 (100%)	1.81	29 (36%)	1	1	103, 119, 156, 164	0
19	BS	79/79 (100%)	1.97	30 (37%)	1	0	215, 232, 243, 251	0
20	AT	86/86 (100%)	1.26	11 (12%)	7	7	70, 85, 120, 133	0
20	BT	85/86 (98%)	2.29	48 (56%)	0	0	108, 128, 165, 179	0
21	AU	56/56 (100%)	1.15	7 (12%)	8	7	83, 123, 159, 172	0
21	BU	56/56 (100%)	1.08	8 (14%)	6	6	80, 106, 149, 160	0
22	C1	56/56 (100%)	2.95	37 (66%)	0	0	110, 150, 178, 195	0
22	D1	56/56 (100%)	0.73	1 (1%)	67	59	26, 46, 71, 102	0
23	C2	50/51 (98%)	2.13	23 (46%)	0	0	133, 148, 161, 183	0
23	D2	51/51 (100%)	0.97	9 (17%)	4	3	55, 69, 95, 110	0
24	C3	46/46 (100%)	3.04	41 (89%)	0	0	108, 117, 127, 138	0
24	D3	46/46 (100%)	0.60	3 (6%)	25	21	38, 46, 61, 104	0
25	C4	64/64 (100%)	3.43	55 (85%)	0	0	112, 130, 142, 148	0
25	D4	64/64 (100%)	0.69	2 (3%)	51	44	36, 44, 53, 68	0
26	C5	38/38 (100%)	2.32	22 (57%)	0	0	108, 122, 133, 143	0
26	D5	38/38 (100%)	0.76	2 (5%)	32	27	43, 54, 68, 91	0
27	C0	58/58 (100%)	2.32	31 (53%)	0	0	104, 121, 140, 143	0
27	D0	58/58 (100%)	0.85	5 (8%)	16	14	29, 40, 57, 72	2 (3%)
28	CB	118/120 (98%)	1.29	17 (14%)	6	5	140, 195, 250, 254	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
28	DB	120/120 (100%)	-0.10	0 100 100	33, 60, 99, 143	0
29	CC	271/272 (99%)	2.16	119 (43%) 0 0	88, 119, 152, 165	0
29	DC	271/272 (99%)	0.38	16 (5%) 28 23	31, 57, 83, 96	0
30	CD	209/209 (100%)	2.44	124 (59%) 0 0	103, 134, 170, 190	0
31	CA	2876/2904 (99%)	1.90	1177 (40%) 0 0	73, 178, 274, 295	0
32	DD	208/209 (99%)	-0.08	3 (1%) 73 67	22, 41, 69, 91	0
33	CE	201/201 (100%)	2.39	112 (55%) 0 0	119, 167, 201, 218	0
33	DE	201/201 (100%)	0.31	3 (1%) 72 65	31, 59, 101, 141	0
34	CF	177/178 (99%)	1.47	37 (20%) 2 2	204, 217, 226, 233	0
34	DF	177/178 (99%)	0.75	5 (2%) 55 47	58, 84, 125, 138	0
35	CG	176/176 (100%)	1.53	44 (25%) 2 1	140, 181, 219, 228	0
35	DG	176/176 (100%)	0.52	8 (4%) 38 31	49, 73, 99, 128	0
36	CH	149/149 (100%)	1.31	26 (17%) 4 3	86, 156, 175, 183	0
36	DH	149/149 (100%)	1.40	33 (22%) 2 2	79, 157, 193, 208	0
37	CJ	134/134 (100%)	1.98	54 (40%) 0 0	236, 253, 264, 272	0
37	DJ	134/134 (100%)	2.16	63 (47%) 0 0	204, 229, 238, 246	0
38	CK	142/142 (100%)	2.30	74 (52%) 0 0	105, 129, 168, 221	0
38	DK	142/142 (100%)	-0.19	2 (1%) 73 67	25, 37, 61, 75	0
39	CL	122/123 (99%)	1.64	43 (35%) 1 1	95, 116, 149, 167	0
39	DL	123/123 (100%)	0.01	1 (0%) 82 78	30, 46, 71, 109	0
40	CM	144/144 (100%)	2.78	98 (68%) 0 0	113, 163, 214, 236	0
40	DM	144/144 (100%)	0.52	13 (9%) 15 13	21, 58, 88, 117	0
41	CN	135/136 (99%)	1.89	52 (38%) 1 0	98, 119, 150, 189	0
41	DN	135/136 (99%)	-0.17	0 100 100	20, 43, 69, 88	1 (0%)
42	CO	120/125 (96%)	2.56	74 (61%) 0 0	110, 132, 155, 186	0
42	DO	125/125 (100%)	-0.08	1 (0%) 82 78	29, 39, 68, 111	0
43	CP	116/117 (99%)	1.44	26 (22%) 2 2	147, 171, 185, 189	0
43	DP	117/117 (100%)	0.42	2 (1%) 69 62	47, 60, 87, 97	0
44	CQ	114/114 (100%)	1.84	41 (35%) 1 1	108, 126, 156, 172	0
44	DQ	114/114 (100%)	0.03	1 (0%) 81 76	34, 52, 82, 114	0
45	CR	117/117 (100%)	2.70	71 (60%) 0 0	98, 138, 174, 199	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
45	DR	117/117 (100%)	-0.14	1 (0%) 81 76	23, 33, 48, 70	0
46	CS	103/103 (100%)	2.48	55 (53%) 0 0	114, 143, 185, 201	0
46	DS	103/103 (100%)	0.01	2 (1%) 66 58	26, 45, 71, 93	0
47	CT	110/110 (100%)	2.67	81 (73%) 0 0	109, 137, 180, 193	0
47	DT	110/110 (100%)	-0.01	2 (1%) 67 59	21, 36, 60, 118	0
48	CU	93/93 (100%)	2.60	62 (66%) 0 0	131, 156, 184, 194	0
48	DU	93/93 (100%)	0.68	5 (5%) 31 26	37, 60, 114, 130	0
49	CV	102/103 (99%)	2.72	68 (66%) 0 0	119, 167, 203, 213	0
49	DV	102/103 (99%)	0.45	5 (4%) 35 29	47, 64, 112, 144	0
50	CW	94/94 (100%)	1.36	17 (18%) 3 3	125, 145, 165, 170	0
50	DW	94/94 (100%)	0.22	2 (2%) 63 55	38, 56, 80, 92	0
51	CX	75/76 (98%)	2.03	32 (42%) 0 0	111, 134, 148, 178	0
51	DX	76/76 (100%)	0.29	2 (2%) 57 49	20, 45, 69, 107	1 (1%)
52	CY	77/77 (100%)	2.22	45 (58%) 0 0	103, 122, 147, 168	0
52	DY	77/77 (100%)	0.37	2 (2%) 57 49	37, 59, 92, 108	0
53	CZ	62/62 (100%)	2.18	35 (56%) 0 0	134, 171, 184, 195	0
53	DZ	62/62 (100%)	0.73	3 (4%) 35 30	52, 75, 111, 132	0
54	DI	135/135 (100%)	1.90	49 (36%) 1 1	82, 158, 202, 211	1 (0%)
55	DA	2873/2904 (98%)	-0.10	122 (4%) 40 33	18, 48, 215, 300	11 (0%)
All	All	20634/20751 (99%)	1.15	4716 (22%) 2 2	18, 116, 247, 300	16 (0%)

The worst 5 of 4716 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
22	C1	2	ALA	12.3
29	CC	241	GLY	11.0
29	CC	242	LYS	10.4
9	BI	16	ALA	9.9
48	CU	43	ILE	9.6

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column

labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	2MG	BA	966	24/25	0.59	0.15	153,160,171,171	0
1	5MC	BA	967	21/22	0.63	0.17	153,164,167,167	0
1	2MG	BA	1207	24/25	0.63	0.13	158,161,165,168	0
31	PSU	CA	1911	20/21	0.72	0.11	123,137,138,139	0
31	PSU	CA	1917	20/21	0.73	0.12	119,125,134,135	0
31	2MA	CA	2503	23/24	0.76	0.23	110,115,118,118	0
31	PSU	CA	2457	20/21	0.77	0.17	106,107,108,109	0
31	3TD	CA	1915	21/22	0.77	0.10	150,155,157,157	0
31	PSU	CA	746	20/21	0.78	0.15	120,123,126,127	0
31	PSU	CA	2580	20/21	0.78	0.15	102,105,109,109	0
1	PSU	BA	516	20/21	0.81	0.13	88,99,102,104	0
31	PSU	CA	2504	20/21	0.81	0.18	98,108,110,111	0
31	6MZ	CA	1618	23/24	0.81	0.18	136,143,148,149	0
31	PSU	CA	955	20/21	0.82	0.16	107,112,115,115	0
55	3TD	DA	1915	21/22	0.83	0.12	103,106,112,113	0
41	4D4	CN	81	12/13	0.83	0.16	112,122,143,143	0
31	6MZ	CA	2030	23/24	0.84	0.17	108,114,116,117	0
1	2MG	AA	966	24/25	0.86	0.14	95,98,107,108	0
1	2MG	AA	1207	24/25	0.86	0.12	114,118,121,124	0
31	G7M	CA	2069	24/25	0.86	0.20	109,112,115,116	0
31	OMG	CA	2251	24/25	0.86	0.15	90,95,100,101	0
55	PSU	DA	1917	20/21	0.86	0.11	74,82,90,90	0
12	D2T	AL	89	10/11	0.86	0.16	66,71,78,78	0
55	PSU	DA	1911	20/21	0.87	0.11	78,88,91,91	0
31	1MG	CA	745	24/25	0.87	0.15	106,113,118,121	0
31	OMU	CA	2552	21/22	0.87	0.24	91,96,100,101	0
12	D2T	BL	89	10/11	0.87	0.17	86,88,94,95	0
31	5MU	CA	747	21/22	0.88	0.14	126,128,130,131	0
1	UR3	BA	1498	21/22	0.88	0.12	89,93,97,98	0
31	OMC	CA	2498	21/22	0.89	0.17	97,102,104,106	0
1	PSU	AA	516	20/21	0.89	0.13	88,92,97,97	0
1	5MC	BA	1407	21/22	0.89	0.14	100,109,114,117	0
31	2MG	CA	1835	24/25	0.90	0.14	74,76,78,78	0
31	2MG	CA	2445	24/25	0.90	0.17	105,110,112,113	0
31	5MU	CA	1939	21/22	0.90	0.15	75,79,81,82	0
31	PSU	CA	2605	20/21	0.91	0.12	82,84,86,87	0
1	5MC	AA	967	21/22	0.91	0.13	90,106,107,108	0
31	5MC	CA	1962	21/22	0.91	0.12	72,78,79,82	0
1	2MG	BA	1516	24/25	0.91	0.12	82,90,99,100	0
1	G7M	BA	527	24/25	0.91	0.10	75,80,83,84	0
1	G7M	AA	527	24/25	0.92	0.11	63,67,73,74	0
32	MEQ	DD	150[B]	10/11	0.93	0.14	27,32,45,50	10

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	MA6	BA	1518	24/25	0.93	0.12	84,88,95,96	0
1	4OC	BA	1402	22/23	0.93	0.10	78,81,84,85	0
1	UR3	AA	1498	21/22	0.93	0.10	64,68,72,73	0
32	MEQ	DD	150[A]	10/11	0.93	0.14	14,23,32,32	10
1	MA6	BA	1519	24/25	0.94	0.12	84,87,91,92	0
1	MA6	AA	1518	24/25	0.95	0.10	60,61,62,64	0
1	5MC	AA	1407	21/22	0.95	0.09	60,61,63,64	0
55	PSU	DA	2604	20/21	0.95	0.09	37,42,54,55	0
1	2MG	AA	1516	24/25	0.95	0.09	58,61,62,63	0
41	4D4	DN	81[A]	12/13	0.95	0.14	33,38,53,55	9
41	4D4	DN	81[B]	12/13	0.95	0.14	27,32,34,35	9
55	2MG	DA	1835	24/25	0.96	0.08	49,55,56,56	0
1	4OC	AA	1402	22/23	0.96	0.08	61,68,72,73	0
55	5MU	DA	1939	21/22	0.96	0.10	35,38,40,43	0
55	5MC	DA	1962	21/22	0.96	0.11	43,46,50,52	0
55	OMU	DA	2552	21/22	0.97	0.10	33,37,39,43	0
1	MA6	AA	1519	24/25	0.97	0.09	61,62,70,71	0
55	PSU	DA	2605	20/21	0.97	0.07	35,41,43,44	0
55	OMG	DA	2251	24/25	0.98	0.07	29,33,35,39	0
55	2MG	DA	2445	24/25	0.98	0.09	25,29,33,34	0
55	H2U	DA	2449	20/21	0.98	0.08	27,30,36,39	0
55	PSU	DA	2457	20/21	0.98	0.07	25,29,31,35	0
55	2MA	DA	2503	23/24	0.98	0.06	33,36,39,43	0
55	PSU	DA	2504	20/21	0.98	0.12	33,41,49,52	0
55	PSU	DA	955	20/21	0.98	0.07	27,28,32,35	0
55	PSU	DA	2580	20/21	0.98	0.07	25,30,33,35	0
55	6MZ	DA	1618	23/24	0.98	0.06	25,30,32,35	0
55	PSU	DA	746	20/21	0.98	0.06	28,32,36,38	0
55	5MU	DA	747	21/22	0.98	0.06	28,31,37,38	0
55	6MZ	DA	2030	23/24	0.98	0.07	24,28,32,39	0
55	G7M	DA	2069	24/25	0.98	0.07	26,35,36,37	0
55	OMC	DA	2498	21/22	0.99	0.07	20,27,31,37	0
55	1MG	DA	745	24/25	0.99	0.06	28,31,33,38	0

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
56	MG	CA	3110	1/1	-0.27	0.42	188,188,188,188	0
56	MG	CA	3130	1/1	-0.07	0.44	141,141,141,141	0
56	MG	CA	3132	1/1	-0.05	0.38	152,152,152,152	0
56	MG	CA	3146	1/1	-0.02	0.25	247,247,247,247	0
56	MG	CA	3140	1/1	0.07	0.26	147,147,147,147	0
56	MG	AA	1622	1/1	0.17	0.36	130,130,130,130	0
56	MG	CA	3061	1/1	0.18	0.20	274,274,274,274	0
56	MG	CA	3123	1/1	0.22	0.25	188,188,188,188	0
56	MG	BA	1640	1/1	0.24	0.49	156,156,156,156	0
56	MG	BA	1636	1/1	0.24	0.37	172,172,172,172	0
56	MG	CA	3141	1/1	0.26	0.50	109,109,109,109	0
56	MG	CA	3142	1/1	0.26	0.34	133,133,133,133	0
56	MG	CA	3139	1/1	0.26	0.42	139,139,139,139	0
56	MG	CA	3007	1/1	0.27	0.12	257,257,257,257	0
56	MG	CA	3126	1/1	0.30	0.35	136,136,136,136	0
56	MG	CA	3077	1/1	0.30	0.20	252,252,252,252	0
56	MG	CA	3124	1/1	0.32	0.23	202,202,202,202	0
56	MG	CA	3154	1/1	0.33	0.39	155,155,155,155	0
56	MG	CA	3111	1/1	0.34	0.37	159,159,159,159	0
56	MG	BA	1641	1/1	0.39	0.21	140,140,140,140	0
56	MG	AA	1606	1/1	0.39	0.61	120,120,120,120	0
56	MG	CA	3032	1/1	0.39	0.17	269,269,269,269	0
56	MG	BA	1603	1/1	0.40	0.13	261,261,261,261	0
56	MG	DA	3145	1/1	0.42	0.29	101,101,101,101	0
56	MG	CA	3038	1/1	0.44	0.17	268,268,268,268	0
56	MG	CA	3075	1/1	0.46	0.24	253,253,253,253	0
56	MG	CA	3005	1/1	0.46	0.23	253,253,253,253	0
56	MG	DA	3124	1/1	0.47	0.63	114,114,114,114	0
56	MG	CA	3122	1/1	0.47	0.38	136,136,136,136	0
56	MG	CA	3034	1/1	0.48	0.23	256,256,256,256	0
56	MG	CA	3108	1/1	0.49	0.42	109,109,109,109	0
56	MG	CA	3129	1/1	0.49	0.37	141,141,141,141	0
56	MG	AA	1609	1/1	0.49	0.39	107,107,107,107	0
56	MG	CA	3002	1/1	0.50	0.21	259,259,259,259	0
56	MG	CA	3104	1/1	0.50	0.20	263,263,263,263	0
56	MG	DA	3168	1/1	0.50	0.24	108,108,108,108	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	CA	3107	1/1	0.51	0.47	106,106,106,106	0
56	MG	AA	1608	1/1	0.51	0.46	119,119,119,119	0
56	MG	CA	3060	1/1	0.52	0.17	242,242,242,242	0
56	MG	BA	1639	1/1	0.53	0.27	106,106,106,106	0
56	MG	CA	3117	1/1	0.56	0.47	109,109,109,109	0
56	MG	CA	3026	1/1	0.56	0.26	197,197,197,197	0
56	MG	CA	3133	1/1	0.56	0.41	140,140,140,140	0
56	MG	CA	3031	1/1	0.56	0.14	127,127,127,127	0
56	MG	CA	3092	1/1	0.57	0.15	202,202,202,202	0
56	MG	AA	1628	1/1	0.57	0.18	142,142,142,142	0
56	MG	CA	3135	1/1	0.57	0.28	104,104,104,104	0
56	MG	AA	1661	1/1	0.57	0.17	190,190,190,190	0
56	MG	CA	3121	1/1	0.57	0.39	101,101,101,101	0
56	MG	CA	3014	1/1	0.57	0.22	262,262,262,262	0
56	MG	BA	1606	1/1	0.58	0.21	251,251,251,251	0
56	MG	CA	3008	1/1	0.58	0.20	179,179,179,179	0
56	MG	CA	3010	1/1	0.58	0.19	231,231,231,231	0
56	MG	CA	3145	1/1	0.59	0.30	75,75,75,75	0
56	MG	CA	3056	1/1	0.59	0.58	100,100,100,100	0
56	MG	DA	3180	1/1	0.59	0.23	97,97,97,97	0
56	MG	CA	3003	1/1	0.60	0.31	284,284,284,284	0
56	MG	CA	3112	1/1	0.62	0.28	110,110,110,110	0
56	MG	CA	3113	1/1	0.62	0.45	94,94,94,94	0
56	MG	CA	3115	1/1	0.62	0.34	108,108,108,108	0
56	MG	CA	3155	1/1	0.62	0.24	204,204,204,204	0
56	MG	CA	3134	1/1	0.63	0.25	204,204,204,204	0
56	MG	CA	3156	1/1	0.63	0.15	246,246,246,246	0
67	ACY	DA	3196	4/4	0.63	0.24	75,79,79,80	0
56	MG	CA	3033	1/1	0.64	0.30	200,200,200,200	0
56	MG	CA	3109	1/1	0.65	0.24	93,93,93,93	0
56	MG	AA	1611	1/1	0.65	0.26	113,113,113,113	0
56	MG	AA	1614	1/1	0.65	0.28	131,131,131,131	0
56	MG	AA	1603	1/1	0.65	0.43	119,119,119,119	0
56	MG	CA	3152	1/1	0.66	0.23	215,215,215,215	0
56	MG	BA	1630	1/1	0.66	0.17	221,221,221,221	0
56	MG	CA	3105	1/1	0.66	0.19	254,254,254,254	0
56	MG	AA	1679	1/1	0.67	0.17	189,189,189,189	0
56	MG	CA	3131	1/1	0.67	0.29	111,111,111,111	0
56	MG	CA	3149	1/1	0.67	0.39	92,92,92,92	0
56	MG	CA	3118	1/1	0.67	0.39	90,90,90,90	0
56	MG	CA	3099	1/1	0.67	0.20	235,235,235,235	0
56	MG	CA	3073	1/1	0.67	0.21	260,260,260,260	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	CA	3106	1/1	0.68	0.30	103,103,103,103	0
56	MG	CA	3119	1/1	0.68	0.34	134,134,134,134	0
56	MG	CA	3072	1/1	0.68	0.13	272,272,272,272	0
56	MG	BA	1604	1/1	0.68	0.13	182,182,182,182	0
56	MG	AA	1654	1/1	0.68	0.25	252,252,252,252	0
56	MG	BA	1625	1/1	0.68	0.15	274,274,274,274	0
56	MG	DA	3134	1/1	0.69	0.25	78,78,78,78	0
56	MG	DA	3139	1/1	0.69	0.91	64,64,64,64	1
56	MG	CA	3028	1/1	0.69	0.15	283,283,283,283	0
56	MG	DA	3159	1/1	0.69	0.33	80,80,80,80	0
56	MG	CA	3047	1/1	0.69	0.31	240,240,240,240	0
56	MG	CA	3116	1/1	0.69	0.42	89,89,89,89	0
56	MG	CA	3138	1/1	0.69	0.32	103,103,103,103	0
56	MG	DA	3162	1/1	0.70	0.19	64,64,64,64	0
56	MG	CA	3150	1/1	0.70	0.32	82,82,82,82	0
56	MG	DA	3153	1/1	0.70	0.42	100,100,100,100	0
59	PUT	AA	1672	6/6	0.70	0.44	110,112,114,114	0
56	MG	BA	1624	1/1	0.70	0.12	275,275,275,275	0
56	MG	BA	1623	1/1	0.71	0.20	235,235,235,235	0
56	MG	CA	3125	1/1	0.71	0.32	141,141,141,141	0
56	MG	CA	3067	1/1	0.72	0.14	289,289,289,289	0
56	MG	CA	3054	1/1	0.72	0.11	140,140,140,140	0
56	MG	DA	3178	1/1	0.72	0.36	101,101,101,101	0
56	MG	AA	1601	1/1	0.72	0.54	104,104,104,104	0
56	MG	CA	3148	1/1	0.72	0.67	86,86,86,86	1
56	MG	DA	3161	1/1	0.72	0.25	78,78,78,78	0
58	MPD	DE	301	8/8	0.73	0.22	102,104,107,109	0
56	MG	AA	1624	1/1	0.73	0.23	93,93,93,93	0
56	MG	CA	3006	1/1	0.73	0.12	227,227,227,227	0
56	MG	DB	209	1/1	0.74	0.33	80,80,80,80	0
56	MG	CA	3120	1/1	0.74	0.17	195,195,195,195	0
56	MG	AA	1616	1/1	0.74	0.51	88,88,88,88	0
56	MG	DB	207	1/1	0.75	0.29	105,105,105,105	0
56	MG	CA	3128	1/1	0.75	0.25	87,87,87,87	0
56	MG	CA	3147	1/1	0.75	0.99	91,91,91,91	1
56	MG	AA	1615	1/1	0.75	0.29	90,90,90,90	0
63	EDO	DA	3004	4/4	0.76	0.28	107,107,108,109	0
64	PGE	D1	102	10/10	0.76	0.26	95,96,100,100	0
56	MG	DA	3179	1/1	0.76	0.20	102,102,102,102	0
68	GUN	DA	3210	11/11	0.76	0.20	71,73,74,74	0
56	MG	AA	1642	1/1	0.77	0.20	165,165,165,165	0
56	MG	DA	3131	1/1	0.77	0.25	87,87,87,87	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	CA	3009	1/1	0.77	0.21	248,248,248,248	0
56	MG	CA	3071	1/1	0.77	0.09	207,207,207,207	0
56	MG	DA	3143	1/1	0.77	0.45	95,95,95,95	0
56	MG	BA	1627	1/1	0.77	0.23	129,129,129,129	0
56	MG	DA	3147	1/1	0.77	0.22	89,89,89,89	0
69	TRS	DA	3219	8/8	0.77	0.21	98,99,102,104	0
56	MG	CA	3143	1/1	0.78	0.22	107,107,107,107	0
58	MPD	DE	302	8/8	0.78	0.29	96,97,98,98	0
56	MG	CA	3022	1/1	0.78	0.24	188,188,188,188	0
62	PEG	DQ	201	7/7	0.78	0.20	107,109,110,110	0
56	MG	AA	1625	1/1	0.78	0.21	78,78,78,78	0
56	MG	AA	1647	1/1	0.78	0.15	202,202,202,202	0
56	MG	CA	3083	1/1	0.78	0.18	241,241,241,241	0
56	MG	CA	3090	1/1	0.78	0.13	215,215,215,215	0
56	MG	CA	3021	1/1	0.78	0.38	278,278,278,278	0
56	MG	BA	1644	1/1	0.79	0.16	97,97,97,97	0
56	MG	DR	203	1/1	0.79	0.20	111,111,111,111	0
59	PUT	AA	1674	6/6	0.79	0.32	98,99,100,100	0
56	MG	DA	3163	1/1	0.79	0.34	84,84,84,84	0
56	MG	AA	1619	1/1	0.79	0.26	92,92,92,92	0
56	MG	AA	1602	1/1	0.79	0.30	88,88,88,88	0
56	MG	CA	3093	1/1	0.79	0.13	123,123,123,123	0
56	MG	DA	3128	1/1	0.79	0.43	78,78,78,78	0
56	MG	CA	3080	1/1	0.79	0.21	186,186,186,186	0
56	MG	AA	1660	1/1	0.80	0.16	286,286,286,286	0
56	MG	CA	3094	1/1	0.80	0.21	159,159,159,159	0
56	MG	DA	3171	1/1	0.80	0.14	82,82,82,82	0
58	MPD	DT	201	8/8	0.80	0.26	73,82,84,86	0
56	MG	AA	1605	1/1	0.80	0.46	99,99,99,99	0
56	MG	CB	203	1/1	0.80	0.10	155,155,155,155	0
56	MG	DA	3170	1/1	0.81	0.20	73,73,73,73	0
62	PEG	DA	3225	7/7	0.81	0.32	62,65,70,70	0
56	MG	CA	3068	1/1	0.81	0.15	253,253,253,253	0
58	MPD	DN	201	8/8	0.81	0.17	87,89,92,93	0
64	PGE	D3	101	10/10	0.81	0.22	87,88,88,88	0
56	MG	CA	3076	1/1	0.81	0.13	213,213,213,213	0
67	ACY	DA	3201	4/4	0.81	0.29	60,64,64,66	0
56	MG	DA	3154	1/1	0.81	0.43	59,59,59,59	0
56	MG	CA	3062	1/1	0.81	0.18	237,237,237,237	0
59	PUT	AA	1675	6/6	0.82	0.22	90,92,93,93	0
56	MG	CA	3013	1/1	0.82	0.11	135,135,135,135	0
56	MG	DA	3122	1/1	0.82	0.35	80,80,80,80	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	AA	1664	1/1	0.82	0.11	186,186,186,186	0
56	MG	DA	3167	1/1	0.82	0.24	75,75,75,75	0
56	MG	DA	3126	1/1	0.82	0.28	76,76,76,76	0
56	MG	CA	3018	1/1	0.82	0.14	133,133,133,133	0
58	MPD	DA	3203	8/8	0.82	0.23	96,99,102,104	0
56	MG	CA	3063	1/1	0.82	0.25	207,207,207,207	0
56	MG	CA	3078	1/1	0.82	0.17	195,195,195,195	0
56	MG	DA	3138	1/1	0.83	0.35	89,89,89,89	0
56	MG	BA	1609	1/1	0.83	0.12	194,194,194,194	0
60	T1C	BA	1643	42/42	0.83	0.17	169,175,185,185	0
62	PEG	DP	201	7/7	0.83	0.16	94,94,99,100	0
57	PG4	DR	202	13/13	0.83	0.22	61,63,75,75	0
57	PG4	DA	3215	13/13	0.83	0.20	95,103,104,104	0
56	MG	AA	1618	1/1	0.83	0.42	91,91,91,91	0
56	MG	CA	3127	1/1	0.83	0.31	85,85,85,85	0
56	MG	DB	206	1/1	0.83	0.20	102,102,102,102	0
56	MG	CA	3039	1/1	0.83	0.12	153,153,153,153	0
58	MPD	DT	202	8/8	0.83	0.30	87,88,89,91	0
56	MG	DA	3132	1/1	0.83	0.46	77,77,77,77	0
56	MG	CA	3059	1/1	0.83	0.21	147,147,147,147	0
56	MG	AA	1623	1/1	0.84	0.22	85,85,85,85	0
56	MG	DA	3173	1/1	0.84	0.30	81,81,81,81	0
56	MG	CA	3082	1/1	0.84	0.27	160,160,160,160	0
59	PUT	AA	1673	6/6	0.84	0.22	125,126,127,128	0
56	MG	AA	1617	1/1	0.84	0.32	98,98,98,98	0
56	MG	AA	1665	1/1	0.84	0.11	168,168,168,168	0
59	PUT	DA	3204	6/6	0.84	0.24	66,66,70,71	0
59	PUT	DA	3221	6/6	0.84	0.20	44,48,50,50	0
57	PG4	AA	1670	13/13	0.84	0.15	80,92,101,102	0
62	PEG	D3	102	7/7	0.84	0.54	72,74,83,84	0
62	PEG	AL	201	7/7	0.85	0.17	74,78,85,85	0
56	MG	CA	3057	1/1	0.85	0.12	132,132,132,132	0
56	MG	CA	3151	1/1	0.85	0.36	84,84,84,84	0
56	MG	DA	3130	1/1	0.85	0.39	87,87,87,87	0
62	PEG	DA	3199	7/7	0.85	0.22	60,64,69,70	0
56	MG	DA	3182	1/1	0.85	0.27	73,73,73,73	0
56	MG	BA	1614	1/1	0.85	0.16	147,147,147,147	0
57	PG4	BA	1642	13/13	0.85	0.16	96,102,107,107	0
57	PG4	DQ	202	13/13	0.85	0.13	64,66,71,72	0
65	SPD	DA	3205	10/10	0.85	0.28	75,81,84,85	0
56	MG	CB	201	1/1	0.85	0.10	166,166,166,166	0
56	MG	CA	3055	1/1	0.85	0.14	195,195,195,195	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	DA	3155	1/1	0.85	0.34	74,74,74,74	0
56	MG	AA	1621	1/1	0.85	0.30	83,83,83,83	0
56	MG	DA	3133	1/1	0.86	0.33	78,78,78,78	0
56	MG	CA	3064	1/1	0.86	0.18	267,267,267,267	0
56	MG	DA	3123	1/1	0.86	0.39	77,77,77,77	0
62	PEG	DA	3217	7/7	0.86	0.32	89,93,98,99	0
56	MG	CA	3058	1/1	0.86	0.15	135,135,135,135	0
63	EDO	DA	3003	4/4	0.86	0.31	64,64,66,67	0
56	MG	CA	3048	1/1	0.86	0.12	107,107,107,107	0
56	MG	DA	3127	1/1	0.86	0.36	62,62,62,62	0
56	MG	BA	1629	1/1	0.86	0.19	157,157,157,157	0
56	MG	AA	1604	1/1	0.86	0.31	82,82,82,82	0
56	MG	AA	1626	1/1	0.86	0.25	111,111,111,111	0
56	MG	DA	3176	1/1	0.86	0.32	93,93,93,93	0
58	MPD	DK	201	8/8	0.86	0.15	93,94,95,95	0
56	MG	BA	1638	1/1	0.86	0.49	110,110,110,110	0
56	MG	CA	3097	1/1	0.87	0.14	125,125,125,125	0
57	PG4	DA	3193	13/13	0.87	0.21	63,65,76,77	0
56	MG	CA	3088	1/1	0.87	0.08	88,88,88,88	0
56	MG	DD	303	1/1	0.87	0.18	66,66,66,66	0
59	PUT	DA	3189	6/6	0.87	0.17	47,48,49,49	0
56	MG	CA	3004	1/1	0.87	0.20	223,223,223,223	0
56	MG	BA	1612	1/1	0.87	0.16	137,137,137,137	0
60	T1C	AA	1677	42/42	0.87	0.14	89,96,109,110	0
65	SPD	DA	3183	10/10	0.87	0.18	57,63,66,66	0
56	MG	AA	1612	1/1	0.87	0.30	81,81,81,81	0
56	MG	CA	3065	1/1	0.87	0.14	122,122,122,122	0
62	PEG	D1	103	7/7	0.87	0.29	56,60,61,62	0
56	MG	DA	3063	1/1	0.87	0.17	222,222,222,222	0
56	MG	DA	3112	1/1	0.87	0.29	293,293,293,293	0
56	MG	DA	3151	1/1	0.88	0.10	58,58,58,58	0
56	MG	CA	3101	1/1	0.88	0.08	149,149,149,149	0
56	MG	DA	3172	1/1	0.88	0.31	89,89,89,89	0
56	MG	CA	3024	1/1	0.88	0.11	141,141,141,141	0
56	MG	DA	3125	1/1	0.88	0.64	83,83,83,83	0
63	EDO	DB	210	4/4	0.88	0.20	85,85,85,86	0
63	EDO	DB	211	4/4	0.88	0.17	73,73,74,75	0
59	PUT	DA	3195	6/6	0.88	0.29	51,53,62,65	0
56	MG	CA	3137	1/1	0.88	0.28	168,168,168,168	0
63	EDO	DA	3194	4/4	0.88	0.23	51,56,59,60	0
59	PUT	DA	3211	6/6	0.88	0.23	65,66,72,74	0
56	MG	CA	3037	1/1	0.88	0.19	235,235,235,235	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
64	PGE	DS	201	10/10	0.88	0.16	56,66,68,69	0
64	PGE	DU	101	10/10	0.88	0.16	64,72,83,83	0
64	PGE	DA	3213	10/10	0.88	0.16	84,86,90,90	0
56	MG	CA	3084	1/1	0.88	0.13	208,208,208,208	0
56	MG	AA	1630	1/1	0.88	0.10	134,134,134,134	0
56	MG	BA	1633	1/1	0.88	0.14	235,235,235,235	0
56	MG	DA	3148	1/1	0.88	0.24	115,115,115,115	0
58	MPD	DA	3206	8/8	0.88	0.22	89,93,94,94	0
62	PEG	DL	201	7/7	0.88	0.16	65,69,76,78	0
56	MG	CA	3023	1/1	0.89	0.11	150,150,150,150	0
64	PGE	DD	301	10/10	0.89	0.26	63,67,72,73	0
58	MPD	DA	3190	8/8	0.89	0.17	91,92,93,94	0
63	EDO	D1	101	4/4	0.89	0.11	67,67,68,68	0
56	MG	DA	3166	1/1	0.89	0.19	90,90,90,90	0
64	PGE	DA	3224	10/10	0.89	0.21	74,81,83,83	0
56	MG	AA	1607	1/1	0.89	0.36	92,92,92,92	0
56	MG	AA	1657	1/1	0.89	0.22	162,162,162,162	0
66	1PE	DA	3202	16/16	0.89	0.16	60,63,65,65	0
59	PUT	DA	3218	6/6	0.89	0.21	75,77,80,81	0
56	MG	CA	3040	1/1	0.89	0.09	126,126,126,126	0
63	EDO	DA	3208	4/4	0.89	0.30	98,99,100,101	0
56	MG	AA	1669	1/1	0.89	0.15	118,118,118,118	0
56	MG	CA	3081	1/1	0.90	0.12	134,134,134,134	0
56	MG	AA	1636	1/1	0.90	0.11	97,97,97,97	0
56	MG	DA	3136	1/1	0.90	0.09	92,92,92,92	0
59	PUT	DA	3220	6/6	0.90	0.19	92,92,94,95	0
56	MG	CA	3049	1/1	0.90	0.15	100,100,100,100	0
56	MG	AA	1678	1/1	0.90	0.19	74,74,74,74	0
56	MG	CA	3016	1/1	0.90	0.18	148,148,148,148	0
61	ZN	AB	301	1/1	0.90	0.07	209,209,209,209	0
56	MG	DA	3129	1/1	0.90	0.49	60,60,60,60	0
66	1PE	DA	3185	16/16	0.90	0.15	44,53,71,72	0
56	MG	DA	3118	1/1	0.90	0.24	76,76,76,76	0
56	MG	CA	3001	1/1	0.90	0.26	299,299,299,299	0
63	EDO	DA	3198	4/4	0.90	0.25	56,57,58,59	0
56	MG	CA	3020	1/1	0.90	0.09	103,103,103,103	0
63	EDO	DA	3214	4/4	0.90	0.20	77,78,79,79	0
56	MG	DA	3164	1/1	0.91	0.24	72,72,72,72	0
59	PUT	DA	3222	6/6	0.91	0.18	50,54,55,55	0
56	MG	DA	3165	1/1	0.91	0.27	69,69,69,69	0
56	MG	DA	3150	1/1	0.91	0.12	59,59,59,59	0
58	MPD	DA	3192	8/8	0.91	0.31	79,79,82,83	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	CA	3091	1/1	0.91	0.09	96,96,96,96	0
56	MG	AA	1613	1/1	0.91	0.47	85,85,85,85	0
56	MG	DA	3169	1/1	0.91	0.34	73,73,73,73	0
56	MG	CA	3136	1/1	0.91	0.29	105,105,105,105	0
57	PG4	DS	202	13/13	0.91	0.11	43,51,59,61	0
56	MG	BA	1617	1/1	0.91	0.06	126,126,126,126	0
59	PUT	DA	3184	6/6	0.91	0.26	42,48,50,51	0
62	PEG	DA	3200	7/7	0.91	0.28	55,58,65,65	0
56	MG	DA	3144	1/1	0.91	0.14	65,65,65,65	0
65	SPD	DA	3223	10/10	0.91	0.16	40,44,54,55	0
58	MPD	AA	1671	8/8	0.91	0.20	101,103,104,106	0
62	PEG	DA	3226	7/7	0.91	0.16	58,59,65,67	0
56	MG	BA	1618	1/1	0.91	0.11	106,106,106,106	0
56	MG	DA	3175	1/1	0.91	0.28	75,75,75,75	0
56	MG	BA	1619	1/1	0.91	0.13	107,107,107,107	0
56	MG	CA	3036	1/1	0.91	0.20	203,203,203,203	0
56	MG	AA	1644	1/1	0.92	0.12	94,94,94,94	0
63	EDO	DA	3001	4/4	0.92	0.17	72,73,75,77	0
56	MG	CA	3095	1/1	0.92	0.10	81,81,81,81	0
56	MG	CA	3035	1/1	0.92	0.22	158,158,158,158	0
56	MG	CA	3098	1/1	0.92	0.11	110,110,110,110	0
56	MG	BA	1608	1/1	0.92	0.10	122,122,122,122	0
63	EDO	DA	3207	4/4	0.92	0.26	58,60,62,63	0
56	MG	CA	3100	1/1	0.92	0.17	110,110,110,110	0
56	MG	AA	1655	1/1	0.92	0.08	115,115,115,115	0
56	MG	BA	1634	1/1	0.92	0.13	116,116,116,116	0
56	MG	DA	3045	1/1	0.92	0.09	85,85,85,85	0
56	MG	DA	3140	1/1	0.92	0.15	57,57,57,57	0
56	MG	AA	1663	1/1	0.92	0.11	110,110,110,110	0
56	MG	BA	1637	1/1	0.92	0.26	93,93,93,93	0
56	MG	CA	3046	1/1	0.92	0.14	143,143,143,143	0
56	MG	DA	3121	1/1	0.92	0.26	91,91,91,91	0
56	MG	CA	3027	1/1	0.92	0.17	137,137,137,137	0
56	MG	DA	3177	1/1	0.92	0.26	68,68,68,68	0
58	MPD	DA	3209	8/8	0.92	0.19	68,70,70,71	0
56	MG	AA	1627	1/1	0.92	0.44	99,99,99,99	0
56	MG	CA	3089	1/1	0.92	0.13	95,95,95,95	0
56	MG	CA	3029	1/1	0.92	0.22	177,177,177,177	0
56	MG	BA	1626	1/1	0.92	0.12	111,111,111,111	0
56	MG	CA	3017	1/1	0.92	0.06	106,106,106,106	0
56	MG	AA	1658	1/1	0.92	0.12	100,100,100,100	0
56	MG	CB	202	1/1	0.93	0.12	139,139,139,139	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
59	PUT	DA	3188	6/6	0.93	0.13	32,35,40,41	0
56	MG	CA	3069	1/1	0.93	0.09	115,115,115,115	0
56	MG	DA	3065	1/1	0.93	0.20	71,71,71,71	0
56	MG	BA	1601	1/1	0.93	0.09	95,95,95,95	0
56	MG	CA	3079	1/1	0.93	0.10	143,143,143,143	0
59	PUT	DA	3212	6/6	0.93	0.22	55,57,64,66	0
56	MG	CA	3030	1/1	0.93	0.08	124,124,124,124	0
56	MG	BA	1607	1/1	0.93	0.18	162,162,162,162	0
56	MG	DA	3142	1/1	0.93	0.25	79,79,79,79	0
56	MG	CA	3012	1/1	0.93	0.15	130,130,130,130	0
56	MG	DA	3156	1/1	0.93	0.29	74,74,74,74	0
56	MG	DA	3158	1/1	0.93	0.28	71,71,71,71	0
56	MG	CA	3074	1/1	0.94	0.16	206,206,206,206	0
56	MG	CA	3044	1/1	0.94	0.07	84,84,84,84	0
56	MG	CA	3102	1/1	0.94	0.13	114,114,114,114	0
56	MG	AA	1610	1/1	0.94	0.30	99,99,99,99	0
56	MG	DA	3007	1/1	0.94	0.09	112,112,112,112	0
64	PGE	DA	3216	10/10	0.94	0.21	62,64,65,65	0
56	MG	AA	1656	1/1	0.94	0.09	149,149,149,149	0
56	MG	CA	3153	1/1	0.94	0.19	90,90,90,90	0
58	MPD	AA	1676	8/8	0.94	0.20	97,100,100,102	0
56	MG	CA	3086	1/1	0.94	0.11	97,97,97,97	0
56	MG	DA	3081	1/1	0.94	0.11	94,94,94,94	0
56	MG	CA	3025	1/1	0.94	0.10	105,105,105,105	0
56	MG	CA	3041	1/1	0.94	0.08	71,71,71,71	0
56	MG	DA	3120	1/1	0.94	0.17	55,55,55,55	0
56	MG	DA	3230	1/1	0.94	0.15	45,45,45,45	0
56	MG	CA	3052	1/1	0.94	0.07	97,97,97,97	0
56	MG	AA	1649	1/1	0.95	0.09	77,77,77,77	0
56	MG	DA	3181	1/1	0.95	0.28	91,91,91,91	0
61	ZN	C5	101	1/1	0.95	0.07	148,148,148,148	0
56	MG	DB	205	1/1	0.95	0.09	49,49,49,49	0
56	MG	CA	3096	1/1	0.95	0.09	116,116,116,116	0
56	MG	DA	3141	1/1	0.95	0.16	66,66,66,66	0
56	MG	AA	1633	1/1	0.95	0.14	101,101,101,101	0
56	MG	AA	1659	1/1	0.95	0.07	97,97,97,97	0
56	MG	CA	3015	1/1	0.95	0.21	83,83,83,83	0
56	MG	DA	3009	1/1	0.95	0.07	102,102,102,102	0
56	MG	DA	3146	1/1	0.95	0.09	72,72,72,72	0
56	MG	DA	3038	1/1	0.95	0.15	29,29,29,29	0
56	MG	BA	1610	1/1	0.95	0.09	109,109,109,109	0
56	MG	CA	3051	1/1	0.95	0.08	109,109,109,109	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	AA	1632	1/1	0.95	0.08	124,124,124,124	0
56	MG	DA	3152	1/1	0.95	0.15	47,47,47,47	0
56	MG	BA	1613	1/1	0.95	0.09	78,78,78,78	0
56	MG	CA	3019	1/1	0.95	0.08	79,79,79,79	0
56	MG	AA	1639	1/1	0.95	0.07	132,132,132,132	0
56	MG	DA	3135	1/1	0.95	0.17	72,72,72,72	0
56	MG	BA	1616	1/1	0.95	0.13	149,149,149,149	0
63	EDO	DA	3197	4/4	0.96	0.11	68,68,69,69	0
56	MG	DA	3044	1/1	0.96	0.07	36,36,36,36	0
56	MG	DA	3227	1/1	0.96	0.06	45,45,45,45	0
56	MG	DA	3229	1/1	0.96	0.10	55,55,55,55	0
56	MG	AA	1651	1/1	0.96	0.06	70,70,70,70	0
56	MG	AA	1620	1/1	0.96	0.27	83,83,83,83	0
56	MG	BA	1631	1/1	0.96	0.06	71,71,71,71	0
56	MG	DA	3149	1/1	0.96	0.42	77,77,77,77	0
56	MG	AA	1635	1/1	0.96	0.07	100,100,100,100	0
59	PUT	DA	3002	6/6	0.96	0.15	45,52,54,55	0
64	PGE	DA	3186	10/10	0.96	0.09	39,46,49,50	0
56	MG	CA	3042	1/1	0.96	0.06	91,91,91,91	0
56	MG	CA	3066	1/1	0.96	0.07	125,125,125,125	0
56	MG	DA	3119	1/1	0.96	0.06	63,63,63,63	0
56	MG	CA	3043	1/1	0.96	0.08	101,101,101,101	0
65	SPD	DA	3187	10/10	0.96	0.14	38,40,48,50	0
56	MG	DA	3174	1/1	0.96	0.18	78,78,78,78	0
56	MG	DB	208	1/1	0.96	0.18	64,64,64,64	0
56	MG	BA	1620	1/1	0.96	0.07	97,97,97,97	0
56	MG	DA	3005	1/1	0.96	0.08	81,81,81,81	0
56	MG	CA	3011	1/1	0.96	0.12	117,117,117,117	0
56	MG	BA	1635	1/1	0.96	0.08	111,111,111,111	0
56	MG	DA	3013	1/1	0.96	0.09	71,71,71,71	0
56	MG	BA	1622	1/1	0.96	0.07	95,95,95,95	0
56	MG	DA	3029	1/1	0.97	0.08	61,61,61,61	0
56	MG	CA	3144	1/1	0.97	0.06	83,83,83,83	0
56	MG	CA	3050	1/1	0.97	0.06	91,91,91,91	0
56	MG	DR	201	1/1	0.97	0.14	44,44,44,44	0
56	MG	AA	1640	1/1	0.97	0.07	62,62,62,62	0
56	MG	AA	1650	1/1	0.97	0.06	87,87,87,87	0
56	MG	CA	3114	1/1	0.97	0.22	62,62,62,62	0
56	MG	DA	3091	1/1	0.97	0.10	55,55,55,55	0
56	MG	DA	3099	1/1	0.97	0.06	78,78,78,78	0
56	MG	DA	3100	1/1	0.97	0.07	30,30,30,30	0
56	MG	CA	3053	1/1	0.97	0.17	108,108,108,108	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	BA	1605	1/1	0.97	0.07	125,125,125,125	0
56	MG	DA	3137	1/1	0.97	0.13	47,47,47,47	0
56	MG	CA	3085	1/1	0.97	0.04	89,89,89,89	0
58	MPD	DS	203	8/8	0.97	0.17	37,40,44,47	0
56	MG	AA	1634	1/1	0.97	0.12	108,108,108,108	0
56	MG	DA	3160	1/1	0.97	0.08	72,72,72,72	0
56	MG	CA	3087	1/1	0.97	0.04	97,97,97,97	0
56	MG	CA	3070	1/1	0.97	0.05	112,112,112,112	0
56	MG	BA	1621	1/1	0.97	0.13	42,42,42,42	0
56	MG	DA	3016	1/1	0.97	0.08	44,44,44,44	0
56	MG	BA	1628	1/1	0.98	0.07	111,111,111,111	0
56	MG	AA	1653	1/1	0.98	0.05	75,75,75,75	0
56	MG	DA	3027	1/1	0.98	0.15	71,71,71,71	0
56	MG	AA	1643	1/1	0.98	0.06	78,78,78,78	0
56	MG	DA	3036	1/1	0.98	0.06	34,34,34,34	0
56	MG	AA	1638	1/1	0.98	0.05	103,103,103,103	0
56	MG	DA	3043	1/1	0.98	0.04	31,31,31,31	0
56	MG	DB	201	1/1	0.98	0.08	64,64,64,64	0
56	MG	CA	3045	1/1	0.98	0.07	93,93,93,93	0
56	MG	DA	3157	1/1	0.98	0.19	73,73,73,73	0
56	MG	DA	3053	1/1	0.98	0.05	78,78,78,78	0
56	MG	BA	1632	1/1	0.98	0.10	72,72,72,72	0
56	MG	AA	1652	1/1	0.98	0.20	57,57,57,57	0
56	MG	DA	3073	1/1	0.98	0.04	47,47,47,47	0
56	MG	DA	3080	1/1	0.98	0.07	109,109,109,109	0
56	MG	CA	3103	1/1	0.98	0.05	120,120,120,120	0
56	MG	DA	3083	1/1	0.98	0.04	69,69,69,69	0
56	MG	DA	3088	1/1	0.98	0.05	45,45,45,45	0
56	MG	BA	1645	1/1	0.98	0.07	98,98,98,98	0
61	ZN	D5	101	1/1	0.98	0.04	60,60,60,60	0
56	MG	DA	3094	1/1	0.98	0.10	35,35,35,35	0
56	MG	DA	3095	1/1	0.98	0.07	33,33,33,33	0
56	MG	DA	3096	1/1	0.98	0.11	61,61,61,61	0
56	MG	DA	3097	1/1	0.98	0.07	45,45,45,45	0
56	MG	DA	3098	1/1	0.98	0.04	29,29,29,29	0
56	MG	BA	1602	1/1	0.98	0.06	100,100,100,100	0
56	MG	DA	3006	1/1	0.98	0.05	68,68,68,68	0
67	ACY	DA	3191	4/4	0.98	0.07	56,57,58,59	0
56	MG	DA	3107	1/1	0.98	0.11	47,47,47,47	0
56	MG	AA	1666	1/1	0.98	0.05	67,67,67,67	0
56	MG	DA	3114	1/1	0.98	0.12	62,62,62,62	0
56	MG	AA	1667	1/1	0.98	0.06	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	DA	3086	1/1	0.99	0.04	39,39,39,39	0
56	MG	DA	3015	1/1	0.99	0.04	18,18,18,18	0
56	MG	DA	3090	1/1	0.99	0.05	26,26,26,26	0
56	MG	BA	1615	1/1	0.99	0.03	76,76,76,76	0
56	MG	DA	3017	1/1	0.99	0.04	56,56,56,56	0
56	MG	DA	3018	1/1	0.99	0.04	29,29,29,29	0
56	MG	DA	3020	1/1	0.99	0.22	33,33,33,33	0
56	MG	DA	3021	1/1	0.99	0.07	48,48,48,48	0
56	MG	DA	3022	1/1	0.99	0.05	43,43,43,43	0
56	MG	DA	3023	1/1	0.99	0.10	34,34,34,34	0
56	MG	AA	1646	1/1	0.99	0.04	65,65,65,65	0
56	MG	DA	3103	1/1	0.99	0.04	44,44,44,44	0
56	MG	DA	3104	1/1	0.99	0.06	42,42,42,42	0
56	MG	DA	3105	1/1	0.99	0.08	39,39,39,39	0
56	MG	DA	3106	1/1	0.99	0.09	31,31,31,31	0
56	MG	DB	202	1/1	0.99	0.04	29,29,29,29	0
56	MG	DA	3108	1/1	0.99	0.03	36,36,36,36	0
56	MG	DA	3111	1/1	0.99	0.04	32,32,32,32	0
56	MG	DA	3031	1/1	0.99	0.03	46,46,46,46	0
56	MG	DA	3032	1/1	0.99	0.04	42,42,42,42	0
56	MG	DA	3115	1/1	0.99	0.06	49,49,49,49	0
56	MG	DA	3116	1/1	0.99	0.07	28,28,28,28	0
56	MG	DB	204	1/1	0.99	0.03	56,56,56,56	0
56	MG	AA	1641	1/1	0.99	0.07	92,92,92,92	0
56	MG	DA	3039	1/1	0.99	0.01	20,20,20,20	0
56	MG	DA	3042	1/1	0.99	0.04	20,20,20,20	0
56	MG	AA	1662	1/1	0.99	0.09	110,110,110,110	0
56	MG	AA	1648	1/1	0.99	0.04	76,76,76,76	0
56	MG	AA	1631	1/1	0.99	0.03	56,56,56,56	0
56	MG	DA	3046	1/1	0.99	0.03	47,47,47,47	0
56	MG	DA	3228	1/1	0.99	0.03	53,53,53,53	0
56	MG	DA	3047	1/1	0.99	0.03	27,27,27,27	0
56	MG	DA	3048	1/1	0.99	0.04	42,42,42,42	0
56	MG	DA	3049	1/1	0.99	0.06	33,33,33,33	0
56	MG	DA	3050	1/1	0.99	0.03	43,43,43,43	0
56	MG	BA	1611	1/1	0.99	0.05	66,66,66,66	0
56	MG	DA	3054	1/1	0.99	0.04	57,57,57,57	0
56	MG	DA	3055	1/1	0.99	0.06	49,49,49,49	0
56	MG	DA	3057	1/1	0.99	0.06	57,57,57,57	0
56	MG	AA	1629	1/1	0.99	0.06	83,83,83,83	0
56	MG	DD	302	1/1	0.99	0.03	48,48,48,48	0
56	MG	DA	3066	1/1	0.99	0.04	29,29,29,29	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	DA	3067	1/1	0.99	0.08	55,55,55,55	0
56	MG	DA	3068	1/1	0.99	0.04	62,62,62,62	0
56	MG	DA	3069	1/1	0.99	0.05	44,44,44,44	0
56	MG	DA	3070	1/1	0.99	0.09	61,61,61,61	0
56	MG	DA	3071	1/1	0.99	0.03	91,91,91,91	0
56	MG	AA	1637	1/1	0.99	0.04	57,57,57,57	0
56	MG	DA	3074	1/1	0.99	0.02	33,33,33,33	0
56	MG	DA	3075	1/1	0.99	0.07	49,49,49,49	0
56	MG	DA	3076	1/1	0.99	0.06	38,38,38,38	0
56	MG	DA	3078	1/1	0.99	0.03	38,38,38,38	0
56	MG	DA	3079	1/1	0.99	0.07	63,63,63,63	0
56	MG	DA	3008	1/1	0.99	0.04	82,82,82,82	0
56	MG	DM	201	1/1	0.99	0.05	62,62,62,62	0
56	MG	DA	3082	1/1	0.99	0.05	55,55,55,55	0
56	MG	AA	1645	1/1	0.99	0.04	61,61,61,61	0
56	MG	DA	3084	1/1	0.99	0.03	57,57,57,57	0
56	MG	DA	3085	1/1	0.99	0.08	41,41,41,41	0
56	MG	DA	3019	1/1	1.00	0.02	43,43,43,43	0
56	MG	DA	3117	1/1	1.00	0.03	41,41,41,41	0
56	MG	DB	203	1/1	1.00	0.03	39,39,39,39	0
56	MG	DA	3051	1/1	1.00	0.02	17,17,17,17	0
56	MG	DA	3052	1/1	1.00	0.03	36,36,36,36	0
56	MG	DA	3033	1/1	1.00	0.04	26,26,26,26	0
56	MG	DA	3034	1/1	1.00	0.04	28,28,28,28	0
56	MG	DA	3035	1/1	1.00	0.03	24,24,24,24	0
56	MG	DA	3056	1/1	1.00	0.02	22,22,22,22	0
56	MG	DA	3014	1/1	1.00	0.04	19,19,19,19	0
56	MG	DA	3087	1/1	1.00	0.03	48,48,48,48	0
56	MG	DA	3058	1/1	1.00	0.07	31,31,31,31	0
56	MG	DA	3089	1/1	1.00	0.03	36,36,36,36	0
56	MG	DA	3059	1/1	1.00	0.07	37,37,37,37	0
56	MG	DA	3060	1/1	1.00	0.03	16,16,16,16	0
56	MG	DA	3092	1/1	1.00	0.03	31,31,31,31	0
56	MG	DA	3093	1/1	1.00	0.04	36,36,36,36	0
56	MG	DA	3061	1/1	1.00	0.03	19,19,19,19	0
56	MG	DA	3062	1/1	1.00	0.01	37,37,37,37	0
56	MG	DA	3037	1/1	1.00	0.08	31,31,31,31	0
56	MG	DA	3064	1/1	1.00	0.06	59,59,59,59	0
56	MG	AA	1668	1/1	1.00	0.09	54,54,54,54	0
56	MG	DA	3010	1/1	1.00	0.05	34,34,34,34	0
56	MG	DA	3040	1/1	1.00	0.05	26,26,26,26	0
56	MG	DA	3101	1/1	1.00	0.04	30,30,30,30	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	DA	3102	1/1	1.00	0.05	56,56,56,56	0
56	MG	DA	3041	1/1	1.00	0.03	58,58,58,58	0
56	MG	DA	3024	1/1	1.00	0.06	32,32,32,32	0
56	MG	DA	3025	1/1	1.00	0.08	25,25,25,25	0
56	MG	DA	3026	1/1	1.00	0.02	40,40,40,40	0
56	MG	DA	3072	1/1	1.00	0.06	47,47,47,47	0
56	MG	DA	3011	1/1	1.00	0.09	28,28,28,28	0
56	MG	DA	3109	1/1	1.00	0.04	29,29,29,29	0
56	MG	DA	3110	1/1	1.00	0.02	19,19,19,19	0
56	MG	DA	3028	1/1	1.00	0.06	38,38,38,38	0
56	MG	DA	3012	1/1	1.00	0.03	29,29,29,29	0
56	MG	DA	3113	1/1	1.00	0.04	18,18,18,18	0
56	MG	DA	3030	1/1	1.00	0.04	25,25,25,25	0
56	MG	DA	3077	1/1	1.00	0.05	42,42,42,42	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around T1C AA 1677:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.