



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 5, 2026 – 10:52 AM JST

PDB ID : 6JBN / pdb_00006jbn
Title : Crystal structure of *Sphingomonas* sp. A1 peroxidase EfeB responsible for import of iron
Authors : Okumura, K.; Takase, R.; Mikami, B.; Murata, K.; Hashimoto, W.
Deposited on : 2019-01-26
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	447	12% 76% 12% 13%
1	B	447	8% 74% 13% 13%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	EDO	A	507	-	-	X	-
5	EDO	B	509	-	-	X	-

2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 6523 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peroxidase EfeB.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	391	Total	C	N	O	S	0	0	0
			3006	1884	544	572	6			
1	B	390	Total	C	N	O	S	0	2	0
			3009	1887	544	572	6			

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is OXYGEN MOLECULE (CCD ID: OXY) (formula: O_2).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	O	0	0
			2	2		
3	B	1	Total	O	0	0
			2	2		

- Molecule 4 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			7	4	3		
4	A	1	Total	C	O	0	0
			7	4	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			7	4	3		
4	B	1	Total	C	O	0	0
			7	4	3		
4	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0

- Molecule 6 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: C₆H₁₄O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			10	6	4		
6	B	1	Total	C	O	0	0
			10	6	4		
6	B	1	Total	C	O	0	0
			10	6	4		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	141	Total	O	0	0
			141	141		
7	B	116	Total	O	0	0
			116	116		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Peroxidase EfeB



• Molecule 1: Peroxidase EfeB



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	100.02Å 104.99Å 83.81Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.49 – 2.30 44.49 – 2.30	Depositor EDS
% Data completeness (in resolution range)	98.7 (44.49-2.30) 99.0 (44.49-2.30)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.54 (at 2.29Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.234 , 0.297 0.237 , 0.295	Depositor DCC
R_{free} test set	1976 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	26.7	Xtriage
Anisotropy	1.023	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 52.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.59$, $\langle L^2 \rangle = 0.44$	Xtriage
Estimated twinning fraction	0.000 for k,h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6523	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 59.48 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.7539e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OXY, PGE, EDO, PEG, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/3076	0.54	0/4189
1	B	0.36	0/3085	0.53	0/4202
All	All	0.36	0/6161	0.54	0/8391

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3006	0	2951	38	0
1	B	3009	0	2959	47	0
2	A	43	0	30	1	0
2	B	43	0	30	3	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	21	0	30	4	0
4	B	14	0	20	2	0
5	A	56	0	84	7	0
5	B	40	0	60	8	0
6	B	30	0	42	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	A	141	0	0	3	0
7	B	116	0	0	3	0
All	All	6523	0	6206	89	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:372:LYS:HA	6:B:516:PGE:H6	1.61	0.82
1:A:53:GLN:HG2	5:A:516:EDO:H12	1.67	0.76
1:A:99:GLU:HG2	5:A:507:EDO:H11	1.68	0.74
1:B:221:LYS:NZ	1:B:223:GLU:OE1	2.21	0.73
1:A:425:ARG:HB3	1:A:427:ASP:OD1	1.91	0.71
1:B:362[B]:ARG:HB3	1:B:362[B]:ARG:HH21	1.54	0.71
1:B:66:ARG:HD3	1:B:141:PRO:HG3	1.72	0.70
1:B:66:ARG:HD2	1:B:116:GLN:HA	1.73	0.69
1:A:305:ARG:HB3	1:A:339:PRO:HG2	1.75	0.68
1:B:124:ASP:HB3	1:B:127:LEU:HD23	1.76	0.68
1:B:275:ALA:H	5:B:511:EDO:H12	1.58	0.68
1:A:224:GLY:HA2	4:A:503:PEG:H12	1.77	0.67
1:B:357:ASN:OD1	1:B:399:ARG:NH2	2.31	0.63
1:B:362[B]:ARG:NH1	1:B:364:PHE:HE1	1.96	0.63
2:B:501:HEM:HMB2	2:B:501:HEM:HBB2	1.82	0.62
1:A:427:ASP:OD1	1:A:427:ASP:N	2.32	0.61
1:B:66:ARG:NH1	1:B:116:GLN:OE1	2.33	0.60
1:A:102:ARG:HE	5:A:507:EDO:H21	1.67	0.59
1:B:165:LYS:HD3	1:B:169:LEU:HB3	1.84	0.59
1:A:222:GLN:NE2	1:A:366:TYR:HB2	2.21	0.56
1:A:372:LYS:HE3	1:A:372:LYS:HA	1.87	0.56
1:A:436:ASP:OD1	5:A:519:EDO:O2	2.24	0.55
1:B:90:PHE:HE2	1:B:209:LEU:HD21	1.70	0.54
1:A:103:LEU:HD12	1:A:212:LEU:HD13	1.90	0.54
1:B:238:GLU:OE2	1:B:247:ARG:NH2	2.35	0.54
1:B:186:HIS:HB3	5:B:509:EDO:H22	1.90	0.54
1:B:362[B]:ARG:HB3	1:B:362[B]:ARG:NH2	2.23	0.54
5:B:509:EDO:H21	7:B:611:HOH:O	2.07	0.53
1:A:96:ASP:OD1	1:A:99:GLU:HG3	2.09	0.53
1:A:367:SER:H	4:A:503:PEG:H11	1.74	0.53
1:A:228:PRO:HG2	1:B:197:THR:HG21	1.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:62:ASN:HB3	1:B:196:ASN:ND2	2.24	0.51
1:B:243:PHE:CD2	1:B:378:MET:HE3	2.46	0.51
1:B:62:ASN:O	1:B:65[A]:GLN:HG2	2.11	0.50
5:A:507:EDO:H22	5:A:508:EDO:C2	2.42	0.50
1:A:142:ASP:OD1	1:A:196:ASN:HB2	2.11	0.50
1:A:66:ARG:NH1	1:A:116:GLN:OE1	2.46	0.49
1:A:321:ARG:HD3	1:A:322:THR:HG22	1.95	0.49
1:B:288:ILE:HG21	2:B:501:HEM:HBB1	1.94	0.49
1:A:301:GLY:O	1:A:305:ARG:HG3	2.14	0.48
1:B:149:SER:O	1:B:189:LEU:HD12	2.13	0.48
1:B:50:ALA:C	1:B:52:THR:H	2.22	0.48
1:A:197:THR:HG21	1:B:228:PRO:HG2	1.96	0.48
1:A:305:ARG:HG2	5:A:509:EDO:H21	1.95	0.48
1:B:231:HIS:CD2	1:B:233:PRO:HD3	2.48	0.48
1:A:172:MET:HA	1:A:416:TYR:CE2	2.48	0.47
1:B:423:ILE:HD12	1:B:423:ILE:O	2.14	0.47
1:A:321:ARG:HH11	1:A:322:THR:HG22	1.78	0.47
1:A:335:GLY:HA3	1:A:340:LEU:HD22	1.96	0.47
6:B:516:PGE:H5	6:B:516:PGE:H32	1.67	0.47
1:B:109:GLU:HG3	5:B:513:EDO:H22	1.97	0.46
1:A:144:LEU:HA	1:A:194:CYS:O	2.15	0.46
1:B:269:ALA:HA	1:B:278:ALA:HB2	1.96	0.46
1:A:318:ASP:HB3	1:A:337:ARG:HB3	1.98	0.46
1:A:178:ASP:OD1	1:A:286:ARG:NH2	2.44	0.46
4:A:503:PEG:H31	7:A:703:HOH:O	2.15	0.46
1:B:317:LEU:O	1:B:337:ARG:HD2	2.16	0.46
1:A:261:MET:HA	1:A:261:MET:HE2	1.99	0.45
1:B:110:ARG:NH1	6:B:515:PGE:H42	2.31	0.45
1:A:326:VAL:HG23	1:A:327:PRO:HD2	1.99	0.44
1:B:305:ARG:HG3	4:B:504:PEG:H12	1.99	0.44
1:B:151:GLY:HA3	5:B:509:EDO:H12	2.00	0.44
1:B:429:TYR:CE1	1:B:432:ARG:HB2	2.52	0.44
1:B:337:ARG:HD3	1:B:337:ARG:HA	1.55	0.44
1:B:432:ARG:HD2	1:B:432:ARG:C	2.43	0.44
1:B:307:MET:HE2	2:B:501:HEM:HMA3	1.99	0.43
1:A:372:LYS:HA	1:A:372:LYS:CE	2.47	0.43
1:A:306:ILE:HG12	1:A:404:PRO:HB2	2.00	0.42
1:B:142:ASP:HB3	1:B:200:THR:HG21	2.01	0.42
4:A:504:PEG:H21	7:A:612:HOH:O	2.19	0.42
1:B:136:GLY:HA3	5:B:508:EDO:H12	2.00	0.42
1:B:142:ASP:HB2	7:B:619:HOH:O	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:142:ASP:OD1	1:B:196:ASN:HB2	2.20	0.42
1:B:144:LEU:HA	1:B:194:CYS:O	2.20	0.42
1:B:339:PRO:HG3	4:B:504:PEG:H42	2.02	0.42
1:A:307:MET:HE2	2:A:501:HEM:HMA3	2.01	0.42
1:A:102:ARG:HE	5:A:507:EDO:C2	2.31	0.42
1:A:155:PHE:CE2	1:A:165:LYS:HA	2.54	0.41
1:B:73:HIS:HB3	1:B:266:TRP:CH2	2.55	0.41
1:A:241:ARG:NH2	1:A:312:PRO:O	2.49	0.41
1:B:172:MET:HA	1:B:416:TYR:CE2	2.54	0.41
1:B:152:ASP:N	5:B:509:EDO:H12	2.35	0.41
1:A:334:LYS:HB2	7:A:647:HOH:O	2.20	0.41
1:B:173:THR:HG23	7:B:605:HOH:O	2.20	0.41
1:A:357:ASN:OD1	1:A:399:ARG:NH2	2.54	0.41
1:B:109:GLU:HG3	5:B:513:EDO:C2	2.51	0.41
1:A:239:SER:O	1:A:247:ARG:HG2	2.20	0.40
1:A:94:ALA:HB1	1:A:99:GLU:HB2	2.03	0.40
1:B:144:LEU:HD21	1:B:146:ILE:HD11	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	389/447 (87%)	373 (96%)	14 (4%)	2 (0%)	24	31
1	B	390/447 (87%)	375 (96%)	13 (3%)	2 (0%)	24	31
All	All	779/894 (87%)	748 (96%)	27 (4%)	4 (0%)	24	31

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	231	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	269	ALA
1	B	269	ALA
1	B	320	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	316/353 (90%)	315 (100%)	1 (0%)	86	93
1	B	317/353 (90%)	317 (100%)	0	100	100
All	All	633/706 (90%)	632 (100%)	1 (0%)	87	94

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	340	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	268	GLN
1	A	290	ASN
1	A	324	HIS
1	A	355	GLN
1	B	53	GLN
1	B	62	ASN
1	B	67	HIS
1	B	231	HIS
1	B	355	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

36 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	EDO	A	512	-	3,3,3	0.53	0	2,2,2	0.31	0
5	EDO	B	513	-	3,3,3	0.55	0	2,2,2	0.10	0
4	PEG	B	503	-	6,6,6	0.58	0	5,5,5	0.46	0
2	HEM	B	501	1,3	50,50,50	1.55	6 (12%)	66,82,82	1.71	14 (21%)
4	PEG	B	504	-	6,6,6	0.52	0	5,5,5	0.32	0
5	EDO	A	511	-	3,3,3	0.51	0	2,2,2	0.33	0
5	EDO	A	514	-	3,3,3	0.48	0	2,2,2	0.30	0
5	EDO	B	505	-	3,3,3	0.38	0	2,2,2	0.46	0
5	EDO	A	508	-	3,3,3	0.35	0	2,2,2	0.59	0
5	EDO	B	511	-	3,3,3	0.47	0	2,2,2	0.37	0
5	EDO	A	516	-	3,3,3	0.57	0	2,2,2	0.12	0
5	EDO	B	509	-	3,3,3	0.39	0	2,2,2	0.34	0
4	PEG	A	503	-	6,6,6	0.56	0	5,5,5	0.36	0
5	EDO	A	515	-	3,3,3	0.46	0	2,2,2	0.35	0
5	EDO	A	510	-	3,3,3	0.49	0	2,2,2	0.34	0
5	EDO	B	510	-	3,3,3	0.49	0	2,2,2	0.61	0
5	EDO	A	518	-	3,3,3	0.52	0	2,2,2	0.34	0
5	EDO	A	509	-	3,3,3	0.50	0	2,2,2	0.25	0
6	PGE	B	516	-	9,9,9	0.35	0	8,8,8	0.34	0
5	EDO	A	517	-	3,3,3	0.50	0	2,2,2	0.33	0
5	EDO	A	519	-	3,3,3	0.54	0	2,2,2	0.25	0
6	PGE	B	515	-	9,9,9	0.34	0	8,8,8	0.47	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	EDO	B	507	-	3,3,3	0.48	0	2,2,2	0.36	0
5	EDO	A	506	-	3,3,3	0.53	0	2,2,2	0.16	0
5	EDO	A	513	-	3,3,3	0.50	0	2,2,2	0.43	0
5	EDO	B	508	-	3,3,3	0.45	0	2,2,2	0.87	0
6	PGE	B	517	-	9,9,9	0.37	0	8,8,8	0.73	0
4	PEG	A	504	-	6,6,6	0.39	0	5,5,5	0.41	0
4	PEG	A	505	-	6,6,6	0.66	0	5,5,5	0.71	0
5	EDO	B	514	-	3,3,3	0.51	0	2,2,2	0.21	0
5	EDO	A	507	-	3,3,3	0.58	0	2,2,2	0.17	0
5	EDO	B	512	-	3,3,3	0.45	0	2,2,2	0.36	0
2	HEM	A	501	1,3	50,50,50	1.54	5 (10%)	66,82,82	1.76	11 (16%)
3	OXY	B	502	2	1,1,1	0.04	0	-	-	-
5	EDO	B	506	-	3,3,3	0.50	0	2,2,2	0.39	0
3	OXY	A	502	2	1,1,1	0.01	0	-	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	512	-	-	0/1/1/1	-
5	EDO	B	513	-	-	0/1/1/1	-
4	PEG	B	503	-	-	1/4/4/4	-
2	HEM	B	501	1,3	-	4/14/54/54	-
4	PEG	B	504	-	-	2/4/4/4	-
5	EDO	A	511	-	-	0/1/1/1	-
5	EDO	A	514	-	-	1/1/1/1	-
5	EDO	B	505	-	-	0/1/1/1	-
5	EDO	A	508	-	-	0/1/1/1	-
5	EDO	B	511	-	-	1/1/1/1	-
5	EDO	A	516	-	-	1/1/1/1	-
5	EDO	B	509	-	-	0/1/1/1	-
4	PEG	A	503	-	-	2/4/4/4	-
5	EDO	A	515	-	-	0/1/1/1	-
5	EDO	A	510	-	-	0/1/1/1	-
5	EDO	B	510	-	-	0/1/1/1	-
5	EDO	A	518	-	-	0/1/1/1	-
5	EDO	A	509	-	-	1/1/1/1	-
6	PGE	B	516	-	-	4/7/7/7	-
5	EDO	A	517	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	519	-	-	0/1/1/1	-
6	PGE	B	515	-	-	4/7/7/7	-
5	EDO	B	507	-	-	0/1/1/1	-
5	EDO	A	506	-	-	0/1/1/1	-
5	EDO	A	513	-	-	1/1/1/1	-
5	EDO	B	508	-	-	1/1/1/1	-
6	PGE	B	517	-	-	5/7/7/7	-
4	PEG	A	504	-	-	0/4/4/4	-
4	PEG	A	505	-	-	2/4/4/4	-
5	EDO	B	514	-	-	0/1/1/1	-
5	EDO	A	507	-	-	1/1/1/1	-
5	EDO	B	512	-	-	0/1/1/1	-
2	HEM	A	501	1,3	-	4/14/54/54	-
5	EDO	B	506	-	-	0/1/1/1	-

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	HEM	FE-NB	5.32	2.11	1.94
2	B	501	HEM	FE-NB	5.16	2.10	1.94
2	A	501	HEM	FE-NC	4.60	2.10	1.95
2	B	501	HEM	FE-NC	4.31	2.09	1.95
2	B	501	HEM	C1B-NB	-3.43	1.34	1.40
2	A	501	HEM	C1B-NB	-3.12	1.34	1.40
2	B	501	HEM	C4D-ND	-2.91	1.35	1.40
2	A	501	HEM	C4D-ND	-2.69	1.35	1.40
2	B	501	HEM	C1C-C2C	-2.47	1.40	1.45
2	A	501	HEM	C1C-C2C	-2.45	1.40	1.45
2	B	501	HEM	C3C-C4C	-2.02	1.42	1.46

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	HEM	CHC-C4B-NB	5.68	130.59	124.42
2	A	501	HEM	CHC-C4B-NB	5.61	130.52	124.42
2	A	501	HEM	C1B-NB-C4B	4.60	109.83	105.07
2	B	501	HEM	C1B-NB-C4B	3.89	109.09	105.07
2	B	501	HEM	CHD-C1D-ND	3.86	128.61	124.42
2	A	501	HEM	CHD-C1D-ND	3.82	128.56	124.42
2	A	501	HEM	CHA-C4D-ND	3.45	128.62	124.37
2	A	501	HEM	CHB-C1B-NB	3.35	128.50	124.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	HEM	CHD-C4C-NC	3.11	127.80	124.44
2	B	501	HEM	CHA-C4D-ND	3.10	128.19	124.37
2	A	501	HEM	CAC-C3C-C4C	3.06	132.28	124.90
2	A	501	HEM	C4C-NC-C1C	2.99	108.28	105.35
2	B	501	HEM	CHD-C1D-C2D	-2.85	120.52	124.98
2	B	501	HEM	CHB-C1B-NB	2.70	127.70	124.37
2	B	501	HEM	C4C-NC-C1C	2.68	107.97	105.35
2	B	501	HEM	C4A-NA-C1A	2.63	107.92	105.35
2	A	501	HEM	CAC-C3C-C2C	-2.39	120.74	128.60
2	A	501	HEM	CHD-C1D-C2D	-2.34	121.32	124.98
2	A	501	HEM	O2D-CGD-CBD	2.28	121.36	114.03
2	B	501	HEM	O2A-CGA-CBA	2.21	121.13	114.03
2	B	501	HEM	O2D-CGD-CBD	2.12	120.83	114.03
2	A	501	HEM	CHA-C4D-C3D	-2.10	121.38	125.33
2	B	501	HEM	C1A-CHA-C4D	-2.10	121.36	126.34
2	B	501	HEM	C4B-C3B-C2B	-2.04	105.50	107.11
2	B	501	HEM	CHA-C4D-C3D	-2.03	121.51	125.33

There are no chirality outliers.

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	B	515	PGE	O2-C3-C4-O3
6	B	516	PGE	O2-C3-C4-O3
6	B	515	PGE	O1-C1-C2-O2
4	A	505	PEG	O1-C1-C2-O2
6	B	517	PGE	C6-C5-O3-C4
6	B	516	PGE	C3-C4-O3-C5
5	A	509	EDO	O1-C1-C2-O2
5	A	513	EDO	O1-C1-C2-O2
4	B	504	PEG	O1-C1-C2-O2
4	B	503	PEG	O2-C3-C4-O4
4	B	504	PEG	O2-C3-C4-O4
6	B	517	PGE	O1-C1-C2-O2
4	A	503	PEG	O2-C3-C4-O4
6	B	516	PGE	C1-C2-O2-C3
5	B	511	EDO	O1-C1-C2-O2
6	B	516	PGE	C4-C3-O2-C2
4	A	503	PEG	C4-C3-O2-C2
2	A	501	HEM	CAA-CBA-CGA-O2A
2	A	501	HEM	CAD-CBD-CGD-O1D
2	B	501	HEM	CAD-CBD-CGD-O1D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	505	PEG	O2-C3-C4-O4
2	A	501	HEM	CAA-CBA-CGA-O1A
2	B	501	HEM	CAA-CBA-CGA-O1A
2	B	501	HEM	CAA-CBA-CGA-O2A
2	B	501	HEM	CAD-CBD-CGD-O2D
2	A	501	HEM	CAD-CBD-CGD-O2D
6	B	515	PGE	C4-C3-O2-C2
6	B	517	PGE	C3-C4-O3-C5
6	B	517	PGE	C1-C2-O2-C3
6	B	515	PGE	C1-C2-O2-C3
5	A	507	EDO	O1-C1-C2-O2
5	A	514	EDO	O1-C1-C2-O2
5	A	516	EDO	O1-C1-C2-O2
5	A	517	EDO	O1-C1-C2-O2
5	B	508	EDO	O1-C1-C2-O2
6	B	517	PGE	O3-C5-C6-O4


There are no ring outliers.


16 monomers are involved in 28 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	513	EDO	2	0
2	B	501	HEM	3	0
4	B	504	PEG	2	0
5	A	508	EDO	1	0
5	B	511	EDO	1	0
5	A	516	EDO	1	0
5	B	509	EDO	4	0
4	A	503	PEG	3	0
5	A	509	EDO	1	0
6	B	516	PGE	2	0
5	A	519	EDO	1	0
6	B	515	PGE	1	0
5	B	508	EDO	1	0
4	A	504	PEG	1	0
5	A	507	EDO	4	0
2	A	501	HEM	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	391/447 (87%)	1.05	53 (13%) 7 7	17, 26, 46, 71	0
1	B	390/447 (87%)	0.91	34 (8%) 16 17	11, 27, 49, 71	2 (0%)
All	All	781/894 (87%)	0.98	87 (11%) 10 11	11, 27, 47, 71	2 (0%)

All (87) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	50	ALA	4.8
1	A	427	ASP	4.3
1	A	231	HIS	4.2
1	B	235	THR	4.2
1	B	426	ALA	4.1
1	A	331	VAL	3.9
1	B	231	HIS	3.9
1	A	319	GLY	3.7
1	B	62	ASN	3.7
1	A	426	ALA	3.6
1	B	319	GLY	3.6
1	A	320	GLY	3.6
1	B	50	ALA	3.6
1	A	321	ARG	3.5
1	A	51	GLY	3.5
1	B	427	ASP	3.5
1	A	372	LYS	3.4
1	B	51	GLY	3.3
1	A	232	LYS	3.3
1	A	269	ALA	3.3
1	A	373	SER	3.2
1	A	335	GLY	3.2
1	A	270	ASP	3.2
1	A	230	ALA	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	440	ARG	3.1
1	A	234	GLY	3.1
1	B	269	ALA	3.1
1	B	127	LEU	3.0
1	A	351	THR	2.9
1	A	322	THR	2.9
1	B	123	PRO	2.8
1	A	260	GLU	2.8
1	B	368	ASN	2.8
1	A	368	ASN	2.8
1	A	272	ALA	2.7
1	B	125	PRO	2.7
1	A	167	ARG	2.7
1	B	121	VAL	2.7
1	B	321	ARG	2.7
1	B	100	LEU	2.7
1	A	342	SER	2.6
1	A	65	GLN	2.5
1	A	294	ARG	2.5
1	A	316	PRO	2.4
1	A	337	ARG	2.4
1	B	439	ALA	2.4
1	A	370	VAL	2.4
1	A	305	ARG	2.4
1	A	353	ALA	2.3
1	B	233	PRO	2.3
1	B	237	SER	2.3
1	A	326	VAL	2.3
1	B	265	VAL	2.3
1	A	259	ARG	2.3
1	B	381	LEU	2.2
1	B	373	SER	2.2
1	A	169	LEU	2.2
1	A	328	ASP	2.2
1	B	214	ASP	2.2
1	A	237	SER	2.2
1	B	111	ILE	2.2
1	B	90	PHE	2.2
1	A	425	ARG	2.2
1	A	310	ALA	2.2
1	A	391	ALA	2.2
1	A	348	ASN	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	138	VAL	2.1
1	A	374	GLY	2.1
1	A	173	THR	2.1
1	A	235	THR	2.1
1	B	52	THR	2.1
1	A	375	GLN	2.1
1	A	371	THR	2.1
1	B	167	ARG	2.1
1	B	425	ARG	2.1
1	A	346	LEU	2.1
1	B	56	ASP	2.1
1	A	263	ARG	2.1
1	A	250	SER	2.1
1	A	238	GLU	2.1
1	B	142	ASP	2.1
1	B	259	ARG	2.1
1	B	204	ALA	2.0
1	B	423	ILE	2.0
1	A	249	GLY	2.0
1	A	52	THR	2.0
1	A	325	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	EDO	B	507	4/4	0.44	0.22	60,61,61,63	0
5	EDO	B	510	4/4	0.46	0.23	36,41,45,47	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	EDO	A	510	4/4	0.54	0.26	47,49,52,58	0
5	EDO	B	506	4/4	0.55	0.19	41,43,43,45	0
5	EDO	A	514	4/4	0.57	0.23	53,54,56,64	0
5	EDO	B	512	4/4	0.57	0.24	40,44,47,48	0
5	EDO	A	513	4/4	0.59	0.24	38,43,48,51	0
5	EDO	B	508	4/4	0.59	0.21	40,40,42,42	0
5	EDO	B	514	4/4	0.61	0.20	40,41,46,46	0
5	EDO	B	513	4/4	0.63	0.18	52,53,55,56	0
5	EDO	A	516	4/4	0.64	0.22	41,42,45,47	0
5	EDO	A	508	4/4	0.68	0.17	24,33,35,37	0
5	EDO	A	512	4/4	0.68	0.16	35,36,39,52	0
5	EDO	A	518	4/4	0.69	0.16	48,49,49,49	0
4	PEG	A	503	7/7	0.72	0.18	28,29,38,38	0
5	EDO	A	519	4/4	0.75	0.17	33,37,38,41	0
5	EDO	A	511	4/4	0.75	0.16	42,43,44,47	0
3	OXY	A	502	2/2	0.75	0.19	26,26,26,27	0
4	PEG	A	504	7/7	0.75	0.17	42,43,55,60	0
6	PGE	B	515	10/10	0.75	0.18	28,38,41,43	0
5	EDO	A	509	4/4	0.76	0.24	34,36,38,41	0
5	EDO	A	517	4/4	0.76	0.16	35,42,45,48	0
5	EDO	A	507	4/4	0.76	0.17	34,36,37,41	0
5	EDO	B	509	4/4	0.78	0.32	24,29,32,40	0
5	EDO	A	506	4/4	0.79	0.16	31,37,42,43	0
4	PEG	A	505	7/7	0.79	0.23	10,26,31,40	0
5	EDO	B	505	4/4	0.80	0.16	35,37,38,39	0
6	PGE	B	516	10/10	0.82	0.18	24,43,56,59	0
4	PEG	B	503	7/7	0.83	0.18	28,33,46,50	0
4	PEG	B	504	7/7	0.83	0.16	35,39,45,48	0
5	EDO	B	511	4/4	0.85	0.12	35,35,37,38	0
3	OXY	B	502	2/2	0.85	0.15	20,20,20,25	0
5	EDO	A	515	4/4	0.86	0.12	35,37,45,47	0
6	PGE	B	517	10/10	0.88	0.18	14,29,39,43	0
2	HEM	A	501	43/43	0.92	0.12	15,21,24,26	0
2	HEM	B	501	43/43	0.94	0.11	13,22,27,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEM A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.