



Full wwPDB EM Validation Report ⓘ

Mar 25, 2026 – 05:08 AM UTC

PDB ID : 8JC8 / pdb_00008jc8
EMDB ID : EMD-36151
Title : Cryo-EM structure of the LH1 complex from thermochromatium tepidum
Authors : Wang, G.-L.; Yan, Y.-H.; Yu, L.-J.
Deposited on : 2023-05-10
Resolution : 3.11 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.











Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14465 (2.61 - 3.61)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	2	47	70%17%13%
1	4	47	79%11%11%
1	6	47	6% 77%13%11%
1	8	47	74%11%15%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	B	47	
1	E	47	
1	G	47	
1	J	47	
1	N	47	
1	P	47	
1	R	47	
1	T	47	
1	V	47	
1	X	47	
1	Z	47	
2	1	57	
2	3	57	
2	5	57	
2	7	57	
2	A	57	
2	D	57	
2	F	57	
2	I	57	
2	K	57	
2	O	57	
2	Q	57	
2	S	57	
2	U	57	
2	W	57	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	Y	57	72% 18% 9%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 14456 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called LH1 beta polypeptide.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	2	41	Total	C	N	O	S	0	0
			345	234	53	56	2		
1	4	42	Total	C	N	O	S	0	0
			351	237	54	58	2		
1	6	42	Total	C	N	O	S	0	0
			351	237	54	58	2		
1	8	40	Total	C	N	O	S	0	0
			337	228	52	55	2		
1	B	40	Total	C	N	O	S	0	0
			337	228	52	55	2		
1	E	38	Total	C	N	O	S	0	0
			326	222	50	52	2		
1	G	42	Total	C	N	O	S	0	0
			351	237	54	58	2		
1	J	40	Total	C	N	O	S	0	0
			337	228	52	55	2		
1	N	40	Total	C	N	O	S	0	0
			337	228	52	55	2		
1	P	40	Total	C	N	O	S	0	0
			337	228	52	55	2		
1	R	40	Total	C	N	O	S	0	0
			337	228	52	55	2		
1	T	43	Total	C	N	O	S	0	0
			360	243	56	59	2		
1	V	40	Total	C	N	O	S	0	0
			337	228	52	55	2		
1	Z	40	Total	C	N	O	S	0	0
			337	228	52	55	2		
1	X	40	Total	C	N	O	S	0	0
			337	228	52	55	2		

- Molecule 2 is a protein called LH1 alpha polypeptide.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	3	53	Total	C	N	O	S	0	0
			430	286	70	73	1		
2	5	52	Total	C	N	O	S	0	0
			422	282	68	71	1		
2	7	53	Total	C	N	O	S	0	0
			430	286	70	73	1		
2	A	52	Total	C	N	O	S	0	0
			422	282	68	71	1		
2	D	53	Total	C	N	O	S	1	0
			433	288	70	74	1		
2	F	53	Total	C	N	O	S	1	0
			433	288	70	74	1		
2	I	53	Total	C	N	O	S	1	0
			433	288	70	74	1		
2	K	53	Total	C	N	O	S	0	0
			430	286	70	73	1		
2	O	52	Total	C	N	O	S	0	0
			422	282	68	71	1		
2	Q	53	Total	C	N	O	S	0	0
			430	286	70	73	1		
2	S	53	Total	C	N	O	S	0	0
			430	286	70	73	1		
2	U	53	Total	C	N	O	S	0	0
			430	286	70	73	1		
2	W	53	Total	C	N	O	S	0	0
			430	286	70	73	1		
2	1	52	Total	C	N	O	S	0	0
			422	282	68	71	1		
2	Y	52	Total	C	N	O	S	0	0
			422	282	68	71	1		

- Molecule 3 is BACTERIOCHLOROPHYLL A (CCD ID: BCL) (formula: $C_{55}H_{74}MgN_4O_6$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
3	2	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
3	3	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
3	4	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
3	5	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
3	6	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
3	7	1	Total	C	Mg	N	O	0
			61	50	1	4	6	
3	8	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
3	A	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
3	B	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
3	D	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
3	E	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
3	F	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
3	G	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
3	I	1	Total	C	Mg	N	O	0
			66	55	1	4	6	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
3	J	1	Total 66	C 55	Mg 1	N 4	O 6	0
3	K	1	Total 66	C 55	Mg 1	N 4	O 6	0
3	N	1	Total 66	C 55	Mg 1	N 4	O 6	0
3	O	1	Total 66	C 55	Mg 1	N 4	O 6	0
3	P	1	Total 66	C 55	Mg 1	N 4	O 6	0
3	Q	1	Total 66	C 55	Mg 1	N 4	O 6	0
3	R	1	Total 66	C 55	Mg 1	N 4	O 6	0
3	S	1	Total 66	C 55	Mg 1	N 4	O 6	0
3	T	1	Total 66	C 55	Mg 1	N 4	O 6	0
3	U	1	Total 66	C 55	Mg 1	N 4	O 6	0
3	U	1	Total 66	C 55	Mg 1	N 4	O 6	0
3	W	1	Total 66	C 55	Mg 1	N 4	O 6	0
3	Z	1	Total 66	C 55	Mg 1	N 4	O 6	0
3	1	1	Total 66	C 55	Mg 1	N 4	O 6	0
3	Y	1	Total 66	C 55	Mg 1	N 4	O 6	0
3	X	1	Total 66	C 55	Mg 1	N 4	O 6	0

- Molecule 4 is Octadecane (CCD ID: 8K6) (formula: C₁₈H₃₈).



Mol	Chain	Residues	Atoms		AltConf
4	2	1	Total	C	0
			18	18	
4	4	1	Total	C	0
			18	18	
4	6	1	Total	C	0
			18	18	
4	8	1	Total	C	0
			18	18	
4	8	1	Total	C	0
			18	18	
4	E	1	Total	C	0
			18	18	
4	G	1	Total	C	0
			18	18	
4	J	1	Total	C	0
			18	18	
4	J	1	Total	C	0
			18	18	
4	P	1	Total	C	0
			18	18	
4	R	1	Total	C	0
			18	18	
4	T	1	Total	C	0
			18	18	
4	V	1	Total	C	0
			18	18	
4	Z	1	Total	C	0
			18	18	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
4	X	1	Total C 18 18	0

- Molecule 5 is CALCIUM ION (CCD ID: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
5	3	1	Total Ca 1 1	0
5	5	1	Total Ca 1 1	0
5	7	1	Total Ca 1 1	0
5	A	1	Total Ca 1 1	0
5	D	1	Total Ca 1 1	0
5	F	1	Total Ca 1 1	0
5	I	1	Total Ca 1 1	0
5	K	1	Total Ca 1 1	0
5	O	1	Total Ca 1 1	0
5	Q	1	Total Ca 1 1	0
5	S	1	Total Ca 1 1	0
5	U	1	Total Ca 1 1	0
5	W	1	Total Ca 1 1	0
5	1	1	Total Ca 1 1	0
5	Y	1	Total Ca 1 1	0

- Molecule 6 is SPIRILLOXANTHIN (CCD ID: CRT) (formula: C₄₂H₆₀O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
6	3	1	Total	C	O	0
			44	42	2	
6	5	1	Total	C	O	0
			44	42	2	
6	7	1	Total	C	O	0
			44	42	2	
6	A	1	Total	C	O	0
			44	42	2	
6	D	1	Total	C	O	0
			44	42	2	
6	E	1	Total	C	O	0
			44	42	2	
6	I	1	Total	C	O	0
			44	42	2	
6	J	1	Total	C	O	0
			44	42	2	
6	K	1	Total	C	O	0
			44	42	2	
6	N	1	Total	C	O	0
			44	42	2	
6	S	1	Total	C	O	0
			44	42	2	
6	U	1	Total	C	O	0
			44	42	2	
6	V	1	Total	C	O	0
			44	42	2	
6	1	1	Total	C	O	0
			44	42	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
6	Y	1	44	42	2	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: LH1 beta polypeptide




- Molecule 1: LH1 beta polypeptide




- Molecule 1: LH1 beta polypeptide



- Molecule 1: LH1 beta polypeptide




- Molecule 1: LH1 beta polypeptide




• Molecule 1: LH1 beta polypeptide

Chain E:  77% 19%



• Molecule 1: LH1 beta polypeptide

Chain G:  77% 13% 11% 6%




• Molecule 1: LH1 beta polypeptide

Chain J:  79% 6% 15%




• Molecule 1: LH1 beta polypeptide

Chain N:  79% 6% 15%




• Molecule 1: LH1 beta polypeptide

Chain P:  70% 15% 15%



• Molecule 1: LH1 beta polypeptide

Chain R:  77% 9% 15%




• Molecule 1: LH1 beta polypeptide


Chain T:  85% 6% 9% 9%




- Molecule 1: LH1 beta polypeptide




- Molecule 1: LH1 beta polypeptide




- Molecule 1: LH1 beta polypeptide




- Molecule 2: LH1 alpha polypeptide





- Molecule 2: LH1 alpha polypeptide




- Molecule 2: LH1 alpha polypeptide




- Molecule 2: LH1 alpha polypeptide





- Molecule 2: LH1 alpha polypeptide





- Molecule 2: LH1 alpha polypeptide





- Molecule 2: LH1 alpha polypeptide





- Molecule 2: LH1 alpha polypeptide



- Molecule 2: LH1 alpha polypeptide



- Molecule 2: LH1 alpha polypeptide



- Molecule 2: LH1 alpha polypeptide

Chain S:  79% 14% 7%




- Molecule 2: LH1 alpha polypeptide

Chain U:  81% 12% 7%



- Molecule 2: LH1 alpha polypeptide

Chain W:  88% 5% 7%



- Molecule 2: LH1 alpha polypeptide

Chain 1:  68% 21% 9%



- Molecule 2: LH1 alpha polypeptide

Chain Y:  72% 18% 9%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	116091	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING ONLY	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	63.2	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	2300	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.341	Depositor
Minimum map value	-1.450	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.044	Depositor
Recommended contour level	0.3	Depositor
Map size ($\text{\AA}$)	320.4, 320.4, 320.4	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.89, 0.89, 0.89	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CRT, CA, BCL, 8K6

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	2	0.14	0/358	0.23	0/487
1	4	0.12	0/364	0.18	0/495
1	6	0.12	0/364	0.20	0/495
1	8	0.12	0/350	0.18	0/476
1	B	0.13	0/350	0.20	0/476
1	E	0.13	0/339	0.20	0/461
1	G	0.12	0/364	0.19	0/495
1	J	0.12	0/350	0.18	0/476
1	N	0.12	0/350	0.19	0/476
1	P	0.12	0/350	0.18	0/476
1	R	0.12	0/350	0.20	0/476
1	T	0.12	0/373	0.17	0/506
1	V	0.12	0/350	0.20	0/476
1	X	0.15	0/350	0.26	0/476
1	Z	0.16	0/350	0.26	0/476
2	1	0.87	0/431	1.26	1/591 (0.2%)
2	3	0.14	0/439	0.30	0/602
2	5	0.13	0/431	0.27	0/591
2	7	0.13	0/439	0.26	0/602
2	A	0.13	0/431	0.28	0/591
2	D	0.12	0/445	0.25	0/610
2	F	0.13	0/445	0.26	0/610
2	I	0.13	0/445	0.26	0/610
2	K	0.13	0/439	0.27	0/602
2	O	0.14	0/431	0.29	0/591
2	Q	0.13	0/439	0.28	0/602
2	S	0.15	0/439	0.32	0/602
2	U	0.12	0/439	0.26	0/602
2	W	0.15	0/439	0.34	0/602
2	Y	0.87	0/431	1.26	2/591 (0.3%)
All	All	0.27	0/11875	0.42	3/16222 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	1	0	1
2	Y	0	1
All	All	0	2

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	Y	49	ASP	CA-CB-CG	7.07	119.67	112.60
2	1	49	ASP	CA-CB-CG	5.76	118.36	112.60
2	Y	43	ASP	CA-CB-CG	5.66	118.26	112.60

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	1	51	ILE	Peptide
2	Y	51	ILE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	2	345	0	334	6	0
1	4	351	0	339	5	0
1	6	351	0	339	4	0
1	8	337	0	323	6	0
1	B	337	0	323	15	0
1	E	326	0	313	4	0
1	G	351	0	339	5	0
1	J	337	0	323	3	0
1	N	337	0	323	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	P	337	0	323	6	0
1	R	337	0	323	4	0
1	T	360	0	352	2	0
1	V	337	0	323	5	0
1	X	337	0	323	7	0
1	Z	337	0	323	6	0
2	1	422	0	446	10	0
2	3	430	0	452	7	0
2	5	422	0	446	4	0
2	7	430	0	452	6	0
2	A	422	0	446	3	0
2	D	433	0	457	5	0
2	F	433	0	457	6	0
2	I	433	0	457	5	0
2	K	430	0	452	4	0
2	O	422	0	446	4	0
2	Q	430	0	452	4	0
2	S	430	0	452	6	0
2	U	430	0	452	6	0
2	W	430	0	452	3	0
2	Y	422	0	446	3	0
3	1	66	0	74	11	0
3	2	66	0	74	0	0
3	3	66	0	74	2	0
3	4	66	0	74	7	0
3	5	66	0	74	5	0
3	6	66	0	74	3	0
3	7	61	0	61	4	0
3	8	66	0	74	0	0
3	A	66	0	74	1	0
3	B	66	0	74	12	0
3	D	66	0	74	5	0
3	E	66	0	74	4	0
3	F	66	0	74	4	0
3	G	66	0	74	2	0
3	I	66	0	74	3	0
3	J	66	0	74	1	0
3	K	66	0	74	2	0
3	N	66	0	74	3	0
3	O	66	0	74	4	0
3	P	66	0	74	0	0
3	Q	66	0	74	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	R	66	0	74	6	0
3	S	66	0	74	4	0
3	T	66	0	74	3	0
3	U	132	0	148	11	0
3	W	66	0	74	2	0
3	X	66	0	74	2	0
3	Y	66	0	74	5	0
3	Z	66	0	74	5	0
4	2	18	0	38	1	0
4	4	18	0	38	1	0
4	6	18	0	38	0	0
4	8	36	0	76	4	0
4	E	18	0	38	0	0
4	G	18	0	38	0	0
4	J	36	0	76	1	0
4	P	18	0	38	1	0
4	R	18	0	38	1	0
4	T	18	0	38	0	0
4	V	18	0	38	0	0
4	X	18	0	38	0	0
4	Z	18	0	38	1	0
5	1	1	0	0	0	0
5	3	1	0	0	0	0
5	5	1	0	0	0	0
5	7	1	0	0	0	0
5	A	1	0	0	0	0
5	D	1	0	0	0	0
5	F	1	0	0	0	0
5	I	1	0	0	0	0
5	K	1	0	0	0	0
5	O	1	0	0	0	0
5	Q	1	0	0	0	0
5	S	1	0	0	0	0
5	U	1	0	0	0	0
5	W	1	0	0	0	0
5	Y	1	0	0	0	0
6	1	44	0	60	1	0
6	3	44	0	60	3	0
6	5	44	0	60	4	0
6	7	44	0	60	2	0
6	A	44	0	60	3	0
6	D	44	0	60	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	E	44	0	60	6	0
6	I	44	0	60	5	0
6	J	44	0	60	1	0
6	K	44	0	60	3	0
6	N	44	0	60	4	0
6	S	44	0	60	7	0
6	U	44	0	60	4	0
6	V	44	0	60	4	0
6	Y	44	0	60	6	0
All	All	14456	0	15365	226	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (226) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:40:TRP:CH2	3:B:101:BCL:H201	1.68	1.28
1:B:40:TRP:CH2	3:B:101:BCL:C20	2.22	1.22
1:B:40:TRP:CZ2	3:B:101:BCL:H201	1.80	1.15
1:B:40:TRP:CZ3	3:B:101:BCL:H203	1.92	1.03
1:B:40:TRP:CZ3	3:B:101:BCL:C20	2.42	1.01
2:Q:7:ASN:HB3	2:Q:10:LYS:HD2	1.67	0.76
1:6:11:ASP:OD2	1:6:15:LYS:NZ	2.19	0.75
3:Z:101:BCL:H51	3:1:103:BCL:H192	1.69	0.72
2:1:56:GLN:O	2:1:57:ALA:HB2	1.95	0.67
1:T:11:ASP:OD2	1:T:15:LYS:NZ	2.29	0.65
2:7:7:ASN:HB3	2:7:10:LYS:HD2	1.79	0.64
2:7:5:ASN:HD22	1:B:20:ILE:HG12	1.63	0.63
1:B:40:TRP:CE3	3:B:101:BCL:H203	2.35	0.61
2:I:7:ASN:HB3	2:I:10:LYS:HD2	1.85	0.58
1:J:42:TYR:HB2	4:J:102:8K6:H91C	1.85	0.58
6:D:101:CRT:H403	3:D:102:BCL:HMB3	1.86	0.57
2:S:33:LEU:O	2:S:37:MET:HG2	2.05	0.57
3:U:104:BCL:H11	6:V:101:CRT:H27	1.86	0.56
1:X:7:THR:HB	1:X:9:LEU:HD13	1.88	0.56
2:K:7:ASN:HB3	2:K:10:LYS:HD2	1.86	0.56
1:2:42:TYR:HB2	4:2:102:8K6:H102	1.88	0.55
2:1:28:GLN:CB	3:1:103:BCL:H42	2.37	0.54
2:F:5:ASN:HD22	1:J:20:ILE:HG12	1.73	0.54
3:3:101:BCL:HMB3	6:3:103:CRT:H403	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:7:33:LEU:O	2:7:37:MET:HG2	2.07	0.53
2:5:10:LYS:HB2	6:A:101:CRT:H5	1.90	0.53
2:U:33:LEU:O	2:U:37:MET:HG2	2.09	0.53
2:A:36:HIS:CG	6:A:101:CRT:H372	2.43	0.52
6:D:101:CRT:H403	3:D:102:BCL:CMB	2.39	0.52
1:B:40:TRP:CH2	3:B:101:BCL:H202	2.37	0.52
2:I:33:LEU:O	2:I:37:MET:HG2	2.09	0.52
1:Z:42:TYR:HB2	4:Z:102:8K6:H101	1.92	0.52
2:3:5:ASN:HD22	1:6:20:ILE:HG12	1.74	0.52
2:U:5:ASN:HD22	1:X:20:ILE:HG12	1.75	0.52
2:K:5:ASN:HD22	1:P:20:ILE:HG12	1.74	0.51
2:F:31:LEU:O	2:F:35:ILE:HG13	2.10	0.51
1:Z:43:ARG:NH1	2:1:55:TYR:HB3	2.25	0.51
1:G:21:PHE:HD2	1:G:22:MET:HE2	1.75	0.51
3:U:104:BCL:HBA1	1:V:32:VAL:HG21	1.92	0.51
2:O:10:LYS:HB2	6:S:101:CRT:H5	1.93	0.51
1:8:42:TYR:HB2	4:8:102:8K6:H92C	1.93	0.50
4:8:103:8K6:H81C	1:B:42:TYR:HB2	1.92	0.50
2:5:33:LEU:O	2:5:37:MET:HG2	2.11	0.50
2:3:33:LEU:O	2:3:37:MET:HG2	2.12	0.50
2:D:14:ILE:HD11	6:I:101:CRT:H23	1.93	0.50
2:3:36:HIS:CG	6:3:103:CRT:H372	2.47	0.50
2:1:28:GLN:HB2	3:1:103:BCL:H42	1.93	0.50
2:D:33:LEU:O	2:D:37:MET:HG2	2.12	0.49
6:E:101:CRT:H36	2:F:33:LEU:HD23	1.94	0.49
2:F:7:ASN:HB3	2:F:10:LYS:HD2	1.94	0.49
2:1:56:GLN:O	2:1:57:ALA:CB	2.61	0.49
3:U:104:BCL:H171	1:V:46:LEU:HD12	1.95	0.48
1:E:32:VAL:HG21	3:E:103:BCL:HBA1	1.95	0.48
2:F:33:LEU:O	2:F:37:MET:HG2	2.12	0.48
1:V:21:PHE:HD2	1:V:22:MET:HE2	1.78	0.48
2:W:17:PRO:HB3	1:X:17:PHE:CZ	2.48	0.48
2:3:31:LEU:O	2:3:35:ILE:HG13	2.14	0.48
1:B:21:PHE:HD2	1:B:22:MET:HE2	1.78	0.48
2:Y:33:LEU:O	2:Y:37:MET:HG2	2.13	0.48
3:Q:101:BCL:H41	3:Q:101:BCL:H62	1.47	0.48
6:V:101:CRT:H372	2:W:36:HIS:CG	2.48	0.48
3:4:101:BCL:H93	3:4:101:BCL:H62	1.77	0.48
1:8:46:LEU:HD13	4:8:103:8K6:H102	1.96	0.48
1:2:21:PHE:HD2	1:2:22:MET:HE2	1.78	0.47
6:N:101:CRT:H2M1	2:O:37:MET:HE2	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:3:101:BCL:CMB	6:3:103:CRT:H403	2.45	0.47
1:6:21:PHE:HD2	1:6:22:MET:HE2	1.79	0.47
2:S:34:LEU:O	2:S:38:ILE:HG13	2.14	0.47
1:2:28:TRP:CZ3	3:1:103:BCL:HED1	2.50	0.47
1:X:45:TRP:CD1	1:X:46:LEU:HG	2.50	0.47
1:R:32:VAL:HG21	3:R:101:BCL:HBA1	1.95	0.47
1:8:21:PHE:HD2	1:8:22:MET:HE2	1.80	0.47
3:A:102:BCL:H41	3:A:102:BCL:H62	1.67	0.47
1:G:5:SER:OG	1:G:6:LEU:N	2.47	0.46
6:K:103:CRT:H372	2:Q:36:HIS:CG	2.51	0.46
2:K:31:LEU:O	2:K:35:ILE:HG13	2.16	0.46
1:8:46:LEU:CD1	4:8:103:8K6:H102	2.46	0.46
3:O:101:BCL:H41	3:O:101:BCL:H62	1.76	0.46
3:W:101:BCL:H62	3:W:101:BCL:H41	1.74	0.46
6:7:101:CRT:H403	3:7:102:BCL:HMB3	1.98	0.46
2:D:17:PRO:HB3	1:E:17:PHE:CZ	2.50	0.46
1:2:45:TRP:CD1	1:2:46:LEU:HG	2.51	0.46
3:B:101:BCL:H141	3:B:101:BCL:H162	1.77	0.46
2:S:17:PRO:HB3	1:T:17:PHE:CZ	2.51	0.46
2:5:17:PRO:HB3	1:6:17:PHE:CZ	2.50	0.46
1:X:42:TYR:CD2	1:X:43:ARG:HG2	2.51	0.46
2:3:17:PRO:HB3	1:4:17:PHE:CZ	2.51	0.45
2:I:33:LEU:HD23	6:I:101:CRT:H36	1.98	0.45
3:U:102:BCL:H41	3:U:102:BCL:H62	1.68	0.45
3:1:103:BCL:H62	3:1:103:BCL:H41	1.46	0.45
3:7:102:BCL:H62	3:7:102:BCL:H41	1.31	0.45
1:P:42:TYR:HB2	4:P:102:8K6:H92C	1.97	0.45
3:B:101:BCL:H41	3:B:101:BCL:H61	1.68	0.45
2:3:7:ASN:HB3	2:3:10:LYS:HD2	1.97	0.45
6:D:101:CRT:H36	6:D:101:CRT:H341	1.81	0.45
3:5:102:BCL:H51	3:5:102:BCL:H8	1.84	0.45
3:Z:101:BCL:H43	3:1:103:BCL:H171	1.98	0.45
2:5:31:LEU:O	2:5:35:ILE:HG13	2.16	0.45
3:6:102:BCL:H141	3:6:102:BCL:H162	1.77	0.45
6:Y:101:CRT:H27	3:X:102:BCL:H11	1.98	0.45
2:Q:10:LYS:HB2	6:U:101:CRT:H5	1.99	0.45
3:U:104:BCL:HMC3	3:W:101:BCL:HBB1	1.98	0.45
6:E:101:CRT:H27	3:E:103:BCL:H12	1.99	0.44
2:I:17:PRO:HB3	1:J:17:PHE:CZ	2.51	0.44
3:T:101:BCL:HMC3	3:U:102:BCL:HBB1	1.99	0.44
2:U:31:LEU:O	2:U:35:ILE:HG13	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:103:BCL:HMC3	3:F:101:BCL:HBB1	2.00	0.44
1:Z:43:ARG:HH12	2:1:55:TYR:HB3	1.81	0.44
2:A:31:LEU:O	2:A:35:ILE:HG13	2.17	0.44
3:R:101:BCL:HMC3	3:S:102:BCL:HBB1	1.98	0.44
3:T:101:BCL:H41	3:U:102:BCL:H203	1.99	0.44
2:Y:31:LEU:O	2:Y:35:ILE:HG13	2.18	0.44
2:Q:17:PRO:HB3	1:R:17:PHE:CZ	2.53	0.44
3:4:101:BCL:HMC3	3:5:102:BCL:HBB1	2.00	0.44
2:U:17:PRO:HB3	1:V:17:PHE:CZ	2.53	0.44
3:E:103:BCL:H141	3:E:103:BCL:H161	1.68	0.44
2:1:28:GLN:HB3	3:1:103:BCL:H42	1.99	0.44
1:2:17:PHE:CZ	2:1:17:PRO:HB3	2.53	0.43
2:D:33:LEU:HD23	6:D:101:CRT:H36	2.00	0.43
2:U:5:ASN:N	1:X:23:GLN:HE22	2.16	0.43
1:8:21:PHE:CD1	6:A:101:CRT:H14	2.53	0.43
2:7:5:ASN:OD1	2:7:6:ALA:N	2.49	0.43
6:U:101:CRT:H403	3:U:102:BCL:CMB	2.49	0.43
1:4:45:TRP:HZ2	3:4:101:BCL:H13	1.83	0.43
2:A:17:PRO:HB3	1:B:17:PHE:CZ	2.53	0.43
1:E:17:PHE:HD1	6:E:101:CRT:H6	1.83	0.43
2:U:10:LYS:HB2	6:Y:101:CRT:H5	1.99	0.43
6:S:101:CRT:H403	3:S:102:BCL:HMB3	2.01	0.43
3:G:102:BCL:H141	3:G:102:BCL:H162	1.72	0.43
1:V:18:HIS:CE1	1:V:22:MET:HE3	2.53	0.43
3:F:101:BCL:H41	3:F:101:BCL:H62	1.66	0.43
2:K:17:PRO:HB3	1:N:17:PHE:CZ	2.54	0.43
1:Z:45:TRP:CD1	1:Z:46:LEU:HG	2.54	0.43
6:Y:101:CRT:H403	3:Y:103:BCL:HMB3	2.01	0.43
1:2:18:HIS:CE1	1:2:22:MET:HE3	2.54	0.43
1:B:21:PHE:CD1	6:D:101:CRT:H14	2.54	0.43
3:J:103:BCL:HMC3	3:K:101:BCL:HBB1	2.01	0.43
6:N:101:CRT:H36	6:N:101:CRT:H341	1.86	0.43
3:R:101:BCL:H12	6:S:101:CRT:H27	2.00	0.43
1:N:21:PHE:HD2	1:N:22:MET:HE2	1.82	0.43
3:N:102:BCL:H141	3:N:102:BCL:H161	1.78	0.43
3:U:104:BCL:H3A	3:U:104:BCL:H52	2.01	0.43
3:Y:103:BCL:H41	3:Y:103:BCL:H62	1.68	0.43
1:B:45:TRP:CD1	1:B:46:LEU:HG	2.53	0.42
2:F:17:PRO:HB3	1:G:17:PHE:CZ	2.53	0.42
3:F:101:BCL:H8	3:F:101:BCL:H51	1.78	0.42
2:1:31:LEU:O	2:1:35:ILE:HG13	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:4:101:BCL:H12	6:5:101:CRT:H27	2.00	0.42
3:Y:103:BCL:H51	3:Y:103:BCL:H8	1.81	0.42
3:B:101:BCL:H51	3:D:102:BCL:H203	2.01	0.42
3:R:101:BCL:H141	3:R:101:BCL:H162	1.71	0.42
2:1:33:LEU:O	2:1:37:MET:HG2	2.19	0.42
6:I:101:CRT:H36	6:I:101:CRT:H341	1.82	0.42
3:N:102:BCL:HMC3	3:O:101:BCL:HBB1	2.01	0.42
3:R:101:BCL:H93	3:R:101:BCL:H62	1.75	0.42
6:Y:101:CRT:H403	3:Y:103:BCL:CMB	2.50	0.42
3:X:102:BCL:CBB	3:X:102:BCL:HMB1	2.50	0.42
3:1:103:BCL:H8	3:1:103:BCL:H51	1.58	0.42
3:4:101:BCL:H3A	3:4:101:BCL:H2	2.02	0.42
3:Q:101:BCL:H143	3:Q:101:BCL:H112	1.79	0.42
2:W:9:TYR:HE1	1:X:11:ASP:OD1	2.02	0.42
1:Z:17:PHE:HE2	2:Y:17:PRO:HB3	1.85	0.42
3:Z:101:BCL:H71	3:Z:101:BCL:H111	1.91	0.42
6:5:101:CRT:H36	6:5:101:CRT:H341	1.79	0.42
1:B:16:GLU:O	1:B:20:ILE:HG13	2.20	0.42
6:I:101:CRT:H403	3:I:102:BCL:CMB	2.50	0.42
2:O:17:PRO:HB3	1:P:17:PHE:CZ	2.55	0.42
2:S:10:LYS:HB2	6:V:101:CRT:H5	2.01	0.42
3:B:101:BCL:H62	3:B:101:BCL:H93	1.72	0.41
3:Z:101:BCL:H51	3:1:103:BCL:C19	2.44	0.41
3:4:101:BCL:H51	3:5:102:BCL:H203	2.02	0.41
2:D:28:GLN:CB	3:D:102:BCL:H42	2.50	0.41
3:N:102:BCL:H41	3:N:102:BCL:H61	1.84	0.41
3:K:101:BCL:H51	3:K:101:BCL:H8	1.93	0.41
1:R:21:PHE:HD2	1:R:22:MET:HE2	1.85	0.41
3:R:101:BCL:H51	3:S:102:BCL:H203	2.02	0.41
6:U:101:CRT:H403	3:U:102:BCL:HMB3	2.03	0.41
6:1:102:CRT:H36	6:1:102:CRT:H341	1.81	0.41
3:1:103:BCL:H142	3:1:103:BCL:H111	1.85	0.41
6:Y:101:CRT:H36	6:Y:101:CRT:H341	1.83	0.41
2:3:11:ILE:HD12	2:3:14:ILE:HD11	2.02	0.41
3:6:102:BCL:H62	3:6:102:BCL:H93	1.82	0.41
2:7:17:PRO:HB3	1:8:17:PHE:CZ	2.55	0.41
2:I:10:LYS:HB2	6:N:101:CRT:H5	2.02	0.41
3:Q:101:BCL:H162	3:Q:101:BCL:H141	1.73	0.41
3:T:101:BCL:H161	3:T:101:BCL:H141	1.78	0.41
6:E:101:CRT:H36	6:E:101:CRT:H341	1.83	0.41
1:G:21:PHE:CD1	6:I:101:CRT:H14	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:R:21:PHE:CD1	6:S:101:CRT:H14	2.55	0.41
6:V:101:CRT:H10	6:V:101:CRT:H81	1.95	0.41
3:1:103:BCL:HBB2	3:1:103:BCL:HMB3	2.01	0.41
6:K:103:CRT:H341	6:K:103:CRT:H36	1.87	0.41
4:R:102:8K6:H92C	4:R:102:8K6:H62C	1.78	0.41
2:S:31:LEU:O	2:S:35:ILE:HG13	2.21	0.41
1:4:32:VAL:HG21	3:4:101:BCL:HBA1	2.02	0.41
6:5:101:CRT:H26	6:5:101:CRT:H241	1.96	0.41
6:E:101:CRT:H403	3:F:101:BCL:CMB	2.51	0.41
2:O:7:ASN:O	2:O:10:LYS:HG3	2.20	0.41
2:S:33:LEU:HD23	6:S:101:CRT:H36	2.03	0.41
6:S:101:CRT:H36	6:S:101:CRT:H341	1.82	0.41
3:U:102:BCL:H51	3:U:102:BCL:H8	1.79	0.41
3:Y:103:BCL:H111	3:Y:103:BCL:H72	1.95	0.41
1:4:42:TYR:HB2	4:4:102:8K6:H91C	2.02	0.41
3:6:102:BCL:HMC3	3:7:102:BCL:HBB1	2.03	0.41
3:D:102:BCL:H162	3:D:102:BCL:H202	1.74	0.41
3:I:102:BCL:H51	3:I:102:BCL:H8	1.75	0.41
1:P:21:PHE:HD2	1:P:22:MET:HE2	1.85	0.41
1:P:45:TRP:CD1	1:P:46:LEU:HG	2.56	0.41
1:4:21:PHE:CD1	6:5:101:CRT:H14	2.56	0.40
6:7:101:CRT:H403	3:7:102:BCL:CMB	2.51	0.40
1:B:33:VAL:HG12	3:B:101:BCL:H92	2.03	0.40
6:J:101:CRT:H36	6:J:101:CRT:H341	1.88	0.40
6:S:101:CRT:H403	3:S:102:BCL:CMB	2.51	0.40
6:U:101:CRT:H36	6:U:101:CRT:H341	1.82	0.40
6:D:101:CRT:H26	6:D:101:CRT:H241	1.96	0.40
2:7:34:LEU:O	2:7:38:ILE:HG13	2.21	0.40
6:K:103:CRT:H14	1:P:21:PHE:CD1	2.56	0.40
3:O:101:BCL:H51	3:O:101:BCL:H8	1.87	0.40
1:Z:32:VAL:HG21	3:Z:101:BCL:HBA1	2.03	0.40
3:5:102:BCL:H72	3:5:102:BCL:H111	1.87	0.40
3:5:102:BCL:H202	3:5:102:BCL:H162	1.84	0.40
3:I:102:BCL:H202	3:I:102:BCL:H162	1.79	0.40
6:N:101:CRT:H35	3:O:101:BCL:HHB	2.04	0.40
1:E:17:PHE:CE1	6:E:101:CRT:H9	2.56	0.40
1:G:45:TRP:HZ2	3:G:102:BCL:H13	1.87	0.40
6:Y:101:CRT:H26	6:Y:101:CRT:H241	1.95	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	2	39/47 (83%)	39 (100%)	0	0	100	100
1	4	40/47 (85%)	40 (100%)	0	0	100	100
1	6	40/47 (85%)	40 (100%)	0	0	100	100
1	8	38/47 (81%)	38 (100%)	0	0	100	100
1	B	38/47 (81%)	38 (100%)	0	0	100	100
1	E	36/47 (77%)	36 (100%)	0	0	100	100
1	G	40/47 (85%)	40 (100%)	0	0	100	100
1	J	38/47 (81%)	38 (100%)	0	0	100	100
1	N	38/47 (81%)	38 (100%)	0	0	100	100
1	P	38/47 (81%)	38 (100%)	0	0	100	100
1	R	38/47 (81%)	38 (100%)	0	0	100	100
1	T	41/47 (87%)	41 (100%)	0	0	100	100
1	V	38/47 (81%)	38 (100%)	0	0	100	100
1	X	38/47 (81%)	38 (100%)	0	0	100	100
1	Z	38/47 (81%)	38 (100%)	0	0	100	100
2	1	50/57 (88%)	46 (92%)	4 (8%)	0	100	100
2	3	51/57 (90%)	49 (96%)	2 (4%)	0	100	100
2	5	50/57 (88%)	48 (96%)	2 (4%)	0	100	100
2	7	51/57 (90%)	49 (96%)	2 (4%)	0	100	100
2	A	50/57 (88%)	48 (96%)	2 (4%)	0	100	100
2	D	52/57 (91%)	51 (98%)	1 (2%)	0	100	100
2	F	52/57 (91%)	50 (96%)	2 (4%)	0	100	100
2	I	52/57 (91%)	49 (94%)	3 (6%)	0	100	100
2	K	51/57 (90%)	49 (96%)	2 (4%)	0	100	100
2	O	50/57 (88%)	48 (96%)	2 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	Q	51/57 (90%)	49 (96%)	2 (4%)	0	100	100
2	S	51/57 (90%)	48 (94%)	3 (6%)	0	100	100
2	U	51/57 (90%)	49 (96%)	2 (4%)	0	100	100
2	W	51/57 (90%)	48 (94%)	3 (6%)	0	100	100
2	Y	50/57 (88%)	44 (88%)	6 (12%)	0	100	100
All	All	1341/1560 (86%)	1303 (97%)	38 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	2	34/39 (87%)	34 (100%)	0	100	100
1	4	35/39 (90%)	35 (100%)	0	100	100
1	6	35/39 (90%)	35 (100%)	0	100	100
1	8	33/39 (85%)	33 (100%)	0	100	100
1	B	33/39 (85%)	33 (100%)	0	100	100
1	E	32/39 (82%)	32 (100%)	0	100	100
1	G	35/39 (90%)	35 (100%)	0	100	100
1	J	33/39 (85%)	33 (100%)	0	100	100
1	N	33/39 (85%)	33 (100%)	0	100	100
1	P	33/39 (85%)	33 (100%)	0	100	100
1	R	33/39 (85%)	33 (100%)	0	100	100
1	T	36/39 (92%)	36 (100%)	0	100	100
1	V	33/39 (85%)	33 (100%)	0	100	100
1	X	33/39 (85%)	33 (100%)	0	100	100
1	Z	33/39 (85%)	33 (100%)	0	100	100
2	1	48/53 (91%)	45 (94%)	3 (6%)	16	43

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	3	49/53 (92%)	49 (100%)	0	100	100
2	5	48/53 (91%)	48 (100%)	0	100	100
2	7	49/53 (92%)	49 (100%)	0	100	100
2	A	48/53 (91%)	48 (100%)	0	100	100
2	D	50/53 (94%)	50 (100%)	0	100	100
2	F	50/53 (94%)	50 (100%)	0	100	100
2	I	50/53 (94%)	50 (100%)	0	100	100
2	K	49/53 (92%)	49 (100%)	0	100	100
2	O	48/53 (91%)	48 (100%)	0	100	100
2	Q	49/53 (92%)	49 (100%)	0	100	100
2	S	49/53 (92%)	49 (100%)	0	100	100
2	U	49/53 (92%)	49 (100%)	0	100	100
2	W	49/53 (92%)	49 (100%)	0	100	100
2	Y	48/53 (91%)	44 (92%)	4 (8%)	10	34
All	All	1237/1380 (90%)	1230 (99%)	7 (1%)	76	81

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	1	43	ASP
2	1	48	ASP
2	1	56	GLN
2	Y	43	ASP
2	Y	48	ASP
2	Y	53	VAL
2	Y	56	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	2	18	HIS
2	5	7	ASN
1	X	23	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 75 ligands modelled in this entry, 15 are monoatomic - leaving 60 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	BCL	A	102	-	69,74,74	1.80	18 (26%)	79,115,115	2.26	22 (27%)
6	CRT	D	101	-	43,43,43	1.50	12 (27%)	48,54,54	1.65	13 (27%)
3	BCL	5	102	-	69,74,74	1.80	17 (24%)	79,115,115	2.19	19 (24%)
6	CRT	J	101	-	43,43,43	1.50	12 (27%)	48,54,54	1.69	14 (29%)
3	BCL	K	101	-	69,74,74	1.80	18 (26%)	79,115,115	2.25	22 (27%)
4	8K6	G	101	-	17,17,17	0.25	0	16,16,16	0.11	0
6	CRT	K	103	-	43,43,43	1.50	12 (27%)	48,54,54	1.64	12 (25%)
6	CRT	5	101	-	43,43,43	1.50	12 (27%)	48,54,54	1.65	13 (27%)
6	CRT	S	101	-	43,43,43	1.50	12 (27%)	48,54,54	1.65	13 (27%)
3	BCL	O	101	-	69,74,74	1.79	18 (26%)	79,115,115	2.21	21 (26%)
4	8K6	2	102	-	17,17,17	0.22	0	16,16,16	0.09	0
3	BCL	4	101	-	69,74,74	1.80	14 (20%)	79,115,115	2.10	23 (29%)
4	8K6	6	101	-	17,17,17	0.22	0	16,16,16	0.11	0
4	8K6	E	102	-	17,17,17	0.21	0	16,16,16	0.08	0
3	BCL	D	102	-	69,74,74	1.80	16 (23%)	79,115,115	2.23	20 (25%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	BCL	E	103	-	69,74,74	1.80	15 (21%)	79,115,115	2.09	23 (29%)
4	8K6	8	103	-	17,17,17	0.23	0	16,16,16	0.10	0
3	BCL	7	102	-	64,69,74	1.87	18 (28%)	73,109,115	2.30	21 (28%)
4	8K6	P	102	-	17,17,17	0.18	0	16,16,16	0.06	0
4	8K6	Z	102	-	17,17,17	0.21	0	16,16,16	0.06	0
3	BCL	U	102	-	69,74,74	1.81	17 (24%)	79,115,115	2.23	20 (25%)
3	BCL	1	103	-	69,74,74	1.92	18 (26%)	79,115,115	2.32	21 (26%)
3	BCL	X	102	-	69,74,74	1.79	17 (24%)	79,115,115	2.03	24 (30%)
4	8K6	J	102	-	17,17,17	0.23	0	16,16,16	0.08	0
6	CRT	3	103	-	43,43,43	1.50	12 (27%)	48,54,54	1.65	13 (27%)
3	BCL	2	101	-	69,74,74	1.84	16 (23%)	79,115,115	2.05	21 (26%)
3	BCL	I	102	-	69,74,74	1.80	18 (26%)	79,115,115	2.24	22 (27%)
3	BCL	G	102	-	69,74,74	1.77	16 (23%)	79,115,115	2.15	26 (32%)
3	BCL	Y	103	-	69,74,74	1.80	18 (26%)	79,115,115	2.28	20 (25%)
4	8K6	X	101	-	17,17,17	0.22	0	16,16,16	0.09	0
4	8K6	V	102	-	17,17,17	0.23	0	16,16,16	0.09	0
4	8K6	J	104	-	17,17,17	0.22	0	16,16,16	0.07	0
6	CRT	Y	101	-	43,43,43	1.50	12 (27%)	48,54,54	1.64	13 (27%)
3	BCL	P	101	-	69,74,74	1.80	17 (24%)	79,115,115	2.10	24 (30%)
3	BCL	3	101	-	69,74,74	1.80	18 (26%)	79,115,115	2.16	21 (26%)
3	BCL	T	101	-	69,74,74	1.78	17 (24%)	79,115,115	2.15	26 (32%)
3	BCL	J	103	-	69,74,74	1.81	15 (21%)	79,115,115	2.08	24 (30%)
3	BCL	F	101	-	69,74,74	1.79	16 (23%)	79,115,115	2.19	19 (24%)
3	BCL	U	104	-	69,74,74	1.79	15 (21%)	79,115,115	2.09	23 (29%)
3	BCL	Z	101	-	69,74,74	1.84	18 (26%)	79,115,115	2.32	26 (32%)
6	CRT	7	101	-	43,43,43	1.50	12 (27%)	48,54,54	1.65	13 (27%)
6	CRT	A	101	-	43,43,43	1.51	12 (27%)	48,54,54	1.63	13 (27%)
3	BCL	S	102	-	69,74,74	1.80	17 (24%)	79,115,115	2.21	22 (27%)
6	CRT	E	101	-	43,43,43	1.50	12 (27%)	48,54,54	1.71	14 (29%)
4	8K6	4	102	-	17,17,17	0.24	0	16,16,16	0.11	0
4	8K6	R	102	-	17,17,17	0.23	0	16,16,16	0.12	0
6	CRT	1	102	-	43,43,43	1.72	14 (32%)	48,54,54	1.79	15 (31%)
3	BCL	Q	101	-	69,74,74	1.80	18 (26%)	79,115,115	2.22	21 (26%)
4	8K6	T	102	-	17,17,17	0.20	0	16,16,16	0.08	0
6	CRT	U	101	-	43,43,43	1.49	12 (27%)	48,54,54	1.70	14 (29%)
3	BCL	B	101	-	69,74,74	1.77	17 (24%)	79,115,115	2.22	28 (35%)
3	BCL	N	102	-	69,74,74	1.79	15 (21%)	79,115,115	2.17	25 (31%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	CRT	N	101	-	43,43,43	1.50	12 (27%)	48,54,54	1.69	14 (29%)
3	BCL	R	101	-	69,74,74	1.80	15 (21%)	79,115,115	2.10	24 (30%)
3	BCL	8	101	-	69,74,74	1.78	14 (20%)	79,115,115	2.15	27 (34%)
6	CRT	V	101	-	43,43,43	1.50	12 (27%)	48,54,54	1.70	14 (29%)
3	BCL	6	102	-	69,74,74	1.79	15 (21%)	79,115,115	2.09	26 (32%)
3	BCL	W	101	-	69,74,74	1.80	17 (24%)	79,115,115	2.22	19 (24%)
4	8K6	8	102	-	17,17,17	0.22	0	16,16,16	0.08	0
6	CRT	I	101	-	43,43,43	1.50	12 (27%)	48,54,54	1.66	13 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BCL	A	102	-	-	14/41/137/137	-
6	CRT	D	101	-	-	0/51/51/51	-
3	BCL	5	102	-	-	7/41/137/137	-
6	CRT	J	101	-	-	1/51/51/51	-
3	BCL	K	101	-	-	10/41/137/137	-
4	8K6	G	101	-	-	8/15/15/15	-
6	CRT	K	103	-	-	0/51/51/51	-
6	CRT	5	101	-	-	0/51/51/51	-
6	CRT	S	101	-	-	0/51/51/51	-
3	BCL	O	101	-	-	11/41/137/137	-
4	8K6	2	102	-	-	7/15/15/15	-
3	BCL	4	101	-	-	18/41/137/137	-
4	8K6	6	101	-	-	9/15/15/15	-
4	8K6	E	102	-	-	11/15/15/15	-
3	BCL	D	102	-	-	10/41/137/137	-
3	BCL	E	103	-	-	18/41/137/137	-
4	8K6	8	103	-	-	11/15/15/15	-
3	BCL	7	102	-	-	14/35/131/137	-
4	8K6	P	102	-	-	7/15/15/15	-
4	8K6	Z	102	-	-	7/15/15/15	-
3	BCL	U	102	-	-	13/41/137/137	-
3	BCL	1	103	-	-	19/41/137/137	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BCL	X	102	-	-	13/41/137/137	-
4	8K6	J	102	-	-	7/15/15/15	-
6	CRT	3	103	-	-	0/51/51/51	-
3	BCL	2	101	-	-	17/41/137/137	-
3	BCL	I	102	-	-	12/41/137/137	-
3	BCL	G	102	-	-	22/41/137/137	-
3	BCL	Y	103	-	-	14/41/137/137	-
4	8K6	X	101	-	-	7/15/15/15	-
4	8K6	V	102	-	-	12/15/15/15	-
4	8K6	J	104	-	-	9/15/15/15	-
6	CRT	Y	101	-	-	0/51/51/51	-
3	BCL	P	101	-	-	12/41/137/137	-
3	BCL	3	101	-	-	14/41/137/137	-
3	BCL	T	101	-	-	19/41/137/137	-
3	BCL	J	103	-	-	19/41/137/137	-
3	BCL	F	101	-	-	13/41/137/137	-
3	BCL	U	104	-	-	14/41/137/137	-
3	BCL	Z	101	-	-	19/41/137/137	-
6	CRT	7	101	-	-	0/51/51/51	-
6	CRT	A	101	-	-	0/51/51/51	-
3	BCL	S	102	-	-	16/41/137/137	-
6	CRT	E	101	-	-	1/51/51/51	-
4	8K6	4	102	-	-	12/15/15/15	-
4	8K6	R	102	-	-	10/15/15/15	-
6	CRT	1	102	-	-	0/51/51/51	-
3	BCL	Q	101	-	-	15/41/137/137	-
4	8K6	T	102	-	-	7/15/15/15	-
6	CRT	U	101	-	-	1/51/51/51	-
3	BCL	B	101	-	-	19/41/137/137	-
3	BCL	N	102	-	-	22/41/137/137	-
6	CRT	N	101	-	-	1/51/51/51	-
3	BCL	R	101	-	-	19/41/137/137	-
3	BCL	8	101	-	-	19/41/137/137	-
6	CRT	V	101	-	-	1/51/51/51	-
3	BCL	6	102	-	-	18/41/137/137	-
3	BCL	W	101	-	-	11/41/137/137	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	8K6	8	102	-	-	11/15/15/15	-
6	CRT	I	101	-	-	0/51/51/51	-

All (680) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	1	103	BCL	C4B-NB	-5.76	1.30	1.37
3	1	103	BCL	C3D-C4D	-5.14	1.32	1.44
3	5	102	BCL	C3D-C4D	-4.89	1.33	1.44
3	U	102	BCL	C3D-C4D	-4.89	1.33	1.44
3	3	101	BCL	C3D-C4D	-4.87	1.33	1.44
3	F	101	BCL	C3D-C4D	-4.86	1.33	1.44
3	D	102	BCL	C3D-C4D	-4.86	1.33	1.44
3	S	102	BCL	C3D-C4D	-4.85	1.33	1.44
3	W	101	BCL	C3D-C4D	-4.84	1.33	1.44
3	Z	101	BCL	C3D-C4D	-4.83	1.33	1.44
3	7	102	BCL	C3D-C4D	-4.82	1.33	1.44
3	K	101	BCL	C3D-C4D	-4.82	1.33	1.44
3	N	102	BCL	C3D-C4D	-4.81	1.33	1.44
3	6	102	BCL	O2D-CGD	4.81	1.45	1.33
3	P	101	BCL	O2D-CGD	4.80	1.45	1.33
3	Y	103	BCL	C3D-C4D	-4.79	1.33	1.44
3	I	102	BCL	C3D-C4D	-4.78	1.33	1.44
3	A	102	BCL	C3D-C4D	-4.77	1.33	1.44
3	1	103	BCL	C1B-NB	-4.77	1.31	1.37
3	O	101	BCL	C3D-C4D	-4.77	1.33	1.44
3	2	101	BCL	O2D-CGD	4.76	1.44	1.33
3	X	102	BCL	O2D-CGD	4.76	1.44	1.33
3	Q	101	BCL	C3D-C4D	-4.75	1.33	1.44
3	4	101	BCL	C3D-C4D	-4.73	1.33	1.44
3	G	102	BCL	C3D-C4D	-4.73	1.33	1.44
3	T	101	BCL	O2D-CGD	4.73	1.44	1.33
3	J	103	BCL	C3D-C4D	-4.73	1.33	1.44
3	Z	101	BCL	O2D-CGD	4.72	1.44	1.33
3	R	101	BCL	C3D-C4D	-4.72	1.33	1.44
3	2	101	BCL	C1D-ND	-4.72	1.31	1.37
3	X	102	BCL	C3D-C4D	-4.71	1.33	1.44
3	E	103	BCL	C3D-C4D	-4.69	1.33	1.44
3	2	101	BCL	C3D-C4D	-4.68	1.33	1.44
3	4	101	BCL	O2D-CGD	4.68	1.44	1.33
3	U	104	BCL	O2D-CGD	4.68	1.44	1.33
3	6	102	BCL	C3D-C4D	-4.68	1.33	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	8	101	BCL	O2D-CGD	4.67	1.44	1.33
3	U	104	BCL	C3D-C4D	-4.67	1.33	1.44
3	G	102	BCL	O2D-CGD	4.67	1.44	1.33
3	T	101	BCL	C3D-C4D	-4.67	1.33	1.44
3	B	101	BCL	O2D-CGD	4.66	1.44	1.33
3	X	102	BCL	C3B-C4B	4.66	1.50	1.41
3	N	102	BCL	O2D-CGD	4.65	1.44	1.33
3	P	101	BCL	C3D-C4D	-4.65	1.33	1.44
3	R	101	BCL	O2D-CGD	4.63	1.44	1.33
3	B	101	BCL	C3D-C4D	-4.63	1.33	1.44
3	J	103	BCL	O2D-CGD	4.62	1.44	1.33
3	E	103	BCL	O2D-CGD	4.61	1.44	1.33
3	8	101	BCL	C3D-C4D	-4.57	1.33	1.44
3	Z	101	BCL	C3B-C4B	4.55	1.50	1.41
3	Y	103	BCL	O2D-CGD	4.44	1.44	1.33
3	E	103	BCL	C3B-C4B	4.43	1.49	1.41
3	K	101	BCL	O2D-CGD	4.41	1.44	1.33
3	1	103	BCL	O2D-CGD	4.41	1.44	1.33
3	5	102	BCL	O2D-CGD	4.40	1.44	1.33
3	S	102	BCL	O2D-CGD	4.40	1.44	1.33
3	A	102	BCL	O2D-CGD	4.40	1.44	1.33
3	D	102	BCL	O2D-CGD	4.39	1.44	1.33
3	U	102	BCL	O2D-CGD	4.39	1.44	1.33
3	8	101	BCL	C3B-C4B	4.38	1.49	1.41
3	3	101	BCL	O2D-CGD	4.37	1.44	1.33
3	W	101	BCL	O2D-CGD	4.37	1.44	1.33
3	J	103	BCL	C3B-C4B	4.35	1.49	1.41
3	O	101	BCL	O2D-CGD	4.34	1.43	1.33
3	N	102	BCL	C3B-C4B	4.33	1.49	1.41
3	7	102	BCL	O2D-CGD	4.33	1.43	1.33
3	F	101	BCL	O2D-CGD	4.32	1.43	1.33
3	Q	101	BCL	O2D-CGD	4.32	1.43	1.33
3	4	101	BCL	O2A-CGA	4.32	1.45	1.33
3	I	102	BCL	O2D-CGD	4.31	1.43	1.33
3	G	102	BCL	O2A-CGA	4.30	1.45	1.33
3	P	101	BCL	C3B-C4B	4.29	1.49	1.41
3	R	101	BCL	C3B-C4B	4.29	1.49	1.41
3	J	103	BCL	O2A-CGA	4.28	1.45	1.33
3	4	101	BCL	C3B-C4B	4.28	1.49	1.41
3	R	101	BCL	O2A-CGA	4.28	1.45	1.33
3	E	103	BCL	O2A-CGA	4.26	1.45	1.33
3	2	101	BCL	O2A-CGA	4.24	1.45	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	101	BCL	O2A-CGA	4.24	1.45	1.33
3	U	104	BCL	C3B-C4B	4.22	1.49	1.41
3	8	101	BCL	O2A-CGA	4.22	1.45	1.33
3	6	102	BCL	C3B-C4B	4.22	1.49	1.41
3	J	103	BCL	C1D-ND	-4.17	1.32	1.37
3	A	102	BCL	C3B-C4B	4.16	1.49	1.41
3	B	101	BCL	C3B-C4B	4.16	1.49	1.41
3	Q	101	BCL	C3B-C4B	4.15	1.49	1.41
3	K	101	BCL	C3B-C4B	4.14	1.49	1.41
3	8	101	BCL	C1D-ND	-4.14	1.32	1.37
3	R	101	BCL	C1D-ND	-4.13	1.32	1.37
3	Z	101	BCL	O2A-CGA	4.13	1.45	1.33
3	2	101	BCL	C3B-C4B	4.12	1.49	1.41
3	U	104	BCL	C1D-ND	-4.11	1.32	1.37
3	Q	101	BCL	O2A-CGA	4.10	1.45	1.33
3	X	102	BCL	O2A-CGA	4.10	1.45	1.33
3	E	103	BCL	C1D-ND	-4.09	1.32	1.37
3	U	104	BCL	O2A-CGA	4.08	1.45	1.33
3	G	102	BCL	C3B-C4B	4.07	1.49	1.41
3	N	102	BCL	O2A-CGA	4.07	1.45	1.33
3	T	101	BCL	C1D-ND	-4.07	1.32	1.37
3	W	101	BCL	C3B-C4B	4.06	1.49	1.41
3	N	102	BCL	C1D-ND	-4.06	1.32	1.37
3	D	102	BCL	O2A-CGA	4.05	1.45	1.33
3	5	102	BCL	C3B-C4B	4.04	1.49	1.41
3	5	102	BCL	O2A-CGA	4.03	1.45	1.33
3	K	101	BCL	O2A-CGA	4.03	1.45	1.33
3	6	102	BCL	C1D-ND	-4.03	1.32	1.37
3	4	101	BCL	C1D-ND	-4.02	1.32	1.37
3	O	101	BCL	C3B-C4B	4.01	1.49	1.41
3	Y	103	BCL	C3B-C4B	4.00	1.49	1.41
3	1	103	BCL	O2A-CGA	4.00	1.45	1.33
3	7	102	BCL	O2A-CGA	3.99	1.45	1.33
3	G	102	BCL	C1D-ND	-3.98	1.32	1.37
3	I	102	BCL	C3B-C4B	3.98	1.49	1.41
3	3	101	BCL	C3B-C4B	3.98	1.49	1.41
3	6	102	BCL	O2A-CGA	3.98	1.44	1.33
3	I	102	BCL	O2A-CGA	3.97	1.44	1.33
3	A	102	BCL	O2A-CGA	3.97	1.44	1.33
3	T	101	BCL	C3B-C4B	3.97	1.49	1.41
3	3	101	BCL	O2A-CGA	3.96	1.44	1.33
3	S	102	BCL	C3B-C4B	3.96	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	P	101	BCL	C1D-ND	-3.94	1.32	1.37
3	1	103	BCL	C1D-ND	-3.92	1.32	1.37
3	S	102	BCL	O2A-CGA	3.91	1.44	1.33
3	W	101	BCL	O2A-CGA	3.91	1.44	1.33
3	X	102	BCL	C1D-ND	-3.90	1.32	1.37
3	F	101	BCL	O2A-CGA	3.90	1.44	1.33
3	7	102	BCL	C3B-C4B	3.90	1.48	1.41
3	O	101	BCL	O2A-CGA	3.90	1.44	1.33
3	B	101	BCL	C1D-ND	-3.89	1.32	1.37
3	P	101	BCL	O2A-CGA	3.88	1.44	1.33
3	D	102	BCL	C3B-C4B	3.87	1.48	1.41
3	U	102	BCL	C3B-C4B	3.87	1.48	1.41
3	T	101	BCL	O2A-CGA	3.85	1.44	1.33
3	Y	103	BCL	O2A-CGA	3.84	1.44	1.33
3	U	102	BCL	O2A-CGA	3.83	1.44	1.33
3	Z	101	BCL	C1D-ND	-3.82	1.32	1.37
3	F	101	BCL	C3B-C4B	3.76	1.48	1.41
3	U	102	BCL	C4B-NB	-3.73	1.33	1.37
3	Z	101	BCL	CHB-C1B	3.72	1.47	1.39
3	F	101	BCL	C4B-NB	-3.67	1.33	1.37
3	7	102	BCL	C4B-NB	-3.65	1.33	1.37
3	D	102	BCL	C4B-NB	-3.65	1.33	1.37
3	3	101	BCL	C4B-NB	-3.63	1.33	1.37
3	I	102	BCL	C4B-NB	-3.63	1.33	1.37
3	S	102	BCL	C4B-NB	-3.60	1.33	1.37
3	5	102	BCL	C4B-NB	-3.56	1.33	1.37
3	U	102	BCL	C1D-ND	-3.53	1.33	1.37
3	W	101	BCL	C4B-NB	-3.52	1.33	1.37
3	2	101	BCL	CHB-C1B	3.50	1.47	1.39
3	T	101	BCL	CHB-C1B	3.50	1.47	1.39
3	5	102	BCL	C1D-ND	-3.47	1.33	1.37
3	G	102	BCL	CHB-C1B	3.47	1.47	1.39
3	Y	103	BCL	C4B-NB	-3.46	1.33	1.37
3	K	101	BCL	C4B-NB	-3.45	1.33	1.37
3	Q	101	BCL	C4B-NB	-3.45	1.33	1.37
3	O	101	BCL	C4B-NB	-3.44	1.33	1.37
3	F	101	BCL	C1D-ND	-3.43	1.33	1.37
3	7	102	BCL	C1D-ND	-3.43	1.33	1.37
3	D	102	BCL	C1D-ND	-3.42	1.33	1.37
3	4	101	BCL	CHB-C1B	3.42	1.47	1.39
3	3	101	BCL	C1D-ND	-3.42	1.33	1.37
3	B	101	BCL	CHB-C1B	3.40	1.47	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	102	BCL	C4B-NB	-3.40	1.33	1.37
3	Y	103	BCL	CHB-C1B	3.39	1.47	1.39
3	U	104	BCL	CHB-C1B	3.38	1.47	1.39
3	E	103	BCL	CHB-C1B	3.38	1.47	1.39
3	R	101	BCL	CHB-C1B	3.37	1.47	1.39
3	E	103	BCL	CHC-C4B	3.36	1.47	1.39
3	S	102	BCL	C1D-ND	-3.33	1.33	1.37
3	Z	101	BCL	CHC-C4B	3.32	1.46	1.39
3	6	102	BCL	CHB-C1B	3.32	1.46	1.39
3	X	102	BCL	CHC-C4B	3.32	1.46	1.39
3	W	101	BCL	C1D-ND	-3.30	1.33	1.37
3	P	101	BCL	CHB-C1B	3.29	1.46	1.39
3	U	104	BCL	CHC-C4B	3.26	1.46	1.39
3	N	102	BCL	CHB-C1B	3.26	1.46	1.39
3	I	102	BCL	C1D-ND	-3.26	1.33	1.37
3	4	101	BCL	CHC-C4B	3.25	1.46	1.39
3	8	101	BCL	CHC-C4B	3.25	1.46	1.39
3	J	103	BCL	CHC-C4B	3.25	1.46	1.39
3	P	101	BCL	C1B-NB	-3.24	1.33	1.37
3	8	101	BCL	C1B-NB	-3.24	1.33	1.37
3	J	103	BCL	CHB-C1B	3.24	1.46	1.39
3	O	101	BCL	C1D-ND	-3.23	1.33	1.37
3	8	101	BCL	CHB-C1B	3.22	1.46	1.39
3	I	102	BCL	CHB-C1B	3.21	1.46	1.39
3	6	102	BCL	C1B-NB	-3.21	1.33	1.37
3	U	102	BCL	CHB-C1B	3.21	1.46	1.39
3	K	101	BCL	CHB-C1B	3.21	1.46	1.39
3	N	102	BCL	CHC-C4B	3.21	1.46	1.39
3	D	102	BCL	CHB-C1B	3.20	1.46	1.39
3	Y	103	BCL	C1D-ND	-3.20	1.33	1.37
3	1	103	BCL	CHD-C1D	3.19	1.44	1.38
3	Q	101	BCL	CHB-C1B	3.19	1.46	1.39
3	F	101	BCL	CHB-C1B	3.19	1.46	1.39
3	2	101	BCL	C1B-NB	-3.18	1.33	1.37
3	K	101	BCL	C1D-ND	-3.18	1.33	1.37
3	R	101	BCL	CHC-C4B	3.18	1.46	1.39
3	Q	101	BCL	C1D-ND	-3.18	1.33	1.37
3	2	101	BCL	CHC-C4B	3.18	1.46	1.39
3	6	102	BCL	CHC-C4B	3.17	1.46	1.39
3	P	101	BCL	CHC-C4B	3.17	1.46	1.39
3	A	102	BCL	CHB-C1B	3.16	1.46	1.39
3	J	103	BCL	C1B-NB	-3.15	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	O	101	BCL	CHB-C1B	3.15	1.46	1.39
3	R	101	BCL	C1B-NB	-3.13	1.33	1.37
3	N	102	BCL	C1B-NB	-3.12	1.33	1.37
3	K	101	BCL	CHC-C4B	3.12	1.46	1.39
3	T	101	BCL	CHC-C4B	3.12	1.46	1.39
3	G	102	BCL	CHC-C4B	3.12	1.46	1.39
3	X	102	BCL	CHB-C1B	3.11	1.46	1.39
3	2	101	BCL	C3D-C2D	3.11	1.47	1.39
3	5	102	BCL	CHB-C1B	3.10	1.46	1.39
3	S	102	BCL	CHB-C1B	3.09	1.46	1.39
3	W	101	BCL	CHB-C1B	3.09	1.46	1.39
3	7	102	BCL	CHB-C1B	3.09	1.46	1.39
3	7	102	BCL	C1B-NB	-3.08	1.33	1.37
3	3	101	BCL	CHB-C1B	3.07	1.46	1.39
3	B	101	BCL	CHC-C4B	3.07	1.46	1.39
3	Q	101	BCL	CHC-C4B	3.07	1.46	1.39
3	S	102	BCL	CHD-C1D	3.06	1.44	1.38
3	1	103	BCL	C3D-C2D	3.05	1.47	1.39
3	A	102	BCL	C1D-ND	-3.05	1.33	1.37
3	Y	103	BCL	CHD-C1D	3.03	1.44	1.38
3	Z	101	BCL	C3C-C4C	-3.03	1.47	1.51
3	A	102	BCL	CHC-C4B	3.03	1.46	1.39
3	7	102	BCL	CHD-C1D	3.02	1.44	1.38
3	W	101	BCL	CHC-C4B	3.02	1.46	1.39
3	K	101	BCL	CHD-C1D	3.01	1.44	1.38
3	U	104	BCL	C1B-NB	-3.01	1.33	1.37
3	X	102	BCL	C1B-NB	-3.00	1.33	1.37
3	I	102	BCL	CHD-C1D	2.99	1.44	1.38
3	8	101	BCL	C3D-C2D	2.99	1.47	1.39
3	E	103	BCL	C3D-C2D	2.98	1.47	1.39
3	E	103	BCL	C1B-NB	-2.98	1.33	1.37
3	A	102	BCL	CHD-C1D	2.97	1.44	1.38
3	Q	101	BCL	CHD-C1D	2.97	1.44	1.38
3	O	101	BCL	CHC-C4B	2.96	1.46	1.39
3	X	102	BCL	C3D-C2D	2.95	1.47	1.39
3	J	103	BCL	C3D-C2D	2.95	1.47	1.39
3	U	104	BCL	C3D-C2D	2.95	1.47	1.39
3	3	101	BCL	C1B-NB	-2.94	1.34	1.37
3	P	101	BCL	C3D-C2D	2.94	1.47	1.39
3	B	101	BCL	C1B-NB	-2.94	1.34	1.37
3	6	102	BCL	C3D-C2D	2.94	1.47	1.39
3	D	102	BCL	CHD-C1D	2.94	1.44	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	T	101	BCL	C1B-NB	-2.93	1.34	1.37
3	4	101	BCL	C1B-NB	-2.93	1.34	1.37
3	O	101	BCL	OBD-CAD	2.93	1.27	1.22
3	R	101	BCL	C3D-C2D	2.92	1.47	1.39
3	F	101	BCL	CHD-C1D	2.92	1.44	1.38
3	5	102	BCL	CHD-C1D	2.91	1.44	1.38
3	3	101	BCL	CHC-C4B	2.91	1.45	1.39
3	D	102	BCL	OBD-CAD	2.91	1.27	1.22
3	3	101	BCL	CHD-C1D	2.91	1.44	1.38
3	D	102	BCL	C1B-NB	-2.91	1.34	1.37
3	F	101	BCL	C1B-NB	-2.91	1.34	1.37
3	Y	103	BCL	C3D-C2D	2.91	1.46	1.39
3	O	101	BCL	C1B-NB	-2.91	1.34	1.37
3	O	101	BCL	CHD-C1D	2.90	1.44	1.38
3	T	101	BCL	C4B-NB	-2.90	1.34	1.37
3	Z	101	BCL	OBD-CAD	2.90	1.27	1.22
3	5	102	BCL	C1B-NB	-2.90	1.34	1.37
3	S	102	BCL	C1B-NB	-2.90	1.34	1.37
3	W	101	BCL	CHD-C1D	2.90	1.44	1.38
3	4	101	BCL	C3D-C2D	2.90	1.46	1.39
3	W	101	BCL	C1B-NB	-2.89	1.34	1.37
3	K	101	BCL	OBD-CAD	2.88	1.27	1.22
3	B	101	BCL	C3D-C2D	2.88	1.46	1.39
3	A	102	BCL	OBD-CAD	2.88	1.27	1.22
6	1	102	CRT	C27-C28	2.87	1.42	1.35
3	U	102	BCL	CHD-C1D	2.87	1.44	1.38
3	N	102	BCL	C3D-C2D	2.87	1.46	1.39
3	Q	101	BCL	OBD-CAD	2.86	1.27	1.22
3	U	102	BCL	C1B-NB	-2.86	1.34	1.37
3	T	101	BCL	C3D-C2D	2.86	1.46	1.39
3	2	101	BCL	C3C-C4C	-2.86	1.48	1.51
3	7	102	BCL	OBD-CAD	2.85	1.27	1.22
3	Y	103	BCL	CHC-C4B	2.85	1.45	1.39
3	U	102	BCL	C3D-C2D	2.84	1.46	1.39
3	Q	101	BCL	C1B-NB	-2.84	1.34	1.37
3	5	102	BCL	CHC-C4B	2.84	1.45	1.39
3	G	102	BCL	C1B-NB	-2.84	1.34	1.37
3	I	102	BCL	C3D-C2D	2.83	1.46	1.39
3	4	101	BCL	OBD-CAD	2.83	1.27	1.22
3	7	102	BCL	C3D-C2D	2.83	1.46	1.39
3	D	102	BCL	C3D-C2D	2.82	1.46	1.39
3	1	103	BCL	CHC-C1C	-2.82	1.30	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	Q	101	BCL	C3D-C2D	2.82	1.46	1.39
3	U	102	BCL	OBD-CAD	2.82	1.27	1.22
3	2	101	BCL	C4B-NB	-2.82	1.34	1.37
3	K	101	BCL	C3D-C2D	2.82	1.46	1.39
3	3	101	BCL	C3D-C2D	2.82	1.46	1.39
3	A	102	BCL	C3D-C2D	2.81	1.46	1.39
3	F	101	BCL	C3D-C2D	2.81	1.46	1.39
3	B	101	BCL	C4B-NB	-2.81	1.34	1.37
3	A	102	BCL	C1B-NB	-2.80	1.34	1.37
3	5	102	BCL	C3D-C2D	2.80	1.46	1.39
3	5	102	BCL	OBD-CAD	2.80	1.27	1.22
3	I	102	BCL	C1B-NB	-2.80	1.34	1.37
3	F	101	BCL	CHC-C4B	2.80	1.45	1.39
3	I	102	BCL	CHC-C4B	2.80	1.45	1.39
3	S	102	BCL	CHC-C4B	2.79	1.45	1.39
6	1	102	CRT	C32-C33	2.79	1.42	1.35
3	F	101	BCL	OBD-CAD	2.79	1.27	1.22
3	X	102	BCL	OBD-CAD	2.79	1.27	1.22
3	Y	103	BCL	MG-NA	-2.78	1.99	2.06
3	7	102	BCL	CHC-C4B	2.78	1.45	1.39
3	W	101	BCL	C3D-C2D	2.78	1.46	1.39
3	4	101	BCL	C3C-C4C	-2.78	1.48	1.51
3	8	101	BCL	OBD-CAD	2.77	1.27	1.22
3	Z	101	BCL	C3D-C2D	2.77	1.46	1.39
3	S	102	BCL	C3D-C2D	2.77	1.46	1.39
3	U	104	BCL	C3C-C4C	-2.77	1.48	1.51
3	B	101	BCL	OBD-CAD	2.77	1.27	1.22
3	3	101	BCL	OBD-CAD	2.76	1.27	1.22
3	Y	103	BCL	OBD-CAD	2.76	1.27	1.22
3	S	102	BCL	OBD-CAD	2.76	1.27	1.22
3	O	101	BCL	C3D-C2D	2.75	1.46	1.39
3	G	102	BCL	C3D-C2D	2.75	1.46	1.39
3	1	103	BCL	OBD-CAD	2.75	1.27	1.22
3	K	101	BCL	C1B-NB	-2.75	1.34	1.37
3	U	102	BCL	MG-NA	-2.75	1.99	2.06
3	P	101	BCL	C4B-NB	-2.75	1.34	1.37
3	E	103	BCL	C3C-C4C	-2.74	1.48	1.51
3	D	102	BCL	CHC-C4B	2.73	1.45	1.39
3	X	102	BCL	C3C-C4C	-2.73	1.48	1.51
3	Z	101	BCL	C4B-NB	-2.72	1.34	1.37
3	U	102	BCL	CHC-C4B	2.72	1.45	1.39
3	R	101	BCL	OBD-CAD	2.71	1.27	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	6	102	BCL	C4B-NB	-2.71	1.34	1.37
3	W	101	BCL	OBD-CAD	2.71	1.27	1.22
3	Y	103	BCL	C1B-NB	-2.70	1.34	1.37
3	I	102	BCL	MG-NA	-2.70	1.99	2.06
3	1	103	BCL	C1B-C2B	2.70	1.49	1.43
3	G	102	BCL	OBD-CAD	2.70	1.27	1.22
3	I	102	BCL	OBD-CAD	2.70	1.27	1.22
3	P	101	BCL	C3C-C4C	-2.69	1.48	1.51
3	N	102	BCL	C4B-NB	-2.68	1.34	1.37
3	6	102	BCL	C3C-C4C	-2.68	1.48	1.51
6	1	102	CRT	C6-C7	-2.67	1.40	1.46
3	G	102	BCL	C4B-NB	-2.67	1.34	1.37
3	5	102	BCL	MG-NA	-2.67	1.99	2.06
3	D	102	BCL	MG-NA	-2.67	1.99	2.06
3	G	102	BCL	C3C-C4C	-2.66	1.48	1.51
3	R	101	BCL	C3C-C4C	-2.66	1.48	1.51
3	T	101	BCL	C3C-C4C	-2.66	1.48	1.51
3	R	101	BCL	C4B-NB	-2.64	1.34	1.37
3	N	102	BCL	OBD-CAD	2.64	1.27	1.22
3	O	101	BCL	C3C-C4C	-2.63	1.48	1.51
3	J	103	BCL	C3C-C4C	-2.63	1.48	1.51
3	E	103	BCL	C4B-NB	-2.63	1.34	1.37
3	Q	101	BCL	C3C-C4C	-2.63	1.48	1.51
3	4	101	BCL	C4B-NB	-2.63	1.34	1.37
3	U	104	BCL	OBD-CAD	2.63	1.27	1.22
3	J	103	BCL	OBD-CAD	2.63	1.27	1.22
3	N	102	BCL	C3C-C4C	-2.62	1.48	1.51
3	E	103	BCL	OBD-CAD	2.62	1.27	1.22
6	1	102	CRT	C9-C7	2.62	1.41	1.35
3	W	101	BCL	C3C-C4C	-2.61	1.48	1.51
3	J	103	BCL	C4B-NB	-2.60	1.34	1.37
3	S	102	BCL	MG-NA	-2.59	2.00	2.06
3	3	101	BCL	C3C-C4C	-2.59	1.48	1.51
3	6	102	BCL	OBD-CAD	2.59	1.26	1.22
6	1	102	CRT	C22-C23	2.59	1.41	1.35
6	1	102	CRT	C11-C12	-2.58	1.40	1.46
3	7	102	BCL	MG-NA	-2.58	2.00	2.06
3	S	102	BCL	C3C-C4C	-2.58	1.48	1.51
3	U	104	BCL	C4B-NB	-2.57	1.34	1.37
3	A	102	BCL	C3C-C4C	-2.57	1.48	1.51
3	B	101	BCL	C3C-C4C	-2.57	1.48	1.51
3	T	101	BCL	OBD-CAD	2.56	1.26	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	Q	101	BCL	MG-NA	-2.56	2.00	2.06
6	1	102	CRT	C35-C33	-2.55	1.40	1.46
3	7	102	BCL	C3C-C4C	-2.55	1.48	1.51
3	F	101	BCL	MG-NA	-2.55	2.00	2.06
3	8	101	BCL	C3C-C4C	-2.55	1.48	1.51
3	X	102	BCL	CHD-C1D	2.55	1.43	1.38
3	Y	103	BCL	C3C-C4C	-2.54	1.48	1.51
3	1	103	BCL	C3B-C4B	2.54	1.46	1.41
3	P	101	BCL	OBD-CAD	2.54	1.26	1.22
3	K	101	BCL	MG-NA	-2.53	2.00	2.06
6	3	103	CRT	C30-C28	-2.53	1.40	1.46
3	I	102	BCL	C3C-C4C	-2.53	1.48	1.51
3	N	102	BCL	CHD-C1D	2.53	1.43	1.38
3	O	101	BCL	MG-NA	-2.53	2.00	2.06
3	A	102	BCL	MG-NA	-2.52	2.00	2.06
6	1	102	CRT	C14-C12	2.52	1.41	1.35
3	1	103	BCL	MG-NA	-2.52	2.00	2.06
3	W	101	BCL	MG-NA	-2.52	2.00	2.06
6	Y	101	CRT	C30-C28	-2.52	1.40	1.46
3	1	103	BCL	CHD-C4C	2.52	1.46	1.39
3	K	101	BCL	C3C-C4C	-2.50	1.48	1.51
6	5	101	CRT	C30-C28	-2.49	1.40	1.46
3	3	101	BCL	MG-NA	-2.49	2.00	2.06
3	F	101	BCL	C3C-C4C	-2.49	1.48	1.51
3	1	103	BCL	CHB-C4A	-2.48	1.31	1.37
6	Y	101	CRT	C25-C23	-2.47	1.40	1.46
3	6	102	BCL	CHD-C1D	2.47	1.43	1.38
6	Y	101	CRT	C35-C33	-2.47	1.40	1.46
3	5	102	BCL	C3C-C4C	-2.46	1.48	1.51
6	V	101	CRT	C25-C23	-2.46	1.40	1.46
6	1	102	CRT	C19-C17	2.46	1.41	1.35
6	K	103	CRT	C25-C23	-2.46	1.40	1.46
6	1	102	CRT	C30-C28	-2.46	1.40	1.46
3	8	101	BCL	C4B-NB	-2.46	1.34	1.37
3	P	101	BCL	CHD-C1D	2.45	1.43	1.38
6	A	101	CRT	C35-C33	-2.45	1.40	1.46
6	E	101	CRT	C30-C28	-2.45	1.40	1.46
6	I	101	CRT	C25-C23	-2.45	1.40	1.46
6	A	101	CRT	C25-C23	-2.45	1.40	1.46
3	4	101	BCL	CHD-C1D	2.45	1.43	1.38
6	7	101	CRT	C30-C28	-2.44	1.40	1.46
3	B	101	BCL	CHD-C1D	2.44	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	103	BCL	CHD-C1D	2.44	1.43	1.38
6	D	101	CRT	C30-C28	-2.44	1.40	1.46
3	8	101	BCL	CHD-C1D	2.44	1.43	1.38
6	7	101	CRT	C25-C23	-2.44	1.40	1.46
3	J	103	BCL	CHD-C1D	2.44	1.43	1.38
6	N	101	CRT	C25-C23	-2.44	1.40	1.46
3	Y	103	BCL	CHD-C4C	2.44	1.46	1.39
6	I	101	CRT	C35-C33	-2.43	1.40	1.46
6	3	103	CRT	C25-C23	-2.43	1.40	1.46
6	D	101	CRT	C35-C33	-2.43	1.40	1.46
6	D	101	CRT	C25-C23	-2.43	1.40	1.46
3	U	102	BCL	C3C-C4C	-2.43	1.48	1.51
6	5	101	CRT	C16-C17	-2.43	1.40	1.46
6	A	101	CRT	C30-C28	-2.42	1.40	1.46
3	A	102	BCL	CHD-C4C	2.42	1.46	1.39
6	Y	101	CRT	C16-C17	-2.42	1.40	1.46
3	1	103	BCL	CHB-C1B	2.42	1.44	1.39
6	3	103	CRT	C35-C33	-2.42	1.40	1.46
3	D	102	BCL	CHC-C1C	-2.42	1.31	1.37
6	5	101	CRT	C35-C33	-2.42	1.40	1.46
6	S	101	CRT	C30-C28	-2.42	1.40	1.46
6	E	101	CRT	C35-C33	-2.42	1.40	1.46
6	S	101	CRT	C16-C17	-2.42	1.40	1.46
3	R	101	BCL	CHD-C1D	2.42	1.43	1.38
6	I	101	CRT	C30-C28	-2.41	1.40	1.46
3	Z	101	BCL	C1B-NB	-2.41	1.34	1.37
3	Q	101	BCL	CHD-C4C	2.41	1.46	1.39
6	7	101	CRT	C16-C17	-2.41	1.40	1.46
3	W	101	BCL	CHD-C4C	2.41	1.46	1.39
6	K	103	CRT	C30-C28	-2.41	1.40	1.46
6	S	101	CRT	C35-C33	-2.41	1.40	1.46
3	7	102	BCL	CHD-C4C	2.41	1.46	1.39
6	S	101	CRT	C25-C23	-2.40	1.40	1.46
6	5	101	CRT	C25-C23	-2.40	1.40	1.46
6	3	103	CRT	C16-C17	-2.40	1.40	1.46
6	J	101	CRT	C25-C23	-2.40	1.40	1.46
3	I	102	BCL	CHD-C4C	2.40	1.45	1.39
6	N	101	CRT	C35-C33	-2.40	1.40	1.46
6	7	101	CRT	C35-C33	-2.40	1.40	1.46
3	1	103	BCL	MG-NC	-2.39	2.00	2.06
3	U	102	BCL	CHC-C1C	-2.39	1.31	1.37
3	Z	101	BCL	MG-NA	-2.39	2.00	2.06

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	V	101	CRT	C35-C33	-2.39	1.40	1.46
3	7	102	BCL	CHC-C1C	-2.39	1.31	1.37
6	V	101	CRT	C30-C28	-2.39	1.40	1.46
3	3	101	BCL	CHD-C4C	2.39	1.45	1.39
6	I	101	CRT	C16-C17	-2.38	1.40	1.46
3	G	102	BCL	CHD-C1D	2.38	1.43	1.38
3	3	101	BCL	CHC-C1C	-2.38	1.31	1.37
3	X	102	BCL	C4B-NB	-2.38	1.34	1.37
6	E	101	CRT	C25-C23	-2.38	1.40	1.46
6	V	101	CRT	C22-C23	2.38	1.41	1.35
6	J	101	CRT	C30-C28	-2.38	1.40	1.46
6	U	101	CRT	C30-C28	-2.38	1.40	1.46
3	S	102	BCL	CHC-C1C	-2.37	1.31	1.37
3	U	104	BCL	CHD-C1D	2.37	1.43	1.38
3	D	102	BCL	C3C-C4C	-2.37	1.48	1.51
6	U	101	CRT	C25-C23	-2.37	1.40	1.46
3	K	101	BCL	CHD-C4C	2.37	1.45	1.39
6	K	103	CRT	C35-C33	-2.37	1.40	1.46
6	J	101	CRT	C35-C33	-2.37	1.40	1.46
6	N	101	CRT	C30-C28	-2.37	1.40	1.46
3	5	102	BCL	CHC-C1C	-2.36	1.31	1.37
6	N	101	CRT	C22-C23	2.36	1.41	1.35
6	U	101	CRT	C35-C33	-2.36	1.40	1.46
3	D	102	BCL	CHD-C4C	2.36	1.45	1.39
3	O	101	BCL	CHD-C4C	2.36	1.45	1.39
6	D	101	CRT	C16-C17	-2.36	1.40	1.46
6	I	101	CRT	C11-C12	-2.36	1.40	1.46
3	5	102	BCL	CHD-C4C	2.35	1.45	1.39
3	T	101	BCL	CHD-C1D	2.35	1.43	1.38
3	S	102	BCL	CHD-C4C	2.35	1.45	1.39
6	1	102	CRT	C16-C17	-2.35	1.40	1.46
6	K	103	CRT	C16-C17	-2.34	1.40	1.46
6	S	101	CRT	C11-C12	-2.34	1.40	1.46
6	3	103	CRT	C11-C12	-2.34	1.40	1.46
6	J	101	CRT	C22-C23	2.34	1.41	1.35
6	A	101	CRT	C16-C17	-2.34	1.41	1.46
3	U	102	BCL	CHD-C4C	2.33	1.45	1.39
3	F	101	BCL	CHD-C4C	2.33	1.45	1.39
6	E	101	CRT	C16-C17	-2.33	1.41	1.46
6	A	101	CRT	C11-C12	-2.33	1.41	1.46
6	A	101	CRT	C22-C23	2.33	1.41	1.35
6	D	101	CRT	C11-C12	-2.33	1.41	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	V	101	CRT	C16-C17	-2.32	1.41	1.46
6	U	101	CRT	C16-C17	-2.32	1.41	1.46
6	5	101	CRT	C11-C12	-2.32	1.41	1.46
3	I	102	BCL	CHC-C1C	-2.32	1.31	1.37
6	Y	101	CRT	C11-C12	-2.31	1.41	1.46
6	E	101	CRT	C22-C23	2.31	1.41	1.35
6	U	101	CRT	C22-C23	2.31	1.41	1.35
6	K	103	CRT	C6-C7	-2.31	1.41	1.46
6	S	101	CRT	C6-C7	-2.30	1.41	1.46
6	E	101	CRT	C19-C17	2.30	1.41	1.35
3	F	101	BCL	CHC-C1C	-2.30	1.31	1.37
6	K	103	CRT	C11-C12	-2.30	1.41	1.46
6	N	101	CRT	C16-C17	-2.30	1.41	1.46
6	Y	101	CRT	C6-C7	-2.29	1.41	1.46
6	7	101	CRT	C22-C23	2.29	1.41	1.35
6	7	101	CRT	C11-C12	-2.29	1.41	1.46
3	W	101	BCL	CHC-C1C	-2.29	1.32	1.37
6	5	101	CRT	C22-C23	2.29	1.41	1.35
3	Z	101	BCL	CHD-C1D	2.29	1.42	1.38
3	O	101	BCL	CHC-C1C	-2.29	1.32	1.37
6	N	101	CRT	C11-C12	-2.28	1.41	1.46
6	V	101	CRT	C11-C12	-2.28	1.41	1.46
6	U	101	CRT	C27-C28	2.28	1.41	1.35
3	Y	103	BCL	CHC-C1C	-2.28	1.32	1.37
6	E	101	CRT	C27-C28	2.28	1.41	1.35
6	D	101	CRT	C6-C7	-2.27	1.41	1.46
6	S	101	CRT	C22-C23	2.27	1.41	1.35
6	J	101	CRT	C19-C17	2.27	1.41	1.35
6	A	101	CRT	C6-C7	-2.27	1.41	1.46
6	I	101	CRT	C22-C23	2.27	1.41	1.35
6	J	101	CRT	C27-C28	2.27	1.41	1.35
6	V	101	CRT	C19-C17	2.27	1.41	1.35
6	I	101	CRT	C6-C7	-2.27	1.41	1.46
6	J	101	CRT	C16-C17	-2.27	1.41	1.46
6	K	103	CRT	C22-C23	2.27	1.41	1.35
6	N	101	CRT	C27-C28	2.27	1.41	1.35
3	K	101	BCL	CHC-C1C	-2.27	1.32	1.37
6	N	101	CRT	C19-C17	2.27	1.41	1.35
6	3	103	CRT	C22-C23	2.27	1.41	1.35
6	V	101	CRT	C6-C7	-2.26	1.41	1.46
6	3	103	CRT	C6-C7	-2.26	1.41	1.46
6	E	101	CRT	C9-C7	2.26	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	7	101	CRT	C6-C7	-2.26	1.41	1.46
6	D	101	CRT	C22-C23	2.26	1.41	1.35
3	2	101	BCL	CHD-C1D	2.26	1.42	1.38
6	I	101	CRT	C19-C17	2.26	1.41	1.35
6	V	101	CRT	C9-C7	2.26	1.41	1.35
6	5	101	CRT	C6-C7	-2.25	1.41	1.46
3	A	102	BCL	CHC-C1C	-2.25	1.32	1.37
3	Q	101	BCL	CHC-C1C	-2.25	1.32	1.37
6	K	103	CRT	C27-C28	2.25	1.41	1.35
6	J	101	CRT	C11-C12	-2.25	1.41	1.46
6	V	101	CRT	C27-C28	2.25	1.41	1.35
6	J	101	CRT	C32-C33	2.25	1.41	1.35
6	U	101	CRT	C19-C17	2.24	1.41	1.35
6	J	101	CRT	C14-C12	2.24	1.41	1.35
6	Y	101	CRT	C22-C23	2.24	1.41	1.35
6	5	101	CRT	C9-C7	2.24	1.41	1.35
6	7	101	CRT	C9-C7	2.23	1.41	1.35
6	A	101	CRT	C19-C17	2.23	1.41	1.35
6	U	101	CRT	C9-C7	2.23	1.41	1.35
6	N	101	CRT	C6-C7	-2.23	1.41	1.46
6	K	103	CRT	C19-C17	2.23	1.41	1.35
6	E	101	CRT	C14-C12	2.23	1.41	1.35
6	5	101	CRT	C27-C28	2.23	1.41	1.35
6	A	101	CRT	C27-C28	2.23	1.41	1.35
6	E	101	CRT	C11-C12	-2.23	1.41	1.46
6	3	103	CRT	C9-C7	2.23	1.41	1.35
6	U	101	CRT	C11-C12	-2.23	1.41	1.46
6	Y	101	CRT	C9-C7	2.23	1.41	1.35
6	S	101	CRT	C32-C33	2.23	1.40	1.35
6	7	101	CRT	C27-C28	2.22	1.40	1.35
6	Y	101	CRT	C27-C28	2.22	1.40	1.35
6	V	101	CRT	C14-C12	2.22	1.40	1.35
6	N	101	CRT	C32-C33	2.22	1.40	1.35
6	5	101	CRT	C19-C17	2.22	1.40	1.35
6	S	101	CRT	C27-C28	2.22	1.40	1.35
6	V	101	CRT	C32-C33	2.22	1.40	1.35
6	E	101	CRT	C6-C7	-2.21	1.41	1.46
6	N	101	CRT	C9-C7	2.21	1.40	1.35
6	S	101	CRT	C19-C17	2.21	1.40	1.35
6	3	103	CRT	C27-C28	2.21	1.40	1.35
6	1	102	CRT	C25-C23	-2.21	1.41	1.46
6	D	101	CRT	C27-C28	2.20	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	I	101	CRT	C27-C28	2.20	1.40	1.35
6	I	101	CRT	C32-C33	2.20	1.40	1.35
6	D	101	CRT	C19-C17	2.20	1.40	1.35
6	U	101	CRT	C32-C33	2.20	1.40	1.35
6	N	101	CRT	C14-C12	2.20	1.40	1.35
6	J	101	CRT	C6-C7	-2.20	1.41	1.46
6	E	101	CRT	C32-C33	2.19	1.40	1.35
6	J	101	CRT	C9-C7	2.19	1.40	1.35
6	U	101	CRT	C6-C7	-2.19	1.41	1.46
6	S	101	CRT	C9-C7	2.19	1.40	1.35
6	D	101	CRT	C14-C12	2.19	1.40	1.35
3	A	102	BCL	MG-NC	-2.19	2.01	2.06
6	I	101	CRT	C9-C7	2.19	1.40	1.35
6	7	101	CRT	C19-C17	2.19	1.40	1.35
6	U	101	CRT	C14-C12	2.18	1.40	1.35
6	I	101	CRT	C14-C12	2.18	1.40	1.35
6	D	101	CRT	C32-C33	2.18	1.40	1.35
6	A	101	CRT	C9-C7	2.18	1.40	1.35
6	Y	101	CRT	C19-C17	2.18	1.40	1.35
3	W	101	BCL	MG-NC	-2.18	2.01	2.06
3	K	101	BCL	C1B-C2B	2.17	1.48	1.43
6	K	103	CRT	C32-C33	2.17	1.40	1.35
6	D	101	CRT	C9-C7	2.17	1.40	1.35
6	7	101	CRT	C32-C33	2.17	1.40	1.35
6	K	103	CRT	C9-C7	2.17	1.40	1.35
6	A	101	CRT	C14-C12	2.17	1.40	1.35
6	A	101	CRT	C32-C33	2.16	1.40	1.35
6	3	103	CRT	C19-C17	2.16	1.40	1.35
6	S	101	CRT	C14-C12	2.16	1.40	1.35
3	Z	101	BCL	CMA-C3A	-2.16	1.48	1.53
6	7	101	CRT	C14-C12	2.15	1.40	1.35
6	5	101	CRT	C14-C12	2.15	1.40	1.35
6	K	103	CRT	C14-C12	2.15	1.40	1.35
6	Y	101	CRT	C14-C12	2.15	1.40	1.35
3	2	101	BCL	MG-NA	-2.14	2.01	2.06
3	A	102	BCL	C1B-C2B	2.14	1.48	1.43
6	3	103	CRT	C14-C12	2.14	1.40	1.35
3	3	101	BCL	MG-NC	-2.14	2.01	2.06
6	3	103	CRT	C32-C33	2.13	1.40	1.35
3	Q	101	BCL	MG-NC	-2.13	2.01	2.06
3	B	101	BCL	C1B-C2B	2.13	1.48	1.43
3	2	101	BCL	C2C-C3C	-2.13	1.48	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	P	101	BCL	MG-NA	-2.13	2.01	2.06
3	T	101	BCL	CHC-C1C	-2.12	1.32	1.37
3	Q	101	BCL	C1B-C2B	2.12	1.48	1.43
3	8	101	BCL	C4D-CHA	2.12	1.45	1.38
3	Z	101	BCL	C1B-C2B	2.12	1.48	1.43
6	5	101	CRT	C32-C33	2.11	1.40	1.35
3	O	101	BCL	MG-NC	-2.10	2.01	2.06
3	U	104	BCL	C1B-C2B	2.10	1.48	1.43
6	Y	101	CRT	C32-C33	2.09	1.40	1.35
3	B	101	BCL	C4D-CHA	2.09	1.45	1.38
3	2	101	BCL	CHC-C1C	-2.09	1.32	1.37
3	K	101	BCL	MG-NC	-2.09	2.01	2.06
3	J	103	BCL	C4D-CHA	2.09	1.45	1.38
3	2	101	BCL	C4D-CHA	2.09	1.45	1.38
3	E	103	BCL	C4D-CHA	2.08	1.45	1.38
3	X	102	BCL	CHB-C4A	-2.08	1.32	1.37
3	T	101	BCL	C1B-C2B	2.07	1.48	1.43
3	6	102	BCL	C2C-C3C	-2.07	1.48	1.54
3	B	101	BCL	CHC-C1C	-2.06	1.32	1.37
3	N	102	BCL	C4D-CHA	2.06	1.45	1.38
3	T	101	BCL	C4D-CHA	2.06	1.45	1.38
3	6	102	BCL	C4D-CHA	2.06	1.45	1.38
3	X	102	BCL	C2C-C3C	-2.06	1.48	1.54
3	G	102	BCL	C4D-CHA	2.06	1.45	1.38
3	Z	101	BCL	MG-NC	-2.06	2.01	2.06
3	7	102	BCL	MG-NC	-2.06	2.01	2.06
3	R	101	BCL	C4D-CHA	2.05	1.45	1.38
3	4	101	BCL	C4D-CHA	2.05	1.45	1.38
3	U	102	BCL	C4D-CHA	2.05	1.45	1.38
3	G	102	BCL	C2C-C3C	-2.05	1.48	1.54
3	X	102	BCL	C4D-CHA	2.05	1.45	1.38
3	P	101	BCL	C4D-CHA	2.05	1.45	1.38
3	E	103	BCL	C2C-C3C	-2.04	1.48	1.54
3	J	103	BCL	C2C-C3C	-2.04	1.48	1.54
3	P	101	BCL	CHC-C1C	-2.04	1.32	1.37
3	R	101	BCL	C2C-C3C	-2.04	1.48	1.54
3	N	102	BCL	C2C-C3C	-2.04	1.48	1.54
3	P	101	BCL	C2C-C3C	-2.04	1.49	1.54
3	5	102	BCL	MG-NC	-2.04	2.01	2.06
3	X	102	BCL	MG-NA	-2.04	2.01	2.06
3	7	102	BCL	CHB-C4A	-2.04	1.32	1.37
3	T	101	BCL	C2C-C3C	-2.03	1.49	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	Y	103	BCL	C4D-CHA	2.03	1.45	1.38
3	G	102	BCL	C1B-C2B	2.03	1.47	1.43
3	B	101	BCL	C2C-C3C	-2.03	1.49	1.54
3	1	103	BCL	C3C-C4C	-2.03	1.49	1.51
3	Y	103	BCL	C1B-C2B	2.03	1.47	1.43
6	1	102	CRT	C26-C25	2.02	1.39	1.34
6	1	102	CRT	C31-C30	2.02	1.39	1.34
3	S	102	BCL	C4D-CHA	2.02	1.45	1.38
3	U	104	BCL	C2C-C3C	-2.01	1.49	1.54
3	I	102	BCL	MG-NC	-2.01	2.01	2.06
3	Z	101	BCL	C4D-CHA	2.01	1.45	1.38
3	I	102	BCL	C4D-CHA	2.01	1.45	1.38
3	O	101	BCL	C1B-C2B	2.01	1.47	1.43
3	3	101	BCL	CHB-C4A	-2.00	1.32	1.37

All (881) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	1	103	BCL	C3B-C4B-NB	7.79	120.03	109.76
3	1	103	BCL	O2D-CGD-CBD	7.52	124.37	111.23
3	A	102	BCL	O2D-CGD-CBD	7.31	124.01	111.23
3	K	101	BCL	O2D-CGD-CBD	7.01	123.48	111.23
3	Y	103	BCL	O2D-CGD-CBD	7.00	123.47	111.23
3	U	102	BCL	O2D-CGD-CBD	6.98	123.43	111.23
3	D	102	BCL	O2D-CGD-CBD	6.95	123.39	111.23
3	I	102	BCL	O2D-CGD-CBD	6.95	123.38	111.23
3	F	101	BCL	O2D-CGD-CBD	6.87	123.24	111.23
3	W	101	BCL	O2D-CGD-CBD	6.87	123.24	111.23
3	7	102	BCL	O2D-CGD-CBD	6.77	123.07	111.23
3	3	101	BCL	O2D-CGD-CBD	6.68	122.91	111.23
3	5	102	BCL	O2D-CGD-CBD	6.59	122.76	111.23
3	O	101	BCL	O2D-CGD-CBD	6.50	122.59	111.23
3	Q	101	BCL	O2D-CGD-CBD	6.44	122.48	111.23
3	X	102	BCL	C2B-C1B-NB	6.42	116.99	110.33
3	Q	101	BCL	C2B-C1B-NB	6.41	116.97	110.33
3	A	102	BCL	C2B-C1B-NB	6.37	116.93	110.33
3	K	101	BCL	C2B-C1B-NB	6.35	116.91	110.33
3	1	103	BCL	C2B-C1B-NB	6.29	116.85	110.33
3	S	102	BCL	C2B-C1B-NB	6.26	116.81	110.33
3	O	101	BCL	C2B-C1B-NB	6.25	116.81	110.33
3	8	101	BCL	C2B-C1B-NB	6.23	116.79	110.33
3	S	102	BCL	O2D-CGD-CBD	6.23	122.11	111.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	W	101	BCL	C2B-C1B-NB	6.20	116.76	110.33
3	W	101	BCL	CMD-C2D-C1D	6.16	135.58	124.73
3	A	102	BCL	CMD-C2D-C1D	6.16	135.58	124.73
3	J	103	BCL	C2B-C1B-NB	6.15	116.71	110.33
3	E	103	BCL	C2B-C1B-NB	6.14	116.69	110.33
3	I	102	BCL	C2B-C1B-NB	6.13	116.68	110.33
3	O	101	BCL	CMD-C2D-C1D	6.13	135.52	124.73
3	P	101	BCL	C2B-C1B-NB	6.12	116.67	110.33
3	5	102	BCL	C2B-C1B-NB	6.12	116.67	110.33
3	K	101	BCL	CMD-C2D-C1D	6.11	135.48	124.73
3	Y	103	BCL	CMD-C2D-C1D	6.10	135.46	124.73
3	S	102	BCL	CMD-C2D-C1D	6.06	135.41	124.73
3	3	101	BCL	C2B-C1B-NB	6.05	116.60	110.33
3	Q	101	BCL	CMD-C2D-C1D	6.05	135.38	124.73
3	7	102	BCL	CMD-C2D-C1D	6.04	135.37	124.73
3	7	102	BCL	C2B-C1B-NB	6.04	116.59	110.33
3	B	101	BCL	C2B-C1B-NB	6.04	116.59	110.33
3	4	101	BCL	C2B-C1B-NB	6.03	116.58	110.33
3	Z	101	BCL	C2B-C1B-NB	6.01	116.56	110.33
3	N	102	BCL	C2B-C1B-NB	6.01	116.56	110.33
3	D	102	BCL	C2B-C1B-NB	5.99	116.53	110.33
3	3	101	BCL	CMD-C2D-C1D	5.98	135.26	124.73
3	F	101	BCL	CMD-C2D-C1D	5.97	135.25	124.73
3	U	102	BCL	C2B-C1B-NB	5.97	116.52	110.33
3	R	101	BCL	C2B-C1B-NB	5.94	116.48	110.33
3	I	102	BCL	CMD-C2D-C1D	5.90	135.12	124.73
3	G	102	BCL	C2B-C1B-NB	5.90	116.44	110.33
3	U	104	BCL	C2B-C1B-NB	5.89	116.43	110.33
3	6	102	BCL	C2B-C1B-NB	5.85	116.39	110.33
3	T	101	BCL	C2B-C1B-NB	5.85	116.39	110.33
3	Y	103	BCL	C2B-C1B-NB	5.83	116.37	110.33
3	F	101	BCL	C2B-C1B-NB	5.82	116.36	110.33
3	D	102	BCL	CMD-C2D-C1D	5.76	134.88	124.73
3	5	102	BCL	CMD-C2D-C1D	5.69	134.75	124.73
3	U	102	BCL	CMD-C2D-C1D	5.68	134.73	124.73
3	Z	101	BCL	C3C-C4C-CHD	-5.63	111.52	123.39
3	2	101	BCL	C3C-C4C-CHD	-5.61	111.57	123.39
3	2	101	BCL	C2B-C1B-NB	5.61	116.14	110.33
3	G	102	BCL	C3C-C4C-CHD	-5.60	111.58	123.39
3	R	101	BCL	C3C-C4C-CHD	-5.57	111.64	123.39
3	U	104	BCL	C3C-C4C-CHD	-5.53	111.73	123.39
3	1	103	BCL	CHB-C1B-NB	-5.51	115.78	124.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	Z	101	BCL	C4A-NA-C1A	5.51	109.19	106.68
3	E	103	BCL	C3C-C4C-CHD	-5.50	111.80	123.39
3	T	101	BCL	C3C-C4C-CHD	-5.47	111.85	123.39
3	Z	101	BCL	O2D-CGD-CBD	5.47	120.79	111.23
3	P	101	BCL	C3C-C4C-CHD	-5.43	111.93	123.39
3	4	101	BCL	C3C-C4C-CHD	-5.41	111.99	123.39
3	X	102	BCL	C3C-C4C-CHD	-5.41	111.99	123.39
3	J	103	BCL	C3C-C4C-CHD	-5.40	112.00	123.39
3	6	102	BCL	C3C-C4C-CHD	-5.39	112.03	123.39
3	8	101	BCL	C3C-C4C-CHD	-5.37	112.07	123.39
3	B	101	BCL	C3C-C4C-CHD	-5.36	112.09	123.39
3	N	102	BCL	O2D-CGD-CBD	5.35	120.58	111.23
6	1	102	CRT	C20-C21-C22	5.29	134.34	123.52
3	2	101	BCL	C1C-NC-C4C	-5.23	104.29	106.68
3	N	102	BCL	C3C-C4C-CHD	-5.21	112.40	123.39
3	Y	103	BCL	CHD-C1D-ND	-5.17	117.52	124.80
3	Z	101	BCL	C2D-C1D-ND	5.14	115.21	110.13
6	N	101	CRT	C20-C21-C22	5.12	134.00	123.52
6	U	101	CRT	C20-C21-C22	5.11	133.97	123.52
3	T	101	BCL	C1C-NC-C4C	-5.06	104.37	106.68
6	V	101	CRT	C20-C21-C22	5.06	133.88	123.52
6	E	101	CRT	C20-C21-C22	5.04	133.83	123.52
6	J	101	CRT	C20-C21-C22	5.02	133.78	123.52
6	3	103	CRT	C20-C21-C22	4.95	133.64	123.52
3	Z	101	BCL	C3D-C2D-C1D	-4.94	99.08	105.83
3	7	102	BCL	CHD-C1D-ND	-4.88	117.94	124.80
6	7	101	CRT	C20-C21-C22	4.86	133.47	123.52
3	Q	101	BCL	CHD-C1D-ND	-4.86	117.96	124.80
3	A	102	BCL	C3D-C2D-C1D	-4.86	99.20	105.83
3	W	101	BCL	C3D-C2D-C1D	-4.85	99.22	105.83
3	G	102	BCL	C1C-NC-C4C	-4.84	104.47	106.68
6	A	101	CRT	C20-C21-C22	4.84	133.43	123.52
6	D	101	CRT	C20-C21-C22	4.83	133.41	123.52
3	I	102	BCL	CHD-C1D-ND	-4.83	118.00	124.80
3	O	101	BCL	C3D-C2D-C1D	-4.83	99.24	105.83
3	Y	103	BCL	C3D-C2D-C1D	-4.83	99.24	105.83
3	Q	101	BCL	C3D-C2D-C1D	-4.83	99.25	105.83
3	A	102	BCL	CHD-C1D-ND	-4.82	118.02	124.80
3	B	101	BCL	C2D-C1D-ND	4.81	114.88	110.13
6	Y	101	CRT	C20-C21-C22	4.81	133.35	123.52
6	S	101	CRT	C20-C21-C22	4.80	133.35	123.52
3	W	101	BCL	CHD-C1D-ND	-4.80	118.04	124.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	K	101	BCL	CHD-C1D-ND	-4.80	118.05	124.80
3	7	102	BCL	C3D-C2D-C1D	-4.80	99.28	105.83
6	K	103	CRT	C20-C21-C22	4.79	133.32	123.52
3	B	101	BCL	C1C-NC-C4C	-4.78	104.50	106.68
3	K	101	BCL	C3D-C2D-C1D	-4.78	99.30	105.83
6	I	101	CRT	C20-C21-C22	4.78	133.30	123.52
3	S	102	BCL	CHD-C1D-ND	-4.78	118.08	124.80
3	E	103	BCL	C2D-C1D-ND	4.78	114.85	110.13
3	F	101	BCL	C3D-C2D-C1D	-4.77	99.32	105.83
3	3	101	BCL	C3D-C2D-C1D	-4.76	99.33	105.83
3	U	104	BCL	C2D-C1D-ND	4.76	114.84	110.13
3	O	101	BCL	C3C-C4C-CHD	-4.75	113.38	123.39
3	P	101	BCL	C2D-C1D-ND	4.74	114.82	110.13
3	I	102	BCL	C3D-C2D-C1D	-4.74	99.37	105.83
3	3	101	BCL	CHD-C1D-ND	-4.74	118.14	124.80
3	8	101	BCL	C2D-C1D-ND	4.72	114.80	110.13
3	2	101	BCL	C2D-C1D-ND	4.72	114.80	110.13
3	5	102	BCL	CHD-C1D-ND	-4.72	118.16	124.80
3	O	101	BCL	CHD-C1D-ND	-4.72	118.16	124.80
6	5	101	CRT	C20-C21-C22	4.70	133.13	123.52
3	W	101	BCL	C3C-C4C-CHD	-4.70	113.49	123.39
3	Q	101	BCL	C3C-C4C-CHD	-4.69	113.50	123.39
3	U	102	BCL	C3C-C4C-CHD	-4.67	113.54	123.39
3	R	101	BCL	C2D-C1D-ND	4.67	114.75	110.13
3	4	101	BCL	C2D-C1D-ND	4.67	114.75	110.13
3	U	102	BCL	CHD-C1D-ND	-4.65	118.25	124.80
3	1	103	BCL	CHC-C4B-NB	-4.64	117.08	124.05
3	X	102	BCL	C2D-C1D-ND	4.62	114.70	110.13
3	T	101	BCL	C2D-C1D-ND	4.62	114.70	110.13
3	F	101	BCL	CHD-C1D-ND	-4.61	118.32	124.80
3	D	102	BCL	CHD-C1D-ND	-4.59	118.35	124.80
3	6	102	BCL	C2D-C1D-ND	4.58	114.66	110.13
3	B	101	BCL	C4A-NA-C1A	4.58	108.77	106.68
3	D	102	BCL	C3D-C2D-C1D	-4.58	99.59	105.83
3	6	102	BCL	C1C-NC-C4C	-4.57	104.59	106.68
3	S	102	BCL	C3D-C2D-C1D	-4.57	99.60	105.83
3	G	102	BCL	C4A-NA-C1A	4.57	108.76	106.68
3	I	102	BCL	C3C-C4C-CHD	-4.57	113.77	123.39
3	U	102	BCL	C3D-C2D-C1D	-4.56	99.60	105.83
3	7	102	BCL	C3C-C4C-CHD	-4.56	113.77	123.39
3	F	101	BCL	C3C-C4C-CHD	-4.56	113.78	123.39
3	D	102	BCL	C3C-C4C-CHD	-4.55	113.79	123.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	8	101	BCL	C4A-NA-C1A	4.55	108.75	106.68
3	A	102	BCL	C3C-C4C-CHD	-4.55	113.81	123.39
3	1	103	BCL	O2D-CGD-O1D	-4.54	115.00	123.85
3	K	101	BCL	C3C-C4C-CHD	-4.54	113.81	123.39
3	5	102	BCL	C3C-C4C-CHD	-4.53	113.84	123.39
3	B	101	BCL	C3D-C2D-C1D	-4.53	99.65	105.83
3	Y	103	BCL	C4A-NA-C1A	4.51	108.74	106.68
3	5	102	BCL	C3D-C2D-C1D	-4.50	99.69	105.83
3	J	103	BCL	C2D-C1D-ND	4.50	114.58	110.13
3	X	102	BCL	C3D-C2D-C1D	-4.50	99.70	105.83
3	3	101	BCL	C3C-C4C-CHD	-4.49	113.92	123.39
3	P	101	BCL	C3D-C2D-C1D	-4.49	99.71	105.83
3	T	101	BCL	C1-C2-C3	-4.48	118.86	126.20
3	S	102	BCL	C3C-C4C-CHD	-4.48	113.95	123.39
3	Z	101	BCL	CMD-C2D-C1D	4.47	132.60	124.73
3	Y	103	BCL	C3C-C4C-CHD	-4.44	114.02	123.39
3	G	102	BCL	C2D-C1D-ND	4.44	114.52	110.13
3	8	101	BCL	C3D-C2D-C1D	-4.41	99.81	105.83
3	O	101	BCL	C2D-C1D-ND	4.40	114.48	110.13
3	8	101	BCL	C1C-NC-C4C	-4.40	104.67	106.68
3	U	102	BCL	C4A-NA-C1A	4.39	108.68	106.68
3	J	103	BCL	C1C-NC-C4C	-4.38	104.68	106.68
3	N	102	BCL	C2D-C1D-ND	4.38	114.46	110.13
3	Z	101	BCL	C1D-ND-C4D	-4.37	103.24	106.31
3	4	101	BCL	C3D-C2D-C1D	-4.37	99.87	105.83
3	U	104	BCL	C3D-C2D-C1D	-4.37	99.87	105.83
3	6	102	BCL	C3D-C2D-C1D	-4.36	99.88	105.83
3	E	103	BCL	C3D-C2D-C1D	-4.34	99.91	105.83
3	O	101	BCL	C1D-ND-C4D	-4.34	103.27	106.31
3	R	101	BCL	C3D-C2D-C1D	-4.33	99.92	105.83
3	Q	101	BCL	C2D-C1D-ND	4.32	114.40	110.13
3	G	102	BCL	C3D-C2D-C1D	-4.31	99.95	105.83
3	T	101	BCL	C3D-C2D-C1D	-4.31	99.95	105.83
3	J	103	BCL	C3D-C2D-C1D	-4.30	99.96	105.83
3	P	101	BCL	C4A-NA-C1A	4.30	108.64	106.68
3	W	101	BCL	C2D-C1D-ND	4.29	114.37	110.13
3	A	102	BCL	O2D-CGD-O1D	-4.28	115.51	123.85
3	N	102	BCL	C3D-C2D-C1D	-4.25	100.03	105.83
3	A	102	BCL	C2D-C1D-ND	4.24	114.33	110.13
3	K	101	BCL	C2D-C1D-ND	4.24	114.33	110.13
3	R	101	BCL	C1C-NC-C4C	-4.21	104.76	106.68
3	U	102	BCL	O2D-CGD-O1D	-4.20	115.67	123.85

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	7	102	BCL	C2D-C1D-ND	4.19	114.28	110.13
3	K	101	BCL	O2D-CGD-O1D	-4.19	115.69	123.85
3	U	104	BCL	C1C-NC-C4C	-4.19	104.77	106.68
3	Y	103	BCL	O2D-CGD-O1D	-4.18	115.71	123.85
3	K	101	BCL	C1D-ND-C4D	-4.18	103.38	106.31
3	1	103	BCL	CMB-C2B-C1B	4.17	131.77	125.42
3	W	101	BCL	O2D-CGD-O1D	-4.17	115.73	123.85
3	P	101	BCL	C1C-NC-C4C	-4.16	104.78	106.68
3	Q	101	BCL	C1D-ND-C4D	-4.15	103.40	106.31
3	Y	103	BCL	C3B-C4B-NB	4.15	115.23	109.76
3	Z	101	BCL	C1C-NC-C4C	-4.14	104.79	106.68
3	Y	103	BCL	C2D-C1D-ND	4.14	114.22	110.13
3	I	102	BCL	C2D-C1D-ND	4.13	114.22	110.13
3	D	102	BCL	C4A-NA-C1A	4.12	108.56	106.68
3	3	101	BCL	C2D-C1D-ND	4.12	114.21	110.13
3	2	101	BCL	C4A-NA-C1A	4.12	108.56	106.68
3	E	103	BCL	C1C-NC-C4C	-4.12	104.80	106.68
3	J	103	BCL	O2D-CGD-CBD	4.11	118.42	111.23
3	A	102	BCL	C1D-ND-C4D	-4.11	103.43	106.31
3	4	101	BCL	C1C-NC-C4C	-4.11	104.81	106.68
3	F	101	BCL	O2D-CGD-O1D	-4.10	115.87	123.85
3	D	102	BCL	O2D-CGD-O1D	-4.10	115.87	123.85
3	F	101	BCL	C2D-C1D-ND	4.09	114.17	110.13
3	I	102	BCL	C4A-NA-C1A	4.09	108.55	106.68
3	I	102	BCL	O2D-CGD-O1D	-4.09	115.89	123.85
3	1	103	BCL	CMD-C2D-C1D	4.09	131.92	124.73
3	W	101	BCL	C1D-ND-C4D	-4.08	103.45	106.31
3	U	102	BCL	C3B-C4B-NB	4.08	115.14	109.76
3	4	101	BCL	O2D-CGD-CBD	4.07	118.34	111.23
3	5	102	BCL	O2D-CGD-O1D	-4.06	115.94	123.85
3	B	101	BCL	C3B-C4B-NB	4.06	115.11	109.76
3	I	102	BCL	C3B-C4B-NB	4.06	115.11	109.76
3	Q	101	BCL	O2D-CGD-O1D	-4.05	115.96	123.85
3	D	102	BCL	C3B-C4B-NB	4.05	115.11	109.76
3	U	102	BCL	C2D-C1D-ND	4.03	114.12	110.13
3	3	101	BCL	O2D-CGD-O1D	-4.03	116.01	123.85
3	R	101	BCL	O2D-CGD-CBD	4.02	118.27	111.23
3	4	101	BCL	C4A-NA-C1A	4.00	108.50	106.68
3	T	101	BCL	C4A-NA-C1A	3.99	108.50	106.68
3	D	102	BCL	C2D-C1D-ND	3.99	114.08	110.13
3	2	101	BCL	C3D-C2D-C1D	-3.99	100.39	105.83
3	7	102	BCL	C3B-C4B-NB	3.96	114.99	109.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	5	102	BCL	C2D-C1D-ND	3.96	114.05	110.13
3	S	102	BCL	C3B-C4B-NB	3.96	114.99	109.76
3	7	102	BCL	O2D-CGD-O1D	-3.95	116.16	123.85
3	U	104	BCL	O2D-CGD-CBD	3.95	118.13	111.23
3	S	102	BCL	C4A-NA-C1A	3.94	108.48	106.68
3	A	102	BCL	C3B-C4B-NB	3.93	114.95	109.76
3	E	103	BCL	C1D-ND-C4D	-3.92	103.56	106.31
3	Q	101	BCL	C3B-C4B-NB	3.91	114.92	109.76
3	5	102	BCL	C1D-ND-C4D	-3.91	103.57	106.31
3	P	101	BCL	C3B-C4B-NB	3.90	114.90	109.76
3	U	104	BCL	C1D-ND-C4D	-3.90	103.58	106.31
3	5	102	BCL	C3B-C4B-NB	3.89	114.89	109.76
3	8	101	BCL	C3B-C4B-NB	3.89	114.89	109.76
3	N	102	BCL	C3B-C4B-NB	3.89	114.89	109.76
3	4	101	BCL	C1D-ND-C4D	-3.88	103.59	106.31
3	S	102	BCL	C2D-C1D-ND	3.88	113.97	110.13
3	N	102	BCL	C1C-NC-C4C	-3.88	104.91	106.68
3	7	102	BCL	C1D-ND-C4D	-3.86	103.61	106.31
3	T	101	BCL	C3B-C4B-NB	3.85	114.84	109.76
3	1	103	BCL	CHD-C1D-ND	-3.85	119.38	124.80
3	K	101	BCL	C3B-C4B-NB	3.84	114.83	109.76
3	O	101	BCL	C3B-C4B-NB	3.84	114.83	109.76
3	O	101	BCL	O2D-CGD-O1D	-3.84	116.37	123.85
3	I	102	BCL	C1D-ND-C4D	-3.84	103.62	106.31
3	P	101	BCL	C1D-ND-C4D	-3.83	103.63	106.31
3	R	101	BCL	C1D-ND-C4D	-3.83	103.63	106.31
3	R	101	BCL	C4A-NA-C1A	3.82	108.42	106.68
3	3	101	BCL	C3B-C4B-NB	3.82	114.80	109.76
3	3	101	BCL	C1D-ND-C4D	-3.81	103.64	106.31
3	1	103	BCL	C3D-C2D-C1D	-3.81	100.63	105.83
3	6	102	BCL	C3B-C4B-NB	3.81	114.78	109.76
3	W	101	BCL	C3B-C4B-NB	3.80	114.77	109.76
3	S	102	BCL	O2D-CGD-O1D	-3.79	116.47	123.85
3	U	104	BCL	C3B-C4B-NB	3.79	114.76	109.76
3	2	101	BCL	C3B-C4B-NB	3.78	114.75	109.76
3	G	102	BCL	C3B-C4B-NB	3.78	114.75	109.76
3	X	102	BCL	C1D-ND-C4D	-3.78	103.66	106.31
3	F	101	BCL	C3B-C4B-NB	3.77	114.74	109.76
3	B	101	BCL	C1D-ND-C4D	-3.77	103.67	106.31
3	Z	101	BCL	CHC-C4B-NB	-3.77	118.39	124.05
3	D	102	BCL	C1D-ND-C4D	-3.76	103.67	106.31
3	J	103	BCL	C3B-C4B-NB	3.76	114.72	109.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	X	102	BCL	CMD-C2D-C1D	3.76	131.34	124.73
3	Y	103	BCL	C1D-ND-C4D	-3.75	103.68	106.31
3	R	101	BCL	C3B-C4B-NB	3.75	114.71	109.76
3	G	102	BCL	CMD-C2D-C1D	3.75	131.33	124.73
3	6	102	BCL	C4A-NA-C1A	3.75	108.39	106.68
3	U	104	BCL	C4A-NA-C1A	3.74	108.39	106.68
3	E	103	BCL	C4A-NA-C1A	3.73	108.38	106.68
3	4	101	BCL	C3B-C4B-NB	3.73	114.68	109.76
3	U	102	BCL	C1D-ND-C4D	-3.71	103.71	106.31
3	Z	101	BCL	CHD-C1D-ND	-3.71	119.58	124.80
3	Y	103	BCL	CHC-C4B-NB	-3.71	118.49	124.05
3	5	102	BCL	C4A-NA-C1A	3.70	108.37	106.68
3	N	102	BCL	O2A-CGA-CBA	3.70	123.11	111.83
3	P	101	BCL	C4-C3-C5	3.68	121.61	115.23
3	B	101	BCL	O2D-CGD-CBD	3.68	117.66	111.23
3	T	101	BCL	C1D-ND-C4D	-3.65	103.75	106.31
3	Z	101	BCL	C3B-C4B-NB	3.64	114.56	109.76
3	E	103	BCL	O2D-CGD-CBD	3.63	117.57	111.23
3	S	102	BCL	C1D-ND-C4D	-3.61	103.78	106.31
3	U	102	BCL	C1C-NC-C4C	-3.61	105.03	106.68
3	F	101	BCL	C1D-ND-C4D	-3.60	103.79	106.31
3	X	102	BCL	CHC-C4B-NB	-3.59	118.66	124.05
3	6	102	BCL	O2A-CGA-CBA	3.59	122.78	111.83
3	X	102	BCL	C1C-NC-C4C	-3.59	105.04	106.68
3	Y	103	BCL	C1C-NC-C4C	-3.55	105.06	106.68
3	F	101	BCL	C1C-NC-C4C	-3.55	105.06	106.68
3	I	102	BCL	CHC-C4B-NB	-3.54	118.74	124.05
3	8	101	BCL	O2A-CGA-CBA	3.54	122.62	111.83
3	J	103	BCL	C4A-NA-C1A	3.54	108.29	106.68
3	8	101	BCL	CHC-C4B-NB	-3.53	118.76	124.05
3	G	102	BCL	O2D-CGD-CBD	3.52	117.39	111.23
3	T	101	BCL	O2A-CGA-CBA	3.52	122.57	111.83
6	1	102	CRT	C25-C23-C22	3.52	124.55	119.01
3	6	102	BCL	C1D-ND-C4D	-3.52	103.84	106.31
3	E	103	BCL	C3B-C4B-NB	3.51	114.39	109.76
3	G	102	BCL	C1D-ND-C4D	-3.50	103.86	106.31
3	B	101	BCL	CMD-C2D-C1D	3.49	130.88	124.73
3	8	101	BCL	C1D-ND-C4D	-3.46	103.88	106.31
3	N	102	BCL	C1-C2-C3	-3.43	120.57	126.20
3	2	101	BCL	C1D-ND-C4D	-3.43	103.91	106.31
3	S	102	BCL	CHC-C4B-NB	-3.43	118.90	124.05
3	S	102	BCL	C1C-NC-C4C	-3.43	105.11	106.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	4	101	BCL	CMD-C2D-C1D	3.42	130.75	124.73
3	N	102	BCL	C1D-ND-C4D	-3.41	103.92	106.31
3	D	102	BCL	C1C-NC-C4C	-3.41	105.12	106.68
3	P	101	BCL	CMD-C2D-C1D	3.41	130.73	124.73
3	P	101	BCL	CHC-C4B-NB	-3.41	118.94	124.05
3	D	102	BCL	CHC-C4B-NB	-3.41	118.94	124.05
3	U	102	BCL	CHC-C4B-NB	-3.40	118.94	124.05
3	N	102	BCL	CHC-C4B-NB	-3.39	118.96	124.05
3	5	102	BCL	CHC-C4B-NB	-3.39	118.97	124.05
3	B	101	BCL	C1-C2-C3	-3.38	120.66	126.20
3	X	102	BCL	CHD-C1D-ND	-3.37	120.06	124.80
3	J	103	BCL	C1D-ND-C4D	-3.36	103.95	106.31
3	Z	101	BCL	O2A-CGA-CBA	3.35	122.06	111.83
3	6	102	BCL	C1-C2-C3	-3.35	120.70	126.20
3	J	103	BCL	CHC-C4B-NB	-3.34	119.03	124.05
3	G	102	BCL	O2A-CGA-CBA	3.33	121.97	111.83
3	K	101	BCL	CHC-C4B-NB	-3.31	119.09	124.05
3	1	103	BCL	C1-C2-C3	-3.31	120.78	126.20
3	R	101	BCL	CMD-C2D-C1D	3.30	130.54	124.73
3	1	103	BCL	C3D-C4D-ND	3.30	115.34	109.99
3	I	102	BCL	C1C-NC-C4C	-3.29	105.18	106.68
3	E	103	BCL	CHC-C4B-NB	-3.28	119.12	124.05
3	R	101	BCL	CHC-C4B-NB	-3.27	119.14	124.05
3	N	102	BCL	O2D-CGD-O1D	-3.27	117.49	123.85
3	B	101	BCL	O2A-CGA-CBA	3.26	121.77	111.83
3	Q	101	BCL	CHC-C4B-NB	-3.26	119.16	124.05
3	T	101	BCL	C4-C3-C5	3.24	120.86	115.23
3	N	102	BCL	CMD-C2D-C1D	3.24	130.44	124.73
3	6	102	BCL	CHC-C4B-NB	-3.24	119.19	124.05
3	F	101	BCL	C4A-NA-C1A	3.23	108.15	106.68
3	7	102	BCL	C1-C2-C3	-3.23	120.91	126.20
3	4	101	BCL	CHC-C4B-NB	-3.23	119.21	124.05
3	A	102	BCL	CHC-C4B-NB	-3.22	119.21	124.05
3	7	102	BCL	CHC-C4B-NB	-3.22	119.21	124.05
3	O	101	BCL	C3D-C4D-ND	3.22	115.22	109.99
3	W	101	BCL	CHC-C4B-NB	-3.22	119.22	124.05
3	2	101	BCL	C1D-CHD-C4C	-3.21	118.88	126.62
3	5	102	BCL	C3D-C4D-ND	3.21	115.20	109.99
3	P	101	BCL	CHD-C1D-ND	-3.20	120.30	124.80
3	U	104	BCL	CHC-C4B-NB	-3.20	119.25	124.05
3	2	101	BCL	O2A-CGA-CBA	3.19	121.56	111.83
3	3	101	BCL	CHC-C4B-NB	-3.19	119.27	124.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	1	103	BCL	C3C-C4C-CHD	-3.18	116.69	123.39
3	K	101	BCL	C3D-C4D-ND	3.18	115.15	109.99
3	Q	101	BCL	C1-C2-C3	-3.18	120.99	126.20
3	B	101	BCL	CHC-C4B-NB	-3.17	119.30	124.05
3	1	103	BCL	C2D-C1D-ND	3.15	113.24	110.13
3	D	102	BCL	C3D-C4D-ND	3.14	115.09	109.99
3	R	101	BCL	O2A-CGA-CBA	3.14	121.40	111.83
3	Q	101	BCL	C3D-C4D-ND	3.14	115.08	109.99
3	O	101	BCL	CHC-C4B-NB	-3.13	119.35	124.05
3	2	101	BCL	O2D-CGD-CBD	3.13	116.70	111.23
3	N	102	BCL	C4A-NA-C1A	3.12	108.10	106.68
3	F	101	BCL	CHC-C4B-NB	-3.12	119.38	124.05
3	U	104	BCL	CMD-C2D-C1D	3.11	130.21	124.73
3	6	102	BCL	CMD-C2D-C1D	3.11	130.21	124.73
3	7	102	BCL	C3D-C4D-ND	3.11	115.04	109.99
3	X	102	BCL	C3B-C4B-NB	3.10	113.85	109.76
3	7	102	BCL	C1C-NC-C4C	-3.09	105.27	106.68
3	A	102	BCL	C3D-C4D-ND	3.09	115.02	109.99
3	3	101	BCL	C3D-C4D-ND	3.09	115.02	109.99
3	4	101	BCL	O2A-CGA-CBA	3.09	121.27	111.83
6	U	101	CRT	C25-C23-C22	3.09	123.86	119.01
3	W	101	BCL	C3D-C4D-ND	3.08	115.00	109.99
6	1	102	CRT	C24-C23-C22	-3.08	117.82	122.82
3	2	101	BCL	CHC-C4B-NB	-3.08	119.44	124.05
3	E	103	BCL	CMD-C2D-C1D	3.07	130.13	124.73
3	J	103	BCL	O2A-CGA-CBA	3.07	121.19	111.83
3	X	102	BCL	O2A-CGA-CBA	3.07	121.19	111.83
3	T	101	BCL	CMD-C2D-C1D	3.07	130.13	124.73
3	U	104	BCL	CHD-C1D-ND	-3.06	120.50	124.80
3	8	101	BCL	CHD-C1D-ND	-3.05	120.51	124.80
3	8	101	BCL	O2D-CGD-CBD	3.05	116.56	111.23
3	I	102	BCL	C3D-C4D-ND	3.05	114.94	109.99
3	S	102	BCL	C3D-C4D-ND	3.04	114.94	109.99
3	U	102	BCL	C3D-C4D-ND	3.04	114.93	109.99
3	4	101	BCL	CHD-C1D-ND	-3.04	120.52	124.80
3	6	102	BCL	C1D-CHD-C4C	-3.04	119.28	126.62
6	N	101	CRT	C25-C23-C22	3.04	123.79	119.01
3	T	101	BCL	C1D-CHD-C4C	-3.04	119.30	126.62
6	E	101	CRT	C25-C23-C22	3.04	123.78	119.01
3	P	101	BCL	O2A-CGA-CBA	3.03	121.08	111.83
6	V	101	CRT	C25-C23-C22	3.02	123.76	119.01
3	K	101	BCL	C4A-NA-C1A	3.02	108.06	106.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	Y	103	BCL	C3D-C4D-ND	3.01	114.89	109.99
3	J	103	BCL	O2D-CGD-O1D	-3.01	117.99	123.85
3	8	101	BCL	CMD-C2D-C1D	2.99	130.00	124.73
6	3	103	CRT	C25-C23-C22	2.99	123.72	119.01
3	G	102	BCL	C1D-CHD-C4C	-2.99	119.41	126.62
3	E	103	BCL	CHD-C1D-ND	-2.99	120.60	124.80
3	E	103	BCL	C1D-CHD-C4C	-2.98	119.44	126.62
3	B	101	BCL	C1D-CHD-C4C	-2.98	119.44	126.62
3	R	101	BCL	CHD-C1D-ND	-2.97	120.62	124.80
3	D	102	BCL	CBA-CAA-C2A	-2.97	104.96	113.79
3	E	103	BCL	O2A-CGA-CBA	2.96	120.87	111.83
6	7	101	CRT	C25-C23-C22	2.96	123.67	119.01
6	J	101	CRT	C25-C23-C22	2.96	123.67	119.01
3	G	102	BCL	C1-C2-C3	-2.96	121.35	126.20
3	X	102	BCL	C4A-NA-C1A	2.95	108.03	106.68
3	Z	101	BCL	C1D-CHD-C4C	-2.95	119.50	126.62
3	F	101	BCL	C3D-C4D-ND	2.95	114.78	109.99
3	B	101	BCL	CHD-C1D-ND	-2.95	120.65	124.80
3	8	101	BCL	C1D-CHD-C4C	-2.95	119.52	126.62
3	P	101	BCL	C1D-CHD-C4C	-2.94	119.52	126.62
3	U	104	BCL	O2A-CGA-CBA	2.94	120.79	111.83
6	Y	101	CRT	C25-C23-C22	2.93	123.62	119.01
3	R	101	BCL	C1D-CHD-C4C	-2.93	119.55	126.62
3	J	103	BCL	C1D-CHD-C4C	-2.93	119.56	126.62
6	K	103	CRT	C25-C23-C22	2.93	123.61	119.01
6	5	101	CRT	C25-C23-C22	2.92	123.61	119.01
3	4	101	BCL	C1D-CHD-C4C	-2.92	119.57	126.62
3	3	101	BCL	C1C-NC-C4C	-2.92	105.35	106.68
6	U	101	CRT	C24-C23-C22	-2.92	118.08	122.82
6	A	101	CRT	C25-C23-C22	2.92	123.60	119.01
6	I	101	CRT	C25-C23-C22	2.92	123.60	119.01
3	8	101	BCL	C1-C2-C3	-2.91	121.43	126.20
3	N	102	BCL	CHD-C1D-ND	-2.91	120.71	124.80
3	T	101	BCL	CHC-C4B-NB	-2.91	119.69	124.05
3	N	102	BCL	C1D-CHD-C4C	-2.90	119.61	126.62
3	Z	101	BCL	CMB-C2B-C3B	2.90	134.82	125.67
3	J	103	BCL	CMD-C2D-C1D	2.90	129.83	124.73
6	S	101	CRT	C25-C23-C22	2.90	123.56	119.01
3	5	102	BCL	CBA-CAA-C2A	-2.89	105.18	113.79
3	6	102	BCL	CHD-C1D-ND	-2.89	120.73	124.80
3	7	102	BCL	C4A-NA-C1A	2.89	108.00	106.68
6	V	101	CRT	C24-C23-C22	-2.89	118.14	122.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	102	BCL	CHD-C1D-ND	-2.88	120.74	124.80
6	D	101	CRT	C25-C23-C22	2.88	123.54	119.01
6	N	101	CRT	C24-C23-C22	-2.88	118.15	122.82
3	1	103	BCL	C1D-ND-C4D	-2.88	104.29	106.31
6	E	101	CRT	C24-C23-C22	-2.88	118.16	122.82
3	G	102	BCL	C1-O2A-CGA	2.87	123.59	116.65
6	3	103	CRT	C24-C23-C22	-2.87	118.17	122.82
3	Q	101	BCL	C4A-NA-C1A	2.87	107.99	106.68
3	J	103	BCL	CHD-C1D-ND	-2.86	120.77	124.80
3	G	102	BCL	CHC-C4B-NB	-2.86	119.76	124.05
3	E	103	BCL	C7-C6-C5	-2.86	105.65	113.26
3	P	101	BCL	O2D-CGD-CBD	2.86	116.22	111.23
3	Y	103	BCL	C1-C2-C3	-2.86	121.52	126.20
6	7	101	CRT	C24-C23-C22	-2.85	118.19	122.82
3	R	101	BCL	O2D-CGD-O1D	-2.84	118.31	123.85
6	5	101	CRT	C24-C23-C22	-2.84	118.21	122.82
6	I	101	CRT	C24-C23-C22	-2.84	118.21	122.82
3	E	103	BCL	C1-O2A-CGA	2.84	123.53	116.65
6	Y	101	CRT	C24-C23-C22	-2.83	118.22	122.82
3	X	102	BCL	C1D-CHD-C4C	-2.83	119.79	126.62
3	P	101	BCL	CED-O2D-CGD	2.83	122.33	115.92
6	J	101	CRT	C24-C23-C22	-2.83	118.24	122.82
3	W	101	BCL	C4A-NA-C1A	2.82	107.97	106.68
3	U	104	BCL	C1D-CHD-C4C	-2.82	119.82	126.62
6	V	101	CRT	C8-C7-C9	-2.82	118.25	122.82
6	S	101	CRT	C24-C23-C22	-2.82	118.25	122.82
6	A	101	CRT	C24-C23-C22	-2.82	118.25	122.82
3	T	101	BCL	CED-O2D-CGD	2.82	122.30	115.92
3	U	104	BCL	C3D-C4D-ND	2.81	114.56	109.99
6	K	103	CRT	C24-C23-C22	-2.80	118.27	122.82
3	Z	101	BCL	C4-C3-C5	2.80	120.09	115.23
6	D	101	CRT	C24-C23-C22	-2.80	118.28	122.82
3	K	101	BCL	CBA-CAA-C2A	-2.80	105.46	113.79
6	U	101	CRT	C8-C7-C9	-2.80	118.28	122.82
3	Z	101	BCL	CED-O2D-CGD	2.80	122.26	115.92
6	E	101	CRT	C8-C7-C9	-2.80	118.28	122.82
3	6	102	BCL	C1-O2A-CGA	2.80	123.42	116.65
3	E	103	BCL	C3D-C4D-ND	2.80	114.53	109.99
6	U	101	CRT	C6-C7-C9	2.80	123.41	119.01
6	N	101	CRT	C8-C7-C9	-2.79	118.29	122.82
6	J	101	CRT	C8-C7-C9	-2.78	118.31	122.82
3	4	101	BCL	C3D-C4D-ND	2.78	114.51	109.99

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	1	102	CRT	C30-C28-C27	2.78	123.38	119.01
6	V	101	CRT	C6-C7-C9	2.78	123.38	119.01
6	J	101	CRT	C6-C7-C9	2.78	123.38	119.01
3	X	102	BCL	C3D-C4D-ND	2.77	114.49	109.99
3	U	104	BCL	CED-O2D-CGD	2.77	122.20	115.92
3	J	103	BCL	C1-O2A-CGA	2.76	123.34	116.65
3	R	101	BCL	C3D-C4D-ND	2.76	114.48	109.99
3	5	102	BCL	C1C-NC-C4C	-2.76	105.42	106.68
3	U	104	BCL	C4-C3-C5	2.75	120.00	115.23
6	N	101	CRT	C6-C7-C9	2.75	123.33	119.01
3	J	103	BCL	CMB-C2B-C3B	2.75	134.33	125.67
6	E	101	CRT	C6-C7-C9	2.74	123.32	119.01
3	2	101	BCL	C3D-C4D-ND	2.74	114.44	109.99
3	E	103	BCL	CMB-C2B-C3B	2.74	134.32	125.67
3	4	101	BCL	CED-O2D-CGD	2.74	122.13	115.92
6	1	102	CRT	C6-C7-C9	2.74	123.32	119.01
6	E	101	CRT	C34-C33-C32	-2.74	118.38	122.82
6	1	102	CRT	C15-C14-C12	2.74	131.11	127.28
3	Z	101	BCL	C3D-C4D-ND	2.73	114.43	109.99
6	5	101	CRT	C34-C33-C32	-2.73	118.39	122.82
3	Z	101	BCL	O1D-CGD-CBD	-2.73	119.13	124.52
3	P	101	BCL	C3D-C4D-ND	2.73	114.42	109.99
3	T	101	BCL	CHD-C1D-ND	-2.73	120.96	124.80
6	1	102	CRT	C20-C19-C17	2.73	131.10	127.28
6	I	101	CRT	C34-C33-C32	-2.73	118.40	122.82
3	8	101	BCL	CHB-C4A-NA	2.72	128.33	124.40
3	D	102	BCL	C1D-CHD-C4C	-2.72	120.06	126.62
3	4	101	BCL	C1-O2A-CGA	2.72	123.23	116.65
3	B	101	BCL	C1-O2A-CGA	2.72	123.23	116.65
3	6	102	BCL	CED-O2D-CGD	2.72	122.08	115.92
6	7	101	CRT	C34-C33-C32	-2.72	118.42	122.82
3	O	101	BCL	C4A-NA-C1A	2.71	107.92	106.68
3	P	101	BCL	CMB-C2B-C3B	2.71	134.23	125.67
6	E	101	CRT	C35-C33-C32	2.71	123.27	119.01
6	D	101	CRT	C34-C33-C32	-2.71	118.43	122.82
3	8	101	BCL	CED-O2D-CGD	2.71	122.05	115.92
3	1	103	BCL	C1D-CHD-C4C	-2.70	120.11	126.62
6	S	101	CRT	C34-C33-C32	-2.70	118.44	122.82
6	K	103	CRT	C8-C7-C9	-2.70	118.44	122.82
3	2	101	BCL	CMB-C2B-C3B	2.69	134.17	125.67
3	E	103	BCL	O2D-CGD-O1D	-2.69	118.61	123.85
3	N	102	BCL	C1-O2A-CGA	2.69	123.16	116.65

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	S	102	BCL	C1D-CHD-C4C	-2.69	120.13	126.62
6	3	103	CRT	C34-C33-C32	-2.69	118.46	122.82
6	Y	101	CRT	C8-C7-C9	-2.69	118.46	122.82
3	U	102	BCL	C1D-CHD-C4C	-2.69	120.14	126.62
3	U	102	BCL	C1-C2-C3	-2.69	121.80	126.20
3	2	101	BCL	C4-C3-C5	2.69	119.89	115.23
6	3	103	CRT	C8-C7-C9	-2.68	118.47	122.82
6	S	101	CRT	C8-C7-C9	-2.68	118.48	122.82
3	R	101	BCL	CMB-C2B-C3B	2.67	134.10	125.67
6	U	101	CRT	C34-C33-C32	-2.67	118.49	122.82
6	D	101	CRT	C8-C7-C9	-2.67	118.49	122.82
3	8	101	BCL	C6-C5-C3	-2.67	106.97	113.47
3	U	104	BCL	C1-C2-C3	-2.66	121.83	126.20
6	1	102	CRT	C35-C33-C32	2.66	123.20	119.01
6	E	101	CRT	C29-C28-C27	-2.66	118.50	122.82
6	I	101	CRT	C35-C33-C32	2.65	123.18	119.01
3	N	102	BCL	C6-C5-C3	-2.65	107.01	113.47
3	F	101	BCL	C1D-CHD-C4C	-2.65	120.23	126.62
6	7	101	CRT	C8-C7-C9	-2.65	118.53	122.82
6	5	101	CRT	C35-C33-C32	2.64	123.17	119.01
3	R	101	BCL	C1-O2A-CGA	2.64	123.05	116.65
6	Y	101	CRT	C34-C33-C32	-2.64	118.54	122.82
6	5	101	CRT	C8-C7-C9	-2.64	118.55	122.82
3	5	102	BCL	C1D-CHD-C4C	-2.64	120.26	126.62
3	T	101	BCL	C3D-C4D-ND	2.63	114.27	109.99
6	A	101	CRT	C8-C7-C9	-2.63	118.55	122.82
6	I	101	CRT	C8-C7-C9	-2.63	118.56	122.82
3	I	102	BCL	C1D-CHD-C4C	-2.63	120.28	126.62
3	N	102	BCL	CMB-C2B-C3B	2.63	133.96	125.67
3	N	102	BCL	C4D-CHA-C1A	-2.63	118.11	121.24
3	6	102	BCL	CMB-C2B-C3B	2.63	133.95	125.67
3	Y	103	BCL	C1D-CHD-C4C	-2.62	120.29	126.62
3	G	102	BCL	C4D-CHA-C1A	-2.62	118.12	121.24
6	D	101	CRT	C29-C28-C27	-2.62	118.58	122.82
6	7	101	CRT	C35-C33-C32	2.61	123.12	119.01
6	S	101	CRT	C35-C33-C32	2.61	123.12	119.01
6	U	101	CRT	C29-C28-C27	-2.61	118.58	122.82
3	Z	101	BCL	CHC-C1C-NC	2.61	128.16	124.40
3	W	101	BCL	C1D-CHD-C4C	-2.60	120.34	126.62
3	6	102	BCL	C3D-C4D-ND	2.60	114.22	109.99
3	N	102	BCL	C3D-C4D-ND	2.60	114.22	109.99
6	I	101	CRT	C29-C28-C27	-2.60	118.61	122.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	D	101	CRT	C35-C33-C32	2.60	123.10	119.01
3	J	103	BCL	C3D-C4D-ND	2.60	114.21	109.99
6	U	101	CRT	C35-C33-C32	2.60	123.09	119.01
6	S	101	CRT	C29-C28-C27	-2.59	118.61	122.82
3	8	101	BCL	C3D-C4D-ND	2.59	114.20	109.99
3	Q	101	BCL	C1C-NC-C4C	-2.58	105.50	106.68
3	X	102	BCL	CED-O2D-CGD	2.58	121.76	115.92
6	7	101	CRT	C29-C28-C27	-2.58	118.64	122.82
6	V	101	CRT	C29-C28-C27	-2.58	118.64	122.82
6	N	101	CRT	C34-C33-C32	-2.57	118.65	122.82
3	Z	101	BCL	CHB-C1B-NB	-2.57	120.19	124.05
3	4	101	BCL	O2D-CGD-O1D	-2.57	118.84	123.85
6	K	103	CRT	C6-C7-C9	2.57	123.05	119.01
3	O	101	BCL	C1D-CHD-C4C	-2.57	120.42	126.62
3	I	102	BCL	O2A-CGA-CBA	2.57	119.67	111.83
3	4	101	BCL	CMB-C2B-C3B	2.57	133.77	125.67
3	B	101	BCL	CHB-C4A-NA	2.57	128.10	124.40
6	E	101	CRT	C30-C28-C27	2.56	123.04	119.01
3	2	101	BCL	CED-O2D-CGD	2.56	121.73	115.92
3	B	101	BCL	CMB-C2B-C3B	2.56	133.75	125.67
3	B	101	BCL	C3D-C4D-ND	2.56	114.15	109.99
3	T	101	BCL	O2D-CGD-CBD	2.56	115.71	111.23
3	U	104	BCL	C4D-CHA-C1A	-2.56	118.19	121.24
3	B	101	BCL	O2D-CGD-O1D	-2.56	118.87	123.85
3	T	101	BCL	CMB-C2B-C3B	2.55	133.72	125.67
6	K	103	CRT	C34-C33-C32	-2.55	118.68	122.82
3	G	102	BCL	C3D-C4D-ND	2.55	114.13	109.99
6	N	101	CRT	C29-C28-C27	-2.55	118.69	122.82
6	3	103	CRT	C29-C28-C27	-2.54	118.69	122.82
6	J	101	CRT	C34-C33-C32	-2.54	118.70	122.82
6	3	103	CRT	C35-C33-C32	2.54	123.01	119.01
3	Q	101	BCL	C1D-CHD-C4C	-2.54	120.50	126.62
3	A	102	BCL	C4A-NA-C1A	2.54	107.84	106.68
6	3	103	CRT	C6-C7-C9	2.54	123.00	119.01
6	5	101	CRT	C29-C28-C27	-2.54	118.70	122.82
6	Y	101	CRT	C29-C28-C27	-2.54	118.70	122.82
6	Y	101	CRT	C6-C7-C9	2.54	123.00	119.01
3	K	101	BCL	C11-C12-C13	-2.54	107.54	115.97
3	A	102	BCL	C1-C2-C3	-2.53	122.04	126.20
6	V	101	CRT	C34-C33-C32	-2.53	118.72	122.82
3	B	101	BCL	CED-O2D-CGD	2.53	121.65	115.92
6	S	101	CRT	C6-C7-C9	2.53	122.98	119.01

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	J	101	CRT	C29-C28-C27	-2.53	118.72	122.82
3	7	102	BCL	C1D-CHD-C4C	-2.52	120.53	126.62
6	K	103	CRT	C15-C14-C12	2.52	130.81	127.28
3	I	102	BCL	CHB-C4A-NA	2.52	128.04	124.40
3	G	102	BCL	O2D-CGD-O1D	-2.52	118.94	123.85
6	A	101	CRT	C34-C33-C32	-2.52	118.73	122.82
3	B	101	BCL	C4D-CHA-C1A	-2.52	118.24	121.24
6	A	101	CRT	C15-C14-C12	2.51	130.80	127.28
6	U	101	CRT	C30-C28-C27	2.51	122.96	119.01
3	O	101	BCL	C1C-NC-C4C	-2.51	105.53	106.68
6	K	103	CRT	C29-C28-C27	-2.51	118.75	122.82
3	J	103	BCL	C4D-CHA-C1A	-2.50	118.26	121.24
3	U	104	BCL	O2D-CGD-O1D	-2.50	118.98	123.85
3	3	101	BCL	C1D-CHD-C4C	-2.50	120.60	126.62
6	Y	101	CRT	C35-C33-C32	2.50	122.93	119.01
3	A	102	BCL	O2A-CGA-CBA	2.49	119.44	111.83
3	6	102	BCL	O2A-CGA-O1A	-2.49	117.39	123.63
3	A	102	BCL	C1D-CHD-C4C	-2.49	120.61	126.62
3	N	102	BCL	O2A-CGA-O1A	-2.49	117.40	123.63
3	X	102	BCL	CHC-C1C-NC	2.49	127.99	124.40
3	G	102	BCL	CHB-C4A-NA	2.49	127.99	124.40
6	I	101	CRT	C15-C14-C12	2.49	130.77	127.28
3	8	101	BCL	C1-O2A-CGA	2.49	122.67	116.65
3	D	102	BCL	CHB-C4A-NA	2.49	127.99	124.40
3	T	101	BCL	O2A-CGA-O1A	-2.49	117.41	123.63
6	A	101	CRT	C29-C28-C27	-2.48	118.80	122.82
3	W	101	BCL	O2A-CGA-CBA	2.48	119.40	111.83
6	A	101	CRT	C6-C7-C9	2.48	122.91	119.01
3	1	103	BCL	CBA-CAA-C2A	-2.48	106.41	113.79
6	D	101	CRT	C6-C7-C9	2.48	122.91	119.01
3	K	101	BCL	C1D-CHD-C4C	-2.48	120.64	126.62
6	S	101	CRT	C30-C28-C27	2.48	122.91	119.01
6	I	101	CRT	C30-C28-C27	2.47	122.90	119.01
3	Z	101	BCL	C4D-CHA-C1A	-2.47	118.30	121.24
6	7	101	CRT	C6-C7-C9	2.46	122.89	119.01
6	5	101	CRT	C6-C7-C9	2.46	122.88	119.01
3	R	101	BCL	CED-O2D-CGD	2.46	121.50	115.92
3	3	101	BCL	C4A-NA-C1A	2.46	107.80	106.68
3	F	101	BCL	O2A-CGA-CBA	2.46	119.33	111.83
6	7	101	CRT	C30-C28-C27	2.46	122.88	119.01
3	X	102	BCL	C4-C3-C5	2.46	119.49	115.23
3	W	101	BCL	C1C-NC-C4C	-2.46	105.56	106.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	N	102	BCL	CED-O2D-CGD	2.45	121.48	115.92
6	I	101	CRT	C6-C7-C9	2.45	122.87	119.01
3	E	103	BCL	CED-O2D-CGD	2.45	121.47	115.92
3	U	104	BCL	CHB-C4A-NA	2.45	127.94	124.40
3	U	102	BCL	O2A-CGA-CBA	2.45	119.30	111.83
3	U	102	BCL	CHB-C4A-NA	2.45	127.93	124.40
3	5	102	BCL	CHB-C4A-NA	2.44	127.92	124.40
3	O	101	BCL	O2A-CGA-CBA	2.43	119.26	111.83
6	V	101	CRT	C13-C12-C14	-2.43	118.88	122.82
3	N	102	BCL	CHB-C4A-NA	2.43	127.91	124.40
6	D	101	CRT	C30-C28-C27	2.43	122.83	119.01
6	U	101	CRT	C13-C12-C14	-2.43	118.88	122.82
6	J	101	CRT	C13-C12-C14	-2.43	118.88	122.82
3	4	101	BCL	C4D-CHA-C1A	-2.43	118.35	121.24
3	6	102	BCL	O2D-CGD-CBD	2.42	115.47	111.23
3	J	103	BCL	CHB-C4A-NA	2.42	127.90	124.40
3	R	101	BCL	C4D-CHA-C1A	-2.42	118.35	121.24
3	Z	101	BCL	C1-C2-C3	-2.42	122.23	126.20
3	X	102	BCL	C4D-CHA-C1A	-2.42	118.36	121.24
3	8	101	BCL	CMB-C2B-C3B	2.42	133.30	125.67
6	5	101	CRT	C30-C28-C27	2.42	122.81	119.01
6	N	101	CRT	C13-C12-C14	-2.42	118.90	122.82
3	S	102	BCL	CBA-CAA-C2A	-2.42	106.60	113.79
3	P	101	BCL	C1-C2-C3	-2.42	122.24	126.20
6	Y	101	CRT	C15-C14-C12	2.42	130.67	127.28
6	E	101	CRT	C13-C12-C14	-2.41	118.91	122.82
3	J	103	BCL	CED-O2D-CGD	2.41	121.37	115.92
3	E	103	BCL	C4D-CHA-C1A	-2.40	118.38	121.24
3	4	101	BCL	CHB-C4A-NA	2.40	127.86	124.40
3	T	101	BCL	C4D-CHA-C1A	-2.40	118.39	121.24
6	1	102	CRT	C29-C28-C27	-2.39	118.94	122.82
6	Y	101	CRT	C30-C28-C27	2.39	122.77	119.01
6	1	102	CRT	C18-C17-C19	-2.39	118.95	122.82
3	Y	103	BCL	O2A-CGA-CBA	2.38	119.10	111.83
6	S	101	CRT	C15-C14-C12	2.38	130.62	127.28
6	D	101	CRT	C15-C14-C12	2.38	130.62	127.28
3	Y	103	BCL	CHB-C4A-NA	2.38	127.84	124.40
6	3	103	CRT	C30-C28-C27	2.38	122.75	119.01
6	V	101	CRT	C15-C14-C12	2.38	130.61	127.28
3	2	101	BCL	CMD-C2D-C3D	2.38	133.14	127.69
3	G	102	BCL	CED-O2D-CGD	2.37	121.30	115.92
3	S	102	BCL	CHB-C4A-NA	2.37	127.82	124.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	P	101	BCL	C4D-CHA-C1A	-2.37	118.42	121.24
3	7	102	BCL	O2A-CGA-CBA	2.36	119.04	111.83
6	3	103	CRT	C13-C12-C14	-2.36	118.99	122.82
6	1	102	CRT	C8-C7-C9	-2.36	118.99	122.82
3	S	102	BCL	C6-C5-C3	-2.36	107.72	113.47
3	G	102	BCL	CMB-C2B-C3B	2.36	133.11	125.67
6	7	101	CRT	C15-C14-C12	2.36	130.58	127.28
6	5	101	CRT	C13-C12-C14	-2.35	119.00	122.82
3	X	102	BCL	O2D-CGD-CBD	2.35	115.34	111.23
6	5	101	CRT	C15-C14-C12	2.35	130.57	127.28
6	S	101	CRT	C13-C12-C14	-2.35	119.01	122.82
3	E	103	BCL	CHC-C1C-NC	2.35	127.79	124.40
6	J	101	CRT	C15-C14-C12	2.35	130.57	127.28
6	3	103	CRT	C15-C14-C12	2.35	130.57	127.28
3	1	103	BCL	CHC-C4B-C3B	-2.35	122.40	131.72
6	7	101	CRT	C13-C12-C14	-2.34	119.02	122.82
3	K	101	BCL	CHB-C1B-NB	-2.34	120.53	124.05
6	V	101	CRT	C30-C28-C27	2.34	122.69	119.01
3	D	102	BCL	C11-C12-C13	-2.34	108.20	115.97
3	Q	101	BCL	O2A-CGA-CBA	2.34	118.96	111.83
3	I	102	BCL	C1-C2-C3	-2.33	122.38	126.20
6	D	101	CRT	C13-C12-C14	-2.33	119.04	122.82
3	5	102	BCL	C11-C12-C13	-2.33	108.23	115.97
6	S	101	CRT	C18-C17-C19	-2.32	119.05	122.82
6	Y	101	CRT	C13-C12-C14	-2.32	119.05	122.82
3	8	101	BCL	O2A-CGA-O1A	-2.32	117.82	123.63
3	2	101	BCL	O2D-CGD-O1D	-2.32	119.33	123.85
6	A	101	CRT	C13-C12-C14	-2.32	119.06	122.82
3	P	101	BCL	CHC-C1C-NC	2.32	127.75	124.40
3	7	102	BCL	CMB-C2B-C3B	2.32	132.98	125.67
6	N	101	CRT	C35-C33-C32	2.31	122.65	119.01
3	F	101	BCL	CHB-C4A-NA	2.31	127.74	124.40
6	1	102	CRT	C34-C33-C32	-2.31	119.08	122.82
3	5	102	BCL	CMB-C2B-C3B	2.30	132.94	125.67
6	E	101	CRT	C18-C17-C19	-2.30	119.08	122.82
3	T	101	BCL	CHB-C4A-NA	2.30	127.72	124.40
3	2	101	BCL	C1-O2A-CGA	2.30	122.22	116.65
6	K	103	CRT	C18-C17-C19	-2.30	119.09	122.82
3	P	101	BCL	CHB-C4A-NA	2.30	127.72	124.40
6	K	103	CRT	C35-C33-C32	2.30	122.62	119.01
3	B	101	BCL	C11-C10-C8	-2.30	108.33	115.97
6	K	103	CRT	C13-C12-C14	-2.30	119.10	122.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	U	104	BCL	CMB-C2B-C3B	2.29	132.91	125.67
6	N	101	CRT	C30-C28-C27	2.29	122.62	119.01
6	I	101	CRT	C13-C12-C14	-2.29	119.10	122.82
6	A	101	CRT	C18-C17-C19	-2.29	119.11	122.82
6	I	101	CRT	C18-C17-C19	-2.29	119.11	122.82
3	6	102	BCL	CHC-C1C-NC	2.29	127.70	124.40
3	R	101	BCL	CHB-C4A-NA	2.29	127.70	124.40
3	S	102	BCL	CMB-C2B-C3B	2.29	132.88	125.67
3	6	102	BCL	C4-C3-C5	2.29	119.19	115.23
3	2	101	BCL	CHD-C1D-ND	-2.28	121.59	124.80
6	J	101	CRT	C18-C17-C19	-2.28	119.12	122.82
3	3	101	BCL	C4-C3-C5	2.28	119.19	115.23
6	N	101	CRT	C15-C14-C12	2.28	130.48	127.28
3	O	101	BCL	C1-C2-C3	-2.28	122.46	126.20
3	6	102	BCL	C4D-CHA-C1A	-2.28	118.52	121.24
6	V	101	CRT	C18-C17-C19	-2.28	119.12	122.82
3	T	101	BCL	O2D-CGD-O1D	-2.28	119.42	123.85
6	N	101	CRT	C18-C17-C19	-2.27	119.13	122.82
3	X	102	BCL	C1-O2A-CGA	2.27	122.15	116.65
3	1	103	BCL	O2A-CGA-CBA	2.27	118.76	111.83
6	D	101	CRT	C18-C17-C19	-2.27	119.14	122.82
6	U	101	CRT	C18-C17-C19	-2.27	119.14	122.82
3	2	101	BCL	C4D-CHA-C1A	-2.27	118.53	121.24
3	K	101	BCL	C1C-NC-C4C	-2.27	105.64	106.68
3	G	102	BCL	C4-C3-C5	2.27	119.16	115.23
6	V	101	CRT	C35-C33-C32	2.27	122.58	119.01
3	W	101	BCL	CMB-C2B-C3B	2.26	132.81	125.67
6	J	101	CRT	C30-C28-C27	2.26	122.56	119.01
6	1	102	CRT	C11-C12-C14	2.26	122.56	119.01
3	J	103	BCL	C6-C5-C3	-2.26	107.97	113.47
3	8	101	BCL	O2D-CGD-O1D	-2.25	119.46	123.85
6	J	101	CRT	C35-C33-C32	2.25	122.55	119.01
6	E	101	CRT	C20-C19-C17	2.25	130.44	127.28
6	5	101	CRT	C18-C17-C19	-2.25	119.17	122.82
6	7	101	CRT	C18-C17-C19	-2.25	119.17	122.82
3	F	101	BCL	C11-C12-C13	-2.25	108.49	115.97
3	A	102	BCL	CHB-C1B-NB	-2.25	120.68	124.05
3	Q	101	BCL	CMB-C2B-C3B	2.25	132.76	125.67
3	D	102	BCL	C1-O2A-CGA	2.24	122.08	116.65
3	4	101	BCL	C6-C5-C3	-2.24	108.02	113.47
6	Y	101	CRT	C18-C17-C19	-2.24	119.19	122.82
6	E	101	CRT	C15-C14-C12	2.24	130.41	127.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	101	CRT	C35-C33-C32	2.24	122.53	119.01
6	U	101	CRT	C15-C14-C12	2.23	130.41	127.28
3	P	101	BCL	O2A-CGA-O1A	-2.23	118.05	123.63
3	Q	101	BCL	CHB-C1B-NB	-2.23	120.70	124.05
3	3	101	BCL	CBA-CAA-C2A	-2.23	107.16	113.79
3	Q	101	BCL	C6-C5-C3	-2.23	108.04	113.47
3	7	102	BCL	CHB-C4A-NA	2.23	127.62	124.40
6	3	103	CRT	C18-C17-C19	-2.23	119.21	122.82
6	N	101	CRT	C20-C19-C17	2.22	130.40	127.28
3	P	101	BCL	O2D-CGD-O1D	-2.22	119.52	123.85
3	Y	103	BCL	CBA-CAA-C2A	-2.22	107.19	113.79
3	B	101	BCL	CHC-C1C-NC	2.22	127.60	124.40
3	R	101	BCL	C6-C5-C3	-2.22	108.07	113.47
3	1	103	BCL	C16-C15-C13	-2.21	108.60	115.97
3	G	102	BCL	CHC-C1C-NC	2.21	127.59	124.40
3	O	101	BCL	CMB-C2B-C3B	2.21	132.64	125.67
3	B	101	BCL	CHB-C1B-NB	-2.21	120.74	124.05
6	1	102	CRT	C13-C12-C14	-2.20	119.25	122.82
3	8	101	BCL	CAA-C2A-C1A	2.20	119.19	111.97
6	U	101	CRT	C20-C19-C17	2.20	130.36	127.28
3	6	102	BCL	CHB-C4A-NA	2.20	127.57	124.40
6	V	101	CRT	C20-C19-C17	2.19	130.35	127.28
3	E	103	BCL	C4-C3-C5	2.19	119.03	115.23
3	O	101	BCL	C11-C12-C13	-2.19	108.70	115.97
6	7	101	CRT	C20-C19-C17	2.19	130.34	127.28
3	K	101	BCL	CMB-C2B-C3B	2.18	132.56	125.67
3	R	101	BCL	CHC-C1C-NC	2.18	127.55	124.40
3	A	102	BCL	CMB-C2B-C3B	2.18	132.54	125.67
3	8	101	BCL	C4D-CHA-C1A	-2.18	118.65	121.24
3	3	101	BCL	CMB-C2B-C3B	2.18	132.53	125.67
3	Q	101	BCL	CBA-CAA-C2A	-2.17	107.32	113.79
3	X	102	BCL	C6-C7-C8	-2.17	108.74	115.97
6	3	103	CRT	C20-C19-C17	2.17	130.32	127.28
3	B	101	BCL	C4-C3-C5	2.17	119.00	115.23
3	T	101	BCL	C11-C12-C13	-2.17	108.75	115.97
3	W	101	BCL	C11-C12-C13	-2.17	108.76	115.97
3	7	102	BCL	CBA-CAA-C2A	-2.17	107.35	113.79
3	A	102	BCL	C11-C12-C13	-2.17	108.77	115.97
3	B	101	BCL	C6-C5-C3	-2.17	108.19	113.47
6	A	101	CRT	C30-C28-C27	2.16	122.41	119.01
6	J	101	CRT	C20-C19-C17	2.16	130.31	127.28
6	K	103	CRT	C30-C28-C27	2.16	122.41	119.01

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	D	101	CRT	C20-C19-C17	2.16	130.31	127.28
3	S	102	BCL	O2A-CGA-CBA	2.16	118.42	111.83
3	6	102	BCL	C6-C5-C3	-2.16	108.22	113.47
3	D	102	BCL	CMB-C2B-C3B	2.16	132.47	125.67
3	3	101	BCL	C1-O2A-CGA	2.15	121.86	116.65
3	U	104	BCL	C7-C6-C5	-2.15	107.54	113.26
6	S	101	CRT	C20-C19-C17	2.14	130.27	127.28
3	7	102	BCL	CAC-C3C-C4C	-2.13	107.85	112.58
3	Z	101	BCL	C4-C3-C2	-2.13	118.15	123.63
3	3	101	BCL	CHB-C4A-NA	2.13	127.47	124.40
3	B	101	BCL	CAA-C2A-C1A	2.12	118.94	111.97
6	1	102	CRT	C16-C17-C19	2.12	122.34	119.01
3	K	101	BCL	CHB-C4A-NA	2.12	127.45	124.40
6	Y	101	CRT	C20-C19-C17	2.12	130.25	127.28
3	X	102	BCL	CHB-C1B-C2B	-2.11	121.31	127.43
3	X	102	BCL	CMB-C2B-C3B	2.11	132.31	125.67
3	K	101	BCL	C1-O2A-CGA	2.10	121.74	116.65
3	3	101	BCL	O2A-CGA-CBA	2.10	118.24	111.83
3	K	101	BCL	C4D-CHA-C1A	-2.10	118.74	121.24
3	U	102	BCL	CMB-C2B-C3B	2.10	132.28	125.67
3	I	102	BCL	CAC-C3C-C4C	-2.09	107.94	112.58
3	Z	101	BCL	C2C-C3C-C4C	-2.09	98.20	101.34
3	Z	101	BCL	C1-O2A-CGA	2.09	121.71	116.65
6	I	101	CRT	C20-C19-C17	2.09	130.21	127.28
3	8	101	BCL	C6-C7-C8	-2.08	109.04	115.97
3	A	102	BCL	C16-C15-C13	-2.08	109.05	115.97
3	U	102	BCL	C11-C12-C13	-2.08	109.06	115.97
3	T	101	BCL	CHC-C1C-NC	2.08	127.40	124.40
3	O	101	BCL	CHB-C1B-NB	-2.08	120.93	124.05
3	I	102	BCL	C11-C12-C13	-2.08	109.06	115.97
3	J	103	BCL	CHC-C1C-NC	2.07	127.39	124.40
3	S	102	BCL	CAC-C3C-C4C	-2.07	107.99	112.58
3	N	102	BCL	CHC-C1C-NC	2.07	127.38	124.40
3	T	101	BCL	CHB-C1B-NB	-2.07	120.95	124.05
3	G	102	BCL	CAA-C2A-C1A	2.06	118.73	111.97
3	A	102	BCL	C1C-NC-C4C	-2.06	105.74	106.68
6	U	101	CRT	C11-C12-C14	2.06	122.25	119.01
6	5	101	CRT	C20-C19-C17	2.06	130.16	127.28
3	A	102	BCL	O1D-CGD-CBD	-2.05	120.47	124.52
3	4	101	BCL	CHC-C1C-NC	2.04	127.34	124.40
6	E	101	CRT	C11-C12-C14	2.04	122.22	119.01
3	W	101	BCL	CHB-C4A-NA	2.03	127.33	124.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	101	CRT	C20-C19-C17	2.03	130.13	127.28
3	S	102	BCL	CHB-C1B-C2B	-2.03	121.53	127.43
3	8	101	BCL	C4-C3-C5	2.03	118.75	115.23
3	J	103	BCL	CAA-C2A-C3A	-2.03	107.52	113.00
3	I	102	BCL	CMB-C2B-C3B	2.03	132.07	125.67
3	R	101	BCL	C4-C3-C5	2.03	118.75	115.23
3	6	102	BCL	O2D-CGD-O1D	-2.02	119.91	123.85
6	J	101	CRT	C11-C12-C14	2.02	122.19	119.01
6	V	101	CRT	C11-C12-C14	2.02	122.19	119.01
3	F	101	BCL	CMB-C2B-C3B	2.02	132.05	125.67
3	O	101	BCL	CAC-C3C-C4C	-2.02	108.11	112.58
3	X	102	BCL	CHB-C4A-NA	2.02	127.31	124.40
3	G	102	BCL	CHB-C1B-NB	-2.01	121.04	124.05
3	1	103	BCL	O1D-CGD-CBD	-2.01	120.56	124.52
3	Y	103	BCL	C11-C12-C13	-2.01	109.30	115.97
6	N	101	CRT	C11-C12-C14	2.01	122.16	119.01
3	I	102	BCL	C6-C5-C3	-2.00	108.59	113.47

There are no chirality outliers.

All (601) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	2	101	BCL	C2C-C3C-CAC-CBC
3	2	101	BCL	C4C-C3C-CAC-CBC
3	2	101	BCL	C6-C7-C8-C9
3	3	101	BCL	C2C-C3C-CAC-CBC
3	3	101	BCL	C4C-C3C-CAC-CBC
3	4	101	BCL	C2C-C3C-CAC-CBC
3	4	101	BCL	C4C-C3C-CAC-CBC
3	4	101	BCL	CBD-CGD-O2D-CED
3	6	102	BCL	C2C-C3C-CAC-CBC
3	6	102	BCL	C4C-C3C-CAC-CBC
3	7	102	BCL	C1A-C2A-CAA-CBA
3	7	102	BCL	C3A-C2A-CAA-CBA
3	8	101	BCL	C1A-C2A-CAA-CBA
3	8	101	BCL	C2C-C3C-CAC-CBC
3	8	101	BCL	C4C-C3C-CAC-CBC
3	A	102	BCL	C2C-C3C-CAC-CBC
3	A	102	BCL	C4C-C3C-CAC-CBC
3	B	101	BCL	C1A-C2A-CAA-CBA
3	B	101	BCL	C2C-C3C-CAC-CBC
3	B	101	BCL	C4C-C3C-CAC-CBC

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	101	BCL	CBD-CGD-O2D-CED
3	B	101	BCL	C6-C7-C8-C9
3	E	103	BCL	C2C-C3C-CAC-CBC
3	E	103	BCL	C4C-C3C-CAC-CBC
3	G	102	BCL	C1A-C2A-CAA-CBA
3	G	102	BCL	CBD-CGD-O2D-CED
3	G	102	BCL	C6-C7-C8-C9
3	I	102	BCL	C2C-C3C-CAC-CBC
3	I	102	BCL	C4C-C3C-CAC-CBC
3	J	103	BCL	C2C-C3C-CAC-CBC
3	J	103	BCL	C4C-C3C-CAC-CBC
3	J	103	BCL	CBD-CGD-O2D-CED
3	K	101	BCL	C2C-C3C-CAC-CBC
3	K	101	BCL	C4C-C3C-CAC-CBC
3	N	102	BCL	C2C-C3C-CAC-CBC
3	N	102	BCL	CBD-CGD-O2D-CED
3	N	102	BCL	C6-C7-C8-C9
3	P	101	BCL	C2C-C3C-CAC-CBC
3	P	101	BCL	C4C-C3C-CAC-CBC
3	Q	101	BCL	C1A-C2A-CAA-CBA
3	Q	101	BCL	C3A-C2A-CAA-CBA
3	Q	101	BCL	C2C-C3C-CAC-CBC
3	Q	101	BCL	C4C-C3C-CAC-CBC
3	Q	101	BCL	C4-C3-C5-C6
3	R	101	BCL	C2C-C3C-CAC-CBC
3	R	101	BCL	CBD-CGD-O2D-CED
3	S	102	BCL	C1A-C2A-CAA-CBA
3	S	102	BCL	C3A-C2A-CAA-CBA
3	S	102	BCL	C2C-C3C-CAC-CBC
3	S	102	BCL	C4C-C3C-CAC-CBC
3	T	101	BCL	C2C-C3C-CAC-CBC
3	T	101	BCL	C4C-C3C-CAC-CBC
3	U	104	BCL	C2C-C3C-CAC-CBC
3	U	104	BCL	C4C-C3C-CAC-CBC
3	U	104	BCL	CBD-CGD-O2D-CED
3	W	101	BCL	C2C-C3C-CAC-CBC
3	W	101	BCL	C4C-C3C-CAC-CBC
3	Z	101	BCL	C1A-C2A-CAA-CBA
3	Z	101	BCL	C3A-C2A-CAA-CBA
3	Z	101	BCL	C2C-C3C-CAC-CBC
3	Z	101	BCL	C4C-C3C-CAC-CBC
3	1	103	BCL	C2C-C3C-CAC-CBC

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	1	103	BCL	C4C-C3C-CAC-CBC
3	Y	103	BCL	C2C-C3C-CAC-CBC
3	Y	103	BCL	C4C-C3C-CAC-CBC
3	X	102	BCL	C3A-C2A-CAA-CBA
3	X	102	BCL	C2C-C3C-CAC-CBC
3	X	102	BCL	C4C-C3C-CAC-CBC
6	E	101	CRT	C1-C4-C5-C6
6	J	101	CRT	C1-C4-C5-C6
6	N	101	CRT	C1-C4-C5-C6
6	U	101	CRT	C1-C4-C5-C6
6	V	101	CRT	C1-C4-C5-C6
3	N	102	BCL	O1D-CGD-O2D-CED
3	E	103	BCL	CBD-CGD-O2D-CED
3	Z	101	BCL	CBD-CGD-O2D-CED
3	Z	101	BCL	O1D-CGD-O2D-CED
3	U	104	BCL	O1D-CGD-O2D-CED
3	4	101	BCL	O1D-CGD-O2D-CED
3	G	102	BCL	O1D-CGD-O2D-CED
3	J	103	BCL	O1D-CGD-O2D-CED
3	R	101	BCL	O1D-CGD-O2D-CED
3	4	101	BCL	C3-C5-C6-C7
3	7	102	BCL	C3-C5-C6-C7
3	G	102	BCL	C3-C5-C6-C7
3	N	102	BCL	C3-C5-C6-C7
3	P	101	BCL	C3-C5-C6-C7
3	Q	101	BCL	C3-C5-C6-C7
3	R	101	BCL	C3-C5-C6-C7
3	B	101	BCL	O1D-CGD-O2D-CED
3	1	103	BCL	C4-C3-C5-C6
3	Q	101	BCL	C2-C3-C5-C6
3	1	103	BCL	C2-C3-C5-C6
3	P	101	BCL	CBA-CGA-O2A-C1
3	J	103	BCL	C3-C5-C6-C7
3	S	102	BCL	C3-C5-C6-C7
3	U	104	BCL	C3-C5-C6-C7
3	E	103	BCL	O1D-CGD-O2D-CED
3	2	101	BCL	CBA-CGA-O2A-C1
3	P	101	BCL	O1A-CGA-O2A-C1
3	T	101	BCL	CBD-CGD-O2D-CED
3	8	101	BCL	CBD-CGD-O2D-CED
3	2	101	BCL	O1A-CGA-O2A-C1
3	R	101	BCL	CBA-CGA-O2A-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	2	101	BCL	CBD-CGD-O2D-CED
3	1	103	BCL	C5-C6-C7-C8
3	4	101	BCL	CBA-CGA-O2A-C1
3	6	102	BCL	CBA-CGA-O2A-C1
3	7	102	BCL	CBA-CGA-O2A-C1
3	A	102	BCL	CBA-CGA-O2A-C1
3	E	103	BCL	CBA-CGA-O2A-C1
3	F	101	BCL	CBA-CGA-O2A-C1
3	I	102	BCL	CBA-CGA-O2A-C1
3	J	103	BCL	CBA-CGA-O2A-C1
3	N	102	BCL	CBA-CGA-O2A-C1
3	O	101	BCL	CBA-CGA-O2A-C1
3	T	101	BCL	CBA-CGA-O2A-C1
3	U	102	BCL	CBA-CGA-O2A-C1
3	U	104	BCL	CBA-CGA-O2A-C1
3	W	101	BCL	CBA-CGA-O2A-C1
3	Z	101	BCL	CBA-CGA-O2A-C1
3	Y	103	BCL	CBA-CGA-O2A-C1
3	X	102	BCL	CBA-CGA-O2A-C1
3	7	102	BCL	C4-C3-C5-C6
3	7	102	BCL	C2-C3-C5-C6
3	3	101	BCL	C6-C7-C8-C9
3	4	101	BCL	C6-C7-C8-C9
3	6	102	BCL	C6-C7-C8-C9
3	8	101	BCL	C14-C13-C15-C16
3	E	103	BCL	C11-C10-C8-C9
3	J	103	BCL	C6-C7-C8-C9
3	Q	101	BCL	C11-C12-C13-C14
3	R	101	BCL	C6-C7-C8-C9
3	R	101	BCL	C14-C13-C15-C16
3	S	102	BCL	C11-C12-C13-C14
3	U	104	BCL	C11-C10-C8-C9
3	U	104	BCL	C11-C12-C13-C14
3	U	102	BCL	O1A-CGA-O2A-C1
3	U	104	BCL	O1A-CGA-O2A-C1
3	Z	101	BCL	O1A-CGA-O2A-C1
3	Y	103	BCL	O1A-CGA-O2A-C1
3	X	102	BCL	O1A-CGA-O2A-C1
3	F	101	BCL	O1A-CGA-O2A-C1
3	W	101	BCL	O1A-CGA-O2A-C1
3	S	102	BCL	CBA-CGA-O2A-C1
3	D	102	BCL	C10-C11-C12-C13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	N	102	BCL	C15-C16-C17-C18
3	5	102	BCL	C10-C11-C12-C13
3	Z	101	BCL	C10-C11-C12-C13
3	3	101	BCL	C12-C13-C15-C16
4	T	102	8K6	C10-C11-C12-C13
3	B	101	BCL	C3-C5-C6-C7
4	6	101	8K6	C5-C6-C7-C8
4	8	102	8K6	C11-C12-C13-C14
3	A	102	BCL	O1A-CGA-O2A-C1
3	J	103	BCL	O1A-CGA-O2A-C1
3	T	101	BCL	O1A-CGA-O2A-C1
3	Q	101	BCL	C10-C11-C12-C13
3	Y	103	BCL	C15-C16-C17-C18
3	8	101	BCL	C2A-CAA-CBA-CGA
3	B	101	BCL	C2A-CAA-CBA-CGA
3	G	102	BCL	C2A-CAA-CBA-CGA
3	7	102	BCL	C8-C10-C11-C12
3	7	102	BCL	O1A-CGA-O2A-C1
3	E	103	BCL	O1A-CGA-O2A-C1
3	I	102	BCL	O1A-CGA-O2A-C1
3	R	101	BCL	O1A-CGA-O2A-C1
4	8	103	8K6	C11-C10-C9-C8
3	8	101	BCL	C13-C15-C16-C17
3	A	102	BCL	C15-C16-C17-C18
3	J	103	BCL	C10-C11-C12-C13
3	N	102	BCL	C13-C15-C16-C17
3	P	101	BCL	C5-C6-C7-C8
3	Q	101	BCL	C5-C6-C7-C8
3	T	101	BCL	C5-C6-C7-C8
3	Z	101	BCL	C8-C10-C11-C12
3	1	103	BCL	C15-C16-C17-C18
3	X	102	BCL	C8-C10-C11-C12
3	4	101	BCL	O1A-CGA-O2A-C1
3	N	102	BCL	O1A-CGA-O2A-C1
3	O	101	BCL	O1A-CGA-O2A-C1
3	3	101	BCL	C13-C15-C16-C17
3	G	102	BCL	C5-C6-C7-C8
3	8	101	BCL	C8-C10-C11-C12
3	E	103	BCL	C15-C16-C17-C18
3	N	102	BCL	C10-C11-C12-C13
3	T	101	BCL	C13-C15-C16-C17
3	6	102	BCL	O1A-CGA-O2A-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	S	102	BCL	O1A-CGA-O2A-C1
3	2	101	BCL	C13-C15-C16-C17
3	E	103	BCL	C10-C11-C12-C13
3	K	101	BCL	C10-C11-C12-C13
3	S	102	BCL	C13-C15-C16-C17
3	U	104	BCL	C10-C11-C12-C13
3	W	101	BCL	C10-C11-C12-C13
3	Z	101	BCL	C13-C15-C16-C17
3	X	102	BCL	C10-C11-C12-C13
3	X	102	BCL	C13-C15-C16-C17
4	R	102	8K6	C6-C7-C8-C9
3	O	101	BCL	C15-C16-C17-C18
3	F	101	BCL	C15-C16-C17-C18
3	8	101	BCL	C16-C17-C18-C20
3	R	101	BCL	C16-C17-C18-C20
4	J	104	8K6	C5-C6-C7-C8
3	O	101	BCL	C10-C11-C12-C13
3	A	102	BCL	C16-C17-C18-C20
3	F	101	BCL	C16-C17-C18-C19
3	Y	103	BCL	C16-C17-C18-C19
3	X	102	BCL	C15-C16-C17-C18
3	4	101	BCL	C5-C6-C7-C8
3	F	101	BCL	C16-C17-C18-C20
3	G	102	BCL	C16-C17-C18-C20
3	O	101	BCL	C16-C17-C18-C19
3	R	101	BCL	C16-C17-C18-C19
4	T	102	8K6	C5-C6-C7-C8
3	8	101	BCL	CBA-CGA-O2A-C1
4	8	102	8K6	C14-C15-C16-C17
4	E	102	8K6	C10-C11-C12-C13
4	P	102	8K6	C14-C15-C16-C17
4	Z	102	8K6	C3-C4-C5-C6
4	4	102	8K6	C6-C7-C8-C9
3	8	101	BCL	O1D-CGD-O2D-CED
3	T	101	BCL	O1D-CGD-O2D-CED
3	J	103	BCL	C5-C6-C7-C8
3	R	101	BCL	C13-C15-C16-C17
4	E	102	8K6	C14-C15-C16-C17
3	A	102	BCL	C16-C17-C18-C19
3	T	101	BCL	C16-C17-C18-C20
3	Z	101	BCL	C16-C17-C18-C20
3	Y	103	BCL	C16-C17-C18-C20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	P	102	8K6	C6-C7-C8-C9
3	B	101	BCL	C13-C15-C16-C17
3	Z	101	BCL	C5-C6-C7-C8
4	4	102	8K6	C10-C11-C12-C13
3	4	101	BCL	C6-C7-C8-C10
3	Z	101	BCL	C11-C10-C8-C7
4	6	101	8K6	C12-C13-C14-C15
4	G	101	8K6	C5-C6-C7-C8
4	J	102	8K6	C13-C14-C15-C16
3	2	101	BCL	C3A-C2A-CAA-CBA
3	3	101	BCL	C3A-C2A-CAA-CBA
3	4	101	BCL	C3A-C2A-CAA-CBA
3	6	102	BCL	C3A-C2A-CAA-CBA
3	8	101	BCL	C3A-C2A-CAA-CBA
3	A	102	BCL	C3A-C2A-CAA-CBA
3	B	101	BCL	C3A-C2A-CAA-CBA
3	E	103	BCL	C3A-C2A-CAA-CBA
3	F	101	BCL	C3A-C2A-CAA-CBA
3	G	102	BCL	C3A-C2A-CAA-CBA
3	I	102	BCL	C3A-C2A-CAA-CBA
3	J	103	BCL	C3A-C2A-CAA-CBA
3	N	102	BCL	C3A-C2A-CAA-CBA
3	O	101	BCL	C3A-C2A-CAA-CBA
3	P	101	BCL	C3A-C2A-CAA-CBA
3	R	101	BCL	C3A-C2A-CAA-CBA
3	T	101	BCL	C3A-C2A-CAA-CBA
3	U	102	BCL	C3A-C2A-CAA-CBA
3	U	104	BCL	C3A-C2A-CAA-CBA
3	W	101	BCL	C3A-C2A-CAA-CBA
3	1	103	BCL	C3A-C2A-CAA-CBA
3	Y	103	BCL	C3A-C2A-CAA-CBA
4	P	102	8K6	C13-C14-C15-C16
3	2	101	BCL	C10-C11-C12-C13
3	5	102	BCL	C15-C16-C17-C18
3	D	102	BCL	C15-C16-C17-C18
3	3	101	BCL	C16-C17-C18-C19
3	3	101	BCL	C16-C17-C18-C20
3	T	101	BCL	C16-C17-C18-C19
4	8	102	8K6	C4-C5-C6-C7
4	T	102	8K6	C13-C14-C15-C16
4	G	101	8K6	C2-C3-C4-C5
3	G	102	BCL	CBA-CGA-O2A-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	G	102	BCL	C13-C15-C16-C17
4	4	102	8K6	C2-C3-C4-C5
4	V	102	8K6	C9-C10-C11-C12
3	8	101	BCL	O1A-CGA-O2A-C1
4	8	102	8K6	C6-C7-C8-C9
4	G	101	8K6	C12-C13-C14-C15
4	E	102	8K6	C11-C10-C9-C8
4	R	102	8K6	C4-C5-C6-C7
4	V	102	8K6	C12-C13-C14-C15
3	I	102	BCL	C15-C16-C17-C18
3	U	102	BCL	C15-C16-C17-C18
4	8	103	8K6	C5-C6-C7-C8
4	J	104	8K6	C10-C11-C12-C13
4	R	102	8K6	C11-C12-C13-C14
4	8	102	8K6	C2-C3-C4-C5
4	R	102	8K6	C12-C13-C14-C15
3	3	101	BCL	CBA-CGA-O2A-C1
3	I	102	BCL	C10-C11-C12-C13
3	W	101	BCL	C15-C16-C17-C18
4	Z	102	8K6	C11-C10-C9-C8
3	2	101	BCL	C4-C3-C5-C6
4	T	102	8K6	C3-C4-C5-C6
4	V	102	8K6	C11-C10-C9-C8
4	2	102	8K6	C3-C4-C5-C6
3	Q	101	BCL	CBA-CGA-O2A-C1
3	G	102	BCL	O1A-CGA-O2A-C1
3	6	102	BCL	C3-C5-C6-C7
3	G	102	BCL	C14-C13-C15-C16
4	X	101	8K6	C13-C14-C15-C16
4	E	102	8K6	C2-C3-C4-C5
4	P	102	8K6	C4-C5-C6-C7
4	8	102	8K6	C13-C14-C15-C16
4	8	103	8K6	C13-C14-C15-C16
4	R	102	8K6	C13-C14-C15-C16
3	O	101	BCL	C16-C17-C18-C20
3	Z	101	BCL	C16-C17-C18-C19
4	V	102	8K6	C3-C4-C5-C6
3	S	102	BCL	C5-C6-C7-C8
4	8	102	8K6	C11-C10-C9-C8
3	P	101	BCL	C15-C16-C17-C18
4	2	102	8K6	C13-C14-C15-C16
3	G	102	BCL	C16-C17-C18-C19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	V	102	8K6	C10-C11-C12-C13
3	G	102	BCL	C8-C10-C11-C12
3	R	101	BCL	C5-C6-C7-C8
4	8	102	8K6	C5-C6-C7-C8
4	P	102	8K6	C10-C11-C12-C13
3	J	103	BCL	C13-C15-C16-C17
3	K	101	BCL	C15-C16-C17-C18
4	Z	102	8K6	C14-C15-C16-C17
3	8	101	BCL	C16-C17-C18-C19
3	T	101	BCL	C10-C11-C12-C13
3	Y	103	BCL	C10-C11-C12-C13
4	R	102	8K6	C10-C11-C12-C13
4	4	102	8K6	C13-C14-C15-C16
3	8	101	BCL	C5-C6-C7-C8
3	F	101	BCL	C10-C11-C12-C13
4	J	104	8K6	C9-C10-C11-C12
4	4	102	8K6	C5-C6-C7-C8
4	G	101	8K6	C7-C8-C9-C10
3	N	102	BCL	C2A-CAA-CBA-CGA
4	X	101	8K6	C10-C11-C12-C13
4	T	102	8K6	C6-C7-C8-C9
3	3	101	BCL	O1A-CGA-O2A-C1
3	Q	101	BCL	O1A-CGA-O2A-C1
3	2	101	BCL	C1A-C2A-CAA-CBA
3	3	101	BCL	C1A-C2A-CAA-CBA
3	4	101	BCL	C1A-C2A-CAA-CBA
3	6	102	BCL	C1A-C2A-CAA-CBA
3	A	102	BCL	C1A-C2A-CAA-CBA
3	E	103	BCL	C1A-C2A-CAA-CBA
3	F	101	BCL	C1A-C2A-CAA-CBA
3	I	102	BCL	C1A-C2A-CAA-CBA
3	J	103	BCL	C1A-C2A-CAA-CBA
3	N	102	BCL	C1A-C2A-CAA-CBA
3	O	101	BCL	C1A-C2A-CAA-CBA
3	P	101	BCL	C1A-C2A-CAA-CBA
3	R	101	BCL	C1A-C2A-CAA-CBA
3	T	101	BCL	C1A-C2A-CAA-CBA
3	U	102	BCL	C1A-C2A-CAA-CBA
3	U	104	BCL	C1A-C2A-CAA-CBA
3	W	101	BCL	C1A-C2A-CAA-CBA
3	1	103	BCL	C1A-C2A-CAA-CBA
3	Y	103	BCL	C1A-C2A-CAA-CBA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	X	102	BCL	C1A-C2A-CAA-CBA
4	4	102	8K6	C12-C13-C14-C15
4	V	102	8K6	C6-C7-C8-C9
3	E	103	BCL	C13-C15-C16-C17
3	T	101	BCL	C3-C5-C6-C7
3	J	103	BCL	C12-C13-C15-C16
3	R	101	BCL	C6-C7-C8-C10
3	1	103	BCL	C11-C10-C8-C7
3	X	102	BCL	C11-C10-C8-C7
3	7	102	BCL	C2C-C3C-CAC-CBC
3	G	102	BCL	C2C-C3C-CAC-CBC
3	O	101	BCL	C2C-C3C-CAC-CBC
3	B	101	BCL	C5-C6-C7-C8
4	R	102	8K6	C5-C6-C7-C8
4	X	101	8K6	C5-C6-C7-C8
3	6	102	BCL	C2A-CAA-CBA-CGA
3	8	101	BCL	C11-C12-C13-C14
3	J	103	BCL	C14-C13-C15-C16
3	B	101	BCL	CBA-CGA-O2A-C1
3	1	103	BCL	C16-C17-C18-C19
4	8	103	8K6	C2-C3-C4-C5
4	Z	102	8K6	C10-C11-C12-C13
4	8	103	8K6	C6-C7-C8-C9
3	2	101	BCL	O1D-CGD-O2D-CED
3	B	101	BCL	O1A-CGA-O2A-C1
4	2	102	8K6	C11-C10-C9-C8
3	2	101	BCL	C2-C3-C5-C6
3	T	101	BCL	C8-C10-C11-C12
3	U	102	BCL	C16-C17-C18-C19
3	4	101	BCL	C13-C15-C16-C17
4	8	103	8K6	C9-C10-C11-C12
4	6	101	8K6	C2-C3-C4-C5
4	G	101	8K6	C11-C10-C9-C8
4	4	102	8K6	C11-C12-C13-C14
4	V	102	8K6	C11-C12-C13-C14
4	2	102	8K6	C12-C13-C14-C15
3	B	101	BCL	C4-C3-C5-C6
3	4	101	BCL	C16-C17-C18-C20
4	8	103	8K6	C4-C5-C6-C7
4	4	102	8K6	C15-C16-C17-C18
4	J	102	8K6	C9-C10-C11-C12
3	W	101	BCL	C2A-CAA-CBA-CGA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	E	102	8K6	C6-C7-C8-C9
4	R	102	8K6	C3-C4-C5-C6
4	J	102	8K6	C6-C7-C8-C9
4	R	102	8K6	C15-C16-C17-C18
3	2	101	BCL	C14-C13-C15-C16
3	4	101	BCL	C14-C13-C15-C16
3	6	102	BCL	C14-C13-C15-C16
3	K	101	BCL	C14-C13-C15-C16
3	1	103	BCL	C11-C10-C8-C9
3	N	102	BCL	C5-C6-C7-C8
3	1	103	BCL	C8-C10-C11-C12
4	J	104	8K6	C7-C8-C9-C10
3	Y	103	BCL	C2A-CAA-CBA-CGA
4	G	101	8K6	C13-C14-C15-C16
3	2	101	BCL	C6-C7-C8-C10
3	2	101	BCL	C12-C13-C15-C16
3	4	101	BCL	C11-C10-C8-C7
3	8	101	BCL	C11-C12-C13-C15
3	8	101	BCL	C12-C13-C15-C16
3	E	103	BCL	C11-C12-C13-C15
3	G	102	BCL	C6-C7-C8-C10
3	N	102	BCL	C6-C7-C8-C10
3	U	104	BCL	C11-C12-C13-C15
3	1	103	BCL	C6-C7-C8-C10
4	E	102	8K6	C12-C13-C14-C15
3	A	102	BCL	C5-C6-C7-C8
4	J	104	8K6	C3-C4-C5-C6
4	4	102	8K6	C11-C10-C9-C8
4	4	102	8K6	C1-C2-C3-C4
3	I	102	BCL	C2A-CAA-CBA-CGA
3	U	102	BCL	C2A-CAA-CBA-CGA
3	1	103	BCL	C16-C17-C18-C20
3	A	102	BCL	C10-C11-C12-C13
4	X	101	8K6	C2-C3-C4-C5
3	Q	101	BCL	C8-C10-C11-C12
4	E	102	8K6	C13-C14-C15-C16
3	Y	103	BCL	C4-C3-C5-C6
3	S	102	BCL	C8-C10-C11-C12
4	Z	102	8K6	C7-C8-C9-C10
3	O	101	BCL	C2A-CAA-CBA-CGA
3	I	102	BCL	C5-C6-C7-C8
4	Z	102	8K6	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	6	101	8K6	C9-C10-C11-C12
4	V	102	8K6	C14-C15-C16-C17
3	T	101	BCL	C15-C16-C17-C18
3	4	101	BCL	C16-C17-C18-C19
3	E	103	BCL	C14-C13-C15-C16
3	1	103	BCL	C6-C7-C8-C9
4	T	102	8K6	C11-C10-C9-C8
3	Z	101	BCL	C3-C5-C6-C7
3	X	102	BCL	C3-C5-C6-C7
3	7	102	BCL	C4C-C3C-CAC-CBC
3	G	102	BCL	C4C-C3C-CAC-CBC
3	N	102	BCL	C4C-C3C-CAC-CBC
3	R	101	BCL	C4C-C3C-CAC-CBC
3	F	101	BCL	C2A-CAA-CBA-CGA
4	J	104	8K6	C11-C12-C13-C14
3	3	101	BCL	C6-C7-C8-C10
3	E	103	BCL	C6-C7-C8-C10
3	G	102	BCL	C11-C10-C8-C7
3	J	103	BCL	C6-C7-C8-C10
4	8	102	8K6	C3-C4-C5-C6
3	1	103	BCL	CBA-CGA-O2A-C1
4	8	103	8K6	C7-C8-C9-C10
3	T	101	BCL	C2A-CAA-CBA-CGA
3	F	101	BCL	C4-C3-C5-C6
3	1	103	BCL	C3-C5-C6-C7
3	P	101	BCL	C10-C11-C12-C13
3	N	102	BCL	C16-C17-C18-C19
3	U	102	BCL	C16-C17-C18-C20
4	E	102	8K6	C1-C2-C3-C4
4	4	102	8K6	C3-C4-C5-C6
4	6	101	8K6	C13-C14-C15-C16
4	P	102	8K6	C12-C13-C14-C15
3	D	102	BCL	C4-C3-C5-C6
3	E	103	BCL	C11-C12-C13-C14
4	G	101	8K6	C11-C12-C13-C14
4	V	102	8K6	C2-C3-C4-C5
4	J	102	8K6	C3-C4-C5-C6
4	J	104	8K6	C13-C14-C15-C16
3	D	102	BCL	C3-C5-C6-C7
3	6	102	BCL	C16-C17-C18-C20
3	J	103	BCL	C16-C17-C18-C20
3	B	101	BCL	C8-C10-C11-C12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	1	103	BCL	C10-C11-C12-C13
3	U	102	BCL	C4-C3-C5-C6
3	7	102	BCL	C6-C7-C8-C10
3	E	103	BCL	C11-C10-C8-C7
3	R	101	BCL	C11-C10-C8-C7
3	S	102	BCL	C11-C10-C8-C7
3	U	104	BCL	C11-C10-C8-C7
3	5	102	BCL	C2C-C3C-CAC-CBC
3	D	102	BCL	C2C-C3C-CAC-CBC
3	F	101	BCL	C2C-C3C-CAC-CBC
3	U	102	BCL	C2C-C3C-CAC-CBC
4	R	102	8K6	C14-C15-C16-C17
4	T	102	8K6	C2-C3-C4-C5
3	3	101	BCL	C14-C13-C15-C16
3	G	102	BCL	C11-C10-C8-C9
3	U	102	BCL	C5-C6-C7-C8
4	8	102	8K6	C1-C2-C3-C4
3	N	102	BCL	C16-C17-C18-C20
3	S	102	BCL	C16-C17-C18-C20
4	6	101	8K6	C7-C8-C9-C10
3	1	103	BCL	O1A-CGA-O2A-C1
3	6	102	BCL	C4-C3-C5-C6
3	U	102	BCL	C10-C11-C12-C13
4	X	101	8K6	C4-C5-C6-C7
4	E	102	8K6	C3-C4-C5-C6
4	J	104	8K6	C15-C16-C17-C18
3	4	101	BCL	C11-C10-C8-C9
3	7	102	BCL	C6-C7-C8-C9
4	2	102	8K6	C5-C6-C7-C8
3	K	101	BCL	C11-C12-C13-C15
4	X	101	8K6	C11-C10-C9-C8
3	A	102	BCL	C4-C3-C5-C6
3	J	103	BCL	C16-C17-C18-C19
3	S	102	BCL	C16-C17-C18-C19
4	P	102	8K6	C5-C6-C7-C8
4	2	102	8K6	C14-C15-C16-C17
3	6	102	BCL	C16-C17-C18-C19
4	V	102	8K6	C4-C5-C6-C7
4	8	103	8K6	C15-C16-C17-C18
3	T	101	BCL	CAA-CBA-CGA-O2A
4	X	101	8K6	C12-C13-C14-C15
3	F	101	BCL	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	3	101	BCL	C2A-CAA-CBA-CGA
3	A	102	BCL	C2A-CAA-CBA-CGA
3	G	102	BCL	C4-C3-C5-C6
3	B	101	BCL	C2-C3-C5-C6
4	8	102	8K6	C9-C10-C11-C12
3	Z	101	BCL	C15-C16-C17-C18
3	6	102	BCL	CAA-CBA-CGA-O2A
3	Q	101	BCL	C11-C12-C13-C15
4	J	104	8K6	C12-C13-C14-C15
4	4	102	8K6	C9-C10-C11-C12
4	E	102	8K6	C4-C5-C6-C7
4	J	102	8K6	C7-C8-C9-C10
3	Y	103	BCL	C5-C6-C7-C8
3	B	101	BCL	C15-C16-C17-C18
4	V	102	8K6	C5-C6-C7-C8
3	D	102	BCL	C14-C13-C15-C16
3	Z	101	BCL	C11-C10-C8-C9
3	P	101	BCL	C13-C15-C16-C17
4	J	102	8K6	C1-C2-C3-C4
4	Z	102	8K6	C1-C2-C3-C4
3	5	102	BCL	C3-C5-C6-C7
3	W	101	BCL	C4-C3-C5-C6
3	7	102	BCL	C11-C10-C8-C9
3	D	102	BCL	C2-C3-C5-C6
3	F	101	BCL	C2-C3-C5-C6
3	Y	103	BCL	C2-C3-C5-C6
4	8	103	8K6	C11-C12-C13-C14
4	6	101	8K6	C6-C7-C8-C9
3	5	102	BCL	C4-C3-C5-C6
3	K	101	BCL	C4-C3-C5-C6
3	N	102	BCL	C4-C3-C5-C6
4	6	101	8K6	C11-C10-C9-C8
3	N	102	BCL	CAA-CBA-CGA-O2A
3	X	102	BCL	C5-C6-C7-C8
4	J	102	8K6	C5-C6-C7-C8
3	K	101	BCL	C3-C5-C6-C7
3	R	101	BCL	C11-C10-C8-C9
3	Z	101	BCL	C2A-CAA-CBA-CGA
3	5	102	BCL	C2-C1-O2A-CGA
3	6	102	BCL	C2-C1-O2A-CGA
3	K	101	BCL	C2-C1-O2A-CGA
4	6	101	8K6	C10-C11-C12-C13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	E	102	8K6	C7-C8-C9-C10
3	6	102	BCL	C13-C15-C16-C17
3	I	102	BCL	C4-C3-C5-C6
3	6	102	BCL	C2-C3-C5-C6
3	U	102	BCL	C2-C3-C5-C6
4	2	102	8K6	C2-C3-C4-C5
3	5	102	BCL	C14-C13-C15-C16
3	E	103	BCL	C6-C7-C8-C9
3	S	102	BCL	C11-C10-C8-C9
4	V	102	8K6	C15-C16-C17-C18
3	6	102	BCL	C6-C7-C8-C10
3	7	102	BCL	C11-C10-C8-C7
3	S	102	BCL	C11-C12-C13-C15
3	D	102	BCL	C2-C1-O2A-CGA
4	G	101	8K6	C1-C2-C3-C4
3	A	102	BCL	C2-C3-C5-C6
3	G	102	BCL	C2-C3-C5-C6
3	K	101	BCL	C11-C12-C13-C14
3	T	101	BCL	C14-C13-C15-C16
3	2	101	BCL	C2A-CAA-CBA-CGA
3	N	102	BCL	C8-C10-C11-C12
3	B	101	BCL	C6-C7-C8-C10
3	B	101	BCL	C11-C10-C8-C7
3	D	102	BCL	C13-C15-C16-C17
3	D	102	BCL	C16-C17-C18-C20
3	O	101	BCL	C5-C6-C7-C8
3	I	102	BCL	C16-C17-C18-C20
3	J	103	BCL	C2A-CAA-CBA-CGA
3	8	101	BCL	C10-C11-C12-C13
3	Q	101	BCL	O1D-CGD-O2D-CED
3	W	101	BCL	C5-C6-C7-C8
3	N	102	BCL	C2-C1-O2A-CGA
3	R	101	BCL	C2A-CAA-CBA-CGA
3	P	101	BCL	C8-C10-C11-C12
4	8	103	8K6	C10-C11-C12-C13

There are no ring outliers.

50 monomers are involved in 148 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	102	BCL	1	0
6	D	101	CRT	6	0

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	5	102	BCL	5	0
6	J	101	CRT	1	0
3	K	101	BCL	2	0
6	K	103	CRT	3	0
6	5	101	CRT	4	0
6	S	101	CRT	7	0
3	O	101	BCL	4	0
4	2	102	8K6	1	0
3	4	101	BCL	7	0
3	D	102	BCL	5	0
3	E	103	BCL	4	0
4	8	103	8K6	3	0
3	7	102	BCL	4	0
4	P	102	8K6	1	0
4	Z	102	8K6	1	0
3	U	102	BCL	6	0
3	1	103	BCL	11	0
3	X	102	BCL	2	0
4	J	102	8K6	1	0
6	3	103	CRT	3	0
3	I	102	BCL	3	0
3	G	102	BCL	2	0
3	Y	103	BCL	5	0
6	Y	101	CRT	6	0
3	3	101	BCL	2	0
3	T	101	BCL	3	0
3	J	103	BCL	1	0
3	F	101	BCL	4	0
3	U	104	BCL	5	0
3	Z	101	BCL	5	0
6	7	101	CRT	2	0
6	A	101	CRT	3	0
3	S	102	BCL	4	0
6	E	101	CRT	6	0
4	4	102	8K6	1	0
4	R	102	8K6	1	0
6	1	102	CRT	1	0
3	Q	101	BCL	3	0
6	U	101	CRT	4	0
3	B	101	BCL	12	0
3	N	102	BCL	3	0
6	N	101	CRT	4	0


Continued on next page...





Continued from previous page...





Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	R	101	BCL	6	0
6	V	101	CRT	4	0
3	6	102	BCL	3	0
3	W	101	BCL	2	0
4	8	102	8K6	1	0
6	I	101	CRT	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.















Ligand CRT J 101	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand BCL K 101	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand 8K6 G 101	
	
Bond lengths	Bond angles
	
Torsions	Rings




Ligand CRT S 101	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand BCL O 101	
	
Bond lengths	Bond angles
	
Torsions	Rings




Ligand 8K6 2 102	
	
Bond lengths	Bond angles
	
Torsions	Rings


Ligand BCL 4 101	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand 8K6 6 101	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand 8K6 E 102	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand BCL D 102	
	
Bond lengths	Bond angles
	
Torsions	Rings












Ligand BCL X 102	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand 8K6 J 102	
	
Bond lengths	Bond angles
	
Torsions	Rings



Ligand CRT 3 103	
	
Bond lengths	Bond angles
	
Torsions	Rings









Ligand BCL Y 103	
	
Bond lengths	Bond angles
	
Torsions	Rings


Ligand 8K6 X 101	
	
Bond lengths	Bond angles
	
Torsions	Rings


Ligand 8K6 V 102	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand 8K6 J 104	
	
Bond lengths	Bond angles
	
Torsions	Rings
















Ligand CRT E 101	
	
Bond lengths	Bond angles
	
Torsions	Rings




Ligand 8K6 4 102	
	
Bond lengths	Bond angles
	
Torsions	Rings


Ligand 8K6 R 102	
	
Bond lengths	Bond angles
	
Torsions	Rings











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-36151. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180




Y Index: 180




Z Index: 180


6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 143




Y Index: 221




Z Index: 179


6.3.2 Raw map



X Index: 143



Y Index: 220




Z Index: 191


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.3. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 79 nm³; this corresponds to an approximate mass of 71 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.322 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.322 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.11	-	-
Author-provided FSC curve	3.11	3.39	3.13
Unmasked-calculated*	3.39	3.60	3.41

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-36151 and PDB model 8JC8. Per-residue inclusion information can be found in section [3](#) on page [13](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.3 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.3).

9.4 Atom inclusion [i](#)



At the recommended contour level, 79% of all backbone atoms, 83% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.3) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8280	 0.5750
1	 0.8450	 0.5960
2	 0.8060	 0.5650
3	 0.8510	 0.5850
4	 0.8090	 0.5660
5	 0.8560	 0.5890
6	 0.7970	 0.5690
7	 0.8450	 0.5790
8	 0.8180	 0.5720
A	 0.8540	 0.5890
B	 0.8140	 0.5600
D	 0.8450	 0.5860
E	 0.8400	 0.5730
F	 0.8310	 0.5830
G	 0.8110	 0.5690
I	 0.8370	 0.5820
J	 0.8480	 0.5790
K	 0.8410	 0.5810
N	 0.8210	 0.5660
O	 0.8300	 0.5720
P	 0.8020	 0.5640
Q	 0.8390	 0.5720
R	 0.8200	 0.5670
S	 0.8360	 0.5780
T	 0.7870	 0.5650
U	 0.8430	 0.5790
V	 0.8210	 0.5650
W	 0.8120	 0.5640
X	 0.8020	 0.5630
Y	 0.8450	 0.5980
Z	 0.7900	 0.5470

