



wwPDB EM Validation Summary Report ⓘ

Mar 5, 2026 – 01:37 PM UTC

PDB ID : 8JIV / pdb_00008jiv
EMDB ID : EMD-36331
Title : Atomic structure of wheat ribosome reveals unique features of the plant ribosomes
Authors : Mishra, R.K.; Sharma, P.; Hussain, T.
Deposited on : 2023-05-28
Resolution : 2.84 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	11884 (2.34 - 3.34)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	Aa	3391	5% 48% 29% 7% 16%
2	Ab	119	61% 35% .
3	Ac	158	57% 34% 5% .









Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	CA	261	
5	CB	385	
6	CC	405	
7	CD	307	
8	CE	232	
9	CF	244	
10	CG	258	
11	CH	189	
12	CI	217	
13	CJ	180	
14	CL	208	
15	CM	135	
16	CN	204	
17	CO	206	
18	CP	170	
19	CQ	188	
20	CR	206	
21	CS	178	
22	CT	164	
23	CU	129	
24	CV	136	
25	CW	161	
26	CX	152	
27	CY	127	
28	CZ	137	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	Ca	145	
30	Cb	60	
31	Cc	112	
32	Cd	123	
33	Ce	133	
34	Cf	111	
35	Cg	119	
36	Ch	124	
37	Ci	111	
38	Cj	93	
39	Ck	69	
40	Cl	51	
41	Cm	129	
42	Co	105	
43	Cp	92	
44	Cr	147	

2 Entry composition

There are 47 unique types of molecules in this entry. The entry contains 116711 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 25S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	Aa	2863	Total	C	N	O	P	0	0
			61426	27432	11224	19907	2863		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Aa	1	G	-	conflict	GB 2123606587

- Molecule 2 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	Ab	119	Total	C	N	O	P	0	0
			2541	1135	458	830	118		

- Molecule 3 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	Ac	152	Total	C	N	O	P	0	0
			3248	1451	589	1057	151		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Ac	?	-	C	deletion	GB AF438188.1

- Molecule 4 is a protein called Ribosomal protein L2 C-terminal domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	CA	245	Total	C	N	O	S	0	0
			1874	1169	384	314	7		

- Molecule 5 is a protein called Ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	CB	384	Total	C	N	O	S	0	0
			3052	1941	569	525	17		

- Molecule 6 is a protein called 60S ribosomal protein L4 C-terminal domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	CC	376	Total	C	N	O	S	0	0
			2845	1801	541	495	8		

- Molecule 7 is a protein called Ribosomal protein L5 eukaryotic C-terminal domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	CD	271	Total	C	N	O	S	0	0
			2158	1360	397	396	5		

- Molecule 8 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	CE	175	Total	C	N	O	S	0	0
			1317	843	235	237	2		

- Molecule 9 is a protein called 60S ribosomal protein uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	CF	234	Total	C	N	O	S	0	0
			1879	1208	354	312	5		

- Molecule 10 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	CG	221	Total	C	N	O	S	0	0
			1749	1132	323	288	6		

- Molecule 11 is a protein called Ribosomal protein L6 alpha-beta domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	CH	186	Total	C	N	O	S	0	0
			1426	908	258	253	7		

- Molecule 12 is a protein called Ribosomal protein L10e/L16 domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	CI	204	Total	C	N	O	S	0	0
			1599	1013	313	264	9		

- Molecule 13 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	CJ	167	Total	C	N	O	S	0	0
			1314	830	248	229	7		

- Molecule 14 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	CL	200	Total	C	N	O	S	0	0
			1596	1000	318	272	6		

- Molecule 15 is a protein called Ribosomal protein L14e domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	CM	122	Total	C	N	O	S	0	0
			963	618	176	164	5		

- Molecule 16 is a protein called Ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	CN	203	Total	C	N	O	S	0	0
			1719	1078	370	268	3		

- Molecule 17 is a protein called Ribosomal protein L13a.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	CO	205	Total	C	N	O	S	0	0
			1633	1036	318	269	10		

- Molecule 18 is a protein called 60S ribosomal protein uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	CP	153	Total	C	N	O	S	0	0
			1235	770	245	215	5		

- Molecule 19 is a protein called Ribosomal protein L18e/L15P domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	CQ	187	Total	C	N	O	S	0	0
			1477	929	294	248	6		

- Molecule 20 is a protein called Ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	CR	148	Total	C	N	O	S	0	0
			1227	769	256	194	8		

- Molecule 21 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	CS	175	Total	C	N	O	S	0	0
			1471	946	273	244	8		

- Molecule 22 is a protein called 60S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	CT	159	Total	C	N	O	S	0	0
			1260	797	246	214	3		

- Molecule 23 is a protein called Genome assembly, chromosome: II.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	CU	101	Total	C	N	O	S	0	0
			800	511	139	148	2		

- Molecule 24 is a protein called Ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	CV	128	Total	C	N	O	S	0	0
			956	605	176	166	9		

- Molecule 25 is a protein called TRASH domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	CW	61	Total	C	N	O	S	0	0
			507	328	96	79	4		

- Molecule 26 is a protein called Genome assembly, chromosome: II.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	CX	116	Total	C	N	O	S	0	0
			931	597	164	168	2		

- Molecule 27 is a protein called KOW domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	CY	127	Total	C	N	O	S	0	0
			1012	627	212	170	3		

- Molecule 28 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	CZ	126	Total	C	N	O	S	0	0
			1008	655	188	161	4		

- Molecule 29 is a protein called Ribosomal protein L18e/L15P domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Ca	141	Total	C	N	O	S	0	0
			1104	711	215	174	4		

- Molecule 30 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	Cb	49	Total	C	N	O	S	0	0
			409	249	92	67	1		

- Molecule 31 is a protein called Ribosomal protein L7Ae/L30e/S12e/Gadd45 domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Cc	95	Total	C	N	O	S	0	0
			730	465	126	134	5		

- Molecule 32 is a protein called 60S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Cd	100	Total	C	N	O	S	0	0
			784	497	155	130	2		

- Molecule 33 is a protein called 60S ribosomal protein eL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Ce	125	Total	C	N	O	S	0	0
			1017	644	201	167	5		

- Molecule 34 is a protein called 60S ribosomal protein eL33.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Cf	110	Total	C	N	O	S	0	0
			879	553	168	155	3		

- Molecule 35 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	Cg	106	Total	C	N	O	S	0	0
			858	541	176	140	1		

- Molecule 36 is a protein called 60S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	Ch	116	Total	C	N	O		0	0
			938	590	189	159			

- Molecule 37 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	Ci	99	Total	C	N	O	S	0	0
			798	502	165	129	2		

- Molecule 38 is a protein called Ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	Cj	86	Total	C	N	O	S	0	0
			696	426	153	111	6		

- Molecule 39 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	Ck	68	Total	C	N	O	S	0	0
			556	350	108	96	2		

- Molecule 40 is a protein called Ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	Cl	50	Total	C	N	O	S	0	0
			451	286	99	65	1		

- Molecule 41 is a protein called Ubiquitin-like domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	Cm	50	Total	C	N	O	S	0	0
			408	254	87	62	5		

- Molecule 42 is a protein called Genome assembly, chromosome: II.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	Co	98	Total	C	N	O	S	0	0
			795	499	157	134	5		

- Molecule 43 is a protein called 60S ribosomal protein L37a, expressed.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	Cp	89	Total	C	N	O	S	0	0
			684	429	130	119	6		

- Molecule 44 is a protein called Ribosomal L28e/Mak16 domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	Cr	135	Total	C	N	O	S	0	0
			1064	674	196	190	4		

- Molecule 45 is POTASSIUM ION (CCD ID: K) (formula: K) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
45	Aa	64	Total	K	0
			64	64	
45	Ac	1	Total	K	0
			1	1	
45	CA	2	Total	K	0
			2	2	
45	CI	1	Total	K	0
			1	1	
45	CL	2	Total	K	0
			2	2	
45	Cg	1	Total	K	0
			1	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
45	Co	1	Total	K	0
			1	1	

- Molecule 46 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
46	Aa	227	Total	Mg	0
			227	227	
46	Ab	4	Total	Mg	0
			4	4	
46	Ac	3	Total	Mg	0
			3	3	
46	CB	1	Total	Mg	0
			1	1	
46	CI	1	Total	Mg	0
			1	1	
46	CL	1	Total	Mg	0
			1	1	
46	CP	1	Total	Mg	0
			1	1	
46	CR	1	Total	Mg	0
			1	1	
46	CV	1	Total	Mg	0
			1	1	
46	Cj	2	Total	Mg	0
			2	2	


- Molecule 47 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
47	Cj	1	Total	Zn	0
			1	1	
47	Cm	1	Total	Zn	0
			1	1	
47	Co	1	Total	Zn	0
			1	1	

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 25S rRNA











• Molecule 2: 5S rRNA

Chain Ab: 61% 35%




• Molecule 3: 5.8S rRNA

Chain Ac: 57% 34% 5%




• Molecule 4: Ribosomal protein L2 C-terminal domain-containing protein

Chain CA: 79% 15% 6%





• Molecule 5: Ribosomal protein L3



Chain CB: 82% 17%





- Molecule 6: 60S ribosomal protein L4 C-terminal domain-containing protein




- Molecule 7: Ribosomal protein L5 eukaryotic C-terminal domain-containing protein





- Molecule 8: 60S ribosomal protein L6









• Molecule 9: 60S ribosomal protein uL30





• Molecule 10: 60S ribosomal protein L7a




• Molecule 11: Ribosomal protein L6 alpha-beta domain-containing protein




• Molecule 12: Ribosomal protein L10e/L16 domain-containing protein





- Molecule 13: 60S ribosomal protein L11




- Molecule 14: 60S ribosomal protein L13




- Molecule 15: Ribosomal protein L14e domain-containing protein





- Molecule 16: Ribosomal protein L15









- Molecule 17: Ribosomal protein L13a




- Molecule 18: 60S ribosomal protein uL22




- Molecule 19: Ribosomal protein L18e/L15P domain-containing protein




- Molecule 20: Ribosomal protein L19





- Molecule 21: 60S ribosomal protein L18a

Chain CS: 





- Molecule 22: 60S ribosomal protein L21

Chain CT:  12% 76% 20% ..



- Molecule 23: Genome assembly, chromosome: II

Chain CU: 




- Molecule 24: Ribosomal protein L17

Chain CV:  81% 12% 6%



- Molecule 25: TRASH domain-containing protein


Chain CW: 31% 7% 62%



GLY
LYS
ARG


- Molecule 26: Genome assembly, chromosome: II

Chain CX:




- Molecule 27: KOW domain-containing protein

Chain CY:




- Molecule 28: 60S ribosomal protein L27

Chain CZ:




- Molecule 29: Ribosomal protein L18e/L15P domain-containing protein

Chain Ca:




- Molecule 30: 60S ribosomal protein L29


Chain Cb:




- Molecule 31: Ribosomal protein L7Ae/L30e/S12e/Gadd45 domain-containing protein




- Molecule 32: 60S ribosomal protein L31




- Molecule 33: 60S ribosomal protein eL32




- Molecule 34: 60S ribosomal protein eL33




- Molecule 35: 60S ribosomal protein L34




- Molecule 36: 60S ribosomal protein L35






- Molecule 37: 60S ribosomal protein L36





- Molecule 38: Ribosomal protein L37





- Molecule 39: 60S ribosomal protein L38



- Molecule 40: Ribosomal protein L39



- Molecule 41: Ubiquitin-like domain-containing protein




- Molecule 42: Genome assembly, chromosome: II







- Molecule 43: 60S ribosomal protein L37a, expressed



- Molecule 44: Ribosomal L28e/Mak16 domain-containing protein



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	105563	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	44.60	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	75000	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.721	Depositor
Minimum map value	-0.345	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.025	Depositor
Recommended contour level	0.09	Depositor
Map size ($\text{\AA}$)	385.2, 385.2, 385.2	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.07, 1.07, 1.07	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OMG, PSU, ZN, MG, OMU, MLZ, HIC, 1MA, 5MC, K, UR3, A2M, OMC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	Aa	0.30	0/65943	0.35	0/102798
2	Ab	0.22	0/2842	0.29	0/4430
3	Ac	0.28	0/3534	0.33	0/5507
4	CA	0.21	0/1920	0.35	0/2584
5	CB	0.22	0/3106	0.35	2/4162 (0.0%)
6	CC	0.20	0/2902	0.35	0/3923
7	CD	0.16	0/2199	0.28	0/2962
8	CE	0.16	0/1340	0.35	0/1810
9	CF	0.20	0/1914	0.35	0/2568
10	CG	0.18	0/1782	0.33	0/2396
11	CH	0.16	0/1445	0.30	0/1944
12	CI	0.42	2/1634 (0.1%)	0.81	4/2194 (0.2%)
13	CJ	0.15	0/1332	0.30	0/1783
14	CL	0.20	0/1625	0.31	0/2179
15	CM	0.16	0/976	0.30	0/1309
16	CN	0.24	0/1759	0.35	0/2354
17	CO	0.21	0/1661	0.31	0/2226
18	CP	0.22	0/1258	0.40	0/1689
19	CQ	0.20	0/1500	0.31	0/2007
20	CR	0.19	0/1245	0.28	0/1646
21	CS	0.19	0/1509	0.32	0/2029
22	CT	0.21	0/1288	0.32	0/1737
23	CU	0.14	0/812	0.29	0/1091
24	CV	0.20	0/972	0.34	0/1310
25	CW	0.20	0/520	0.33	0/694
26	CX	0.20	0/946	0.29	0/1271
27	CY	0.19	0/1025	0.30	0/1373
28	CZ	0.18	0/1027	0.29	0/1367
29	Ca	0.23	0/1132	0.31	0/1510
30	Cb	0.21	0/417	0.37	0/551
31	Cc	0.19	0/741	0.36	0/999
32	Cd	0.20	0/794	0.31	0/1065

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	Ce	0.21	0/1036	0.32	0/1387
34	Cf	0.21	0/896	0.33	0/1201
35	Cg	0.22	0/873	0.33	0/1170
36	Ch	0.22	0/947	0.36	0/1263
37	Ci	0.18	0/809	0.42	0/1070
38	Cj	0.26	0/710	0.44	0/943
39	Ck	0.16	0/564	0.25	0/754
40	Cl	0.23	0/463	0.37	0/616
41	Cm	0.18	0/414	0.29	0/548
42	Co	0.20	0/797	0.28	0/1049
43	Cp	0.20	0/693	0.36	0/920
44	Cr	0.17	0/1082	0.31	0/1455
All	All	0.26	2/122384 (0.0%)	0.35	6/179844 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	CI	205	PRO	CG-CD	-11.32	1.12	1.50
12	CI	205	PRO	CB-CG	-7.83	1.10	1.49

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	CI	205	PRO	CB-CG-CD	23.08	179.94	106.10
12	CI	205	PRO	N-CD-CG	-17.29	77.27	103.20
12	CI	205	PRO	CA-CB-CG	-17.11	71.98	104.50
12	CI	205	PRO	CA-N-CD	-9.26	99.03	112.00
5	CB	16	PHE	CA-C-N	5.47	129.00	120.68

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	Aa	61426	0	31122	711	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	Ab	2541	0	1283	30	0
3	Ac	3248	0	1650	31	0
4	CA	1874	0	1896	27	0
5	CB	3052	0	3121	44	0
6	CC	2845	0	2891	52	0
7	CD	2158	0	2124	35	0
8	CE	1317	0	1313	35	0
9	CF	1879	0	1962	19	0
10	CG	1749	0	1864	29	0
11	CH	1426	0	1479	24	0
12	CI	1599	0	1640	22	0
13	CJ	1314	0	1325	27	0
14	CL	1596	0	1651	25	0
15	CM	963	0	1013	19	0
16	CN	1719	0	1791	28	0
17	CO	1633	0	1750	22	0
18	CP	1235	0	1269	19	0
19	CQ	1477	0	1569	23	0
20	CR	1227	0	1331	13	0
21	CS	1471	0	1507	29	0
22	CT	1260	0	1293	25	0
23	CU	800	0	817	11	0
24	CV	956	0	999	10	0
25	CW	507	0	516	6	0
26	CX	931	0	1000	13	0
27	CY	1012	0	1081	14	0
28	CZ	1008	0	1070	16	0
29	Ca	1104	0	1156	24	0
30	Cb	409	0	423	7	0
31	Cc	730	0	758	11	0
32	Cd	784	0	836	4	0
33	Ce	1017	0	1066	15	0
34	Cf	879	0	905	23	0
35	Cg	858	0	933	9	0
36	Ch	938	0	1016	19	0
37	Ci	798	0	885	18	0
38	Cj	696	0	714	23	0
39	Ck	556	0	591	6	0
40	Cl	451	0	479	7	0
41	Cm	408	0	441	6	0
42	Co	795	0	849	3	0
43	Cp	684	0	712	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
44	Cr	1064	0	1104	15	0
45	Aa	64	0	0	0	0
45	Ac	1	0	0	0	0
45	CA	2	0	0	0	0
45	CI	1	0	0	0	0
45	CL	2	0	0	0	0
45	Cg	1	0	0	0	0
45	Co	1	0	0	0	0
46	Aa	227	0	0	0	0
46	Ab	4	0	0	0	0
46	Ac	3	0	0	0	0
46	CB	1	0	0	0	0
46	CI	1	0	0	0	0
46	CL	1	0	0	0	0
46	CP	1	0	0	0	0
46	CR	1	0	0	0	0
46	CV	1	0	0	0	0
46	Cj	2	0	0	0	0
47	Cj	1	0	0	0	0
47	Cm	1	0	0	0	0
47	Co	1	0	0	0	0
All	All	116711	0	85195	1335	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 1335 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Aa:1844:OMC:H5	1:Aa:1853:G:H1	1.11	0.98
8:CE:185:ASP:HB2	8:CE:189:ILE:HD11	1.50	0.93
10:CG:78:ARG:NH2	10:CG:225:VAL:HG13	1.86	0.89
1:Aa:2363:OMC:H5	1:Aa:2380:G:H1	1.18	0.88
1:Aa:663:G:H1	1:Aa:1441:OMC:H5	1.21	0.88

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	CA	243/261 (93%)	233 (96%)	10 (4%)	0	100	100
5	CB	381/385 (99%)	372 (98%)	9 (2%)	0	100	100
6	CC	372/405 (92%)	347 (93%)	25 (7%)	0	100	100
7	CD	267/307 (87%)	258 (97%)	9 (3%)	0	100	100
8	CE	169/232 (73%)	151 (89%)	18 (11%)	0	100	100
9	CF	232/244 (95%)	223 (96%)	9 (4%)	0	100	100
10	CG	217/258 (84%)	203 (94%)	14 (6%)	0	100	100
11	CH	184/189 (97%)	176 (96%)	8 (4%)	0	100	100
12	CI	200/217 (92%)	193 (96%)	7 (4%)	0	100	100
13	CJ	163/180 (91%)	158 (97%)	5 (3%)	0	100	100
14	CL	198/208 (95%)	192 (97%)	6 (3%)	0	100	100
15	CM	120/135 (89%)	114 (95%)	6 (5%)	0	100	100
16	CN	201/204 (98%)	188 (94%)	13 (6%)	0	100	100
17	CO	203/206 (98%)	198 (98%)	5 (2%)	0	100	100
18	CP	151/170 (89%)	146 (97%)	5 (3%)	0	100	100
19	CQ	185/188 (98%)	178 (96%)	7 (4%)	0	100	100
20	CR	146/206 (71%)	144 (99%)	2 (1%)	0	100	100
21	CS	173/178 (97%)	166 (96%)	7 (4%)	0	100	100
22	CT	157/164 (96%)	153 (98%)	4 (2%)	0	100	100
23	CU	99/129 (77%)	96 (97%)	3 (3%)	0	100	100
24	CV	126/136 (93%)	124 (98%)	2 (2%)	0	100	100
25	CW	59/161 (37%)	58 (98%)	1 (2%)	0	100	100
26	CX	114/152 (75%)	110 (96%)	4 (4%)	0	100	100
27	CY	125/127 (98%)	121 (97%)	4 (3%)	0	100	100
28	CZ	122/137 (89%)	118 (97%)	4 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
29	Ca	137/145 (94%)	130 (95%)	7 (5%)	0	100	100
30	Cb	47/60 (78%)	42 (89%)	5 (11%)	0	100	100
31	Cc	93/112 (83%)	85 (91%)	8 (9%)	0	100	100
32	Cd	96/123 (78%)	96 (100%)	0	0	100	100
33	Ce	123/133 (92%)	119 (97%)	4 (3%)	0	100	100
34	Cf	108/111 (97%)	105 (97%)	3 (3%)	0	100	100
35	Cg	104/119 (87%)	102 (98%)	2 (2%)	0	100	100
36	Ch	112/124 (90%)	105 (94%)	7 (6%)	0	100	100
37	Ci	97/111 (87%)	87 (90%)	10 (10%)	0	100	100
38	Cj	84/93 (90%)	77 (92%)	7 (8%)	0	100	100
39	Ck	66/69 (96%)	65 (98%)	1 (2%)	0	100	100
40	Cl	48/51 (94%)	45 (94%)	3 (6%)	0	100	100
41	Cm	48/129 (37%)	47 (98%)	1 (2%)	0	100	100
42	Co	95/105 (90%)	94 (99%)	1 (1%)	0	100	100
43	Cp	87/92 (95%)	83 (95%)	4 (5%)	0	100	100
44	Cr	131/147 (89%)	125 (95%)	6 (5%)	0	100	100
All	All	6083/6903 (88%)	5827 (96%)	256 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	CA	189/199 (95%)	185 (98%)	4 (2%)	47	70
5	CB	319/331 (96%)	315 (99%)	4 (1%)	61	79
6	CC	284/329 (86%)	271 (95%)	13 (5%)	24	48
7	CD	216/258 (84%)	212 (98%)	4 (2%)	50	73
8	CE	132/197 (67%)	127 (96%)	5 (4%)	29	54

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
9	CF	189/205 (92%)	182 (96%)	7 (4%)	30	55
10	CG	185/222 (83%)	182 (98%)	3 (2%)	55	76
11	CH	150/163 (92%)	145 (97%)	5 (3%)	33	58
12	CI	162/178 (91%)	157 (97%)	5 (3%)	35	59
13	CJ	134/156 (86%)	127 (95%)	7 (5%)	21	43
14	CL	164/178 (92%)	155 (94%)	9 (6%)	19	40
15	CM	100/115 (87%)	98 (98%)	2 (2%)	48	72
16	CN	177/178 (99%)	170 (96%)	7 (4%)	28	53
17	CO	170/173 (98%)	166 (98%)	4 (2%)	43	67
18	CP	130/144 (90%)	126 (97%)	4 (3%)	35	59
19	CQ	155/159 (98%)	152 (98%)	3 (2%)	50	73
20	CR	130/173 (75%)	128 (98%)	2 (2%)	57	77
21	CS	156/160 (98%)	149 (96%)	7 (4%)	24	48
22	CT	133/141 (94%)	127 (96%)	6 (4%)	24	48
23	CU	86/104 (83%)	82 (95%)	4 (5%)	23	47
24	CV	99/105 (94%)	96 (97%)	3 (3%)	36	60
25	CW	53/132 (40%)	52 (98%)	1 (2%)	50	73
26	CX	103/128 (80%)	102 (99%)	1 (1%)	68	83
27	CY	109/113 (96%)	105 (96%)	4 (4%)	30	55
28	CZ	102/114 (90%)	102 (100%)	0	100	100
29	Ca	111/114 (97%)	108 (97%)	3 (3%)	39	63
30	Cb	43/51 (84%)	41 (95%)	2 (5%)	23	47
31	Cc	82/98 (84%)	81 (99%)	1 (1%)	63	80
32	Cd	83/108 (77%)	82 (99%)	1 (1%)	63	80
33	Ce	109/121 (90%)	105 (96%)	4 (4%)	30	55
34	Cf	94/96 (98%)	87 (93%)	7 (7%)	13	27
35	Cg	93/107 (87%)	89 (96%)	4 (4%)	26	50
36	Ch	99/109 (91%)	97 (98%)	2 (2%)	48	72
37	Ci	86/94 (92%)	81 (94%)	5 (6%)	18	38
38	Cj	72/77 (94%)	69 (96%)	3 (4%)	26	51
39	Ck	62/64 (97%)	59 (95%)	3 (5%)	23	46

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
40	Cl	47/48 (98%)	45 (96%)	2 (4%)	26	50
41	Cm	44/115 (38%)	43 (98%)	1 (2%)	44	68
42	Co	86/92 (94%)	81 (94%)	5 (6%)	18	38
43	Cp	69/73 (94%)	65 (94%)	4 (6%)	18	38
44	Cr	119/132 (90%)	111 (93%)	8 (7%)	15	31
All	All	5126/5854 (88%)	4957 (97%)	169 (3%)	34	58

5 of 169 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
29	Ca	121	VAL
38	Cj	2	THR
31	Cc	87	LYS
34	Cf	102	VAL
40	Cl	49	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 50 such sidechains are listed below:

Mol	Chain	Res	Type
21	CS	23	GLN
29	Ca	8	ASN
43	Cp	39	GLN
21	CS	70	ASN
26	CX	147	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	Aa	2829/3391 (83%)	515 (18%)	0
2	Ab	118/119 (99%)	12 (10%)	0
3	Ac	150/158 (94%)	27 (18%)	0
All	All	3097/3668 (84%)	554 (17%)	0

5 of 554 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	Aa	12	U
1	Aa	14	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	Aa	20	G
1	Aa	38	A
1	Aa	41	A

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

122 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	OMC	Aa	1847	1	19,22,23	2.99	8 (42%)	25,31,34	1.00	1 (4%)
1	PSU	Aa	2134	1	18,21,22	4.28	7 (38%)	21,30,33	1.85	4 (19%)
1	OMU	Aa	2886	1	19,22,23	3.06	8 (42%)	25,31,34	1.87	5 (20%)
1	OMU	Aa	2408	1	19,22,23	2.93	8 (42%)	25,31,34	2.35	8 (32%)
1	PSU	Aa	1128	1	18,21,22	4.34	7 (38%)	21,30,33	2.11	5 (23%)
5	HIC	CB	246	5	10,11,12	1.76	2 (20%)	9,14,16	4.14	3 (33%)
1	OMC	Aa	1473	1	19,22,23	2.92	8 (42%)	25,31,34	0.82	0
1	OMU	Aa	2419	1	19,22,23	3.02	8 (42%)	25,31,34	1.85	4 (16%)
1	OMG	Aa	2234	1	23,26,27	2.35	8 (34%)	32,38,41	1.88	8 (25%)
1	PSU	Aa	1904	46,45,1	18,21,22	4.19	7 (38%)	21,30,33	2.10	5 (23%)
1	A2M	Aa	1371	46,1	22,25,26	3.21	10 (45%)	30,36,39	2.95	11 (36%)
1	OMC	Aa	2951	1	19,22,23	2.92	8 (42%)	25,31,34	0.72	0
1	OMU	Aa	2653	1	19,22,23	3.05	8 (42%)	25,31,34	2.09	6 (24%)
1	OMU	Aa	2111	1	19,22,23	3.04	8 (42%)	25,31,34	1.94	5 (20%)
1	A2M	Aa	2937	1	22,25,26	3.23	10 (45%)	30,36,39	2.80	10 (33%)
1	PSU	Aa	1126	1	18,21,22	4.26	7 (38%)	21,30,33	1.89	4 (19%)
1	PSU	Aa	2958	1	18,21,22	4.24	7 (38%)	21,30,33	1.82	5 (23%)
1	OMG	Aa	2796	1	23,26,27	2.30	9 (39%)	32,38,41	1.82	7 (21%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	PSU	Aa	2715	1	18,21,22	4.36	8 (44%)	21,30,33	1.94	6 (28%)
1	A2M	Aa	654	1	22,25,26	3.30	10 (45%)	30,36,39	2.94	10 (33%)
1	OMC	Aa	1857	1	19,22,23	2.85	8 (42%)	25,31,34	0.78	0
3	PSU	Ac	18	3,1	18,21,22	4.27	7 (38%)	21,30,33	2.16	5 (23%)
3	PSU	Ac	74	3	18,21,22	4.33	7 (38%)	21,30,33	1.88	3 (14%)
1	A2M	Aa	369	1	22,25,26	3.18	10 (45%)	30,36,39	2.91	10 (33%)
1	PSU	Aa	1047	1	18,21,22	4.33	7 (38%)	21,30,33	1.94	5 (23%)
1	5MC	Aa	2276	46,1	19,22,23	3.75	8 (42%)	26,32,35	1.03	3 (11%)
1	OMU	Aa	2720	1	19,22,23	3.02	8 (42%)	25,31,34	2.14	7 (28%)
1	OMU	Aa	3305	1	19,22,23	3.06	7 (36%)	25,31,34	2.29	9 (36%)
1	OMG	Aa	2286	1	23,26,27	2.35	9 (39%)	32,38,41	1.91	10 (31%)
1	PSU	Aa	2868	1	18,21,22	4.32	7 (38%)	21,30,33	1.93	4 (19%)
1	PSU	Aa	2316	46,1	18,21,22	4.40	7 (38%)	21,30,33	2.03	5 (23%)
1	OMC	Aa	1512	46,1	19,22,23	2.87	8 (42%)	25,31,34	0.85	0
1	OMG	Aa	1852	1	23,26,27	2.30	8 (34%)	32,38,41	1.86	8 (25%)
1	A2M	Aa	2914	1	22,25,26	3.22	10 (45%)	30,36,39	2.90	11 (36%)
1	PSU	Aa	1057	1	18,21,22	4.32	7 (38%)	21,30,33	1.85	4 (19%)
1	PSU	Aa	889	1	18,21,22	4.31	7 (38%)	21,30,33	1.81	3 (14%)
1	PSU	Aa	2132	46,45,1	18,21,22	4.28	7 (38%)	21,30,33	1.92	5 (23%)
1	OMG	Aa	912	45,1	23,26,27	2.32	9 (39%)	32,38,41	1.91	8 (25%)
1	A2M	Aa	940	1	22,25,26	3.21	10 (45%)	30,36,39	2.97	11 (36%)
1	PSU	Aa	2347	46,1	18,21,22	4.28	7 (38%)	21,30,33	1.76	4 (19%)
1	A2M	Aa	1868	46,1	22,25,26	3.22	10 (45%)	30,36,39	2.95	12 (40%)
1	OMU	Aa	144	1	19,22,23	2.97	8 (42%)	25,31,34	1.77	5 (20%)
1	5MC	Aa	2873	45,1	19,22,23	3.70	8 (42%)	26,32,35	1.22	4 (15%)
1	OMU	Aa	2924	1	19,22,23	3.07	8 (42%)	25,31,34	2.01	7 (28%)
1	PSU	Aa	2312	46,45,1	18,21,22	4.39	7 (38%)	21,30,33	2.12	5 (23%)
1	1MA	Aa	650	46,1	21,25,26	2.95	7 (33%)	30,37,40	2.09	7 (23%)
1	PSU	Aa	1127	1	18,21,22	4.29	7 (38%)	21,30,33	1.95	5 (23%)
1	OMG	Aa	2794	1	23,26,27	2.33	9 (39%)	32,38,41	1.91	8 (25%)
1	PSU	Aa	2414	46,1	18,21,22	4.19	7 (38%)	21,30,33	2.19	6 (28%)
1	A2M	Aa	3108	1	22,25,26	3.25	10 (45%)	30,36,39	2.98	11 (36%)
3	A2M	Ac	43	3	22,25,26	3.22	10 (45%)	30,36,39	3.05	11 (36%)
1	OMG	Aa	2389	1	23,26,27	2.31	8 (34%)	32,38,41	1.82	8 (25%)
1	PSU	Aa	2616	1	18,21,22	4.30	7 (38%)	21,30,33	1.93	5 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	A2M	Aa	2218	1	22,25,26	3.24	10 (45%)	30,36,39	2.98	11 (36%)
1	PSU	Aa	68	1	18,21,22	4.22	8 (44%)	21,30,33	2.22	6 (28%)
1	PSU	Aa	35	1	18,21,22	4.33	7 (38%)	21,30,33	2.12	5 (23%)
1	OMC	Aa	2962	1	19,22,23	2.94	8 (42%)	25,31,34	0.74	0
1	PSU	Aa	2883	1	18,21,22	4.23	7 (38%)	21,30,33	1.83	4 (19%)
1	OMG	Aa	2622	1	23,26,27	2.31	9 (39%)	32,38,41	1.90	8 (25%)
1	OMG	Aa	2925	1	23,26,27	2.31	9 (39%)	32,38,41	1.83	8 (25%)
1	OMC	Aa	2882	1	19,22,23	2.89	8 (42%)	25,31,34	0.90	1 (4%)
1	PSU	Aa	2518	1	18,21,22	4.31	7 (38%)	21,30,33	1.88	4 (19%)
1	PSU	Aa	1009	45,1	18,21,22	4.36	7 (38%)	21,30,33	1.91	4 (19%)
1	OMU	Aa	48	1	19,22,23	3.02	8 (42%)	25,31,34	1.86	4 (16%)
1	PSU	Aa	2947	46,45,1	18,21,22	4.25	7 (38%)	21,30,33	2.02	5 (23%)
1	OMU	Aa	2732	1	19,22,23	3.00	8 (42%)	25,31,34	1.95	5 (20%)
1	OMG	Aa	2407	46,1	23,26,27	2.29	8 (34%)	32,38,41	1.96	8 (25%)
1	A2M	Aa	1453	46,1	22,25,26	3.19	10 (45%)	30,36,39	2.96	10 (33%)
1	PSU	Aa	2223	1	18,21,22	4.30	7 (38%)	21,30,33	2.04	5 (23%)
1	A2M	Aa	2949	46,1	22,25,26	3.22	9 (40%)	30,36,39	3.03	12 (40%)
1	OMC	Aa	2335	1	19,22,23	2.86	8 (42%)	25,31,34	0.82	0
1	PSU	Aa	2189	1	18,21,22	4.34	7 (38%)	21,30,33	1.87	4 (19%)
1	A2M	Aa	2279	1	22,25,26	3.22	10 (45%)	30,36,39	3.23	13 (43%)
42	MLZ	Co	55	42	8,9,10	0.65	0	4,9,11	0.97	0
1	PSU	Aa	1475	1	18,21,22	4.28	7 (38%)	21,30,33	2.07	5 (23%)
1	OMG	Aa	1454	1	23,26,27	2.30	9 (39%)	32,38,41	1.89	8 (25%)
1	OMC	Aa	2839	1	19,22,23	2.96	8 (42%)	25,31,34	1.20	3 (12%)
1	OMG	Aa	2122	1	23,26,27	2.31	9 (39%)	32,38,41	1.94	9 (28%)
1	OMC	Aa	1844	1	19,22,23	2.89	8 (42%)	25,31,34	1.42	4 (16%)
1	OMU	Aa	1889	45,1	19,22,23	2.99	8 (42%)	25,31,34	2.00	4 (16%)
1	OMG	Aa	2121	1	23,26,27	2.33	9 (39%)	32,38,41	1.86	8 (25%)
1	OMG	Aa	809	1	23,26,27	2.32	9 (39%)	32,38,41	1.81	9 (28%)
1	OMC	Aa	1441	1	19,22,23	2.88	8 (42%)	25,31,34	1.22	3 (12%)
1	OMU	Aa	2345	45,1	19,22,23	3.04	8 (42%)	25,31,34	2.01	6 (24%)
1	OMU	Aa	798	1	19,22,23	2.95	8 (42%)	25,31,34	1.99	5 (20%)
1	OMC	Aa	2291	1	19,22,23	2.96	8 (42%)	25,31,34	1.21	3 (12%)
1	A2M	Aa	2124	1	22,25,26	3.22	9 (40%)	30,36,39	2.94	10 (33%)
1	PSU	Aa	1467	1	18,21,22	4.32	7 (38%)	21,30,33	1.94	4 (19%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	OMC	Aa	2195	45,1	19,22,23	2.89	8 (42%)	25,31,34	0.89	0
1	PSU	Aa	378	1	18,21,22	4.28	7 (38%)	21,30,33	1.85	4 (19%)
1	PSU	Aa	823	1	18,21,22	4.22	7 (38%)	21,30,33	1.97	5 (23%)
1	A2M	Aa	2319	1	22,25,26	3.25	10 (45%)	30,36,39	2.94	10 (33%)
1	OMC	Aa	668	1	19,22,23	2.87	8 (42%)	25,31,34	0.73	0
1	OMU	Aa	2738	1	19,22,23	3.03	8 (42%)	25,31,34	1.76	4 (16%)
1	OMG	Aa	2654	1	23,26,27	2.30	9 (39%)	32,38,41	1.82	9 (28%)
1	PSU	Aa	2995	1	18,21,22	4.22	7 (38%)	21,30,33	1.98	5 (23%)
3	OMG	Ac	75	3	23,26,27	2.32	8 (34%)	32,38,41	1.90	9 (28%)
1	PSU	Aa	2829	1	18,21,22	4.17	7 (38%)	21,30,33	2.00	5 (23%)
1	OMG	Aa	2920	1	23,26,27	2.29	9 (39%)	32,38,41	1.87	8 (25%)
1	PSU	Aa	964	1	18,21,22	4.43	8 (44%)	21,30,33	2.00	5 (23%)
1	A2M	Aa	821	46,1	22,25,26	3.24	10 (45%)	30,36,39	2.84	10 (33%)
1	PSU	Aa	2857	1	18,21,22	4.35	7 (38%)	21,30,33	1.84	4 (19%)
1	PSU	Aa	2747	1	18,21,22	4.30	7 (38%)	21,30,33	2.08	7 (33%)
1	PSU	Aa	3113	1	18,21,22	4.31	7 (38%)	21,30,33	1.95	4 (19%)
1	OMG	Aa	3296	46,1	23,26,27	2.32	9 (39%)	32,38,41	1.93	9 (28%)
1	OMG	Aa	2818	1	23,26,27	2.34	8 (34%)	32,38,41	1.83	7 (21%)
1	UR3	Aa	2956	1	19,22,23	2.85	6 (31%)	26,32,35	1.58	4 (15%)
1	OMC	Aa	2685	1	19,22,23	2.95	8 (42%)	25,31,34	0.83	0
1	OMC	Aa	2363	1	19,22,23	2.87	8 (42%)	25,31,34	1.44	3 (12%)
1	PSU	Aa	2430	1	18,21,22	4.24	7 (38%)	21,30,33	2.16	5 (23%)
1	PSU	Aa	2926	46,1	18,21,22	4.44	7 (38%)	21,30,33	1.95	4 (19%)
1	OMG	Aa	2393	1	23,26,27	2.34	9 (39%)	32,38,41	1.93	8 (25%)
1	OMU	Aa	1061	1	19,22,23	3.06	8 (42%)	25,31,34	2.05	7 (28%)
1	PSU	Aa	995	1	18,21,22	4.27	7 (38%)	21,30,33	1.96	5 (23%)
1	A2M	Aa	2643	1	22,25,26	3.20	10 (45%)	30,36,39	2.87	11 (36%)
1	A2M	Aa	811	1	22,25,26	3.21	9 (40%)	30,36,39	2.96	11 (36%)
1	PSU	Aa	2209	46,1	18,21,22	4.36	7 (38%)	21,30,33	1.89	5 (23%)
1	PSU	Aa	2978	1	18,21,22	4.20	7 (38%)	21,30,33	2.01	5 (23%)
1	A2M	Aa	1137	46,1	22,25,26	3.26	10 (45%)	30,36,39	2.95	11 (36%)
1	A2M	Aa	880	1	22,25,26	3.21	10 (45%)	30,36,39	2.91	10 (33%)
1	OMU	Aa	669	1	19,22,23	3.04	7 (36%)	25,31,34	2.21	7 (28%)
1	OMC	Aa	1530	45,1	19,22,23	2.88	8 (42%)	25,31,34	0.67	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMC	Aa	1847	1	-	6/9/27/28	0/2/2/2
1	PSU	Aa	2134	1	-	3/7/25/26	0/2/2/2
1	OMU	Aa	2886	1	-	3/9/27/28	0/2/2/2
1	OMU	Aa	2408	1	-	5/9/27/28	0/2/2/2
1	PSU	Aa	1128	1	-	3/7/25/26	0/2/2/2
5	HIC	CB	246	5	-	0/5/6/8	0/1/1/1
1	OMC	Aa	1473	1	-	2/9/27/28	0/2/2/2
1	OMU	Aa	2419	1	-	0/9/27/28	0/2/2/2
1	OMG	Aa	2234	1	-	0/9/27/28	0/3/3/3
1	PSU	Aa	1904	46,45,1	-	0/7/25/26	0/2/2/2
1	A2M	Aa	1371	46,1	-	2/9/27/28	0/3/3/3
1	OMC	Aa	2951	1	-	0/9/27/28	0/2/2/2
1	OMU	Aa	2653	1	-	2/9/27/28	0/2/2/2
1	OMU	Aa	2111	1	-	2/9/27/28	0/2/2/2
1	A2M	Aa	2937	1	-	0/9/27/28	0/3/3/3
1	PSU	Aa	1126	1	-	3/7/25/26	0/2/2/2
1	PSU	Aa	2958	1	-	2/7/25/26	0/2/2/2
1	OMG	Aa	2796	1	-	1/9/27/28	0/3/3/3
1	PSU	Aa	2715	1	-	5/7/25/26	0/2/2/2
1	A2M	Aa	654	1	-	0/9/27/28	0/3/3/3
1	OMC	Aa	1857	1	-	0/9/27/28	0/2/2/2
3	PSU	Ac	18	3,1	-	0/7/25/26	0/2/2/2
3	PSU	Ac	74	3	-	4/7/25/26	0/2/2/2
1	A2M	Aa	369	1	-	1/9/27/28	0/3/3/3
1	PSU	Aa	1047	1	-	2/7/25/26	0/2/2/2
1	5MC	Aa	2276	46,1	-	2/7/25/26	0/2/2/2
1	OMU	Aa	2720	1	-	2/9/27/28	0/2/2/2
1	OMU	Aa	3305	1	-	2/9/27/28	0/2/2/2
1	OMG	Aa	2286	1	-	0/9/27/28	0/3/3/3
1	PSU	Aa	2868	1	-	2/7/25/26	0/2/2/2
1	PSU	Aa	2316	46,1	-	2/7/25/26	0/2/2/2
1	OMC	Aa	1512	46,1	-	2/9/27/28	0/2/2/2
1	OMG	Aa	1852	1	-	2/9/27/28	0/3/3/3
1	A2M	Aa	2914	1	-	5/9/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PSU	Aa	1057	1	-	4/7/25/26	0/2/2/2
1	PSU	Aa	889	1	-	5/7/25/26	0/2/2/2
1	PSU	Aa	2132	46,45,1	-	3/7/25/26	0/2/2/2
1	OMG	Aa	912	45,1	-	3/9/27/28	0/3/3/3
1	A2M	Aa	940	1	-	0/9/27/28	0/3/3/3
1	PSU	Aa	2347	46,1	-	2/7/25/26	0/2/2/2
1	A2M	Aa	1868	46,1	-	2/9/27/28	0/3/3/3
1	OMU	Aa	144	1	-	0/9/27/28	0/2/2/2
1	5MC	Aa	2873	45,1	-	4/7/25/26	0/2/2/2
1	OMU	Aa	2924	1	-	2/9/27/28	0/2/2/2
1	PSU	Aa	2312	46,45,1	-	1/7/25/26	0/2/2/2
1	1MA	Aa	650	46,1	-	2/7/25/26	0/3/3/3
1	PSU	Aa	1127	1	-	3/7/25/26	0/2/2/2
1	OMG	Aa	2794	1	-	3/9/27/28	0/3/3/3
1	PSU	Aa	2414	46,1	-	3/7/25/26	0/2/2/2
1	A2M	Aa	3108	1	-	0/9/27/28	0/3/3/3
3	A2M	Ac	43	3	-	0/9/27/28	0/3/3/3
1	OMG	Aa	2389	1	-	2/9/27/28	0/3/3/3
1	PSU	Aa	2616	1	-	2/7/25/26	0/2/2/2
1	A2M	Aa	2218	1	-	0/9/27/28	0/3/3/3
1	PSU	Aa	68	1	-	3/7/25/26	0/2/2/2
1	PSU	Aa	35	1	-	0/7/25/26	0/2/2/2
1	OMC	Aa	2962	1	-	2/9/27/28	0/2/2/2
1	PSU	Aa	2883	1	-	0/7/25/26	0/2/2/2
1	OMG	Aa	2622	1	-	3/9/27/28	0/3/3/3
1	OMG	Aa	2925	1	-	0/9/27/28	0/3/3/3
1	OMC	Aa	2882	1	-	0/9/27/28	0/2/2/2
1	PSU	Aa	2518	1	-	3/7/25/26	0/2/2/2
1	PSU	Aa	1009	45,1	-	2/7/25/26	0/2/2/2
1	OMU	Aa	48	1	-	3/9/27/28	0/2/2/2
1	PSU	Aa	2947	46,45,1	-	2/7/25/26	0/2/2/2
1	OMU	Aa	2732	1	-	2/9/27/28	0/2/2/2
1	OMG	Aa	2407	46,1	-	1/9/27/28	0/3/3/3
1	A2M	Aa	1453	46,1	-	0/9/27/28	0/3/3/3
1	PSU	Aa	2223	1	-	2/7/25/26	0/2/2/2
1	A2M	Aa	2949	46,1	-	1/9/27/28	0/3/3/3
1	OMC	Aa	2335	1	-	0/9/27/28	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PSU	Aa	2189	1	-	2/7/25/26	0/2/2/2
1	A2M	Aa	2279	1	-	1/9/27/28	0/3/3/3
42	MLZ	Co	55	42	-	1/7/8/10	-
1	PSU	Aa	1475	1	-	0/7/25/26	0/2/2/2
1	OMG	Aa	1454	1	-	3/9/27/28	0/3/3/3
1	OMC	Aa	2839	1	-	3/9/27/28	0/2/2/2
1	OMG	Aa	2122	1	-	2/9/27/28	0/3/3/3
1	OMC	Aa	1844	1	-	4/9/27/28	0/2/2/2
1	OMU	Aa	1889	45,1	-	0/9/27/28	0/2/2/2
1	OMG	Aa	2121	1	-	2/9/27/28	0/3/3/3
1	OMG	Aa	809	1	-	0/9/27/28	0/3/3/3
1	OMC	Aa	1441	1	-	2/9/27/28	0/2/2/2
1	OMU	Aa	2345	45,1	-	2/9/27/28	0/2/2/2
1	OMU	Aa	798	1	-	0/9/27/28	0/2/2/2
1	OMC	Aa	2291	1	-	2/9/27/28	0/2/2/2
1	A2M	Aa	2124	1	-	0/9/27/28	0/3/3/3
1	PSU	Aa	1467	1	-	2/7/25/26	0/2/2/2
1	OMC	Aa	2195	45,1	-	6/9/27/28	0/2/2/2
1	PSU	Aa	378	1	-	2/7/25/26	0/2/2/2
1	PSU	Aa	823	1	-	0/7/25/26	0/2/2/2
1	A2M	Aa	2319	1	-	2/9/27/28	0/3/3/3
1	OMC	Aa	668	1	-	0/9/27/28	0/2/2/2
1	OMU	Aa	2738	1	-	0/9/27/28	0/2/2/2
1	OMG	Aa	2654	1	-	2/9/27/28	0/3/3/3
1	PSU	Aa	2995	1	-	4/7/25/26	0/2/2/2
3	OMG	Ac	75	3	-	2/9/27/28	0/3/3/3
1	PSU	Aa	2829	1	-	3/7/25/26	0/2/2/2
1	OMG	Aa	2920	1	-	0/9/27/28	0/3/3/3
1	PSU	Aa	964	1	-	1/7/25/26	0/2/2/2
1	A2M	Aa	821	46,1	-	1/9/27/28	0/3/3/3
1	PSU	Aa	2857	1	-	2/7/25/26	0/2/2/2
1	PSU	Aa	2747	1	-	2/7/25/26	0/2/2/2
1	PSU	Aa	3113	1	-	2/7/25/26	0/2/2/2
1	OMG	Aa	3296	46,1	-	2/9/27/28	0/3/3/3
1	OMG	Aa	2818	1	-	2/9/27/28	0/3/3/3
1	UR3	Aa	2956	1	-	1/7/25/26	0/2/2/2
1	OMC	Aa	2685	1	-	0/9/27/28	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMC	Aa	2363	1	-	4/9/27/28	0/2/2/2
1	PSU	Aa	2430	1	-	0/7/25/26	0/2/2/2
1	PSU	Aa	2926	46,1	-	3/7/25/26	0/2/2/2
1	OMG	Aa	2393	1	-	0/9/27/28	0/3/3/3
1	OMU	Aa	1061	1	-	2/9/27/28	0/2/2/2
1	PSU	Aa	995	1	-	2/7/25/26	0/2/2/2
1	A2M	Aa	2643	1	-	1/9/27/28	0/3/3/3
1	A2M	Aa	811	1	-	0/9/27/28	0/3/3/3
1	PSU	Aa	2209	46,1	-	2/7/25/26	0/2/2/2
1	PSU	Aa	2978	1	-	0/7/25/26	0/2/2/2
1	A2M	Aa	1137	46,1	-	0/9/27/28	0/3/3/3
1	A2M	Aa	880	1	-	0/9/27/28	0/3/3/3
1	OMU	Aa	669	1	-	2/9/27/28	0/2/2/2
1	OMC	Aa	1530	45,1	-	0/9/27/28	0/2/2/2

The worst 5 of 969 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	Aa	2316	PSU	C6-C5	12.09	1.48	1.35
1	Aa	2926	PSU	C6-C5	12.00	1.48	1.35
1	Aa	964	PSU	C6-C5	11.73	1.48	1.35
1	Aa	2209	PSU	C6-C5	11.68	1.48	1.35
1	Aa	35	PSU	C6-C5	11.66	1.48	1.35

The worst 5 of 715 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	CB	246	HIC	NE2-CE1-ND1	-11.69	108.19	112.66
1	Aa	1453	A2M	N6-C6-N1	-7.14	102.47	118.38
1	Aa	2914	A2M	N6-C6-N1	-7.01	102.76	118.38
1	Aa	2643	A2M	N6-C6-N1	-7.00	102.78	118.38
3	Ac	43	A2M	N6-C6-N1	-6.89	103.02	118.38

There are no chirality outliers.

5 of 206 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	Aa	48	OMU	O4'-C4'-C5'-O5'
1	Aa	68	PSU	O4'-C1'-C5-C4
1	Aa	68	PSU	O4'-C1'-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	Aa	369	A2M	C1'-C2'-O2'-CM'
1	Aa	378	PSU	O4'-C1'-C5-C4

There are no ring outliers.

57 monomers are involved in 80 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	Aa	2134	PSU	1	0
1	Aa	2886	OMU	3	0
1	Aa	2408	OMU	2	0
1	Aa	2234	OMG	1	0
1	Aa	2951	OMC	1	0
1	Aa	2653	OMU	1	0
1	Aa	1126	PSU	1	0
1	Aa	2715	PSU	1	0
1	Aa	654	A2M	2	0
1	Aa	1857	OMC	2	0
1	Aa	2720	OMU	3	0
1	Aa	3305	OMU	1	0
1	Aa	2868	PSU	1	0
1	Aa	1852	OMG	1	0
1	Aa	889	PSU	1	0
1	Aa	1868	A2M	1	0
1	Aa	2873	5MC	1	0
1	Aa	1127	PSU	1	0
1	Aa	3108	A2M	1	0
1	Aa	2218	A2M	1	0
1	Aa	68	PSU	2	0
1	Aa	2962	OMC	1	0
1	Aa	2883	PSU	1	0
1	Aa	2622	OMG	1	0
1	Aa	2882	OMC	1	0
1	Aa	2518	PSU	1	0
1	Aa	2947	PSU	1	0
1	Aa	1453	A2M	2	0
1	Aa	2223	PSU	1	0
1	Aa	2279	A2M	1	0
1	Aa	1475	PSU	1	0
1	Aa	1454	OMG	1	0
1	Aa	2839	OMC	3	0
1	Aa	1844	OMC	2	0
1	Aa	1889	OMU	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	Aa	1441	OMC	2	0
1	Aa	2345	OMU	1	0
1	Aa	2291	OMC	1	0
1	Aa	378	PSU	2	0
1	Aa	668	OMC	2	0
1	Aa	2738	OMU	1	0
1	Aa	2995	PSU	1	0
1	Aa	2829	PSU	1	0
1	Aa	2920	OMG	1	0
1	Aa	821	A2M	1	0
1	Aa	2857	PSU	1	0
1	Aa	3113	PSU	1	0
1	Aa	2818	OMG	6	0
1	Aa	2956	UR3	1	0
1	Aa	2363	OMC	3	0
1	Aa	2926	PSU	1	0
1	Aa	995	PSU	1	0
1	Aa	2643	A2M	2	0
1	Aa	2978	PSU	1	0
1	Aa	1137	A2M	1	0
1	Aa	880	A2M	1	0
1	Aa	669	OMU	4	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 317 ligands modelled in this entry, 317 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-36331. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180




Y Index: 180




Z Index: 180


6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 168




Y Index: 165




Z Index: 182


6.3.2 Raw map



X Index: 168



Y Index: 184




Z Index: 195


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.09. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 522 nm³; this corresponds to an approximate mass of 472 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.352 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of $0.352 \text{ \AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.84	-	-
Author-provided FSC curve	2.64	2.87	2.68
Unmasked-calculated*	2.84	3.10	2.88

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-36331 and PDB model 8JIV. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.09 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.09).

9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.09) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8410	 0.6490
Aa	 0.8840	 0.6450
Ab	 0.8810	 0.6430
Ac	 0.8980	 0.6540
CA	 0.9470	 0.6940
CB	 0.8880	 0.6830
CC	 0.7450	 0.6390
CD	 0.6780	 0.6380
CE	 0.3820	 0.5590
CF	 0.7290	 0.6430
CG	 0.7120	 0.6400
CH	 0.6780	 0.6380
CI	 0.7060	 0.6400
CJ	 0.3640	 0.5770
CL	 0.8410	 0.6660
CM	 0.6430	 0.6290
CN	 0.9740	 0.6950
CO	 0.7780	 0.6540
CP	 0.8840	 0.6670
CQ	 0.8940	 0.6690
CR	 0.8610	 0.6800
CS	 0.8050	 0.6570
CT	 0.7940	 0.6590
CU	 0.4120	 0.5750
CV	 0.8980	 0.6820
CW	 0.8430	 0.6690
CX	 0.8290	 0.6670
CY	 0.8630	 0.6680
CZ	 0.7500	 0.6540
Ca	 0.9170	 0.6850
Cb	 0.8760	 0.6590
Cc	 0.6950	 0.6400
Cd	 0.8520	 0.6770
Ce	 0.8940	 0.6720
Cf	 0.8200	 0.6480



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Cg	 0.9090	 0.6920
Ch	 0.8070	 0.6450
Ci	 0.7450	 0.6420
Cj	 0.9190	 0.6730
Ck	 0.5820	 0.6180
Cl	 0.9180	 0.6730
Cm	 0.8350	 0.6700
Co	 0.8570	 0.6800
Cp	 0.8440	 0.6780
Cr	 0.6780	 0.6300