



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 8, 2026 – 04:05 AM UTC

PDB ID : 5JVG / pdb_00005jvg
Title : The large ribosomal subunit from *Deinococcus radiodurans* in complex with avilamycin
Authors : Krupkin, M.; Wekselman, I.; Matzov, D.; Eyal, Z.; Diskin Posner, Y.; Rozenberg, H.; Zimmerman, E.; Bashan, A.; Yonath, A.
Deposited on : 2016-05-11
Resolution : 3.43 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.43 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1210 (3.48-3.36)
Clashscore	190562	1234 (3.48-3.36)
Ramachandran outliers	187476	1222 (3.48-3.36)
Sidechain outliers	187428	1222 (3.48-3.36)
RSRZ outliers	180081	1210 (3.48-3.36)
RNA backbone	3983	1162 (3.84-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	X	2877	21% 46% 37% 11% 6%
2	Y	124	2% 47% 36% 14% .
3	A	275	21% 47% 41% 10% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	B	211	
5	C	205	
6	D	180	
7	E	185	
8	F	144	
9	G	174	
10	H	134	
11	I	156	
12	J	141	
13	K	116	
14	L	114	
15	M	166	
16	N	118	
17	O	100	
18	P	134	
19	Q	95	
20	R	115	
21	S	237	
22	T	91	
23	U	81	
24	V	67	
25	W	55	
26	Z	60	
27	1	55	
28	2	47	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	3	66	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
31	MG	X	3054	-	-	-	X
31	MG	X	3074	-	-	-	X
31	MG	X	3126	-	-	-	X
31	MG	X	3130	-	-	-	X
31	MG	X	3178	-	-	-	X
31	MG	X	3180	-	-	-	X
31	MG	X	3300	-	-	-	X
31	MG	X	3301	-	-	-	X
31	MG	X	3302	-	-	-	X
32	MPD	X	3316	-	-	X	-

2 Entry composition

There are 33 unique types of molecules in this entry. The entry contains 85766 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	X	2710	Total	C	N	O	P	0	1	0
			58191	25957	10742	18782	2710			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
X	1526	U	C	conflict	GB 1026245073
X	1890	A	G	conflict	GB 1026245073

- Molecule 2 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	Y	120	Total	C	N	O	P	0	0	0
			2561	1143	471	827	120			

- Molecule 3 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	272	Total	C	N	O	S	0	0	0
			2085	1299	416	366	4			

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	B	205	Total	C	N	O	S	0	0	0
			1539	965	295	271	8			

- Molecule 5 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	C	195	Total	C	N	O	S	0	0	0
			1489	925	285	276	3			

- Molecule 6 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	D	177	Total	C	N	O	S	0	0	0
			1367	869	241	250	7			

- Molecule 7 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	E	171	Total	C	N	O	S	0	0	0
			1286	812	237	236	1			

- Molecule 8 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	F	63	Total	C	N	O	S	0	0	0
			451	280	82	86	3			

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	G	142	Total	C	N	O	S	0	0	0
			1114	704	209	198	3			

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	H	134	Total	C	N	O	S	0	0	0
			997	614	198	180	5			

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
11	I	134	Total	C	N	O	0	0	0
			982	601	195	186			

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	J	136	Total	C	N	O	S	0	0	0
			1060	680	192	181	7			

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	K	115	Total	C	N	O	S	0	0	0
			897	552	183	159	3			

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	L	104	Total	C	N	O		0	0	0
			779	476	161	142				

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	M	119	Total	C	N	O		0	0	0
			939	586	185	168				

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	N	117	Total	C	N	O	S	0	0	0
			978	608	210	159	1			

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	O	97	Total	C	N	O		0	0	0
			759	477	142	140				

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	P	128	Total	C	N	O	S	0	0	0
			1015	640	200	173	2			

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	Q	93	Total	C	N	O	S	0	0	0
			726	458	136	130	2			

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	R	110	Total	C	N	O	S	0	0	0
			809	504	153	151	1			

- Molecule 21 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	S	180	Total	C	N	O	S	0	0	0
			1370	864	241	259	6			

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	T	74	Total	C	N	O	S	0	0	0
			556	351	107	97	1			

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	U	74	Total	C	N	O	S	0	0	0
			549	341	111	97				

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	V	65	Total	C	N	O	S	0	0	0
			525	322	106	95	2			

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	W	55	Total	C	N	O	S	0	0	0
			424	264	82	76	2			

- Molecule 26 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	Z	57	Total	C	N	O	S	0	0	0
			444	273	91	75	5			

- Molecule 27 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	1	53	Total	C	N	O	S	0	0	0
			427	271	79	76	1			


- Molecule 28 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	2	46	Total	C	N	O	S	0	0	0
			383	230	91	60	2			

- Molecule 29 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	3	59	Total	C	N	O	S	0	0	0
			453	285	92	73	3			

- Molecule 30 is Avilamycin (CCD ID: 6NO) (formula: $C_{61}H_{88}Cl_2O_{32}$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
30	X	1	Total	C	Cl	O	0	0
			95	61	2	32		

- Molecule 31 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
31	X	420	Total	Mg	0	0
			420	420		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
31	Y	19	Total	Mg	0	0
			19	19		
31	A	1	Total	Mg	0	0
			1	1		
31	J	1	Total	Mg	0	0
			1	1		
31	K	1	Total	Mg	0	0
			1	1		
31	M	1	Total	Mg	0	0
			1	1		
31	N	1	Total	Mg	0	0
			1	1		
31	T	1	Total	Mg	0	0
			1	1		
31	3	1	Total	Mg	0	0
			1	1		

- Molecule 32 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: C₆H₁₄O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
32	X	1	Total	C	O	0	0
			8	6	2		
32	X	1	Total	C	O	0	0
			8	6	2		
32	X	1	Total	C	O	0	0
			8	6	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
32	X	1	Total	C	O	0	0
			8	6	2		
32	X	1	Total	C	O	0	0
			8	6	2		

- Molecule 33 is SPERMIDINE (CCD ID: SPD) (formula: $C_7H_{19}N_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
33	X	1	Total	C	N	0	0
			10	7	3		
33	X	1	Total	C	N	0	0
			10	7	3		
33	X	1	Total	C	N	0	0
			10	7	3		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 23S ribosomal RNA









• Molecule 2: 5S ribosomal RNA




• Molecule 3: 50S ribosomal protein L2



• Molecule 4: 50S ribosomal protein L3




• Molecule 5: 50S ribosomal protein L4




• Molecule 6: 50S ribosomal protein L5








• Molecule 7: 50S ribosomal protein L6




• Molecule 8: 50S ribosomal protein L11





• Molecule 9: 50S ribosomal protein L13




• Molecule 10: 50S ribosomal protein L14




• Molecule 11: 50S ribosomal protein L15



• Molecule 12: 50S ribosomal protein L16




• Molecule 13: 50S ribosomal protein L17




• Molecule 14: 50S ribosomal protein L18




- Molecule 15: 50S ribosomal protein L19





- Molecule 16: 50S ribosomal protein L20



- Molecule 17: 50S ribosomal protein L21



- Molecule 18: 50S ribosomal protein L22









• Molecule 19: 50S ribosomal protein L23




• Molecule 20: 50S ribosomal protein L24




• Molecule 21: 50S ribosomal protein L25




• Molecule 22: 50S ribosomal protein L27








- Molecule 23: 50S ribosomal protein L28




- Molecule 24: 50S ribosomal protein L29



- Molecule 25: 50S ribosomal protein L30




- Molecule 26: 50S ribosomal protein L32



- Molecule 27: 50S ribosomal protein L33





- Molecule 28: 50S ribosomal protein L34





• Molecule 29: 50S ribosomal protein L35



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	170.03Å 412.63Å 698.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.55 – 3.43 49.55 – 3.43	Depositor EDS
% Data completeness (in resolution range)	88.9 (49.55-3.43) 88.9 (49.55-3.43)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.61 (at 3.40Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.211 , 0.253 0.212 , 0.253	Depositor DCC
R_{free} test set	14626 reflections (4.48%)	wwPDB-VP
Wilson B-factor (Å ²)	99.1	Xtriage
Anisotropy	0.729	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.20 , 58.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	85766	wwPDB-VP
Average B, all atoms (Å ²)	106.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SPD, MG, 6NO, MPD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	X	0.25	0/65161	0.44	3/101636 (0.0%)
2	Y	0.18	0/2863	0.33	0/4461
3	A	0.48	0/2127	1.06	14/2864 (0.5%)
4	B	0.54	0/1567	1.06	5/2105 (0.2%)
5	C	0.46	0/1512	1.06	10/2046 (0.5%)
6	D	0.37	0/1385	0.94	4/1862 (0.2%)
7	E	0.34	0/1308	0.89	3/1771 (0.2%)
8	F	0.37	0/455	0.94	3/611 (0.5%)
9	G	0.52	0/1138	1.17	13/1539 (0.8%)
10	H	0.55	0/1007	1.09	4/1352 (0.3%)
11	I	0.55	0/991	1.17	9/1328 (0.7%)
12	J	0.57	0/1083	1.09	10/1451 (0.7%)
13	K	0.59	0/905	1.00	4/1212 (0.3%)
14	L	0.50	0/785	0.98	0/1048
15	M	0.60	1/952 (0.1%)	1.11	4/1277 (0.3%)
16	N	0.45	0/994	1.01	2/1323 (0.2%)
17	O	0.48	0/768	0.95	3/1025 (0.3%)
18	P	0.58	0/1028	1.18	10/1375 (0.7%)
19	Q	0.47	0/737	1.04	2/988 (0.2%)
20	R	0.54	0/819	1.17	6/1103 (0.5%)
21	S	0.42	0/1395	1.01	5/1897 (0.3%)
22	T	0.50	0/563	1.10	6/747 (0.8%)
23	U	0.60	0/553	1.15	4/741 (0.5%)
24	V	0.32	0/529	0.87	0/704
25	W	0.45	0/426	0.92	3/568 (0.5%)
26	Z	0.54	0/456	1.01	2/613 (0.3%)
27	1	0.54	0/434	1.29	8/579 (1.4%)
28	2	0.51	0/387	1.17	6/509 (1.2%)
29	3	0.51	0/459	1.19	3/604 (0.5%)
All	All	0.33	1/92787 (0.0%)	0.64	146/139339 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
6	D	0	2
9	G	0	2
11	I	0	2
14	L	0	2
15	M	0	1
21	S	0	1
22	T	0	1
23	U	0	3
27	1	0	1
28	2	0	1
29	3	0	3
All	All	0	19

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	M	33	VAL	CA-CB	5.21	1.61	1.53

The worst 5 of 146 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	P	60	ILE	CA-C-N	10.60	130.90	119.87
18	P	60	ILE	C-N-CA	10.60	130.90	119.87
3	A	221	GLN	N-CA-C	10.21	125.27	113.01
15	M	31	ASP	N-CA-C	9.94	126.77	111.56
11	I	22	GLY	CA-C-N	9.84	129.96	120.31

There are no chirality outliers.

5 of 19 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
6	D	81	GLN	Peptide
6	D	83	MET	Peptide
9	G	107	GLN	Peptide
9	G	113	GLU	Peptide
11	I	38	LYS	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	X	58191	0	29325	966	0
2	Y	2561	0	1306	46	0
3	A	2085	0	2158	111	0
4	B	1539	0	1600	86	0
5	C	1489	0	1516	86	0
6	D	1367	0	1408	61	0
7	E	1286	0	1336	24	0
8	F	451	0	474	9	0
9	G	1114	0	1144	72	0
10	H	997	0	1046	36	0
11	I	982	0	1002	54	0
12	J	1060	0	1073	43	0
13	K	897	0	955	50	0
14	L	779	0	820	63	0
15	M	939	0	964	38	0
16	N	978	0	1020	56	0
17	O	759	0	774	37	0
18	P	1015	0	1094	47	0
19	Q	726	0	753	22	0
20	R	809	0	848	45	0
21	S	1370	0	1385	43	0
22	T	556	0	579	18	0
23	U	549	0	584	40	0
24	V	525	0	546	10	0
25	W	424	0	470	17	0
26	Z	444	0	440	28	0
27	1	427	0	445	34	0
28	2	383	0	414	21	0
29	3	453	0	488	37	0
30	X	95	0	0	3	0
31	3	1	0	0	0	0
31	A	1	0	0	0	0
31	J	1	0	0	0	0
31	K	1	0	0	0	0
31	M	1	0	0	0	0
31	N	1	0	0	0	0
31	T	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
31	X	420	0	0	0	0
31	Y	19	0	0	0	0
32	X	40	0	70	15	0
33	X	30	0	57	7	0
All	All	85766	0	56094	1918	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

The worst 5 of 1918 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:1277:G:OP1	26:Z:19:ARG:NH2	1.99	0.95
1:X:1669:A:OP2	13:K:9:LYS:NZ	2.00	0.95
1:X:2757:G:H5''	1:X:2758:A:H5'	1.49	0.94
1:X:387:A:HO2'	1:X:388:G:H8	1.09	0.93
1:X:2015:G:N7	32:X:3316:MPD:O4	2.00	0.93

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	270/275 (98%)	226 (84%)	44 (16%)	0	100	100
4	B	203/211 (96%)	189 (93%)	13 (6%)	1 (0%)	24	54
5	C	193/205 (94%)	163 (84%)	27 (14%)	3 (2%)	7	29
6	D	175/180 (97%)	145 (83%)	27 (15%)	3 (2%)	7	27
7	E	169/185 (91%)	160 (95%)	8 (5%)	1 (1%)	21	49
8	F	61/144 (42%)	54 (88%)	6 (10%)	1 (2%)	7	29

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	G	140/174 (80%)	120 (86%)	16 (11%)	4 (3%)	3	19
10	H	132/134 (98%)	125 (95%)	7 (5%)	0	100	100
11	I	132/156 (85%)	103 (78%)	27 (20%)	2 (2%)	8	30
12	J	134/141 (95%)	111 (83%)	23 (17%)	0	100	100
13	K	113/116 (97%)	103 (91%)	10 (9%)	0	100	100
14	L	102/114 (90%)	79 (78%)	20 (20%)	3 (3%)	3	19
15	M	117/166 (70%)	109 (93%)	6 (5%)	2 (2%)	7	27
16	N	115/118 (98%)	105 (91%)	9 (8%)	1 (1%)	14	41
17	O	95/100 (95%)	83 (87%)	12 (13%)	0	100	100
18	P	126/134 (94%)	120 (95%)	6 (5%)	0	100	100
19	Q	91/95 (96%)	74 (81%)	15 (16%)	2 (2%)	5	23
20	R	108/115 (94%)	87 (81%)	20 (18%)	1 (1%)	14	41
21	S	178/237 (75%)	153 (86%)	21 (12%)	4 (2%)	5	23
22	T	72/91 (79%)	62 (86%)	10 (14%)	0	100	100
23	U	72/81 (89%)	52 (72%)	15 (21%)	5 (7%)	1	6
24	V	63/67 (94%)	59 (94%)	4 (6%)	0	100	100
25	W	53/55 (96%)	51 (96%)	2 (4%)	0	100	100
26	Z	55/60 (92%)	52 (94%)	3 (6%)	0	100	100
27	1	51/55 (93%)	33 (65%)	15 (29%)	3 (6%)	1	9
28	2	44/47 (94%)	36 (82%)	7 (16%)	1 (2%)	5	23
29	3	57/66 (86%)	42 (74%)	13 (23%)	2 (4%)	3	16
All	All	3121/3522 (89%)	2696 (86%)	386 (12%)	39 (1%)	10	35

5 of 39 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	D	85	VAL
6	D	173	MET
9	G	85	ALA
28	2	39	ARG
29	3	40	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	212/216 (98%)	167 (79%)	45 (21%)	1	4
4	B	155/157 (99%)	133 (86%)	22 (14%)	3	13
5	C	155/163 (95%)	126 (81%)	29 (19%)	1	6
6	D	143/156 (92%)	125 (87%)	18 (13%)	4	17
7	E	136/144 (94%)	128 (94%)	8 (6%)	18	43
8	F	46/107 (43%)	43 (94%)	3 (6%)	15	41
9	G	118/146 (81%)	99 (84%)	19 (16%)	2	10
10	H	103/103 (100%)	81 (79%)	22 (21%)	1	3
11	I	96/121 (79%)	76 (79%)	20 (21%)	1	4
12	J	104/115 (90%)	83 (80%)	21 (20%)	1	4
13	K	92/93 (99%)	80 (87%)	12 (13%)	4	16
14	L	74/82 (90%)	50 (68%)	24 (32%)	0	1
15	M	99/134 (74%)	82 (83%)	17 (17%)	2	9
16	N	96/97 (99%)	85 (88%)	11 (12%)	5	20
17	O	76/79 (96%)	64 (84%)	12 (16%)	2	10
18	P	108/115 (94%)	91 (84%)	17 (16%)	2	10
19	Q	75/76 (99%)	63 (84%)	12 (16%)	2	10
20	R	88/96 (92%)	69 (78%)	19 (22%)	1	3
21	S	149/192 (78%)	133 (89%)	16 (11%)	6	22
22	T	55/67 (82%)	45 (82%)	10 (18%)	2	7
23	U	55/66 (83%)	45 (82%)	10 (18%)	2	7
24	V	53/55 (96%)	50 (94%)	3 (6%)	18	44
25	W	48/48 (100%)	39 (81%)	9 (19%)	1	6
26	Z	49/53 (92%)	40 (82%)	9 (18%)	1	7
27	1	45/48 (94%)	34 (76%)	11 (24%)	1	2
28	2	39/40 (98%)	28 (72%)	11 (28%)	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
29	3	44/52 (85%)	31 (70%)	13 (30%)	0	1
All	All	2513/2821 (89%)	2090 (83%)	423 (17%)	2	9

5 of 423 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
14	L	43	ILE
18	P	32	ARG
28	2	10	ARG
14	L	93	SER
16	N	8	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 28 such sidechains are listed below:

Mol	Chain	Res	Type
17	O	89	ASN
26	Z	48	ASN
18	P	115	ASN
22	T	17	ASN
18	P	73	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	X	2700/2877 (93%)	586 (21%)	42 (1%)
2	Y	119/124 (95%)	25 (21%)	1 (0%)
All	All	2819/3001 (93%)	611 (21%)	43 (1%)

5 of 611 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	X	4	C
1	X	14	A
1	X	15	G
1	X	23	G
1	X	34	U

5 of 43 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	X	1923	U
1	X	2312	A
1	X	1975	G
1	X	2204	A
1	X	2591	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 455 ligands modelled in this entry, 446 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
33	SPD	X	3322	-	9,9,9	0.32	0	8,8,8	0.62	0
33	SPD	X	3321	-	9,9,9	0.29	0	8,8,8	0.78	0
32	MPD	X	3317	-	7,7,7	0.31	0	9,10,10	0.28	0
30	6NO	X	2901	-	99,105,105	1.54	13 (13%)	129,164,164	1.69	27 (20%)
32	MPD	X	3315	-	7,7,7	0.23	0	9,10,10	0.53	0
33	SPD	X	3320	-	9,9,9	0.30	0	8,8,8	0.91	0
32	MPD	X	3316	-	7,7,7	0.50	0	9,10,10	1.13	1 (11%)
32	MPD	X	3319	-	7,7,7	0.33	0	9,10,10	0.16	0
32	MPD	X	3318	-	7,7,7	0.31	0	9,10,10	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
33	SPD	X	3322	-	-	2/7/7/7	-
33	SPD	X	3321	-	-	2/7/7/7	-
32	MPD	X	3317	-	-	1/5/5/5	-
30	6NO	X	2901	-	-	13/47/211/211	0/11/11/11
32	MPD	X	3315	-	-	5/5/5/5	-
33	SPD	X	3320	-	-	1/7/7/7	-
32	MPD	X	3316	-	-	1/5/5/5	-
32	MPD	X	3319	-	-	5/5/5/5	-
32	MPD	X	3318	-	-	4/5/5/5	-

The worst 5 of 13 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
30	X	2901	6NO	C08-C05	-6.32	1.39	1.51
30	X	2901	6NO	O53-C49	5.70	1.47	1.40
30	X	2901	6NO	C04-C09	-4.28	1.40	1.50
30	X	2901	6NO	O25-C16	4.09	1.48	1.41
30	X	2901	6NO	C51-C50	-3.88	1.47	1.54

The worst 5 of 28 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	X	2901	6NO	C44-O44-C36	-5.69	104.11	114.33
30	X	2901	6NO	O47-C47-C46	-4.31	96.54	103.54
30	X	2901	6NO	C06-C01-C02	3.88	121.94	117.78
30	X	2901	6NO	O44-C36-O40	3.67	120.34	110.69
30	X	2901	6NO	C24-C23-C22	-3.56	108.98	114.99

There are no chirality outliers.

5 of 34 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
30	X	2901	6NO	O33-C29-O39-C39
30	X	2901	6NO	C37-C36-O44-C44
30	X	2901	6NO	O40-C36-O44-C44
30	X	2901	6NO	O52-C52-C75-O75
32	X	3315	MPD	C2-C3-C4-C5

There are no ring outliers.

7 monomers are involved in 25 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
33	X	3322	SPD	3	0
33	X	3321	SPD	3	0
30	X	2901	6NO	3	0
32	X	3315	MPD	3	0
33	X	3320	SPD	1	0
32	X	3316	MPD	11	0
32	X	3319	MPD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	X	2710/2877 (94%)	-0.23	42 (1%) 72 58	25, 91, 200, 334	1 (0%)
2	Y	120/124 (96%)	-0.01	2 (1%) 69 54	97, 137, 188, 213	0
3	A	272/275 (98%)	1.05	57 (20%) 2 4	53, 112, 177, 240	0
4	B	205/211 (97%)	0.24	12 (5%) 28 21	28, 66, 136, 250	0
5	C	195/205 (95%)	0.76	29 (14%) 5 7	56, 103, 204, 281	0
6	D	177/180 (98%)	0.55	18 (10%) 12 12	120, 178, 253, 296	0
7	E	171/185 (92%)	0.26	12 (7%) 22 18	69, 137, 216, 268	0
8	F	63/144 (43%)	1.46	19 (30%) 1 2	142, 200, 295, 418	0
9	G	142/174 (81%)	0.94	27 (19%) 3 4	48, 89, 188, 342	0
10	H	134/134 (100%)	0.16	6 (4%) 38 28	29, 61, 104, 144	0
11	I	134/156 (85%)	1.27	33 (24%) 2 3	51, 120, 206, 280	0
12	J	136/141 (96%)	0.78	23 (16%) 4 5	58, 99, 176, 252	0
13	K	115/116 (99%)	0.17	9 (7%) 19 16	25, 47, 100, 192	0
14	L	104/114 (91%)	1.16	27 (25%) 1 3	65, 124, 188, 298	0
15	M	119/166 (71%)	0.32	7 (5%) 28 21	40, 62, 136, 200	0
16	N	117/118 (99%)	0.58	11 (9%) 14 13	51, 82, 127, 243	0
17	O	97/100 (97%)	0.95	19 (19%) 3 4	63, 107, 193, 284	0
18	P	128/134 (95%)	-0.06	1 (0%) 82 71	17, 64, 110, 190	0
19	Q	93/95 (97%)	0.51	10 (10%) 11 11	57, 103, 159, 219	0
20	R	110/115 (95%)	1.06	25 (22%) 2 3	65, 110, 221, 253	0
21	S	180/237 (75%)	0.57	19 (10%) 11 11	95, 152, 223, 265	0
22	T	74/91 (81%)	0.47	9 (12%) 8 9	66, 101, 148, 193	0
23	U	74/81 (91%)	1.34	20 (27%) 1 2	62, 127, 214, 239	0
24	V	65/67 (97%)	0.32	2 (3%) 51 38	84, 131, 191, 271	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
25	W	55/55 (100%)	-0.02	2 (3%) 46 33	57, 93, 139, 184	0
26	Z	57/60 (95%)	0.06	1 (1%) 67 53	28, 55, 117, 149	0
27	1	53/55 (96%)	1.22	13 (24%) 2 3	82, 147, 236, 292	0
28	2	46/47 (97%)	1.17	8 (17%) 4 5	56, 78, 116, 190	0
29	3	59/66 (89%)	2.13	26 (44%) 0 1	59, 106, 166, 333	0
All	All	6005/6523 (92%)	0.25	489 (8%) 18 15	17, 100, 205, 418	1 (0%)

The worst 5 of 489 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
11	I	34	HIS	11.5
28	2	46	ASP	10.1
5	C	49	ALA	10.0
9	G	159	SER	9.9
23	U	52	ARG	8.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
31	MG	X	3144	1/1	0.34	0.15	76,76,76,76	0
31	MG	X	3273	1/1	0.40	0.15	70,70,70,70	0
31	MG	X	3218	1/1	0.41	0.28	78,78,78,78	0
31	MG	X	3268	1/1	0.43	0.24	115,115,115,115	0
31	MG	X	3313	1/1	0.47	0.28	74,74,74,74	0
31	MG	X	3130	1/1	0.48	0.47	62,62,62,62	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
31	MG	X	3169	1/1	0.51	0.22	77,77,77,77	0
31	MG	X	3262	1/1	0.53	0.15	113,113,113,113	0
31	MG	X	3178	1/1	0.55	0.79	60,60,60,60	0
31	MG	X	2915	1/1	0.55	0.18	39,39,39,39	0
31	MG	X	3142	1/1	0.59	0.25	57,57,57,57	0
31	MG	X	3306	1/1	0.59	0.15	116,116,116,116	0
31	MG	X	3241	1/1	0.59	0.19	85,85,85,85	0
31	MG	X	3309	1/1	0.60	0.23	87,87,87,87	0
31	MG	X	3300	1/1	0.60	0.70	67,67,67,67	0
31	MG	X	3091	1/1	0.64	0.26	49,49,49,49	0
31	MG	X	3229	1/1	0.64	0.40	71,71,71,71	0
31	MG	X	3054	1/1	0.66	0.51	72,72,72,72	0
31	MG	X	3097	1/1	0.66	0.31	63,63,63,63	0
31	MG	X	3126	1/1	0.66	0.45	42,42,42,42	0
31	MG	X	3246	1/1	0.68	0.17	87,87,87,87	0
31	MG	Y	213	1/1	0.68	0.14	83,83,83,83	0
31	MG	X	3314	1/1	0.69	0.29	62,62,62,62	0
31	MG	X	3072	1/1	0.69	0.34	73,73,73,73	0
31	MG	X	3189	1/1	0.70	0.29	61,61,61,61	0
31	MG	X	3102	1/1	0.70	0.36	46,46,46,46	0
31	MG	X	3301	1/1	0.71	0.44	80,80,80,80	0
31	MG	X	3059	1/1	0.71	0.19	51,51,51,51	0
31	MG	X	2965	1/1	0.71	0.32	52,52,52,52	0
31	MG	Y	216	1/1	0.71	0.11	70,70,70,70	0
31	MG	X	3145	1/1	0.72	0.30	83,83,83,83	0
31	MG	X	3087	1/1	0.72	0.21	54,54,54,54	0
31	MG	X	3230	1/1	0.72	0.40	99,99,99,99	0
31	MG	X	3202	1/1	0.72	0.15	64,64,64,64	0
31	MG	X	3216	1/1	0.73	0.32	70,70,70,70	0
31	MG	X	3296	1/1	0.73	0.35	56,56,56,56	0
31	MG	X	3192	1/1	0.73	0.21	55,55,55,55	0
31	MG	X	3234	1/1	0.73	0.37	83,83,83,83	0
31	MG	X	3240	1/1	0.73	0.30	82,82,82,82	0
31	MG	X	3177	1/1	0.74	0.16	75,75,75,75	0
33	SPD	X	3320	10/10	0.74	0.30	44,44,44,44	0
31	MG	Y	218	1/1	0.75	0.16	83,83,83,83	0
31	MG	X	3279	1/1	0.75	0.28	50,50,50,50	0
31	MG	X	3180	1/1	0.76	0.57	115,115,115,115	0
31	MG	X	3263	1/1	0.76	0.23	59,59,59,59	0
31	MG	X	2962	1/1	0.77	0.19	84,84,84,84	0
31	MG	X	3190	1/1	0.77	0.26	56,56,56,56	0
31	MG	X	3089	1/1	0.77	0.31	79,79,79,79	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
31	MG	Y	207	1/1	0.77	0.24	93,93,93,93	0
31	MG	X	3073	1/1	0.78	0.26	94,94,94,94	0
31	MG	X	3105	1/1	0.78	0.23	80,80,80,80	0
31	MG	X	2902	1/1	0.78	0.23	27,27,27,27	0
31	MG	X	3277	1/1	0.78	0.27	39,39,39,39	0
31	MG	X	2973	1/1	0.78	0.24	23,23,23,23	0
31	MG	X	3067	1/1	0.78	0.20	60,60,60,60	0
31	MG	X	3261	1/1	0.78	0.15	78,78,78,78	0
31	MG	X	3039	1/1	0.78	0.33	51,51,51,51	0
32	MPD	X	3318	8/8	0.78	0.20	79,79,79,79	0
31	MG	X	3304	1/1	0.78	0.15	88,88,88,88	0
31	MG	Y	215	1/1	0.79	0.15	81,81,81,81	0
31	MG	X	3302	1/1	0.79	0.48	100,100,100,100	0
31	MG	X	3278	1/1	0.79	0.20	50,50,50,50	0
31	MG	X	3074	1/1	0.79	0.51	61,61,61,61	0
31	MG	X	3289	1/1	0.79	0.31	74,74,74,74	0
31	MG	X	3109	1/1	0.80	0.16	74,74,74,74	0
31	MG	X	3070	1/1	0.80	0.18	39,39,39,39	0
31	MG	X	3249	1/1	0.80	0.24	103,103,103,103	0
31	MG	X	3324	1/1	0.80	0.32	26,26,26,26	0
31	MG	X	3250	1/1	0.80	0.39	73,73,73,73	0
31	MG	X	3251	1/1	0.80	0.12	85,85,85,85	0
31	MG	X	3051	1/1	0.80	0.16	29,29,29,29	0
31	MG	X	3133	1/1	0.80	0.21	73,73,73,73	0
31	MG	X	3198	1/1	0.80	0.17	66,66,66,66	0
31	MG	X	3235	1/1	0.80	0.32	79,79,79,79	0
31	MG	X	3075	1/1	0.80	0.28	52,52,52,52	0
31	MG	X	3195	1/1	0.81	0.47	90,90,90,90	0
31	MG	X	3255	1/1	0.81	0.16	69,69,69,69	0
31	MG	X	3259	1/1	0.81	0.12	69,69,69,69	0
31	MG	X	3137	1/1	0.81	0.23	57,57,57,57	0
31	MG	X	3084	1/1	0.81	0.19	37,37,37,37	0
31	MG	X	3057	1/1	0.81	0.14	36,36,36,36	0
31	MG	X	3088	1/1	0.81	0.12	51,51,51,51	0
31	MG	X	2958	1/1	0.81	0.25	38,38,38,38	0
31	MG	X	3276	1/1	0.81	0.41	114,114,114,114	0
31	MG	X	3174	1/1	0.81	0.42	52,52,52,52	0
31	MG	X	3185	1/1	0.82	0.08	87,87,87,87	0
31	MG	X	3214	1/1	0.82	0.17	71,71,71,71	0
31	MG	X	3292	1/1	0.82	0.22	28,28,28,28	0
31	MG	X	3001	1/1	0.82	0.41	57,57,57,57	0
31	MG	X	3220	1/1	0.83	0.11	66,66,66,66	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
31	MG	X	3298	1/1	0.83	0.23	20,20,20,20	0
31	MG	Y	206	1/1	0.83	0.26	70,70,70,70	0
31	MG	X	3064	1/1	0.83	0.31	76,76,76,76	0
31	MG	Y	212	1/1	0.83	0.20	78,78,78,78	0
31	MG	X	3210	1/1	0.83	0.09	62,62,62,62	0
31	MG	X	3031	1/1	0.83	0.27	64,64,64,64	0
31	MG	X	3287	1/1	0.83	0.24	65,65,65,65	0
31	MG	X	2931	1/1	0.83	0.25	25,25,25,25	0
31	MG	X	3291	1/1	0.83	0.21	116,116,116,116	0
31	MG	X	3132	1/1	0.83	0.20	70,70,70,70	0
31	MG	X	3168	1/1	0.84	0.24	76,76,76,76	0
31	MG	X	3312	1/1	0.84	0.08	71,71,71,71	0
31	MG	X	3094	1/1	0.84	0.32	76,76,76,76	0
31	MG	X	3063	1/1	0.84	0.27	52,52,52,52	0
31	MG	X	3290	1/1	0.84	0.18	71,71,71,71	0
31	MG	Y	201	1/1	0.84	0.20	57,57,57,57	0
31	MG	X	3176	1/1	0.84	0.09	47,47,47,47	0
31	MG	X	3000	1/1	0.84	0.47	82,82,82,82	0
31	MG	X	3236	1/1	0.84	0.12	56,56,56,56	0
31	MG	X	3239	1/1	0.84	0.20	84,84,84,84	0
31	MG	X	3104	1/1	0.84	0.33	70,70,70,70	0
31	MG	X	2919	1/1	0.84	0.27	40,40,40,40	0
31	MG	X	3245	1/1	0.84	0.22	98,98,98,98	0
31	MG	Y	219	1/1	0.84	0.11	81,81,81,81	0
31	MG	X	3003	1/1	0.84	0.39	49,49,49,49	0
31	MG	X	3078	1/1	0.84	0.33	82,82,82,82	0
33	SPD	X	3321	10/10	0.84	0.40	88,88,88,88	0
31	MG	X	3049	1/1	0.85	0.31	70,70,70,70	0
31	MG	X	3173	1/1	0.85	0.28	82,82,82,82	0
31	MG	X	3020	1/1	0.85	0.41	47,47,47,47	0
31	MG	X	3275	1/1	0.85	0.21	70,70,70,70	0
31	MG	X	3069	1/1	0.85	0.23	49,49,49,49	0
31	MG	X	3208	1/1	0.85	0.11	61,61,61,61	0
31	MG	X	2999	1/1	0.85	0.11	29,29,29,29	0
31	MG	X	3033	1/1	0.85	0.21	75,75,75,75	0
31	MG	X	3247	1/1	0.85	0.17	101,101,101,101	0
31	MG	X	3248	1/1	0.85	0.07	87,87,87,87	0
31	MG	X	3215	1/1	0.85	0.40	54,54,54,54	0
31	MG	X	3034	1/1	0.85	0.16	35,35,35,35	0
31	MG	X	3181	1/1	0.85	0.19	51,51,51,51	0
31	MG	X	3293	1/1	0.85	0.21	71,71,71,71	0
31	MG	X	3182	1/1	0.85	0.31	75,75,75,75	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
31	MG	X	3256	1/1	0.85	0.26	48,48,48,48	0
31	MG	T	101	1/1	0.85	0.19	30,30,30,30	0
31	MG	X	3111	1/1	0.85	0.27	49,49,49,49	0
31	MG	X	3161	1/1	0.85	0.23	25,25,25,25	0
31	MG	X	2948	1/1	0.85	0.22	32,32,32,32	0
31	MG	X	3010	1/1	0.86	0.39	72,72,72,72	0
31	MG	X	3266	1/1	0.86	0.28	56,56,56,56	0
31	MG	X	2989	1/1	0.86	0.13	45,45,45,45	0
31	MG	X	3139	1/1	0.86	0.24	29,29,29,29	0
31	MG	X	3283	1/1	0.87	0.14	50,50,50,50	0
31	MG	X	3113	1/1	0.87	0.14	38,38,38,38	0
31	MG	X	3159	1/1	0.87	0.11	31,31,31,31	0
31	MG	X	3329	1/1	0.87	0.14	95,95,95,95	0
31	MG	X	2975	1/1	0.87	0.24	38,38,38,38	0
31	MG	X	3095	1/1	0.87	0.34	65,65,65,65	0
31	MG	X	2981	1/1	0.87	0.19	52,52,52,52	0
31	MG	X	3264	1/1	0.87	0.20	47,47,47,47	0
31	MG	X	2984	1/1	0.87	0.15	22,22,22,22	0
31	MG	X	2905	1/1	0.87	0.24	13,13,13,13	0
31	MG	X	3225	1/1	0.87	0.53	79,79,79,79	0
31	MG	X	3274	1/1	0.87	0.37	74,74,74,74	0
31	MG	X	2990	1/1	0.87	0.07	60,60,60,60	0
31	MG	X	2956	1/1	0.87	0.15	31,31,31,31	0
31	MG	X	2941	1/1	0.87	0.20	40,40,40,40	0
32	MPD	X	3319	8/8	0.87	0.45	91,91,91,91	0
31	MG	X	3252	1/1	0.87	0.46	111,111,111,111	0
31	MG	X	3207	1/1	0.87	0.15	75,75,75,75	0
33	SPD	X	3322	10/10	0.87	0.28	90,90,90,90	0
31	MG	X	3328	1/1	0.88	0.25	33,33,33,33	0
31	MG	X	3212	1/1	0.88	0.20	53,53,53,53	0
31	MG	X	3213	1/1	0.88	0.11	34,34,34,34	0
31	MG	Y	205	1/1	0.88	0.10	44,44,44,44	0
31	MG	X	3056	1/1	0.88	0.33	66,66,66,66	0
31	MG	X	3237	1/1	0.88	0.36	88,88,88,88	0
31	MG	Y	210	1/1	0.88	0.32	64,64,64,64	0
31	MG	X	3194	1/1	0.88	0.15	70,70,70,70	0
31	MG	X	2923	1/1	0.88	0.29	13,13,13,13	0
31	MG	X	3258	1/1	0.88	0.30	56,56,56,56	0
31	MG	X	3303	1/1	0.88	0.18	67,67,67,67	0
31	MG	X	2979	1/1	0.88	0.14	37,37,37,37	0
31	MG	X	3281	1/1	0.88	0.22	54,54,54,54	0
31	MG	X	3307	1/1	0.88	0.18	25,25,25,25	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
31	MG	X	3244	1/1	0.88	0.06	61,61,61,61	0
31	MG	X	3060	1/1	0.88	0.15	47,47,47,47	0
31	MG	X	3021	1/1	0.88	0.22	48,48,48,48	0
31	MG	X	3103	1/1	0.88	0.21	84,84,84,84	0
31	MG	X	3037	1/1	0.88	0.38	60,60,60,60	0
31	MG	X	2932	1/1	0.89	0.25	31,31,31,31	0
31	MG	X	3223	1/1	0.89	0.13	34,34,34,34	0
31	MG	X	3149	1/1	0.89	0.06	24,24,24,24	0
31	MG	X	2971	1/1	0.89	0.34	38,38,38,38	0
31	MG	X	3254	1/1	0.89	0.21	19,19,19,19	0
31	MG	X	2925	1/1	0.89	0.20	9,9,9,9	0
31	MG	X	3233	1/1	0.89	0.51	63,63,63,63	0
31	MG	X	3165	1/1	0.89	0.23	8,8,8,8	0
31	MG	X	3119	1/1	0.89	0.26	62,62,62,62	0
31	MG	X	2988	1/1	0.89	0.32	48,48,48,48	0
31	MG	X	3017	1/1	0.89	0.14	30,30,30,30	0
31	MG	X	3294	1/1	0.89	0.28	78,78,78,78	0
31	MG	X	3131	1/1	0.89	0.11	36,36,36,36	0
31	MG	X	2974	1/1	0.89	0.30	45,45,45,45	0
31	MG	X	3055	1/1	0.89	0.19	49,49,49,49	0
31	MG	X	3135	1/1	0.89	0.37	67,67,67,67	0
31	MG	X	3271	1/1	0.89	0.18	78,78,78,78	0
31	MG	X	3272	1/1	0.89	0.10	105,105,105,105	0
31	MG	X	2914	1/1	0.89	0.22	4,4,4,4	0
31	MG	X	2997	1/1	0.89	0.34	47,47,47,47	0
31	MG	X	3032	1/1	0.89	0.29	39,39,39,39	0
31	MG	X	2978	1/1	0.89	0.21	42,42,42,42	0
31	MG	X	3311	1/1	0.89	0.36	59,59,59,59	0
31	MG	Y	203	1/1	0.90	0.18	30,30,30,30	0
31	MG	X	3127	1/1	0.90	0.61	52,52,52,52	0
31	MG	X	3100	1/1	0.90	0.23	69,69,69,69	0
31	MG	X	2926	1/1	0.90	0.32	23,23,23,23	0
31	MG	Y	209	1/1	0.90	0.15	81,81,81,81	0
31	MG	X	3086	1/1	0.90	0.11	41,41,41,41	0
31	MG	Y	211	1/1	0.90	0.10	59,59,59,59	0
31	MG	X	3166	1/1	0.90	0.21	18,18,18,18	0
31	MG	X	3004	1/1	0.90	0.14	43,43,43,43	0
31	MG	X	2995	1/1	0.90	0.29	41,41,41,41	0
31	MG	X	3170	1/1	0.90	0.62	105,105,105,105	0
31	MG	X	3036	1/1	0.90	0.18	41,41,41,41	0
31	MG	X	2927	1/1	0.90	0.23	9,9,9,9	0
31	MG	J	201	1/1	0.90	0.24	55,55,55,55	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
31	MG	X	3201	1/1	0.90	0.27	69,69,69,69	0
30	6NO	X	2901	95/95	0.90	0.10	114,114,114,114	0
31	MG	X	3204	1/1	0.90	0.19	51,51,51,51	0
31	MG	X	2955	1/1	0.90	0.13	14,14,14,14	0
31	MG	X	3297	1/1	0.90	0.20	25,25,25,25	0
31	MG	X	2970	1/1	0.90	0.36	30,30,30,30	0
31	MG	X	3077	1/1	0.91	0.19	61,61,61,61	0
31	MG	X	2998	1/1	0.91	0.20	50,50,50,50	0
31	MG	X	3114	1/1	0.91	0.49	70,70,70,70	0
31	MG	X	3082	1/1	0.91	0.25	51,51,51,51	0
31	MG	X	3308	1/1	0.91	0.13	46,46,46,46	0
31	MG	X	3026	1/1	0.91	0.24	35,35,35,35	0
31	MG	X	3265	1/1	0.91	0.14	74,74,74,74	0
31	MG	X	2960	1/1	0.91	0.16	30,30,30,30	0
31	MG	X	3128	1/1	0.91	0.11	73,73,73,73	0
31	MG	X	3179	1/1	0.91	0.18	62,62,62,62	0
31	MG	X	2986	1/1	0.91	0.14	42,42,42,42	0
31	MG	X	3325	1/1	0.91	0.10	104,104,104,104	0
31	MG	X	2906	1/1	0.91	0.18	35,35,35,35	0
31	MG	X	3062	1/1	0.91	0.33	49,49,49,49	0
31	MG	X	3184	1/1	0.91	0.25	131,131,131,131	0
31	MG	X	3002	1/1	0.91	0.21	34,34,34,34	0
31	MG	Y	204	1/1	0.91	0.27	60,60,60,60	0
31	MG	X	2920	1/1	0.91	0.29	19,19,19,19	0
31	MG	X	3136	1/1	0.91	0.08	43,43,43,43	0
31	MG	X	2966	1/1	0.91	0.29	32,32,32,32	0
31	MG	Y	208	1/1	0.91	0.05	72,72,72,72	0
31	MG	X	3243	1/1	0.91	0.14	83,83,83,83	0
31	MG	X	3038	1/1	0.91	0.36	32,32,32,32	0
31	MG	X	3286	1/1	0.91	0.08	47,47,47,47	0
31	MG	X	2991	1/1	0.91	0.09	22,22,22,22	0
31	MG	X	3046	1/1	0.91	0.07	64,64,64,64	0
31	MG	X	3016	1/1	0.91	0.19	60,60,60,60	0
31	MG	X	2918	1/1	0.91	0.22	6,6,6,6	0
31	MG	X	2942	1/1	0.91	0.11	19,19,19,19	0
31	MG	X	3160	1/1	0.91	0.24	92,92,92,92	0
31	MG	X	3106	1/1	0.91	0.20	57,57,57,57	0
31	MG	X	3209	1/1	0.91	0.15	52,52,52,52	0
31	MG	3	101	1/1	0.91	0.19	31,31,31,31	0
31	MG	X	3162	1/1	0.91	0.20	20,20,20,20	0
31	MG	X	3107	1/1	0.91	0.08	67,67,67,67	0
31	MG	X	3076	1/1	0.91	0.47	90,90,90,90	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
31	MG	X	3257	1/1	0.91	0.30	77,77,77,77	0
31	MG	X	3110	1/1	0.91	0.14	55,55,55,55	0
31	MG	X	3211	1/1	0.92	0.10	32,32,32,32	0
31	MG	X	3152	1/1	0.92	0.36	74,74,74,74	0
31	MG	X	3156	1/1	0.92	0.44	72,72,72,72	0
31	MG	X	2949	1/1	0.92	0.24	16,16,16,16	0
31	MG	X	2936	1/1	0.92	0.27	21,21,21,21	0
31	MG	X	3053	1/1	0.92	0.17	64,64,64,64	0
31	MG	X	2982	1/1	0.92	0.19	40,40,40,40	0
31	MG	X	3219	1/1	0.92	0.11	85,85,85,85	0
31	MG	X	2937	1/1	0.92	0.16	31,31,31,31	0
31	MG	X	2940	1/1	0.92	0.17	32,32,32,32	0
31	MG	X	2928	1/1	0.92	0.20	10,10,10,10	0
31	MG	X	2916	1/1	0.92	0.21	0,0,0,0	0
31	MG	X	3023	1/1	0.92	0.20	50,50,50,50	0
31	MG	X	3172	1/1	0.92	0.31	60,60,60,60	0
31	MG	X	3043	1/1	0.92	0.41	33,33,33,33	0
31	MG	X	3115	1/1	0.92	0.23	75,75,75,75	0
31	MG	X	3143	1/1	0.92	0.30	56,56,56,56	0
31	MG	X	3260	1/1	0.92	0.13	63,63,63,63	0
31	MG	X	2904	1/1	0.92	0.13	64,64,64,64	0
31	MG	X	3238	1/1	0.92	0.13	50,50,50,50	0
31	MG	X	3122	1/1	0.92	0.19	52,52,52,52	0
31	MG	X	3080	1/1	0.92	0.11	29,29,29,29	0
31	MG	X	3155	1/1	0.93	0.23	68,68,68,68	0
31	MG	X	3083	1/1	0.93	0.21	50,50,50,50	0
31	MG	X	3158	1/1	0.93	0.31	118,118,118,118	0
31	MG	X	3183	1/1	0.93	0.15	40,40,40,40	0
31	MG	X	3052	1/1	0.93	0.11	21,21,21,21	0
31	MG	X	3068	1/1	0.93	0.52	48,48,48,48	0
31	MG	X	3187	1/1	0.93	0.15	57,57,57,57	0
31	MG	X	2912	1/1	0.93	0.26	3,3,3,3	0
31	MG	X	2994	1/1	0.93	0.37	58,58,58,58	0
31	MG	X	2950	1/1	0.93	0.41	31,31,31,31	0
31	MG	X	3228	1/1	0.93	0.33	85,85,85,85	0
31	MG	X	3193	1/1	0.93	0.09	63,63,63,63	0
31	MG	X	3025	1/1	0.93	0.16	33,33,33,33	0
31	MG	X	3231	1/1	0.93	0.09	96,96,96,96	0
31	MG	X	2947	1/1	0.93	0.14	33,33,33,33	0
31	MG	X	3196	1/1	0.93	0.33	95,95,95,95	0
31	MG	X	3141	1/1	0.93	0.20	62,62,62,62	0
31	MG	Y	214	1/1	0.93	0.07	64,64,64,64	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
31	MG	X	3200	1/1	0.93	0.17	64,64,64,64	0
31	MG	X	3058	1/1	0.93	0.15	35,35,35,35	0
31	MG	X	3040	1/1	0.93	0.70	70,70,70,70	0
31	MG	X	3267	1/1	0.93	0.21	50,50,50,50	0
31	MG	A	301	1/1	0.93	0.19	46,46,46,46	0
31	MG	X	3030	1/1	0.93	0.19	0,0,0,0	0
31	MG	M	201	1/1	0.93	0.28	7,7,7,7	0
31	MG	X	2972	1/1	0.93	0.19	33,33,33,33	0
31	MG	X	2980	1/1	0.93	0.13	23,23,23,23	0
32	MPD	X	3317	8/8	0.93	0.31	73,73,73,73	0
31	MG	X	3242	1/1	0.93	0.17	72,72,72,72	0
31	MG	X	3310	1/1	0.93	0.15	63,63,63,63	0
31	MG	X	3150	1/1	0.93	0.26	65,65,65,65	0
31	MG	X	3151	1/1	0.93	0.29	79,79,79,79	0
31	MG	X	2933	1/1	0.93	0.30	32,32,32,32	0
31	MG	X	2907	1/1	0.94	0.17	18,18,18,18	0
31	MG	X	3138	1/1	0.94	0.12	44,44,44,44	0
31	MG	X	3007	1/1	0.94	0.14	30,30,30,30	0
31	MG	X	2908	1/1	0.94	0.18	15,15,15,15	0
31	MG	X	3171	1/1	0.94	0.26	39,39,39,39	0
31	MG	X	3199	1/1	0.94	0.17	53,53,53,53	0
31	MG	X	3012	1/1	0.94	0.31	49,49,49,49	0
31	MG	X	3050	1/1	0.94	0.20	41,41,41,41	0
31	MG	X	3118	1/1	0.94	0.51	113,113,113,113	0
31	MG	X	3099	1/1	0.94	0.20	46,46,46,46	0
31	MG	X	3206	1/1	0.94	0.20	57,57,57,57	0
31	MG	X	3146	1/1	0.94	0.26	46,46,46,46	0
31	MG	X	3121	1/1	0.94	0.22	30,30,30,30	0
31	MG	X	3013	1/1	0.94	0.10	42,42,42,42	0
31	MG	X	3101	1/1	0.94	0.10	52,52,52,52	0
31	MG	X	3014	1/1	0.94	0.36	28,28,28,28	0
31	MG	X	2953	1/1	0.94	0.15	53,53,53,53	0
31	MG	X	3129	1/1	0.94	0.14	21,21,21,21	0
31	MG	X	2961	1/1	0.94	0.25	35,35,35,35	0
31	MG	X	3085	1/1	0.94	0.17	45,45,45,45	0
31	MG	X	2992	1/1	0.94	0.10	25,25,25,25	0
31	MG	X	3188	1/1	0.94	0.11	68,68,68,68	0
32	MPD	X	3316	8/8	0.94	0.17	62,62,62,62	0
31	MG	X	2917	1/1	0.94	0.26	6,6,6,6	0
31	MG	X	3108	1/1	0.94	0.10	74,74,74,74	0
31	MG	X	2987	1/1	0.94	0.65	32,32,32,32	0
31	MG	X	3284	1/1	0.94	0.05	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
31	MG	X	3285	1/1	0.94	0.19	84,84,84,84	0
31	MG	X	3224	1/1	0.94	0.07	32,32,32,32	0
31	MG	X	2913	1/1	0.95	0.24	0,0,0,0	0
31	MG	X	3112	1/1	0.95	0.27	42,42,42,42	0
31	MG	X	2929	1/1	0.95	0.20	21,21,21,21	0
31	MG	X	3270	1/1	0.95	0.25	85,85,85,85	0
31	MG	X	3153	1/1	0.95	0.27	58,58,58,58	0
31	MG	X	3065	1/1	0.95	0.34	57,57,57,57	0
31	MG	X	3221	1/1	0.95	0.13	49,49,49,49	0
31	MG	X	3197	1/1	0.95	0.06	49,49,49,49	0
31	MG	X	3019	1/1	0.95	0.14	44,44,44,44	0
31	MG	X	3157	1/1	0.95	0.23	77,77,77,77	0
31	MG	X	3226	1/1	0.95	0.24	145,145,145,145	0
31	MG	X	2935	1/1	0.95	0.18	15,15,15,15	0
31	MG	X	3009	1/1	0.95	0.21	31,31,31,31	0
31	MG	X	3022	1/1	0.95	0.15	53,53,53,53	0
31	MG	X	2954	1/1	0.95	0.16	36,36,36,36	0
31	MG	X	3125	1/1	0.95	0.12	37,37,37,37	0
31	MG	X	3011	1/1	0.95	0.24	33,33,33,33	0
31	MG	X	2930	1/1	0.95	0.14	26,26,26,26	0
31	MG	N	201	1/1	0.95	0.14	44,44,44,44	0
31	MG	X	3323	1/1	0.95	0.17	22,22,22,22	0
31	MG	X	3186	1/1	0.95	0.10	45,45,45,45	0
31	MG	X	3167	1/1	0.95	0.14	7,7,7,7	0
31	MG	X	3327	1/1	0.95	0.10	66,66,66,66	0
31	MG	X	3044	1/1	0.95	0.07	10,10,10,10	0
31	MG	X	2921	1/1	0.95	0.16	7,7,7,7	0
31	MG	X	2976	1/1	0.95	0.15	29,29,29,29	0
31	MG	Y	202	1/1	0.95	0.20	52,52,52,52	0
31	MG	X	3191	1/1	0.95	0.14	32,32,32,32	0
31	MG	X	2959	1/1	0.96	0.22	39,39,39,39	0
31	MG	X	3047	1/1	0.96	0.34	23,23,23,23	0
31	MG	X	3253	1/1	0.96	0.11	25,25,25,25	0
31	MG	X	3222	1/1	0.96	0.07	21,21,21,21	0
31	MG	X	3164	1/1	0.96	0.19	16,16,16,16	0
31	MG	X	3048	1/1	0.96	0.22	0,0,0,0	0
31	MG	X	2996	1/1	0.96	0.15	41,41,41,41	0
31	MG	X	3005	1/1	0.96	0.09	45,45,45,45	0
31	MG	X	3018	1/1	0.96	0.32	35,35,35,35	0
31	MG	X	3093	1/1	0.96	0.14	44,44,44,44	0
31	MG	X	3295	1/1	0.96	0.12	59,59,59,59	0
31	MG	X	3006	1/1	0.96	0.17	29,29,29,29	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
31	MG	X	2946	1/1	0.96	0.13	11,11,11,11	0
31	MG	X	3116	1/1	0.96	0.08	61,61,61,61	0
31	MG	X	3117	1/1	0.96	0.43	64,64,64,64	0
31	MG	X	3096	1/1	0.96	0.12	50,50,50,50	0
31	MG	X	2910	1/1	0.96	0.15	25,25,25,25	0
31	MG	X	3147	1/1	0.96	0.11	82,82,82,82	0
31	MG	X	3148	1/1	0.96	0.13	29,29,29,29	0
31	MG	X	3269	1/1	0.96	0.10	62,62,62,62	0
31	MG	X	3098	1/1	0.96	0.11	23,23,23,23	0
31	MG	X	2952	1/1	0.96	0.11	31,31,31,31	0
31	MG	K	201	1/1	0.96	0.11	48,48,48,48	0
31	MG	X	3123	1/1	0.96	0.20	18,18,18,18	0
31	MG	X	3124	1/1	0.96	0.10	47,47,47,47	0
31	MG	X	2964	1/1	0.96	0.20	9,9,9,9	0
31	MG	X	2957	1/1	0.96	0.13	26,26,26,26	0
32	MPD	X	3315	8/8	0.96	0.16	62,62,62,62	0
31	MG	X	3041	1/1	0.96	0.08	30,30,30,30	0
31	MG	X	3042	1/1	0.96	0.06	42,42,42,42	0
31	MG	X	2943	1/1	0.96	0.16	35,35,35,35	0
31	MG	X	3217	1/1	0.96	0.18	48,48,48,48	0
31	MG	X	3029	1/1	0.96	0.09	48,48,48,48	0
31	MG	X	3326	1/1	0.96	0.19	55,55,55,55	0
31	MG	X	3045	1/1	0.96	0.78	30,30,30,30	0
31	MG	X	2977	1/1	0.97	0.11	33,33,33,33	0
31	MG	X	3175	1/1	0.97	0.33	72,72,72,72	0
31	MG	X	3027	1/1	0.97	0.13	14,14,14,14	0
31	MG	X	3288	1/1	0.97	0.11	54,54,54,54	0
31	MG	X	2968	1/1	0.97	0.40	34,34,34,34	0
31	MG	X	3134	1/1	0.97	0.28	25,25,25,25	0
31	MG	Y	217	1/1	0.97	0.08	65,65,65,65	0
31	MG	X	2922	1/1	0.97	0.15	12,12,12,12	0
31	MG	X	2909	1/1	0.97	0.13	24,24,24,24	0
31	MG	X	3061	1/1	0.97	0.12	38,38,38,38	0
31	MG	X	2924	1/1	0.97	0.16	26,26,26,26	0
31	MG	X	2963	1/1	0.97	0.17	29,29,29,29	0
31	MG	X	3120	1/1	0.97	0.21	56,56,56,56	0
31	MG	X	2983	1/1	0.97	0.10	27,27,27,27	0
31	MG	X	2951	1/1	0.97	0.13	15,15,15,15	0
31	MG	X	3299	1/1	0.97	0.09	89,89,89,89	0
31	MG	X	3066	1/1	0.97	0.43	48,48,48,48	0
31	MG	X	3008	1/1	0.97	0.37	39,39,39,39	0
31	MG	X	2985	1/1	0.97	0.29	29,29,29,29	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
31	MG	X	2939	1/1	0.97	0.15	24,24,24,24	0
31	MG	X	3024	1/1	0.97	0.23	27,27,27,27	0
31	MG	X	3071	1/1	0.97	0.17	46,46,46,46	0
31	MG	X	3092	1/1	0.97	0.20	53,53,53,53	0
31	MG	X	2934	1/1	0.97	0.17	64,64,64,64	0
31	MG	X	2911	1/1	0.98	0.18	11,11,11,11	0
31	MG	X	3154	1/1	0.98	0.17	70,70,70,70	0
31	MG	X	3015	1/1	0.98	0.12	46,46,46,46	0
31	MG	X	3305	1/1	0.98	0.07	125,125,125,125	0
31	MG	X	3081	1/1	0.98	0.06	16,16,16,16	0
31	MG	X	3227	1/1	0.98	0.13	44,44,44,44	0
31	MG	X	2944	1/1	0.98	0.06	1,1,1,1	0
31	MG	X	2938	1/1	0.98	0.16	8,8,8,8	0
31	MG	X	3203	1/1	0.98	0.06	42,42,42,42	0
31	MG	X	2993	1/1	0.98	0.25	26,26,26,26	0
31	MG	X	3232	1/1	0.98	0.21	8,8,8,8	0
31	MG	X	3205	1/1	0.98	0.05	55,55,55,55	0
31	MG	X	2967	1/1	0.98	0.17	14,14,14,14	0
31	MG	X	3280	1/1	0.98	0.04	84,84,84,84	0
31	MG	X	2903	1/1	0.98	0.10	11,11,11,11	0
31	MG	X	3282	1/1	0.98	0.12	58,58,58,58	0
31	MG	X	3028	1/1	0.98	0.06	3,3,3,3	0
31	MG	X	3163	1/1	0.98	0.18	0,0,0,0	0
31	MG	X	3079	1/1	0.99	0.07	62,62,62,62	0
31	MG	X	2945	1/1	0.99	0.05	32,32,32,32	0
31	MG	X	3035	1/1	0.99	0.05	31,31,31,31	0
31	MG	X	2969	1/1	0.99	0.11	8,8,8,8	0
31	MG	X	3140	1/1	0.99	0.18	27,27,27,27	0
31	MG	X	3090	1/1	1.00	0.05	11,11,11,11	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.