



## wwPDB EM Validation Summary Report ⓘ

Mar 8, 2026 – 02:11 AM UTC

PDB ID : 5KPX / pdb\_00005kpx  
EMDB ID : EMD-8282  
Title : Structure of RelA bound to ribosome in presence of A/R tRNA (Structure IV)  
Authors : Loveland, A.B.; Bah, E.; Madireddy, R.; Zhang, Y.; Brilot, A.F.; Grigorieff, N.; Korostelev, A.A.  
Deposited on : 2016-07-05  
Resolution : 3.90 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132  
MolProbity : 4-5-2 with Phenix2.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







| Metric                | Whole archive<br>(#Entries) | EM structures<br>(#Entries) | Similar EM resolution<br>(#Entries, resolution range(Å)) |
|-----------------------|-----------------------------|-----------------------------|----------------------------------------------------------|
| Clashscore            | 229148                      | 23984                       | -                                                        |
| Ramachandran outliers | 224038                      | 23583                       | -                                                        |
| Sidechain outliers    | 223484                      | 23102                       | -                                                        |
| RNA backbone          | 8273                        | 3508                        | -                                                        |
| Q-score               | -                           | 25397                       | 8855 ( 3.40 - 4.40 )                                     |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain                                                   |
|-----|-------|--------|--------------------------------------------------------------------|
| 1   | A     | 273    | <div><div>41%</div><div>50%</div><div>8%</div><div>.</div></div>   |
| 2   | B     | 209    | <div><div>39%</div><div>58%</div><div>.</div></div>                |
| 3   | C     | 201    | <div><div>5%</div><div>31%</div><div>59%</div><div>10%</div></div> |



















Continued on next page...

*Continued from previous page...*

| Mol | Chain | Length | Quality of chain                                                                     |
|-----|-------|--------|--------------------------------------------------------------------------------------|
| 4   | D     | 179    |    |
| 5   | E     | 177    |    |
| 6   | F     | 149    |    |
| 7   | G     | 165    |    |
| 8   | H     | 142    |    |
| 9   | I     | 142    |    |
| 10  | J     | 123    |    |
| 11  | K     | 144    |    |
| 12  | L     | 136    |    |
| 13  | M     | 127    |    |
| 14  | N     | 117    |    |
| 15  | O     | 115    |    |
| 16  | P     | 118    |  |
| 17  | Q     | 103    |  |
| 18  | R     | 110    |  |
| 19  | S     | 100    |  |
| 20  | T     | 104    |  |
| 21  | U     | 94     |  |
| 22  | V     | 85     |  |
| 23  | W     | 78     |  |
| 24  | X     | 63     |  |
| 25  | Y     | 59     |  |
| 26  | Z     | 70     |  |
| 27  | 1     | 57     |  |
| 28  | 2     | 55     |  |

*Continued on next page...*

Continued from previous page...

| Mol | Chain | Length | Quality of chain                                                                     |
|-----|-------|--------|--------------------------------------------------------------------------------------|
| 29  | 3     | 46     |    |
| 30  | 4     | 65     |    |
| 31  | 5     | 38     |    |
| 32  | 6     | 241    |    |
| 33  | 7     | 233    |    |
| 34  | 8     | 206    |    |
| 35  | 9     | 167    |    |
| 36  | 10    | 135    |    |
| 37  | 11    | 179    |    |
| 38  | 12    | 130    |    |
| 39  | 13    | 130    |    |
| 40  | 14    | 103    |  |
| 41  | 15    | 129    |  |
| 42  | 16    | 124    |  |
| 43  | 17    | 118    |  |
| 44  | 18    | 101    |  |
| 45  | 19    | 89     |  |
| 46  | 20    | 82     |  |
| 47  | 21    | 84     |  |
| 48  | 22    | 75     |  |
| 49  | 23    | 92     |  |
| 50  | 24    | 87     |  |
| 51  | 25    | 71     |  |
| 52  | 26    | 1539   |  |
| 53  | 27    | 2903   |  |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain                                  |
|-----|-------|--------|---------------------------------------------------|
| 54  | 28    | 120    | <div><div></div><div>26%66%8%</div></div>         |
| 55  | 29    | 20     | <div><div></div><div>5%40%50%10%</div></div>      |
| 56  | 30    | 76     | <div><div></div><div>25%53%18%•</div></div>       |
| 57  | 31    | 77     | <div><div></div><div>•36%58%5%</div></div>        |
| 58  | 32    | 77     | <div><div></div><div>5%18%58%23%</div></div>      |
| 59  | 33    | 750    | <div><div></div><div>51%34%45%10%•10%</div></div> |

## 2 Entry composition

There are 59 unique types of molecules in this entry. The entry contains 154603 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L2.

| Mol | Chain | Residues | Atoms |      |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 1   | A     | 271      | Total | C    | N   | O   | S | 0       | 0     |
|     |       |          | 2082  | 1288 | 423 | 364 | 7 |         |       |

- Molecule 2 is a protein called 50S ribosomal protein L3.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 2   | B     | 209      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1565  | 979 | 288 | 294 | 4 |         |       |

- Molecule 3 is a protein called 50S ribosomal protein L4.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 3   | C     | 201      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1552  | 974 | 283 | 290 | 5 |         |       |

- Molecule 4 is a protein called 50S ribosomal protein L5.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 4   | D     | 177      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1410  | 899 | 249 | 256 | 6 |         |       |

- Molecule 5 is a protein called 50S ribosomal protein L6.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 5   | E     | 176      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1323  | 832 | 243 | 246 | 2 |         |       |

- Molecule 6 is a protein called 50S ribosomal protein L9.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 6   | F     | 149      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1111  | 699 | 197 | 214 | 1 |         |       |

- Molecule 7 is a protein called 50S ribosomal protein L10.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 7   | G     | 131      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 988   | 625 | 175 | 183 | 5 |         |       |

- Molecule 8 is a protein called 50S ribosomal protein L11.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 8   | H     | 141      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1032  | 651 | 179 | 196 | 6 |         |       |

- Molecule 9 is a protein called 50S ribosomal protein L13.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 9   | I     | 142      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1129  | 714 | 212 | 199 | 4 |         |       |

- Molecule 10 is a protein called 50S ribosomal protein L14.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 10  | J     | 122      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 938   | 587 | 180 | 165 | 6 |         |       |

- Molecule 11 is a protein called 50S ribosomal protein L15.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 11  | K     | 143      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1045  | 649 | 206 | 189 | 1 |         |       |

- Molecule 12 is a protein called 50S ribosomal protein L16.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 12  | L     | 136      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1074  | 686 | 205 | 177 | 6 |         |       |

- Molecule 13 is a protein called 50S ribosomal protein L17.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 13  | M     | 120      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 960   | 593 | 196 | 166 | 5 |         |       |

- Molecule 14 is a protein called 50S ribosomal protein L18.

| Mol | Chain | Residues | Atoms |     |     |     | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 14  | N     | 116      | Total | C   | N   | O   | 0       | 0     |
|     |       |          | 892   | 552 | 178 | 162 |         |       |

- Molecule 15 is a protein called 50S ribosomal protein L19.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 15  | O     | 114      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 917   | 574 | 179 | 163 | 1 |         |       |

- Molecule 16 is a protein called 50S ribosomal protein L20.

| Mol | Chain | Residues | Atoms |     |     |     | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 16  | P     | 117      | Total | C   | N   | O   | 0       | 0     |
|     |       |          | 947   | 604 | 192 | 151 |         |       |

- Molecule 17 is a protein called 50S ribosomal protein L21.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 17  | Q     | 103      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 816   | 516 | 153 | 145 | 2 |         |       |

- Molecule 18 is a protein called 50S ribosomal protein L22.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 18  | R     | 110      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 857   | 532 | 166 | 156 | 3 |         |       |

- Molecule 19 is a protein called 50S ribosomal protein L23.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 19  | S     | 93       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 738   | 466 | 139 | 131 | 2 |         |       |

- Molecule 20 is a protein called 50S ribosomal protein L24.

| Mol | Chain | Residues | Atoms |     |     |     | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 20  | T     | 102      | Total | C   | N   | O   | 0       | 0     |
|     |       |          | 779   | 492 | 146 | 141 |         |       |

- Molecule 21 is a protein called 50S ribosomal protein L25.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 21  | U     | 94       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 753   | 479 | 137 | 134 | 3 |         |       |

- Molecule 22 is a protein called 50S ribosomal protein L27.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 22  | V     | 75       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 575   | 356 | 116 | 102 | 1 |         |       |

- Molecule 23 is a protein called 50S ribosomal protein L28.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 23  | W     | 77       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 625   | 388 | 129 | 106 | 2 |         |       |

- Molecule 24 is a protein called 50S ribosomal protein L29.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 24  | X     | 63       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 509   | 313 | 99 | 95 | 2 |         |       |

- Molecule 25 is a protein called 50S ribosomal protein L30.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 25  | Y     | 58       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 449   | 281 | 87 | 79 | 2 |         |       |

- Molecule 26 is a protein called 50S ribosomal protein L31.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 26  | Z     | 66       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 522   | 323 | 99 | 94 | 6 |         |       |

- Molecule 27 is a protein called 50S ribosomal protein L32.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 27  | 1     | 56       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 444   | 269 | 94 | 80 | 1 |         |       |

- Molecule 28 is a protein called 50S ribosomal protein L33.

| Mol | Chain | Residues | Atoms |     |    |    | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---------|-------|
| 28  | 2     | 50       | Total | C   | N  | O  | 0       | 0     |
|     |       |          | 409   | 263 | 75 | 71 |         |       |

- Molecule 29 is a protein called 50S ribosomal protein L34.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 29  | 3     | 46       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 377   | 228 | 90 | 57 | 2 |         |       |

- Molecule 30 is a protein called 50S ribosomal protein L35.

| Mol | Chain | Residues | Atoms |     |     |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| 30  | 4     | 64       | Total | C   | N   | O  | S | 0       | 0     |
|     |       |          | 504   | 323 | 105 | 74 | 2 |         |       |

- Molecule 31 is a protein called 50S ribosomal protein L36.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 31  | 5     | 38       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 302   | 185 | 65 | 48 | 4 |         |       |

- Molecule 32 is a protein called 30S ribosomal protein S2.

| Mol | Chain | Residues | Atoms |      |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 32  | 6     | 218      | Total | C    | N   | O   | S | 0       | 0     |
|     |       |          | 1704  | 1081 | 305 | 311 | 7 |         |       |

- Molecule 33 is a protein called 30S ribosomal protein S3.

| Mol | Chain | Residues | Atoms |      |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 33  | 7     | 206      | Total | C    | N   | O   | S | 0       | 0     |
|     |       |          | 1624  | 1028 | 305 | 288 | 3 |         |       |

- Molecule 34 is a protein called 30S ribosomal protein S4.

| Mol | Chain | Residues | Atoms |      |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 34  | 8     | 205      | Total | C    | N   | O   | S | 0       | 0     |
|     |       |          | 1643  | 1026 | 315 | 298 | 4 |         |       |

- Molecule 35 is a protein called 30S ribosomal protein S5.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 35  | 9     | 157      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1156  | 719 | 218 | 213 | 6 |         |       |

- Molecule 36 is a protein called 30S ribosomal protein S6.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 36  | 10    | 100      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 817   | 515 | 148 | 148 | 6 |         |       |

- Molecule 37 is a protein called 30S ribosomal protein S7.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 37  | 11    | 151      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1181  | 735 | 227 | 215 | 4 |         |       |

- Molecule 38 is a protein called 30S ribosomal protein S8.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 38  | 12    | 129      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 979   | 616 | 173 | 184 | 6 |         |       |

- Molecule 39 is a protein called 30S ribosomal protein S9.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 39  | 13    | 127      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1022  | 634 | 206 | 179 | 3 |         |       |

- Molecule 40 is a protein called 30S ribosomal protein S10.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 40  | 14    | 98       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 786   | 493 | 150 | 142 | 1 |         |       |

- Molecule 41 is a protein called 30S ribosomal protein S11.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 41  | 15    | 116      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 869   | 535 | 173 | 158 | 3 |         |       |

- Molecule 42 is a protein called 30S ribosomal protein S12.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 42  | 16    | 123      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 955   | 590 | 196 | 165 | 4 |         |       |

- Molecule 43 is a protein called 30S ribosomal protein S13.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 43  | 17    | 114      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 883   | 546 | 178 | 156 | 3 |         |       |

- Molecule 44 is a protein called 30S ribosomal protein S14.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 44  | 18    | 100      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 805   | 499 | 164 | 139 | 3 |         |       |

- Molecule 45 is a protein called 30S ribosomal protein S15.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 45  | 19    | 88       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 714   | 439 | 144 | 130 | 1 |         |       |

- Molecule 46 is a protein called 30S ribosomal protein S16.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 46  | 20    | 82       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 649   | 406 | 128 | 114 | 1 |         |       |

- Molecule 47 is a protein called 30S ribosomal protein S17.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 47  | 21    | 80       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 648   | 411 | 121 | 113 | 3 |         |       |

- Molecule 48 is a protein called 30S ribosomal protein S18.

| Mol | Chain | Residues | Atoms |     |     |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| 48  | 22    | 65       | Total | C   | N   | O  | S | 0       | 0     |
|     |       |          | 535   | 339 | 100 | 95 | 1 |         |       |

- Molecule 49 is a protein called 30S ribosomal protein S19.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 49  | 23    | 79       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 637   | 408 | 120 | 107 | 2 |         |       |

- Molecule 50 is a protein called 30S ribosomal protein S20.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 50  | 24    | 85       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 665   | 411 | 137 | 114 | 3 |         |       |

- Molecule 51 is a protein called 30S ribosomal protein S21.

| Mol | Chain | Residues | Atoms |     |     |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| 51  | 25    | 65       | Total | C   | N   | O  | S | 0       | 0     |
|     |       |          | 544   | 335 | 117 | 91 | 1 |         |       |

- Molecule 52 is a RNA chain called 16S ribosomal RNA.

| Mol | Chain | Residues | Atoms |       |      |       |      | AltConf | Trace |
|-----|-------|----------|-------|-------|------|-------|------|---------|-------|
| 52  | 26    | 1539     | Total | C     | N    | O     | P    | 0       | 0     |
|     |       |          | 33016 | 14725 | 6052 | 10700 | 1539 |         |       |

- Molecule 53 is a RNA chain called 23S ribosomal RNA.

| Mol | Chain | Residues | Atoms |       |       |       |      | AltConf | Trace |
|-----|-------|----------|-------|-------|-------|-------|------|---------|-------|
| 53  | 27    | 2903     | Total | C     | N     | O     | P    | 0       | 0     |
|     |       |          | 62322 | 27801 | 11468 | 20150 | 2903 |         |       |

There are 2 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment  | Reference    |
|-------|---------|----------|--------|----------|--------------|
| 27    | 747     | C        | U      | conflict | GB 802133627 |
| 27    | 1847    | G        | A      | conflict | GB 802133627 |

- Molecule 54 is a RNA chain called 5S ribosomal RNA.

| Mol | Chain | Residues | Atoms |      |     |     |     | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|-----|---------|-------|
| 54  | 28    | 120      | Total | C    | N   | O   | P   | 0       | 0     |
|     |       |          | 2572  | 1145 | 471 | 836 | 120 |         |       |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment  | Reference     |
|-------|---------|----------|--------|----------|---------------|
| 28    | 120     | A        | -      | conflict | GB 1028475309 |

- Molecule 55 is a RNA chain called mRNA.

| Mol | Chain | Residues | Atoms |     |    |     |    | AltConf | Trace |
|-----|-------|----------|-------|-----|----|-----|----|---------|-------|
| 55  | 29    | 20       | Total | C   | N  | O   | P  | 0       | 0     |
|     |       |          | 432   | 195 | 86 | 132 | 19 |         |       |

- Molecule 56 is a RNA chain called A-site tRNAPhe.

| Mol | Chain | Residues | Atoms |     |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 56  | 30    | 76       | Total | C   | N   | O   | P  | 0       | 0     |
|     |       |          | 1623  | 723 | 290 | 534 | 76 |         |       |

- Molecule 57 is a RNA chain called P-site tRNAfMet.

| Mol | Chain | Residues | Atoms |     |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 57  | 31    | 77       | Total | C   | N   | O   | P  | 0       | 0     |
|     |       |          | 1644  | 732 | 297 | 538 | 77 |         |       |

- Molecule 58 is a RNA chain called E-site tRNAfMet.

| Mol | Chain | Residues | Atoms |     |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 58  | 32    | 77       | Total | C   | N   | O   | P  | 0       | 0     |
|     |       |          | 1643  | 732 | 297 | 537 | 77 |         |       |

- Molecule 59 is a protein called GTP pyrophosphokinase.

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 59  | 33    | 675      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 4911  | 3070 | 904 | 915 | 22 |         |       |


There are 7 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment        | Reference  |
|-------|---------|----------|--------|----------------|------------|
| 33    | -5      | MET      | -      | expression tag | UNP P0AG20 |
| 33    | -4      | HIS      | -      | expression tag | UNP P0AG20 |
| 33    | -3      | HIS      | -      | expression tag | UNP P0AG20 |
| 33    | -2      | HIS      | -      | expression tag | UNP P0AG20 |
| 33    | -1      | HIS      | -      | expression tag | UNP P0AG20 |
| 33    | 0       | HIS      | -      | expression tag | UNP P0AG20 |
| 33    | 1       | HIS      | -      | expression tag | UNP P0AG20 |

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: 50S ribosomal protein L2




#### • Molecule 2: 50S ribosomal protein L3




#### • Molecule 3: 50S ribosomal protein L4






• Molecule 4: 50S ribosomal protein L5

Chain D: 35% 55% 8%




• Molecule 5: 50S ribosomal protein L6

Chain E: 42% 53% 5%




• Molecule 6: 50S ribosomal protein L9


Chain F: 34% 53% 55% 11%




Chain G:  56% 24% 44% 10% 21%



Chain H:  56% 30% 58% 10%



Chain I:  44% 54%



Chain J:  41% 52% 7%







- Molecule 11: 50S ribosomal protein L15




- Molecule 12: 50S ribosomal protein L16



- Molecule 13: 50S ribosomal protein L17




- Molecule 14: 50S ribosomal protein L18




- Molecule 15: 50S ribosomal protein L19






• Molecule 16: 50S ribosomal protein L20

Chain P: 47% 47% 5%




• Molecule 17: 50S ribosomal protein L21

Chain Q: 28% 58% 14%



• Molecule 18: 50S ribosomal protein L22

Chain R: 47% 46% 6%




• Molecule 19: 50S ribosomal protein L23

Chain S: 40% 47% 6% 7%




• Molecule 20: 50S ribosomal protein L24


Chain T: 34% 52% 12%




- Molecule 21: 50S ribosomal protein L25




- Molecule 22: 50S ribosomal protein L27



- Molecule 23: 50S ribosomal protein L28



- Molecule 24: 50S ribosomal protein L29





- Molecule 25: 50S ribosomal protein L30







- Molecule 26: 50S ribosomal protein L31



- Molecule 27: 50S ribosomal protein L32



- Molecule 28: 50S ribosomal protein L33




- Molecule 29: 50S ribosomal protein L34




- Molecule 30: 50S ribosomal protein L35



- Molecule 31: 50S ribosomal protein L36



- Molecule 32: 30S ribosomal protein S2




- Molecule 36: 30S ribosomal protein S6


- Molecule 37: 30S ribosomal protein S7

- Molecule 38: 30S ribosomal protein S8


- Molecule 39: 30S ribosomal protein S9




• Molecule 40: 30S ribosomal protein S10




• Molecule 41: 30S ribosomal protein S11



• Molecule 42: 30S ribosomal protein S12





• Molecule 43: 30S ribosomal protein S13






- Molecule 44: 30S ribosomal protein S14

Chain 18: 24% 67% 8%





- Molecule 45: 30S ribosomal protein S15

Chain 19: 56% 38%




- Molecule 46: 30S ribosomal protein S16

Chain 20: 37% 56% 7%




- Molecule 47: 30S ribosomal protein S17

Chain 21: 35% 51% 10% 5%




- Molecule 48: 30S ribosomal protein S18


Chain 22: 29% 44% 12% 13%




- Molecule 49: 30S ribosomal protein S19



- Molecule 50: 30S ribosomal protein S20




- Molecule 51: 30S ribosomal protein S21



- Molecule 52: 16S ribosomal RNA









• Molecule 53: 23S ribosomal RNA

Chain 27: 26% 62% 11%








|       |       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| A2518 | A2450 | G2316 | G2242 | C2175 | G2110 | U2041 | G1972 | G1903 | C1830 | G1770 | C1694 | G1623 | A1551 |
| U2519 | A2451 | A2317 | U2243 | A2176 | U2111 | A2042 | G1973 | G1904 | G1831 | C1771 | C1695 | G1629 | A1552 |
| C2520 | A2452 | G2318 | U2244 | C2177 | G2112 | C2043 | C1974 | G1905 | C1836 | A1772 | G1696 | U1629 | G1585 |
| C2521 | A2453 | G2319 | U2245 | C2178 | U2113 | G2048 | A1977 | G1906 | C1837 | A1773 | G1697 | A1632 | G1586 |
| U2522 | G2454 | U2320 | G2246 | C2179 | G2114 | C2049 | U1978 | C1907 | C1838 | C1774 | A1698 | G1633 | G1560 |
| G2523 | A2455 | U2321 | U2247 | U2182 | G2115 | C2050 | U1979 | C1908 | G1839 | C1775 | G1699 | C1561 | C1561 |
| G2524 | C2456 | U2322 | C2248 | U2183 | G2116 | C2051 | G1980 | C1909 | C1840 | C1776 | G1705 | U1636 | U1562 |
| G2525 | U2460 | U2323 | G2249 | U2184 | A2117 | A2052 | G1981 | C1910 | G1842 | U1777 | C1706 | A1637 | U1563 |
| C2526 | A2461 | G2324 | G2250 | U2185 | G2117 | A2053 | U1982 | C1911 | C1843 | U1778 | C1707 | U1638 | C1564 |
| C2527 | C2462 | A2325 | G2251 | U2186 | G2118 | G2054 | U1983 | C1912 | C1844 | C1779 | G1708 | C1639 | C1565 |
| C2463 | C2463 | G2326 | G2252 | U2187 | G2119 | A2054 | U1984 | C1913 | C1845 | U1780 | C1709 | A1640 | A1566 |
| C2466 | U2466 | U2327 | G2256 | U2188 | G2120 | G2055 | G1984 | C1914 | G1846 | U1781 | U1709 | G1567 | G1567 |
| A2530 | C2467 | U2287 | U2257 | U2189 | G2121 | G2056 | G1985 | C1915 | G1847 | U1782 | G1710 | G1568 | A1569 |
| A2531 | U2398 | C2288 | C2288 | G2190 | G2122 | G2057 | C1986 | C1916 | A1848 | A1783 | A1713 | A1570 | A1571 |
| U2533 | G2399 | G2331 | G2331 | A2191 | G2123 | A2058 | U1991 | C1917 | G1850 | U1784 | U1714 | U1647 | U1648 |
| A2534 | U2402 | G2332 | G2332 | U2192 | G2124 | A2059 | U1992 | U1923 | A1853 | A1785 | G1715 | G1651 | A1572 |
| U2537 | G2405 | U2333 | G2333 | U2193 | G2125 | G2060 | U1993 | C1924 | A1854 | A1786 | U1720 | G1652 | C1576 |
| C2538 | A2406 | A2334 | C2334 | U2194 | G2126 | A2061 | U1994 | U1925 | A1857 | U1787 | G1721 | G1653 | U1576 |
| G2543 | A2407 | U2335 | G2335 | U2195 | G2127 | G2062 | C1994 | C1926 | G1857 | C1788 | U1725 | A1654 | C1577 |
| G2544 | U2408 | G2336 | A2267 | U2196 | G2128 | C2063 | U1995 | G1929 | C1858 | A1789 | C1726 | A1655 | U1578 |
| U2477 | G2409 | C2337 | A2268 | C2200 | U2131 | C2064 | C1996 | G1930 | C1859 | C1790 | U1727 | C1656 | U1584 |
| U2546 | G2410 | A2338 | A2269 | G2201 | U2132 | C2065 | U1997 | G1931 | C1860 | C1791 | C1728 | C1657 | C1585 |
| A2547 | A2411 | G2339 | G2270 | G2202 | G2133 | U2067 | C1998 | A1932 | C1861 | C1792 | C1729 | G1660 | C1586 |
| U2548 | A2412 | C2342 | G2271 | U2203 | A2134 | G2068 | C2000 | C1933 | C1862 | C1793 | C1728 | G1661 | U1591 |
| U2549 | G2415 | U2343 | G2272 | U2204 | A2135 | G2069 | C2001 | C1934 | C1863 | C1794 | C1729 | G1662 | C1592 |
| U2550 | G2416 | U2344 | A2273 | G2205 | G2136 | A2070 | U2007 | C1935 | C1864 | C1795 | U1729 | G1663 | A1591 |
| G2553 | C2417 | U2345 | G2274 | C2206 | U2137 | A2071 | C2008 | A1936 | C1865 | C1796 | C1730 | G1664 | A1592 |
| U2554 | A2418 | G2346 | G2275 | C2207 | G2138 | C2072 | A2009 | C1937 | C1866 | C1797 | C1731 | G1665 | A1593 |
| C2487 | C2419 | U2347 | G2276 | C2208 | U2139 | U2074 | G2010 | A1938 | C1867 | C1798 | C1732 | A1664 | C1594 |
| U2555 | U2420 | U2348 | A2281 | C2209 | A2142 | U2075 | U2011 | C1941 | C1868 | C1799 | G1733 | A1665 | A1594 |
| U2489 | G2421 | G2349 | G2282 | U2210 | C2143 | U2076 | U2012 | C1942 | C1869 | C1800 | G1734 | C1666 | A1595 |
| U2500 | C2422 | G2350 | C2283 | A2211 | G2144 | U2077 | A2013 | U1943 | C1870 | A1802 | A1735 | G1667 | C1596 |
| A2503 | U2423 | G2351 | A2284 | A2212 | C2145 | U2078 | U2014 | C1944 | C1871 | A1803 | A1736 | A1668 | A1597 |
| G2504 | G2424 | G2352 | G2285 | U2213 | G2146 | A2080 | U2015 | U1946 | C1872 | A1804 | C1737 | A1669 | C1598 |
| U2505 | C2425 | G2353 | G2286 | C2214 | A2147 | U2081 | U2016 | C1947 | C1873 | A1805 | A1744 | C1670 | U1599 |
| U2506 | A2426 | U2356 | A2287 | C2215 | G2148 | A2082 | G2017 | C1948 | C1874 | C1806 | A1745 | U1671 | C1600 |
| C2507 | G2427 | G2357 | A2288 | G2216 | U2149 | G2083 | A2019 | G1949 | C1875 | A1807 | A1746 | G1672 | A1603 |
| G2508 | C2428 | U2358 | G2289 | G2217 | C2150 | U2084 | A2020 | U1950 | C1876 | A1808 | U1747 | G1673 | C1604 |
| C2509 | G2429 | G2359 | U2290 | U2220 | U2155 | U2085 | U2022 | C1951 | C1877 | A1809 | C1748 | C1674 | C1605 |
| C2510 | A2430 | G2360 | U2291 | G2221 | G2156 | G2087 | C2023 | A1952 | C1878 | A1810 | A1749 | A1675 | C1606 |
| A2503 | U2431 | G2361 | U2292 | C2222 | G2157 | U2088 | G2024 | C1953 | C1879 | A1811 | G1750 | A1676 | C1607 |
| U2504 | A2432 | G2362 | G2293 | C2223 | A2158 | C2089 | C2025 | U1955 | C1880 | A1812 | C1751 | A1677 | C1608 |
| G2505 | A2433 | C2363 | U2294 | A2225 | G2159 | A2090 | U2026 | C1956 | C1881 | A1813 | U1751 | A1678 | A1608 |
| U2506 | A2434 | G2364 | U2295 | C2226 | C2160 | C2091 | G2027 | C1957 | C1882 | A1814 | A1754 | A1679 | A1609 |
| C2507 | G2435 | G2365 | A2297 | A2227 | C2161 | U2092 | G2028 | C1958 | C1883 | G1817 | G1756 | G1680 | A1610 |
| U2508 | U2436 | A2366 | U2298 | G2230 | G2162 | G2093 | U2029 | C1959 | C1884 | A1818 | U1758 | G1682 | C1611 |
| C2509 | G2437 | U2367 | U2299 | U2231 | C2165 | A2094 | A2030 | A1960 | C1885 | U1819 | U1759 | G1683 | C1612 |
| G2510 | U2441 | G2370 | C2300 | U2232 | U2166 | A2097 | A2031 | C1961 | C1886 | U1820 | A1760 | G1684 | G1613 |
| C2511 | C2442 | G2371 | U2305 | U2233 | U2167 | U2098 | G2032 | C1962 | C1887 | A1821 | C1761 | C1685 | A1614 |
| U2512 | G2443 | U2372 | G2234 | G2234 | G2168 | U2099 | A2033 | U1963 | C1888 | A1822 | A1762 | C1686 | C1615 |
| C2513 | G2444 | G2373 | C2309 | G2237 | A2169 | C2104 | G2035 | G1964 | C1889 | G1823 | C1763 | C1687 | C1616 |
| U2514 | G2445 | C2374 | C2310 | G2237 | A2170 | U2105 | G2036 | C1967 | C1890 | G1824 | C1764 | C1688 | C1617 |
| C2515 | C2446 | U2311 | A2311 | G2238 | U2170 | U2106 | A2037 | C1968 | C1891 | U1825 | C1765 | C1689 | G1618 |
| U2516 | G2447 | G2312 | U2239 | G2238 | U2171 | G2107 | G2038 | G1969 | C1892 | U1826 | U1766 | A1690 | G1619 |
| G2517 | A2448 | U2240 | U2240 | G2239 | A2172 | A2108 | U2039 | A1970 | C1893 | G1827 | G1766 | C1691 | U1620 |
| A2518 | G2449 | G2381 | U2241 | U2241 | A2173 | U2109 | G2040 | U1971 | C1894 | A1828 | U1767 | U1692 | U1621 |
| C2519 | U2450 | G2382 | A2241 | A2241 | C2174 | U2109 | G2040 | U1971 | C1895 | A1829 | U1767 | U1693 | G1622 |





• Molecule 54: 5S ribosomal RNA




• Molecule 55: mRNA



• Molecule 56: A-site tRNA<sup>Phe</sup>




• Molecule 57: P-site tRNA<sup>fMet</sup>







• Molecule 58: E-site tRNA<sup>f</sup>Met



• Molecule 59: GTP pyrophosphokinase





## 4 Experimental information

| Property                             | Value                                   | Source    |
|--------------------------------------|-----------------------------------------|-----------|
| EM reconstruction method             | SINGLE PARTICLE                         | Depositor |
| Imposed symmetry                     | POINT, Not provided                     |           |
| Number of particles used             | 57430                                   | Depositor |
| Resolution determination method      | FSC 0.143 CUT-OFF                       | Depositor |
| CTF correction method                | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope                           | FEI TITAN KRIOS                         | Depositor |
| Voltage (kV)                         | 300                                     | Depositor |
| Electron dose ( $e^-/\text{\AA}^2$ ) | 1.6                                     | Depositor |
| Minimum defocus (nm)                 | 500                                     | Depositor |
| Maximum defocus (nm)                 | 2200                                    | Depositor |
| Magnification                        | 30488                                   | Depositor |
| Image detector                       | GATAN K2 SUMMIT (4k x 4k)               | Depositor |
| Maximum map value                    | 0.490                                   | Depositor |
| Minimum map value                    | -0.157                                  | Depositor |
| Average map value                    | -0.006                                  | Depositor |
| Map value standard deviation         | 0.043                                   | Depositor |
| Recommended contour level            | 0.1                                     | Depositor |
| Map size (Å)                         | 393.6, 393.6, 393.6                     | wwPDB     |
| Map dimensions                       | 480, 480, 480                           | wwPDB     |
| Map angles (°)                       | 90.0, 90.0, 90.0                        | wwPDB     |
| Pixel spacing (Å)                    | 0.82, 0.82, 0.82                        | Depositor |

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths |         | Bond angles |                |
|-----|-------|--------------|---------|-------------|----------------|
|     |       | RMSZ         | # Z  >5 | RMSZ        | # Z  >5        |
| 1   | A     | 0.37         | 0/2121  | 1.13        | 24/2852 (0.8%) |
| 2   | B     | 0.41         | 0/1586  | 1.04        | 8/2134 (0.4%)  |
| 3   | C     | 0.43         | 0/1571  | 1.13        | 19/2113 (0.9%) |
| 4   | D     | 0.37         | 0/1434  | 1.08        | 14/1926 (0.7%) |
| 5   | E     | 0.42         | 0/1343  | 1.15        | 12/1816 (0.7%) |
| 6   | F     | 0.52         | 0/1122  | 1.11        | 11/1515 (0.7%) |
| 7   | G     | 0.59         | 0/1001  | 1.32        | 16/1350 (1.2%) |
| 8   | H     | 0.65         | 0/1046  | 1.26        | 16/1410 (1.1%) |
| 9   | I     | 0.39         | 0/1152  | 0.99        | 7/1551 (0.5%)  |
| 10  | J     | 0.40         | 0/947   | 1.11        | 11/1268 (0.9%) |
| 11  | K     | 0.40         | 0/1054  | 1.12        | 12/1403 (0.9%) |
| 12  | L     | 0.37         | 0/1093  | 0.95        | 3/1460 (0.2%)  |
| 13  | M     | 0.37         | 0/973   | 1.03        | 4/1301 (0.3%)  |
| 14  | N     | 0.36         | 0/902   | 0.98        | 6/1209 (0.5%)  |
| 15  | O     | 0.38         | 0/929   | 1.10        | 8/1242 (0.6%)  |
| 16  | P     | 0.39         | 0/960   | 0.97        | 4/1278 (0.3%)  |
| 17  | Q     | 0.40         | 0/829   | 1.20        | 10/1107 (0.9%) |
| 18  | R     | 0.40         | 0/864   | 1.09        | 7/1156 (0.6%)  |
| 19  | S     | 0.37         | 0/744   | 1.12        | 8/994 (0.8%)   |
| 20  | T     | 0.35         | 0/787   | 1.18        | 12/1051 (1.1%) |
| 21  | U     | 0.37         | 0/766   | 0.97        | 2/1025 (0.2%)  |
| 22  | V     | 0.38         | 0/582   | 1.00        | 4/769 (0.5%)   |
| 23  | W     | 0.40         | 0/635   | 1.10        | 6/848 (0.7%)   |
| 24  | X     | 0.40         | 0/510   | 1.02        | 3/677 (0.4%)   |
| 25  | Y     | 0.39         | 0/453   | 1.00        | 1/605 (0.2%)   |
| 26  | Z     | 0.45         | 0/531   | 1.18        | 8/709 (1.1%)   |
| 27  | 1     | 0.40         | 0/450   | 1.02        | 1/599 (0.2%)   |
| 28  | 2     | 0.39         | 0/416   | 0.96        | 3/554 (0.5%)   |
| 29  | 3     | 0.46         | 0/380   | 0.97        | 0/498          |
| 30  | 4     | 0.39         | 0/513   | 1.02        | 5/676 (0.7%)   |
| 31  | 5     | 0.38         | 0/303   | 1.06        | 3/397 (0.8%)   |
| 32  | 6     | 0.45         | 0/1735  | 1.13        | 16/2338 (0.7%) |
| 33  | 7     | 0.41         | 0/1651  | 1.05        | 12/2225 (0.5%) |
| 34  | 8     | 0.40         | 0/1665  | 1.09        | 14/2227 (0.6%) |

| Mol | Chain | Bond lengths |                  | Bond angles |                   |
|-----|-------|--------------|------------------|-------------|-------------------|
|     |       | RMSZ         | # Z  >5          | RMSZ        | # Z  >5           |
| 35  | 9     | 0.41         | 0/1169           | 1.09        | 12/1573 (0.8%)    |
| 36  | 10    | 0.42         | 0/835            | 1.13        | 7/1128 (0.6%)     |
| 37  | 11    | 0.38         | 0/1195           | 1.15        | 15/1602 (0.9%)    |
| 38  | 12    | 0.38         | 0/989            | 1.04        | 4/1326 (0.3%)     |
| 39  | 13    | 0.40         | 0/1034           | 1.15        | 10/1375 (0.7%)    |
| 40  | 14    | 0.46         | 0/796            | 1.13        | 10/1077 (0.9%)    |
| 41  | 15    | 0.40         | 0/885            | 1.25        | 13/1195 (1.1%)    |
| 42  | 16    | 0.42         | 0/969            | 1.27        | 14/1300 (1.1%)    |
| 43  | 17    | 0.38         | 0/892            | 1.03        | 4/1193 (0.3%)     |
| 44  | 18    | 0.36         | 0/817            | 1.00        | 3/1088 (0.3%)     |
| 45  | 19    | 0.36         | 0/722            | 1.02        | 4/964 (0.4%)      |
| 46  | 20    | 0.40         | 0/659            | 1.10        | 8/884 (0.9%)      |
| 47  | 21    | 0.39         | 0/657            | 1.08        | 4/881 (0.5%)      |
| 48  | 22    | 0.46         | 0/544            | 1.10        | 5/731 (0.7%)      |
| 49  | 23    | 0.40         | 0/652            | 1.16        | 7/877 (0.8%)      |
| 50  | 24    | 0.36         | 0/671            | 1.09        | 6/888 (0.7%)      |
| 51  | 25    | 0.46         | 0/550            | 1.23        | 4/728 (0.5%)      |
| 52  | 26    | 0.47         | 0/36967          | 0.59        | 16/57666 (0.0%)   |
| 53  | 27    | 0.49         | 0/69801          | 0.61        | 35/108894 (0.0%)  |
| 54  | 28    | 0.45         | 0/2876           | 0.57        | 3/4483 (0.1%)     |
| 55  | 29    | 0.55         | 0/486            | 0.62        | 0/757             |
| 56  | 30    | 0.56         | 0/1813           | 0.66        | 2/2823 (0.1%)     |
| 57  | 31    | 0.47         | 0/1836           | 0.51        | 0/2859            |
| 58  | 32    | 0.67         | 0/1835           | 0.66        | 0/2857            |
| 59  | 33    | 0.85         | 15/4985 (0.3%)   | 1.42        | 82/6770 (1.2%)    |
| All | All   | 0.48         | 15/167683 (0.0%) | 0.79        | 558/250202 (0.2%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 52  | 26    | 0                   | 16                  |
| 53  | 27    | 0                   | 37                  |
| 56  | 30    | 0                   | 2                   |
| 58  | 32    | 0                   | 1                   |
| 59  | 33    | 0                   | 2                   |
| All | All   | 0                   | 58                  |

The worst 5 of 15 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms   | Z      | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|---------|--------|-------------|----------|
| 59  | 33    | 156 | ARG  | CZ-NH2  | -10.87 | 1.19        | 1.33     |
| 59  | 33    | 17  | PRO  | CA-CB   | -9.92  | 1.39        | 1.53     |
| 59  | 33    | 20  | TRP  | NE1-CE2 | -7.66  | 1.29        | 1.37     |
| 59  | 33    | 152 | LYS  | CD-CE   | -6.88  | 1.31        | 1.52     |
| 59  | 33    | 159 | HIS  | CG-ND1  | -6.53  | 1.31        | 1.38     |

The worst 5 of 558 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms      | Z      | Observed(°) | Ideal(°) |
|-----|-------|-----|------|------------|--------|-------------|----------|
| 42  | 16    | 22  | ALA  | N-CA-C     | -14.76 | 95.32       | 113.18   |
| 51  | 25    | 20  | ARG  | N-CA-C     | -14.64 | 94.73       | 112.89   |
| 59  | 33    | 555 | GLN  | N-CA-C     | -12.79 | 97.37       | 113.23   |
| 59  | 33    | 17  | PRO  | N-CA-CB    | -12.18 | 89.93       | 103.33   |
| 59  | 33    | 156 | ARG  | NH1-CZ-NH2 | -11.67 | 104.13      | 119.30   |

There are no chirality outliers.

5 of 58 planarity outliers are listed below:

| Mol | Chain | Res | Type | Group     |
|-----|-------|-----|------|-----------|
| 52  | 26    | 117 | G    | Sidechain |
| 52  | 26    | 159 | G    | Sidechain |
| 52  | 26    | 239 | U    | Sidechain |
| 52  | 26    | 266 | G    | Sidechain |
| 52  | 26    | 438 | U    | Sidechain |

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1   | A     | 2082  | 0        | 2157     | 173     | 0            |
| 2   | B     | 1565  | 0        | 1616     | 132     | 0            |
| 3   | C     | 1552  | 0        | 1619     | 129     | 0            |
| 4   | D     | 1410  | 0        | 1447     | 116     | 0            |
| 5   | E     | 1323  | 0        | 1374     | 81      | 0            |
| 6   | F     | 1111  | 0        | 1148     | 89      | 0            |
| 7   | G     | 988   | 0        | 1025     | 117     | 0            |
| 8   | H     | 1032  | 0        | 1088     | 105     | 0            |
| 9   | I     | 1129  | 0        | 1162     | 78      | 0            |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 10  | J     | 938   | 0        | 1012     | 65      | 0            |
| 11  | K     | 1045  | 0        | 1117     | 88      | 0            |
| 12  | L     | 1074  | 0        | 1157     | 69      | 0            |
| 13  | M     | 960   | 0        | 1000     | 67      | 0            |
| 14  | N     | 892   | 0        | 923      | 70      | 0            |
| 15  | O     | 917   | 0        | 965      | 76      | 0            |
| 16  | P     | 947   | 0        | 1022     | 83      | 0            |
| 17  | Q     | 816   | 0        | 839      | 87      | 0            |
| 18  | R     | 857   | 0        | 922      | 48      | 0            |
| 19  | S     | 738   | 0        | 807      | 48      | 0            |
| 20  | T     | 779   | 0        | 834      | 51      | 0            |
| 21  | U     | 753   | 0        | 780      | 49      | 0            |
| 22  | V     | 575   | 0        | 592      | 36      | 0            |
| 23  | W     | 625   | 0        | 655      | 41      | 0            |
| 24  | X     | 509   | 0        | 543      | 33      | 0            |
| 25  | Y     | 449   | 0        | 491      | 18      | 0            |
| 26  | Z     | 522   | 0        | 521      | 50      | 0            |
| 27  | 1     | 444   | 0        | 461      | 40      | 0            |
| 28  | 2     | 409   | 0        | 440      | 26      | 0            |
| 29  | 3     | 377   | 0        | 418      | 36      | 0            |
| 30  | 4     | 504   | 0        | 574      | 43      | 0            |
| 31  | 5     | 302   | 0        | 343      | 33      | 0            |
| 32  | 6     | 1704  | 0        | 1732     | 111     | 0            |
| 33  | 7     | 1624  | 0        | 1699     | 115     | 0            |
| 34  | 8     | 1643  | 0        | 1710     | 152     | 0            |
| 35  | 9     | 1156  | 0        | 1199     | 124     | 0            |
| 36  | 10    | 817   | 0        | 808      | 79      | 0            |
| 37  | 11    | 1181  | 0        | 1240     | 77      | 0            |
| 38  | 12    | 979   | 0        | 1034     | 72      | 0            |
| 39  | 13    | 1022  | 0        | 1070     | 114     | 0            |
| 40  | 14    | 786   | 0        | 828      | 84      | 0            |
| 41  | 15    | 869   | 0        | 878      | 91      | 0            |
| 42  | 16    | 955   | 0        | 1019     | 98      | 0            |
| 43  | 17    | 883   | 0        | 944      | 79      | 0            |
| 44  | 18    | 805   | 0        | 847      | 109     | 0            |
| 45  | 19    | 714   | 0        | 737      | 30      | 0            |
| 46  | 20    | 649   | 0        | 666      | 74      | 0            |
| 47  | 21    | 648   | 0        | 691      | 68      | 0            |
| 48  | 22    | 535   | 0        | 552      | 55      | 0            |
| 49  | 23    | 637   | 0        | 665      | 58      | 0            |
| 50  | 24    | 665   | 0        | 714      | 62      | 0            |
| 51  | 25    | 544   | 0        | 579      | 76      | 0            |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Non-H  | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|--------|----------|----------|---------|--------------|
| 52  | 26    | 33016  | 0        | 16617    | 1357    | 0            |
| 53  | 27    | 62322  | 0        | 31345    | 2399    | 0            |
| 54  | 28    | 2572   | 0        | 1302     | 112     | 0            |
| 55  | 29    | 432    | 0        | 218      | 15      | 0            |
| 56  | 30    | 1623   | 0        | 821      | 58      | 0            |
| 57  | 31    | 1644   | 0        | 836      | 33      | 0            |
| 58  | 32    | 1643   | 0        | 836      | 78      | 0            |
| 59  | 33    | 4911   | 0        | 4550     | 643     | 0            |
| All | All   | 154603 | 0        | 105189   | 7748    | 0            |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 30.

The worst 5 of 7748 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1            | Atom-2           | Interatomic distance (Å) | Clash overlap (Å) |
|-------------------|------------------|--------------------------|-------------------|
| 59:33:188:ARG:NH1 | 59:33:377:LEU:HA | 1.23                     | 1.40              |
| 59:33:24:LEU:HD21 | 59:33:70:SER:HA  | 1.19                     | 1.16              |
| 59:33:17:PRO:HB3  | 59:33:39:TRP:NE1 | 1.58                     | 1.15              |
| 34:8:84:ASN:HD22  | 34:8:87:GLU:HG3  | 0.98                     | 1.15              |
| 59:33:188:ARG:NH1 | 59:33:377:LEU:CA | 2.09                     | 1.14              |

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed      | Favoured  | Allowed  | Outliers | Percentiles |    |
|-----|-------|---------------|-----------|----------|----------|-------------|----|
| 1   | A     | 269/273 (98%) | 218 (81%) | 34 (13%) | 17 (6%)  | 1           | 15 |
| 2   | B     | 207/209 (99%) | 175 (84%) | 25 (12%) | 7 (3%)   | 3           | 24 |
| 3   | C     | 199/201 (99%) | 157 (79%) | 23 (12%) | 19 (10%) | 0           | 8  |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Analysed      | Favoured  | Allowed  | Outliers | Percentiles |    |
|-----|-------|---------------|-----------|----------|----------|-------------|----|
| 4   | D     | 175/179 (98%) | 143 (82%) | 23 (13%) | 9 (5%)   | 1           | 17 |
| 5   | E     | 174/177 (98%) | 148 (85%) | 19 (11%) | 7 (4%)   | 2           | 21 |
| 6   | F     | 147/149 (99%) | 116 (79%) | 20 (14%) | 11 (8%)  | 1           | 12 |
| 7   | G     | 129/165 (78%) | 91 (70%)  | 27 (21%) | 11 (8%)  | 0           | 10 |
| 8   | H     | 139/142 (98%) | 107 (77%) | 21 (15%) | 11 (8%)  | 1           | 11 |
| 9   | I     | 140/142 (99%) | 120 (86%) | 16 (11%) | 4 (3%)   | 3           | 26 |
| 10  | J     | 120/123 (98%) | 94 (78%)  | 19 (16%) | 7 (6%)   | 1           | 16 |
| 11  | K     | 141/144 (98%) | 108 (77%) | 18 (13%) | 15 (11%) | 0           | 6  |
| 12  | L     | 134/136 (98%) | 104 (78%) | 17 (13%) | 13 (10%) | 0           | 8  |
| 13  | M     | 118/127 (93%) | 95 (80%)  | 18 (15%) | 5 (4%)   | 2           | 20 |
| 14  | N     | 114/117 (97%) | 92 (81%)  | 16 (14%) | 6 (5%)   | 1           | 17 |
| 15  | O     | 112/115 (97%) | 96 (86%)  | 13 (12%) | 3 (3%)   | 4           | 28 |
| 16  | P     | 115/118 (98%) | 99 (86%)  | 13 (11%) | 3 (3%)   | 4           | 28 |
| 17  | Q     | 101/103 (98%) | 74 (73%)  | 19 (19%) | 8 (8%)   | 1           | 11 |
| 18  | R     | 108/110 (98%) | 84 (78%)  | 17 (16%) | 7 (6%)   | 1           | 15 |
| 19  | S     | 91/100 (91%)  | 76 (84%)  | 13 (14%) | 2 (2%)   | 5           | 31 |
| 20  | T     | 100/104 (96%) | 81 (81%)  | 11 (11%) | 8 (8%)   | 1           | 11 |
| 21  | U     | 92/94 (98%)   | 75 (82%)  | 13 (14%) | 4 (4%)   | 2           | 20 |
| 22  | V     | 73/85 (86%)   | 64 (88%)  | 5 (7%)   | 4 (6%)   | 1           | 17 |
| 23  | W     | 75/78 (96%)   | 65 (87%)  | 7 (9%)   | 3 (4%)   | 2           | 21 |
| 24  | X     | 61/63 (97%)   | 53 (87%)  | 2 (3%)   | 6 (10%)  | 0           | 8  |
| 25  | Y     | 56/59 (95%)   | 48 (86%)  | 4 (7%)   | 4 (7%)   | 1           | 13 |
| 26  | Z     | 64/70 (91%)   | 49 (77%)  | 8 (12%)  | 7 (11%)  | 0           | 6  |
| 27  | 1     | 54/57 (95%)   | 39 (72%)  | 9 (17%)  | 6 (11%)  | 0           | 6  |
| 28  | 2     | 48/55 (87%)   | 39 (81%)  | 8 (17%)  | 1 (2%)   | 5           | 31 |
| 29  | 3     | 44/46 (96%)   | 38 (86%)  | 4 (9%)   | 2 (4%)   | 2           | 19 |
| 30  | 4     | 62/65 (95%)   | 49 (79%)  | 11 (18%) | 2 (3%)   | 3           | 25 |
| 31  | 5     | 36/38 (95%)   | 28 (78%)  | 5 (14%)  | 3 (8%)   | 0           | 10 |
| 32  | 6     | 216/241 (90%) | 158 (73%) | 40 (18%) | 18 (8%)  | 0           | 10 |
| 33  | 7     | 204/233 (88%) | 174 (85%) | 24 (12%) | 6 (3%)   | 3           | 26 |
| 34  | 8     | 203/206 (98%) | 166 (82%) | 27 (13%) | 10 (5%)  | 1           | 18 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Analysed        | Favoured   | Allowed   | Outliers | Percentiles |    |
|-----|-------|-----------------|------------|-----------|----------|-------------|----|
| 35  | 9     | 155/167 (93%)   | 119 (77%)  | 20 (13%)  | 16 (10%) | 0           | 7  |
| 36  | 10    | 98/135 (73%)    | 71 (72%)   | 18 (18%)  | 9 (9%)   | 0           | 9  |
| 37  | 11    | 149/179 (83%)   | 125 (84%)  | 16 (11%)  | 8 (5%)   | 1           | 17 |
| 38  | 12    | 127/130 (98%)   | 109 (86%)  | 14 (11%)  | 4 (3%)   | 3           | 25 |
| 39  | 13    | 125/130 (96%)   | 93 (74%)   | 16 (13%)  | 16 (13%) | 0           | 4  |
| 40  | 14    | 96/103 (93%)    | 74 (77%)   | 10 (10%)  | 12 (12%) | 0           | 4  |
| 41  | 15    | 114/129 (88%)   | 89 (78%)   | 15 (13%)  | 10 (9%)  | 0           | 10 |
| 42  | 16    | 121/124 (98%)   | 90 (74%)   | 21 (17%)  | 10 (8%)  | 0           | 10 |
| 43  | 17    | 112/118 (95%)   | 89 (80%)   | 15 (13%)  | 8 (7%)   | 1           | 13 |
| 44  | 18    | 98/101 (97%)    | 74 (76%)   | 16 (16%)  | 8 (8%)   | 0           | 11 |
| 45  | 19    | 86/89 (97%)     | 73 (85%)   | 10 (12%)  | 3 (4%)   | 3           | 23 |
| 46  | 20    | 80/82 (98%)     | 59 (74%)   | 20 (25%)  | 1 (1%)   | 9           | 40 |
| 47  | 21    | 78/84 (93%)     | 57 (73%)   | 14 (18%)  | 7 (9%)   | 0           | 10 |
| 48  | 22    | 63/75 (84%)     | 44 (70%)   | 11 (18%)  | 8 (13%)  | 0           | 4  |
| 49  | 23    | 77/92 (84%)     | 62 (80%)   | 11 (14%)  | 4 (5%)   | 1           | 17 |
| 50  | 24    | 83/87 (95%)     | 71 (86%)   | 9 (11%)   | 3 (4%)   | 2           | 23 |
| 51  | 25    | 63/71 (89%)     | 36 (57%)   | 14 (22%)  | 13 (21%) | 0           | 1  |
| 59  | 33    | 663/750 (88%)   | 559 (84%)  | 61 (9%)   | 43 (6%)  | 1           | 15 |
| All | All   | 6509/6970 (93%) | 5217 (80%) | 860 (13%) | 432 (7%) | 2           | 14 |

5 of 432 Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1   | A     | 97  | ASP  |
| 1   | A     | 107 | LYS  |
| 1   | A     | 121 | ALA  |
| 1   | A     | 143 | VAL  |
| 1   | A     | 154 | ALA  |

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

| Mol | Chain | Analysed       | Rotameric  | Outliers | Percentiles |     |
|-----|-------|----------------|------------|----------|-------------|-----|
| 1   | A     | 216/218 (99%)  | 215 (100%) | 1 (0%)   | 81          | 82  |
| 2   | B     | 164/164 (100%) | 164 (100%) | 0        | 100         | 100 |
| 3   | C     | 165/165 (100%) | 163 (99%)  | 2 (1%)   | 63          | 72  |
| 4   | D     | 148/150 (99%)  | 147 (99%)  | 1 (1%)   | 76          | 78  |
| 5   | E     | 137/138 (99%)  | 137 (100%) | 0        | 100         | 100 |
| 6   | F     | 114/114 (100%) | 114 (100%) | 0        | 100         | 100 |
| 7   | G     | 100/123 (81%)  | 99 (99%)   | 1 (1%)   | 68          | 75  |
| 8   | H     | 109/110 (99%)  | 108 (99%)  | 1 (1%)   | 70          | 75  |
| 9   | I     | 116/116 (100%) | 116 (100%) | 0        | 100         | 100 |
| 10  | J     | 103/104 (99%)  | 103 (100%) | 0        | 100         | 100 |
| 11  | K     | 102/103 (99%)  | 100 (98%)  | 2 (2%)   | 48          | 65  |
| 12  | L     | 109/109 (100%) | 109 (100%) | 0        | 100         | 100 |
| 13  | M     | 100/103 (97%)  | 99 (99%)   | 1 (1%)   | 68          | 75  |
| 14  | N     | 86/87 (99%)    | 86 (100%)  | 0        | 100         | 100 |
| 15  | O     | 99/100 (99%)   | 98 (99%)   | 1 (1%)   | 68          | 75  |
| 16  | P     | 89/90 (99%)    | 89 (100%)  | 0        | 100         | 100 |
| 17  | Q     | 84/84 (100%)   | 84 (100%)  | 0        | 100         | 100 |
| 18  | R     | 93/93 (100%)   | 93 (100%)  | 0        | 100         | 100 |
| 19  | S     | 80/84 (95%)    | 80 (100%)  | 0        | 100         | 100 |
| 20  | T     | 83/85 (98%)    | 83 (100%)  | 0        | 100         | 100 |
| 21  | U     | 78/78 (100%)   | 78 (100%)  | 0        | 100         | 100 |
| 22  | V     | 57/63 (90%)    | 57 (100%)  | 0        | 100         | 100 |
| 23  | W     | 67/68 (98%)    | 67 (100%)  | 0        | 100         | 100 |
| 24  | X     | 55/55 (100%)   | 55 (100%)  | 0        | 100         | 100 |
| 25  | Y     | 48/49 (98%)    | 48 (100%)  | 0        | 100         | 100 |
| 26  | Z     | 59/62 (95%)    | 58 (98%)   | 1 (2%)   | 53          | 68  |
| 27  | 1     | 47/48 (98%)    | 47 (100%)  | 0        | 100         | 100 |
| 28  | 2     | 45/49 (92%)    | 45 (100%)  | 0        | 100         | 100 |
| 29  | 3     | 38/38 (100%)   | 37 (97%)   | 1 (3%)   | 40          | 60  |
| 30  | 4     | 51/52 (98%)    | 51 (100%)  | 0        | 100         | 100 |
| 31  | 5     | 34/34 (100%)   | 34 (100%)  | 0        | 100         | 100 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Analysed        | Rotameric  | Outliers | Percentiles |     |
|-----|-------|-----------------|------------|----------|-------------|-----|
| 32  | 6     | 180/199 (90%)   | 178 (99%)  | 2 (1%)   | 65          | 74  |
| 33  | 7     | 170/190 (90%)   | 168 (99%)  | 2 (1%)   | 63          | 72  |
| 34  | 8     | 172/173 (99%)   | 171 (99%)  | 1 (1%)   | 78          | 80  |
| 35  | 9     | 119/126 (94%)   | 116 (98%)  | 3 (2%)   | 42          | 62  |
| 36  | 10    | 87/116 (75%)    | 87 (100%)  | 0        | 100         | 100 |
| 37  | 11    | 124/147 (84%)   | 124 (100%) | 0        | 100         | 100 |
| 38  | 12    | 104/105 (99%)   | 104 (100%) | 0        | 100         | 100 |
| 39  | 13    | 105/107 (98%)   | 103 (98%)  | 2 (2%)   | 50          | 66  |
| 40  | 14    | 86/90 (96%)     | 86 (100%)  | 0        | 100         | 100 |
| 41  | 15    | 89/99 (90%)     | 88 (99%)   | 1 (1%)   | 65          | 74  |
| 42  | 16    | 103/104 (99%)   | 103 (100%) | 0        | 100         | 100 |
| 43  | 17    | 92/96 (96%)     | 91 (99%)   | 1 (1%)   | 65          | 74  |
| 44  | 18    | 83/84 (99%)     | 83 (100%)  | 0        | 100         | 100 |
| 45  | 19    | 76/77 (99%)     | 76 (100%)  | 0        | 100         | 100 |
| 46  | 20    | 65/65 (100%)    | 65 (100%)  | 0        | 100         | 100 |
| 47  | 21    | 74/78 (95%)     | 73 (99%)   | 1 (1%)   | 59          | 71  |
| 48  | 22    | 56/65 (86%)     | 56 (100%)  | 0        | 100         | 100 |
| 49  | 23    | 70/79 (89%)     | 70 (100%)  | 0        | 100         | 100 |
| 50  | 24    | 65/66 (98%)     | 65 (100%)  | 0        | 100         | 100 |
| 51  | 25    | 55/61 (90%)     | 55 (100%)  | 0        | 100         | 100 |
| 59  | 33    | 452/635 (71%)   | 446 (99%)  | 6 (1%)   | 61          | 71  |
| All | All   | 5303/5698 (93%) | 5272 (99%) | 31 (1%)  | 76          | 80  |

5 of 31 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 33  | 7     | 102 | ILE  |
| 59  | 33    | 267 | ASN  |
| 35  | 9     | 122 | VAL  |
| 59  | 33    | 425 | LEU  |
| 47  | 21    | 78  | VAL  |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 117 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 25  | Y     | 8   | GLN  |
| 59  | 33    | 264 | GLN  |
| 34  | 8     | 99  | ASN  |
| 59  | 33    | 235 | HIS  |
| 46  | 20    | 9   | HIS  |

### 5.3.3 RNA ⓘ

| Mol | Chain | Analysed        | Backbone Outliers | Pucker Outliers |
|-----|-------|-----------------|-------------------|-----------------|
| 52  | 26    | 1538/1539 (99%) | 190 (12%)         | 8 (0%)          |
| 53  | 27    | 2902/2903 (99%) | 411 (14%)         | 22 (0%)         |
| 54  | 28    | 119/120 (99%)   | 9 (7%)            | 1 (0%)          |
| 55  | 29    | 19/20 (95%)     | 4 (21%)           | 0               |
| 56  | 30    | 75/76 (98%)     | 20 (26%)          | 1 (1%)          |
| 57  | 31    | 76/77 (98%)     | 6 (7%)            | 0               |
| 58  | 32    | 76/77 (98%)     | 22 (28%)          | 1 (1%)          |
| All | All   | 4805/4812 (99%) | 662 (13%)         | 33 (0%)         |

5 of 662 RNA backbone outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 52  | 26    | 9   | G    |
| 52  | 26    | 13  | U    |
| 52  | 26    | 22  | G    |
| 52  | 26    | 32  | A    |
| 52  | 26    | 39  | G    |

5 of 33 RNA pucker outliers are listed below:

| Mol | Chain | Res  | Type |
|-----|-------|------|------|
| 53  | 27    | 2756 | U    |
| 53  | 27    | 2873 | A    |
| 58  | 32    | 16   | C    |
| 53  | 27    | 858  | G    |
| 53  | 27    | 774  | G    |

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-8282. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


### 6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 250




Y Index: 247




Z Index: 220


### 6.3.2 Raw map



X Index: 250



Y Index: 250




Z Index: 222


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)

### 6.4.1 Primary map



### 6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

This section was not generated.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1983 nm<sup>3</sup>; this corresponds to an approximate mass of 1791 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.256 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.256 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)

| Resolution estimate (Å)   | Estimation criterion (FSC cut-off) |      |          |
|---------------------------|------------------------------------|------|----------|
|                           | 0.143                              | 0.5  | Half-bit |
| Reported by author        | 3.90                               | -    | -        |
| Author-provided FSC curve | -                                  | -    | -        |
| Unmasked-calculated*      | 4.60                               | 6.27 | 4.70     |

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.60 differs from the reported value 3.9 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-8282 and PDB model 5KPX. Per-residue inclusion information can be found in section 3 on page 15.

### 9.1 Map-model overlay [i](#)

This section was not generated.

### 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

### 9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 91% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion                                                                             | Q-score                                                                                    |
|-------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| All   |  0.9120   |  0.3580   |
| 1     |  0.8690   |  0.3750   |
| 10    |  0.8790   |  0.3680   |
| 11    |  0.8610   |  0.3410   |
| 12    |  0.8490   |  0.3650   |
| 13    |  0.8740   |  0.3400   |
| 14    |  0.8200   |  0.3440   |
| 15    |  0.8770   |  0.3640   |
| 16    |  0.7890   |  0.3860   |
| 17    |  0.8580   |  0.3420   |
| 18    |  0.8590   |  0.3500   |
| 19    |  0.8670   |  0.3410   |
| 2     |  0.7850   |  0.3840   |
| 20    |  0.8610   |  0.3570   |
| 21    |  0.8590  |  0.3780  |
| 22    |  0.8870 |  0.3740 |
| 23    |  0.8650 |  0.3510 |
| 24    |  0.8620 |  0.3240 |
| 25    |  0.7700 |  0.3200 |
| 26    |  0.9900 |  0.3690 |
| 27    |  0.9880 |  0.3720 |
| 28    |  0.9940 |  0.3690 |
| 29    |  0.9260 |  0.3270 |
| 3     |  0.8730 |  0.3670 |
| 30    |  0.9530 |  0.2870 |
| 31    |  0.9650 |  0.3590 |
| 32    |  0.8090 |  0.2580 |
| 33    |  0.3570 |  0.1640 |
| 4     |  0.8330 |  0.3790 |
| 5     |  0.8600 |  0.3810 |
| 6     |  0.4950 |  0.3230 |
| 7     |  0.8330 |  0.3720 |
| 8     |  0.8290 |  0.3240 |
| 9     |  0.8540 |  0.3800 |
| A     |  0.8500 |  0.3970 |



*Continued on next page...*

*Continued from previous page...*

| Chain | Atom inclusion                                                                             | Q-score                                                                                    |
|-------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| B     |  0.8620   |  0.3950   |
| C     |  0.7900   |  0.3460   |
| D     |  0.8670   |  0.3520   |
| E     |  0.8760   |  0.3640   |
| F     |  0.4120   |  0.3110   |
| G     |  0.2890   |  0.2640   |
| H     |  0.3830   |  0.2580   |
| I     |  0.8740   |  0.3680   |
| J     |  0.8010   |  0.4000   |
| K     |  0.8680   |  0.3750   |
| L     |  0.8240   |  0.3960   |
| M     |  0.8850   |  0.3680   |
| N     |  0.8920   |  0.3440   |
| O     |  0.8580   |  0.3920   |
| P     |  0.8770   |  0.3470   |
| Q     |  0.8790   |  0.3790   |
| R     |  0.8210   |  0.3720   |
| S     |  0.8640   |  0.3700   |
| T     |  0.8890   |  0.3650   |
| U     |  0.8350  |  0.3680  |
| V     |  0.8640 |  0.3950 |
| W     |  0.8700 |  0.3670 |
| X     |  0.8430 |  0.2950 |
| Y     |  0.8470 |  0.3630 |
| Z     |  0.8650 |  0.3540 |