



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 5, 2026 – 01:36 PM UTC

PDB ID : 5KTG / pdb_00005ktg
Title : Crystal structure of mouse Bak BH3-in-groove homodimer (GFP)
Authors : Mandal, T.; Choe, J.-Y.; Oh, K.J.
Deposited on : 2016-07-11
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	309	4% 54% 35% 11%
1	B	309	6% 51% 38% 10%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 4910 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Green fluorescent protein, Bcl-2 homologous antagonist/killer.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	309	Total	C	N	O	S	0	0	0
			2455	1566	416	465	8			
1	B	309	Total	C	N	O	S	0	0	0
			2455	1566	416	465	8			


There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	66	CR2	SER	chromophore	UNP P42212
A	66	CR2	TYR	chromophore	UNP P42212
A	66	CR2	GLY	chromophore	UNP P42212
A	72	ALA	SER	conflict	UNP P42212
A	206	ASN	ALA	conflict	UNP P42212
A	231	GLY	-	linker	UNP P42212
A	232	SER	-	linker	UNP P42212
A	1084	CYS	ASN	conflict	UNP O08734
B	66	CR2	SER	chromophore	UNP P42212
B	66	CR2	TYR	chromophore	UNP P42212
B	66	CR2	GLY	chromophore	UNP P42212
B	72	ALA	SER	conflict	UNP P42212
B	206	ASN	ALA	conflict	UNP P42212
B	231	GLY	-	linker	UNP P42212
B	232	SER	-	linker	UNP P42212
B	1084	CYS	ASN	conflict	UNP O08734


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Green fluorescent protein, Bcl-2 homologous antagonist/killer



- Molecule 1: Green fluorescent protein, Bcl-2 homologous antagonist/killer



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	171.64Å 171.64Å 98.19Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.55 – 2.80 49.55 – 2.80	Depositor EDS
% Data completeness (in resolution range)	97.0 (49.55-2.80) 94.8 (49.55-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.15	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.39 (at 2.81Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.244 , 0.275 0.258 , 0.288	Depositor DCC
R_{free} test set	1949 reflections (4.73%)	wwPDB-VP
Wilson B-factor (Å ²)	62.9	Xtriage
Anisotropy	0.299	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.25 , 34.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	0.057 for -h,-k,l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4910	wwPDB-VP
Average B, all atoms (Å ²)	91.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CR2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.09	5/2489 (0.2%)	1.34	15/3363 (0.4%)
1	B	1.14	10/2489 (0.4%)	1.38	20/3363 (0.6%)
All	All	1.11	15/4978 (0.3%)	1.36	35/6726 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	3
All	All	0	5

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	1140	VAL	CA-CB	8.39	1.64	1.54
1	B	1139	TYR	CA-C	7.24	1.62	1.52
1	B	1141	TYR	CA-C	7.21	1.61	1.52
1	A	1068	ILE	CA-C	6.70	1.60	1.52
1	B	1134	TYR	CA-C	6.58	1.61	1.52
1	B	1138	LEU	N-CA	6.01	1.53	1.46
1	A	72	ALA	CA-CB	-5.74	1.44	1.53
1	B	1140	VAL	N-CA	5.73	1.53	1.46
1	B	1110	THR	CA-CB	5.67	1.62	1.53
1	B	1138	LEU	CA-C	5.63	1.60	1.52
1	A	83	PHE	CA-C	-5.56	1.45	1.52
1	B	1094	LEU	CA-C	5.32	1.60	1.52
1	A	1105	ALA	CA-CB	-5.31	1.45	1.53
1	B	1081	ASP	CA-C	5.23	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1068	ILE	CA-CB	5.15	1.61	1.54

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1122	SER	N-CA-C	-11.42	93.16	108.24
1	B	174	GLY	N-CA-C	-7.50	105.18	114.92
1	B	120	VAL	N-CA-C	7.19	119.17	108.46
1	B	4	GLY	N-CA-C	-7.11	105.42	114.37
1	A	1134	TYR	N-CA-C	-7.07	103.51	111.07
1	A	1066	ASN	N-CA-C	-7.02	93.80	107.62
1	A	231	GLY	N-CA-C	-6.97	102.90	112.25
1	A	1122	SER	N-CA-C	-6.81	99.18	108.38
1	A	142	GLU	N-CA-C	-6.76	101.80	110.53
1	A	117	ASP	N-CA-C	-6.59	104.99	113.16
1	B	225	THR	N-CA-C	6.55	120.17	109.24
1	A	105	ASN	N-CA-C	6.51	118.97	109.07
1	B	1083	ILE	N-CA-C	6.29	116.40	110.30
1	B	1112	ILE	N-CA-C	-6.07	102.79	111.17
1	A	44	LEU	N-CA-C	6.07	119.13	108.75
1	B	133	ASP	N-CA-C	-6.02	105.92	113.20
1	A	53	LEU	N-CA-C	5.93	117.48	109.24
1	A	1134	TYR	CA-CB-CG	5.83	124.40	113.90
1	B	113	LYS	N-CA-C	-5.71	100.67	109.52
1	A	1077	ALA	N-CA-C	5.58	117.17	111.14
1	A	111	GLU	N-CA-C	-5.56	99.34	108.41
1	A	158	LYS	N-CA-C	5.50	119.69	112.92
1	B	1107	GLU	N-CA-C	5.49	117.07	111.14
1	B	14	ILE	N-CA-C	5.45	115.54	108.35
1	B	1091	PHE	N-CA-C	5.36	116.98	111.03
1	A	55	VAL	N-CA-C	5.31	113.74	107.84
1	B	212	ASN	N-CA-C	-5.28	105.17	111.03
1	B	144	ASN	N-CA-C	5.21	117.46	109.95
1	A	188	ILE	N-CA-C	-5.20	106.07	111.58
1	B	1142	GLN	N-CA-C	5.17	117.00	111.36
1	B	147	SER	N-CA-C	-5.14	103.61	110.55
1	B	1098	LEU	N-CA-C	5.09	117.65	107.62
1	B	1097	GLN	CA-C-N	-5.06	115.66	123.14
1	B	1097	GLN	C-N-CA	-5.06	115.66	123.14
1	B	150	VAL	N-CA-C	5.03	115.21	107.77

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1066	ASN	Peptide
1	A	232	SER	Peptide
1	B	1098	LEU	Peptide
1	B	230	THR	Peptide
1	B	3	LYS	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2455	0	2395	80	2
1	B	2455	0	2395	97	1
All	All	4910	0	4790	169	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:133:ASP:O	1:B:140:LYS:NZ	2.03	0.91
1:B:64:PHE:O	1:B:66:CR2:HA31	1.71	0.90
1:B:208:SER:C	1:B:219:VAL:HG12	2.10	0.77
1:B:1088:ASP:OD2	1:B:1135:ARG:NH1	2.18	0.77
1:B:1116:LEU:O	1:B:1119:SER:OG	2.02	0.76
1:B:66:CR2:HD1	1:B:222:GLU:OE2	1.89	0.73
1:B:206:ASN:OD1	1:B:207:LEU:N	2.27	0.67
1:B:1130:LEU:HD12	1:B:1133:GLY:HA3	1.77	0.66
1:A:1122:SER:O	1:A:1126:VAL:HG23	1.97	0.65
1:B:1130:LEU:CD1	1:B:1133:GLY:HA3	2.27	0.65
1:B:209:LYS:NZ	1:B:217:HIS:O	2.30	0.65
1:B:96:ARG:NH2	1:B:183:GLN:OE1	2.31	0.62
1:A:1090:GLU:HA	1:A:1093:ASN:HB2	1.81	0.62
1:A:58:PRO:HA	1:A:61:VAL:HG23	1.81	0.62
1:B:1123:TRP:O	1:B:1126:VAL:N	2.32	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:64:PHE:C	1:B:66:CR2:HA31	2.26	0.61
1:B:2:SER:O	1:B:5:GLU:N	2.30	0.60
1:B:208:SER:O	1:B:219:VAL:HG12	1.99	0.60
1:A:1130:LEU:HD12	1:A:1133:GLY:HA3	1.84	0.59
1:B:171:ILE:HG22	1:B:173:ASP:H	1.67	0.59
1:B:1112:ILE:O	1:B:1116:LEU:HG	2.02	0.59
1:A:46:PHE:CE2	1:A:64:PHE:CG	2.92	0.58
1:B:232:SER:OG	1:B:1066:ASN:N	2.34	0.58
1:A:64:PHE:C	1:A:66:CR2:HA31	2.28	0.58
1:A:133:ASP:O	1:A:140:LYS:NZ	2.35	0.57
1:A:148:HIS:CD2	1:A:167:ILE:HD13	2.39	0.57
1:B:221:LEU:HD12	1:B:221:LEU:N	2.20	0.57
1:B:1087:TYR:O	1:B:1089:THR:N	2.38	0.56
1:B:27:PHE:HA	1:B:50:THR:HG21	1.86	0.56
1:A:76:ASP:N	1:A:76:ASP:OD1	2.39	0.55
1:B:66:CR2:CZ	1:B:203:THR:HG21	2.37	0.55
1:B:1123:TRP:HA	1:B:1126:VAL:HG23	1.88	0.55
1:B:1130:LEU:HD12	1:B:1133:GLY:CA	2.37	0.55
1:A:1088:ASP:OD2	1:A:1135:ARG:NH1	2.40	0.55
1:B:56:PRO:HG3	1:B:139:HIS:HA	1.89	0.55
1:B:66:CR2:HOH	1:B:145:TYR:HE2	1.54	0.54
1:A:1077:ALA:O	1:B:1125:ARG:NH1	2.40	0.54
1:A:125:LEU:C	1:A:125:LEU:HD23	2.33	0.54
1:A:90:GLU:HG3	1:A:189:GLY:HA3	1.90	0.53
1:A:1090:GLU:O	1:A:1094:LEU:HG	2.08	0.53
1:A:53:LEU:HD12	1:A:54:PRO:HD2	1.91	0.53
1:A:206:ASN:OD1	1:A:207:LEU:N	2.41	0.53
1:B:1117:PHE:CE1	1:B:1121:ILE:HG23	2.42	0.53
1:A:7:LEU:HD12	1:A:114:PHE:CE2	2.44	0.52
1:A:1079:ILE:HG21	1:B:1128:ALA:CB	2.39	0.52
1:A:1092:GLN:N	1:A:1092:GLN:OE1	2.42	0.52
1:B:135:ASN:HA	1:B:140:LYS:HD2	1.91	0.52
1:A:1106:TYR:O	1:A:1110:THR:OG1	2.28	0.52
1:B:1088:ASP:HA	1:B:1091:PHE:CD2	2.43	0.52
1:B:77:HIS:CD2	1:B:78:MET:HG3	2.45	0.52
1:A:1125:ARG:HH12	1:B:1081:ASP:CG	2.17	0.51
1:A:1140:VAL:CG2	1:A:1141:TYR:N	2.71	0.51
1:B:1082:ASP:OD1	1:B:1086:ARG:NH1	2.43	0.51
1:A:167:ILE:HB	1:A:179:ALA:HB3	1.93	0.51
1:A:88:MET:SD	1:A:91:GLY:HA2	2.49	0.51
1:A:1132:PHE:O	1:A:1136:LEU:N	2.43	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:PRO:HG2	1:A:118:THR:HA	1.93	0.51
1:A:122:ARG:HH11	1:A:122:ARG:HG2	1.75	0.50
1:B:2:SER:O	1:B:5:GLU:HB3	2.12	0.50
1:B:1091:PHE:CD2	1:B:1135:ARG:HG3	2.47	0.50
1:A:27:PHE:CD1	1:A:27:PHE:N	2.79	0.49
1:A:1079:ILE:HG21	1:B:1128:ALA:HB2	1.95	0.49
1:A:1076:LEU:HD23	1:B:1129:LEU:HD22	1.93	0.49
1:B:66:CR2:CE2	1:B:203:THR:HG21	2.42	0.49
1:A:46:PHE:O	1:A:217:HIS:HB2	2.13	0.48
1:A:1106:TYR:CD1	1:A:1106:TYR:C	2.90	0.48
1:B:88:MET:SD	1:B:91:GLY:HA2	2.53	0.48
1:B:146:ASN:ND2	1:B:168:ARG:O	2.46	0.48
1:A:1117:PHE:CE1	1:A:1121:ILE:HG23	2.48	0.48
1:B:1127:VAL:HG23	1:B:1128:ALA:H	1.78	0.48
1:A:1123:TRP:O	1:A:1126:VAL:N	2.46	0.48
1:B:1092:GLN:OE1	1:B:1092:GLN:N	2.26	0.48
1:A:1141:TYR:C	1:A:1141:TYR:CD1	2.91	0.48
1:A:29:VAL:HG13	1:A:47:ILE:O	2.14	0.48
1:A:1109:PHE:CZ	1:A:1129:LEU:HD22	2.48	0.48
1:A:27:PHE:HA	1:A:50:THR:HG21	1.96	0.48
1:B:125:LEU:C	1:B:125:LEU:HD23	2.39	0.47
1:B:1094:LEU:C	1:B:1097:GLN:H	2.22	0.47
1:A:96:ARG:NE	1:A:183:GLN:OE1	2.47	0.47
1:A:1110:THR:O	1:A:1113:ALA:HB3	2.14	0.47
1:B:1091:PHE:HD2	1:B:1135:ARG:HG3	1.78	0.47
1:B:208:SER:OG	1:B:219:VAL:HG13	2.15	0.47
1:B:213:GLU:OE2	1:B:215:ARG:NE	2.38	0.47
1:B:1087:TYR:C	1:B:1089:THR:H	2.23	0.47
1:B:1111:LYS:O	1:B:1112:ILE:C	2.58	0.47
1:B:27:PHE:CD1	1:B:27:PHE:C	2.93	0.47
1:B:62:THR:HB	1:B:96:ARG:NH1	2.30	0.47
1:B:206:ASN:OD1	1:B:206:ASN:C	2.57	0.47
1:B:63:THR:OG1	1:B:64:PHE:N	2.46	0.46
1:B:23:ASN:HD22	1:B:23:ASN:N	2.13	0.46
1:A:1116:LEU:C	1:A:1116:LEU:HD23	2.41	0.46
1:B:53:LEU:HD12	1:B:54:PRO:HD2	1.97	0.46
1:B:171:ILE:HD11	1:B:177:GLN:HB2	1.97	0.46
1:A:1094:LEU:O	1:A:1098:LEU:N	2.49	0.46
1:A:198:ASN:N	1:A:198:ASN:OD1	2.48	0.46
1:A:58:PRO:HA	1:A:61:VAL:CG2	2.46	0.45
1:A:1140:VAL:HG23	1:A:1141:TYR:N	2.31	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2:SER:O	1:A:5:GLU:HB3	2.16	0.45
1:B:70:CYS:O	1:B:85:LYS:NZ	2.32	0.45
1:A:46:PHE:CE2	1:A:64:PHE:CD2	3.04	0.45
1:A:119:LEU:HG	1:A:120:VAL:N	2.31	0.45
1:B:171:ILE:HD11	1:B:177:GLN:CB	2.47	0.45
1:B:1095:LEU:HD13	1:B:1139:TYR:CB	2.47	0.44
1:A:43:THR:O	1:A:44:LEU:HD23	2.16	0.44
1:A:71:PHE:CE2	1:A:119:LEU:HD22	2.52	0.44
1:B:1:MET:N	1:B:1074:ARG:NH1	2.65	0.44
1:B:1123:TRP:HA	1:B:1126:VAL:CG2	2.47	0.44
1:A:25:HIS:N	1:A:25:HIS:ND1	2.65	0.44
1:A:206:ASN:OD1	1:A:206:ASN:C	2.60	0.44
1:B:58:PRO:HA	1:B:61:VAL:HG23	2.00	0.44
1:B:200:TYR:CE1	1:B:228:GLY:HA3	2.53	0.43
1:B:1098:LEU:HD13	1:B:1108:LEU:HD21	1.99	0.43
1:A:1068:ILE:O	1:A:1072:VAL:HG23	2.18	0.43
1:B:1094:LEU:HA	1:B:1097:GLN:HG2	1.99	0.43
1:A:1068:ILE:HA	1:A:1071:GLN:HB2	2.00	0.43
1:A:220:LEU:HD12	1:A:221:LEU:N	2.34	0.43
1:A:1079:ILE:CG2	1:B:1128:ALA:HB2	2.48	0.43
1:B:1:MET:H1	1:B:1074:ARG:NH1	2.16	0.43
1:A:43:THR:HG23	1:A:221:LEU:HD23	1.99	0.43
1:A:141:LEU:HD12	1:A:141:LEU:N	2.33	0.43
1:A:1082:ASP:O	1:A:1086:ARG:HG2	2.19	0.43
1:B:167:ILE:CG2	1:B:168:ARG:N	2.79	0.43
1:B:1095:LEU:HB3	1:B:1139:TYR:CD2	2.54	0.43
1:A:1086:ARG:HB2	1:A:1087:TYR:CD2	2.54	0.43
1:B:1095:LEU:HD13	1:B:1139:TYR:HB2	2.01	0.43
1:A:1073:GLY:CA	1:B:1116:LEU:HD22	2.49	0.42
1:B:28:SER:H	1:B:50:THR:CG2	2.32	0.42
1:A:68:VAL:O	1:A:68:VAL:HG23	2.19	0.42
1:A:46:PHE:HE2	1:A:64:PHE:CG	2.35	0.42
1:A:1088:ASP:HA	1:A:1091:PHE:HB2	2.00	0.42
1:A:1083:ILE:HA	1:A:1086:ARG:HG2	2.01	0.42
1:B:57:TRP:N	1:B:58:PRO:CD	2.83	0.42
1:B:148:HIS:CD2	1:B:167:ILE:HA	2.53	0.42
1:A:29:VAL:HG12	1:A:30:SER:N	2.34	0.42
1:B:1130:LEU:C	1:B:1132:PHE:N	2.77	0.42
1:B:7:LEU:HD21	1:B:114:PHE:CZ	2.55	0.42
1:B:119:LEU:HD23	1:B:120:VAL:N	2.35	0.42
1:B:213:GLU:OE2	1:B:215:ARG:HB2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:33:GLY:HA3	1:A:44:LEU:HD23	2.02	0.42
1:B:230:THR:HG22	1:B:231:GLY:H	1.85	0.42
1:B:1110:THR:O	1:B:1113:ALA:HB3	2.20	0.42
1:B:1087:TYR:C	1:B:1089:THR:N	2.76	0.42
1:A:1111:LYS:O	1:A:1112:ILE:C	2.60	0.41
1:A:63:THR:HG23	1:A:108:THR:HG21	2.02	0.41
1:B:201:LEU:CD2	1:B:226:ALA:HB2	2.50	0.41
1:A:1108:LEU:O	1:A:1112:ILE:HG12	2.20	0.41
1:B:1:MET:HE2	1:B:79:LYS:HD3	2.02	0.41
1:B:200:TYR:CE1	1:B:228:GLY:CA	3.03	0.41
1:B:158:LYS:C	1:B:160:GLY:N	2.76	0.41
1:B:1090:GLU:O	1:B:1093:ASN:HB3	2.21	0.41
1:B:1138:LEU:O	1:B:1142:GLN:HB2	2.20	0.41
1:B:21:ASP:HB2	1:B:26:LYS:CD	2.49	0.41
1:A:154:ALA:HB2	1:A:196:PRO:HD2	2.03	0.41
1:A:1125:ARG:HH11	1:A:1125:ARG:HG2	1.84	0.41
1:B:150:VAL:N	1:B:201:LEU:O	2.46	0.41
1:B:77:HIS:CD2	1:B:77:HIS:H	2.39	0.41
1:A:53:LEU:HD22	1:A:57:TRP:CZ2	2.56	0.41
1:B:165:PHE:CE1	1:B:181:HIS:CG	3.09	0.41
1:B:173:ASP:HB3	1:B:175:SER:H	1.86	0.41
1:A:16:VAL:HG13	1:A:121:ASN:HB3	2.03	0.41
1:B:1:MET:HA	1:B:5:GLU:OE2	2.20	0.41
1:A:71:PHE:HE2	1:A:119:LEU:CD2	2.33	0.40
1:A:125:LEU:HD23	1:A:126:LYS:N	2.35	0.40
1:A:110:ALA:HA	1:A:122:ARG:O	2.22	0.40
1:A:154:ALA:HB2	1:A:196:PRO:O	2.21	0.40
1:B:148:HIS:HB2	1:B:203:THR:HG23	2.04	0.40
1:A:1109:PHE:CZ	1:A:1129:LEU:CD2	3.04	0.40
1:A:1118:LYS:HG2	1:B:195:LEU:O	2.20	0.40
1:B:86:SER:HB3	1:B:194:LEU:HG	2.04	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1099:GLN:NE2	1:B:214:LYS:O[3_664]	2.00	0.20
1:A:164:ASN:OD1	1:A:215:ARG:NH1[2_545]	2.13	0.07

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	304/309 (98%)	288 (95%)	15 (5%)	1 (0%)	36	66
1	B	304/309 (98%)	284 (93%)	19 (6%)	1 (0%)	36	66
All	All	608/618 (98%)	572 (94%)	34 (6%)	2 (0%)	36	66

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	1088	ASP
1	A	1113	ALA

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	263/264 (100%)	210 (80%)	53 (20%)	1	4
1	B	263/264 (100%)	217 (82%)	46 (18%)	2	7
All	All	526/528 (100%)	427 (81%)	99 (19%)	1	5

All (99) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LYS
1	A	6	GLU
1	A	7	LEU
1	A	9	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	15	LEU
1	A	19	ASP
1	A	21	ASP
1	A	25	HIS
1	A	27	PHE
1	A	34	GLU
1	A	41	LYS
1	A	43	THR
1	A	55	VAL
1	A	70	CYS
1	A	76	ASP
1	A	88	MET
1	A	90	GLU
1	A	107	LYS
1	A	118	THR
1	A	145	TYR
1	A	153	MET
1	A	164	ASN
1	A	170	ASN
1	A	175	SER
1	A	176	VAL
1	A	184	GLN
1	A	186	THR
1	A	188	ILE
1	A	198	ASN
1	A	203	THR
1	A	204	GLN
1	A	208	SER
1	A	230	THR
1	A	1067	SER
1	A	1078	LEU
1	A	1079	ILE
1	A	1081	ASP
1	A	1082	ASP
1	A	1088	ASP
1	A	1089	THR
1	A	1091	PHE
1	A	1092	GLN
1	A	1093	ASN
1	A	1110	THR
1	A	1112	ILE
1	A	1114	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1116	LEU
1	A	1119	SER
1	A	1121	ILE
1	A	1129	LEU
1	A	1135	ARG
1	A	1138	LEU
1	A	1140	VAL
1	B	6	GLU
1	B	9	THR
1	B	15	LEU
1	B	18	LEU
1	B	23	ASN
1	B	25	HIS
1	B	43	THR
1	B	70	CYS
1	B	77	HIS
1	B	80	GLN
1	B	86	SER
1	B	90	GLU
1	B	93	VAL
1	B	126	LYS
1	B	128	ILE
1	B	129	ASP
1	B	132	GLU
1	B	142	GLU
1	B	144	ASN
1	B	145	TYR
1	B	163	VAL
1	B	166	LYS
1	B	170	ASN
1	B	178	LEU
1	B	186	THR
1	B	188	ILE
1	B	203	THR
1	B	204	GLN
1	B	208	SER
1	B	221	LEU
1	B	223	PHE
1	B	1067	SER
1	B	1078	LEU
1	B	1081	ASP
1	B	1082	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1083	ILE
1	B	1086	ARG
1	B	1089	THR
1	B	1091	PHE
1	B	1110	THR
1	B	1114	SER
1	B	1119	SER
1	B	1121	ILE
1	B	1129	LEU
1	B	1135	ARG
1	B	1140	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	81	HIS
1	A	177	GLN
1	A	185	ASN
1	A	1093	ASN
1	B	80	GLN
1	B	81	HIS
1	B	94	GLN
1	B	146	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CR2	B	66	1	20,20,21	5.67	6 (30%)	25,27,29	3.63	8 (32%)
1	CR2	A	66	1	20,20,21	6.04	5 (25%)	25,27,29	2.91	5 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CR2	B	66	1	-	2/6/25/26	0/2/2/2
1	CR2	A	66	1	-	3/6/25/26	0/2/2/2

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	66	CR2	CB2-CA2	22.57	1.56	1.35
1	B	66	CR2	CB2-CA2	21.15	1.55	1.35
1	A	66	CR2	O2-C2	12.34	1.48	1.23
1	B	66	CR2	O2-C2	10.92	1.45	1.23
1	B	66	CR2	CA2-C2	-7.16	1.40	1.48
1	A	66	CR2	CA2-C2	-5.10	1.43	1.48
1	A	66	CR2	CA1-C1	4.50	1.54	1.49
1	A	66	CR2	OH-CZ	3.44	1.44	1.37
1	B	66	CR2	OH-CZ	2.93	1.43	1.37
1	B	66	CR2	CA1-C1	2.33	1.52	1.49
1	B	66	CR2	C1-N3	-2.16	1.33	1.37

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	66	CR2	O2-C2-CA2	-9.87	124.72	131.02
1	B	66	CR2	O2-C2-CA2	-9.52	124.94	131.02
1	B	66	CR2	CA2-C2-N3	7.32	109.64	103.50
1	B	66	CR2	CG2-CB2-CA2	-6.97	121.58	129.87
1	A	66	CR2	CG2-CB2-CA2	-6.90	121.67	129.87
1	B	66	CR2	C1-CA1-N1	-6.41	98.68	112.85
1	B	66	CR2	C2-N3-C1	-6.05	105.36	108.08
1	B	66	CR2	C2-CA2-N2	-5.28	105.16	108.95
1	A	66	CR2	CA2-C2-N3	4.65	107.41	103.50
1	A	66	CR2	C2-CA2-N2	-4.53	105.71	108.95
1	B	66	CR2	CB2-CA2-N2	3.62	133.68	128.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	66	CR2	C2-N3-C1	-2.43	106.98	108.08
1	B	66	CR2	O3-C3-CA3	-2.12	115.93	125.47

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	66	CR2	N2-CA2-CB2-CG2
1	A	66	CR2	C2-CA2-CB2-CG2
1	B	66	CR2	C2-CA2-CB2-CG2
1	B	66	CR2	N2-CA2-CB2-CG2
1	A	66	CR2	C3-CA3-N3-C2

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	66	CR2	6	0
1	A	66	CR2	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	308/309 (99%)	0.15	13 (4%) 40 32	42, 66, 138, 174	0
1	B	308/309 (99%)	0.37	17 (5%) 30 23	56, 104, 164, 190	0
All	All	616/618 (99%)	0.26	30 (4%) 35 27	42, 84, 152, 190	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1069	LEU	5.2
1	B	1138	LEU	4.7
1	B	1087	TYR	4.4
1	A	1119	SER	4.1
1	A	173	ASP	4.0
1	B	1112	ILE	3.9
1	B	1102	ALA	3.8
1	A	1078	LEU	3.7
1	A	1075	GLN	3.5
1	A	1072	VAL	3.2
1	A	1076	LEU	3.1
1	A	1068	ILE	3.1
1	A	1121	ILE	3.1
1	B	1143	ARG	3.1
1	B	1109	PHE	3.0
1	B	1132	PHE	3.0
1	B	1136	LEU	2.8
1	B	1134	TYR	2.6
1	A	1120	GLY	2.5
1	A	1130	LEU	2.5
1	B	1140	VAL	2.5
1	A	68	VAL	2.5
1	B	154	ALA	2.5
1	B	1139	TYR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	1129	LEU	2.2
1	B	192	PRO	2.2
1	B	1144	GLY	2.1
1	B	1137	ALA	2.1
1	A	205	SER	2.1
1	B	222	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CR2	A	66	19/20	0.91	0.14	39,52,76,93	0
1	CR2	B	66	19/20	0.94	0.14	70,77,88,89	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.