



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 11:49 AM UTC

PDB ID : 7LA9 / pdb_00007la9
Title : Crystal structure of the first bromodomain (BD1) of human BRD4 (BRD4-1) in complex with bivalent inhibitor NC-III-49-1
Authors : Karim, M.R.; Schonbrunn, E.
Deposited on : 2021-01-06
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	125	 79% 5% 16%
1	B	125	 81% . 16%
1	C	125	 82% . 16%
1	D	125	 75% 9% 16%
1	E	125	 74% 10% . 16%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	125	 A horizontal bar chart showing the quality of chain F. The bar is divided into three segments: a green segment representing 74%, a yellow segment representing 10%, and a grey segment representing 16%. The percentages are labeled below the corresponding segments.

2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 5836 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bromodomain-containing protein 4.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	105	Total	C	N	O	S	0	0	0
			886	580	143	157	6			
1	B	105	Total	C	N	O	S	0	0	0
			882	577	142	157	6			
1	C	105	Total	C	N	O	S	0	0	0
			878	574	141	157	6			
1	D	105	Total	C	N	O	S	0	0	0
			889	583	143	157	6			
1	E	105	Total	C	N	O	S	0	0	0
			889	583	143	157	6			
1	F	105	Total	C	N	O	S	0	0	0
			889	583	143	157	6			

- Molecule 2 is N,N'-(oxybis{(ethane-2,1-diyl)oxyethane-2,1-diyl}oxy[3-(2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)-4,1-phenylene])di(ethane-1-sulfonamide) (CCD ID: XR7) (formula: C₄₄H₅₀N₄O₁₁S₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			61	44	4	11	2		
2	B	1	Total	C	N	O	S	0	0
			61	44	4	11	2		
2	C	1	Total	C	N	O	S	0	0
			61	44	4	11	2		

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	E	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0


- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	2	Total Cl 2 2	0	0
4	B	1	Total Cl 1 1	0	0
4	C	1	Total Cl 1 1	0	0
4	D	2	Total Cl 2 2	0	0
4	E	1	Total Cl 1 1	0	0
4	F	1	Total Cl 1 1	0	0

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	C	1	Total Na 1 1	0	0

- Molecule 6 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	D	1	Total	C	O	0	0
			7	4	3		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	58	Total	O	0	0
			58	58		
7	B	53	Total	O	0	0
			53	53		
7	C	43	Total	O	0	0
			43	43		
7	D	56	Total	O	0	0
			56	56		
7	E	30	Total	O	0	0
			30	30		
7	F	28	Total	O	0	0
			28	28		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Bromodomain-containing protein 4

Chain A:  79% 5% 16%




- Molecule 1: Bromodomain-containing protein 4

Chain B:  81% 0% 16%



- Molecule 1: Bromodomain-containing protein 4

Chain C:  82% 0% 16%



- Molecule 1: Bromodomain-containing protein 4

Chain D:  75% 9% 16%



- Molecule 1: Bromodomain-containing protein 4

Chain E:  74% 10% 16%



- Molecule 1: Bromodomain-containing protein 4

Chain F:  74% 10% 16%

ASN	PRO	PRO	PRO	PRO	GLU	THR	SER	ASN	ASN	ASN	LYS	PRO	LYS	ARG	GLN	T60	W81	P82	Q85	K111	E115	Y119	E124	I146	M149	K155	L158	Q159	K160	L164	PRO	THR	GLU	GLU
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, α , β , γ	114.13Å 114.13Å 94.83Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	37.36 – 2.20 37.36 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.3 (37.36-2.20) 85.2 (37.36-2.20)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.30 (at 2.20Å)	Xtriage
Refinement program	PHENIX 1.18.2-3874_3874	Depositor
R, R_{free}	0.185 , 0.208 0.187 , 0.209	Depositor DCC
R_{free} test set	2013 reflections (2.87%)	wwPDB-VP
Wilson B-factor (Å ²)	43.4	Xtriage
Anisotropy	0.125	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 28.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.012 for -h,-k,l 0.488 for h,-h-k,-l 0.013 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5836	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.02% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, PEG, CL, XR7, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.73	0/909	0.77	0/1233
1	B	0.65	0/905	0.69	0/1229
1	C	0.63	0/901	0.69	0/1225
1	D	0.70	0/912	0.72	0/1237
1	E	0.60	0/912	0.72	1/1237 (0.1%)
1	F	0.61	0/912	0.73	2/1237 (0.2%)
All	All	0.66	0/5451	0.72	3/7398 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	158	LEU	CD1-CG-CD2	-6.16	97.24	110.80
1	E	141	LYS	CB-CA-C	6.15	117.71	108.86
1	F	85	GLN	O-C-N	-5.17	117.88	121.65

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	886	0	882	6	0
1	B	882	0	871	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	878	0	860	3	0
1	D	889	0	891	8	0
1	E	889	0	891	8	0
1	F	889	0	891	7	0
2	A	61	0	0	0	0
2	B	61	0	0	0	0
2	C	61	0	0	0	0
3	A	20	0	30	2	0
3	B	4	0	6	0	0
3	C	12	0	18	2	0
3	D	8	0	12	2	0
3	E	4	0	6	0	0
3	F	8	0	12	0	0
4	A	2	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	2	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
5	C	1	0	0	0	0
6	D	7	0	10	1	0
7	A	58	0	0	2	0
7	B	53	0	0	0	0
7	C	43	0	0	0	0
7	D	56	0	0	0	0
7	E	30	0	0	0	0
7	F	28	0	0	0	0
All	All	5836	0	5380	34	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (34) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:123:GLN:HG2	3:D:203:EDO:H21	1.63	0.79
1:C:155:LYS:O	1:C:159:GLN:HG3	1.99	0.61
1:A:72:LYS:HD2	7:A:304:HOH:O	2.01	0.59
1:F:155:LYS:O	1:F:159:GLN:HG3	2.02	0.58
1:A:74:LEU:HD21	1:A:157:PHE:HB2	1.86	0.58
1:A:72:LYS:CD	7:A:304:HOH:O	2.52	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:75:TRP:HE1	3:C:203:EDO:H22	1.68	0.56
1:E:96:ASP:O	1:E:100:ILE:HG13	2.08	0.54
1:D:96:ASP:N	1:D:96:ASP:OD1	2.38	0.52
1:F:146:ILE:HA	1:F:149:MET:HE3	1.90	0.52
1:D:123:GLN:HG2	3:D:203:EDO:C2	2.37	0.49
1:E:99:LYS:O	1:E:102:LYS:HE3	2.12	0.49
1:D:111:LYS:NZ	6:D:201:PEG:H12	2.27	0.49
3:A:204:EDO:H12	1:D:90:VAL:O	2.15	0.47
1:E:81:TRP:CG	1:E:82:PRO:HD3	2.50	0.46
1:F:111:LYS:O	1:F:115:GLU:HG3	2.16	0.46
1:F:160:LYS:HD3	1:F:160:LYS:HA	1.76	0.45
1:D:74:LEU:HD11	1:D:157:PHE:HB2	1.99	0.44
1:F:119:TYR:HD1	1:F:124:GLU:HG2	1.83	0.44
1:A:138:ILE:HG13	1:B:158:LEU:HD13	2.00	0.44
1:D:141:LYS:HE2	1:D:144:ASP:OD2	2.18	0.44
1:A:75:TRP:HE1	3:A:206:EDO:H22	1.83	0.43
1:A:160:LYS:HD2	1:A:160:LYS:HA	1.71	0.43
1:B:81:TRP:CG	1:B:82:PRO:HD3	2.53	0.43
1:E:69:VAL:O	1:E:73:THR:HG23	2.19	0.43
1:E:146:ILE:HA	1:E:149:MET:HE3	2.01	0.43
1:F:119:TYR:CD1	1:F:124:GLU:HG2	2.54	0.42
1:C:75:TRP:HE1	3:C:203:EDO:C2	2.32	0.42
1:B:161:ILE:HD13	1:B:161:ILE:HG21	1.85	0.42
1:E:141:LYS:H	1:E:141:LYS:HG2	1.68	0.42
1:D:73:THR:HG22	1:D:156:LEU:HD21	2.01	0.41
1:E:160:LYS:HA	1:E:160:LYS:HD2	1.90	0.41
1:F:81:TRP:CG	1:F:82:PRO:HD3	2.56	0.41
1:E:79:PHE:CG	1:E:149:MET:HG2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	103/125 (82%)	103 (100%)	0	0	100	100
1	B	103/125 (82%)	103 (100%)	0	0	100	100
1	C	103/125 (82%)	103 (100%)	0	0	100	100
1	D	103/125 (82%)	101 (98%)	2 (2%)	0	100	100
1	E	103/125 (82%)	103 (100%)	0	0	100	100
1	F	103/125 (82%)	99 (96%)	4 (4%)	0	100	100
All	All	618/750 (82%)	612 (99%)	6 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	97/118 (82%)	97 (100%)	0	100	100
1	B	96/118 (81%)	96 (100%)	0	100	100
1	C	95/118 (80%)	95 (100%)	0	100	100
1	D	98/118 (83%)	97 (99%)	1 (1%)	68	81
1	E	98/118 (83%)	98 (100%)	0	100	100
1	F	98/118 (83%)	98 (100%)	0	100	100
All	All	582/708 (82%)	581 (100%)	1 (0%)	87	94

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	102	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	159	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	85	GLN
1	F	85	GLN
1	F	127	GLN
1	F	162	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 27 ligands modelled in this entry, 9 are monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	EDO	A	204	-	3,3,3	0.51	0	2,2,2	0.20	0
3	EDO	A	206	-	3,3,3	0.73	0	2,2,2	0.17	0
3	EDO	A	205	-	3,3,3	0.53	0	2,2,2	0.46	0
3	EDO	E	201	-	3,3,3	0.65	0	2,2,2	0.40	0
6	PEG	D	201	-	6,6,6	0.80	0	5,5,5	1.15	0
3	EDO	D	202	-	3,3,3	0.35	0	2,2,2	0.73	0
3	EDO	B	202	-	3,3,3	0.55	0	2,2,2	0.14	0
3	EDO	C	202	-	3,3,3	0.53	0	2,2,2	0.61	0
2	XR7	C	201	-	64,66,66	4.61	24 (37%)	85,93,93	1.46	14 (16%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	XR7	A	201	-	64,66,66	4.41	20 (31%)	85,93,93	1.45	10 (11%)
3	EDO	F	201	-	3,3,3	0.73	0	2,2,2	0.38	0
2	XR7	B	201	-	64,66,66	4.82	22 (34%)	85,93,93	1.98	12 (14%)
3	EDO	A	203	-	3,3,3	0.55	0	2,2,2	0.50	0
3	EDO	C	203	-	3,3,3	0.67	0	2,2,2	0.11	0
3	EDO	A	202	-	3,3,3	0.31	0	2,2,2	0.76	0
3	EDO	F	202	-	3,3,3	0.62	0	2,2,2	0.29	0
3	EDO	C	204	-	3,3,3	0.59	0	2,2,2	0.26	0
3	EDO	D	203	-	3,3,3	0.84	0	2,2,2	0.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	204	-	-	1/1/1/1	-
3	EDO	A	206	-	-	1/1/1/1	-
3	EDO	A	205	-	-	0/1/1/1	-
3	EDO	E	201	-	-	1/1/1/1	-
6	PEG	D	201	-	-	2/4/4/4	-
3	EDO	D	202	-	-	1/1/1/1	-
3	EDO	B	202	-	-	1/1/1/1	-
3	EDO	C	202	-	-	1/1/1/1	-
2	XR7	C	201	-	-	13/44/40/40	0/6/6/6
2	XR7	A	201	-	-	13/44/40/40	0/6/6/6
3	EDO	F	201	-	-	1/1/1/1	-
2	XR7	B	201	-	-	9/44/40/40	0/6/6/6
3	EDO	A	203	-	-	1/1/1/1	-
3	EDO	C	203	-	-	1/1/1/1	-
3	EDO	A	202	-	-	1/1/1/1	-
3	EDO	F	202	-	-	1/1/1/1	-
3	EDO	C	204	-	-	1/1/1/1	-
3	EDO	D	203	-	-	0/1/1/1	-

All (66) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	201	XR7	O10-S02	19.23	1.69	1.43
2	B	201	XR7	O09-S02	16.95	1.66	1.43
2	C	201	XR7	O11-S01	16.58	1.66	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	201	XR7	O01-S01	15.54	1.64	1.43
2	B	201	XR7	O11-S01	15.37	1.64	1.43
2	C	201	XR7	O09-S02	15.25	1.64	1.43
2	C	201	XR7	O10-S02	15.24	1.64	1.43
2	C	201	XR7	O01-S01	15.07	1.64	1.43
2	A	201	XR7	O11-S01	14.75	1.63	1.43
2	A	201	XR7	O01-S01	14.39	1.63	1.43
2	A	201	XR7	O10-S02	13.89	1.62	1.43
2	A	201	XR7	O09-S02	13.62	1.62	1.43
2	A	201	XR7	C43-S01	9.22	1.86	1.76
2	A	201	XR7	C39-S02	9.03	1.85	1.76
2	A	201	XR7	O02-C13	8.84	1.40	1.22
2	B	201	XR7	O02-C13	8.80	1.40	1.22
2	C	201	XR7	O08-C30	8.49	1.39	1.22
2	A	201	XR7	O08-C30	8.49	1.39	1.22
2	C	201	XR7	O02-C13	8.35	1.39	1.22
2	B	201	XR7	O08-C30	8.21	1.39	1.22
2	C	201	XR7	C43-S01	7.64	1.84	1.76
2	C	201	XR7	C39-S02	7.01	1.83	1.76
2	B	201	XR7	C43-S01	6.88	1.83	1.76
2	B	201	XR7	C39-S02	3.74	1.80	1.76
2	C	201	XR7	S02-N04	3.56	1.69	1.62
2	B	201	XR7	S02-N04	3.45	1.69	1.62
2	A	201	XR7	C30-N03	-3.41	1.32	1.39
2	B	201	XR7	C30-N03	-3.36	1.33	1.39
2	C	201	XR7	C13-N02	-3.26	1.33	1.39
2	A	201	XR7	C13-N02	-3.23	1.33	1.39
2	B	201	XR7	C13-N02	-2.96	1.33	1.39
2	A	201	XR7	S02-N04	2.92	1.68	1.62
2	B	201	XR7	C07-C06	2.92	1.44	1.39
2	C	201	XR7	C30-N03	-2.79	1.34	1.39
2	C	201	XR7	O07-C25	2.77	1.42	1.37
2	B	201	XR7	S01-N01	2.76	1.68	1.62
2	A	201	XR7	O07-C25	2.76	1.42	1.37
2	B	201	XR7	C10-C05	2.65	1.44	1.39
2	C	201	XR7	C36-C31	2.64	1.44	1.39
2	A	201	XR7	C33-C32	2.51	1.43	1.39
2	C	201	XR7	C38-N04	2.51	1.47	1.43
2	B	201	XR7	C36-C31	2.49	1.43	1.39
2	A	201	XR7	C38-N04	2.46	1.47	1.43
2	C	201	XR7	C33-C32	2.45	1.43	1.39
2	C	201	XR7	S01-N01	2.45	1.67	1.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	201	XR7	C10-C05	2.40	1.43	1.39
2	C	201	XR7	C06-C13	-2.40	1.42	1.47
2	A	201	XR7	C03-C04	2.39	1.53	1.49
2	B	201	XR7	O03-C16	2.38	1.42	1.37
2	B	201	XR7	C38-N04	2.35	1.46	1.43
2	A	201	XR7	C07-C06	2.34	1.43	1.39
2	C	201	XR7	C32-C31	-2.33	1.36	1.40
2	C	201	XR7	C01-N01	2.27	1.46	1.43
2	B	201	XR7	C03-C04	2.24	1.53	1.49
2	B	201	XR7	C01-N01	2.21	1.46	1.43
2	A	201	XR7	C37-C26	2.19	1.43	1.39
2	A	201	XR7	S01-N01	2.18	1.67	1.62
2	C	201	XR7	C07-C06	2.16	1.43	1.39
2	A	201	XR7	C36-C31	2.15	1.43	1.39
2	B	201	XR7	C31-C30	-2.11	1.43	1.47
2	C	201	XR7	C10-C05	2.10	1.43	1.39
2	B	201	XR7	C32-C27	-2.07	1.43	1.47
2	C	201	XR7	O03-C16	2.07	1.41	1.37
2	C	201	XR7	C06-C05	-2.05	1.37	1.40
2	C	201	XR7	C32-C27	-2.04	1.43	1.47
2	B	201	XR7	C06-C13	-2.02	1.43	1.47

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	201	XR7	O10-S02-O09	-12.37	102.04	119.34
2	B	201	XR7	O09-S02-C39	6.12	117.71	108.70
2	C	201	XR7	O10-S02-O09	-5.26	111.98	119.34
2	A	201	XR7	O11-S01-O01	-5.15	112.14	119.34
2	C	201	XR7	O11-S01-O01	-4.97	112.39	119.34
2	B	201	XR7	O11-S01-O01	-4.51	113.03	119.34
2	A	201	XR7	C43-S01-N01	-4.05	100.86	106.68
2	A	201	XR7	C39-S02-N04	-3.99	100.94	106.68
2	B	201	XR7	C40-C39-S02	-3.41	107.33	112.55
2	A	201	XR7	O11-S01-N01	3.37	115.39	107.23
2	A	201	XR7	O10-S02-O09	-3.31	114.71	119.34
2	A	201	XR7	O08-C30-N03	-3.18	115.41	119.70
2	C	201	XR7	C28-N03-C30	-3.09	119.48	122.92
2	C	201	XR7	O09-S02-N04	2.77	113.94	107.23
2	B	201	XR7	C28-N03-C30	-2.75	119.86	122.92
2	C	201	XR7	O03-C16-C03	2.70	122.91	116.97
2	A	201	XR7	O10-S02-N04	2.64	113.63	107.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	201	XR7	O10-S02-C39	-2.64	104.81	108.70
2	C	201	XR7	C05-C06-C13	-2.55	117.95	120.95
2	A	201	XR7	C28-N03-C30	-2.55	120.09	122.92
2	A	201	XR7	O07-C25-C26	2.51	122.48	116.97
2	B	201	XR7	C05-C06-C13	-2.44	118.08	120.95
2	B	201	XR7	O09-S02-N04	2.43	113.12	107.23
2	B	201	XR7	O01-S01-N01	2.41	113.07	107.23
2	A	201	XR7	C37-C26-C25	2.23	121.30	118.28
2	C	201	XR7	C31-C30-N03	2.23	123.10	117.23
2	C	201	XR7	O01-S01-C43	2.20	111.93	108.70
2	B	201	XR7	C32-C31-C30	-2.19	118.38	120.95
2	B	201	XR7	C31-C30-N03	2.18	122.98	117.23
2	C	201	XR7	C32-C31-C30	-2.13	118.44	120.95
2	C	201	XR7	O09-S02-C39	-2.11	105.59	108.70
2	C	201	XR7	C29-N03-C30	2.10	120.60	117.34
2	C	201	XR7	C04-C11-N02	-2.08	120.37	122.95
2	C	201	XR7	C37-C26-C25	2.05	121.06	118.28
2	C	201	XR7	O03-C16-C15	-2.05	119.48	123.95
2	B	201	XR7	O07-C25-C26	2.01	121.40	116.97

There are no chirality outliers.

All (49) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	201	XR7	C03-C04-C05-C10
2	A	201	XR7	C11-C04-C05-C10
2	A	201	XR7	C26-C27-C32-C33
2	A	201	XR7	C28-C27-C32-C33
2	B	201	XR7	C03-C04-C05-C10
2	B	201	XR7	C11-C04-C05-C10
2	B	201	XR7	C26-C27-C32-C33
2	B	201	XR7	C28-C27-C32-C33
2	B	201	XR7	C38-N04-S02-C39
2	C	201	XR7	C03-C04-C05-C10
2	C	201	XR7	C11-C04-C05-C10
2	C	201	XR7	C26-C27-C32-C33
2	C	201	XR7	C28-C27-C32-C33
2	C	201	XR7	O04-C19-C20-O05
2	B	201	XR7	O06-C23-C24-O07
2	A	201	XR7	O04-C19-C20-O05
2	A	201	XR7	O05-C21-C22-O06
6	D	201	PEG	O2-C3-C4-O4

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	D	202	EDO	O1-C1-C2-O2
3	F	201	EDO	O1-C1-C2-O2
2	C	201	XR7	O06-C23-C24-O07
3	A	202	EDO	O1-C1-C2-O2
3	A	203	EDO	O1-C1-C2-O2
3	C	203	EDO	O1-C1-C2-O2
2	C	201	XR7	C21-C22-O06-C23
2	C	201	XR7	C18-C17-O03-C16
2	B	201	XR7	C20-C19-O04-C18
2	C	201	XR7	C23-C24-O07-C25
2	C	201	XR7	O05-C21-C22-O06
2	C	201	XR7	C15-C16-O03-C17
3	B	202	EDO	O1-C1-C2-O2
2	A	201	XR7	C42-C25-O07-C24
2	B	201	XR7	C18-C17-O03-C16
2	A	201	XR7	C20-C19-O04-C18
2	C	201	XR7	C03-C16-O03-C17
2	A	201	XR7	C21-C22-O06-C23
2	A	201	XR7	O03-C17-C18-O04
2	B	201	XR7	O03-C17-C18-O04
2	A	201	XR7	C26-C25-O07-C24
3	C	202	EDO	O1-C1-C2-O2
3	C	204	EDO	O1-C1-C2-O2
3	E	201	EDO	O1-C1-C2-O2
2	C	201	XR7	C19-C20-O05-C21
3	A	204	EDO	O1-C1-C2-O2
3	A	206	EDO	O1-C1-C2-O2
3	F	202	EDO	O1-C1-C2-O2
2	A	201	XR7	C18-C17-O03-C16
2	A	201	XR7	C22-C21-O05-C20
6	D	201	PEG	C4-C3-O2-C2


There are no ring outliers.

5 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	204	EDO	1	0
3	A	206	EDO	1	0
6	D	201	PEG	1	0
3	C	203	EDO	2	0
3	D	203	EDO	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	105/125 (84%)	-1.33	0 100 100	46, 54, 75, 100	0
1	B	105/125 (84%)	-1.36	0 100 100	49, 57, 79, 96	0
1	C	105/125 (84%)	-1.36	0 100 100	49, 57, 77, 101	0
1	D	105/125 (84%)	-1.34	0 100 100	46, 54, 76, 97	0
1	E	105/125 (84%)	-1.02	0 100 100	53, 70, 98, 112	0
1	F	105/125 (84%)	-1.00	0 100 100	53, 70, 98, 112	0
All	All	630/750 (84%)	-1.24	0 100 100	46, 59, 91, 112	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	EDO	D	203	4/4	0.96	0.10	60,73,80,80	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	EDO	A	206	4/4	0.97	0.09	67,68,70,76	0
3	EDO	E	201	4/4	0.97	0.08	77,79,80,82	0
3	EDO	A	204	4/4	0.98	0.08	66,67,67,72	0
3	EDO	F	201	4/4	0.98	0.08	76,78,79,80	0
6	PEG	D	201	7/7	0.98	0.07	65,76,81,86	0
3	EDO	B	202	4/4	0.99	0.05	70,74,75,75	0
3	EDO	C	202	4/4	0.99	0.06	69,79,80,85	0
3	EDO	C	203	4/4	0.99	0.05	73,75,83,83	0
3	EDO	C	204	4/4	0.99	0.07	75,81,82,87	0
3	EDO	D	202	4/4	0.99	0.06	60,61,64,66	0
3	EDO	A	203	4/4	0.99	0.08	72,73,74,75	0
2	XR7	B	201	61/61	0.99	0.04	48,63,78,86	0
3	EDO	A	205	4/4	0.99	0.05	63,64,66,76	0
3	EDO	F	202	4/4	0.99	0.05	75,81,83,84	0
4	CL	A	208	1/1	0.99	0.04	83,83,83,83	0
4	CL	B	203	1/1	0.99	0.05	94,94,94,94	0
4	CL	C	205	1/1	0.99	0.04	78,78,78,78	0
4	CL	D	204	1/1	0.99	0.05	76,76,76,76	0
4	CL	D	205	1/1	0.99	0.05	84,84,84,84	0
4	CL	E	202	1/1	0.99	0.05	83,83,83,83	0
4	CL	F	203	1/1	0.99	0.05	85,85,85,85	0
5	NA	C	206	1/1	0.99	0.06	63,63,63,63	0
3	EDO	A	202	4/4	0.99	0.04	56,58,58,61	0
2	XR7	A	201	61/61	1.00	0.03	45,55,73,81	0
2	XR7	C	201	61/61	1.00	0.04	48,62,79,83	0
4	CL	A	207	1/1	1.00	0.03	76,76,76,76	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around XR7 B 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around XR7 A 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around XR7 C 201:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.