



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 10:37 AM UTC

PDB ID : 4NV1 / pdb_00004nv1
Title : Crystal structure of a 4-N formyltransferase from Francisella tularensis
Authors : Thoden, J.B.; Zimmer, A.L.; Holden, H.M.
Deposited on : 2013-12-04
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	243	0% 81%17%..
1	B	243	3% 75%19%5%.
1	C	243	2% 76%21%..
1	D	243	80%18%.
1	E	243	6% 76%19%5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	243	% 70% 26%
1	G	243	12% 67% 26% 6%
1	H	243	% 76% 21%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 16694 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Formyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	241	Total	C	N	O	S	0	0	0
			1960	1257	322	371	10			
1	D	240	Total	C	N	O	S	0	0	0
			1953	1254	321	368	10			
1	E	242	Total	C	N	O	S	0	2	0
			1980	1272	328	370	10			
1	F	240	Total	C	N	O	S	0	0	0
			1953	1254	321	368	10			
1	B	241	Total	C	N	O	S	0	0	0
			1959	1257	322	370	10			
1	A	240	Total	C	N	O	S	0	0	0
			1953	1254	321	368	10			
1	G	242	Total	C	N	O	S	0	0	0
			1967	1262	325	370	10			
1	H	241	Total	C	N	O	S	0	0	0
			1960	1257	322	371	10			

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	GLY	-	expression tag	UNP Q79RC8
C	0	HIS	-	expression tag	UNP Q79RC8
D	-1	GLY	-	expression tag	UNP Q79RC8
D	0	HIS	-	expression tag	UNP Q79RC8
E	-1	GLY	-	expression tag	UNP Q79RC8
E	0	HIS	-	expression tag	UNP Q79RC8
F	-1	GLY	-	expression tag	UNP Q79RC8
F	0	HIS	-	expression tag	UNP Q79RC8
B	-1	GLY	-	expression tag	UNP Q79RC8
B	0	HIS	-	expression tag	UNP Q79RC8
A	-1	GLY	-	expression tag	UNP Q79RC8
A	0	HIS	-	expression tag	UNP Q79RC8
G	-1	GLY	-	expression tag	UNP Q79RC8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
G	0	HIS	-	expression tag	UNP Q79RC8
H	-1	GLY	-	expression tag	UNP Q79RC8
H	0	HIS	-	expression tag	UNP Q79RC8

- Molecule 2 is dTDP-4-amino-4,6-dideoxyglucose (CCD ID: 0FX) (formula: C₁₆H₂₇N₃O₁₄P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			35	16	3	14	2		
2	E	1	Total	C	N	O	P	0	0
			35	16	3	14	2		
2	A	1	Total	C	N	O	P	0	0
			35	16	3	14	2		
2	G	1	Total	C	N	O	P	0	0
			35	16	3	14	2		

- Molecule 3 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	C	1	Total 5	O 4	P 1	0	0
3	F	1	Total 5	O 4	P 1	0	0
3	B	1	Total 5	O 4	P 1	0	0
3	H	1	Total 5	O 4	P 1	0	0
3	H	1	Total 5	O 4	P 1	0	0

- Molecule 4 is THYMIDINE-5'-DIPHOSPHATE (CCD ID: TYD) (formula: $\text{C}_{10}\text{H}_{16}\text{N}_2\text{O}_{11}\text{P}_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	D	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
4	F	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
4	H	1	Total	C	N	O	P	0	0
			25	10	2	11	2		

- Molecule 5 is dTDP-4,6-dideoxy-4-formamido-glucose (CCD ID: 4TG) (formula: $C_{17}H_{27}N_3O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	P	0	0
			37	17	3	15	2		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	C	94	Total	O	0	0
			94	94		
6	D	104	Total	O	0	0
			104	104		
6	E	99	Total	O	0	0
			99	99		
6	F	101	Total	O	0	0
			101	101		
6	B	76	Total	O	0	0
			76	76		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	115	Total 115	O 115	0	0
6	G	41	Total 41	O 41	0	0
6	H	102	Total 102	O 102	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Formyltransferase




- Molecule 1: Formyltransferase




- Molecule 1: Formyltransferase






- Molecule 1: Formyltransferase









• Molecule 1: Formyltransferase





• Molecule 1: Formyltransferase



• Molecule 1: Formyltransferase



• Molecule 1: Formyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	71.94Å 80.06Å 109.85Å 71.72° 88.62° 89.78°	Depositor
Resolution (Å)	29.96 – 2.10 29.96 – 2.10	Depositor EDS
% Data completeness (in resolution range)	90.0 (29.96-2.10) 90.0 (29.96-2.10)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.29 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.191 , 0.270 0.198 , 0.273	Depositor DCC
R_{free} test set	6149 reflections (4.54%)	wwPDB-VP
Wilson B-factor (Å ²)	28.1	Xtriage
Anisotropy	0.312	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 41.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.063 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16694	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 4TG, TYD, 0FX, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.89	2/1995 (0.1%)	1.34	11/2692 (0.4%)
1	B	0.80	1/2001 (0.0%)	1.33	7/2700 (0.3%)
1	C	0.92	0/2002	1.43	15/2700 (0.6%)
1	D	0.89	0/1995	1.31	5/2692 (0.2%)
1	E	0.94	2/2030 (0.1%)	1.39	13/2738 (0.5%)
1	F	0.86	0/1995	1.28	7/2692 (0.3%)
1	G	0.74	0/2010	1.28	8/2712 (0.3%)
1	H	0.94	0/2002	1.36	12/2700 (0.4%)
All	All	0.87	5/16030 (0.0%)	1.34	78/21626 (0.4%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	103	PHE	C-O	-8.17	1.20	1.23
1	A	216	PRO	C-O	-6.96	1.19	1.25
1	A	103	PHE	C-O	-5.95	1.21	1.23
1	E	129	GLY	N-CA	5.53	1.49	1.44
1	B	237	LEU	CA-C	-5.04	1.46	1.52

All (78) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	176	LYS	CA-C-N	-10.14	109.61	119.85
1	C	176	LYS	C-N-CA	-10.14	109.61	119.85
1	B	208	ASP	N-CA-C	-8.44	101.31	111.69
1	D	186	ILE	CB-CA-C	-8.32	101.14	112.04
1	C	74	SER	N-CA-C	-7.93	95.98	108.90
1	E	201	VAL	CB-CA-C	-7.66	104.54	111.74
1	C	110	ILE	N-CA-C	7.29	117.89	110.82
1	H	128	HIS	N-CA-C	7.29	126.32	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	62	LEU	N-CA-C	-7.03	104.18	112.89
1	C	103	PHE	CA-C-N	6.99	126.51	119.24
1	C	103	PHE	C-N-CA	6.99	126.51	119.24
1	D	128	HIS	N-CA-C	6.90	125.50	110.80
1	E	125	GLU	N-CA-C	6.74	119.05	107.93
1	E	132	ILE	N-CA-C	-6.63	105.28	111.45
1	E	204	ARG	NE-CZ-NH2	6.58	125.12	119.20
1	G	216	PRO	O-C-N	6.52	124.22	121.15
1	E	29	VAL	N-CA-C	6.47	117.61	108.17
1	C	130	ASP	N-CA-C	6.45	119.84	110.42
1	A	140	ASN	N-CA-C	6.41	118.30	110.41
1	H	206	ALA	N-CA-C	-6.36	104.43	111.36
1	F	103	PHE	CA-C-O	6.36	125.37	120.48
1	E	78	PHE	N-CA-C	-6.32	101.58	110.31
1	H	132	ILE	N-CA-C	-6.24	104.96	111.58
1	H	57	LYS	N-CA-C	6.24	120.36	112.87
1	A	80	ALA	N-CA-C	6.18	118.81	111.33
1	D	65	LYS	N-CA-C	6.09	120.87	113.38
1	C	49	GLU	N-CA-C	-6.07	105.87	113.28
1	E	100	ARG	N-CA-C	-5.96	102.62	110.43
1	A	161	THR	N-CA-C	-5.92	105.31	112.54
1	C	226	GLU	CB-CA-C	-5.92	100.91	110.74
1	C	227	HIS	N-CA-C	-5.91	105.93	113.02
1	E	67	ASP	N-CA-C	5.90	120.54	113.23
1	A	215	HIS	CA-C-N	5.82	123.91	119.66
1	A	215	HIS	C-N-CA	5.82	123.91	119.66
1	F	214	THR	N-CA-C	5.78	117.72	108.41
1	C	59	GLY	N-CA-C	-5.72	105.87	112.73
1	H	129	GLY	N-CA-C	5.71	121.28	111.98
1	E	200	ILE	N-CA-C	-5.70	100.13	108.97
1	C	128	HIS	N-CA-C	5.66	122.86	110.80
1	H	24	LYS	CA-C-N	-5.62	113.38	122.82
1	H	24	LYS	C-N-CA	-5.62	113.38	122.82
1	B	160	PHE	N-CA-C	-5.61	105.16	111.28
1	A	76	GLN	N-CA-C	5.60	118.68	109.72
1	G	185	SER	N-CA-C	5.60	117.75	110.53
1	H	201	VAL	CB-CA-C	-5.59	102.12	111.29
1	H	186	ILE	N-CA-CB	5.55	117.41	110.47
1	G	26	ASP	N-CA-C	-5.55	105.14	112.24
1	E	70	PHE	N-CA-C	5.46	118.30	109.40
1	H	125	GLU	N-CA-C	5.42	118.65	109.76
1	F	188	ASP	N-CA-C	-5.42	105.37	111.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	47	ASN	N-CA-C	5.39	118.97	112.93
1	A	93	PRO	CA-C-N	5.39	127.19	121.48
1	A	93	PRO	C-N-CA	5.39	127.19	121.48
1	F	163	VAL	CB-CA-C	-5.38	104.11	110.84
1	G	110	ILE	N-CA-C	5.37	115.62	110.74
1	B	51	LYS	CA-C-N	5.37	125.29	119.76
1	B	51	LYS	C-N-CA	5.37	125.29	119.76
1	E	45	ILE	CB-CA-C	-5.35	104.92	112.14
1	G	4	ILE	N-CA-C	5.35	116.61	108.80
1	G	121	VAL	CB-CA-C	-5.31	103.19	111.26
1	E	170	ASN	N-CA-C	5.30	118.75	111.54
1	A	216	PRO	CB-CA-C	-5.29	106.41	111.39
1	H	146	PHE	N-CA-C	-5.26	105.62	111.36
1	C	124	GLU	N-CA-C	5.24	117.74	111.71
1	C	102	TRP	N-CA-C	5.24	118.09	109.76
1	B	85	SER	N-CA-C	5.10	119.14	113.01
1	F	102	TRP	N-CA-C	5.10	117.60	109.96
1	F	96	ASN	N-CA-C	5.09	115.45	109.60
1	G	102	TRP	N-CA-C	5.08	117.59	109.96
1	F	167	ILE	CB-CA-C	-5.08	105.28	112.14
1	B	170	ASN	N-CA-C	5.08	118.45	111.54
1	H	107	PHE	N-CA-C	5.06	117.18	111.11
1	D	106	VAL	CB-CA-C	-5.04	105.42	112.02
1	B	132	ILE	N-CA-C	-5.01	106.79	111.45
1	C	112	LYS	N-CA-C	5.01	119.24	113.38
1	D	206	ALA	N-CA-C	-5.01	105.82	111.28
1	E	1	MET	N-CA-C	-5.01	102.45	109.96
1	G	8	THR	N-CA-C	5.00	116.66	108.55

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1953	0	1942	19	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1959	0	1947	34	0
1	C	1960	0	1947	28	0
1	D	1953	0	1942	35	0
1	E	1980	0	1972	26	0
1	F	1953	0	1942	37	0
1	G	1967	0	1952	43	0
1	H	1960	0	1947	28	0
2	A	35	0	26	2	0
2	C	35	0	26	2	0
2	E	35	0	26	0	0
2	G	35	0	26	0	0
3	B	5	0	0	1	0
3	C	5	0	0	0	0
3	F	5	0	0	0	0
3	H	10	0	0	0	0
4	D	25	0	13	2	0
4	F	25	0	13	2	0
4	H	25	0	13	1	0
5	B	37	0	26	0	0
6	A	115	0	0	0	0
6	B	76	0	0	1	0
6	C	94	0	0	2	0
6	D	104	0	0	3	0
6	E	99	0	0	3	0
6	F	101	0	0	5	0
6	G	41	0	0	0	0
6	H	102	0	0	4	0
All	All	16694	0	15760	240	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (240) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:11:ARG:NH2	1:F:44:GLU:OE1	2.12	0.83
1:B:138:GLU:O	1:B:151:LYS:NZ	2.12	0.81
1:E:147:ASP:O	6:E:429:HOH:O	2.01	0.78
1:H:235:LEU:HD23	1:H:237:LEU:HD11	1.65	0.77
1:C:103:PHE:CE2	2:C:301:OFX:H19	2.21	0.76
1:B:125:GLU:HB2	1:B:128:HIS:CB	2.20	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:123:ASP:HB3	1:G:125:GLU:H	1.55	0.72
1:F:169:ASN:HB2	6:F:421:HOH:O	1.91	0.70
1:H:21:ILE:HG21	1:H:29:VAL:HG21	1.73	0.70
1:G:78:PHE:CG	1:G:122:MET:HE1	2.26	0.70
1:B:2:LYS:HG2	6:B:470:HOH:O	1.94	0.67
1:A:21:ILE:CG2	1:A:29:VAL:HG21	2.26	0.66
1:C:76:GLN:HG3	6:C:403:HOH:O	1.95	0.66
1:B:21:ILE:HG21	1:B:29:VAL:HG21	1.78	0.66
1:G:6:VAL:HG22	1:G:70:PHE:HB2	1.79	0.65
1:F:80:ALA:O	1:F:84:ASN:ND2	2.30	0.65
1:F:149:TYR:CZ	4:F:301:TYD:H5'2	2.31	0.65
1:D:102:TRP:CE2	1:D:186:ILE:HG23	2.32	0.65
1:H:21:ILE:CG2	1:H:29:VAL:HG21	2.27	0.64
1:B:233:VAL:HG12	1:A:237:LEU:HD23	1.80	0.63
1:G:60:ASN:O	1:G:63:ILE:HG13	1.98	0.63
1:E:78:PHE:CG	1:E:122:MET:HE1	2.33	0.63
1:D:78:PHE:CG	1:D:122:MET:HE1	2.34	0.62
1:C:81:LYS:O	1:C:85:SER:OG	2.15	0.62
1:D:21:ILE:HG21	1:D:29:VAL:HG21	1.82	0.62
1:F:45:ILE:HD13	1:F:52:PRO:HD3	1.82	0.61
1:A:21:ILE:HG21	1:A:29:VAL:HG21	1.81	0.61
1:B:193:CYS:SG	1:B:213:MET:HE1	2.41	0.61
1:F:55:MET:O	1:F:56:LYS:C	2.44	0.60
1:F:14:LEU:HD11	1:F:18:LYS:HE2	1.84	0.60
1:G:60:ASN:O	1:G:63:ILE:CG1	2.50	0.60
1:D:1:MET:HE1	1:D:26:ASP:HA	1.84	0.60
1:D:149:TYR:OH	4:D:301:TYD:O2B	2.20	0.60
1:E:73:HIS:CE1	1:E:93:PRO:HG3	2.37	0.59
1:F:34:SER:HA	1:F:76:GLN:NE2	2.18	0.59
1:G:169:ASN:O	1:G:171:LYS:N	2.35	0.59
1:D:224:ILE:CG2	1:D:228:GLY:HA2	2.32	0.58
1:D:186:ILE:CD1	6:D:462:HOH:O	2.51	0.58
1:B:235:LEU:HD11	1:A:233:VAL:CG2	2.34	0.58
1:E:43:LYS:HD2	1:E:47:ASN:HD21	1.68	0.57
1:C:10:ASN:HB3	1:C:13:ILE:HB	1.85	0.57
1:B:194:GLU:HG3	1:B:222:TYR:CE2	2.39	0.57
1:G:8:THR:OG1	1:G:72:CYS:O	2.22	0.57
1:C:35:PHE:C	1:C:37:SER:H	2.13	0.56
1:G:81:LYS:O	1:G:85:SER:OG	2.23	0.56
1:H:95:LEU:HD22	1:H:136:GLU:HG2	1.88	0.56
1:F:1:MET:N	6:F:455:HOH:O	2.38	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:14:LEU:O	1:F:18:LYS:HG2	2.06	0.55
1:H:61:ASP:O	1:H:65:LYS:NZ	2.34	0.55
1:D:78:PHE:CD2	1:D:122:MET:HE1	2.42	0.55
1:B:96:ASN:ND2	1:B:127:ASP:HB3	2.21	0.55
1:G:159:LEU:O	1:G:163:VAL:HG22	2.06	0.55
1:D:35:PHE:O	1:D:38:GLN:HB2	2.06	0.55
1:F:103:PHE:N	1:F:104:PRO:HD3	2.22	0.55
1:A:103:PHE:CE2	2:A:301:OFX:H19	2.42	0.55
1:C:229:ASN:OD1	1:D:239:LYS:HE3	2.07	0.54
1:E:102:TRP:CH2	1:E:186:ILE:HD12	2.42	0.54
1:D:225:ASP:OD1	1:D:225:ASP:C	2.50	0.54
1:D:55:MET:HE2	1:D:78:PHE:CD1	2.41	0.54
1:G:230:LYS:HE2	1:G:232:PHE:CZ	2.42	0.54
1:B:21:ILE:CG2	1:B:29:VAL:HG21	2.37	0.54
1:C:30:ASP:OD2	1:C:66:TYR:OH	2.18	0.54
1:B:125:GLU:HB2	1:B:128:HIS:HB3	1.90	0.54
1:D:11:ARG:HH22	1:D:44:GLU:CD	2.16	0.54
1:F:102:TRP:CZ3	1:F:103:PHE:CZ	2.95	0.54
1:E:102:TRP:CZ2	1:E:186:ILE:HD12	2.43	0.54
1:E:34:SER:C	1:E:36:LYS:H	2.15	0.54
1:D:149:TYR:CZ	4:D:301:TYD:H5'2	2.42	0.53
1:D:102:TRP:NE1	1:D:186:ILE:HG23	2.23	0.53
1:C:146:PHE:C	1:C:146:PHE:CD2	2.87	0.53
1:B:125:GLU:HB2	1:B:128:HIS:HB2	1.90	0.53
1:G:166:ASP:HB3	1:G:171:LYS:HB3	1.90	0.53
1:C:237:LEU:HD23	1:D:233:VAL:HG12	1.90	0.53
1:B:145:SER:HB3	1:B:215:HIS:HB2	1.89	0.53
1:H:149:TYR:OH	4:H:301:TYD:O1B	2.24	0.53
1:D:55:MET:HE3	1:D:78:PHE:HA	1.91	0.52
1:D:91:ILE:HD12	1:D:91:ILE:N	2.24	0.52
1:E:105:GLN:H	1:E:105:GLN:NE2	2.06	0.52
1:E:105:GLN:H	1:E:105:GLN:HE21	1.57	0.52
1:F:59:GLY:HA3	1:F:79:PRO:HG3	1.91	0.52
1:A:225:ASP:OD1	1:A:225:ASP:C	2.52	0.52
1:H:81:LYS:O	1:H:85:SER:OG	2.27	0.52
1:E:162[A]:LYS:HG3	6:E:419:HOH:O	2.09	0.52
1:H:11:ARG:NH2	1:H:44:GLU:OE1	2.43	0.52
1:G:102:TRP:CH2	1:G:186:ILE:HD12	2.44	0.52
1:C:1:MET:HA	1:C:26:ASP:O	2.09	0.52
1:C:190:LYS:NZ	6:C:404:HOH:O	2.43	0.52
1:A:11:ARG:CZ	1:A:44:GLU:OE1	2.57	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:235:LEU:HD11	1:F:233:VAL:CG2	2.40	0.52
1:E:236:GLU:O	1:F:233:VAL:HA	2.10	0.52
1:F:167:ILE:HA	1:F:172:PHE:CD1	2.45	0.52
1:H:58:ASN:O	1:H:59:GLY:C	2.50	0.52
1:D:202:THR:OG1	1:D:205:GLU:HG3	2.10	0.51
1:E:240:ILE:C	1:E:240:ILE:HD12	2.35	0.51
1:B:3:LYS:HE3	1:B:28:GLN:HB2	1.91	0.51
1:H:4:ILE:HD11	1:H:168:LEU:HD21	1.92	0.51
1:G:31:TYR:HB2	1:G:49:GLU:O	2.09	0.51
1:E:78:PHE:CD2	1:E:122:MET:HE1	2.46	0.51
1:G:60:ASN:HB3	1:G:63:ILE:HD11	1.92	0.51
1:D:102:TRP:CZ2	1:D:186:ILE:HG23	2.46	0.50
1:B:25:ASN:O	1:B:26:ASP:HB2	2.11	0.50
1:G:146:PHE:C	1:G:146:PHE:CD2	2.89	0.50
1:A:149:TYR:CZ	2:A:301:OFX:H17	2.46	0.50
1:E:1:MET:HG3	1:E:26:ASP:C	2.37	0.49
1:F:47:ASN:O	1:F:48:SER:HB2	2.12	0.49
1:D:55:MET:HE3	1:D:79:PRO:HD3	1.93	0.49
1:G:52:PRO:C	1:G:53:ILE:HG22	2.38	0.49
1:D:11:ARG:HG3	6:D:425:HOH:O	2.13	0.48
1:F:219:LYS:HD3	6:F:478:HOH:O	2.14	0.48
1:H:35:PHE:O	1:H:38:GLN:HB2	2.13	0.48
1:B:9:ASP:CG	1:B:75:LYS:HD3	2.39	0.48
1:A:202:THR:OG1	1:A:205:GLU:HG3	2.13	0.48
1:G:169:ASN:O	1:G:170:ASN:C	2.56	0.48
1:H:135:GLU:OE1	6:H:459:HOH:O	2.20	0.48
1:B:239:LYS:HD3	1:B:241:SER:C	2.39	0.48
1:G:146:PHE:HA	1:G:215:HIS:CE1	2.50	0.47
1:F:105:GLN:HA	1:F:115:ILE:HD13	1.95	0.47
1:G:125:GLU:HB2	1:G:128:HIS:CB	2.45	0.47
1:F:11:ARG:NH1	1:F:40:SER:O	2.46	0.47
1:B:35:PHE:O	1:B:38:GLN:HG3	2.15	0.47
1:F:60:ASN:OD1	1:F:81:LYS:HG2	2.14	0.47
1:B:93:PRO:O	1:B:104:PRO:HG2	2.14	0.47
1:G:53:ILE:HD11	1:G:55:MET:SD	2.55	0.47
1:D:114:PRO:HB3	1:D:136:GLU:OE2	2.15	0.47
1:A:21:ILE:HG22	1:A:29:VAL:HG21	1.95	0.47
1:E:202:THR:OG1	1:E:205:GLU:HG3	2.15	0.46
1:F:2:LYS:NZ	6:F:454:HOH:O	2.49	0.46
1:D:100:ARG:HB3	1:D:127:ASP:HB2	1.98	0.46
1:B:219:LYS:HE2	1:A:238:GLU:OE2	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:193:CYS:HA	1:E:213:MET:HE2	1.96	0.46
1:H:225:ASP:OD2	1:H:229:ASN:HB2	2.15	0.46
1:C:34:SER:HB2	1:C:76:GLN:HE21	1.81	0.46
1:F:60:ASN:HB3	1:F:63:ILE:HD12	1.97	0.46
1:B:96:ASN:HD21	1:B:127:ASP:HB3	1.80	0.46
1:H:122:MET:CE	6:H:404:HOH:O	2.63	0.46
1:D:21:ILE:CG2	1:D:29:VAL:HG21	2.44	0.46
1:H:55:MET:HE2	1:H:78:PHE:CD1	2.51	0.46
1:E:146:PHE:CD2	1:E:146:PHE:C	2.93	0.45
1:G:123:ASP:HB3	1:G:125:GLU:N	2.27	0.45
1:H:102:TRP:HE1	1:H:186:ILE:HG12	1.81	0.45
1:C:11:ARG:HB2	1:C:11:ARG:NH1	2.31	0.45
1:B:238:GLU:OE2	1:A:219:LYS:HE3	2.16	0.45
1:G:4:ILE:O	1:G:29:VAL:HA	2.17	0.45
1:H:95:LEU:HD23	1:H:114:PRO:HB2	1.98	0.45
1:B:102:TRP:CD1	1:B:186:ILE:HB	2.51	0.45
1:B:176:LYS:HG2	1:B:177:PRO:HD2	1.99	0.45
1:F:169:ASN:O	1:F:171:LYS:N	2.50	0.45
1:D:170:ASN:ND2	6:D:498:HOH:O	2.51	0.44
1:C:11:ARG:HB2	1:C:11:ARG:HH11	1.82	0.44
1:E:225:ASP:C	1:E:225:ASP:OD1	2.59	0.44
1:B:3:LYS:CE	1:B:28:GLN:HB2	2.48	0.44
1:C:147:ASP:OD1	1:E:65:LYS:NZ	2.43	0.44
1:G:65:LYS:O	1:G:65:LYS:HG2	2.17	0.44
1:G:103:PHE:N	1:G:104:PRO:HD3	2.31	0.44
1:D:41:PHE:O	1:D:42:ALA:C	2.59	0.44
1:D:78:PHE:HB2	1:D:122:MET:HE1	1.99	0.44
1:H:95:LEU:HD22	1:H:136:GLU:CG	2.48	0.44
1:C:34:SER:HB2	1:C:76:GLN:NE2	2.32	0.44
1:F:199:LYS:HB2	1:F:199:LYS:HE2	1.87	0.44
1:B:225:ASP:HB2	3:B:302:PO4:O3	2.17	0.44
1:D:153:GLN:HA	1:D:156:GLU:OE1	2.17	0.44
1:G:4:ILE:HG22	1:G:68:LEU:HB3	1.99	0.44
1:H:20:ILE:HD13	1:H:161:THR:HG22	1.98	0.44
1:H:27:VAL:O	1:H:27:VAL:HG23	2.17	0.44
1:E:43:LYS:CD	1:E:47:ASN:HD21	2.31	0.44
1:F:130:ASP:OD2	1:F:174:ARG:NH2	2.47	0.44
1:G:4:ILE:HG13	1:G:29:VAL:HG23	1.98	0.44
1:G:53:ILE:CD1	1:G:55:MET:SD	3.06	0.44
1:B:28:GLN:HE21	1:B:28:GLN:HB3	1.69	0.43
1:H:16:ASP:O	1:H:20:ILE:HG13	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:34:SER:O	1:C:37:SER:HB3	2.18	0.43
1:C:153:GLN:HA	1:C:156:GLU:OE1	2.18	0.43
1:D:222:TYR:C	1:D:222:TYR:CD2	2.96	0.43
1:E:132:ILE:HA	1:E:173:THR:O	2.17	0.43
1:D:55:MET:CE	1:D:78:PHE:HA	2.48	0.43
1:F:43:LYS:O	1:F:47:ASN:HB2	2.18	0.43
1:F:53:ILE:HG12	1:F:54:ASP:N	2.33	0.43
1:G:25:ASN:C	1:G:27:VAL:N	2.75	0.43
1:G:55:MET:HE2	1:G:78:PHE:CD1	2.54	0.43
1:H:194:GLU:CD	6:H:447:HOH:O	2.60	0.43
1:C:39:THR:O	1:C:40:SER:C	2.62	0.43
1:D:102:TRP:CZ2	1:D:186:ILE:CG2	3.01	0.43
1:A:9:ASP:HA	1:A:41:PHE:HE2	1.82	0.43
1:A:154:LYS:O	1:A:158:GLU:HG3	2.18	0.43
1:G:78:PHE:CD2	1:G:122:MET:HE1	2.53	0.43
1:B:25:ASN:O	1:B:26:ASP:CB	2.66	0.43
1:G:5:PHE:O	1:G:69:GLY:HA2	2.19	0.43
1:G:125:GLU:HB2	1:G:128:HIS:HB3	2.00	0.43
1:C:35:PHE:C	1:C:37:SER:N	2.74	0.42
1:F:58:ASN:HB3	1:F:61:ASP:OD2	2.19	0.42
1:F:95:LEU:HD22	1:F:136:GLU:HG2	2.01	0.42
1:F:100:ARG:HB3	1:F:127:ASP:HB2	2.02	0.42
1:A:32:PHE:HB3	1:A:53:ILE:CG2	2.49	0.42
1:G:45:ILE:HG22	1:G:46:TYR:N	2.34	0.42
1:H:122:MET:HE1	6:H:404:HOH:O	2.18	0.42
1:E:236:GLU:OE2	6:E:456:HOH:O	2.21	0.42
1:B:9:ASP:CB	1:B:75:LYS:HD3	2.50	0.42
1:A:192:MET:HE3	1:A:213:MET:CE	2.50	0.42
1:G:58:ASN:O	1:G:61:ASP:HB2	2.19	0.42
1:G:121:VAL:O	1:G:129:GLY:HA3	2.19	0.42
1:H:14:LEU:O	1:H:18:LYS:HG3	2.20	0.42
1:C:103:PHE:CD2	2:C:301:OFX:H19	2.55	0.42
1:F:103:PHE:CE2	4:F:301:TYD:H3'	2.54	0.42
1:B:97:PRO:HB2	1:B:181:GLY:HA3	2.02	0.42
1:B:200:ILE:N	1:B:200:ILE:HD13	2.34	0.42
1:A:167:ILE:HA	1:A:172:PHE:CD1	2.54	0.42
1:C:4:ILE:HD12	1:C:27:VAL:HG13	2.02	0.42
1:C:78:PHE:CG	1:C:122:MET:HE1	2.55	0.42
1:E:200:ILE:O	1:E:201:VAL:HG13	2.20	0.42
1:F:39:THR:HB	6:F:443:HOH:O	2.19	0.42
1:A:155:LYS:O	1:A:159:LEU:HG	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:60:ASN:O	1:C:63:ILE:HG13	2.19	0.41
1:F:90:ASN:HB2	1:F:122:MET:HG2	2.02	0.41
1:C:210:LEU:HD23	1:C:210:LEU:HA	1.95	0.41
1:G:237:LEU:HD12	1:G:237:LEU:N	2.36	0.41
1:H:146:PHE:HA	1:H:215:HIS:CE1	2.55	0.41
1:G:175:ILE:HG22	1:G:176:LYS:N	2.35	0.41
1:D:224:ILE:HG22	1:D:228:GLY:HA2	2.01	0.41
1:A:121:VAL:O	1:A:129:GLY:HA3	2.20	0.41
1:E:103:PHE:N	1:E:104:PRO:CD	2.84	0.41
1:F:58:ASN:N	1:F:58:ASN:OD1	2.53	0.41
1:G:78:PHE:HB2	1:G:122:MET:HE1	2.02	0.41
1:C:10:ASN:OD1	1:C:12:THR:N	2.53	0.41
1:B:27:VAL:O	1:B:27:VAL:HG23	2.21	0.41
1:G:68:LEU:HD11	1:G:87:LEU:HD23	2.03	0.41
1:G:210:LEU:HA	1:G:210:LEU:HD23	1.91	0.41
1:G:47:ASN:O	1:G:48:SER:C	2.63	0.41
1:G:62:LEU:HG	1:G:66:TYR:HE2	1.86	0.41
1:H:41:PHE:O	1:H:42:ALA:C	2.63	0.41
1:H:102:TRP:NE1	1:H:186:ILE:HG12	2.36	0.41
1:B:126:ILE:O	1:B:127:ASP:HB2	2.21	0.41
1:C:126:ILE:O	1:C:127:ASP:C	2.63	0.40
1:G:68:LEU:HD12	1:G:87:LEU:HB3	2.03	0.40
1:F:146:PHE:HA	1:F:215:HIS:CE1	2.56	0.40
1:B:124:GLU:N	1:B:125:GLU:OE1	2.54	0.40
1:D:224:ILE:HG23	1:D:228:GLY:HA2	2.04	0.40
1:F:45:ILE:CD1	1:F:52:PRO:HD3	2.50	0.40
1:H:225:ASP:C	1:H:225:ASP:OD1	2.64	0.40
1:D:37:SER:O	1:D:38:GLN:C	2.62	0.40
1:C:12:THR:OG1	1:E:81:LYS:HE2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	238/243 (98%)	228 (96%)	10 (4%)	0	100	100
1	B	239/243 (98%)	226 (95%)	12 (5%)	1 (0%)	30	28
1	C	239/243 (98%)	222 (93%)	16 (7%)	1 (0%)	30	28
1	D	238/243 (98%)	224 (94%)	14 (6%)	0	100	100
1	E	242/243 (100%)	228 (94%)	9 (4%)	5 (2%)	5	2
1	F	238/243 (98%)	225 (94%)	11 (5%)	2 (1%)	16	12
1	G	240/243 (99%)	220 (92%)	13 (5%)	7 (3%)	3	1
1	H	239/243 (98%)	226 (95%)	13 (5%)	0	100	100
All	All	1913/1944 (98%)	1799 (94%)	98 (5%)	16 (1%)	16	12

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	126	ILE
1	E	226	GLU
1	F	170	ASN
1	B	126	ILE
1	G	48	SER
1	G	65	LYS
1	G	170	ASN
1	E	35	PHE
1	G	112	LYS
1	G	129	GLY
1	G	61	ASP
1	E	124	GLU
1	G	64	GLY
1	C	36	LYS
1	E	127	ASP
1	F	129	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	223/225 (99%)	213 (96%)	10 (4%)	24	25
1	B	224/225 (100%)	203 (91%)	21 (9%)	8	6
1	C	224/225 (100%)	211 (94%)	13 (6%)	18	16
1	D	223/225 (99%)	213 (96%)	10 (4%)	24	25
1	E	226/225 (100%)	209 (92%)	17 (8%)	12	10
1	F	223/225 (99%)	203 (91%)	20 (9%)	9	6
1	G	224/225 (100%)	200 (89%)	24 (11%)	6	4
1	H	224/225 (100%)	211 (94%)	13 (6%)	18	16
All	All	1791/1800 (100%)	1663 (93%)	128 (7%)	13	11

All (128) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	2	LYS
1	C	11	ARG
1	C	12	THR
1	C	19	ASN
1	C	34	SER
1	C	38	GLN
1	C	43	LYS
1	C	62	LEU
1	C	123	ASP
1	C	154	LYS
1	C	179	SER
1	C	200	ILE
1	C	239	LYS
1	D	38	GLN
1	D	48	SER
1	D	49	GLU
1	D	119	ILE
1	D	137	VAL
1	D	164	ILE
1	D	168	LEU
1	D	179	SER
1	D	186	ILE
1	D	200	ILE
1	E	27	VAL
1	E	29	VAL
1	E	36	LYS
1	E	43	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	48	SER
1	E	51	LYS
1	E	56	LYS
1	E	57	LYS
1	E	62	LEU
1	E	74	SER
1	E	81	LYS
1	E	105	GLN
1	E	154	LYS
1	E	175	ILE
1	E	178	ASN
1	E	233	VAL
1	E	240	ILE
1	F	12	THR
1	F	25	ASN
1	F	27	VAL
1	F	29	VAL
1	F	43	LYS
1	F	47	ASN
1	F	57	LYS
1	F	71	SER
1	F	81	LYS
1	F	83	VAL
1	F	92	HIS
1	F	97	PRO
1	F	102	TRP
1	F	137	VAL
1	F	186	ILE
1	F	219	LYS
1	F	221	SER
1	F	230	LYS
1	F	233	VAL
1	F	240	ILE
1	B	1	MET
1	B	2	LYS
1	B	3	LYS
1	B	18	LYS
1	B	25	ASN
1	B	26	ASP
1	B	28	GLN
1	B	36	LYS
1	B	48	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	75	LYS
1	B	81	LYS
1	B	83	VAL
1	B	119	ILE
1	B	123	ASP
1	B	128	HIS
1	B	133	ILE
1	B	186	ILE
1	B	200	ILE
1	B	239	LYS
1	B	240	ILE
1	B	241	SER
1	A	2	LYS
1	A	3	LYS
1	A	53	ILE
1	A	83	VAL
1	A	175	ILE
1	A	176	LYS
1	A	186	ILE
1	A	233	VAL
1	A	236	GLU
1	A	240	ILE
1	G	1	MET
1	G	15	SER
1	G	19	ASN
1	G	21	ILE
1	G	27	VAL
1	G	34	SER
1	G	39	THR
1	G	44	GLU
1	G	45	ILE
1	G	53	ILE
1	G	56	LYS
1	G	63	ILE
1	G	67	ASP
1	G	71	SER
1	G	85	SER
1	G	86	VAL
1	G	127	ASP
1	G	162	LYS
1	G	167	ILE
1	G	176	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	187	HIS
1	G	221	SER
1	G	236	GLU
1	G	240	ILE
1	H	3	LYS
1	H	11	ARG
1	H	40	SER
1	H	43	LYS
1	H	47	ASN
1	H	56	LYS
1	H	57	LYS
1	H	82	LEU
1	H	85	SER
1	H	136	GLU
1	H	175	ILE
1	H	186	ILE
1	H	192	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (43) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	25	ASN
1	C	38	GLN
1	C	90	ASN
1	C	96	ASN
1	C	120	HIS
1	C	134	GLN
1	C	191	ASN
1	D	90	ASN
1	D	120	HIS
1	D	153	GLN
1	D	170	ASN
1	D	187	HIS
1	D	191	ASN
1	E	47	ASN
1	E	105	GLN
1	E	134	GLN
1	E	191	ASN
1	E	229	ASN
1	F	120	HIS
1	B	19	ASN
1	B	28	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	58	ASN
1	B	96	ASN
1	B	169	ASN
1	B	170	ASN
1	B	187	HIS
1	B	191	ASN
1	A	19	ASN
1	A	47	ASN
1	A	96	ASN
1	A	134	GLN
1	G	76	GLN
1	G	90	ASN
1	G	96	ASN
1	G	187	HIS
1	G	227	HIS
1	H	47	ASN
1	H	92	HIS
1	H	96	ASN
1	H	120	HIS
1	H	153	GLN
1	H	191	ASN
1	H	229	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	0FX	A	301	-	36,37,37	1.98	6 (16%)	54,57,57	2.91	23 (42%)
4	TYD	F	301	-	25,26,26	1.55	5 (20%)	38,40,40	2.67	18 (47%)
4	TYD	D	301	-	25,26,26	1.56	6 (24%)	38,40,40	2.63	12 (31%)
5	4TG	B	301	-	38,39,39	2.24	9 (23%)	54,59,59	2.64	14 (25%)
2	0FX	C	301	-	36,37,37	1.83	6 (16%)	54,57,57	3.47	21 (38%)
3	PO4	F	302	-	4,4,4	0.66	0	6,6,6	1.58	2 (33%)
3	PO4	H	302	-	4,4,4	0.86	0	6,6,6	0.63	0
3	PO4	C	302	-	4,4,4	1.09	0	6,6,6	0.63	0
3	PO4	B	302	-	4,4,4	0.94	0	6,6,6	1.45	1 (16%)
3	PO4	H	303	-	4,4,4	0.78	0	6,6,6	0.71	0
2	0FX	E	301	-	36,37,37	2.06	4 (11%)	54,57,57	2.79	24 (44%)
4	TYD	H	301	-	25,26,26	1.45	3 (12%)	38,40,40	2.38	17 (44%)
2	0FX	G	301	-	36,37,37	2.03	9 (25%)	54,57,57	2.70	22 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	0FX	A	301	-	-	2/21/53/53	0/3/3/3
4	TYD	F	301	-	-	1/16/28/28	0/2/2/2
4	TYD	D	301	-	-	1/16/28/28	0/2/2/2
5	4TG	B	301	-	-	4/24/56/56	0/3/3/3
2	0FX	C	301	-	-	4/21/53/53	0/3/3/3
2	0FX	E	301	-	-	5/21/53/53	0/3/3/3
4	TYD	H	301	-	-	3/16/28/28	0/2/2/2
2	0FX	G	301	-	-	4/21/53/53	0/3/3/3

All (48) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	301	0FX	O21-C21	8.26	1.37	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	301	0FX	O21-C21	7.89	1.37	1.23
2	A	301	0FX	O41-C41	7.39	1.37	1.23
2	E	301	0FX	O41-C41	7.05	1.36	1.23
2	C	301	0FX	O21-C21	6.90	1.35	1.23
2	A	301	0FX	O21-C21	6.63	1.34	1.23
5	B	301	4TG	O2-C2	6.60	1.34	1.23
5	B	301	4TG	O4-C4	6.45	1.35	1.23
2	C	301	0FX	O41-C41	5.12	1.33	1.23
5	B	301	4TG	PB-O3A	5.00	1.64	1.59
2	G	301	0FX	O41-C41	4.71	1.32	1.23
2	C	301	0FX	C41-C51	-4.30	1.37	1.44
4	H	301	TYD	PA-O3A	4.07	1.63	1.59
5	B	301	4TG	C4-C5	-4.06	1.38	1.44
4	F	301	TYD	C4-C5	-4.02	1.38	1.44
2	E	301	0FX	C61-C51	3.94	1.41	1.34
5	B	301	4TG	C2-N1	-3.82	1.32	1.38
5	B	301	4TG	C-N4Q	3.82	1.45	1.33
2	G	301	0FX	C41-C51	-3.67	1.38	1.44
4	H	301	TYD	C6-C5	3.64	1.40	1.34
5	B	301	4TG	C6-C5	3.51	1.40	1.34
4	F	301	TYD	C6-C5	3.44	1.40	1.34
4	D	301	TYD	C6-C5	3.25	1.39	1.34
2	E	301	0FX	C41-C51	-3.21	1.39	1.44
4	D	301	TYD	C4-C5	-3.19	1.39	1.44
4	H	301	TYD	C4-C5	-2.83	1.40	1.44
2	A	301	0FX	C41-C51	-2.78	1.40	1.44
4	D	301	TYD	C6-N1	-2.77	1.33	1.38
2	A	301	0FX	C21-N11	-2.76	1.34	1.38
2	A	301	0FX	C61-C51	2.75	1.39	1.34
4	D	301	TYD	PA-O3A	2.64	1.62	1.59
4	D	301	TYD	C4-N3	-2.62	1.33	1.38
2	A	301	0FX	C61-N11	-2.61	1.33	1.38
2	G	301	0FX	C41-N31	-2.57	1.34	1.38
2	G	301	0FX	C61-N11	-2.56	1.33	1.38
2	G	301	0FX	C21-N11	-2.52	1.34	1.38
2	G	301	0FX	C61-C51	2.33	1.38	1.34
2	G	301	0FX	P-OPP	2.32	1.62	1.59
5	B	301	4TG	C6-N1	-2.31	1.34	1.38
2	G	301	0FX	P2-OPP	2.30	1.62	1.59
4	F	301	TYD	C6-N1	-2.29	1.34	1.38
4	D	301	TYD	PB-O1B	2.27	1.57	1.50
2	C	301	0FX	C61-C51	2.27	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	301	0FX	C21-N31	-2.18	1.34	1.38
5	B	301	4TG	C4-N3	-2.17	1.34	1.38
4	F	301	TYD	C2-N1	-2.13	1.35	1.38
4	F	301	TYD	O2-C2	2.11	1.26	1.23
2	C	301	0FX	C21-N11	-2.03	1.35	1.38

All (154) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	301	0FX	C51-C41-N31	11.15	125.01	115.32
2	C	301	0FX	OPP-P2-O3P	-9.88	80.99	110.70
2	C	301	0FX	O41-C41-C51	-9.57	113.97	124.92
2	G	301	0FX	C51-C41-N31	9.23	123.34	115.32
2	E	301	0FX	OPP-P-O2P	-8.43	85.36	110.70
2	C	301	0FX	C41-N31-C21	-8.37	116.36	127.34
5	B	301	4TG	C4-N3-C2	-8.32	116.43	127.34
4	D	301	TYD	O2A-PA-O3A	-8.12	85.33	107.27
4	F	301	TYD	O3A-PA-O1A	-7.72	87.47	110.70
5	B	301	4TG	N3-C2-N1	7.66	124.87	114.89
2	A	301	0FX	N31-C21-N11	7.47	124.61	114.89
2	G	301	0FX	C41-N31-C21	-6.91	118.28	127.34
2	A	301	0FX	C41-N31-C21	-6.79	118.44	127.34
5	B	301	4TG	C5-C4-N3	6.73	121.17	115.32
2	C	301	0FX	OPP-P-O2P	-6.71	90.53	110.70
2	G	301	0FX	O1P-P-OPP	6.56	125.00	107.27
2	A	301	0FX	O21-C21-N11	-6.25	114.67	122.80
2	E	301	0FX	O1G-C1G-C2G	-6.01	97.37	108.38
2	A	301	0FX	OPP-P-O2P	-5.99	92.69	110.70
2	A	301	0FX	OPP-P2-O3P	-5.73	93.47	110.70
2	E	301	0FX	C41-N31-C21	-5.66	119.92	127.34
2	E	301	0FX	C51-C41-N31	5.62	120.20	115.32
4	D	301	TYD	C4-N3-C2	-5.51	120.11	127.34
5	B	301	4TG	O2-C2-N1	-5.38	115.79	122.80
2	C	301	0FX	N31-C21-N11	5.34	121.84	114.89
5	B	301	4TG	C3Q-C4Q-N4Q	-5.25	101.17	110.62
2	E	301	0FX	O1P-P-O2P	5.18	136.54	112.44
2	G	301	0FX	OPP-P2-O3P	-5.09	95.40	110.70
4	H	301	TYD	O2A-PA-O1A	4.93	135.38	112.44
5	B	301	4TG	C5-C6-N1	-4.86	118.04	123.31
4	D	301	TYD	C5-C4-N3	4.79	119.49	115.32
4	D	301	TYD	O2B-PB-O3A	-4.75	88.72	104.64
4	H	301	TYD	C4-N3-C2	-4.73	121.13	127.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	301	0FX	O1G-C1G-C2G	-4.68	99.81	108.38
2	G	301	0FX	C5A-C51-C41	4.62	123.71	118.78
2	A	301	0FX	C2G-C3G-C4G	-4.57	103.41	110.99
4	D	301	TYD	N3-C2-N1	4.52	120.77	114.89
2	E	301	0FX	OPP-P2-O3P	-4.50	97.17	110.70
4	H	301	TYD	C5-C4-N3	4.49	119.22	115.32
2	A	301	0FX	C61-N11-C21	-4.48	116.84	121.30
4	F	301	TYD	O2A-PA-O1A	4.43	133.04	112.44
4	F	301	TYD	C5-C6-N1	-4.40	118.53	123.31
4	D	301	TYD	C5-C6-N1	-4.38	118.55	123.31
2	A	301	0FX	O1P-P-OPP	4.28	118.85	107.27
2	C	301	0FX	O4-C1-N11	4.14	115.21	107.86
2	E	301	0FX	C1G-O5G-C5G	4.14	120.70	113.63
5	B	301	4TG	O4-C4-C5	-4.12	120.20	124.92
2	C	301	0FX	O4P-P2-OPP	4.11	118.38	107.27
4	F	301	TYD	N3-C2-N1	4.08	120.20	114.89
2	E	301	0FX	N31-C21-N11	4.07	120.19	114.89
4	H	301	TYD	N3-C2-N1	4.06	120.18	114.89
4	F	301	TYD	C6-C5-C4	4.03	121.34	118.02
2	A	301	0FX	O5G-C1G-O1G	4.01	116.60	111.36
2	E	301	0FX	O5G-C1G-C2G	4.00	118.58	110.37
2	G	301	0FX	N31-C21-N11	3.97	120.06	114.89
4	H	301	TYD	O5'-PA-O1A	-3.94	93.32	108.94
2	A	301	0FX	C5A-C51-C41	3.91	122.95	118.78
2	A	301	0FX	C51-C41-N31	3.87	118.68	115.32
2	A	301	0FX	O4-C1-N11	3.85	114.70	107.86
4	F	301	TYD	O4-C4-C5	-3.85	120.52	124.92
2	E	301	0FX	C51-C61-N11	-3.80	119.19	123.31
4	H	301	TYD	O4-C4-C5	-3.71	120.68	124.92
2	A	301	0FX	O41-C41-C51	-3.63	120.77	124.92
2	A	301	0FX	C5A-C51-C61	-3.55	118.04	122.85
2	E	301	0FX	C5A-C51-C41	3.55	122.57	118.78
4	D	301	TYD	O2A-PA-O1A	3.54	128.92	112.44
2	A	301	0FX	O1P-P-O2P	3.48	128.65	112.44
5	B	301	4TG	O3B-C1Q-C2Q	-3.45	102.06	108.38
2	E	301	0FX	O1P-P-OPP	3.45	116.59	107.27
2	E	301	0FX	O4-C1-N11	3.45	113.98	107.86
2	G	301	0FX	O41-C41-C51	-3.44	120.99	124.92
5	B	301	4TG	C1'-N1-C6	3.41	126.47	120.74
2	E	301	0FX	C2-C1-N11	-3.41	105.29	113.81
4	F	301	TYD	O3B-PB-O2B	3.38	120.49	107.80
2	C	301	0FX	O1P-P-OPP	3.36	116.36	107.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	301	0FX	O1P-P-O2P	3.35	128.04	112.44
4	F	301	TYD	C4-N3-C2	-3.35	122.95	127.34
2	C	301	0FX	C1G-O5G-C5G	3.30	119.27	113.63
2	C	301	0FX	O3G-C3G-C2G	-3.28	102.66	110.38
2	G	301	0FX	OPP-P-O2P	-3.24	100.96	110.70
4	D	301	TYD	O4-C4-C5	-3.23	121.22	124.92
4	H	301	TYD	O3A-PB-O1B	-3.22	94.07	111.04
2	C	301	0FX	C51-C61-N11	-3.20	119.83	123.31
2	G	301	0FX	O3G-C3G-C4G	3.20	115.97	110.22
2	G	301	0FX	O1G-C1G-C2G	-3.18	102.55	108.38
2	C	301	0FX	O4P-P2-O3P	3.17	127.21	112.44
4	D	301	TYD	O5'-C5'-C4'	3.17	119.80	108.99
4	F	301	TYD	O3B-PB-O1B	3.17	123.17	110.83
2	C	301	0FX	O21-C21-N31	-3.16	115.65	121.49
2	E	301	0FX	O4-C1-C2	3.16	112.15	106.25
4	H	301	TYD	O3A-PA-O1A	-3.14	101.26	110.70
3	B	302	PO4	O3-P-O2	3.13	117.66	107.91
4	F	301	TYD	O2-C2-N1	-3.07	118.79	122.80
4	F	301	TYD	C1'-N1-C6	3.05	125.87	120.74
4	F	301	TYD	C2'-C3'-C4'	-3.05	96.61	102.80
2	E	301	0FX	C1G-C2G-C3G	2.99	116.30	110.01
4	F	301	TYD	O3A-PB-O1B	-2.96	95.44	111.04
2	G	301	0FX	O4P-P2-O3P	2.92	126.05	112.44
2	E	301	0FX	C5A-C51-C61	-2.92	118.90	122.85
2	G	301	0FX	C51-C61-N11	-2.91	120.16	123.31
2	A	301	0FX	O3G-C3G-C2G	2.87	117.14	110.38
2	A	301	0FX	O1G-C1G-C2G	-2.86	103.14	108.38
5	B	301	4TG	C1Q-C2Q-C3Q	2.85	116.01	110.01
5	B	301	4TG	O2Q-C2Q-C3Q	-2.85	103.66	110.38
2	G	301	0FX	C3G-C4G-C5G	-2.85	104.75	110.67
3	F	302	PO4	O4-P-O2	2.84	116.75	107.91
2	G	301	0FX	O5-P-O2P	2.82	120.11	108.94
2	C	301	0FX	O5G-C1G-C2G	2.77	116.06	110.37
4	F	301	TYD	C2'-C1'-N1	-2.76	106.91	113.81
2	C	301	0FX	C61-C51-C41	-2.76	115.75	118.02
4	H	301	TYD	O3B-PB-O1B	2.75	121.53	110.83
4	H	301	TYD	C4'-O4'-C1'	-2.74	103.01	109.51
2	C	301	0FX	O3G-C3G-C4G	2.73	115.13	110.22
2	A	301	0FX	O5G-C5G-C6G	2.73	112.80	106.74
2	A	301	0FX	C3G-C4G-C5G	-2.71	105.03	110.67
4	F	301	TYD	C5M-C5-C4	-2.71	115.89	118.78
4	H	301	TYD	O3B-PB-O2B	2.68	117.85	107.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	301	0FX	O5G-C5G-C6G	2.67	112.65	106.74
2	G	301	0FX	O21-C21-N31	-2.65	116.60	121.49
2	E	301	0FX	O5-P-O2P	-2.65	98.45	108.94
4	H	301	TYD	O4'-C1'-C2'	2.61	111.12	106.25
4	H	301	TYD	O4'-C4'-C3'	2.60	111.58	105.65
4	H	301	TYD	O4'-C1'-N1	2.58	112.44	107.86
4	H	301	TYD	O2A-PA-O3A	2.58	114.24	107.27
2	C	301	0FX	O1G-P2-O3P	2.54	117.93	109.81
4	D	301	TYD	O2-C2-N1	-2.52	119.51	122.80
4	D	301	TYD	O4'-C4'-C5'	2.51	117.38	109.33
2	A	301	0FX	O4P-P2-O3P	2.49	124.03	112.44
2	E	301	0FX	O5-C5-C4	-2.46	100.62	108.99
2	C	301	0FX	O5-P-O2P	-2.46	99.20	108.94
4	H	301	TYD	C5-C6-N1	-2.46	120.65	123.31
2	A	301	0FX	C1G-O5G-C5G	2.44	117.80	113.63
2	G	301	0FX	C61-C51-C41	-2.43	116.02	118.02
4	H	301	TYD	O2-C2-N1	-2.41	119.66	122.80
4	D	301	TYD	O5'-PA-O1A	-2.40	99.43	108.94
2	G	301	0FX	O41-C41-N31	-2.36	115.67	120.11
2	E	301	0FX	O2G-C2G-C1G	-2.35	104.47	110.08
2	A	301	0FX	O2G-C2G-C1G	-2.29	104.61	110.08
4	F	301	TYD	O2B-PB-O1B	-2.27	101.98	110.83
5	B	301	4TG	O5Q-C1Q-O3B	-2.23	108.45	111.36
2	E	301	0FX	O21-C21-N31	-2.21	117.40	121.49
4	F	301	TYD	O2A-PA-O3A	2.19	113.20	107.27
5	B	301	4TG	O5Q-C1Q-C2Q	2.18	114.84	110.37
2	G	301	0FX	O5G-C1G-C2G	2.15	114.78	110.37
5	B	301	4TG	C1'-N1-C2	-2.14	113.48	117.66
2	G	301	0FX	C1-N11-C61	-2.12	117.18	120.74
2	E	301	0FX	O4P-P2-O3P	2.11	122.24	112.44
4	F	301	TYD	C1'-N1-C2	-2.08	113.58	117.66
2	E	301	0FX	O41-C41-C51	-2.07	122.55	124.92
2	G	301	0FX	C2G-C3G-C4G	-2.06	107.58	110.99
2	A	301	0FX	C2-C1-N11	-2.03	108.74	113.81
2	G	301	0FX	C1G-O5G-C5G	2.01	117.07	113.63
3	F	302	PO4	O2-P-O1	-2.01	103.84	110.95
2	E	301	0FX	O4P-P2-OPP	2.00	112.68	107.27

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	301	0FX	P2-OPP-P-O5
2	E	301	0FX	O5G-C1G-O1G-P2
2	E	301	0FX	P2-OPP-P-O5
2	G	301	0FX	P-OPP-P2-O1G
2	G	301	0FX	O5G-C1G-O1G-P2
4	H	301	TYD	C5'-O5'-PA-O1A
4	H	301	TYD	C5'-O5'-PA-O2A
4	H	301	TYD	C5'-O5'-PA-O3A
5	B	301	4TG	C5'-O5'-PA-O2A
2	C	301	0FX	C2G-C1G-O1G-P2
2	G	301	0FX	C2G-C1G-O1G-P2
2	A	301	0FX	P-OPP-P2-O1G
2	A	301	0FX	P2-OPP-P-O5
4	D	301	TYD	PB-O3A-PA-O5'
4	F	301	TYD	PB-O3A-PA-O5'
5	B	301	4TG	PA-O3A-PB-O3B
2	E	301	0FX	C1G-O1G-P2-O3P
2	E	301	0FX	P2-OPP-P-O2P
2	E	301	0FX	O4-C4-C5-O5
2	C	301	0FX	O5G-C1G-O1G-P2
2	G	301	0FX	C3-C4-C5-O5
2	C	301	0FX	C1G-O1G-P2-O3P
5	B	301	4TG	C1Q-O3B-PB-O1B
5	B	301	4TG	PB-O3A-PA-O1A


There are no ring outliers.

6 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	0FX	2	0
4	F	301	TYD	2	0
4	D	301	TYD	2	0
2	C	301	0FX	2	0
3	B	302	PO4	1	0
4	H	301	TYD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring


in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand TYD F 301




Ligand TYD D 301




Ligand 4TG B 301




Ligand 0FX C 301




Ligand 0FX E 301



Ligand TYD H 301





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	240/243 (98%)	-0.16	2 (0%) 82 84	19, 32, 52, 76	0
1	B	241/243 (99%)	0.19	8 (3%) 49 51	25, 40, 70, 116	0
1	C	241/243 (99%)	0.05	5 (2%) 63 66	18, 34, 61, 79	0
1	D	240/243 (98%)	-0.09	1 (0%) 88 90	18, 33, 57, 73	0
1	E	242/243 (99%)	0.12	14 (5%) 29 30	15, 33, 66, 109	2 (0%)
1	F	240/243 (98%)	0.07	2 (0%) 82 84	21, 36, 66, 90	0
1	G	242/243 (99%)	0.78	30 (12%) 8 8	23, 51, 88, 103	0
1	H	241/243 (99%)	-0.11	2 (0%) 82 84	17, 32, 56, 72	0
All	All	1927/1944 (99%)	0.11	64 (3%) 49 51	15, 36, 70, 116	2 (0%)

All (64) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	126	ILE	6.5
1	E	126	ILE	4.9
1	G	4	ILE	4.4
1	E	127	ASP	3.9
1	G	29	VAL	3.8
1	G	86	VAL	3.7
1	E	-1	GLY	3.6
1	E	0	HIS	3.6
1	G	6	VAL	3.6
1	G	64	GLY	3.5
1	E	125	GLU	3.3
1	G	7	VAL	3.3
1	G	63	ILE	3.3
1	A	46	TYR	3.1
1	G	2	LYS	3.1
1	G	62	LEU	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	102	TRP	3.1
1	G	187	HIS	3.0
1	G	28	GLN	3.0
1	C	42	ALA	2.9
1	E	42	ALA	2.9
1	G	46	TYR	2.8
1	B	127	ASP	2.8
1	A	102	TRP	2.8
1	G	35	PHE	2.7
1	G	39	THR	2.7
1	F	186	ILE	2.7
1	F	102	TRP	2.7
1	G	-1	GLY	2.6
1	G	68	LEU	2.6
1	G	87	LEU	2.6
1	G	0	HIS	2.5
1	C	102	TRP	2.5
1	E	124	GLU	2.4
1	E	46	TYR	2.4
1	B	128	HIS	2.4
1	G	69	GLY	2.3
1	E	128	HIS	2.3
1	G	77	LEU	2.3
1	G	67	ASP	2.3
1	H	1	MET	2.3
1	G	32	PHE	2.2
1	G	82	LEU	2.2
1	B	189	TYR	2.2
1	C	39	THR	2.2
1	G	131	ILE	2.2
1	E	102	TRP	2.2
1	G	5	PHE	2.2
1	G	45	ILE	2.2
1	G	167	ILE	2.2
1	G	84	ASN	2.2
1	G	169	ASN	2.2
1	B	177	PRO	2.1
1	B	187	HIS	2.1
1	H	56	LYS	2.1
1	D	46	TYR	2.1
1	E	186	ILE	2.1
1	G	17	PHE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	43	LYS	2.1
1	B	85	SER	2.1
1	E	47	ASN	2.0
1	E	56	LYS	2.0
1	E	240	ILE	2.0
1	C	46	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	PO4	F	302	5/5	0.88	0.12	46,59,61,64	0
4	TYD	H	301	25/25	0.88	0.10	20,29,71,80	0
4	TYD	D	301	25/25	0.89	0.09	28,36,51,65	0
4	TYD	F	301	25/25	0.89	0.09	23,35,62,64	0
3	PO4	H	303	5/5	0.89	0.14	41,51,66,67	0
3	PO4	H	302	5/5	0.90	0.12	57,59,69,84	0
3	PO4	B	302	5/5	0.91	0.14	47,49,59,60	0
2	0FX	A	301	35/35	0.92	0.09	26,49,66,67	0
2	0FX	G	301	35/35	0.94	0.08	30,40,58,63	0
2	0FX	C	301	35/35	0.94	0.08	25,35,52,55	0
3	PO4	C	302	5/5	0.95	0.10	42,45,53,56	0
2	0FX	E	301	35/35	0.95	0.08	24,37,47,53	0
5	4TG	B	301	37/37	0.95	0.07	30,37,50,58	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around TYD H 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TYD D 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TYD F 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OFX A 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 0FX G 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 0FX C 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 0FX E 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 4TG B 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.