



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:24 PM UTC

PDB ID : 3O5U / pdb_00003o5u
Title : Crystal Structure of 4-Chlorocatechol Dioxygenase from *Rhodococcus opacus* 1CP in complex with protococatechuate
Authors : Ferraroni, M.; Briganti, F.; Kolomitseva, M.; Golovleva, L.
Deposited on : 2010-07-28
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	257	 83% 16% .
1	B	257	 79% 19% .

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 4535 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Chlorocatechol 1,2-dioxygenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	256	Total	C	N	O	S	0	0	0
			2034	1303	338	387	6			
1	B	256	Total	C	N	O	S	0	2	0
			2042	1308	340	388	6			

- Molecule 2 is FE (III) ION (CCD ID: FE) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Fe	0	0
			1	1		
2	B	1	Total	Fe	0	0
			1	1		

- Molecule 3 is (2R)-3-(PHOSPHONOOXY)-2-(TETRADECANOYLOXY)PROPYL PALMITATE (CCD ID: MYY) (formula: C₃₃H₆₅O₈P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			39	33	5	1		
3	A	1	Total	C	O		0	0
			37	33	4			

- Molecule 4 is 3,4-DIHYDROXYBENZOIC ACID (CCD ID: DHB) (formula: $C_7H_6O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			11	7	4		
4	B	1	Total	C	O	0	0
			11	7	4		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	3	Total	Cl	0	0
			3	3		
6	B	1	Total	Cl	0	0
			1	1		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	187	Total	O	0	0
			187	187		
7	B	150	Total	O	0	0
			150	150		

- Molecule 1: Chlorocatechol 1,2-dioxygenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	87.31Å 87.31Å 185.92Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 – 2.35 30.00 – 2.35	Depositor EDS
% Data completeness (in resolution range)	100.0 (30.00-2.35) 99.9 (30.00-2.35)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	0.12	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.53 (at 2.36Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.166 , 0.216 0.167 , 0.212	Depositor DCC
R_{free} test set	1689 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	33.8	Xtriage
Anisotropy	0.254	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 32.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.075 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4535	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.32% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, GOL, FE, DHB, MYY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.99	0/2095	1.03	0/2859
1	B	0.90	0/2109	0.98	1/2877 (0.0%)
All	All	0.95	0/4204	1.00	1/5736 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	40	SER	N-CA-C	5.95	117.44	111.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2034	0	1939	33	0
1	B	2042	0	1950	37	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	76	0	124	3	0
4	A	11	0	3	0	0
4	B	11	0	3	1	0
5	A	12	0	16	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	6	0	8	0	0
6	A	3	0	0	0	0
6	B	1	0	0	0	0
7	A	187	0	0	11	0
7	B	150	0	0	3	0
All	All	4535	0	4043	71	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (71) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:15:ASP:HB3	7:A:393:HOH:O	1.58	1.04
1:A:89:LYS:HD3	7:A:280:HOH:O	1.60	0.98
1:A:97:ALA:O	1:A:98:ASP:OD1	1.92	0.87
1:B:78:PHE:O	1:B:148:ARG:NH2	2.08	0.87
1:A:4:THR:O	1:A:8:GLU:HG3	1.74	0.86
1:B:14:THR:HG23	1:B:18:ARG:NH1	1.94	0.82
1:B:3:ASN:HD22	1:B:6:VAL:H	1.25	0.81
1:B:188:HIS:HD2	1:B:190:TRP:H	1.27	0.79
1:A:256:HIS:HD2	7:A:382:HOH:O	1.64	0.79
1:A:228:LYS:HD2	5:A:260:GOL:H32	1.70	0.74
1:B:130:ASN:HA	7:B:284:HOH:O	1.89	0.72
1:A:18:ARG:HD2	7:A:431:HOH:O	1.87	0.72
1:A:12:GLU:OE2	1:B:23[B]:ARG:NH2	2.24	0.70
1:B:191:ARG:HH12	1:B:210:GLN:HE22	1.41	0.69
1:B:3:ASN:ND2	1:B:6:VAL:H	1.92	0.65
1:A:19:ASP:HB3	7:A:338:HOH:O	1.96	0.64
1:B:14:THR:CG2	1:B:18:ARG:NH1	2.60	0.64
1:B:171:ILE:HB	1:B:189:SER:HB2	1.79	0.62
1:B:188:HIS:CD2	1:B:190:TRP:H	2.16	0.62
1:B:127:HIS:HD2	1:B:128:SER:O	1.83	0.62
1:A:89:LYS:CD	7:A:280:HOH:O	2.31	0.61
1:A:188:HIS:HD2	1:A:190:TRP:H	1.47	0.61
1:A:129:THR:C	1:A:131:ASP:H	2.08	0.60
1:A:216:ASP:HB3	1:A:219:LEU:HG	1.82	0.60
1:B:3:ASN:ND2	1:B:6:VAL:HG23	2.17	0.59
1:A:188:HIS:CD2	1:A:190:TRP:H	2.21	0.58
1:A:253:ILE:HD11	7:A:354:HOH:O	2.04	0.58
1:B:14:THR:HG23	1:B:18:ARG:CZ	2.34	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:180:LEU:HA	1:B:184:TYR:CD1	2.41	0.55
1:A:191:ARG:HD2	1:A:224:CYS:SG	2.48	0.54
1:B:191:ARG:NH1	1:B:210:GLN:HE22	2.06	0.54
1:A:112:ASP:HB2	7:A:391:HOH:O	2.07	0.54
1:B:103:ARG:NH2	7:B:400:HOH:O	2.41	0.53
1:A:175:GLY:O	1:A:179:GLN:HG3	2.07	0.53
1:A:97:ALA:O	1:A:98:ASP:CG	2.53	0.52
1:B:191:ARG:HH12	1:B:210:GLN:NE2	2.07	0.51
1:B:127:HIS:HE1	1:B:163:SER:OG	1.95	0.50
1:B:167:VAL:HB	1:B:168:PRO:HD2	1.94	0.50
1:B:16:LEU:C	1:B:16:LEU:HD23	2.37	0.48
1:A:130:ASN:ND2	7:A:379:HOH:O	2.45	0.48
1:A:89:LYS:HA	1:A:90:PRO:HA	1.71	0.47
1:B:60:ASP:CB	7:B:341:HOH:O	2.62	0.47
1:A:228:LYS:NZ	7:A:286:HOH:O	2.48	0.47
1:B:216:ASP:HB3	1:B:219:LEU:HG	1.96	0.47
1:B:3:ASN:HD22	1:B:6:VAL:HG23	1.80	0.46
1:B:111:ARG:O	1:B:253:ILE:HA	2.16	0.46
1:B:191:ARG:HD2	1:B:224:CYS:SG	2.56	0.46
1:A:14:THR:O	1:A:18:ARG:HG3	2.17	0.45
1:B:56:GLU:OE1	1:B:74:ILE:HB	2.16	0.45
1:B:188:HIS:HD2	1:B:190:TRP:N	2.04	0.45
1:A:184:TYR:CD2	3:A:303:MYH:H252	2.52	0.44
1:A:256:HIS:O	1:A:257:ASN:HB2	2.18	0.44
1:A:167:VAL:HB	1:A:168:PRO:CD	2.48	0.44
1:A:188:HIS:CD2	1:A:188:HIS:C	2.96	0.44
1:B:233:LEU:HD23	1:B:248:VAL:HB	1.99	0.43
1:B:10:PHE:O	1:B:14:THR:HB	2.18	0.43
1:B:169:TYR:CD2	4:B:258:DHB:H5	2.53	0.43
3:A:304:MYH:H6C2	7:A:334:HOH:O	2.18	0.43
1:B:14:THR:CG2	1:B:18:ARG:HH12	2.30	0.43
1:A:129:THR:C	1:A:131:ASP:N	2.75	0.43
1:A:28:THR:HB	1:A:29:PRO:HD3	2.00	0.42
1:B:123:ILE:HD12	1:B:123:ILE:N	2.34	0.42
1:A:52:ASP:HA	1:A:56:GLU:HB2	2.02	0.42
1:B:146:LEU:O	1:B:148:ARG:HG3	2.20	0.41
1:A:105:ARG:HG3	1:A:162:HIS:CD2	2.55	0.41
3:A:303:MYH:H381	3:A:304:MYH:H202	2.02	0.41
1:A:163:SER:OG	1:A:164:ILE:N	2.53	0.41
1:B:112:ASP:OD1	1:B:112:ASP:C	2.63	0.41
1:B:117:PRO:HB3	1:B:157:GLY:HA3	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:106:PHE:CD1	1:A:106:PHE:C	2.98	0.40
1:B:165:ARG:HD3	1:B:246:GLN:OE1	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	254/257 (99%)	242 (95%)	11 (4%)	1 (0%)	30	34
1	B	256/257 (100%)	249 (97%)	7 (3%)	0	100	100
All	All	510/514 (99%)	491 (96%)	18 (4%)	1 (0%)	43	52

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	130	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	220/223 (99%)	216 (98%)	4 (2%)	51	66
1	B	221/223 (99%)	207 (94%)	14 (6%)	16	19
All	All	441/446 (99%)	423 (96%)	18 (4%)	31	36

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	98	ASP
1	A	124	ASP
1	A	155	GLU
1	A	254	LEU
1	B	14	THR
1	B	23[A]	ARG
1	B	23[B]	ARG
1	B	36[A]	GLN
1	B	36[B]	GLN
1	B	63	SER
1	B	116	THR
1	B	122	VAL
1	B	155	GLU
1	B	159	ILE
1	B	197	ILE
1	B	230	GLU
1	B	233	LEU
1	B	239	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	HIS
1	A	130	ASN
1	A	162	HIS
1	A	188	HIS
1	A	255	GLN
1	B	3	ASN
1	B	75	GLN
1	B	127	HIS
1	B	130	ASN
1	B	133	ASN
1	B	144	GLN
1	B	188	HIS
1	B	210	GLN
1	B	255	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 6 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	GOL	A	259	-	5,5,5	0.45	0	5,5,5	0.71	0
5	GOL	A	260	-	5,5,5	0.71	0	5,5,5	0.74	0
3	MYG	A	303	-	36,38,41	1.18	2 (5%)	38,40,46	1.25	4 (10%)
5	GOL	B	259	-	5,5,5	0.48	0	5,5,5	0.41	0
4	DHB	A	258	2	11,11,11	1.34	2 (18%)	15,15,15	1.42	3 (20%)
4	DHB	B	258	2	11,11,11	1.89	3 (27%)	15,15,15	1.63	4 (26%)
3	MYG	A	304	-	36,36,41	1.30	3 (8%)	38,38,46	1.36	5 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	A	259	-	-	0/4/4/4	-
5	GOL	A	260	-	-	0/4/4/4	-
3	MYG	A	303	-	-	21/39/40/43	-
5	GOL	B	259	-	-	0/4/4/4	-
4	DHB	A	258	2	-	0/4/4/4	0/1/1/1
4	DHB	B	258	2	-	0/4/4/4	0/1/1/1
3	MYG	A	304	-	-	17/37/37/43	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	303	MYY	O8-C23	5.23	1.48	1.33
3	A	304	MYY	O8-C23	5.08	1.48	1.33
4	B	258	DHB	C4-C3	4.98	1.48	1.40
3	A	304	MYY	O7-C7	4.91	1.48	1.34
3	A	303	MYY	O7-C7	4.04	1.45	1.34
4	A	258	DHB	C4-C3	3.22	1.45	1.40
3	A	304	MYY	C6-C5	2.32	1.55	1.50
4	B	258	DHB	C6-C5	2.26	1.42	1.38
4	B	258	DHB	C1-C	2.14	1.54	1.49
4	A	258	DHB	C6-C5	2.07	1.42	1.38

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	304	MYY	O7-C7-C8	4.61	121.44	111.48
3	A	303	MYY	O7-C7-C8	4.25	120.67	111.48
4	B	258	DHB	O2-C-C1	2.97	122.46	114.84
4	B	258	DHB	C1-C2-C3	2.83	122.56	120.09
3	A	304	MYY	O8-C23-C24	2.76	120.26	111.83
3	A	303	MYY	O8-C23-C24	2.70	120.08	111.83
3	A	304	MYY	O8-C6-C5	2.67	115.96	108.35
3	A	304	MYY	O7-C7-O9	-2.36	118.20	123.70
4	A	258	DHB	C6-C1-C2	2.29	121.90	119.25
3	A	304	MYY	O7-C5-C6	2.29	111.47	106.21
4	B	258	DHB	C6-C1-C	2.18	124.69	120.37
3	A	303	MYY	O7-C7-O9	-2.16	118.66	123.70
4	B	258	DHB	O2-C-O1	-2.13	118.78	123.35
4	A	258	DHB	O4-C4-C5	2.12	125.05	119.36
3	A	303	MYY	O8-C6-C5	2.10	114.46	108.40
4	A	258	DHB	C6-C5-C4	-2.06	118.44	120.50

There are no chirality outliers.

All (38) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	303	MYY	C8-C7-O7-C5
3	A	304	MYY	C4-C5-C6-O8
3	A	304	MYY	O7-C5-C6-O8
3	A	304	MYY	O9-C7-O7-C5
3	A	303	MYY	O10-C23-O8-C6
3	A	303	MYY	O9-C7-O7-C5

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	303	MYG	C24-C23-O8-C6
3	A	304	MYG	C8-C7-O7-C5
3	A	304	MYG	C24-C23-O8-C6
3	A	304	MYG	O10-C23-O8-C6
3	A	303	MYG	C23-C24-C25-C26
3	A	303	MYG	C6-C5-O7-C7
3	A	303	MYG	C25-C26-C27-C28
3	A	304	MYG	C9-C10-C11-C12
3	A	304	MYG	C13-C14-C15-C16
3	A	304	MYG	C27-C28-C29-C30
3	A	304	MYG	C31-C32-C33-C34
3	A	304	MYG	C14-C15-C16-C17
3	A	303	MYG	C7-C8-C9-C10
3	A	303	MYG	C31-C32-C33-C34
3	A	303	MYG	C11-C12-C13-C14
3	A	303	MYG	C16-C17-C18-C19
3	A	303	MYG	C12-C13-C14-C15
3	A	303	MYG	C27-C28-C29-C30
3	A	304	MYG	C17-C18-C19-C20
3	A	303	MYG	O6-C4-C5-C6
3	A	303	MYG	C33-C34-C35-C36
3	A	303	MYG	C13-C14-C15-C16
3	A	304	MYG	C26-C27-C28-C29
3	A	303	MYG	O7-C5-C6-O8
3	A	303	MYG	C26-C27-C28-C29
3	A	304	MYG	C30-C31-C32-C33
3	A	303	MYG	C4-C5-C6-O8
3	A	303	MYG	C30-C31-C32-C33
3	A	304	MYG	C25-C26-C27-C28
3	A	303	MYG	C24-C25-C26-C27
3	A	304	MYG	C35-C36-C37-C38
3	A	304	MYG	C28-C29-C30-C31

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	260	GOL	1	0
3	A	303	MYG	2	0
4	B	258	DHB	1	0
3	A	304	MYG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	256/257 (99%)	-0.35	3 (1%) 76 81	25, 38, 56, 72	0
1	B	256/257 (99%)	-0.19	3 (1%) 76 81	20, 44, 59, 68	2 (0%)
All	All	512/514 (99%)	-0.27	6 (1%) 76 81	20, 40, 58, 72	2 (0%)

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	ALA	2.5
1	A	242	GLY	2.4
1	B	241	ASP	2.3
1	B	114	SER	2.2
1	A	98	ASP	2.2
1	B	240	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MYY	A	303	39/42	0.87	0.17	38,57,85,93	0
3	MYY	A	304	37/42	0.88	0.15	43,48,78,80	0
5	GOL	A	260	6/6	0.89	0.16	70,72,72,74	0
6	CL	A	262	1/1	0.93	0.14	61,61,61,61	0
5	GOL	B	259	6/6	0.96	0.07	43,45,45,45	0
4	DHB	B	258	11/11	0.97	0.06	40,43,46,48	0
6	CL	A	263	1/1	0.97	0.14	65,65,65,65	0
4	DHB	A	258	11/11	0.98	0.05	27,29,31,33	0
6	CL	A	261	1/1	0.98	0.20	66,66,66,66	0
6	CL	B	260	1/1	0.98	0.14	66,66,66,66	0
5	GOL	A	259	6/6	0.99	0.06	29,30,35,37	0
2	FE	B	301	1/1	1.00	0.01	34,34,34,34	0
2	FE	A	300	1/1	1.00	0.01	27,27,27,27	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.