



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:13 PM UTC

PDB ID : 7OW5 / pdb_00007ow5
Title : Crystal structure of a TCR in complex with HLA-A*11:01 bound to KRAS peptide (VVVGAGGVGK)
Authors : Karuppiah, V.; Robinson, R.A.
Deposited on : 2021-06-16
Resolution : 2.58 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4770 (2.60-2.56)
Clashscore	190562	5124 (2.60-2.56)
Ramachandran outliers	187476	5046 (2.60-2.56)
Sidechain outliers	187428	5046 (2.60-2.56)
RSRZ outliers	180081	4770 (2.60-2.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	276	84% 13% .
2	B	100	82% 16% ..
3	C	10	100%
4	D	203	8% 67% 23% 6%
5	E	246	74% 22% .

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 6632 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MHC class I antigen.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	275	Total	C	N	O	S	0	0	0
			2247	1397	408	433	9			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	276	PRO	-	expression tag	UNP A0A583ZB34

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	99	Total	C	N	O	S	0	0	0
			828	528	140	157	3			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	MET	-	initiating methionine	UNP P61769

- Molecule 3 is a protein called KRAS peptide (VVVGAGGVGK).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	10	Total	C	N	O	0	0	0
			59	37	11	11			


- Molecule 4 is a protein called TCR alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	191	Total	C	N	O	S	0	0	0
			1516	959	246	303	8			

- Molecule 5 is a protein called TCR beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	246	Total	C	N	O	S	0	1	0
			1950	1228	344	368	10			

- Molecule 6 is SULFATE ION (CCD ID: SO4) (formula: O₄S).






Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	S	0	0
			5	4	1		
6	E	1	Total	O	S	0	0
			5	4	1		
6	E	1	Total	O	S	0	0
			5	4	1		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	5	Total	O	0	0
			5	5		
7	B	2	Total	O	0	0
			2	2		
7	D	2	Total	O	0	0
			2	2		
7	E	8	Total	O	0	0
			8	8		

- Molecule 1: MHC class I antigen





4 Data and refinement statistics

Property	Value	Source
Space group	P 41 2 2	Depositor
Cell constants a, b, c, α , β , γ	145.55Å 145.55Å 120.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	65.09 – 2.58 65.09 – 2.58	Depositor EDS
% Data completeness (in resolution range)	100.0 (65.09-2.58) 99.2 (65.09-2.58)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.96 (at 2.58Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.206 , 0.274 0.216 , 0.275	Depositor DCC
R_{free} test set	2128 reflections (5.14%)	wwPDB-VP
Wilson B-factor (Å ²)	87.8	Xtriage
Anisotropy	0.180	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 45.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6632	wwPDB-VP
Average B, all atoms (Å ²)	94.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.05	1/2309 (0.0%)	1.46	5/3136 (0.2%)
2	B	1.14	0/851	1.41	3/1152 (0.3%)
3	C	1.32	0/58	1.90	0/75
4	D	1.08	1/1551 (0.1%)	1.46	6/2104 (0.3%)
5	E	1.07	0/2006	1.37	5/2728 (0.2%)
All	All	1.08	2/6775 (0.0%)	1.44	19/9195 (0.2%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	32	TYR	C-O	6.88	1.31	1.23
1	A	133	TRP	C-O	-5.59	1.16	1.23

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	178	THR	CA-CB-OG1	-6.84	99.33	109.60
1	A	94	THR	N-CA-C	6.79	118.52	107.32
1	A	173	GLU	N-CA-C	-6.74	103.86	111.14
4	D	162	THR	N-CA-C	-5.77	103.32	110.41
2	B	13	HIS	CB-CA-C	5.73	117.49	108.84
4	D	168	ASP	CA-CB-CG	5.65	118.25	112.60
4	D	47	PHE	CA-C-O	-5.54	115.09	121.19
5	E	9	LYS	N-CA-C	-5.53	107.08	113.88
4	D	28	ARG	CA-C-N	5.49	129.49	121.31
4	D	28	ARG	C-N-CA	5.49	129.49	121.31
1	A	136	ALA	N-CA-C	-5.36	107.28	113.88
2	B	11	SER	CA-C-N	5.27	127.65	120.54
2	B	11	SER	C-N-CA	5.27	127.65	120.54
5	E	133	GLU	N-CA-C	-5.21	106.62	112.87

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	186	LYS	CB-CA-C	5.17	118.86	110.22
5	E	62	ASP	CB-CA-C	5.12	117.52	109.84
5	E	131	PRO	CA-C-N	5.02	128.47	121.24
5	E	131	PRO	C-N-CA	5.02	128.47	121.24
4	D	33	TYR	CA-C-O	-5.02	114.94	120.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2247	0	2092	21	0
2	B	828	0	794	8	0
3	C	59	0	68	0	0
4	D	1516	0	1433	23	0
5	E	1950	0	1872	34	0
6	A	5	0	0	0	0
6	E	10	0	0	0	0
7	A	5	0	0	0	0
7	B	2	0	0	0	0
7	D	2	0	0	0	0
7	E	8	0	0	0	0
All	All	6632	0	6259	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:111[A]:ARG:HH11	5:E:111[A]:ARG:HG3	1.11	1.14
5:E:111[A]:ARG:HG3	5:E:111[A]:ARG:NH1	1.84	0.87
4:D:159:VAL:HG22	4:D:183:SER:HB2	1.63	0.78
5:E:185:ASN:HD22	5:E:185:ASN:C	1.99	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:231:VAL:HG13	1:A:244:TRP:CZ2	2.31	0.66
5:E:47:HIS:HB2	5:E:66:VAL:HG11	1.80	0.64
4:D:123:ASP:OD1	5:E:138:HIS:NE2	2.32	0.63
4:D:161:ILE:HD12	4:D:161:ILE:O	1.99	0.63
1:A:194:ILE:HD11	1:A:198:GLU:HB3	1.81	0.62
4:D:84:VAL:HA	4:D:115:VAL:HB	1.81	0.62
4:D:163:ASP:OD1	4:D:163:ASP:N	2.34	0.61
1:A:78:LEU:HG	1:A:95:ILE:HD12	1.81	0.60
2:B:29:GLY:HA2	2:B:61:SER:HB2	1.83	0.60
4:D:142:PHE:HB2	4:D:194:PHE:CE2	2.37	0.60
2:B:24:ASN:HB3	2:B:65:LEU:HD11	1.85	0.58
5:E:12:VAL:HA	5:E:113:THR:O	2.03	0.58
1:A:272:LEU:HD12	1:A:272:LEU:N	2.19	0.57
1:A:234:ARG:HE	1:A:242:GLN:HE21	1.53	0.57
5:E:128:VAL:HG23	5:E:238:ALA:HB3	1.88	0.55
5:E:185:ASN:HD22	5:E:186:ASP:N	2.04	0.54
1:A:35:ARG:NH1	1:A:46:GLU:OE1	2.40	0.54
4:D:51:GLN:HE21	4:D:55:GLY:HA3	1.73	0.54
5:E:218:LEU:HB3	5:E:222:ASP:OD2	2.07	0.53
4:D:184:ASN:O	4:D:185:LYS:C	2.51	0.53
5:E:156:VAL:HA	5:E:214:GLN:O	2.09	0.53
1:A:3:HIS:HD2	1:A:29:ASP:OD2	1.92	0.52
2:B:59:ASP:OD1	2:B:61:SER:OG	2.27	0.52
1:A:231:VAL:CG1	1:A:244:TRP:CZ2	2.93	0.51
1:A:51:TRP:CZ2	1:A:179:LEU:HD11	2.46	0.51
5:E:94:LYS:HE2	5:E:102:SER:O	2.11	0.50
1:A:121:LYS:O	1:A:122:ASP:C	2.55	0.50
4:D:51:GLN:NE2	4:D:56:GLU:O	2.45	0.49
1:A:35:ARG:HD3	2:B:53:ASP:OD1	2.13	0.49
1:A:142:ILE:O	1:A:143:THR:C	2.56	0.49
5:E:221:ASN:N	5:E:221:ASN:OD1	2.45	0.48
5:E:136:ILE:HG23	5:E:199:ALA:HB1	1.96	0.48
5:E:31:TYR:CZ	5:E:96:GLY:HA2	2.49	0.48
4:D:159:VAL:HG22	4:D:183:SER:CB	2.37	0.48
5:E:60:VAL:N	5:E:61:PRO:CD	2.77	0.47
5:E:33:TYR:HB2	5:E:92:ALA:HB3	1.95	0.47
5:E:223:GLU:HG2	5:E:224:TRP:N	2.29	0.47
2:B:31:HIS:ND1	2:B:32:PRO:HA	2.31	0.46
5:E:139:THR:O	5:E:140:GLN:HB2	2.16	0.45
1:A:121:LYS:HE3	1:A:121:LYS:HB2	1.68	0.45
4:D:31:ALA:HA	4:D:53:TRP:CD2	2.51	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:111[A]:ARG:HG2	5:E:155:HIS:CD2	2.52	0.45
4:D:67:ASN:OD1	4:D:67:ASN:C	2.59	0.45
5:E:224:TRP:CE2	5:E:226:GLN:HB2	2.52	0.44
1:A:116:ASP:N	1:A:116:ASP:OD1	2.50	0.44
4:D:146:ASP:OD1	4:D:148:GLN:HB2	2.18	0.43
1:A:65:ARG:NH1	4:D:29:ASP:OD2	2.42	0.43
2:B:10:TYR:CD1	2:B:10:TYR:N	2.86	0.43
4:D:160:TYR:HE1	5:E:180:GLU:O	2.00	0.43
4:D:162:THR:HG21	5:E:192:SER:OG	2.18	0.43
4:D:153:GLN:NE2	4:D:161:ILE:HD11	2.33	0.43
5:E:119:ASN:CG	5:E:226:GLN:HG2	2.44	0.43
5:E:154:ASP:HB2	5:E:177:PRO:HG2	2.00	0.43
5:E:218:LEU:O	5:E:232:VAL:HG12	2.18	0.43
1:A:163:ARG:NH1	4:D:30:THR:HG21	2.34	0.42
4:D:127:TYR:HB3	5:E:132:SER:CB	2.50	0.42
5:E:203:GLN:HA	5:E:243:ARG:O	2.20	0.42
5:E:78:LEU:HD12	5:E:78:LEU:N	2.34	0.42
5:E:6:GLN:CD	5:E:91:CYS:H	2.27	0.42
1:A:236:ALA:O	2:B:24:ASN:ND2	2.49	0.41
5:E:172:CYS:HB3	5:E:194:ARG:HD2	2.01	0.41
1:A:222:GLU:O	1:A:223:ASP:C	2.63	0.41
4:D:37:TYR:OH	5:E:104:LEU:N	2.54	0.41
4:D:135:SER:HB2	4:D:137:LYS:H	1.84	0.41
1:A:176:LYS:HA	1:A:180:GLN:HG3	2.03	0.41
4:D:18:ASP:HA	4:D:79:ILE:O	2.20	0.41
5:E:66:VAL:HA	5:E:75:LEU:O	2.21	0.41
1:A:256:ARG:H	1:A:256:ARG:HG3	1.77	0.41
4:D:84:VAL:O	4:D:85:VAL:C	2.64	0.40
5:E:111[A]:ARG:NH1	5:E:111[A]:ARG:CG	2.65	0.40
1:A:242:GLN:NE2	2:B:10:TYR:CD2	2.89	0.40
5:E:147:LEU:HD12	5:E:147:LEU:HA	1.96	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	273/276 (99%)	258 (94%)	15 (6%)	0	100	100
2	B	97/100 (97%)	88 (91%)	9 (9%)	0	100	100
3	C	8/10 (80%)	8 (100%)	0	0	100	100
4	D	185/203 (91%)	171 (92%)	14 (8%)	0	100	100
5	E	245/246 (100%)	228 (93%)	17 (7%)	0	100	100
All	All	808/835 (97%)	753 (93%)	55 (7%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/233 (100%)	215 (92%)	18 (8%)	12	25
2	B	94/95 (99%)	87 (93%)	7 (7%)	13	27
3	C	5/5 (100%)	5 (100%)	0	100	100
4	D	172/184 (94%)	147 (86%)	25 (14%)	3	5
5	E	212/211 (100%)	190 (90%)	22 (10%)	7	13
All	All	716/728 (98%)	644 (90%)	72 (10%)	7	15

All (72) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	SER
1	A	14	ARG
1	A	35	ARG
1	A	67	VAL
1	A	116	ASP
1	A	121	LYS
1	A	131	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	165	VAL
1	A	176	LYS
1	A	178	THR
1	A	194	ILE
1	A	230	LEU
1	A	249	VAL
1	A	256	ARG
1	A	262	GLN
1	A	272	LEU
1	A	273	ARG
1	A	275	GLU
2	B	1	ILE
2	B	45	ARG
2	B	61	SER
2	B	73	THR
2	B	77	GLU
2	B	88	SER
2	B	91	LYS
4	D	2	GLN
4	D	3	LYS
4	D	14	VAL
4	D	28	ARG
4	D	29	ASP
4	D	41	PRO
4	D	42	SER
4	D	73	SER
4	D	115	VAL
4	D	129	LEU
4	D	138	SER
4	D	143	THR
4	D	147	SER
4	D	153	GLN
4	D	155	LYS
4	D	157	SER
4	D	161	ILE
4	D	163	ASP
4	D	164	LYS
4	D	167	LEU
4	D	170	ARG
4	D	176	SER
4	D	183	SER
4	D	190	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	195	ASN
5	E	9	LYS
5	E	22	LEU
5	E	69	LEU
5	E	70	LYS
5	E	73	ASN
5	E	95	VAL
5	E	111[A]	ARG
5	E	111[B]	ARG
5	E	120	LYS
5	E	133	GLU
5	E	137	SER
5	E	140	GLN
5	E	172	CYS
5	E	178	LEU
5	E	184	LEU
5	E	185	ASN
5	E	194	ARG
5	E	200	THR
5	E	225	THR
5	E	232	VAL
5	E	234	GLN
5	E	243	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	HIS
1	A	62	GLN
1	A	115	GLN
1	A	242	GLN
1	A	262	GLN
4	D	2	GLN
4	D	39	GLN
4	D	58	ASN
5	E	155	HIS
5	E	185	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	SO4	E	302	-	4,4,4	0.30	0	6,6,6	0.13	0
6	SO4	A	301	-	4,4,4	0.28	0	6,6,6	0.10	0
6	SO4	E	301	-	4,4,4	0.29	0	6,6,6	0.18	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	275/276 (99%)	-0.01	2 (0%) 84 82	68, 86, 112, 138	0
2	B	99/100 (99%)	0.10	1 (1%) 79 77	76, 103, 134, 141	0
3	C	10/10 (100%)	0.05	0 100 100	73, 77, 83, 87	0
4	D	191/203 (94%)	0.61	16 (8%) 17 14	64, 106, 146, 167	0
5	E	246/246 (100%)	0.03	2 (0%) 82 81	41, 84, 113, 137	1 (0%)
All	All	821/835 (98%)	0.16	21 (2%) 57 52	41, 90, 132, 167	1 (0%)

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
5	E	0	MET	3.8
4	D	151	VAL	3.7
4	D	191	ALA	3.7
4	D	189	ALA	3.5
4	D	36	TRP	3.4
2	B	1	ILE	3.2
4	D	185	LYS	3.2
4	D	149	THR	2.8
5	E	111[A]	ARG	2.7
1	A	276	PRO	2.7
4	D	75	PHE	2.6
4	D	107	PHE	2.4
4	D	159	VAL	2.4
4	D	85	VAL	2.3
4	D	157	SER	2.3
4	D	190	CYS	2.2
4	D	93	ALA	2.1
4	D	35	PHE	2.1
4	D	58	ASN	2.1
1	A	261	VAL	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	D	195	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	SO4	E	302	5/5	0.63	0.12	108,135,150,150	0
6	SO4	E	301	5/5	0.72	0.12	112,128,142,146	0
6	SO4	A	301	5/5	0.87	0.10	105,122,135,135	0

6.5 Other polymers [i](#)

There are no such residues in this entry.