



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 11:54 AM UTC

PDB ID : 3PNW / pdb_00003pnw
Title : Crystal Structure of the tudor domain of human TDRD3 in complex with an anti-TDRD3 FAB
Authors : Loppnau, P.; Tempel, W.; Wernimont, A.K.; Lam, R.; Ravichandran, M.; Adams-Cioaba, M.A.; Persson, H.; Sidhu, S.S.; Arrowsmith, C.H.; Edwards, A.M.; Bountra, C.; Weigelt, J.; Cossar, D.; Structural Genomics Consortium (SGC)
Deposited on : 2010-11-19
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2260 (2.04-2.04)
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)
RSRZ outliers	180081	2260 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	228	14% 81% 12% 7%
1	D	228	32% 86% 7% 7%
1	G	228	18% 88% 5% 7%
1	J	228	18% 86% 8% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	M	228	
1	P	228	
1	S	228	
1	V	228	
2	B	246	
2	E	246	
2	H	246	
2	K	246	
2	N	246	
2	Q	246	
2	T	246	
2	W	246	
3	C	77	
3	F	77	
3	I	77	
3	L	77	
3	O	77	
3	R	77	
3	U	77	
3	X	77	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	UNX	E	1814	-	-	X	-
4	UNX	G	1820	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 31176 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FAB light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	213	Total	C	N	O	S	0	4	0
			1639	1045	269	320	5			
1	D	213	Total	C	N	O	S	0	2	0
			1619	1028	267	319	5			
1	G	213	Total	C	N	O	S	0	4	0
			1639	1039	271	324	5			
1	J	213	Total	C	N	O	S	0	2	0
			1632	1033	269	325	5			
1	M	214	Total	C	N	O	S	0	4	0
			1648	1049	272	322	5			
1	P	213	Total	C	N	O	S	0	4	0
			1645	1042	271	327	5			
1	S	214	Total	C	N	O	S	0	3	0
			1633	1041	266	321	5			
1	V	212	Total	C	N	O	S	0	1	0
			1602	1021	259	317	5			

- Molecule 2 is a protein called FAB heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	225	Total	C	N	O	S	0	0	0
			1650	1040	275	328	7			
2	E	226	Total	C	N	O	S	0	2	0
			1676	1057	281	331	7			
2	H	218	Total	C	N	O	S	0	3	0
			1624	1029	267	319	9			
2	K	218	Total	C	N	O	S	0	0	0
			1610	1020	267	316	7			
2	N	226	Total	C	N	O	S	0	2	0
			1663	1048	278	330	7			
2	Q	218	Total	C	N	O	S	0	2	0
			1618	1026	268	317	7			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	T	225	Total	C	N	O	S	0	2	0
			1654	1047	273	327	7			
2	W	220	Total	C	N	O	S	0	1	0
			1624	1029	267	321	7			

- Molecule 3 is a protein called Tudor domain-containing protein 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	60	Total	C	N	O	S	0	0	0
			482	316	71	92	3			
3	F	53	Total	C	N	O	S	0	1	0
			434	285	64	83	2			
3	I	55	Total	C	N	O	S	0	0	0
			436	286	64	84	2			
3	L	54	Total	C	N	O	S	0	0	0
			423	275	63	83	2			
3	O	61	Total	C	N	O	S	0	1	0
			482	315	70	95	2			
3	R	61	Total	C	N	O	S	0	1	0
			488	321	70	93	4			
3	U	54	Total	C	N	O	S	0	0	0
			433	284	66	81	2			
3	X	53	Total	C	N	O	S	0	1	0
			404	266	61	75	2			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	539	GLY	-	expression tag	UNP Q9H7E2
F	539	GLY	-	expression tag	UNP Q9H7E2
I	539	GLY	-	expression tag	UNP Q9H7E2
L	539	GLY	-	expression tag	UNP Q9H7E2
O	539	GLY	-	expression tag	UNP Q9H7E2
R	539	GLY	-	expression tag	UNP Q9H7E2
U	539	GLY	-	expression tag	UNP Q9H7E2
X	539	GLY	-	expression tag	UNP Q9H7E2

- Molecule 4 is UNKNOWN ATOM OR ION (CCD ID: UNX) (formula: X).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	7	Total	X	0	0
			7	7		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	12	Total X 12 12	0	0
4	C	2	Total X 2 2	0	0
4	D	5	Total X 5 5	0	0
4	E	11	Total X 11 11	0	0
4	F	1	Total X 1 1	0	0
4	G	9	Total X 9 9	0	0
4	H	16	Total X 16 16	0	0
4	I	1	Total X 1 1	0	0
4	J	7	Total X 7 7	0	0
4	K	6	Total X 6 6	0	0
4	M	3	Total X 3 3	0	0
4	N	12	Total X 12 12	0	0
4	P	11	Total X 11 11	0	0
4	Q	8	Total X 8 8	0	0
4	R	1	Total X 1 1	0	0
4	S	2	Total X 2 2	0	0
4	T	12	Total X 12 12	0	0
4	V	7	Total X 7 7	0	0
4	W	10	Total X 10 10	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	69	Total O 69 69	0	0
5	B	111	Total O 111 111	0	0
5	C	13	Total O 13 13	0	0
5	D	51	Total O 51 51	0	0
5	E	107	Total O 107 107	0	0
5	F	2	Total O 2 2	0	0
5	G	52	Total O 52 52	0	0
5	H	82	Total O 82 82	0	0
5	I	8	Total O 8 8	0	0
5	J	60	Total O 60 60	0	0
5	K	89	Total O 89 89	0	0
5	L	2	Total O 2 2	0	0
5	M	55	Total O 55 55	0	0
5	N	104	Total O 104 104	0	0
5	O	7	Total O 7 7	0	0
5	P	60	Total O 60 60	0	0
5	Q	106	Total O 106 106	0	0
5	R	14	Total O 14 14	0	0
5	S	45	Total O 45 45	0	0
5	T	108	Total O 108 108	0	0
5	U	6	Total O 6 6	0	0
5	V	42	Total O 42 42	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	W	81	Total	O	0	0
			81	81		
5	X	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: FAB light chain




- Molecule 1: FAB light chain




- Molecule 1: FAB light chain





- Molecule 1: FAB light chain









• Molecule 1: FAB light chain





• Molecule 1: FAB light chain




• Molecule 1: FAB light chain




• Molecule 1: FAB light chain




• Molecule 2: FAB heavy chain




• Molecule 2: FAB heavy chain




• Molecule 2: FAB heavy chain




• Molecule 2: FAB heavy chain





• Molecule 2: FAB heavy chain










• Molecule 2: FAB heavy chain





• Molecule 2: FAB heavy chain




• Molecule 2: FAB heavy chain



• Molecule 3: Tudor domain-containing protein 3



• Molecule 3: Tudor domain-containing protein 3



GLU
ALA
TRP
GLU
GLU

• Molecule 3: Tudor domain-containing protein 3



GLY PRO GLU LYS ILE LEU GLU SER SER PRO MET GLU TYR ALA K554 M555 M556 K557 P558 E561 C562 F563 Y566 W567 K571 R574 A575 L580 G584 I592 D593 Y594 V600 L601 L602 I605 K606 P607 I608 GLN THR GLU ALA TRP GLU GLU

• Molecule 3: Tudor domain-containing protein 3




GLY PRO GLU LYS ILE LEU GLU SER SER PRO MET GLU TYR ALA LYS M555 M556 W556 G559 C562 F563 A564 L565 Y566 W567 D568 E569 N570 K571 F572 F573 E578 G584 F591 I592 D593 Y594 P607 I608 GLN THR GLU ALA TRP GLU GLU

• Molecule 3: Tudor domain-containing protein 3



GLY PRO GLU LYS ILE LEU GLU SER SER SER P548 P549 M550 M551 Y552 A553 K554 M555 W556 E561 C562 F563 Y566 W567 E568 F572 Y573 R574 A575 L580 H581 S582 S583 G584 M585 T586 A587 I592 D593 Y594 V600 L601 L602 I605 I608 GLN THR GLU ALA TRP GLU GLU

• Molecule 3: Tudor domain-containing protein 3




GLY PRO GLU LYS ILE LEU GLU SER SER SER P548 P549 M550 M551 Y552 K557 M555 W556 E561 A575 L580 H581 S582 S583 I608 GLN THR GLU ALA TRP GLU GLU

• Molecule 3: Tudor domain-containing protein 3



GLY PRO GLU LYS ILE LEU GLU SER SER PRO MET GLU TYR ALA LYS M555 W556 F563 A564 L565 Y566 W567 K571 F572 Y573 R574 G584 A587 F591 I592 D593 Y594 L602 P607 I608 GLN THR GLU ALA TRP GLU GLU

• Molecule 3: Tudor domain-containing protein 3



GLY PRO GLU LYS ILE LEU GLU SER SER PRO MET GLU TYR ALA LYS M555 W556 K557 P558 G559 D560 E561 C562 F563 A564 L565 Y566 W567 K571 F572 Y573 R574 A575 E576 V577 E578 A579 L580 H581 S582 S583 A587 V588 V589 K590 F591 I592 D593 Y594 G595 N596 Y597 V600 L601

L602 S603 N604 I605 K606 P607 ILE GLN THR GLU ALA TRP GLU GLU

4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	76.71Å 93.73Å 159.93Å 80.96° 82.82° 90.06°	Depositor
Resolution (Å)	30.00 – 2.05 30.00 – 2.05	Depositor EDS
% Data completeness (in resolution range)	97.2 (30.00-2.05) 97.2 (30.00-2.05)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.98 (at 2.05Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.223 , 0.264 (Not available) , 0.292	Depositor DCC
R_{free} test set	2162 reflections (0.79%)	wwPDB-VP
Wilson B-factor (Å ²)	29.3	Xtriage
Anisotropy	0.122	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 44.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	31176	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 58.12 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.1425e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: UNX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.78	0/1690	0.77	0/2305
1	D	0.79	0/1667	0.75	0/2274
1	G	0.78	0/1693	0.74	0/2307
1	J	0.75	0/1679	0.74	0/2288
1	M	0.78	0/1702	0.75	0/2320
1	P	0.78	0/1698	0.72	0/2315
1	S	0.79	0/1684	0.71	0/2297
1	V	0.79	0/1646	0.76	0/2246
2	B	0.86	0/1692	0.81	0/2312
2	E	0.88	0/1724	0.79	0/2352
2	H	0.90	0/1674	0.83	0/2286
2	K	0.83	0/1651	0.79	0/2256
2	N	0.90	0/1711	0.81	0/2338
2	Q	0.90	0/1665	0.82	0/2275
2	T	0.86	0/1702	0.81	0/2326
2	W	0.93	0/1668	0.78	0/2278
3	C	0.74	0/497	0.73	0/675
3	F	0.73	0/450	0.69	0/612
3	I	0.78	0/449	0.77	0/612
3	L	0.68	0/435	0.70	1/594 (0.2%)
3	O	0.75	0/500	0.68	0/683
3	R	0.75	0/506	0.70	0/689
3	U	0.68	0/446	0.66	0/607
3	X	0.77	0/419	0.78	1/573 (0.2%)
All	All	0.82	0/30648	0.77	2/41820 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
-----	-------	-----	------	-------	---	-------------	----------

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	X	606	LYS	N-CA-C	6.23	113.74	108.13
3	L	556	TRP	N-CA-C	5.04	117.54	110.23

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1639	0	1543	19	0
1	D	1619	0	1509	8	0
1	G	1639	0	1559	7	0
1	J	1632	0	1551	12	0
1	M	1648	0	1574	20	0
1	P	1645	0	1559	8	0
1	S	1633	0	1534	11	0
1	V	1602	0	1499	8	0
2	B	1650	0	1573	8	0
2	E	1676	0	1617	15	0
2	H	1624	0	1554	10	0
2	K	1610	0	1537	8	0
2	N	1663	0	1587	14	0
2	Q	1618	0	1552	12	0
2	T	1654	0	1578	12	0
2	W	1624	0	1550	11	0
3	C	482	0	442	0	0
3	F	434	0	400	1	0
3	I	436	0	389	4	0
3	L	423	0	376	0	0
3	O	482	0	417	3	0
3	R	488	0	438	3	0
3	U	433	0	394	4	0
3	X	404	0	352	9	0
4	A	7	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	12	0	0	0	0
4	C	2	0	0	0	0
4	D	5	0	0	0	0
4	E	11	0	0	2	0
4	F	1	0	0	0	0
4	G	9	0	0	2	0
4	H	16	0	0	0	0
4	I	1	0	0	0	0
4	J	7	0	0	0	0
4	K	6	0	0	0	0
4	M	3	0	0	0	0
4	N	12	0	0	0	0
4	P	11	0	0	0	0
4	Q	8	0	0	0	0
4	R	1	0	0	0	0
4	S	2	0	0	0	0
4	T	12	0	0	0	0
4	V	7	0	0	0	0
4	W	10	0	0	0	0
5	A	69	0	0	0	0
5	B	111	0	0	1	0
5	C	13	0	0	0	0
5	D	51	0	0	0	0
5	E	107	0	0	1	0
5	F	2	0	0	0	0
5	G	52	0	0	0	0
5	H	82	0	0	0	0
5	I	8	0	0	0	0
5	J	60	0	0	0	0
5	K	89	0	0	0	0
5	L	2	0	0	0	0
5	M	55	0	0	0	0
5	N	104	0	0	1	0
5	O	7	0	0	0	0
5	P	60	0	0	0	0
5	Q	106	0	0	0	0
5	R	14	0	0	0	0
5	S	45	0	0	0	0
5	T	108	0	0	0	0
5	U	6	0	0	0	0
5	V	42	0	0	0	0
5	W	81	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	X	1	0	0	0	0
All	All	31176	0	28084	198	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (198) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:143:SER:OG	4:E:1814:UNX:UNK	1.42	0.99
1:G:64:SER:OG	4:G:1820:UNX:UNK	1.48	0.93
1:J:5:MET:HE1	1:J:91:GLN:HB2	1.51	0.89
1:S:29:SER:CB	1:S:70:THR:HG22	2.23	0.69
1:J:5:MET:HE1	1:J:91:GLN:CB	2.22	0.69
1:V:5:MET:HE1	1:V:91:GLN:HB2	1.74	0.69
2:E:143:SER:HG	4:E:1814:UNX:UNK	1.35	0.68
2:N:23:LEU:HG	2:N:86:MET:HE2	1.75	0.68
1:M:12[B]:LEU:HD23	1:M:107:VAL:HG13	1.74	0.67
1:D:204:LEU:HD13	1:D:208:VAL:HG23	1.76	0.66
2:T:23:LEU:HG	2:T:86:MET:HE2	1.80	0.64
1:A:76:ILE:HG21	1:A:79:LEU:HD12	1.80	0.63
1:J:166:VAL:HG22	1:J:178:LEU:HD12	1.81	0.63
1:J:22:ILE:HD12	1:J:74:LEU:HD23	1.81	0.62
3:I:600:VAL:CG2	3:I:605:ILE:HD11	2.31	0.61
1:M:123:PRO:HD3	1:M:135:VAL:HG22	1.83	0.60
2:Q:15:VAL:HG11	2:Q:89:LEU:HD13	1.83	0.60
2:N:161:TYR:CE1	2:N:166:VAL:HG13	2.36	0.59
1:G:111:ARG:HD2	1:G:174:SER:HB2	1.84	0.59
1:S:166:VAL:HG22	1:S:178:LEU:HD12	1.85	0.59
2:H:37:MET:HE3	2:H:99[B]:CYS:SG	2.42	0.59
2:W:23:LEU:HG	2:W:86:MET:HE2	1.85	0.59
3:X:587:ALA:HB2	3:X:602:LEU:HD21	1.83	0.59
1:G:111:ARG:HH12	1:G:114:ALA:HB2	1.69	0.58
1:M:20:VAL:HG13	1:M:76[A]:ILE:HB	1.86	0.58
3:U:574:ARG:HG2	3:U:592:ILE:HD12	1.85	0.58
2:K:169:SER:HB3	2:K:213:ASN:HB2	1.85	0.58
1:V:38:GLN:HB2	1:V:48:LEU:HD11	1.85	0.57
1:D:49:ILE:HD13	1:D:55:LEU:HA	1.86	0.57
2:W:21:LEU:HB2	2:W:86:MET:HE3	1.87	0.57
2:T:86:MET:HE1	2:T:125:VAL:HG21	1.88	0.56
3:U:587:ALA:HB2	3:U:602:LEU:HD21	1.86	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:22:ARG:NH1	5:E:790:HOH:O	2.37	0.56
1:M:20:VAL:HG13	1:M:76[B]:ILE:HB	1.87	0.56
2:T:137:VAL:HG21	2:T:214:VAL:HG21	1.88	0.56
1:A:38:GLN:HB2	1:A:48:LEU:HD11	1.88	0.55
1:D:201[B]:HIS:CD2	1:D:203:GLY:H	2.24	0.55
1:J:128:LEU:HD22	1:J:186:LYS:HG3	1.87	0.55
1:D:166:VAL:HG22	1:D:178:LEU:HD12	1.89	0.55
2:T:186:LEU:HD13	2:T:192:TYR:CZ	2.42	0.55
1:M:111:ARG:HH12	1:M:114:ALA:HB2	1.72	0.54
2:N:86:MET:HE1	2:N:125:VAL:HG21	1.89	0.54
2:H:208:GLN:HG2	2:H:210:TYR:CZ	2.43	0.54
1:M:20:VAL:HG11	1:M:79:LEU:HD13	1.89	0.54
1:M:29:SER:CB	1:M:70:THR:HG22	2.38	0.54
1:D:34:VAL:HA	1:D:90:GLN:O	2.08	0.53
1:M:111:ARG:HD2	1:M:174:SER:HB2	1.91	0.53
2:E:86:MET:HE1	2:E:125:VAL:HG21	1.89	0.53
1:A:111:ARG:HH12	1:A:114:ALA:HB2	1.73	0.53
2:W:15:VAL:HG11	2:W:89:LEU:HD13	1.91	0.52
1:A:109:ILE:HG22	1:A:169:GLN:OE1	2.09	0.52
1:D:5:MET:HE1	1:D:26:ALA:HB2	1.92	0.52
2:N:23:LEU:CG	2:N:86:MET:HE2	2.39	0.52
2:T:166:VAL:CG2	2:T:194:LEU:HD21	2.39	0.52
1:G:64:SER:HG	4:G:1820:UNX:UNK	1.50	0.52
1:P:5:MET:HE1	1:P:91:GLN:HB2	1.91	0.52
2:E:23:LEU:HG	2:E:86:MET:HE2	1.90	0.51
3:I:600:VAL:HG23	3:I:605:ILE:HD11	1.92	0.51
1:M:112:THR:HG22	1:M:113:VAL:O	2.10	0.51
2:W:17:PRO:HD3	2:W:128:SER:C	2.34	0.51
1:V:3:ILE:HD12	1:V:98:LEU:HD12	1.93	0.51
1:A:111:ARG:NH1	1:A:175:THR:HG22	2.25	0.51
2:H:25:CYS:SG	2:H:99[B]:CYS:HB3	2.50	0.51
1:M:20:VAL:CG1	1:M:79:LEU:HD13	2.40	0.51
3:X:577:VAL:HG11	3:X:580:LEU:HD11	1.92	0.51
2:H:25:CYS:SG	2:H:99[B]:CYS:CB	2.99	0.50
2:B:161:TYR:CE2	2:B:166:VAL:HG13	2.46	0.50
1:A:109:ILE:HG22	1:A:169:GLN:CD	2.35	0.50
1:A:111:ARG:HD2	1:A:174:SER:HB2	1.92	0.50
2:H:23:LEU:HG	2:H:86:MET:HE2	1.94	0.50
2:B:23:LEU:HG	2:B:86:MET:HE2	1.93	0.50
3:I:557:LYS:HA	3:I:580:LEU:HD11	1.94	0.49
1:A:49:ILE:HD13	1:A:55:LEU:HA	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:54:ILE:HD12	2:E:61:THR:HG22	1.95	0.49
2:B:21:LEU:HB2	2:B:86:MET:HE3	1.95	0.49
2:Q:23:LEU:HG	2:Q:86:MET:HE2	1.94	0.49
1:P:111:ARG:HD2	1:P:174:SER:HB2	1.94	0.48
3:O:561:GLU:OE1	3:O:592:ILE:HD11	2.13	0.48
2:E:161:TYR:CE1	2:E:166:VAL:HG13	2.49	0.48
1:P:31:SER:O	1:P:67:ARG:NH1	2.46	0.48
3:F:578:GLU:HB3	3:F:588:VAL:HG12	1.96	0.48
2:T:9:GLU:OE1	2:T:97:TYR:O	2.32	0.48
3:O:556:TRP:O	3:O:580:LEU:HD11	2.14	0.48
3:X:564:ALA:HB3	3:X:591:PHE:CE1	2.49	0.48
3:X:577:VAL:HA	3:X:589:VAL:HG12	1.96	0.48
2:B:69:GLY:O	5:B:1101:HOH:O	2.20	0.47
3:R:557:LYS:HA	3:R:580:LEU:HD11	1.96	0.47
1:D:3:ILE:HD12	1:D:98:LEU:HD12	1.95	0.47
1:A:123:PRO:HD3	1:A:135:VAL:HG22	1.96	0.47
2:E:39:TRP:HD1	2:E:73:ILE:HD12	1.79	0.47
2:K:194:LEU:C	2:K:194:LEU:HD12	2.40	0.47
1:M:38:GLN:HB2	1:M:48:LEU:HD11	1.97	0.47
1:M:36:TRP:CZ3	1:M:89:CYS:HB3	2.49	0.47
1:G:166:VAL:HG22	1:G:178:LEU:HD12	1.96	0.47
2:K:15:VAL:HG11	2:K:89:LEU:HD13	1.96	0.46
3:X:600:VAL:HG21	3:X:605:ILE:CG2	2.45	0.46
1:A:127:GLN:O	1:A:130:SER:OG	2.31	0.46
1:S:201[B]:HIS:CD2	1:S:203:GLY:H	2.34	0.46
3:X:563:PHE:O	3:X:605:ILE:HA	2.15	0.46
2:N:68:LYS:NZ	5:N:842:HOH:O	2.48	0.46
1:S:48:LEU:HD11	1:S:87:TYR:CE2	2.50	0.46
1:S:127:GLN:NE2	1:S:132:THR:HG22	2.31	0.46
1:V:113:VAL:HG22	1:V:144:PRO:HD3	1.98	0.46
1:A:111:ARG:HH12	1:A:114:ALA:CB	2.29	0.46
3:U:564:ALA:HB3	3:U:591:PHE:CE1	2.50	0.46
1:J:48:LEU:HD11	1:J:87:TYR:HE2	1.81	0.45
2:Q:65:ASP:HA	2:Q:68:LYS:HE3	1.97	0.45
2:N:212:CYS:SG	2:N:225:LYS:HB3	2.56	0.45
2:Q:57:SER:HB3	3:R:581:HIS:NE2	2.31	0.45
2:Q:86:MET:HE1	2:Q:125:VAL:HG21	1.98	0.45
3:X:580:LEU:N	3:X:580:LEU:HD12	2.32	0.45
2:K:23:LEU:HG	2:K:86:MET:HE2	1.99	0.45
2:T:109:PRO:HB3	3:U:567:TRP:CE2	2.51	0.45
1:A:67:ARG:HB3	1:A:72:PHE:CD2	2.51	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:15:VAL:HG11	2:H:89:LEU:HD13	1.98	0.45
2:E:20:SER:HA	2:E:86:MET:O	2.17	0.45
2:B:15:VAL:HG11	2:B:89:LEU:HD13	1.98	0.45
1:J:55:LEU:HD11	1:J:59:VAL:HG12	1.99	0.45
2:E:54:ILE:HD12	2:E:61:THR:CG2	2.47	0.44
1:J:48:LEU:HA	1:J:59:VAL:HG21	1.99	0.44
2:N:144[B]:SER:OG	2:N:152:ALA:HB2	2.17	0.44
2:N:172:SER:O	2:Q:92:GLU:HB3	2.17	0.44
1:A:12:LEU:CD2	1:A:20:VAL:HG13	2.47	0.44
1:V:55:LEU:HD11	1:V:59:VAL:CG1	2.47	0.44
1:A:116:PRO:HD3	1:A:201[B]:HIS:CD2	2.52	0.44
2:T:194:LEU:HD12	2:T:194:LEU:C	2.43	0.44
1:M:109:ILE:HG22	1:M:169:GLN:OE1	2.17	0.44
2:W:86:MET:HE1	2:W:125:VAL:HG21	1.98	0.44
3:I:558:PRO:HD3	3:I:580:LEU:HD12	1.99	0.44
2:K:17:PRO:HD3	2:K:128:SER:C	2.43	0.44
2:E:186:LEU:HD13	2:E:192:TYR:CZ	2.53	0.44
2:N:87:ASN:O	2:N:88:SER:C	2.60	0.44
2:N:186:LEU:HD13	2:N:192:TYR:CZ	2.53	0.44
2:Q:57:SER:HB3	3:R:581:HIS:CD2	2.53	0.44
1:A:111:ARG:HH11	1:A:175:THR:HG22	1.83	0.43
3:X:587:ALA:HB2	3:X:602:LEU:CD2	2.48	0.43
2:E:217:LYS:N	2:E:218:PRO:CD	2.82	0.43
1:P:111:ARG:HH12	1:P:114:ALA:CB	2.30	0.43
2:T:147:THR:HG21	1:V:157:LEU:HD11	1.99	0.43
2:Q:18:GLY:HA3	2:W:18:GLY:HA3	2.00	0.43
1:V:55:LEU:HD11	1:V:59:VAL:HG12	2.00	0.43
1:A:5:MET:HE2	1:A:91:GLN:HB2	2.01	0.43
2:B:86:MET:HE1	2:B:125:VAL:HG21	1.99	0.43
2:N:27:ALA:HB2	2:N:32:LEU:HD13	2.00	0.43
1:P:111:ARG:NH1	1:P:175:THR:HG22	2.33	0.43
2:K:161:TYR:OH	2:K:184:ALA:HB2	2.19	0.43
1:M:116:PRO:HD3	1:M:201[B]:HIS:CD2	2.54	0.43
1:S:60:PRO:HB2	1:S:62:ARG:HG2	1.99	0.43
1:P:49:ILE:HD13	1:P:55:LEU:HA	2.01	0.43
2:W:166:VAL:HG12	2:W:216:HIS:CD2	2.54	0.43
2:Q:130:ALA:HB3	2:Q:162:PHE:CE2	2.54	0.42
2:W:9:GLU:OE1	2:W:97:TYR:O	2.38	0.42
1:A:167:THR:HG23	2:B:182:PHE:CE1	2.55	0.42
1:M:34:VAL:HA	1:M:90:GLN:O	2.20	0.42
1:J:21:THR:HG22	1:J:75:THR:HG23	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:N:57:SER:HB3	3:O:581:HIS:NE2	2.35	0.42
2:N:194:LEU:C	2:N:194:LEU:HD12	2.44	0.42
2:H:21:LEU:HB2	2:H:86:MET:HE3	2.02	0.42
2:Q:133:LYS:NZ	2:Q:160:ASP:O	2.43	0.42
1:G:111:ARG:NH1	1:G:112:THR:O	2.53	0.41
1:J:48:LEU:HD11	1:J:87:TYR:CE2	2.56	0.41
2:K:86:MET:HE1	2:K:125:VAL:HG21	2.02	0.41
1:P:51:SER:O	1:P:52:ALA:HB3	2.20	0.41
2:T:161:TYR:CE1	2:T:166:VAL:HG13	2.55	0.41
2:E:15:VAL:HG11	2:E:89:LEU:HD13	2.02	0.41
2:E:23:LEU:CG	2:E:86:MET:HE2	2.50	0.41
2:N:43:ALA:HB3	2:N:46:LYS:HG3	2.02	0.41
1:P:111:ARG:HH11	1:P:175:THR:HG22	1.85	0.41
2:H:101:ARG:CZ	2:H:103:VAL:HG11	2.50	0.41
1:S:97[A]:TRP:CH2	2:T:36:TYR:CE2	3.09	0.41
2:E:194:LEU:HD12	2:E:194:LEU:C	2.45	0.41
2:H:102:THR:HG21	2:H:114:TRP:HA	2.02	0.41
2:W:104:ARG:HG3	2:W:110:TYR:HB3	2.02	0.41
2:W:155:GLY:HA2	2:W:170:TRP:CZ2	2.55	0.41
1:A:12:LEU:HD21	1:A:20:VAL:HG13	2.03	0.41
2:B:160:ASP:HB3	2:B:191:LEU:HD13	2.03	0.41
1:G:55:LEU:HD11	1:G:59:VAL:HG12	2.02	0.41
1:M:5:MET:SD	1:M:26:ALA:HB2	2.61	0.41
2:Q:194:LEU:C	2:Q:194:LEU:HD12	2.45	0.41
3:X:581:HIS:ND1	3:X:583:SER:HB3	2.36	0.41
2:H:32:LEU:HD13	2:H:80:ASN:C	2.46	0.40
1:M:123:PRO:HG3	1:M:133:ALA:HB1	2.04	0.40
2:Q:27:ALA:HB1	2:Q:30:PHE:CE1	2.56	0.40
1:V:183:THR:O	1:V:184:LEU:HD23	2.21	0.40
1:S:164:GLU:HA	1:S:179:SER:O	2.20	0.40
2:K:100:ALA:HB1	2:K:116:MET:HB3	2.03	0.40
1:M:55:LEU:HD11	1:M:59:VAL:HG12	2.03	0.40
2:T:163:PRO:HD2	2:T:218:PRO:HB2	2.03	0.40
1:A:144:PRO:O	1:A:201[B]:HIS:HE1	2.05	0.40
1:J:132:THR:HG22	1:J:133:ALA:N	2.37	0.40
1:M:51:SER:O	1:M:52:ALA:HB3	2.22	0.40
1:S:34:VAL:HA	1:S:90:GLN:O	2.22	0.40
2:W:161:TYR:OH	2:W:184:ALA:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	215/228 (94%)	209 (97%)	6 (3%)	0	100	100
1	D	213/228 (93%)	204 (96%)	9 (4%)	0	100	100
1	G	215/228 (94%)	204 (95%)	11 (5%)	0	100	100
1	J	213/228 (93%)	204 (96%)	9 (4%)	0	100	100
1	M	216/228 (95%)	208 (96%)	8 (4%)	0	100	100
1	P	215/228 (94%)	205 (95%)	10 (5%)	0	100	100
1	S	215/228 (94%)	203 (94%)	12 (6%)	0	100	100
1	V	211/228 (92%)	201 (95%)	10 (5%)	0	100	100
2	B	223/246 (91%)	220 (99%)	3 (1%)	0	100	100
2	E	226/246 (92%)	222 (98%)	4 (2%)	0	100	100
2	H	217/246 (88%)	212 (98%)	5 (2%)	0	100	100
2	K	214/246 (87%)	209 (98%)	5 (2%)	0	100	100
2	N	226/246 (92%)	223 (99%)	3 (1%)	0	100	100
2	Q	216/246 (88%)	213 (99%)	3 (1%)	0	100	100
2	T	225/246 (92%)	222 (99%)	3 (1%)	0	100	100
2	W	217/246 (88%)	212 (98%)	5 (2%)	0	100	100
3	C	58/77 (75%)	58 (100%)	0	0	100	100
3	F	52/77 (68%)	52 (100%)	0	0	100	100
3	I	53/77 (69%)	53 (100%)	0	0	100	100
3	L	52/77 (68%)	52 (100%)	0	0	100	100
3	O	60/77 (78%)	59 (98%)	1 (2%)	0	100	100
3	R	60/77 (78%)	60 (100%)	0	0	100	100
3	U	52/77 (68%)	52 (100%)	0	0	100	100
3	X	52/77 (68%)	50 (96%)	2 (4%)	0	100	100
All	All	3916/4408 (89%)	3807 (97%)	109 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	175/200 (88%)	173 (99%)	2 (1%)	65	68
1	D	173/200 (86%)	171 (99%)	2 (1%)	63	65
1	G	182/200 (91%)	178 (98%)	4 (2%)	45	44
1	J	182/200 (91%)	181 (100%)	1 (0%)	81	85
1	M	181/200 (90%)	179 (99%)	2 (1%)	65	68
1	P	182/200 (91%)	178 (98%)	4 (2%)	45	44
1	S	174/200 (87%)	172 (99%)	2 (1%)	65	68
1	V	171/200 (86%)	170 (99%)	1 (1%)	78	83
2	B	180/205 (88%)	178 (99%)	2 (1%)	65	68
2	E	184/205 (90%)	182 (99%)	2 (1%)	65	68
2	H	178/205 (87%)	177 (99%)	1 (1%)	78	83
2	K	174/205 (85%)	172 (99%)	2 (1%)	65	68
2	N	181/205 (88%)	179 (99%)	2 (1%)	65	68
2	Q	176/205 (86%)	170 (97%)	6 (3%)	32	27
2	T	178/205 (87%)	175 (98%)	3 (2%)	53	53
2	W	175/205 (85%)	173 (99%)	2 (1%)	65	68
3	C	49/67 (73%)	49 (100%)	0	100	100
3	F	45/67 (67%)	45 (100%)	0	100	100
3	I	43/67 (64%)	42 (98%)	1 (2%)	44	42
3	L	42/67 (63%)	42 (100%)	0	100	100
3	O	46/67 (69%)	45 (98%)	1 (2%)	45	44
3	R	48/67 (72%)	48 (100%)	0	100	100
3	U	43/67 (64%)	43 (100%)	0	100	100
3	X	37/67 (55%)	37 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	3199/3776 (85%)	3159 (99%)	40 (1%)	61 63

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	SER
1	A	197	CYS
2	B	32	LEU
2	B	154	LEU
1	D	11	SER
1	D	202	GLN
2	E	67	VAL
2	E	202	SER
1	G	13	SER
1	G	53	SER
1	G	64	SER
1	G	190	GLU
2	H	208	GLN
3	I	601	LEU
1	J	15	SER
2	K	154	LEU
2	K	208	GLN
1	M	20	VAL
1	M	61	SER
2	N	154	LEU
2	N	194	LEU
3	O	568	GLU
1	P	31	SER
1	P	132	THR
1	P	150	GLN
1	P	155	ASN
2	Q	68	LYS
2	Q	92	GLU
2	Q	154	LEU
2	Q	177	SER
2	Q	213	ASN
2	Q	215	ASN
1	S	132	THR
1	S	171	SER
2	T	33	SER
2	T	147	THR
2	T	154	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	V	211	SER
2	W	33	SER
2	W	203	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (33) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	39	GLN
2	B	42	GLN
2	B	85	GLN
2	E	85	GLN
2	E	87	ASN
2	E	187	GLN
1	G	39	GLN
1	G	80	GLN
1	G	163	GLN
2	H	42	GLN
2	H	187	GLN
2	H	208	GLN
1	J	39	GLN
1	J	163	GLN
2	K	42	GLN
2	K	85	GLN
2	K	87	ASN
2	K	180	HIS
1	M	192	HIS
1	M	202	GLN
2	N	85	GLN
3	O	570	ASN
1	P	150	GLN
3	R	570	ASN
1	S	140	ASN
1	S	141	ASN
1	S	163	GLN
2	T	87	ASN
1	V	39	GLN
1	V	213	ASN
2	W	42	GLN
2	W	85	GLN
2	W	87	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 143 ligands modelled in this entry, 143 are unknown - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å²)	Q<0.9	
1	A	213/228 (93%)	1.14	31 (14%)	6	5	24, 57, 74, 78	4 (1%)
1	D	213/228 (93%)	1.73	72 (33%)	1	0	30, 63, 88, 98	2 (0%)
1	G	213/228 (93%)	1.30	42 (19%)	3	2	28, 57, 79, 90	4 (1%)
1	J	213/228 (93%)	1.36	42 (19%)	3	2	28, 62, 85, 93	2 (0%)
1	M	214/228 (93%)	1.38	44 (20%)	2	2	29, 60, 76, 88	4 (1%)
1	P	213/228 (93%)	0.95	19 (8%)	15	15	23, 54, 78, 90	4 (1%)
1	S	214/228 (93%)	1.33	44 (20%)	2	2	27, 61, 84, 93	3 (1%)
1	V	212/228 (92%)	1.48	51 (24%)	2	1	31, 61, 82, 90	1 (0%)
2	B	225/246 (91%)	0.58	12 (5%)	32	32	31, 42, 58, 68	0
2	E	226/246 (91%)	0.90	21 (9%)	14	14	26, 46, 73, 86	2 (0%)
2	H	218/246 (88%)	0.90	24 (11%)	10	10	25, 44, 65, 78	3 (1%)
2	K	218/246 (88%)	0.83	31 (14%)	6	5	31, 45, 70, 84	0
2	N	226/246 (91%)	0.76	16 (7%)	22	22	31, 42, 61, 75	2 (0%)
2	Q	218/246 (88%)	0.72	20 (9%)	14	14	24, 43, 60, 71	2 (0%)
2	T	225/246 (91%)	0.71	17 (7%)	20	20	28, 44, 67, 80	2 (0%)
2	W	220/246 (89%)	0.99	26 (11%)	9	8	30, 46, 71, 85	1 (0%)
3	C	60/77 (77%)	0.85	5 (8%)	17	17	40, 57, 82, 86	0
3	F	53/77 (68%)	2.15	29 (54%)	0	0	40, 81, 102, 110	1 (1%)
3	I	55/77 (71%)	1.94	21 (38%)	1	0	49, 70, 98, 103	0
3	L	54/77 (70%)	1.90	20 (37%)	1	0	50, 81, 119, 126	0
3	O	61/77 (79%)	2.01	28 (45%)	0	0	31, 74, 103, 111	1 (1%)
3	R	61/77 (79%)	1.08	7 (11%)	9	9	29, 58, 84, 95	1 (1%)
3	U	54/77 (70%)	1.43	13 (24%)	2	1	45, 72, 98, 104	0
3	X	53/77 (68%)	2.70	34 (64%)	0	0	60, 89, 120, 130	1 (1%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
All	All	3932/4408 (89%)	1.14	669 (17%) 4 4	23, 52, 84, 130	40 (1%)

All (669) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	X	594	TYR	5.3
3	X	607	PRO	5.2
3	I	608	ILE	5.2
3	I	555	MET	5.0
1	D	31	SER	4.9
2	W	206	GLY	4.8
3	X	560	ASP	4.8
3	I	575	ALA	4.8
3	X	575	ALA	4.8
1	V	22	ILE	4.7
3	L	555	MET	4.7
2	T	143	SER	4.6
1	V	3	ILE	4.6
1	D	34	VAL	4.5
3	L	608	ILE	4.5
3	X	578	GLU	4.5
3	L	584	GLY	4.4
2	W	207	THR	4.4
3	X	556	TRP	4.3
3	O	608	ILE	4.3
1	D	49	ILE	4.2
1	D	57	SER	4.1
3	X	555	MET	4.1
1	D	187	ALA	4.1
1	D	87	TYR	4.1
2	E	110	TYR	4.1
3	X	572	PHE	4.1
3	I	556	TRP	4.0
1	D	84	PHE	4.0
3	O	600	VAL	3.9
3	F	556	TRP	3.9
1	J	194	VAL	3.9
3	F	596[A]	ASN	3.9
3	X	567	TRP	3.8
3	O	549	PRO	3.8
3	L	572	PHE	3.8
2	N	114	TRP	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	E	143	SER	3.8
1	M	95	PHE	3.8
1	D	76	ILE	3.7
1	S	185	SER	3.7
3	F	608	ILE	3.7
2	T	147	THR	3.7
3	I	584	GLY	3.7
3	F	563	PHE	3.7
3	X	562	CYS	3.6
1	S	132	THR	3.6
1	G	187	ALA	3.6
1	D	81	PRO	3.6
3	L	571	LYS	3.6
1	J	118	VAL	3.6
3	F	572	PHE	3.6
3	L	563	PHE	3.6
3	X	592[A]	ILE	3.6
3	R	550	MET	3.6
3	U	555	MET	3.6
1	J	123	PRO	3.6
2	T	145	LYS	3.6
3	O	550	MET	3.6
1	V	72	PHE	3.6
3	I	606	LYS	3.6
1	S	189	TYR	3.6
3	O	552	TYR	3.6
3	O	584	GLY	3.6
3	R	552	TYR	3.6
1	M	34	VAL	3.5
1	D	213	ASN	3.5
2	Q	200	VAL	3.5
2	E	147	THR	3.5
2	H	209	THR	3.5
3	I	554	LYS	3.5
3	X	563	PHE	3.5
3	X	591	PHE	3.5
1	G	2	ASP	3.5
3	O	572	PHE	3.5
1	S	131	GLY	3.5
2	T	110	TYR	3.5
1	D	30	VAL	3.5
1	D	33	ALA	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	2	ASP	3.4
1	M	2	ASP	3.4
3	U	608	ILE	3.4
1	P	187	ALA	3.4
2	Q	203	SER	3.4
2	W	152	ALA	3.4
2	N	113	GLY	3.4
3	X	557	LYS	3.4
1	D	156	ALA	3.4
1	V	187	ALA	3.4
1	D	63	PHE	3.4
1	S	213	ASN	3.3
1	D	56	TYR	3.3
1	D	17	GLY	3.3
1	D	64	SER	3.3
1	D	52	ALA	3.3
3	R	608	ILE	3.3
3	X	565	LEU	3.3
3	X	574	ARG	3.3
2	N	143	SER	3.3
2	W	150	GLY	3.3
3	X	597	TYR	3.3
1	J	187	ALA	3.3
1	M	156	ALA	3.3
2	B	143	SER	3.3
1	P	116	PRO	3.3
2	W	113	GLY	3.3
1	M	20	VAL	3.3
2	N	110	TYR	3.3
1	S	26	ALA	3.3
3	R	548	ILE	3.3
2	H	4	GLU	3.3
3	X	593	ASP	3.3
1	D	20	VAL	3.2
1	S	187	ALA	3.2
3	F	564	ALA	3.2
1	J	138	LEU	3.2
1	M	186	LYS	3.2
3	U	584	GLY	3.2
1	J	140	ASN	3.2
3	X	583	SER	3.2
3	F	584	GLY	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	X	559	GLY	3.2
1	V	97[A]	TRP	3.2
2	N	108	LYS	3.2
3	C	550	MET	3.2
1	M	187	ALA	3.2
1	G	120	ILE	3.2
2	W	34	SER	3.2
2	K	206	GLY	3.2
2	W	149	GLY	3.2
1	D	60	PRO	3.2
1	V	194	VAL	3.1
2	W	118	TYR	3.1
2	N	229	PRO	3.1
1	A	20	VAL	3.1
1	D	79	LEU	3.1
1	G	74	LEU	3.1
3	C	551	GLU	3.1
3	O	594	TYR	3.1
1	A	185	SER	3.1
2	K	106	SER	3.1
1	D	70	THR	3.1
1	J	72	PHE	3.1
2	N	111	PHE	3.1
1	D	26	ALA	3.1
1	V	30	VAL	3.1
3	F	594	TYR	3.1
3	O	563	PHE	3.1
2	B	31	ASN	3.1
3	X	577	VAL	3.1
1	J	12	LEU	3.1
3	O	601	LEU	3.1
3	L	556	TRP	3.0
1	A	84	PHE	3.0
1	M	123	PRO	3.0
2	Q	201	PRO	3.0
2	W	229	PRO	3.0
1	J	20	VAL	3.0
2	E	32	LEU	3.0
3	F	565	LEU	3.0
1	S	61	SER	3.0
3	F	592	ILE	3.0
1	D	65	GLY	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	Q	199	THR	3.0
2	W	151	THR	3.0
2	E	229	PRO	3.0
1	A	156	ALA	3.0
1	S	30	VAL	3.0
1	V	153	VAL	3.0
1	D	69	GLY	3.0
2	N	31	ASN	3.0
2	E	4	GLU	3.0
1	D	21	THR	3.0
2	K	207	THR	3.0
1	D	19	ARG	3.0
2	N	146	SER	3.0
3	O	587	ALA	3.0
1	G	20	VAL	3.0
1	P	194	VAL	3.0
2	E	5	VAL	3.0
1	V	140	ASN	3.0
3	O	551	GLU	3.0
1	J	3	ILE	3.0
1	J	2	ASP	3.0
3	L	593	ASP	3.0
1	V	28	GLN	2.9
1	V	68	SER	2.9
1	J	128	LEU	2.9
3	F	601	LEU	2.9
1	D	59	VAL	2.9
2	W	5	VAL	2.9
3	F	571	LYS	2.9
1	P	2	ASP	2.9
2	Q	210	TYR	2.9
3	L	591	PHE	2.9
3	O	573	TYR	2.9
1	D	78	SER	2.9
1	V	185	SER	2.9
1	M	26	ALA	2.9
1	M	33	ALA	2.9
1	M	12[A]	LEU	2.9
1	V	74	LEU	2.9
1	G	69	GLY	2.9
3	C	549	PRO	2.9
1	P	190	GLU	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	I	561	GLU	2.9
3	I	594	TYR	2.9
2	N	106	SER	2.9
1	S	191	LYS	2.9
2	T	141	ALA	2.9
1	S	184	LEU	2.9
2	N	5	VAL	2.9
1	D	67	ARG	2.9
1	M	3	ILE	2.9
3	X	605	ILE	2.9
3	X	568	GLU	2.9
1	A	61	SER	2.9
1	D	95	PHE	2.9
1	S	77	SER	2.9
3	X	573	TYR	2.9
1	D	83	ASP	2.8
1	G	128	LEU	2.8
1	D	16	VAL	2.8
1	S	9	PRO	2.8
2	H	229	PRO	2.8
2	H	110	TYR	2.8
1	V	67	ARG	2.8
3	O	567	TRP	2.8
1	J	30	VAL	2.8
1	M	197	CYS	2.8
2	N	145	LYS	2.8
1	S	31	SER	2.8
2	Q	202[A]	SER	2.8
1	M	63	PHE	2.8
2	B	110	TYR	2.8
3	L	594	TYR	2.8
2	E	109	PRO	2.8
2	H	5	VAL	2.8
2	W	201	PRO	2.8
1	D	109	ILE	2.8
3	O	592	ILE	2.8
1	S	84	PHE	2.8
3	L	564	ALA	2.8
1	A	12	LEU	2.8
3	X	602	LEU	2.8
2	W	114	TRP	2.8
1	J	28	GLN	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	K	203	SER	2.7
1	M	215	GLY	2.7
2	H	108	LYS	2.7
1	J	74	LEU	2.7
2	K	110	TYR	2.7
3	U	565	LEU	2.7
2	Q	209	THR	2.7
1	G	194	VAL	2.7
1	D	48	LEU	2.7
1	S	183[A]	THR	2.7
2	W	205	LEU	2.7
1	V	50	TYR	2.7
3	F	573	TYR	2.7
3	O	585	MET	2.7
3	X	561	GLU	2.7
1	V	61	SER	2.7
2	B	146	SER	2.7
3	F	567	TRP	2.7
3	L	567	TRP	2.7
1	D	131	GLY	2.7
1	S	69	GLY	2.7
1	J	133	ALA	2.7
1	A	157	LEU	2.7
1	S	128	LEU	2.7
3	C	552	TYR	2.7
1	M	76[A]	ILE	2.7
2	B	5	VAL	2.7
2	B	145	LYS	2.7
2	H	114	TRP	2.7
1	V	4	GLN	2.6
2	H	152	ALA	2.6
1	A	112	THR	2.6
1	D	74	LEU	2.6
2	H	106	SER	2.6
1	A	186	LYS	2.6
1	S	215	GLY	2.6
2	H	206	GLY	2.6
2	T	186	LEU	2.6
3	X	580	LEU	2.6
1	G	205	SER	2.6
1	M	32	SER	2.6
1	M	185	SER	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	F	606	LYS	2.6
2	E	118	TYR	2.6
3	I	574	ARG	2.6
1	A	76	ILE	2.6
1	A	166	VAL	2.6
1	P	113	VAL	2.6
2	E	105	GLY	2.6
1	V	26	ALA	2.6
1	A	191[A]	LYS	2.6
1	D	55	LEU	2.6
1	P	193	LYS	2.6
3	L	607	PRO	2.6
1	A	205	SER	2.6
1	V	95	PHE	2.6
1	G	208	VAL	2.6
1	J	22	ILE	2.6
3	I	605	ILE	2.6
1	S	197	CYS	2.6
1	V	203	GLY	2.6
2	K	113	GLY	2.6
1	S	14	ALA	2.6
1	J	9	PRO	2.6
2	B	229	PRO	2.6
2	K	229	PRO	2.6
1	D	36	TRP	2.6
1	S	190	GLU	2.5
1	D	22	ILE	2.5
1	M	107	VAL	2.5
1	S	16	VAL	2.5
1	S	76	ILE	2.5
2	K	137	VAL	2.5
3	U	594	TYR	2.5
1	D	197	CYS	2.5
3	I	562	CYS	2.5
1	S	2	ASP	2.5
2	N	209	THR	2.5
2	T	109	PRO	2.5
1	S	12	LEU	2.5
2	Q	208	GLN	2.5
3	O	580	LEU	2.5
1	S	20	VAL	2.5
2	K	179	VAL	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	K	200	VAL	2.5
3	O	548	ILE	2.5
1	D	189	TYR	2.5
1	V	186	LYS	2.5
3	F	566	TYR	2.5
3	L	573	TYR	2.5
1	M	70	THR	2.5
1	G	190	GLU	2.5
1	V	123	PRO	2.5
2	H	201	PRO	2.5
3	X	601	LEU	2.5
2	E	111	PHE	2.5
3	U	556	TRP	2.5
1	M	30	VAL	2.5
1	S	3	ILE	2.5
2	H	227	VAL	2.5
2	T	31	ASN	2.5
1	A	197	CYS	2.5
3	I	566	TYR	2.5
3	L	562	CYS	2.5
1	V	70	THR	2.5
2	T	34	SER	2.5
1	D	35	ALA	2.5
2	K	152	ALA	2.5
1	D	72	PHE	2.5
1	V	191	LYS	2.5
3	L	559	GLY	2.5
1	V	20	VAL	2.4
3	F	600	VAL	2.4
2	H	228	GLU	2.4
2	Q	4	GLU	2.4
2	T	118	TYR	2.4
3	U	573	TYR	2.4
2	W	177	SER	2.4
3	F	586	THR	2.4
3	O	586	THR	2.4
1	P	128	LEU	2.4
3	F	557	LYS	2.4
3	I	601	LEU	2.4
1	M	84	PHE	2.4
1	V	190	GLU	2.4
1	J	153	VAL	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	M	97[A]	TRP	2.4
2	K	198	VAL	2.4
1	D	68	SER	2.4
1	G	189	TYR	2.4
1	P	195	TYR	2.4
1	V	197	CYS	2.4
3	X	566	TYR	2.4
1	S	73	THR	2.4
1	V	9	PRO	2.4
1	P	133	ALA	2.4
3	I	557	LYS	2.4
3	U	572	PHE	2.4
1	M	59	VAL	2.4
1	D	77	SER	2.4
2	K	33	SER	2.4
2	Q	114	TRP	2.4
1	V	24	CYS	2.4
1	D	73	THR	2.4
1	D	75	THR	2.4
1	J	132	THR	2.4
3	X	571	LYS	2.4
1	J	189	TYR	2.4
1	S	81	PRO	2.4
2	Q	229	PRO	2.4
1	V	133	ALA	2.4
1	J	182	LEU	2.4
2	K	205	LEU	2.4
2	W	32	LEU	2.4
3	L	565	LEU	2.4
1	J	4	GLN	2.4
1	J	125	ASP	2.4
3	I	563	PHE	2.4
1	A	208	VAL	2.4
1	G	22	ILE	2.4
1	J	120	ILE	2.4
1	G	124	SER	2.4
2	H	202[A]	SER	2.4
2	W	33	SER	2.4
1	G	24	CYS	2.4
1	J	116	PRO	2.4
1	M	36	TRP	2.4
2	H	199	THR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	W	110	TYR	2.3
2	E	141	ALA	2.3
3	O	553	ALA	2.3
2	E	30	PHE	2.3
2	H	107	LYS	2.3
1	M	27	SER	2.3
2	K	151	THR	2.3
2	K	209	THR	2.3
1	A	190	GLU	2.3
2	B	228	GLU	2.3
3	C	594	TYR	2.3
3	R	575	ALA	2.3
1	G	98	LEU	2.3
1	J	55	LEU	2.3
1	J	98	LEU	2.3
1	M	55	LEU	2.3
2	E	175	LEU	2.3
2	W	155	GLY	2.3
1	A	171	SER	2.3
1	P	120	ILE	2.3
1	V	118	VAL	2.3
1	A	183[A]	THR	2.3
1	D	14	ALA	2.3
2	H	174	ALA	2.3
1	D	12	LEU	2.3
1	G	12	LEU	2.3
1	V	195	TYR	2.3
2	K	140	LEU	2.3
2	N	32	LEU	2.3
3	U	566	TYR	2.3
1	V	193	LYS	2.3
1	D	66	SER	2.3
1	G	66[A]	SER	2.3
1	J	212	PHE	2.3
1	V	49	ILE	2.3
2	K	208	GLN	2.3
1	S	60	PRO	2.3
2	W	199	THR	2.3
3	I	607	PRO	2.3
1	G	155	ASN	2.3
1	P	145	ARG	2.3
1	A	187	ALA	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	26	ALA	2.3
1	M	133	ALA	2.3
1	D	203	GLY	2.3
1	M	98	LEU	2.3
1	M	56	TYR	2.3
2	K	118	TYR	2.3
2	E	228	GLU	2.2
3	L	578	GLU	2.2
1	D	54	SER	2.2
2	E	148	SER	2.2
2	H	33	SER	2.2
3	F	583	SER	2.2
3	U	563	PHE	2.2
3	I	592	ILE	2.2
1	D	107	VAL	2.2
1	P	208	VAL	2.2
1	G	214	ARG	2.2
1	V	188	ASP	2.2
1	P	196	ALA	2.2
2	B	174	ALA	2.2
2	T	150	GLY	2.2
3	X	595	GLY	2.2
1	A	128	LEU	2.2
1	A	184	LEU	2.2
1	D	157	LEU	2.2
1	M	157	LEU	2.2
1	P	157	LEU	2.2
1	V	55	LEU	2.2
1	M	143	TYR	2.2
1	M	189	TYR	2.2
1	D	192	HIS	2.2
3	I	567	TRP	2.2
1	D	15	SER	2.2
1	M	130	SER	2.2
1	S	68	SER	2.2
3	O	583	SER	2.2
2	E	104	ARG	2.2
2	K	104	ARG	2.2
2	Q	211	ILE	2.2
2	Q	198	VAL	2.2
3	F	607	PRO	2.2
3	X	606	LYS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	71	ASP	2.2
3	L	569	ASP	2.2
2	Q	206	GLY	2.2
2	T	149	GLY	2.2
1	G	197	CYS	2.2
2	T	32	LEU	2.2
3	I	602	LEU	2.2
1	G	4	GLN	2.2
1	V	96	TYR	2.2
1	D	29	SER	2.2
1	G	8	SER	2.2
1	J	32	SER	2.2
2	E	34	SER	2.2
2	H	203	SER	2.2
2	H	151	THR	2.2
2	K	142	PRO	2.2
1	P	188	ASP	2.2
1	G	113	VAL	2.2
1	G	118	VAL	2.2
2	W	103	VAL	2.2
2	K	228	GLU	2.2
1	S	133	ALA	2.2
2	K	174	ALA	2.2
1	A	98	LEU	2.2
1	D	24	CYS	2.2
1	M	79	LEU	2.2
1	P	197	CYS	2.2
1	S	55	LEU	2.2
3	O	602	LEU	2.2
1	A	211	SER	2.2
1	V	29	SER	2.2
2	E	146	SER	2.2
2	T	144	SER	2.2
2	W	106	SER	2.2
3	X	603	SER	2.2
1	S	186	LYS	2.2
1	V	129	LYS	2.2
3	F	590	LYS	2.2
3	L	570	ASN	2.2
3	U	567	TRP	2.2
1	D	132	THR	2.2
1	G	132	THR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	M	132	THR	2.2
1	A	3	ILE	2.1
2	N	30	PHE	2.1
2	Q	228	GLU	2.1
2	E	227	VAL	2.1
2	K	5	VAL	2.1
1	D	58	GLY	2.1
1	G	133	ALA	2.1
1	S	35	ALA	2.1
1	G	145	ARG	2.1
2	H	154	LEU	2.1
1	D	13	SER	2.1
2	E	10	SER	2.1
1	G	96	TYR	2.1
3	F	585	MET	2.1
3	O	566	TYR	2.1
1	D	18	ASP	2.1
2	K	4	GLU	2.1
2	W	139	PRO	2.1
3	F	558	PRO	2.1
3	U	607	PRO	2.1
3	F	591	PHE	2.1
3	O	605	ILE	2.1
1	A	131	GLY	2.1
1	M	160	GLY	2.1
2	B	166	VAL	2.1
2	B	223	VAL	2.1
2	W	168	VAL	2.1
1	J	156	ALA	2.1
2	K	141	ALA	2.1
3	F	587	ALA	2.1
1	A	77	SER	2.1
1	A	159	SER	2.1
1	G	55	LEU	2.1
1	G	64	SER	2.1
1	G	184	LEU	2.1
1	M	51	SER	2.1
1	V	12	LEU	2.1
1	V	182	LEU	2.1
3	I	571	LYS	2.1
3	U	571	LYS	2.1
2	B	144	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	K	169	SER	2.1
1	V	213	ASN	2.1
1	G	56	TYR	2.1
1	M	96	TYR	2.1
1	D	112	THR	2.1
1	J	19	ARG	2.1
1	J	95	PHE	2.1
1	D	153	VAL	2.1
1	M	194	VAL	2.1
1	V	107	VAL	2.1
3	F	588	VAL	2.1
1	G	129	LYS	2.1
1	G	191	LYS	2.1
2	Q	226	LYS	2.1
2	Q	152	ALA	2.1
1	S	57	SER	2.1
1	V	184	LEU	2.1
1	M	24	CYS	2.1
1	J	50	TYR	2.1
1	J	122	PRO	2.1
1	J	195	TYR	2.1
1	M	60	PRO	2.1
1	V	105	THR	2.1
2	H	139	PRO	2.1
2	K	109	PRO	2.1
2	Q	110	TYR	2.1
1	J	69	GLY	2.1
1	P	129	LYS	2.1
1	A	113	VAL	2.1
1	J	121	PHE	2.1
1	S	72	PHE	2.1
1	V	212	PHE	2.1
2	Q	137	VAL	2.1
1	A	97[A]	TRP	2.1
1	G	97[A]	TRP	2.1
1	G	57	SER	2.1
1	G	156	ALA	2.1
1	G	196	ALA	2.1
1	M	159	SER	2.1
1	V	15	SER	2.1
1	V	52	ALA	2.1
1	V	66	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	Q	174	ALA	2.1
2	W	228	GLU	2.0
3	O	575	ALA	2.1
3	R	583	SER	2.1
3	O	555	MET	2.0
1	D	47	LEU	2.0
1	S	74	LEU	2.0
1	V	128	LEU	2.0
1	D	125	ASP	2.0
1	S	123	PRO	2.0
2	K	139	PRO	2.0
2	N	109	PRO	2.0
2	W	167[A]	THR	2.0
1	D	160	GLY	2.0
1	P	56	TYR	2.0
1	S	87	TYR	2.0
2	T	206	GLY	2.0
1	G	30	VAL	2.0
1	S	63	PHE	2.0
2	K	214	VAL	2.0
2	T	200	VAL	2.0
3	R	561	GLU	2.0
1	D	32	SER	2.0
1	G	159	SER	2.0
1	S	66	SER	2.0
2	H	56	SER	2.0
2	K	34	SER	2.0
2	T	106	SER	2.0
3	F	603	SER	2.0
1	D	151	TRP	2.0
3	O	556	TRP	2.0
3	X	570	ASN	2.0
2	H	205	LEU	2.0
3	F	580	LEU	2.0
1	D	2	ASP	2.0
1	J	145	ARG	2.0
3	O	581	HIS	2.0
1	G	110	LYS	2.0
1	A	123	PRO	2.0
1	D	23	THR	2.0
1	J	6	THR	2.0
1	M	207	PRO	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	V	73	THR	2.0
1	S	56	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	UNX	H	1944	1/1	0.77	0.22	30,30,30,30	0
4	UNX	E	1945	1/1	0.79	0.16	30,30,30,30	0
4	UNX	H	1948	1/1	0.80	0.18	30,30,30,30	0
4	UNX	T	1848	1/1	0.80	0.13	30,30,30,30	0
4	UNX	H	1962	1/1	0.81	0.15	30,30,30,30	0
4	UNX	D	1955	1/1	0.81	0.18	30,30,30,30	0
4	UNX	J	1866	1/1	0.83	0.16	30,30,30,30	0
4	UNX	J	1936	1/1	0.83	0.14	30,30,30,30	0
4	UNX	M	1952	1/1	0.83	0.20	30,30,30,30	0
4	UNX	P	1886	1/1	0.83	0.13	30,30,30,30	0
4	UNX	G	1824	1/1	0.83	0.10	30,30,30,30	0
4	UNX	Q	1861	1/1	0.84	0.12	30,30,30,30	0
4	UNX	Q	1961	1/1	0.84	0.13	30,30,30,30	0
4	UNX	E	1905	1/1	0.84	0.12	30,30,30,30	0
4	UNX	B	1949	1/1	0.85	0.16	30,30,30,30	0
4	UNX	B	1914	1/1	0.85	0.15	30,30,30,30	0
4	UNX	B	1946	1/1	0.85	0.21	30,30,30,30	0
4	UNX	E	1814	1/1	0.86	0.25	30,30,30,30	0
4	UNX	P	1903	1/1	0.86	0.16	30,30,30,30	0
4	UNX	A	1956	1/1	0.86	0.14	30,30,30,30	0
4	UNX	H	1919	1/1	0.86	0.11	30,30,30,30	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	UNX	P	1817	1/1	0.86	0.12	30,30,30,30	0
4	UNX	T	1928	1/1	0.86	0.18	30,30,30,30	0
4	UNX	W	1951	1/1	0.86	0.18	30,30,30,30	0
4	UNX	Q	1895	1/1	0.87	0.22	30,30,30,30	0
4	UNX	Q	1901	1/1	0.87	0.11	30,30,30,30	0
4	UNX	D	1939	1/1	0.87	0.15	30,30,30,30	0
4	UNX	B	1889	1/1	0.87	0.11	30,30,30,30	0
4	UNX	I	1819	1/1	0.87	0.13	30,30,30,30	0
4	UNX	W	1913	1/1	0.87	0.10	30,30,30,30	0
4	UNX	N	1894	1/1	0.87	0.16	30,30,30,30	0
4	UNX	B	1871	1/1	0.88	0.14	30,30,30,30	0
4	UNX	H	1954	1/1	0.88	0.14	30,30,30,30	0
4	UNX	T	1959	1/1	0.88	0.13	30,30,30,30	0
4	UNX	V	1879	1/1	0.88	0.11	30,30,30,30	0
4	UNX	W	1884	1/1	0.88	0.10	30,30,30,30	0
4	UNX	C	1855	1/1	0.88	0.12	30,30,30,30	0
4	UNX	S	1915	1/1	0.88	0.15	30,30,30,30	0
4	UNX	G	1820	1/1	0.89	0.15	30,30,30,30	0
4	UNX	E	1942	1/1	0.89	0.12	30,30,30,30	0
4	UNX	G	1916	1/1	0.89	0.17	30,30,30,30	0
4	UNX	N	1899	1/1	0.89	0.18	30,30,30,30	0
4	UNX	N	1937	1/1	0.89	0.16	30,30,30,30	0
4	UNX	T	1898	1/1	0.89	0.10	30,30,30,30	0
4	UNX	G	1918	1/1	0.89	0.11	30,30,30,30	0
4	UNX	P	1827	1/1	0.89	0.11	30,30,30,30	0
4	UNX	G	1818	1/1	0.89	0.12	30,30,30,30	0
4	UNX	W	1874	1/1	0.89	0.12	30,30,30,30	0
4	UNX	H	1935	1/1	0.89	0.14	30,30,30,30	0
4	UNX	P	1909	1/1	0.89	0.09	30,30,30,30	0
4	UNX	J	1867	1/1	0.89	0.14	30,30,30,30	0
4	UNX	B	1875	1/1	0.90	0.13	30,30,30,30	0
4	UNX	B	1947	1/1	0.90	0.12	30,30,30,30	0
4	UNX	N	1958	1/1	0.90	0.12	30,30,30,30	0
4	UNX	E	1965	1/1	0.90	0.18	30,30,30,30	0
4	UNX	K	1891	1/1	0.90	0.09	30,30,30,30	0
4	UNX	W	1883	1/1	0.90	0.17	30,30,30,30	0
4	UNX	C	1873	1/1	0.90	0.12	30,30,30,30	0
4	UNX	T	1830	1/1	0.90	0.12	30,30,30,30	0
4	UNX	D	1881	1/1	0.90	0.09	30,30,30,30	0
4	UNX	T	1910	1/1	0.91	0.13	30,30,30,30	0
4	UNX	A	1860	1/1	0.91	0.10	30,30,30,30	0
4	UNX	E	1893	1/1	0.91	0.09	30,30,30,30	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	UNX	V	1823	1/1	0.91	0.09	30,30,30,30	0
4	UNX	V	1856	1/1	0.91	0.11	30,30,30,30	0
4	UNX	N	1968	1/1	0.91	0.11	30,30,30,30	0
4	UNX	W	1857	1/1	0.91	0.10	30,30,30,30	0
4	UNX	A	1950	1/1	0.91	0.10	30,30,30,30	0
4	UNX	H	1887	1/1	0.91	0.12	30,30,30,30	0
4	UNX	D	1834	1/1	0.91	0.12	30,30,30,30	0
4	UNX	H	1920	1/1	0.91	0.12	30,30,30,30	0
4	UNX	J	1821	1/1	0.91	0.22	30,30,30,30	0
4	UNX	N	1938	1/1	0.92	0.12	30,30,30,30	0
4	UNX	N	1878	1/1	0.92	0.10	30,30,30,30	0
4	UNX	A	1943	1/1	0.92	0.11	30,30,30,30	0
4	UNX	P	1934	1/1	0.92	0.12	30,30,30,30	0
4	UNX	T	1890	1/1	0.92	0.10	30,30,30,30	0
4	UNX	H	1900	1/1	0.92	0.09	30,30,30,30	0
4	UNX	P	1826	1/1	0.92	0.11	30,30,30,30	0
4	UNX	W	1907	1/1	0.92	0.10	30,30,30,30	0
4	UNX	M	1966	1/1	0.92	0.15	30,30,30,30	0
4	UNX	Q	1917	1/1	0.92	0.09	30,30,30,30	0
4	UNX	N	1822	1/1	0.93	0.19	30,30,30,30	0
4	UNX	T	1940	1/1	0.93	0.18	30,30,30,30	0
4	UNX	E	1815	1/1	0.93	0.26	30,30,30,30	0
4	UNX	H	1839	1/1	0.93	0.10	30,30,30,30	0
4	UNX	P	1828	1/1	0.93	0.12	30,30,30,30	0
4	UNX	H	1850	1/1	0.93	0.12	30,30,30,30	0
4	UNX	V	1971	1/1	0.93	0.12	30,30,30,30	0
4	UNX	H	1870	1/1	0.93	0.08	30,30,30,30	0
4	UNX	W	1862	1/1	0.93	0.09	30,30,30,30	0
4	UNX	B	1906	1/1	0.93	0.14	30,30,30,30	0
4	UNX	A	1972	1/1	0.93	0.18	30,30,30,30	0
4	UNX	Q	1835	1/1	0.93	0.13	30,30,30,30	0
4	UNX	F	1847	1/1	0.93	0.11	30,30,30,30	0
4	UNX	T	1921	1/1	0.93	0.13	30,30,30,30	0
4	UNX	T	1924	1/1	0.93	0.15	30,30,30,30	0
4	UNX	E	1897	1/1	0.94	0.11	30,30,30,30	0
4	UNX	H	1941	1/1	0.94	0.12	30,30,30,30	0
4	UNX	G	1880	1/1	0.94	0.08	30,30,30,30	0
4	UNX	J	1908	1/1	0.94	0.10	30,30,30,30	0
4	UNX	V	1964	1/1	0.94	0.08	30,30,30,30	0
4	UNX	A	1859	1/1	0.94	0.09	30,30,30,30	0
4	UNX	W	1845	1/1	0.94	0.09	30,30,30,30	0
4	UNX	W	1854	1/1	0.94	0.09	30,30,30,30	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	UNX	T	1865	1/1	0.94	0.10	30,30,30,30	0
4	UNX	K	1888	1/1	0.94	0.09	30,30,30,30	0
4	UNX	P	1929	1/1	0.94	0.10	30,30,30,30	0
4	UNX	B	1902	1/1	0.94	0.09	30,30,30,30	0
4	UNX	N	1967	1/1	0.94	0.13	30,30,30,30	0
4	UNX	G	1931	1/1	0.94	0.10	30,30,30,30	0
4	UNX	N	1969	1/1	0.94	0.09	30,30,30,30	0
4	UNX	B	1927	1/1	0.94	0.14	30,30,30,30	0
4	UNX	D	1925	1/1	0.95	0.10	30,30,30,30	0
4	UNX	P	1851	1/1	0.95	0.10	30,30,30,30	0
4	UNX	H	1963	1/1	0.95	0.15	30,30,30,30	0
4	UNX	E	1957	1/1	0.95	0.12	30,30,30,30	0
4	UNX	R	1896	1/1	0.95	0.10	30,30,30,30	0
4	UNX	S	1864	1/1	0.95	0.09	30,30,30,30	0
4	UNX	N	1876	1/1	0.95	0.09	30,30,30,30	0
4	UNX	K	1863	1/1	0.95	0.08	30,30,30,30	0
4	UNX	K	1882	1/1	0.95	0.11	30,30,30,30	0
4	UNX	H	1953	1/1	0.95	0.09	30,30,30,30	0
4	UNX	G	1885	1/1	0.95	0.09	30,30,30,30	0
4	UNX	E	1904	1/1	0.96	0.10	30,30,30,30	0
4	UNX	H	1858	1/1	0.96	0.08	30,30,30,30	0
4	UNX	T	1846	1/1	0.96	0.09	30,30,30,30	0
4	UNX	A	1843	1/1	0.96	0.10	30,30,30,30	0
4	UNX	N	1877	1/1	0.96	0.09	30,30,30,30	0
4	UNX	Q	1926	1/1	0.96	0.08	30,30,30,30	0
4	UNX	G	1829	1/1	0.96	0.07	30,30,30,30	0
4	UNX	V	1932	1/1	0.96	0.10	30,30,30,30	0
4	UNX	J	1816	1/1	0.96	0.20	30,30,30,30	0
4	UNX	Q	1842	1/1	0.96	0.07	30,30,30,30	0
4	UNX	J	1868	1/1	0.97	0.11	30,30,30,30	0
4	UNX	E	1923	1/1	0.97	0.06	30,30,30,30	0
4	UNX	P	1832	1/1	0.97	0.08	30,30,30,30	0
4	UNX	B	1872	1/1	0.97	0.16	30,30,30,30	0
4	UNX	K	1836	1/1	0.97	0.06	30,30,30,30	0
4	UNX	K	1849	1/1	0.97	0.05	30,30,30,30	0
4	UNX	M	1852	1/1	0.98	0.08	30,30,30,30	0
4	UNX	B	1844	1/1	0.98	0.08	30,30,30,30	0
4	UNX	V	1841	1/1	0.98	0.07	30,30,30,30	0

6.5 Other polymers ⓘ

There are no such residues in this entry.