



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 4, 2026 – 09:30 PM EDT

PDB ID : 1Q16 / pdb_00001q16
Title : Crystal structure of Nitrate Reductase A, NarGHI, from Escherichia coli
Authors : Bertero, M.G.; Strynadka, N.C.J.
Deposited on : 2003-07-18
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1247	7% 81% 17% .
2	B	512	2% 87% 12% ..
3	C	225	7% 78% 20% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	SF4	B	1403	-	-	X	-
9	3PH	B	1310	X	-	-	-

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 17199 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Respiratory nitrate reductase 1 alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1244	Total	C	N	O	S	0	0	0
			9878	6239	1731	1860	48			

- Molecule 2 is a protein called Respiratory nitrate reductase 1 beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	509	Total	C	N	O	S	0	0	0
			4050	2562	701	755	32			


- Molecule 3 is a protein called Respiratory nitrate reductase 1 gamma chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	224	Total	C	N	O	S	0	0	0
			1790	1187	302	287	14			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	1	FME	MET	modified residue	UNP P11350

- Molecule 4 is PHOSPHORIC ACID 4-(2-AMINO-4-OXO-3,4,5,6,-TETRAHYDRO-PTE RIDIN-6-YL)-2-HYDROXY-3,4-DIMERCAPTO-BUT-3-EN-YL ESTER GUANYLATE ESTER (CCD ID: MD1) (formula: C₂₀H₂₆N₁₀O₁₃P₂S₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
4	A	1	Total 47	C 20	N 10	O 13	P 2	S 2	0	0
4	A	1	Total 47	C 20	N 10	O 13	P 2	S 2	0	0

- Molecule 5 is MOLYBDENUM(VI) ION (CCD ID: 6MO) (formula: Mo).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Mo 1 1	0	0

- Molecule 6 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe_4S_4).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	Fe	S	0	0
			8	4	4		
6	B	1	Total	Fe	S	0	0
			8	4	4		
6	B	1	Total	Fe	S	0	0
			8	4	4		
6	B	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 7 is (1S)-2-{{[(2S)-2,3-DIHYDROXYPROPYL]OXY}(HYDROXY)PHOSPHORYL]OXY}-1-[(PENTANOYLOXY)METHYL]ETHYL OCTANOATE (CCD ID: AGA) (formula: C₁₉H₃₆O₁₀P).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	O	P	0	0
			30	19	10	1		

- Molecule 8 is FE3-S4 CLUSTER (CCD ID: F3S) (formula: Fe₃S₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	Fe	S	0	0
			7	3	4		

- Molecule 9 is 1,2-DIACYL-GLYCEROL-3-SN-PHOSPHATE (CCD ID: 3PH) (formula: $C_{39}H_{77}O_8P$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	B	1	Total	C	O	P	0	0
			18	9	8	1		

- Molecule 10 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
10	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0


- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	710	Total	O	0	0
			710	710		
11	B	427	Total	O	0	0
			427	427		
11	C	76	Total	O	0	0
			76	76		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Respiratory nitrate reductase 1 alpha chain





- Molecule 2: Respiratory nitrate reductase 1 beta chain





- Molecule 3: Respiratory nitrate reductase 1 gamma chain



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	154.18Å 241.38Å 139.49Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.68 – 1.90 29.68 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.4 (29.68-1.90) 99.6 (29.68-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.58 (at 1.91Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.202 , 0.230 0.191 , 0.220	Depositor DCC
R_{free} test set	10078 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	18.7	Xtriage
Anisotropy	0.732	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 48.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	17199	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 3PH, HEM, SF4, MD1, FME, AGA, F3S, 6MO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	1/10138 (0.0%)	0.95	45/13762 (0.3%)
2	B	0.37	0/4146	0.91	11/5609 (0.2%)
3	C	0.35	0/1831	0.85	4/2476 (0.2%)
All	All	0.36	1/16115 (0.0%)	0.93	60/21847 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	501	ALA	C-N	-5.44	1.26	1.33

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1163	HIS	CA-C-N	17.54	155.04	121.54
1	A	1163	HIS	C-N-CA	17.54	155.04	121.54
1	A	501	ALA	CA-C-N	13.31	146.96	121.54
1	A	501	ALA	C-N-CA	13.31	146.96	121.54
1	A	1163	HIS	O-C-N	-11.50	109.13	122.93
1	A	1070	VAL	N-CA-C	9.05	119.34	111.56
1	A	809	LEU	N-CA-C	-8.38	96.02	109.76
2	B	30	TRP	N-CA-C	8.32	123.56	113.41
1	A	607	SER	N-CA-C	8.27	121.22	111.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	502	TYR	CA-CB-CG	7.55	127.49	113.90
1	A	101	TYR	N-CA-C	7.44	119.39	111.28
1	A	1093	GLN	N-CA-C	7.26	120.12	110.53
1	A	1206	TYR	N-CA-C	7.20	120.03	110.53
1	A	1167	ARG	N-CA-C	7.16	121.71	112.26
1	A	74	GLN	N-CA-C	-7.11	101.14	110.53
2	B	88	ILE	N-CA-C	6.96	119.75	111.05
1	A	501	ALA	CA-C-O	-6.86	110.71	120.51
1	A	1035	TRP	N-CA-C	-6.80	99.46	110.20
2	B	216	LYS	N-CA-C	6.66	119.54	111.82
2	B	379	ASP	N-CA-C	-6.59	99.56	110.17
1	A	1169	VAL	N-CA-C	6.56	117.29	108.11
2	B	157	LYS	N-CA-C	-6.50	105.22	113.01
2	B	359	LEU	N-CA-C	-6.45	100.36	110.36
1	A	863	PRO	N-CA-C	6.38	121.95	113.40
1	A	1163	HIS	CA-C-O	6.38	127.41	120.58
1	A	573	GLY	N-CA-C	6.25	119.71	111.52
1	A	222	ASP	N-CA-C	-6.22	105.51	113.23
2	B	206	GLU	N-CA-C	6.20	119.01	111.82
2	B	31	THR	N-CA-C	6.07	118.64	110.88
1	A	586	GLN	N-CA-C	6.04	118.39	111.02
1	A	10	PHE	CB-CA-C	6.00	121.05	110.85
1	A	1043	GLN	N-CA-C	5.93	118.44	108.23
2	B	287	GLU	N-CA-C	5.93	117.42	111.07
1	A	862	GLN	CA-C-N	5.87	125.25	118.85
1	A	862	GLN	C-N-CA	5.87	125.25	118.85
2	B	94	LEU	N-CA-C	5.82	116.73	109.57
1	A	224	PRO	N-CA-C	-5.82	103.60	110.70
1	A	362	ASP	CB-CA-C	5.82	121.01	110.72
1	A	196	MET	N-CA-C	5.81	118.11	111.02
1	A	802	MET	N-CA-C	5.77	117.65	111.36
1	A	730	TYR	N-CA-C	5.74	118.75	111.69
1	A	184	ARG	N-CA-C	-5.68	106.01	113.17
1	A	1071	LYS	N-CA-C	5.57	118.11	111.71
1	A	614	HIS	N-CA-C	5.50	118.20	111.82
1	A	502	TYR	N-CA-C	5.48	122.47	110.80
1	A	808	PRO	N-CA-C	5.40	123.59	112.47
1	A	1097	ILE	N-CA-C	-5.36	98.20	106.72
1	A	615	SER	N-CA-C	-5.35	106.60	113.02
1	A	854	HIS	N-CA-C	-5.32	103.00	110.50
2	B	51	GLY	N-CA-C	5.32	122.16	112.37
1	A	1149	VAL	N-CA-C	-5.25	98.94	107.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1186	SER	N-CA-C	-5.24	106.40	112.89
3	C	123	THR	N-CA-C	-5.23	102.03	110.14
1	A	494	THR	N-CA-C	-5.23	106.95	113.38
3	C	208	SER	N-CA-C	5.14	119.19	113.02
3	C	209	VAL	CA-C-N	5.14	126.27	119.84
3	C	209	VAL	C-N-CA	5.14	126.27	119.84
1	A	959	ALA	N-CA-C	5.08	116.28	109.83
1	A	501	ALA	N-CA-CB	5.04	119.01	110.49
1	A	1000	GLN	N-CA-C	-5.00	106.01	111.82

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1163	HIS	Peptide
1	A	501	ALA	Peptide,Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9878	0	9534	151	0
2	B	4050	0	3973	33	0
3	C	1790	0	1826	35	0
4	A	94	0	42	5	0
5	A	1	0	0	0	0
6	A	8	0	0	0	0
6	B	24	0	0	2	0
7	A	30	0	36	0	0
8	B	7	0	0	0	0
9	B	18	0	10	0	0
10	C	86	0	60	0	0
11	A	710	0	0	11	1
11	B	427	0	0	6	0
11	C	76	0	0	2	0
All	All	17199	0	15481	216	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (216) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:378:ASN:HD21	1:A:382:GLU:HB2	1.18	1.00
1:A:378:ASN:ND2	1:A:382:GLU:HB2	1.93	0.84
3:C:73:PRO:HG2	3:C:76:MET:HG3	1.57	0.84
1:A:863:PRO:HG2	1:A:864:LEU:HD22	1.60	0.83
2:B:503:ASP:HB3	11:B:1830:HOH:O	1.82	0.80
1:A:227:SER:HB3	1:A:228:PRO:HD3	1.66	0.78
1:A:652:MET:HE1	1:A:866:VAL:HG13	1.67	0.77
1:A:944:MET:HE3	1:A:946:ASN:HD21	1.53	0.74
1:A:586:GLN:HE21	1:A:590:GLN:HG3	1.55	0.70
1:A:1098:HIS:HE1	4:A:1301:MD1:S13	2.14	0.70
1:A:578:VAL:HG23	1:A:579:GLY:H	1.56	0.69
1:A:626:GLU:HA	1:A:629:LEU:HD23	1.74	0.69
1:A:365:GLY:HA3	1:A:408:LYS:HG3	1.74	0.68
1:A:508:GLU:OE1	1:A:515:ARG:HD2	1.92	0.68
1:A:586:GLN:HE21	1:A:590:GLN:CG	2.06	0.68
11:A:1958:HOH:O	3:C:212:GLU:HG3	1.94	0.68
1:A:1098:HIS:CE1	4:A:1301:MD1:S13	2.88	0.66
2:B:395:THR:HG21	2:B:401:PRO:HG2	1.78	0.66
1:A:1098:HIS:CE1	4:A:1300:MD1:S12	2.89	0.66
1:A:20:GLY:O	3:C:217:LYS:HD2	1.97	0.65
1:A:596:LEU:O	1:A:600:ARG:HD2	1.98	0.64
1:A:722:LYS:HD2	1:A:722:LYS:H	1.62	0.64
1:A:720:SER:O	1:A:722:LYS:HD2	1.97	0.64
1:A:652:MET:HE3	1:A:867:LYS:O	1.98	0.64
1:A:1062:ARG:HD2	11:A:1502:HOH:O	1.97	0.63
1:A:387:ASN:ND2	1:A:405:ARG:HB2	2.14	0.63
3:C:83:ILE:HD11	3:C:156:MET:HG2	1.80	0.63
1:A:497:ASP:HA	1:A:515:ARG:HH11	1.62	0.62
1:A:336:MET:HA	1:A:473:VAL:HB	1.82	0.62
1:A:619:ARG:O	1:A:743:LEU:HD13	2.00	0.62
3:C:138:ALA:O	3:C:142:LEU:HD13	2.00	0.61
1:A:335:ASP:O	1:A:338:MET:HB2	1.99	0.61
1:A:859:GLU:HG3	1:A:860:LEU:HD12	1.83	0.61
3:C:73:PRO:HD2	3:C:76:MET:HE2	1.82	0.61
1:A:191:ILE:O	1:A:194:MET:HG2	2.01	0.61
1:A:584:ARG:HD3	1:A:1006:ILE:HG12	1.83	0.60
1:A:366:GLN:HG3	1:A:373:LYS:NZ	2.16	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:361:PRO:HD2	2:B:384:ARG:HD3	1.83	0.59
1:A:338:MET:HG3	1:A:374:THR:HB	1.84	0.59
1:A:1098:HIS:C	1:A:1164:ALA:HB3	2.28	0.59
3:C:12:TYR:N	3:C:13:PRO:HD2	2.18	0.58
1:A:471:THR:HG21	1:A:476:LEU:HD13	1.86	0.58
1:A:1037:THR:HB	1:A:1043:GLN:HG3	1.84	0.58
1:A:1155:PRO:HG2	1:A:1158:MET:HG2	1.85	0.58
1:A:345:ARG:HD2	11:A:2082:HOH:O	2.04	0.57
3:C:96:ALA:O	3:C:100:LEU:HD13	2.04	0.57
3:C:82:PRO:HG2	3:C:85:VAL:HG23	1.87	0.57
1:A:677:MET:HE2	1:A:682:TYR:HA	1.87	0.57
3:C:160:VAL:O	3:C:164:GLN:HG3	2.04	0.57
1:A:882:ALA:HB1	1:A:883:PRO:HD2	1.86	0.57
1:A:404:GLN:HE22	1:A:1041:ARG:HH12	1.53	0.56
1:A:578:VAL:HG23	1:A:579:GLY:N	2.21	0.56
1:A:474:TYR:O	1:A:478:LEU:HD13	2.06	0.56
1:A:619:ARG:NH1	11:A:1939:HOH:O	2.39	0.56
2:B:20:HIS:CE1	2:B:44:VAL:HB	2.41	0.56
2:B:119:LYS:HD2	2:B:119:LYS:N	2.21	0.55
1:A:924:MET:HE2	11:A:1692:HOH:O	2.05	0.55
1:A:931:ASN:O	1:A:932:TYR:HB2	2.05	0.55
3:C:159:LEU:HD21	3:C:180:VAL:HG21	1.87	0.55
1:A:119:LYS:O	1:A:123:GLU:HG3	2.07	0.55
1:A:679:PRO:HB2	1:A:847:ILE:HD11	1.89	0.55
1:A:338:MET:HE3	1:A:375:VAL:C	2.32	0.55
1:A:191:ILE:HG23	1:A:580:GLN:O	2.08	0.54
1:A:223:LEU:O	1:A:225:PRO:HD3	2.08	0.54
1:A:582:LYS:HD2	11:A:2072:HOH:O	2.08	0.54
1:A:92:CYS:HB2	1:A:93:PRO:HD2	1.90	0.53
1:A:652:MET:CE	1:A:862:GLN:HE22	2.21	0.53
4:A:1300:MD1:C11	4:A:1300:MD1:H7	2.39	0.53
1:A:1087:ASN:O	1:A:1159:THR:HG22	2.08	0.53
3:C:155:GLU:O	3:C:159:LEU:HD23	2.08	0.53
3:C:72:THR:HG23	3:C:76:MET:CE	2.38	0.53
1:A:261:THR:HG22	2:B:264:VAL:HG11	1.89	0.53
1:A:52:ASN:CG	1:A:191:ILE:HG13	2.34	0.52
2:B:508:THR:O	2:B:509:GLU:HB3	2.09	0.52
1:A:624:THR:O	1:A:627:GLU:HG2	2.10	0.52
1:A:616:SER:HB3	1:A:619:ARG:HD3	1.91	0.52
2:B:246:PHE:HA	6:B:1403:SF4:S4	2.49	0.52
1:A:366:GLN:HG3	1:A:373:LYS:HZ2	1.74	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:856:SER:O	1:A:859:GLU:HG2	2.10	0.51
1:A:919:ASN:ND2	1:A:921:GLN:H	2.07	0.51
3:C:81:LEU:N	3:C:81:LEU:HD23	2.26	0.51
2:B:220:TRP:C	2:B:221:ARG:HG3	2.36	0.51
1:A:936:GLU:HB2	11:A:1590:HOH:O	2.10	0.51
1:A:237:VAL:HB	1:A:238:PRO:HD2	1.91	0.51
1:A:677:MET:HB2	11:A:2095:HOH:O	2.11	0.51
3:C:204:ILE:HD12	3:C:205:HIS:N	2.25	0.50
1:A:517:GLN:HE21	1:A:517:GLN:HA	1.75	0.50
2:B:187:CYS:HB3	2:B:349:THR:O	2.11	0.50
1:A:353:ARG:HA	1:A:1047:ASP:HB2	1.94	0.50
1:A:652:MET:HE1	1:A:866:VAL:CG1	2.40	0.50
2:B:19:CYS:O	2:B:20:HIS:HB2	2.12	0.50
1:A:487:LEU:HD12	1:A:487:LEU:N	2.27	0.49
1:A:658:ALA:HA	1:A:659:PRO:C	2.36	0.49
1:A:741:LYS:HB3	1:A:745:GLN:HB2	1.94	0.49
1:A:864:LEU:HD22	1:A:864:LEU:N	2.27	0.49
1:A:1229:ASN:C	1:A:1230:ILE:HD12	2.38	0.49
1:A:722:LYS:HD2	1:A:722:LYS:N	2.25	0.49
1:A:187:GLY:HA3	1:A:206:LEU:HD11	1.94	0.49
2:B:15:LYS:HD3	11:B:1747:HOH:O	2.13	0.49
1:A:168:LEU:HD23	1:A:168:LEU:C	2.38	0.48
3:C:11:ILE:C	3:C:13:PRO:HD2	2.37	0.48
1:A:442:PHE:CE2	1:A:1064:PRO:HG2	2.48	0.48
1:A:876:LEU:C	1:A:876:LEU:HD23	2.39	0.48
3:C:80:TRP:HB2	3:C:81:LEU:HD23	1.96	0.48
1:A:1230:ILE:HD12	1:A:1230:ILE:N	2.28	0.48
2:B:143:ASN:ND2	2:B:146:ASP:HB2	2.29	0.48
3:C:6:MET:O	3:C:10:ASP:HB2	2.14	0.48
3:C:76:MET:O	3:C:78:GLU:N	2.47	0.48
3:C:87:GLN:OE1	3:C:153:GLY:HA2	2.14	0.48
1:A:1037:THR:HA	1:A:1203:HIS:HB3	1.96	0.48
2:B:78:MET:HG3	11:B:1535:HOH:O	2.12	0.48
2:B:437:GLU:O	2:B:441:GLN:HG3	2.14	0.48
1:A:372:TRP:CE2	1:A:863:PRO:HB3	2.49	0.48
1:A:1006:ILE:HD13	1:A:1016:GLU:HG3	1.95	0.48
3:C:155:GLU:HB2	11:C:870:HOH:O	2.13	0.48
1:A:177:ILE:HG12	1:A:182:PRO:HA	1.96	0.48
1:A:863:PRO:HG2	1:A:864:LEU:CD2	2.40	0.48
1:A:1012:TRP:HB3	1:A:1022:TYR:OH	2.14	0.47
2:B:322:ILE:O	2:B:326:GLN:HG3	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:360:LEU:N	1:A:360:LEU:HD22	2.30	0.47
3:C:211:VAL:HG23	3:C:212:GLU:N	2.29	0.47
1:A:384:VAL:HG22	1:A:385:ALA:N	2.28	0.47
1:A:835:GLU:HG3	1:A:836:VAL:N	2.29	0.47
2:B:154:LYS:HE3	11:B:1751:HOH:O	2.14	0.47
3:C:83:ILE:HG22	11:C:879:HOH:O	2.15	0.47
1:A:214:LEU:HB3	1:A:607:SER:OG	2.15	0.47
2:B:85:LEU:HD22	3:C:214:LEU:HD21	1.97	0.47
1:A:625:ALA:O	1:A:629:LEU:HD22	2.14	0.47
1:A:366:GLN:HG2	1:A:373:LYS:HD2	1.97	0.47
1:A:360:LEU:HG	1:A:383:MET:HE3	1.97	0.46
1:A:914:LYS:HE3	1:A:1036:ARG:NH1	2.30	0.46
3:C:143:THR:HB	3:C:184:PHE:CE1	2.50	0.46
1:A:1069:SER:O	1:A:1139:ASN:HB2	2.15	0.46
1:A:1072:GLU:HB2	11:A:1888:HOH:O	2.16	0.46
1:A:1206:TYR:CG	1:A:1207:GLY:N	2.84	0.46
2:B:428:ARG:NH2	2:B:428:ARG:HB3	2.30	0.46
1:A:1100:THR:O	1:A:1101:TYR:HB2	2.15	0.46
1:A:1115:PRO:HA	1:A:1165:GLN:OE1	2.16	0.46
2:B:280:ILE:HG23	2:B:350:LEU:HD12	1.98	0.46
1:A:517:GLN:HA	1:A:517:GLN:NE2	2.30	0.46
1:A:600:ARG:HD3	1:A:905:LEU:HD13	1.97	0.46
2:B:42:ASN:HB2	6:B:1403:SF4:S1	2.56	0.46
3:C:62:ILE:HD11	3:C:98:GLY:HA2	1.98	0.45
1:A:217:TYR:CE2	1:A:223:LEU:HA	2.51	0.45
1:A:434:PHE:CD1	1:A:1062:ARG:HD3	2.51	0.45
1:A:652:MET:HE3	1:A:862:GLN:HE22	1.81	0.45
1:A:928:ARG:HG2	1:A:943:PRO:HG3	1.98	0.45
4:A:1300:MD1:H7	4:A:1300:MD1:H11	1.98	0.45
1:A:336:MET:N	1:A:337:PRO:HD2	2.31	0.45
1:A:100:TRP:O	1:A:104:SER:HB3	2.17	0.45
1:A:30:ASP:HB2	2:B:486:GLY:HA2	1.99	0.45
2:B:70:ILE:HG13	11:B:1723:HOH:O	2.17	0.45
1:A:54:THR:HA	1:A:580:GLN:HG3	1.98	0.45
1:A:225:PRO:HB2	1:A:551:ASP:OD1	2.16	0.45
1:A:581:GLU:OE2	1:A:801:ASP:OD2	2.35	0.45
1:A:678:ASN:HB2	1:A:679:PRO:HD2	1.99	0.45
2:B:78:MET:HG2	2:B:225:THR:HG22	1.98	0.45
1:A:371:GLU:HG2	1:A:372:TRP:CD1	2.53	0.44
1:A:1091:PRO:O	1:A:1162:TYR:HA	2.16	0.44
1:A:575:ALA:HB1	1:A:577:TYR:CE2	2.53	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:306:PRO:O	2:B:310:GLU:HG3	2.18	0.44
3:C:208:SER:O	3:C:209:VAL:C	2.60	0.44
1:A:366:GLN:HG2	1:A:373:LYS:CD	2.48	0.44
1:A:199:TYR:CD1	1:A:199:TYR:C	2.95	0.44
1:A:1144:LEU:HD12	1:A:1144:LEU:C	2.42	0.44
3:C:182:PHE:O	3:C:185:ARG:HB2	2.17	0.44
1:A:357:ALA:O	1:A:363:ALA:HA	2.18	0.44
1:A:604:HIS:HB3	1:A:1208:PHE:CD2	2.52	0.43
2:B:473:LYS:HE3	2:B:474:ASN:OD1	2.18	0.43
1:A:578:VAL:CG2	1:A:579:GLY:H	2.23	0.43
1:A:582:LYS:HB2	1:A:801:ASP:CG	2.43	0.43
2:B:428:ARG:HB3	2:B:428:ARG:CZ	2.49	0.43
3:C:72:THR:HG23	3:C:76:MET:HE3	2.00	0.43
1:A:223:LEU:HD12	1:A:224:PRO:HD2	2.00	0.43
2:B:289:GLU:HG2	11:B:1581:HOH:O	2.18	0.43
1:A:1093:GLN:HB3	1:A:1162:TYR:HB3	2.01	0.43
2:B:193:VAL:HG22	2:B:201:ILE:HG22	2.02	0.42
1:A:68:VAL:HB	1:A:102:LEU:HD22	2.01	0.42
1:A:190:PRO:HD3	1:A:714:SER:HB2	2.01	0.42
1:A:345:ARG:HB2	1:A:348:TYR:O	2.19	0.42
1:A:641:HIS:ND1	1:A:642:LEU:N	2.67	0.42
1:A:772:ASP:C	1:A:788:THR:HG22	2.45	0.42
1:A:1208:PHE:O	1:A:1209:ASN:HB2	2.18	0.42
3:C:73:PRO:HB2	3:C:75:TRP:CD1	2.54	0.42
1:A:145:ALA:O	1:A:149:LYS:HG3	2.20	0.42
1:A:225:PRO:C	1:A:228:PRO:HD2	2.45	0.42
2:B:156:ALA:C	2:B:158:ASP:N	2.77	0.42
3:C:72:THR:HG23	3:C:76:MET:HE2	2.01	0.42
1:A:722:LYS:H	1:A:722:LYS:CD	2.31	0.42
1:A:430:GLY:O	1:A:632:MET:HE1	2.20	0.42
1:A:1108:LEU:HD13	2:B:106:PHE:CE2	2.55	0.42
1:A:53:CYS:O	1:A:54:THR:OG1	2.31	0.41
1:A:651:ARG:HD3	11:A:2064:HOH:O	2.20	0.41
3:C:119:ARG:O	3:C:122:THR:HG22	2.20	0.41
1:A:338:MET:HB3	1:A:354:MET:HE2	2.02	0.41
1:A:598:TRP:C	1:A:599:GLN:HG3	2.45	0.41
1:A:1070:VAL:HG13	1:A:1223:VAL:CG2	2.51	0.41
1:A:476:LEU:HD12	1:A:476:LEU:HA	1.96	0.41
1:A:532:THR:O	1:A:533:HIS:HB2	2.20	0.41
3:C:50:LEU:HD13	3:C:54:LEU:HD12	2.01	0.41
1:A:384:VAL:HG23	11:A:2085:HOH:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1177:THR:O	1:A:1178:GLN:HB2	2.20	0.41
1:A:44:ILE:HA	1:A:61:ILE:O	2.21	0.41
1:A:590:GLN:N	1:A:591:PRO:HD2	2.36	0.41
1:A:574:TRP:CZ2	1:A:576:HIS:HB2	2.55	0.41
1:A:619:ARG:C	1:A:743:LEU:HD13	2.44	0.41
3:C:50:LEU:HD13	3:C:50:LEU:C	2.46	0.41
3:C:22:ILE:HD12	3:C:22:ILE:HA	1.94	0.41
1:A:152:ARG:HB2	1:A:734:THR:CG2	2.51	0.41
1:A:677:MET:HE2	1:A:682:TYR:CA	2.49	0.41
1:A:707:ARG:C	1:A:708:ASN:HD22	2.29	0.41
2:B:224:ILE:CD1	2:B:234:PHE:HB2	2.51	0.41
1:A:1054:PHE:O	1:A:1062:ARG:NH2	2.54	0.41
1:A:625:ALA:O	1:A:629:LEU:CD2	2.68	0.40
1:A:517:GLN:HE21	1:A:517:GLN:CA	2.33	0.40
2:B:113:THR:O	2:B:114:ALA:C	2.65	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:A:1448:HOH:O	11:A:1448:HOH:O[3_354]	0.98	1.22

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1242/1247 (100%)	1171 (94%)	61 (5%)	10 (1%)	16	8
2	B	507/512 (99%)	495 (98%)	12 (2%)	0	100	100
3	C	220/225 (98%)	216 (98%)	4 (2%)	0	100	100
All	All	1969/1984 (99%)	1882 (96%)	77 (4%)	10 (0%)	24	16

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	361	VAL
1	A	1166	GLU
1	A	501	ALA
1	A	578	VAL
1	A	190	PRO
1	A	224	PRO
1	A	195	SER
1	A	422	SER
1	A	718	GLY
1	A	808	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1041/1044 (100%)	1023 (98%)	18 (2%)	53	52
2	B	436/439 (99%)	429 (98%)	7 (2%)	55	54
3	C	185/186 (100%)	183 (99%)	2 (1%)	65	67
All	All	1662/1669 (100%)	1635 (98%)	27 (2%)	55	54

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	LYS
1	A	190	PRO
1	A	338	MET
1	A	367	GLU
1	A	461	GLN
1	A	476	LEU
1	A	767	LEU
1	A	804	PRO
1	A	808	PRO
1	A	864	LEU
1	A	926	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	936	GLU
1	A	1006	ILE
1	A	1062	ARG
1	A	1072	GLU
1	A	1110	LEU
1	A	1233	LEU
1	A	1243	GLU
2	B	37	GLU
2	B	74	LEU
2	B	85	LEU
2	B	335	MET
2	B	407	LYS
2	B	428	ARG
2	B	503	ASP
3	C	46	LYS
3	C	81	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (37) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	GLN
1	A	173	ASN
1	A	234	GLN
1	A	245	ASN
1	A	258	GLN
1	A	321	ASN
1	A	369	ASN
1	A	404	GLN
1	A	461	GLN
1	A	480	ASN
1	A	517	GLN
1	A	559	ASN
1	A	586	GLN
1	A	604	HIS
1	A	704	ASN
1	A	708	ASN
1	A	919	ASN
1	A	921	GLN
1	A	942	GLN
1	A	946	ASN
1	A	1000	GLN
1	A	1023	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1076	GLN
1	A	1098	HIS
1	A	1178	GLN
1	A	1179	GLN
1	A	1229	ASN
1	A	1238	ASN
2	B	110	ASN
2	B	160	ASN
2	B	174	ASN
2	B	441	GLN
2	B	451	ASN
3	C	74	HIS
3	C	149	GLN
3	C	170	HIS
3	C	175	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	FME	C	1	3	8,9,10	1.31	2 (25%)	8,9,11	1.64	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FME	C	1	3	-	4/7/9/11	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1	FME	CB-CG	2.26	1.60	1.51
3	C	1	FME	CB-CA	-2.12	1.48	1.53

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1	FME	CA-N-CN	2.89	127.27	122.82
3	C	1	FME	CB-CA-N	2.34	114.79	110.52

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	1	FME	N-CA-CB-CG
3	C	1	FME	O1-CN-N-CA
3	C	1	FME	C-CA-CB-CG
3	C	1	FME	CB-CA-N-CN

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 1 is monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	SF4	B	1402	2	0,12,12	-	-	-		
6	SF4	B	1403	2	0,12,12	-	-	-		
9	3PH	B	1310	-	17,17,47	0.87	0	18,21,52	2.03	5 (27%)
8	F3S	B	1405	2	0,9,9	-	-	-		
6	SF4	A	1401	1	0,12,12	-	-	-		
4	MD1	A	1301	5	47,51,51	2.85	4 (8%)	56,78,78	1.39	6 (10%)
7	AGA	A	1309	-	29,29,29	0.74	1 (3%)	32,35,35	1.48	3 (9%)
6	SF4	B	1404	2	0,12,12	-	-	-		
10	HEM	C	806	3	50,50,50	1.73	12 (24%)	67,82,82	0.91	3 (4%)
10	HEM	C	807	3	50,50,50	1.84	15 (30%)	67,82,82	0.98	5 (7%)
4	MD1	A	1300	5	47,51,51	2.93	7 (14%)	56,78,78	1.32	4 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	3PH	B	1310	-	1/1/3/4	5/18/18/49	-
6	SF4	B	1402	2	-	-	0/6/5/5
6	SF4	B	1403	2	-	-	0/6/5/5
8	F3S	B	1405	2	-	-	0/3/3/3
6	SF4	A	1401	1	-	-	0/6/5/5
4	MD1	A	1301	5	-	2/22/59/59	0/5/5/5
7	AGA	A	1309	-	-	8/34/34/34	-
10	HEM	C	806	3	-	7/14/54/54	-
6	SF4	B	1404	2	-	-	0/6/5/5
10	HEM	C	807	3	-	7/14/54/54	-
4	MD1	A	1300	5	-	6/22/59/59	0/5/5/5

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1300	MD1	C7-N8	17.78	1.50	1.28
4	A	1301	MD1	C7-N8	16.85	1.49	1.28
4	A	1301	MD1	PA-O3B	-5.24	1.53	1.59
10	C	807	HEM	CAB-C3B	4.68	1.59	1.47
10	C	806	HEM	CAB-C3B	4.21	1.58	1.47
10	C	806	HEM	CAC-C3C	3.87	1.57	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1300	MD1	C14-C13	3.63	1.55	1.51
10	C	807	HEM	CAC-C3C	3.54	1.56	1.47
10	C	807	HEM	FE-NC	3.45	2.06	1.95
10	C	807	HEM	CMC-C2C	3.42	1.57	1.50
10	C	806	HEM	CMC-C2C	3.41	1.57	1.50
10	C	806	HEM	FE-NC	3.41	2.06	1.95
4	A	1300	MD1	C16-C20	3.27	1.48	1.39
4	A	1301	MD1	C20-N8	3.09	1.41	1.36
10	C	806	HEM	CMA-C3A	3.02	1.57	1.50
10	C	807	HEM	CMB-C2B	3.00	1.56	1.50
10	C	806	HEM	CMD-C2D	2.97	1.56	1.50
4	A	1300	MD1	C4-N3	2.94	1.41	1.34
4	A	1300	MD1	C12-C13	2.88	1.43	1.34
10	C	806	HEM	CMB-C2B	2.82	1.56	1.50
4	A	1300	MD1	C20-N8	2.79	1.41	1.36
10	C	807	HEM	CAD-C3D	2.71	1.58	1.51
10	C	807	HEM	CMD-C2D	2.71	1.56	1.50
10	C	807	HEM	CBA-CAA	2.68	1.61	1.51
10	C	807	HEM	CMA-C3A	2.55	1.56	1.50
10	C	807	HEM	FE-NB	2.51	2.02	1.94
10	C	806	HEM	FE-NB	2.38	2.02	1.94
10	C	807	HEM	CAA-C2A	2.32	1.57	1.51
4	A	1301	MD1	O11-C11	2.30	1.48	1.42
10	C	806	HEM	CAD-C3D	2.29	1.57	1.51
10	C	806	HEM	CBA-CAA	2.26	1.59	1.51
10	C	807	HEM	CBA-CGA	2.21	1.55	1.50
10	C	807	HEM	CBD-CAD	2.20	1.59	1.51
7	A	1309	AGA	C8-C7	2.15	1.56	1.50
10	C	807	HEM	C1D-C2D	2.12	1.48	1.44
4	A	1300	MD1	C15-N17	2.12	1.42	1.38
10	C	806	HEM	C4D-ND	-2.10	1.36	1.40
10	C	806	HEM	CBD-CAD	2.06	1.59	1.51
10	C	807	HEM	CBD-CGD	2.00	1.55	1.50

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1300	MD1	C17-N18-C20	5.74	122.15	114.20
7	A	1309	AGA	C14-C13-C12	5.44	133.61	113.69
4	A	1301	MD1	C17-N18-C20	5.42	121.71	114.20
7	A	1309	AGA	C9-C8-C7	4.87	131.52	113.69
9	B	1310	3PH	C3-C2-C1	4.80	122.98	111.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	B	1310	3PH	C33-C32-C31	4.58	130.47	113.69
9	B	1310	3PH	O21-C2-C3	3.47	120.80	108.34
4	A	1301	MD1	C2-N3-C4	3.20	117.81	112.30
10	C	807	HEM	CAD-C3D-C4D	-2.76	119.89	124.70
4	A	1300	MD1	N17-C17-N18	-2.70	118.38	123.32
4	A	1300	MD1	O14-C15-C16	-2.60	120.99	127.26
10	C	807	HEM	CAD-C3D-C2D	2.30	132.17	127.87
10	C	806	HEM	CMA-C3A-C2A	2.25	130.41	125.62
10	C	806	HEM	O1D-CGD-CBD	-2.20	116.11	123.09
9	B	1310	3PH	O21-C2-C1	2.20	116.22	108.34
10	C	807	HEM	CMA-C3A-C2A	2.16	130.21	125.62
4	A	1301	MD1	C1'-N9-C8	2.15	132.83	126.73
10	C	806	HEM	CAD-C3D-C4D	-2.13	120.99	124.70
4	A	1301	MD1	O14-C15-C16	-2.10	122.20	127.26
7	A	1309	AGA	C5-O9-C12	2.10	122.82	117.80
4	A	1301	MD1	N1-C2-N3	-2.10	119.48	123.32
10	C	807	HEM	O1D-CGD-CBD	-2.10	116.44	123.09
4	A	1300	MD1	O3A-C10-C11	-2.04	102.21	107.96
9	B	1310	3PH	O13-P-O11	2.03	111.97	106.67
4	A	1301	MD1	N17-C17-N18	-2.01	119.64	123.32
10	C	807	HEM	O1A-CGA-CBA	-2.01	116.73	123.09

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
9	B	1310	3PH	C2

All (35) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1300	MD1	C5'-O5'-PA-O3B
4	A	1300	MD1	C5'-O5'-PA-O2A
7	A	1309	AGA	O1-C1-C2-C3
7	A	1309	AGA	C3-O5-P1-O3
7	A	1309	AGA	C3-O5-P1-O6
9	B	1310	3PH	O22-C21-O21-C2
4	A	1300	MD1	O4'-C4'-C5'-O5'
7	A	1309	AGA	C7-C8-C9-C10
4	A	1300	MD1	C3'-C4'-C5'-O5'
7	A	1309	AGA	C8-C7-O7-C6
9	B	1310	3PH	C31-C32-C33-C34
7	A	1309	AGA	O8-C7-O7-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	A	1309	AGA	C11-C10-C9-C8
7	A	1309	AGA	O1-C1-C2-O2
10	C	806	HEM	C2B-C3B-CAB-CBB
10	C	807	HEM	C2C-C3C-CAC-CBC
9	B	1310	3PH	O21-C2-C3-O31
4	A	1300	MD1	PA-O3B-PB-O2B
4	A	1301	MD1	PA-O3B-PB-O2B
9	B	1310	3PH	O11-C1-C2-O21
4	A	1300	MD1	C5'-O5'-PA-O1A
10	C	806	HEM	C4B-C3B-CAB-CBB
10	C	807	HEM	C4C-C3C-CAC-CBC
10	C	807	HEM	CAD-CBD-CGD-O1D
10	C	806	HEM	CAA-CBA-CGA-O2A
10	C	807	HEM	C2A-CAA-CBA-CGA
10	C	806	HEM	CAD-CBD-CGD-O1D
10	C	807	HEM	CAD-CBD-CGD-O2D
10	C	806	HEM	CAD-CBD-CGD-O2D
10	C	806	HEM	CAA-CBA-CGA-O1A
9	B	1310	3PH	C3-C2-O21-C21
10	C	807	HEM	CAA-CBA-CGA-O2A
10	C	807	HEM	CAA-CBA-CGA-O1A
10	C	806	HEM	C2C-C3C-CAC-CBC
4	A	1301	MD1	PA-O3B-PB-O1B


There are no ring outliers.


3 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	1403	SF4	2	0
4	A	1301	MD1	2	0
4	A	1300	MD1	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.


The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1244/1247 (99%)	0.44	83 (6%) 24 25	12, 24, 42, 59	0
2	B	509/512 (99%)	-0.17	10 (1%) 65 69	11, 18, 31, 51	0
3	C	223/225 (99%)	0.57	15 (6%) 24 25	13, 24, 41, 55	0
All	All	1976/1984 (99%)	0.30	108 (5%) 30 32	11, 22, 41, 59	0

All (108) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	10	PHE	10.6
1	A	362	ASP	6.9
1	A	9	TYR	6.9
3	C	78	GLU	6.8
3	C	75	TRP	5.9
1	A	413	THR	4.2
3	C	80	TRP	4.1
1	A	463	ALA	4.0
3	C	76	MET	4.0
1	A	749	VAL	3.6
1	A	1244	SER	3.6
1	A	361	VAL	3.5
3	C	81	LEU	3.4
3	C	71	LEU	3.4
3	C	79	ALA	3.3
1	A	366	GLN	3.2
3	C	74	HIS	3.2
1	A	1164	ALA	3.2
1	A	719	SER	3.2
1	A	743	LEU	3.1
2	B	367	ASP	3.1
1	A	319	LEU	3.0
1	A	467	THR	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	717	LEU	2.9
1	A	411	GLU	2.9
1	A	670	GLY	2.8
1	A	363	ALA	2.8
2	B	366	ALA	2.8
1	A	991	ASP	2.7
1	A	759	ASN	2.7
1	A	864	LEU	2.7
1	A	379	THR	2.7
1	A	673	GLU	2.7
1	A	678	ASN	2.7
2	B	364	SER	2.6
1	A	449	ASN	2.6
2	B	295	ARG	2.6
1	A	321	ASN	2.6
1	A	487	LEU	2.6
2	B	323	GLU	2.6
1	A	750	LYS	2.6
1	A	376	ALA	2.6
3	C	83	ILE	2.5
1	A	126	ALA	2.5
1	A	380	ASN	2.5
2	B	119	LYS	2.5
1	A	718	GLY	2.5
1	A	8	ARG	2.5
1	A	422	SER	2.5
1	A	633	ALA	2.5
1	A	367	GLU	2.5
1	A	365	GLY	2.5
1	A	377	PHE	2.5
1	A	1163	HIS	2.5
1	A	426	ILE	2.5
1	A	663	THR	2.5
1	A	384	VAL	2.5
1	A	680	VAL	2.5
1	A	635	LYS	2.5
1	A	490	VAL	2.4
2	B	371	LEU	2.4
1	A	1243	GLU	2.4
1	A	462	LEU	2.4
1	A	629	LEU	2.4
1	A	389	SER	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	936	GLU	2.3
1	A	7	PHE	2.3
3	C	49	ASN	2.3
1	A	191	ILE	2.3
1	A	11	LYS	2.3
1	A	626	GLU	2.3
2	B	509	GLU	2.3
1	A	684	VAL	2.3
1	A	322	PRO	2.2
3	C	148	ALA	2.2
1	A	13	LYS	2.2
1	A	460	LEU	2.2
1	A	689	GLU	2.2
1	A	860	LEU	2.2
1	A	381	GLY	2.2
3	C	180	VAL	2.2
1	A	581	GLU	2.2
1	A	461	GLN	2.2
1	A	1032	LEU	2.2
1	A	875	ASP	2.2
2	B	370	GLU	2.2
3	C	72	THR	2.2
1	A	676	GLY	2.2
1	A	600	ARG	2.2
1	A	637	ARG	2.2
1	A	378	ASN	2.1
1	A	349	TYR	2.1
1	A	666	LEU	2.1
1	A	679	PRO	2.1
1	A	421	GLY	2.1
3	C	157	MET	2.1
1	A	1059	LEU	2.1
1	A	427	ALA	2.1
3	C	170	HIS	2.1
1	A	163	GLN	2.1
2	B	70	ILE	2.0
1	A	420	LEU	2.0
1	A	357	ALA	2.0
1	A	1018	GLU	2.0
1	A	338	MET	2.0
1	A	677	MET	2.0
1	A	410	GLY	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	751	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	FME	C	1	10/11	0.89	0.12	37,44,53,54	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
9	3PH	B	1310	18/48	0.71	0.21	42,55,60,62	0
7	AGA	A	1309	30/30	0.90	0.14	19,23,55,60	0
4	MD1	A	1300	47/47	0.93	0.09	14,22,35,39	0
5	6MO	A	1302	1/1	0.93	0.14	40,40,40,40	0
4	MD1	A	1301	47/47	0.94	0.07	16,21,29,34	0
10	HEM	C	807	43/43	0.95	0.11	20,25,37,45	0
10	HEM	C	806	43/43	0.97	0.09	11,16,19,30	0
8	F3S	B	1405	7/7	0.98	0.04	13,14,15,15	0
6	SF4	B	1402	8/8	0.98	0.05	19,21,21,23	0
6	SF4	B	1404	8/8	0.98	0.04	17,19,20,21	0
6	SF4	A	1401	8/8	0.98	0.06	19,22,22,24	0
6	SF4	B	1403	8/8	0.99	0.03	13,13,14,15	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 3PH B 1310:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AGA A 1309:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MD1 A 1300:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MD1 A 1301:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM C 807:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.