



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:05 AM UTC

PDB ID : 6Q35 / pdb_00006q35
Title : Crystal structure of GES-5 beta-lactamase in complex with boronic inhibitor cpd 3
Authors : Maso, L.; Quotadamo, A.; Bellio, P.; Montanari, M.; Venturelli, A.; Celenza, G.; Costi, M.P.; Tondi, D.; Cendron, L.
Deposited on : 2018-12-03
Resolution : 1.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2563 (1.40-1.40)
Clashscore	190562	2660 (1.40-1.40)
Ramachandran outliers	187476	2611 (1.40-1.40)
Sidechain outliers	187428	2610 (1.40-1.40)
RSRZ outliers	180081	2561 (1.40-1.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	270	 87% 11% ..
1	B	270	 89% 9% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	EDO	A	402	-	-	X	-
4	DMS	A	405	-	-	X	-
4	DMS	A	411	-	-	X	-
4	DMS	B	302	-	-	X	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 4608 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-lactamase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	267	Total	C	N	O	S	0	9	0
			2075	1301	359	402	13			
1	B	268	Total	C	N	O	S	0	10	0
			2120	1326	374	410	10			

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	1
			8	4	4		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is [5-(aminomethyl)-1-benzothiophen-2-yl]boronic acid (CCD ID: HD5) (formula: $C_9H_{10}BNO_2S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total 28	B 2	C 18	N 2	O 4	S 2	0	1
3	B	1	Total 28	B 2	C 18	N 2	O 4	S 2	0	1

- Molecule 4 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	149	Total	O	0	0
			149	149		
5	B	132	Total	O	0	0
			132	132		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Beta-lactamase



- Molecule 1: Beta-lactamase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	75.67Å 79.44Å 87.52Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	58.82 – 1.40 58.82 – 1.40	Depositor EDS
% Data completeness (in resolution range)	100.0 (58.82-1.40) 100.0 (58.82-1.40)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.93 (at 1.40Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.165 , 0.208 0.173 , 0.206	Depositor DCC
R_{free} test set	5051 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å ²)	16.1	Xtriage
Anisotropy	0.068	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 35.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.009 for k,h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4608	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DMS, EDO, HD5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.92	2/2138 (0.1%)	1.22	7/2892 (0.2%)
1	B	0.88	1/2174 (0.0%)	1.13	1/2938 (0.0%)
All	All	0.90	3/4312 (0.1%)	1.18	8/5830 (0.1%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	54	HIS	CE1-NE2	6.34	1.38	1.32
1	B	283	LEU	C-N	-5.81	1.25	1.33
1	A	79	ASP	CG-OD2	5.58	1.35	1.25

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	79	ASP	CA-CB-CG	8.01	120.61	112.60
1	A	197	THR	CA-CB-OG1	-6.87	99.29	109.60
1	A	201	THR	CA-CB-OG1	-5.83	100.86	109.60
1	A	154	VAL	N-CA-CB	-5.65	107.00	111.64
1	A	276	GLN	OE1-CD-NE2	5.65	128.25	122.60
1	A	215	THR	CB-CA-C	5.41	121.18	110.42
1	A	171	ASP	CA-CB-CG	5.07	117.67	112.60
1	B	201	THR	CA-CB-OG1	-5.05	102.02	109.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2075	0	2095	42	0
1	B	2120	0	2135	22	0
2	A	16	0	24	6	0
2	B	24	0	36	3	0
3	A	28	0	0	4	0
3	B	28	0	0	4	0
4	A	32	0	48	17	0
4	B	4	0	6	4	0
5	A	149	0	0	1	0
5	B	132	0	0	1	0
All	All	4608	0	4344	65	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (65) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:217:ARG:NH1	2:A:402:EDO:O1	1.77	1.17
1:A:95[B]:MET:HA	1:A:95[B]:MET:HE2	1.39	1.02
1:A:213:ASP:HA	1:A:217:ARG:CD	1.91	1.00
1:A:213:ASP:CA	1:A:217:ARG:HD3	1.94	0.98
1:A:213:ASP:HA	1:A:217:ARG:HD3	0.99	0.96
1:A:212:GLY:O	1:A:217:ARG:HG2	1.82	0.79
1:A:212:GLY:O	1:A:217:ARG:CD	2.33	0.77
1:A:95[B]:MET:HA	1:A:95[B]:MET:CE	2.13	0.76
1:A:212:GLY:O	1:A:217:ARG:CG	2.33	0.76
1:A:141:ALA:HA	4:A:411:DMS:H23	1.68	0.75
1:A:212:GLY:O	1:A:217:ARG:HD2	1.97	0.65
1:B:238:ARG:HH12	4:B:302:DMS:H21	1.64	0.63
1:B:194:LEU:O	1:B:195:THR:O	2.17	0.63
1:B:217:ARG:HD2	1:B:228:GLU:OE1	1.99	0.63
1:A:217:ARG:NH1	2:A:402:EDO:HO1	1.96	0.62
1:A:125:SER:HB2	4:A:405:DMS:H23	1.81	0.62
1:A:145:GLN:HE21	4:A:409:DMS:C2	2.12	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:145:GLN:HE21	4:A:409:DMS:H23	1.67	0.59
1:A:238:ARG:HH12	4:A:405:DMS:C1	2.16	0.59
1:A:230:THR:OG1	4:A:405:DMS:H11	2.04	0.58
1:A:125:SER:CB	4:A:405:DMS:H23	2.34	0.57
1:A:84:ARG:HG2	4:A:410:DMS:H11	1.87	0.57
1:B:165:SER:OG	3:B:306[A]:HD5:O07	2.25	0.55
1:B:99:TRP:HB2	3:B:306[B]:HD5:C14	2.37	0.55
1:B:170:GLY:H	2:B:304:EDO:C1	2.21	0.54
1:A:212:GLY:C	1:A:217:ARG:HD2	2.33	0.53
1:A:217:ARG:HG2	5:A:525:HOH:O	2.09	0.53
1:A:238:ARG:HH12	4:A:405:DMS:H11	1.72	0.52
1:B:120:ALA:HA	2:B:303[B]:EDO:H21	1.92	0.52
1:A:144:THR:HB	4:A:411:DMS:C2	2.40	0.52
1:A:38:GLN:HG3	4:A:407:DMS:H23	1.91	0.52
1:A:144:THR:CB	4:A:411:DMS:H22	2.40	0.51
1:A:99:TRP:HB2	3:A:404[A]:HD5:C14	2.40	0.51
1:A:141:ALA:HA	4:A:411:DMS:C2	2.39	0.51
1:B:183:ARG:O	1:B:187[A]:LYS:HG3	2.10	0.51
1:B:196:SER:N	5:B:404:HOH:O	2.43	0.51
1:A:238:ARG:NH1	4:A:405:DMS:C1	2.76	0.49
1:B:73:LEU:HD23	1:B:73:LEU:C	2.37	0.49
1:B:64:SER:OG	3:B:306[A]:HD5:C05	2.61	0.48
1:A:217:ARG:HE	2:A:402:EDO:C1	2.26	0.48
1:A:144:THR:HB	4:A:411:DMS:H22	1.95	0.47
1:B:22:LEU:HD12	1:B:22:LEU:HA	1.79	0.47
1:B:194:LEU:C	1:B:195:THR:O	2.57	0.46
1:B:96[B]:ILE:CD1	1:B:103:THR:HG22	2.46	0.46
1:A:98:GLU:HB2	3:A:404[B]:HD5:N15	2.30	0.46
1:B:238:ARG:NH1	4:B:302:DMS:H21	2.30	0.46
1:A:73:LEU:C	1:A:73:LEU:HD23	2.41	0.44
1:A:281:LEU:O	1:A:285:THR:HG23	2.18	0.44
1:A:212:GLY:C	1:A:217:ARG:CD	2.91	0.43
1:B:231:GLY:C	4:B:302:DMS:H22	2.42	0.43
1:A:64:SER:CB	3:A:404[B]:HD5:O09	2.66	0.43
1:A:167:ASN:HB2	1:A:233[A]:CYS:HB3	2.00	0.43
1:B:96[B]:ILE:HD13	1:B:103:THR:HG22	2.00	0.43
1:A:230:THR:CB	4:A:405:DMS:H11	2.49	0.43
1:B:124:LEU:HD11	2:B:303[A]:EDO:H22	2.00	0.43
1:A:217:ARG:CZ	2:A:402:EDO:O1	2.60	0.42
1:A:226[B]:VAL:HG12	2:A:401:EDO:H11	2.01	0.42
1:B:64:SER:OG	3:B:306[A]:HD5:O09	2.36	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:100:SER:HB3	1:B:103:THR:HB	2.01	0.42
1:A:204:ARG:HA	1:A:204:ARG:HD2	1.84	0.41
1:B:211:THR:HB	4:B:302:DMS:H11	2.02	0.41
1:B:76:GLU:OE2	1:B:149:LYS:HE3	2.20	0.41
1:A:161:GLU:OE1	3:A:404[A]:HD5:O09	2.40	0.40
1:A:144:THR:OG1	4:A:411:DMS:H22	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	275/270 (102%)	269 (98%)	6 (2%)	0	100	100
1	B	277/270 (103%)	271 (98%)	5 (2%)	1 (0%)	30	10
All	All	552/540 (102%)	540 (98%)	11 (2%)	1 (0%)	43	19

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	195	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	224/216 (104%)	220 (98%)	4 (2%)	51	20
1	B	226/216 (105%)	221 (98%)	5 (2%)	45	14
All	All	450/432 (104%)	441 (98%)	9 (2%)	47	17

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	125	SER
1	A	217	ARG
1	A	228	GLU
1	A	247	GLN
1	B	125	SER
1	B	149	LYS
1	B	197	THR
1	B	217	ARG
1	B	228	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	47	GLN
1	A	119	GLN
1	A	145	GLN
1	B	119	GLN
1	B	123	GLN
1	B	200	HIS
1	B	247	GLN
1	B	280	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

23 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	DMS	A	411	-	3,3,3	0.89	0	3,3,3	0.98	0
2	EDO	B	303[B]	-	3,3,3	1.17	0	2,2,2	1.14	0
4	DMS	A	410	-	3,3,3	0.55	0	3,3,3	0.92	0
2	EDO	A	401	-	3,3,3	0.58	0	2,2,2	1.19	0
4	DMS	A	413	-	3,3,3	0.75	0	3,3,3	1.01	0
4	DMS	A	407	-	3,3,3	0.45	0	3,3,3	0.16	0
3	HD5	B	306[A]	-	14,15,15	1.27	2 (14%)	15,21,21	2.12	6 (40%)
3	HD5	A	404[A]	1	14,15,15	1.34	2 (14%)	15,21,21	1.94	7 (46%)
2	EDO	A	406	-	3,3,3	1.09	0	2,2,2	0.70	0
2	EDO	A	403	-	3,3,3	0.38	0	2,2,2	2.78	1 (50%)
4	DMS	A	409	-	3,3,3	0.56	0	3,3,3	0.81	0
2	EDO	B	303[A]	-	3,3,3	0.75	0	2,2,2	0.26	0
4	DMS	A	408	-	3,3,3	0.50	0	3,3,3	0.38	0
2	EDO	B	304	-	3,3,3	0.43	0	2,2,2	0.38	0
2	EDO	B	307	-	3,3,3	1.21	1 (33%)	2,2,2	0.59	0
4	DMS	A	412	-	3,3,3	0.36	0	3,3,3	0.13	0
2	EDO	B	305	-	3,3,3	0.79	0	2,2,2	1.71	1 (50%)
3	HD5	A	404[B]	1	14,15,15	1.91	3 (21%)	15,21,21	1.89	7 (46%)
2	EDO	B	301	-	3,3,3	0.96	0	2,2,2	0.58	0
3	HD5	B	306[B]	-	14,15,15	1.75	4 (28%)	15,21,21	1.14	2 (13%)
4	DMS	A	405	-	3,3,3	0.50	0	3,3,3	1.14	0
4	DMS	B	302	-	3,3,3	0.47	0	3,3,3	0.82	0
2	EDO	A	402	-	3,3,3	0.99	0	2,2,2	0.94	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HD5	A	404[B]	1	-	1/4/6/6	0/2/2/2
3	HD5	B	306[A]	-	-	1/4/6/6	0/2/2/2
2	EDO	B	303[A]	-	-	1/1/1/1	-
3	HD5	A	404[A]	1	-	1/4/6/6	0/2/2/2
2	EDO	B	301	-	-	0/1/1/1	-
2	EDO	A	406	-	-	1/1/1/1	-
2	EDO	B	303[B]	-	-	0/1/1/1	-
2	EDO	A	403	-	-	0/1/1/1	-
3	HD5	B	306[B]	-	-	1/4/6/6	0/2/2/2
2	EDO	B	304	-	-	1/1/1/1	-
2	EDO	B	307	-	-	1/1/1/1	-
2	EDO	A	401	-	-	0/1/1/1	-
2	EDO	A	402	-	-	1/1/1/1	-
2	EDO	B	305	-	-	1/1/1/1	-

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	404[B]	HD5	B06-O09	-5.07	1.28	1.36
3	A	404[B]	HD5	C11-S10	-3.51	1.67	1.74
3	A	404[A]	HD5	C11-S10	-3.49	1.67	1.74
3	B	306[B]	HD5	B06-O09	3.11	1.40	1.36
3	B	306[A]	HD5	B06-O07	3.06	1.40	1.36
3	B	306[B]	HD5	C05-S10	-3.02	1.68	1.73
3	B	306[B]	HD5	B06-O07	2.71	1.40	1.36
3	A	404[B]	HD5	C05-S10	-2.71	1.69	1.73
3	A	404[A]	HD5	C05-S10	-2.66	1.69	1.73
3	B	306[A]	HD5	B06-O09	2.42	1.39	1.36
2	B	307	EDO	C2-C1	2.05	1.64	1.48
3	B	306[B]	HD5	C02-C03	2.02	1.44	1.40

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	306[A]	HD5	B06-C05-C04	-4.74	115.92	127.16
3	B	306[A]	HD5	C12-C11-C03	-3.89	116.32	121.16
2	A	403	EDO	O2-C2-C1	-3.83	83.23	112.39
3	A	404[A]	HD5	O09-B06-O07	-3.64	109.95	120.77
3	A	404[B]	HD5	O09-B06-O07	-3.60	110.05	120.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	404[B]	HD5	B06-C05-C04	2.72	133.60	127.16
3	A	404[A]	HD5	B06-C05-C04	2.72	133.60	127.16
3	B	306[A]	HD5	C02-C03-C11	2.72	122.58	119.41
3	B	306[A]	HD5	C12-C11-S10	2.69	133.69	127.36
3	A	404[A]	HD5	C12-C11-C03	2.52	124.28	121.16
3	A	404[B]	HD5	C12-C11-C03	2.49	124.25	121.16
3	A	404[A]	HD5	C02-C03-C11	-2.38	116.63	119.41
3	A	404[A]	HD5	C13-C01-C02	2.35	121.79	118.55
3	A	404[B]	HD5	C13-C01-C02	2.34	121.78	118.55
3	A	404[B]	HD5	C02-C03-C11	-2.33	116.68	119.41
3	B	306[A]	HD5	C02-C03-C04	-2.22	125.06	132.70
3	B	306[A]	HD5	O09-B06-O07	-2.18	114.28	120.77
3	A	404[A]	HD5	C03-C11-S10	-2.18	107.33	112.60
3	A	404[B]	HD5	C03-C11-S10	-2.16	107.38	112.60
3	B	306[B]	HD5	O09-B06-O07	-2.16	114.35	120.77
3	A	404[A]	HD5	C03-C02-C01	-2.12	119.76	122.22
3	A	404[B]	HD5	C03-C02-C01	-2.11	119.76	122.22
2	B	305	EDO	O1-C1-C2	-2.11	96.34	112.39
3	B	306[B]	HD5	C03-C02-C01	-2.03	119.86	122.22

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	404[A]	HD5	O07-B06-C05-C04
3	A	404[B]	HD5	O09-B06-C05-C04
3	B	306[A]	HD5	O09-B06-C05-C04
3	B	306[B]	HD5	O07-B06-C05-C04
2	B	305	EDO	O1-C1-C2-O2
2	B	307	EDO	O1-C1-C2-O2
2	B	304	EDO	O1-C1-C2-O2
2	A	402	EDO	O1-C1-C2-O2
2	A	406	EDO	O1-C1-C2-O2
2	B	303[A]	EDO	O1-C1-C2-O2

There are no ring outliers.

16 monomers are involved in 38 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	411	DMS	6	0
2	B	303[B]	EDO	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	410	DMS	1	0
2	A	401	EDO	1	0
4	A	407	DMS	1	0
3	B	306[A]	HD5	3	0
3	A	404[A]	HD5	2	0
2	A	403	EDO	1	0
4	A	409	DMS	2	0
2	B	303[A]	EDO	1	0
2	B	304	EDO	1	0
3	A	404[B]	HD5	2	0
3	B	306[B]	HD5	1	0
4	A	405	DMS	7	0
4	B	302	DMS	4	0
2	A	402	EDO	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	267/270 (98%)	-0.26	4 (1%) 72 75	8, 17, 31, 63	10 (3%)
1	B	268/270 (99%)	-0.19	7 (2%) 57 60	5, 17, 32, 45	10 (3%)
All	All	535/540 (99%)	-0.23	11 (2%) 63 66	5, 17, 33, 63	20 (3%)

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	196	SER	9.1
1	A	217	ARG	6.2
1	B	195	THR	5.4
1	A	285	THR	3.3
1	B	224	TRP	3.1
1	A	247	GLN	2.5
1	B	77[A]	ARG	2.5
1	B	19	SER	2.5
1	B	197	THR	2.5
1	B	217	ARG	2.4
1	A	59	ARG	2.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	HD5	A	404[A]	14/14	0.54	0.33	13,25,32,38	14
3	HD5	A	404[B]	14/14	0.54	0.33	13,25,32,38	14
2	EDO	B	304	4/4	0.57	0.26	28,34,37,39	0
4	DMS	A	405	4/4	0.74	0.28	28,28,29,41	4
2	EDO	A	401	4/4	0.76	0.15	24,30,31,32	0
4	DMS	B	302	4/4	0.77	0.27	26,27,31,47	4
4	DMS	A	411	4/4	0.83	0.17	21,24,29,29	4
2	EDO	A	402	4/4	0.84	0.14	21,25,30,35	0
3	HD5	B	306[B]	14/14	0.86	0.15	12,23,27,30	14
3	HD5	B	306[A]	14/14	0.86	0.15	11,19,28,31	14
4	DMS	A	407	4/4	0.87	0.20	58,62,66,78	0
2	EDO	A	403	4/4	0.88	0.12	19,36,37,40	0
4	DMS	A	409	4/4	0.89	0.14	28,36,42,43	0
4	DMS	A	410	4/4	0.89	0.17	40,41,49,53	0
2	EDO	A	406	4/4	0.89	0.14	25,28,28,37	0
4	DMS	A	412	4/4	0.89	0.20	31,31,42,70	0
2	EDO	B	305	4/4	0.89	0.13	15,24,34,44	0
2	EDO	B	307	4/4	0.91	0.15	17,22,24,29	0
4	DMS	A	413	4/4	0.94	0.11	25,35,36,39	0
2	EDO	B	301	4/4	0.95	0.10	12,20,23,32	0
2	EDO	B	303[A]	4/4	0.95	0.08	10,15,17,20	4
2	EDO	B	303[B]	4/4	0.95	0.08	10,14,17,24	4
4	DMS	A	408	4/4	0.96	0.10	29,29,32,33	0

6.5 Other polymers ⓘ

There are no such residues in this entry.