



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 01:26 PM UTC

PDB ID : 6Q4R / pdb_00006q4r
Title : High-resolution crystal structure of ERAP1 with bound phosphinic transition-state analogue inhibitor
Authors : Giastas, P.; Neu, M.; Rowland, P.; Stratikos, E.
Deposited on : 2018-12-06
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	912	
2	B	2	
3	C	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	P6G	A	1042	-	-	X	-
11	PG4	A	1043	-	-	X	-

2 Entry composition [i](#)

There are 13 unique types of molecules in this entry. The entry contains 8514 atoms, of which 285 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Endoplasmic reticulum aminopeptidase 1, Endoplasmic reticulum aminopeptidase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	855	Total	C	N	O	S	5	42	0
			7104	4594	1160	1310	40			

There are 3 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	511	GLY	-	linker	UNP Q9NZ08
A	512	SER	-	linker	UNP Q9NZ08
A	513	GLY	-	linker	UNP Q9NZ08

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Zn	0	0
			1	1		

- Molecule 6 is [(1 {R})-1-[[[(2 {S})-2-[[[(2 {S})-1-azaniumyl-1-oxidanylidene-3-phenyl-propan-2-yl]carbamoyl]pent-4-ynyl]-oxidanyl-phosphoryl]-3-phenyl-propyl]azanium (CCD ID: HJ5) (formula: $C_{24}H_{32}N_3O_4P$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
6	A	1	Total 63	C 24	H 31	N 3	O 4	P 1	0	0

- Molecule 7 is 2-[3-(2-HYDROXY-1,1-DIHYDROXYMETHYL-ETHYLAMINO)-PROPYLAMINO]-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (CCD ID: B3P) (formula: $C_{11}H_{26}N_2O_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
7	A	1	Total	C	H	N	O	0	0
			45	11	26	2	6		

- Molecule 8 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $\text{C}_2\text{H}_6\text{O}_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		
8	A	1	Total	C	H	O	0	0
			10	2	6	2		

- Molecule 9 is D-MALATE (CCD ID: MLT) (formula: C₄H₆O₅).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	A	1	Total	C	H	O	0	0
			13	4	4	5		

- Molecule 10 is HEXAETHYLENE GLYCOL (CCD ID: P6G) (formula: $C_{12}H_{26}O_7$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	A	1	Total	C	H	O	0	0
			45	12	26	7		

- Molecule 11 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	A	1	Total	C	H	O	0	0
			31	8	18	5		

- Molecule 12 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	3	Total	Na	0	0
			3	3		


- Molecule 13 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	A	814	Total	O	0	0
			814	814		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Endoplasmic reticulum aminopeptidase 1,Endoplasmic reticulum aminopeptidase 1



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 ₁ 2 ₁ 2 ₁	Depositor
Cell constants a, b, c, α , β , γ	57.68Å 116.67Å 147.27Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	91.45 – 1.60 91.45 – 1.60	Depositor EDS
% Data completeness (in resolution range)	99.5 (91.45-1.60) 99.5 (91.45-1.60)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.29 (at 1.60Å)	Xtriage
Refinement program	PHENIX (1.11.1 _2575: ???)	Depositor
R, R_{free}	0.180 , 0.213 0.184 , 0.215	Depositor DCC
R_{free} test set	6497 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	21.0	Xtriage
Anisotropy	0.482	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 39.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8514	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, PG4, HJ5, ZN, P6G, MLT, BMA, EDO, B3P, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.28	0/7401	0.48	0/10020

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7104	0	7156	118	0
2	B	28	0	25	0	0
3	C	39	0	34	1	0
4	A	28	0	26	1	0
5	A	1	0	0	0	0
6	A	32	31	0	0	0
7	A	19	26	26	0	0
8	A	120	180	180	22	0
9	A	9	4	4	1	0
10	A	19	26	26	9	0
11	A	13	18	18	11	0
12	A	3	0	0	0	0
13	A	814	0	0	22	0
All	All	8229	285	7495	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:578:HIS:HB3	10:A:1042:P6G:H111	1.50	0.92
1:A:559:THR:HG23	1:A:561:TYR:H	1.35	0.91
1:A:669:GLU:HA	8:A:1021:EDO:H21	1.64	0.80
1:A:760:ASN:OD1	13:A:1101:HOH:O	1.99	0.80
1:A:579[A]:ARG:HB3	11:A:1043:PG4:H72	1.64	0.78
1:A:95:LEU:HD11	1:A:131:ILE:HD11	1.64	0.78
1:A:223:LYS:NZ	13:A:1105:HOH:O	2.17	0.76
1:A:548:HIS:ND1	1:A:559:THR:HG21	2.01	0.76
9:A:1041:MLT:O5	13:A:1102:HOH:O	2.03	0.76
1:A:255:GLU:OE1	13:A:1103:HOH:O	2.04	0.74
1:A:579[B]:ARG:HB3	11:A:1043:PG4:H72	1.69	0.73
1:A:548:HIS:CE1	1:A:550:MET:HE3	2.25	0.72
1:A:447:MET:HG3	11:A:1043:PG4:H32	1.70	0.72
1:A:366[A]:MET:CE	1:A:372:LEU:HD12	2.20	0.71
1:A:780:GLU:HG3	13:A:1618:HOH:O	1.89	0.70
1:A:264:GLY:O	13:A:1104:HOH:O	2.09	0.69
1:A:450:GLU:HB2	11:A:1043:PG4:H31	1.73	0.69
1:A:55:PRO:HG2	1:A:94[B]:ILE:CG2	2.24	0.67
1:A:578:HIS:ND1	10:A:1042:P6G:H91	2.12	0.65
1:A:906:ARG:HH22	8:A:1039:EDO:H11	1.61	0.65
1:A:579[A]:ARG:HE	10:A:1042:P6G:H21	1.62	0.64
1:A:173:GLU:OE1	1:A:175:ARG:NE	2.32	0.63
1:A:45:THR:HB	1:A:46:PRO:HD3	1.80	0.62
1:A:579[A]:ARG:HD3	11:A:1043:PG4:H62	1.81	0.62
1:A:55:PRO:HG2	1:A:94[B]:ILE:HG23	1.82	0.62
10:A:1042:P6G:H151	10:A:1042:P6G:O10	2.01	0.60
1:A:94[B]:ILE:CD1	1:A:130:GLN:HB3	2.32	0.60
1:A:671:MET:HA	1:A:671:MET:HE2	1.84	0.60
1:A:94[B]:ILE:HD11	1:A:130:GLN:CD	2.28	0.59
1:A:816:TRP:CZ2	1:A:820:GLU:HG3	2.38	0.58
1:A:846:TYR:CG	1:A:847:PRO:HD3	2.38	0.58
1:A:871:ILE:HD13	1:A:874[A]:MET:HE3	1.86	0.57
1:A:468:HIS:HA	1:A:471[B]:LYS:HE2	1.86	0.57
1:A:606:GLY:CA	11:A:1043:PG4:H21	2.34	0.57
1:A:156:SER:HB2	8:A:1016:EDO:C2	2.35	0.56
1:A:474:LYS:HE2	13:A:1154:HOH:O	2.05	0.56
1:A:365:THR:O	1:A:472:ASN:HA	2.06	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:515:VAL:N	13:A:1121:HOH:O	2.38	0.55
1:A:461:ILE:CD1	1:A:482:MET:HE2	2.36	0.55
1:A:752[A]:ARG:NH1	13:A:1122:HOH:O	2.38	0.55
1:A:94[B]:ILE:HD11	1:A:130:GLN:CG	2.37	0.55
1:A:566:PRO:O	11:A:1043:PG4:C1	2.55	0.54
1:A:401:PHE:HB2	1:A:604:MET:HG3	1.89	0.54
8:A:1019:EDO:H22	10:A:1042:P6G:H112	1.88	0.54
1:A:579[A]:ARG:HE	10:A:1042:P6G:C2	2.21	0.54
1:A:226:THR:HA	1:A:232[B]:ILE:HD13	1.90	0.54
1:A:293:TYR:HE1	1:A:382[A]:MET:HE3	1.73	0.53
1:A:92:THR:HG23	1:A:134:LEU:HD23	1.91	0.53
1:A:366[A]:MET:HE2	1:A:372:LEU:HD12	1.90	0.53
8:A:1020:EDO:H22	13:A:1159:HOH:O	2.07	0.53
1:A:576:MET:HE2	10:A:1042:P6G:H81	1.90	0.52
1:A:449:ARG:HD3	13:A:1259:HOH:O	2.08	0.52
1:A:370:ASN:HD22	8:A:1018:EDO:C1	2.23	0.52
1:A:140:LEU:HB2	1:A:143:LEU:HD12	1.91	0.52
1:A:864:PHE:O	1:A:865:GLU:HB2	2.11	0.50
8:A:1016:EDO:H12	13:A:1354:HOH:O	2.11	0.50
1:A:229:GLU:HA	1:A:229:GLU:OE1	2.11	0.50
1:A:343:SER:OG	13:A:1106:HOH:O	2.19	0.49
1:A:320:GLU:HG3	1:A:357:HIS:HB3	1.94	0.49
1:A:816:TRP:CE2	1:A:820:GLU:HG3	2.48	0.49
1:A:606:GLY:HA2	11:A:1043:PG4:H21	1.96	0.48
1:A:823:LYS:HE2	1:A:825:ASP:OD2	2.12	0.48
1:A:463:GLN:HG3	1:A:464:TYR:N	2.27	0.48
1:A:871:ILE:HD13	1:A:874[B]:MET:HE2	1.95	0.48
1:A:463:GLN:HE21	1:A:481:SER:CB	2.26	0.48
1:A:644:PHE:CE1	1:A:683:MET:HE1	2.49	0.47
1:A:923:ASP:OD1	8:A:1033:EDO:H22	2.14	0.47
1:A:872:ALA:O	1:A:876[A]:MET:HG2	2.15	0.47
8:A:1019:EDO:C2	10:A:1042:P6G:H112	2.44	0.47
1:A:94[B]:ILE:HG23	13:A:1336:HOH:O	2.13	0.47
1:A:594:GLU:HG3	8:A:1023:EDO:H12	1.97	0.47
1:A:690:ARG:O	8:A:1025:EDO:H11	2.14	0.47
4:A:1006:NAG:H2	13:A:1115:HOH:O	2.14	0.47
1:A:156:SER:HB2	8:A:1016:EDO:H21	1.96	0.47
1:A:94[B]:ILE:HD12	1:A:130:GLN:HB3	1.97	0.46
1:A:366[A]:MET:HE2	1:A:372:LEU:CD1	2.45	0.46
1:A:678:ASN:ND2	13:A:1139:HOH:O	2.48	0.46
1:A:575[B]:ASP:OD1	13:A:1107:HOH:O	2.20	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:876[A]:MET:HE1	1:A:910:GLN:OE1	2.16	0.46
1:A:109:LYS:CD	1:A:116:SER:HB3	2.46	0.46
1:A:89:PRO:HD3	1:A:141:VAL:CG2	2.46	0.46
1:A:568:THR:HG23	11:A:1043:PG4:H12	1.98	0.46
1:A:89:PRO:HD3	1:A:141:VAL:HG21	1.97	0.46
1:A:449:ARG:NH2	13:A:1138:HOH:O	2.48	0.46
1:A:713:LYS:HG3	13:A:1316:HOH:O	2.15	0.46
1:A:540:ARG:HD3	8:A:1023:EDO:C1	2.46	0.45
1:A:94[B]:ILE:HD11	1:A:130:GLN:HB3	1.97	0.45
1:A:320:GLU:O	1:A:321:ASN:C	2.60	0.45
1:A:170:LYS:HE3	1:A:793:LEU:HD11	1.99	0.45
1:A:566:PRO:O	11:A:1043:PG4:H11	2.16	0.45
1:A:670:ILE:HG21	1:A:723[A]:SER:OG	2.17	0.45
1:A:573:LYS:NZ	8:A:1027:EDO:H12	2.32	0.44
1:A:810:ASN:CG	1:A:813:LYS:HG3	2.43	0.44
1:A:165:SER:HB3	1:A:177:LEU:HG	2.00	0.44
1:A:928:LYS:HE2	13:A:1380:HOH:O	2.16	0.44
1:A:297:PHE:HZ	1:A:382[A]:MET:HE2	1.83	0.43
1:A:576:MET:HG3	8:A:1013:EDO:H21	1.99	0.43
1:A:125:HIS:CE1	1:A:127:ARG:HB3	2.54	0.43
1:A:55:PRO:CG	1:A:94[B]:ILE:CG2	2.97	0.43
8:A:1032:EDO:H21	13:A:1488:HOH:O	2.18	0.43
1:A:210:GLU:HG3	3:C:1:NAG:H83	2.01	0.42
1:A:451:TYR:N	11:A:1043:PG4:H41	2.34	0.42
1:A:429:ILE:HD11	8:A:1020:EDO:H11	2.01	0.42
1:A:599[B]:LYS:HE3	1:A:600:PHE:O	2.20	0.42
1:A:577:VAL:H	8:A:1013:EDO:C2	2.32	0.42
1:A:367:GLU:HA	1:A:472:ASN:HB3	2.01	0.42
1:A:923:ASP:HA	8:A:1033:EDO:H22	2.01	0.42
1:A:395:LYS:HA	1:A:395:LYS:HD2	1.77	0.42
1:A:127:ARG:HA	1:A:127:ARG:HD3	1.88	0.41
1:A:568:THR:HA	1:A:578:HIS:O	2.19	0.41
1:A:301:TYR:CE2	1:A:303:LEU:HB2	2.55	0.41
1:A:461:ILE:HD11	1:A:482:MET:HE2	2.02	0.41
1:A:366[A]:MET:CE	1:A:372:LEU:HA	2.50	0.41
1:A:752[A]:ARG:HG2	13:A:1862:HOH:O	2.20	0.41
1:A:577:VAL:H	8:A:1013:EDO:H22	1.84	0.41
1:A:599[B]:LYS:NZ	1:A:639:LEU:HG	2.35	0.41
1:A:297:PHE:CZ	1:A:382[A]:MET:HE2	2.55	0.41
1:A:461:ILE:HG12	1:A:482:MET:HE1	2.02	0.41
1:A:769:LEU:CD1	8:A:1029:EDO:H12	2.51	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:395:LYS:HG3	1:A:398:ASP:CG	2.45	0.40
1:A:576:MET:HE3	10:A:1042:P6G:H31	2.03	0.40
1:A:308:LEU:HD12	1:A:308:LEU:N	2.36	0.40
1:A:471[B]:LYS:HB3	8:A:1032:EDO:O2	2.21	0.40
1:A:322:TRP:CD2	1:A:362:ASN:HB3	2.57	0.40
1:A:366[A]:MET:HE2	1:A:372:LEU:HA	2.03	0.40
1:A:452:LEU:O	1:A:453:SER:CB	2.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	889/912 (98%)	864 (97%)	23 (3%)	2 (0%)	43 24

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	453	SER
1	A	865	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	807/811 (100%)	795 (98%)	12 (2%)	57	35

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	104	ARG
1	A	109	LYS
1	A	115	LEU
1	A	177	LEU
1	A	206	LYS
1	A	343	SER
1	A	463	GLN
1	A	663	TYR
1	A	666[A]	HIS
1	A	666[B]	HIS
1	A	876[A]	MET
1	A	876[B]	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	99	HIS
1	A	128	GLN
1	A	321	ASN
1	A	370	ASN
1	A	375	ASN
1	A	463	GLN
1	A	472	ASN
1	A	541	ASN
1	A	628	HIS
1	A	714	GLN
1	A	815	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

5 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	B	1	2,1	14,14,15	0.34	0	17,19,21	0.44	0
2	NAG	B	2	2	14,14,15	0.25	0	17,19,21	0.45	0
3	NAG	C	1	1,3	14,14,15	0.39	0	17,19,21	0.44	0
3	NAG	C	2	3	14,14,15	0.26	0	17,19,21	0.44	0
3	BMA	C	3	3	11,11,12	0.60	0	15,15,17	0.72	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	B	2	2	-	0/6/23/26	0/1/1/1
3	NAG	C	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	C	2	3	-	0/6/23/26	0/1/1/1
3	BMA	C	3	3	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

Of 41 ligands modelled in this entry, 4 are monoatomic - leaving 37 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	EDO	A	1013	-	3,3,3	0.39	0	2,2,2	0.47	0
8	EDO	A	1028	-	3,3,3	0.47	0	2,2,2	0.10	0
8	EDO	A	1019	-	3,3,3	0.13	0	2,2,2	0.90	0
8	EDO	A	1021	-	3,3,3	0.29	0	2,2,2	0.58	0
8	EDO	A	1016	-	3,3,3	0.31	0	2,2,2	0.72	0
9	MLT	A	1041	-	8,8,8	1.13	0	10,10,10	1.87	3 (30%)
10	P6G	A	1042	-	18,18,18	0.55	0	17,17,17	0.40	0
8	EDO	A	1027	-	3,3,3	0.36	0	2,2,2	0.39	0
4	NAG	A	1006	1	14,14,15	0.40	0	17,19,21	0.46	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	B3P	A	1010	-	18,18,18	0.61	0	23,23,23	1.19	4 (17%)
8	EDO	A	1036	-	3,3,3	0.45	0	2,2,2	0.28	0
8	EDO	A	1040	-	3,3,3	0.45	0	2,2,2	0.37	0
11	PG4	A	1043	-	12,12,12	0.57	0	11,11,11	0.44	0
8	EDO	A	1037	-	3,3,3	0.43	0	2,2,2	0.42	0
8	EDO	A	1030	-	3,3,3	0.43	0	2,2,2	0.17	0
8	EDO	A	1038	-	3,3,3	0.43	0	2,2,2	0.50	0
8	EDO	A	1018	-	3,3,3	0.46	0	2,2,2	0.03	0
8	EDO	A	1039	-	3,3,3	0.42	0	2,2,2	0.21	0
8	EDO	A	1015	-	3,3,3	0.37	0	2,2,2	0.41	0
8	EDO	A	1029	-	3,3,3	0.40	0	2,2,2	0.35	0
8	EDO	A	1031	-	3,3,3	0.43	0	2,2,2	0.52	0
8	EDO	A	1020	-	3,3,3	0.23	0	2,2,2	0.41	0
8	EDO	A	1017	-	3,3,3	0.29	0	2,2,2	0.48	0
8	EDO	A	1023	-	3,3,3	0.43	0	2,2,2	0.21	0
4	NAG	A	1007	1	14,14,15	0.61	0	17,19,21	0.57	0
8	EDO	A	1022	-	3,3,3	0.42	0	2,2,2	0.50	0
8	EDO	A	1025	-	3,3,3	0.39	0	2,2,2	0.42	0
8	EDO	A	1011	-	3,3,3	0.39	0	2,2,2	0.62	0
8	EDO	A	1033	-	3,3,3	0.31	0	2,2,2	0.40	0
8	EDO	A	1012	-	3,3,3	0.47	0	2,2,2	0.29	0
8	EDO	A	1035	-	3,3,3	0.44	0	2,2,2	0.50	0
8	EDO	A	1026	-	3,3,3	0.35	0	2,2,2	0.41	0
8	EDO	A	1024	-	3,3,3	0.39	0	2,2,2	0.39	0
8	EDO	A	1032	-	3,3,3	0.32	0	2,2,2	0.43	0
8	EDO	A	1034	-	3,3,3	0.35	0	2,2,2	0.73	0
8	EDO	A	1014	-	3,3,3	0.27	0	2,2,2	0.28	0
6	HJ5	A	1009	5	28,33,33	1.14	3 (10%)	31,44,44	0.91	2 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	EDO	A	1013	-	-	0/1/1/1	-
8	EDO	A	1028	-	-	1/1/1/1	-
8	EDO	A	1019	-	-	1/1/1/1	-
8	EDO	A	1021	-	-	1/1/1/1	-
8	EDO	A	1016	-	-	0/1/1/1	-
9	MLT	A	1041	-	-	0/8/8/8	-
10	P6G	A	1042	-	-	11/16/16/16	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	EDO	A	1027	-	-	0/1/1/1	-
4	NAG	A	1006	1	-	2/6/23/26	0/1/1/1
7	B3P	A	1010	-	-	0/28/28/28	-
8	EDO	A	1036	-	-	0/1/1/1	-
8	EDO	A	1040	-	-	0/1/1/1	-
11	PG4	A	1043	-	-	6/10/10/10	-
8	EDO	A	1037	-	-	0/1/1/1	-
8	EDO	A	1030	-	-	1/1/1/1	-
8	EDO	A	1038	-	-	0/1/1/1	-
8	EDO	A	1018	-	-	1/1/1/1	-
8	EDO	A	1039	-	-	1/1/1/1	-
8	EDO	A	1015	-	-	1/1/1/1	-
8	EDO	A	1029	-	-	0/1/1/1	-
8	EDO	A	1031	-	-	1/1/1/1	-
8	EDO	A	1020	-	-	0/1/1/1	-
8	EDO	A	1017	-	-	1/1/1/1	-
8	EDO	A	1023	-	-	1/1/1/1	-
4	NAG	A	1007	1	-	0/6/23/26	0/1/1/1
8	EDO	A	1022	-	-	0/1/1/1	-
8	EDO	A	1025	-	-	1/1/1/1	-
8	EDO	A	1011	-	-	0/1/1/1	-
8	EDO	A	1033	-	-	1/1/1/1	-
8	EDO	A	1012	-	-	0/1/1/1	-
8	EDO	A	1035	-	-	1/1/1/1	-
8	EDO	A	1026	-	-	0/1/1/1	-
8	EDO	A	1024	-	-	1/1/1/1	-
8	EDO	A	1032	-	-	1/1/1/1	-
8	EDO	A	1034	-	-	0/1/1/1	-
8	EDO	A	1014	-	-	0/1/1/1	-
6	HJ5	A	1009	5	-	0/28/35/35	0/2/2/2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1009	HJ5	C32-N34	3.66	1.41	1.32
6	A	1009	HJ5	C17-C21	3.53	1.28	1.18
6	A	1009	HJ5	P11-C14	2.27	1.81	1.79

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	A	1041	MLT	O2-C1-C2	3.69	120.55	112.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	1010	B3P	C7-C4-C5	-2.61	104.29	110.02
9	A	1041	MLT	O5-C4-C3	2.47	121.69	114.00
6	A	1009	HJ5	O22-C20-C15	-2.40	118.49	122.19
6	A	1009	HJ5	O33-C32-N34	-2.22	119.12	123.04
7	A	1010	B3P	O4-C5-C4	-2.21	107.19	111.68
9	A	1041	MLT	C2-C3-C4	-2.19	106.36	112.08
7	A	1010	B3P	O6-C7-C4	-2.13	107.34	111.68
7	A	1010	B3P	O2-C10-C8	-2.08	107.45	111.68

There are no chirality outliers.

All (34) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
10	A	1042	P6G	C5-C6-O7-C8
10	A	1042	P6G	O4-C5-C6-O7
4	A	1006	NAG	O5-C5-C6-O6
10	A	1042	P6G	O1-C2-C3-O4
11	A	1043	PG4	O3-C5-C6-O4
10	A	1042	P6G	O13-C14-C15-O16
4	A	1006	NAG	C4-C5-C6-O6
8	A	1018	EDO	O1-C1-C2-O2
8	A	1023	EDO	O1-C1-C2-O2
8	A	1025	EDO	O1-C1-C2-O2
10	A	1042	P6G	O16-C17-C18-O19
8	A	1019	EDO	O1-C1-C2-O2
8	A	1028	EDO	O1-C1-C2-O2
10	A	1042	P6G	O7-C8-C9-O10
11	A	1043	PG4	O2-C3-C4-O3
8	A	1033	EDO	O1-C1-C2-O2
10	A	1042	P6G	C11-C12-O13-C14
11	A	1043	PG4	O4-C7-C8-O5
10	A	1042	P6G	C2-C3-O4-C5
10	A	1042	P6G	C14-C15-O16-C17
10	A	1042	P6G	C8-C9-O10-C11
8	A	1017	EDO	O1-C1-C2-O2
11	A	1043	PG4	C6-C5-O3-C4
8	A	1015	EDO	O1-C1-C2-O2
11	A	1043	PG4	C8-C7-O4-C6
10	A	1042	P6G	O10-C11-C12-O13
8	A	1021	EDO	O1-C1-C2-O2
8	A	1024	EDO	O1-C1-C2-O2
8	A	1031	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...




Mol	Chain	Res	Type	Atoms
8	A	1032	EDO	O1-C1-C2-O2
8	A	1035	EDO	O1-C1-C2-O2
11	A	1043	PG4	C5-C6-O4-C7
8	A	1030	EDO	O1-C1-C2-O2
8	A	1039	EDO	O1-C1-C2-O2

There are no ring outliers.

17 monomers are involved in 42 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	1013	EDO	3	0
8	A	1019	EDO	2	0
8	A	1021	EDO	1	0
8	A	1016	EDO	3	0
9	A	1041	MLT	1	0
10	A	1042	P6G	9	0
8	A	1027	EDO	1	0
4	A	1006	NAG	1	0
11	A	1043	PG4	11	0
8	A	1018	EDO	1	0
8	A	1039	EDO	1	0
8	A	1029	EDO	1	0
8	A	1020	EDO	2	0
8	A	1023	EDO	2	0
8	A	1025	EDO	1	0
8	A	1033	EDO	2	0
8	A	1032	EDO	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	855/912 (93%)	0.02	25 (2%)	53 56	10, 22, 45, 82	42 (4%)

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	791	PHE	5.2
1	A	89	PRO	4.0
1	A	115	LEU	3.9
1	A	114	ARG	3.7
1	A	515	VAL	3.6
1	A	552	GLY	3.6
1	A	937	LYS	3.5
1	A	143	LEU	3.5
1	A	109	LYS	3.4
1	A	116	SER	3.2
1	A	485	ILE	3.1
1	A	95	LEU	3.0
1	A	558	ASP	2.8
1	A	137	GLU	2.7
1	A	816	TRP	2.7
1	A	169	THR	2.7
1	A	936	GLU	2.4
1	A	104	ARG	2.4
1	A	170	LYS	2.4
1	A	45	THR	2.3
1	A	59	ILE	2.3
1	A	136	PRO	2.2
1	A	138	PRO	2.1
1	A	790	GLN	2.1
1	A	228	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.


6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	B	2	14/15	0.43	0.18	58,68,72,78	0
3	BMA	C	3	11/12	0.48	0.16	60,63,66,67	0
2	NAG	B	1	14/15	0.72	0.14	44,54,64,70	0
3	NAG	C	2	14/15	0.73	0.14	51,57,62,67	0
3	NAG	C	1	14/15	0.91	0.09	22,35,44,49	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAG	A	1006	14/15	0.51	0.17	56,65,72,73	0
4	NAG	A	1007	14/15	0.68	0.15	40,52,58,64	0
8	EDO	A	1031	4/4	0.71	0.22	51,61,68,68	0
8	EDO	A	1029	4/4	0.76	0.15	41,49,53,53	0
8	EDO	A	1026	4/4	0.77	0.23	34,43,54,56	10
10	P6G	A	1042	19/19	0.79	0.17	16,39,45,49	45
8	EDO	A	1034	4/4	0.82	0.15	26,31,36,43	10
8	EDO	A	1035	4/4	0.83	0.12	37,46,55,55	10
8	EDO	A	1037	4/4	0.84	0.12	40,48,50,50	10
8	EDO	A	1027	4/4	0.84	0.14	36,51,62,65	0
11	PG4	A	1043	13/13	0.84	0.18	15,26,37,44	31
8	EDO	A	1033	4/4	0.85	0.15	41,51,53,64	0
8	EDO	A	1021	4/4	0.85	0.15	34,45,51,55	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	EDO	A	1028	4/4	0.85	0.17	23,47,63,69	0
8	EDO	A	1016	4/4	0.86	0.27	25,33,40,40	0
8	EDO	A	1040	4/4	0.86	0.13	42,51,62,71	0
8	EDO	A	1039	4/4	0.87	0.13	50,60,61,66	0
8	EDO	A	1030	4/4	0.88	0.12	40,48,52,59	0
8	EDO	A	1025	4/4	0.88	0.12	28,46,54,55	0
9	MLT	A	1041	9/9	0.89	0.11	32,51,61,69	0
8	EDO	A	1017	4/4	0.90	0.12	30,36,42,42	0
8	EDO	A	1019	4/4	0.90	0.14	26,31,41,41	0
8	EDO	A	1032	4/4	0.90	0.11	37,45,54,54	0
8	EDO	A	1020	4/4	0.90	0.15	18,23,29,29	10
8	EDO	A	1038	4/4	0.91	0.10	33,39,40,48	0
8	EDO	A	1023	4/4	0.91	0.12	28,38,51,53	0
8	EDO	A	1024	4/4	0.91	0.09	31,38,39,39	0
8	EDO	A	1018	4/4	0.92	0.12	23,49,62,62	0
8	EDO	A	1014	4/4	0.92	0.12	11,20,27,27	10
8	EDO	A	1036	4/4	0.93	0.11	41,53,61,64	0
7	B3P	A	1010	19/19	0.93	0.07	22,33,41,42	0
8	EDO	A	1012	4/4	0.94	0.11	21,30,43,43	0
8	EDO	A	1013	4/4	0.94	0.16	19,26,38,38	0
8	EDO	A	1022	4/4	0.95	0.10	26,33,34,40	0
8	EDO	A	1015	4/4	0.95	0.09	20,48,52,61	0
8	EDO	A	1011	4/4	0.96	0.07	21,25,27,31	0
6	HJ5	A	1009	32/32	0.97	0.07	15,20,33,45	0
12	NA	A	1045	1/1	0.98	0.09	35,35,35,35	0
12	NA	A	1046	1/1	0.98	0.07	35,35,35,35	0
12	NA	A	1044	1/1	0.99	0.23	35,35,35,35	0
5	ZN	A	1008	1/1	1.00	0.02	18,18,18,18	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around P6G A 1042:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around B3P A 1010:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.