



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 5, 2026 – 04:54 AM EDT

PDB ID : 1Q9I / pdb_00001q9i
Title : The A251C:S430C double mutant of flavocytochrome c3 from *Shewanella frigidimarina*
Authors : Rothery, E.L.; Mowat, C.G.; Miles, C.S.; Walkinshaw, M.D.; Reid, G.A.; Chapman, S.K.
Deposited on : 2003-08-25
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	571	 92% 6% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	HEC	A	801	X	-	-	-
3	HEC	A	802	X	-	-	-
3	HEC	A	803	X	-	-	-
3	HEC	A	804	X	-	-	-
5	TEO	A	9806	-	X	-	-

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 5653 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called flavocytochrome c3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	568	Total	C	N	O	S	0	0	0
			4190	2600	739	824	27			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	251	CYS	ALA	engineered mutation	UNP Q02469
A	430	CYS	SER	engineered mutation	UNP Q02469

- Molecule 2 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Na	0	0
			1	1		

- Molecule 3 is HEME C (CCD ID: HEC) (formula: C₃₄H₃₆FeN₄O₄).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 4 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $\text{C}_{27}\text{H}_{33}\text{N}_9\text{O}_{15}\text{P}_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 5 is MALATE LIKE INTERMEDIATE (CCD ID: TEO) (formula: $C_4H_4O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			9	4	5		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1228	Total	O	0	0
			1228	1228		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: flavocytochrome c3



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	45.29Å 91.89Å 78.31Å 90.00° 91.50° 90.00°	Depositor
Resolution (Å)	24.00 – 1.60 24.00 – 1.60	Depositor EDS
% Data completeness (in resolution range)	92.2 (24.00-1.60) 92.2 (24.00-1.60)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.00 (at 1.60Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.155 , 0.197 0.158 , 0.201	Depositor DCC
R_{free} test set	3884 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	14.9	Xtriage
Anisotropy	0.034	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 50.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.023 for h,-k,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	5653	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TEO, HEC, NA, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.73	1/4260 (0.0%)	0.90	0/5764

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	236	MET	SD-CE	-7.74	1.60	1.79

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4190	0	4097	50	1
2	A	1	0	0	0	0
3	A	172	0	122	8	0
4	A	53	0	30	4	0
5	A	9	0	2	1	0
6	A	1228	0	0	16	1
All	All	5653	0	4251	50	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (50) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:17:CYS:SG	3:A:801:HEC:CAC	2.06	1.41
1:A:39:CYS:SG	3:A:802:HEC:CAC	2.16	1.34
1:A:17:CYS:SG	3:A:801:HEC:HAC	1.66	1.31
1:A:39:CYS:SG	3:A:802:HEC:HAC	1.81	1.18
1:A:368:LEU:HB2	6:A:1417:HOH:O	1.60	0.99
1:A:229:ASP:H	1:A:256:HIS:HE1	1.04	0.94
1:A:204:ASN:HD22	1:A:204:ASN:H	1.18	0.88
1:A:229:ASP:H	1:A:256:HIS:CE1	1.92	0.86
1:A:481:GLU:CG	6:A:1385:HOH:O	2.28	0.81
1:A:299:LYS:HB2	6:A:1432:HOH:O	1.81	0.80
1:A:200:GLY:HA3	1:A:204:ASN:HD21	1.49	0.78
1:A:402:ARG:HH22	5:A:9806:TEO:C3	1.97	0.77
1:A:229:ASP:N	1:A:256:HIS:HE1	1.85	0.71
1:A:375:MET:HE2	4:A:9805:FAD:H6	1.76	0.67
1:A:204:ASN:H	1:A:204:ASN:ND2	1.91	0.66
1:A:177:THR:OG1	1:A:245:HIS:HE1	1.78	0.66
1:A:39:CYS:SG	3:A:802:HEC:C3C	2.84	0.65
1:A:17:CYS:SG	3:A:801:HEC:C3C	2.85	0.64
1:A:17:CYS:SG	3:A:801:HEC:CBC	2.85	0.58
1:A:427:LYS:NZ	6:A:1292:HOH:O	2.36	0.57
1:A:566:LYS:HG3	6:A:1357:HOH:O	2.05	0.55
1:A:568:SER:HB2	6:A:1136:HOH:O	2.06	0.55
1:A:540:HIS:HE1	1:A:552:ASP:OD2	1.91	0.53
1:A:56:ASN:HD22	1:A:58:HIS:H	1.57	0.51
1:A:354:GLY:N	6:A:1182:HOH:O	2.43	0.51
1:A:375:MET:HE2	4:A:9805:FAD:C6	2.41	0.51
1:A:511:MET:HG2	1:A:519:MET:HE3	1.93	0.50
1:A:540:HIS:HD2	6:A:9822:HOH:O	1.94	0.50
1:A:448:VAL:HG12	6:A:1751:HOH:O	2.11	0.49
1:A:519:MET:HE1	6:A:2003:HOH:O	2.12	0.49
1:A:39:CYS:SG	3:A:802:HEC:CBC	2.94	0.49
1:A:113:SER:O	1:A:114:GLU:HB2	2.12	0.49
1:A:490:ASN:HD22	1:A:490:ASN:C	2.21	0.48
1:A:168:ALA:HA	4:A:9805:FAD:N5	2.29	0.48
1:A:204:ASN:ND2	1:A:204:ASN:N	2.62	0.47
1:A:467:ARG:NH2	6:A:1894:HOH:O	2.49	0.46
1:A:119:LEU:HD13	6:A:2039:HOH:O	2.16	0.45
1:A:56:ASN:ND2	1:A:58:HIS:H	2.14	0.45
1:A:549:ALA:O	1:A:553:ILE:HG23	2.18	0.43
1:A:562:GLU:O	1:A:566:LYS:HG3	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:427:LYS:CD	6:A:1292:HOH:O	2.67	0.42
1:A:113:SER:O	1:A:114:GLU:CB	2.68	0.41
1:A:375:MET:HE3	1:A:375:MET:HB3	1.84	0.41
1:A:429:LEU:HD23	1:A:432:ILE:HG13	2.02	0.41
1:A:353:GLY:C	6:A:1182:HOH:O	2.63	0.41
1:A:427:LYS:HD3	6:A:1292:HOH:O	2.20	0.41
1:A:112:LYS:HA	1:A:112:LYS:HZ3	1.86	0.41
1:A:168:ALA:HA	4:A:9805:FAD:C5X	2.51	0.40
1:A:177:THR:OG1	1:A:245:HIS:CE1	2.67	0.40
1:A:568:SER:HB3	6:A:1248:HOH:O	2.20	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:286:LYS:NZ	6:A:1145:HOH:O[2_646]	1.36	0.84

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	566/571 (99%)	547 (97%)	18 (3%)	1 (0%)	43 24

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	114	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	434/446 (97%)	422 (97%)	12 (3%)	38	15

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	ASN
1	A	110	LYS
1	A	112	LYS
1	A	204	ASN
1	A	269	ASN
1	A	288	THR
1	A	299	LYS
1	A	430	CYS
1	A	467	ARG
1	A	490	ASN
1	A	566	LYS
1	A	568	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	ASN
1	A	12	GLN
1	A	35	GLN
1	A	56	ASN
1	A	91	ASN
1	A	116	GLN
1	A	173	ASN
1	A	202	ASN
1	A	204	ASN
1	A	245	HIS
1	A	256	HIS
1	A	275	ASN
1	A	484	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	490	ASN
1	A	540	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 1 is monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	FAD	A	9805	-	58,58,58	2.09	21 (36%)	85,89,89	2.13	27 (31%)
3	HEC	A	801	1	50,50,50	1.70	10 (20%)	68,82,82	1.70	11 (16%)
5	TEO	A	9806	-	5,8,8	4.38	3 (60%)	4,10,10	3.19	3 (75%)
3	HEC	A	803	1	50,50,50	1.63	8 (16%)	68,82,82	1.48	11 (16%)
3	HEC	A	804	1	50,50,50	1.79	10 (20%)	68,82,82	1.55	14 (20%)
3	HEC	A	802	1	50,50,50	1.67	8 (16%)	68,82,82	1.82	10 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FAD	A	9805	-	-	6/34/50/50	0/6/6/6
3	HEC	A	801	1	1/1/3/7	4/14/54/54	-
5	TEO	A	9806	-	-	5/6/8/8	-
3	HEC	A	803	1	1/1/3/7	6/14/54/54	-
3	HEC	A	804	1	1/1/3/7	10/14/54/54	-
3	HEC	A	802	1	1/1/3/7	6/14/54/54	-

All (60) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	9806	TEO	O2-C2	-8.38	1.32	1.43
3	A	802	HEC	C3D-C2D	7.03	1.51	1.36
3	A	804	HEC	C3D-C2D	6.97	1.51	1.36
3	A	803	HEC	C3D-C2D	6.85	1.51	1.36
4	A	9805	FAD	C6-C5X	6.28	1.49	1.40
3	A	801	HEC	C3D-C2D	6.08	1.49	1.36
4	A	9805	FAD	C6-C7	-5.25	1.32	1.39
3	A	802	HEC	CBC-CAC	-3.99	1.34	1.51
4	A	9805	FAD	O4-C4	-3.96	1.16	1.23
5	A	9806	TEO	O1B-C1	-3.95	1.18	1.30
3	A	804	HEC	FE-ND	3.90	2.06	1.94
4	A	9805	FAD	C2A-N3A	3.80	1.40	1.33
3	A	801	HEC	FE-NB	3.74	2.06	1.94
3	A	801	HEC	CBB-CAB	-3.60	1.36	1.51
3	A	801	HEC	CBC-CAC	-3.53	1.36	1.51
3	A	804	HEC	FE-NB	3.46	2.05	1.94
3	A	804	HEC	CBC-CAC	-3.43	1.36	1.51
4	A	9805	FAD	C8-C7	3.38	1.49	1.40
3	A	801	HEC	FE-ND	3.31	2.05	1.94
4	A	9805	FAD	C2-N1	3.20	1.43	1.36
4	A	9805	FAD	C4'-C3'	3.15	1.58	1.53
3	A	803	HEC	CBC-CAC	-3.14	1.38	1.51
3	A	803	HEC	CBB-CAB	-3.13	1.38	1.51
4	A	9805	FAD	C10-N1	-3.13	1.26	1.33
4	A	9805	FAD	O2'-C2'	3.12	1.49	1.43
3	A	802	HEC	CBB-CAB	-2.97	1.38	1.51
3	A	804	HEC	CBB-CAB	-2.91	1.39	1.51
5	A	9806	TEO	C2-C1	2.89	1.59	1.54
4	A	9805	FAD	C2-N3	2.82	1.45	1.39
4	A	9805	FAD	O3B-C3B	2.77	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	803	HEC	FE-NC	2.75	2.04	1.95
4	A	9805	FAD	P-O3P	2.71	1.62	1.59
4	A	9805	FAD	PA-O3P	2.70	1.62	1.59
3	A	803	HEC	FE-ND	2.67	2.03	1.94
3	A	802	HEC	CMB-C2B	2.65	1.56	1.50
3	A	804	HEC	FE-NC	2.61	2.03	1.95
4	A	9805	FAD	C2'-C3'	2.57	1.57	1.53
4	A	9805	FAD	PA-O2A	-2.56	1.43	1.55
3	A	802	HEC	FE-ND	2.47	2.02	1.94
4	A	9805	FAD	C5'-C4'	-2.46	1.48	1.51
4	A	9805	FAD	P-O1P	-2.44	1.42	1.50
3	A	804	HEC	CMB-C2B	2.43	1.55	1.50
3	A	801	HEC	CMA-C3A	2.43	1.55	1.50
4	A	9805	FAD	C4X-C4	2.35	1.53	1.44
3	A	802	HEC	CMC-C2C	2.31	1.55	1.50
3	A	801	HEC	CMC-C2C	2.30	1.55	1.50
3	A	801	HEC	FE-NC	2.27	2.02	1.95
3	A	803	HEC	CMC-C2C	2.24	1.55	1.50
3	A	802	HEC	CMA-C3A	2.23	1.55	1.50
3	A	801	HEC	CMB-C2B	2.17	1.55	1.50
3	A	803	HEC	FE-NA	2.14	2.02	1.95
3	A	804	HEC	CMA-C3A	2.11	1.55	1.50
4	A	9805	FAD	C9A-N10	2.11	1.44	1.41
3	A	803	HEC	CAA-C2A	2.10	1.56	1.51
3	A	802	HEC	FE-NB	2.09	2.01	1.94
3	A	804	HEC	CMC-C2C	2.09	1.55	1.50
3	A	804	HEC	CAB-C3B	2.04	1.56	1.51
3	A	801	HEC	CAC-C3C	2.02	1.56	1.51
4	A	9805	FAD	C2A-N1A	-2.01	1.30	1.33
4	A	9805	FAD	C1B-N9A	-2.00	1.40	1.46

All (76) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	802	HEC	C1D-ND-C4D	7.54	114.14	105.21
3	A	801	HEC	C1D-ND-C4D	6.45	112.84	105.21
4	A	9805	FAD	C9A-C5X-N5	-5.78	116.32	122.45
4	A	9805	FAD	O5'-C5'-C4'	-5.31	95.18	109.36
4	A	9805	FAD	O4'-C4'-C5'	5.30	121.67	109.99
3	A	804	HEC	C1D-ND-C4D	5.01	111.14	105.21
5	A	9806	TEO	O1B-C1-O1A	4.68	134.69	124.08
4	A	9805	FAD	C8M-C8-C9	-4.60	111.47	119.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	9805	FAD	O4'-C4'-C3'	-4.47	98.79	109.25
4	A	9805	FAD	O2B-C2B-C3B	4.32	125.66	111.82
3	A	802	HEC	C4B-NB-C1B	4.29	110.28	105.21
3	A	802	HEC	CBC-CAC-C3C	4.22	123.86	112.42
4	A	9805	FAD	O4B-C1B-N9A	4.17	116.09	108.09
3	A	801	HEC	C3D-C4D-ND	-4.11	106.38	110.35
4	A	9805	FAD	C2B-C1B-N9A	4.03	123.31	113.30
4	A	9805	FAD	C9-C8-C7	3.95	125.49	119.69
3	A	802	HEC	C3D-C4D-ND	-3.86	106.62	110.35
3	A	801	HEC	CHA-C4D-ND	3.82	128.54	124.42
3	A	801	HEC	C4B-NB-C1B	3.80	109.70	105.21
3	A	803	HEC	CBD-CAD-C3D	-3.69	102.33	112.53
3	A	802	HEC	C3B-C4B-NB	-3.68	106.13	110.17
5	A	9806	TEO	O1B-C1-C2	-3.65	104.48	113.00
3	A	803	HEC	C2A-C1A-NA	-3.60	106.85	110.32
4	A	9805	FAD	O3'-C3'-C2'	-3.57	100.81	108.93
3	A	801	HEC	CBC-CAC-C3C	3.57	122.09	112.42
3	A	802	HEC	CHA-C4D-ND	3.50	128.19	124.42
4	A	9805	FAD	C2A-N1A-C6A	3.35	124.24	118.73
4	A	9805	FAD	C4A-C5A-N7A	-3.35	106.76	110.58
3	A	802	HEC	C2B-C1B-NB	-3.29	106.10	109.90
3	A	803	HEC	CHA-C1A-NA	3.21	127.95	124.45
3	A	801	HEC	CHD-C1D-ND	3.20	128.33	124.37
3	A	803	HEC	C3C-C4C-NC	-3.12	106.69	110.15
3	A	802	HEC	CHC-C4B-NB	3.10	128.20	124.37
3	A	804	HEC	C4B-NB-C1B	3.08	108.86	105.21
3	A	804	HEC	CBC-CAC-C3C	3.01	120.58	112.42
3	A	804	HEC	C3B-C4B-NB	-3.01	106.87	110.17
4	A	9805	FAD	C6-C5X-C9A	3.01	123.18	119.05
4	A	9805	FAD	C5A-C4A-N9A	3.00	109.08	105.81
3	A	801	HEC	C3B-C4B-NB	-2.94	106.95	110.17
4	A	9805	FAD	O3B-C3B-C2B	-2.92	102.46	111.82
3	A	801	HEC	CHB-C1B-NB	2.76	127.39	124.42
3	A	803	HEC	CHD-C4C-NC	2.73	128.80	123.86
3	A	802	HEC	C2D-C1D-ND	-2.64	106.81	109.84
3	A	804	HEC	C2A-C1A-NA	-2.59	107.82	110.32
3	A	801	HEC	C2B-C1B-NB	-2.59	106.91	109.90
4	A	9805	FAD	C5X-N5-C4X	2.58	122.27	118.09
3	A	804	HEC	CHD-C1D-ND	2.53	127.49	124.37
3	A	803	HEC	CAD-C3D-C4D	2.50	129.06	124.70
3	A	804	HEC	CHA-C4D-ND	2.50	127.11	124.42
3	A	804	HEC	CHB-C4A-NA	2.49	127.17	124.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	9805	FAD	O3P-PA-O1A	-2.49	103.21	110.70
3	A	803	HEC	C4C-NC-C1C	2.48	109.87	105.82
3	A	803	HEC	C4A-NA-C1A	2.47	109.85	105.82
4	A	9805	FAD	C5A-N7A-C8A	2.47	107.33	103.45
3	A	804	HEC	O1D-CGD-CBD	-2.47	115.27	123.09
3	A	804	HEC	CAD-C3D-C4D	2.42	128.92	124.70
3	A	804	HEC	CHA-C1A-NA	2.42	127.09	124.45
4	A	9805	FAD	C6-C7-C8	-2.42	116.14	119.69
4	A	9805	FAD	O2A-PA-O3P	2.42	113.81	107.27
4	A	9805	FAD	C4-N3-C2	-2.40	121.38	125.64
3	A	804	HEC	CHB-C1B-NB	2.40	127.00	124.42
3	A	802	HEC	CHD-C1D-ND	2.39	127.33	124.37
4	A	9805	FAD	N3A-C2A-N1A	-2.26	125.16	128.58
4	A	9805	FAD	C4A-N9A-C1B	2.25	131.89	126.63
3	A	803	HEC	C1D-ND-C4D	2.25	107.87	105.21
3	A	801	HEC	C2D-C1D-ND	-2.23	107.27	109.84
5	A	9806	TEO	O2-C2-C1	2.23	115.25	109.54
3	A	803	HEC	C2C-C1C-NC	-2.23	106.57	110.14
4	A	9805	FAD	N6A-C6A-N1A	2.21	123.29	118.38
3	A	801	HEC	O1A-CGA-CBA	-2.20	116.11	123.09
3	A	804	HEC	O2D-CGD-CBD	2.12	120.70	114.00
4	A	9805	FAD	N3A-C4A-N9A	-2.10	123.60	127.17
4	A	9805	FAD	C5X-C9A-N10	2.08	119.85	117.97
3	A	804	HEC	C2D-C1D-ND	-2.08	107.45	109.84
4	A	9805	FAD	O3'-C3'-C4'	-2.03	104.31	108.93
3	A	803	HEC	C3A-C4A-NA	-2.03	105.88	109.64

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	A	801	HEC	NA
3	A	802	HEC	NA
3	A	803	HEC	NA
3	A	804	HEC	NA

All (37) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	9805	FAD	N10-C1'-C2'-O2'
4	A	9805	FAD	C2'-C3'-C4'-C5'
5	A	9806	TEO	C1-C2-C3-C4
5	A	9806	TEO	O2-C2-C3-C4

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	802	HEC	C2B-C3B-CAB-CBB
3	A	801	HEC	C2C-C3C-CAC-CBC
3	A	802	HEC	C2C-C3C-CAC-CBC
3	A	802	HEC	C4C-C3C-CAC-CBC
5	A	9806	TEO	O1A-C1-C2-O2
5	A	9806	TEO	O1B-C1-C2-O2
3	A	803	HEC	C2C-C3C-CAC-CBC
3	A	803	HEC	C2B-C3B-CAB-CBB
3	A	801	HEC	C4C-C3C-CAC-CBC
4	A	9805	FAD	C2'-C3'-C4'-O4'
3	A	804	HEC	C2C-C3C-CAC-CBC
3	A	803	HEC	C4C-C3C-CAC-CBC
4	A	9805	FAD	O3'-C3'-C4'-C5'
4	A	9805	FAD	P-O3P-PA-O1A
3	A	802	HEC	C4B-C3B-CAB-CBB
3	A	804	HEC	C4C-C3C-CAC-CBC
3	A	803	HEC	C4B-C3B-CAB-CBB
3	A	804	HEC	C2B-C3B-CAB-CBB
5	A	9806	TEO	O1B-C1-C2-C3
3	A	804	HEC	C4D-C3D-CAD-CBD
3	A	802	HEC	CAD-CBD-CGD-O2D
3	A	802	HEC	CAD-CBD-CGD-O1D
3	A	801	HEC	CAD-CBD-CGD-O1D
3	A	804	HEC	CAA-CBA-CGA-O2A
3	A	804	HEC	CAA-CBA-CGA-O1A
3	A	803	HEC	CAA-CBA-CGA-O1A
3	A	801	HEC	CAD-CBD-CGD-O2D
3	A	803	HEC	CAA-CBA-CGA-O2A
3	A	804	HEC	C2D-C3D-CAD-CBD
4	A	9805	FAD	P-O3P-PA-O2A
3	A	804	HEC	CAD-CBD-CGD-O1D
3	A	804	HEC	C4B-C3B-CAB-CBB
3	A	804	HEC	CAD-CBD-CGD-O2D


There are no ring outliers.

4 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	9805	FAD	4	0
3	A	801	HEC	4	0
5	A	9806	TEO	1	0
3	A	802	HEC	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand HEC A 803



Bond lengths



Bond angles




Torsions




Rings


Ligand HEC A 804



Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	568/571 (99%)	-0.44	4 (0%) 84 87	8, 15, 25, 37	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	113	SER	4.3
1	A	101	ASP	3.4
1	A	251	CYS	2.2
1	A	110	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	TEO	A	9806	9/9	0.94	0.07	13,17,22,25	0
3	HEC	A	802	43/43	0.97	0.08	13,18,27,32	0
3	HEC	A	803	43/43	0.98	0.07	11,16,29,36	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	FAD	A	9805	53/53	0.98	0.04	7,10,15,16	0
3	HEC	A	801	43/43	0.98	0.06	11,16,21,23	0
3	HEC	A	804	43/43	0.99	0.04	9,11,17,19	0
2	NA	A	9810	1/1	1.00	0.04	9,9,9,9	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEC A 802:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD A 9805:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC A 804:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.