



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 5, 2026 – 09:19 AM EDT

PDB ID : 3QF1 / pdb_00003qf1
Title : Crystal structure of the complex of caprine lactoperoxidase with diethylenediamine at 2.6Å resolution
Authors : Pandey, N.; Singh, R.P.; Singh, A.K.; Sinha, M.; Kaur, P.; Sharma, S.; Singh, T.P.
Deposited on : 2011-01-21
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	595	5% 61% 31% 7%
2	B	2	50% 50%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	SEP	A	198	-	-	X	-
6	IOD	A	620	-	-	X	-
7	PZE	A	6951	-	-	X	-

2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 5060 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lactoperoxidase.


Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	595	Total	C	N	O	P	S	0	0	0
			4757	3021	844	865	1	26			

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total 14	C 8	N 1	O 5	0	0
3	A	1	Total 14	C 8	N 1	O 5	0	0

- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Ca 1 1	0	0

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 6 is IODIDE ION (CCD ID: IOD) (formula: I).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	10	Total I 10 10	0	0

- Molecule 7 is piperazine (CCD ID: PZE) (formula: $\text{C}_4\text{H}_{10}\text{N}_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	N	0	0
			6	4	2		

- Molecule 8 is THIOCYANATE ION (CCD ID: SCN) (formula: CNS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	S	0	0
			3	1	1	1		

- Molecule 9 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 10 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	174	Total 174	O 174	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Lactoperoxidase



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	54.15Å 80.18Å 76.73Å 90.00° 102.37° 90.00°	Depositor
Resolution (Å)	44.15 – 2.60 44.15 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.6 (44.15-2.60) 99.7 (44.15-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.30 (at 2.61Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.235 , 0.256 0.229 , 0.283	Depositor DCC
R_{free} test set	1013 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å ²)	43.6	Xtriage
Anisotropy	0.749	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 35.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	5060	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.20% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, SCN, SEP, NAG, IOD, EDO, GOL, PZE, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.90	3/4875 (0.1%)	1.24	44/6621 (0.7%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	10	VAL	CA-CB	6.05	1.61	1.54
1	A	33	SER	C-O	-5.92	1.20	1.25
1	A	447	PRO	CA-C	5.34	1.59	1.52

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	412	MET	N-CA-C	12.34	124.47	111.14
1	A	125	SER	N-CA-C	-9.88	98.72	112.45
1	A	124	HIS	N-CA-C	-9.64	101.73	112.72
1	A	82	ILE	N-CA-C	8.60	118.96	111.56
1	A	499	GLU	CA-C-N	-8.01	111.53	119.78
1	A	499	GLU	C-N-CA	-8.01	111.53	119.78
1	A	128	GLN	N-CA-C	-7.90	102.67	111.28
1	A	391	GLY	N-CA-C	7.66	120.86	112.29
1	A	562	VAL	N-CA-C	7.62	115.44	109.19
1	A	426	HIS	N-CA-C	-7.55	97.94	109.95
1	A	494	ILE	CB-CA-C	-7.18	102.31	112.22
1	A	29	ASN	N-CA-C	-6.84	102.42	111.24
1	A	273	HIS	N-CA-C	6.78	118.46	111.14
1	A	83	VAL	N-CA-C	6.68	117.47	110.72
1	A	87	ASP	N-CA-C	6.67	119.16	108.41
1	A	112	ASP	N-CA-C	6.62	120.06	108.75
1	A	582	VAL	N-CA-C	6.52	117.30	108.17
1	A	15	CYS	N-CA-C	6.38	119.34	109.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	31	ARG	N-CA-C	6.33	118.26	111.36
1	A	446	MET	N-CA-C	6.32	117.85	109.83
1	A	137	ASP	CB-CA-C	-6.31	109.31	116.63
1	A	392	ILE	N-CA-C	6.21	118.85	111.09
1	A	369	GLY	CA-C-N	6.09	125.64	119.19
1	A	369	GLY	C-N-CA	6.09	125.64	119.19
1	A	126	LYS	N-CA-C	-6.07	104.58	111.07
1	A	342	VAL	N-CA-C	6.06	117.60	111.00
1	A	180	ILE	CB-CA-C	-5.86	102.94	111.68
1	A	148	ASP	CA-C-N	5.67	126.93	119.84
1	A	148	ASP	C-N-CA	5.67	126.93	119.84
1	A	338	ARG	N-CA-C	5.58	118.11	110.24
1	A	570	ASN	N-CA-C	5.49	117.79	108.02
1	A	172	TYR	N-CA-C	5.45	117.54	108.99
1	A	217	GLN	N-CA-C	-5.43	107.31	114.31
1	A	420	LYS	N-CA-C	5.42	119.88	112.88
1	A	427	LYS	N-CA-C	5.29	120.01	113.50
1	A	166	VAL	N-CA-C	5.27	116.17	110.21
1	A	124	HIS	CB-CA-C	-5.22	102.33	110.94
1	A	178	ASP	CB-CA-C	5.22	119.26	109.71
1	A	489	ASN	N-CA-C	5.21	119.63	113.28
1	A	127	VAL	N-CA-C	5.18	115.95	110.72
1	A	447	PRO	N-CA-C	-5.15	103.19	111.38
1	A	207	SER	N-CA-C	-5.09	106.92	113.02
1	A	13	VAL	N-CA-C	-5.05	100.80	108.17
1	A	170	PRO	C-N-CD	-5.00	109.59	120.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4757	0	4645	238	0
2	B	28	0	25	2	0
3	A	28	0	26	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	1	0	0	0	0
5	A	43	0	30	3	0
6	A	10	0	0	9	0
7	A	6	0	10	6	0
8	A	3	0	0	0	0
9	A	6	0	8	2	0
10	A	4	0	6	0	0
11	A	174	0	0	5	0
All	All	5060	0	4750	242	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (242) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:202:ARG:NE	6:A:620:IOD:I	2.30	1.34
1:A:202:ARG:CZ	6:A:620:IOD:I	2.54	1.25
1:A:123:GLU:CG	1:A:125:SER:HB3	1.68	1.23
1:A:174:SER:HB2	1:A:175:LEU:HA	1.25	1.14
1:A:167:CYS:HB2	1:A:168:PRO:HD2	1.21	1.14
1:A:197:PRO:HD2	1:A:198:SEP:O3P	1.45	1.12
1:A:118:GLU:HG3	1:A:119:LEU:H	1.08	1.08
1:A:167:CYS:HB2	1:A:168:PRO:CD	1.85	1.07
1:A:167:CYS:CB	1:A:168:PRO:CD	2.34	1.05
1:A:169:THR:HB	1:A:170:PRO:HD3	1.39	1.04
1:A:593:ARG:HD3	1:A:593:ARG:H	1.21	1.04
1:A:123:GLU:HG3	1:A:125:SER:H	1.30	0.96
1:A:386:ILE:HG23	1:A:392:ILE:CD1	1.96	0.96
1:A:202:ARG:CD	6:A:620:IOD:I	2.85	0.95
1:A:386:ILE:CG2	1:A:392:ILE:HD11	1.96	0.95
1:A:118:GLU:CG	1:A:119:LEU:H	1.80	0.94
1:A:255:ARG:CD	7:A:6951:PZE:H9	1.97	0.94
1:A:52:GLU:HB3	1:A:57:VAL:HG12	1.48	0.93
1:A:123:GLU:HG3	1:A:125:SER:HB3	1.48	0.92
1:A:213:MET:HG2	1:A:273:HIS:CD2	2.04	0.91
1:A:386:ILE:HG21	1:A:392:ILE:HD11	1.51	0.91
1:A:174:SER:CB	1:A:175:LEU:HA	2.01	0.90
1:A:301:GLY:O	1:A:305:GLN:HG3	1.71	0.90
1:A:174:SER:HB2	1:A:175:LEU:CA	2.00	0.90
1:A:118:GLU:HG3	1:A:119:LEU:N	1.86	0.90

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:8:ALA:N	1:A:9:PRO:HD3	1.88	0.89
1:A:393:ASP:HB3	1:A:559:ILE:HD11	1.58	0.86
1:A:386:ILE:HG23	1:A:392:ILE:HD13	1.57	0.85
1:A:328:TYR:CD1	1:A:523:ARG:HD3	2.12	0.84
1:A:106:ILE:HG13	1:A:265:VAL:HG11	1.59	0.83
1:A:123:GLU:CD	1:A:125:SER:HB3	2.04	0.82
5:A:618:HEM:HBC2	5:A:618:HEM:HMC2	1.59	0.82
1:A:283:LEU:C	1:A:284:ASN:HD22	1.87	0.81
1:A:123:GLU:HG2	1:A:125:SER:HB3	1.61	0.81
1:A:386:ILE:CG2	1:A:392:ILE:CD1	2.55	0.81
1:A:231:ASN:N	1:A:231:ASN:HD22	1.78	0.80
1:A:593:ARG:HD3	1:A:593:ARG:N	1.96	0.80
1:A:255:ARG:HD2	7:A:6951:PZE:H9	1.62	0.79
1:A:173:GLN:N	1:A:173:GLN:NE2	2.30	0.79
1:A:82:ILE:HD11	1:A:479:LYS:HB3	1.64	0.79
1:A:169:THR:CB	1:A:170:PRO:HD3	2.07	0.79
1:A:9:PRO:O	1:A:11:PRO:HD3	1.83	0.79
1:A:175:LEU:HD12	1:A:175:LEU:O	1.82	0.79
1:A:172:TYR:C	1:A:173:GLN:NE2	2.43	0.77
1:A:82:ILE:HD11	1:A:479:LYS:CB	2.15	0.77
1:A:165:PHE:CE2	1:A:168:PRO:O	2.38	0.76
1:A:284:ASN:HD22	1:A:284:ASN:N	1.83	0.76
1:A:328:TYR:HD1	1:A:523:ARG:HD3	1.49	0.76
1:A:360:ARG:HH11	1:A:372:ALA:HA	1.50	0.76
1:A:360:ARG:NH1	1:A:372:ALA:HA	2.02	0.75
1:A:167:CYS:HB3	1:A:168:PRO:HD3	1.69	0.75
1:A:123:GLU:CG	1:A:125:SER:CB	2.60	0.74
1:A:123:GLU:HG3	1:A:125:SER:N	2.01	0.74
1:A:123:GLU:HG3	1:A:125:SER:CB	2.16	0.74
1:A:172:TYR:C	1:A:173:GLN:HE21	1.94	0.74
1:A:42:ALA:HB2	1:A:166:VAL:HG11	1.71	0.73
1:A:255:ARG:HD3	7:A:6951:PZE:H9	1.70	0.72
1:A:7:GLY:O	1:A:8:ALA:HB3	1.87	0.72
1:A:201:SER:C	1:A:203:LEU:H	1.98	0.71
1:A:8:ALA:N	1:A:9:PRO:CD	2.52	0.71
1:A:168:PRO:CB	1:A:172:TYR:HB2	2.20	0.71
1:A:167:CYS:HB3	1:A:168:PRO:CD	2.17	0.71
1:A:167:CYS:CB	1:A:168:PRO:HD3	2.20	0.71
1:A:248:CYS:HB3	1:A:257:SER:OG	1.90	0.71
1:A:255:ARG:HB3	7:A:6951:PZE:H11	1.72	0.70
1:A:29:ASN:HD21	1:A:527:ARG:H	1.38	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:HIS:O	1:A:128:GLN:HB2	1.92	0.70
1:A:120:GLY:HA2	1:A:123:GLU:HB2	1.71	0.69
1:A:175:LEU:HD12	1:A:175:LEU:C	2.17	0.69
1:A:7:GLY:C	1:A:9:PRO:HD3	2.17	0.68
1:A:196:GLU:HB3	1:A:198:SEP:O2P	1.93	0.68
1:A:367:PRO:HG3	9:A:597:GOL:C1	2.23	0.68
1:A:438:LEU:CD2	1:A:494:ILE:HD11	2.24	0.68
1:A:367:PRO:HG3	9:A:597:GOL:H12	1.76	0.68
1:A:120:GLY:HA2	1:A:123:GLU:CB	2.24	0.67
1:A:391:GLY:O	1:A:394:PRO:HD2	1.95	0.66
6:A:609:IOD:I	11:A:691:HOH:O	2.83	0.66
1:A:118:GLU:O	1:A:119:LEU:HB3	1.94	0.65
1:A:381:PHE:CE2	1:A:424:PRO:HD3	2.32	0.64
1:A:106:ILE:HD11	1:A:265:VAL:HG12	1.79	0.64
1:A:574:HIS:C	1:A:574:HIS:ND1	2.58	0.62
1:A:82:ILE:HD13	1:A:479:LYS:HD3	1.80	0.62
1:A:388:LYS:HE3	2:B:1:NAG:O6	1.99	0.62
1:A:551:ARG:HD3	1:A:583:ASP:O	1.99	0.62
1:A:83:VAL:HG12	1:A:418:ARG:HD2	1.79	0.62
1:A:106:ILE:CG1	1:A:265:VAL:HG11	2.29	0.62
1:A:229:PHE:CD1	1:A:247:PRO:HG2	2.35	0.62
1:A:194:GLY:HA3	1:A:199:LEU:HD23	1.82	0.61
1:A:221:ASP:HB2	1:A:226:TYR:CZ	2.36	0.61
1:A:393:ASP:HB3	1:A:559:ILE:CD1	2.29	0.61
1:A:368:TRP:O	1:A:368:TRP:CE3	2.53	0.61
1:A:484:TYR:O	1:A:485:LYS:HB2	1.99	0.61
1:A:16:ASP:O	1:A:17:GLU:HB2	2.01	0.60
1:A:118:GLU:OE2	1:A:118:GLU:HA	2.00	0.60
1:A:275:ARG:HE	1:A:555:ASP:HB3	1.66	0.60
1:A:572:TYR:HE2	11:A:785:HOH:O	1.83	0.60
1:A:16:ASP:OD2	1:A:19:SER:HB2	2.01	0.60
1:A:118:GLU:CG	1:A:119:LEU:N	2.50	0.60
1:A:284:ASN:N	1:A:285:PRO:HD3	2.16	0.60
1:A:438:LEU:HD22	1:A:494:ILE:HD11	1.83	0.60
1:A:258:GLU:HG3	7:A:6951:PZE:C12	2.31	0.60
1:A:88:GLU:O	1:A:91:VAL:HG22	2.01	0.60
1:A:283:LEU:C	1:A:284:ASN:ND2	2.58	0.60
1:A:424:PRO:O	1:A:425:THR:HB	2.00	0.60
1:A:7:GLY:O	1:A:8:ALA:CB	2.50	0.60
1:A:438:LEU:HD21	1:A:494:ILE:HG13	1.84	0.59
1:A:106:ILE:CD1	1:A:265:VAL:CG1	2.80	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:408:ASN:HD22	1:A:410:ASN:H	1.50	0.59
1:A:168:PRO:CG	1:A:172:TYR:HB2	2.31	0.59
1:A:246:VAL:HG11	1:A:387:ILE:HD12	1.83	0.59
1:A:326:PRO:O	1:A:523:ARG:NH2	2.33	0.59
1:A:530:TRP:CZ2	1:A:531:GLU:HG3	2.38	0.59
1:A:425:THR:HG22	1:A:426:HIS:CD2	2.38	0.58
1:A:201:SER:C	1:A:203:LEU:N	2.60	0.58
1:A:593:ARG:H	1:A:593:ARG:CD	2.05	0.58
1:A:168:PRO:HB2	1:A:172:TYR:HB2	1.86	0.58
1:A:201:SER:OG	1:A:206:LEU:HD11	2.02	0.58
1:A:202:ARG:HD2	6:A:620:IOD:I	2.73	0.58
1:A:407:MET:HB3	1:A:501:MET:HE3	1.86	0.57
1:A:393:ASP:N	1:A:394:PRO:CD	2.68	0.57
1:A:438:LEU:CD2	1:A:494:ILE:CD1	2.83	0.57
1:A:91:VAL:CG1	1:A:411:LYS:HD3	2.35	0.56
1:A:368:TRP:O	1:A:368:TRP:HE3	1.88	0.56
1:A:16:ASP:OD1	1:A:16:ASP:C	2.49	0.56
1:A:202:ARG:NH2	6:A:620:IOD:I	3.06	0.56
1:A:264:THR:HG23	1:A:392:ILE:CG2	2.36	0.56
1:A:551:ARG:HD3	1:A:584:LYS:HA	1.88	0.56
1:A:259:GLN:HE21	1:A:261:LEU:HB2	1.71	0.56
1:A:438:LEU:HD22	1:A:494:ILE:CD1	2.36	0.56
1:A:118:GLU:O	1:A:119:LEU:CB	2.54	0.55
1:A:106:ILE:CD1	1:A:265:VAL:HG12	2.36	0.55
1:A:99:LEU:HG	1:A:567:PHE:HE1	1.72	0.55
1:A:123:GLU:CD	1:A:125:SER:CB	2.78	0.55
1:A:196:GLU:CB	1:A:198:SEP:O2P	2.54	0.55
1:A:341:ASN:ND2	1:A:444:HIS:ND1	2.43	0.55
1:A:259:GLN:HG2	1:A:261:LEU:H	1.71	0.55
1:A:175:LEU:C	1:A:175:LEU:CD1	2.80	0.55
1:A:102:GLN:HE22	1:A:259:GLN:HE22	1.52	0.54
1:A:82:ILE:HD11	1:A:479:LYS:HB2	1.89	0.54
1:A:2:TRP:CZ3	1:A:174:SER:OG	2.55	0.54
1:A:191:LEU:HD23	1:A:191:LEU:H	1.72	0.54
1:A:222:HIS:HB2	1:A:558:HIS:HE1	1.73	0.53
1:A:175:LEU:O	1:A:176:ALA:C	2.50	0.53
1:A:52:GLU:OE1	1:A:62:THR:OG1	2.21	0.53
1:A:366:GLN:O	1:A:367:PRO:C	2.51	0.53
1:A:140:PHE:O	1:A:160:PHE:HB3	2.09	0.53
1:A:264:THR:HG23	1:A:392:ILE:HG23	1.90	0.52
1:A:174:SER:CB	1:A:175:LEU:CA	2.70	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:618:HEM:HBC2	5:A:618:HEM:CMC	2.35	0.52
1:A:361:LEU:HB3	1:A:365:TYR:HA	1.90	0.52
2:B:1:NAG:H62	2:B:2:NAG:N2	2.24	0.52
1:A:408:ASN:ND2	1:A:410:ASN:H	2.08	0.51
1:A:77:GLU:OE2	1:A:483:LEU:HD21	2.11	0.50
1:A:194:GLY:CA	1:A:199:LEU:HD23	2.41	0.50
1:A:221:ASP:HB2	1:A:226:TYR:CE2	2.46	0.50
1:A:438:LEU:HD21	1:A:494:ILE:CG1	2.41	0.50
1:A:288:ASP:O	1:A:292:LEU:HG	2.11	0.50
1:A:557:THR:OG1	1:A:559:ILE:HG12	2.11	0.50
1:A:348:ARG:HH11	1:A:437:ASN:ND2	2.08	0.50
1:A:106:ILE:CD1	1:A:265:VAL:HG11	2.41	0.49
1:A:257:SER:O	1:A:381:PHE:HA	2.12	0.49
1:A:408:ASN:HD22	1:A:408:ASN:C	2.19	0.49
1:A:30:ASN:HB3	1:A:33:SER:O	2.13	0.49
1:A:392:ILE:HG22	1:A:396:VAL:HG23	1.94	0.49
1:A:349:PHE:CD1	1:A:349:PHE:C	2.90	0.49
1:A:559:ILE:N	1:A:559:ILE:HD13	2.26	0.49
1:A:165:PHE:HE2	1:A:168:PRO:O	1.94	0.49
1:A:284:ASN:N	1:A:284:ASN:ND2	2.54	0.48
1:A:146:LYS:O	1:A:147:ASN:HB2	2.13	0.48
1:A:258:GLU:HG3	7:A:6951:PZE:H12A	1.95	0.48
1:A:392:ILE:O	1:A:393:ASP:C	2.56	0.48
1:A:13:VAL:HG23	1:A:13:VAL:O	2.13	0.48
1:A:491:ASP:HA	11:A:765:HOH:O	2.12	0.48
1:A:123:GLU:HG3	1:A:125:SER:CA	2.43	0.47
1:A:438:LEU:HD21	1:A:494:ILE:CD1	2.44	0.47
1:A:275:ARG:NE	1:A:555:ASP:HB3	2.28	0.47
1:A:106:ILE:HD11	1:A:265:VAL:CG1	2.41	0.47
1:A:393:ASP:O	1:A:397:ARG:HG3	2.14	0.47
1:A:425:THR:HG23	1:A:425:THR:O	2.14	0.47
1:A:233:LYS:HE2	1:A:238:GLU:OE2	2.14	0.47
1:A:99:LEU:HG	1:A:567:PHE:CE1	2.49	0.47
1:A:112:ASP:OD2	5:A:618:HEM:O1D	2.33	0.47
1:A:241:ASN:O	1:A:242:THR:C	2.59	0.46
1:A:563:PRO:HD3	1:A:576:PHE:CE2	2.50	0.46
1:A:82:ILE:CD1	1:A:479:LYS:HD3	2.45	0.46
1:A:173:GLN:N	1:A:173:GLN:HE21	1.99	0.46
1:A:551:ARG:CD	1:A:583:ASP:O	2.63	0.46
1:A:202:ARG:NH1	6:A:620:IOD:I	3.16	0.46
1:A:283:LEU:C	1:A:285:PRO:HD3	2.40	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:174:SER:HB2	1:A:175:LEU:C	2.41	0.45
1:A:438:LEU:HD21	1:A:494:ILE:HD11	1.97	0.45
1:A:158:MET:HE1	1:A:432:ASP:HB2	1.99	0.45
1:A:58:PRO:HG2	1:A:61:TRP:HB2	1.99	0.45
1:A:108:ASP:OD2	1:A:108:ASP:C	2.60	0.45
1:A:349:PHE:HA	1:A:497:ASN:HD21	1.81	0.45
1:A:460:GLN:NE2	11:A:738:HOH:O	2.50	0.45
1:A:66:THR:HB	1:A:70:PHE:N	2.32	0.45
1:A:237:CYS:HA	1:A:381:PHE:O	2.18	0.44
1:A:472:LYS:HD2	1:A:500:PRO:HG2	1.99	0.44
1:A:548:SER:OG	1:A:551:ARG:HB2	2.18	0.44
1:A:248:CYS:HA	1:A:383:THR:HG21	2.00	0.44
1:A:258:GLU:O	1:A:380:PHE:HA	2.18	0.44
1:A:303:PHE:O	1:A:307:ILE:HG12	2.17	0.44
1:A:239:PHE:CD2	1:A:239:PHE:C	2.96	0.44
1:A:52:GLU:OE1	1:A:62:THR:CB	2.65	0.44
1:A:9:PRO:O	1:A:11:PRO:CD	2.62	0.43
1:A:236:PRO:HB3	6:A:619:IOD:I	2.88	0.43
1:A:393:ASP:N	1:A:394:PRO:HD3	2.33	0.43
1:A:492:ILE:O	1:A:493:TRP:C	2.58	0.43
1:A:402:LYS:HA	1:A:402:LYS:HD3	1.70	0.43
1:A:108:ASP:HB2	1:A:347:PHE:CD2	2.54	0.43
1:A:424:PRO:O	1:A:425:THR:CB	2.65	0.43
1:A:28:CYS:O	1:A:527:ARG:NH2	2.47	0.43
1:A:325:ILE:HG22	1:A:523:ARG:NH2	2.33	0.43
1:A:377:HIS:O	1:A:429:HIS:CD2	2.72	0.43
1:A:168:PRO:HG3	1:A:172:TYR:HB2	1.98	0.42
1:A:478:LYS:HB2	1:A:478:LYS:HE3	1.77	0.42
1:A:559:ILE:HG23	6:A:611:IOD:I	2.90	0.42
1:A:344:THR:O	1:A:348:ARG:HG3	2.18	0.42
1:A:196:GLU:OE2	1:A:198:SEP:O2P	2.37	0.42
1:A:31:ARG:HH11	1:A:31:ARG:HD3	1.70	0.42
1:A:120:GLY:HA2	1:A:123:GLU:HB3	1.98	0.42
1:A:279:GLU:OE2	1:A:279:GLU:HA	2.19	0.42
1:A:408:ASN:HB3	1:A:411:LYS:HB2	2.02	0.42
1:A:368:TRP:CH2	1:A:389:ASP:O	2.73	0.42
1:A:124:HIS:O	1:A:128:GLN:N	2.52	0.42
1:A:421:LEU:HB3	1:A:431:PHE:HB2	2.01	0.42
1:A:99:LEU:HD21	1:A:549:PHE:CD2	2.54	0.41
1:A:51:TYR:CD2	1:A:55:LEU:O	2.73	0.41
1:A:232:VAL:HG21	11:A:749:HOH:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:526:ASP:C	1:A:528:PHE:H	2.29	0.41
1:A:80:ASN:HA	1:A:418:ARG:NH2	2.36	0.41
1:A:136:GLY:O	1:A:137:ASP:C	2.63	0.41
1:A:173:GLN:HB2	1:A:174:SER:HA	2.03	0.41
1:A:80:ASN:OD1	1:A:418:ARG:NH2	2.54	0.41
1:A:198:SEP:O	1:A:202:ARG:HB2	2.21	0.41
1:A:201:SER:O	1:A:203:LEU:N	2.53	0.41
1:A:241:ASN:ND2	1:A:244:ALA:HB2	2.35	0.41
1:A:248:CYS:HB3	1:A:257:SER:HG	1.82	0.40
1:A:283:LEU:HB3	1:A:284:ASN:ND2	2.36	0.40
1:A:236:PRO:HA	1:A:239:PHE:HB3	2.02	0.40
1:A:123:GLU:OE2	1:A:125:SER:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	592/595 (100%)	551 (93%)	34 (6%)	7 (1%)	10	23

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	8	ALA
1	A	167	CYS
1	A	170	PRO
1	A	171	PRO
1	A	147	ASN
1	A	9	PRO
1	A	149	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	516/516 (100%)	476 (92%)	40 (8%)	11	26

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	VAL
1	A	16	ASP
1	A	29	ASN
1	A	31	ARG
1	A	57	VAL
1	A	108	ASP
1	A	121	SER
1	A	122	SER
1	A	124	HIS
1	A	173	GLN
1	A	180	ILE
1	A	196	GLU
1	A	208	SER
1	A	216	ASN
1	A	231	ASN
1	A	235	SER
1	A	259	GLN
1	A	265	VAL
1	A	284	ASN
1	A	322	GLN
1	A	341	ASN
1	A	360	ARG
1	A	371	GLU
1	A	382	ASN
1	A	408	ASN
1	A	418	ARG
1	A	423	GLN
1	A	425	THR
1	A	481	LEU
1	A	503	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	531	GLU
1	A	538	GLU
1	A	543	SER
1	A	559	ILE
1	A	561	LYS
1	A	564	LEU
1	A	574	HIS
1	A	587	LEU
1	A	593	ARG
1	A	594	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	29	ASN
1	A	68	ASN
1	A	128	GLN
1	A	135	GLN
1	A	147	ASN
1	A	173	GLN
1	A	222	HIS
1	A	231	ASN
1	A	250	GLN
1	A	259	GLN
1	A	284	ASN
1	A	294	GLN
1	A	305	GLN
1	A	322	GLN
1	A	341	ASN
1	A	364	ASN
1	A	366	GLN
1	A	382	ASN
1	A	408	ASN
1	A	429	HIS
1	A	497	ASN
1	A	520	GLN
1	A	558	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	SEP	A	198	1	8,9,10	1.07	1 (12%)	7,12,14	1.37	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	A	198	1	-	3/6/8/10	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	198	SEP	P-O1P	2.27	1.57	1.50

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	198	SEP	OG-P-O1P	2.30	112.65	106.44

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	198	SEP	CB-OG-P-O2P
1	A	198	SEP	CB-OG-P-O3P
1	A	198	SEP	CB-OG-P-O1P

There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	198	SEP	5	0

5.5 Carbohydrates

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	B	1	1,2	14,14,15	0.45	0	17,19,21	1.03	0
2	NAG	B	2	2	14,14,15	0.79	1 (7%)	17,19,21	2.05	4 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	B	2	2	-	1/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2	NAG	O5-C5	2.20	1.47	1.43

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2	NAG	C1-O5-C5	4.70	118.49	112.19
2	B	2	NAG	C4-C3-C2	-3.97	105.20	111.02
2	B	2	NAG	C1-C2-N2	3.07	115.27	110.43
2	B	2	NAG	O3-C3-C2	2.57	114.73	109.40

There are no chirality outliers.

All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	2	NAG	O5-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	2	NAG	1	0
2	B	1	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry

Of 18 ligands modelled in this entry, 11 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	SCN	A	6788	-	1,2,2	1.15	0	0,1,1	-	-
7	PZE	A	6951	-	6,6,6	0.41	0	6,6,6	2.22	2 (33%)
5	HEM	A	618	1,11	50,50,50	1.78	9 (18%)	67,82,82	1.33	8 (11%)
3	NAG	A	605	1	14,14,15	0.75	0	17,19,21	2.48	5 (29%)
9	GOL	A	597	-	5,5,5	0.37	0	5,5,5	0.31	0
10	EDO	A	598	-	3,3,3	0.28	0	2,2,2	0.73	0
3	NAG	A	599	1	14,14,15	0.40	0	17,19,21	0.92	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	PZE	A	6951	-	-	-	0/1/1/1
5	HEM	A	618	1,11	-	4/14/54/54	-
9	GOL	A	597	-	-	4/4/4/4	-
10	EDO	A	598	-	-	1/1/1/1	-
3	NAG	A	605	1	-	3/6/23/26	0/1/1/1
3	NAG	A	599	1	-	0/6/23/26	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	618	HEM	C3D-C2D	7.00	1.51	1.36
5	A	618	HEM	CMC-C2C	3.59	1.58	1.50
5	A	618	HEM	CAB-C3B	3.47	1.56	1.47
5	A	618	HEM	C2A-C3A	-3.22	1.30	1.38
5	A	618	HEM	FE-NB	2.98	2.04	1.94
5	A	618	HEM	CAC-C3C	2.83	1.54	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	618	HEM	C4D-ND	-2.55	1.35	1.40
5	A	618	HEM	FE-ND	2.15	2.01	1.94
5	A	618	HEM	CHA-C1A	-2.15	1.34	1.39

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	605	NAG	C2-N2-C7	5.47	130.23	122.90
3	A	605	NAG	C3-C4-C5	4.53	118.44	110.23
3	A	605	NAG	C1-C2-N2	4.50	117.52	110.43
5	A	618	HEM	CMD-C2D-C1D	4.14	131.51	125.03
3	A	605	NAG	C4-C3-C2	4.09	117.01	111.02
7	A	6951	PZE	C12-N7-C8	3.42	120.06	110.40
5	A	618	HEM	CBA-CAA-C2A	-3.41	103.09	112.53
7	A	6951	PZE	C11-N10-C9	3.37	119.92	110.40
5	A	618	HEM	CAD-C3D-C4D	3.26	130.38	124.70
5	A	618	HEM	C4D-ND-C1D	3.10	108.87	105.21
3	A	605	NAG	O7-C7-N2	2.96	127.21	121.98
5	A	618	HEM	C4D-C3D-C2D	-2.65	103.03	106.89
3	A	599	NAG	C4-C3-C2	2.35	114.46	111.02
5	A	618	HEM	O1A-CGA-CBA	-2.08	116.48	123.09
5	A	618	HEM	CHD-C1D-ND	2.08	126.66	124.42
5	A	618	HEM	C3D-C4D-ND	2.07	112.44	110.17

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	605	NAG	C1-C2-N2-C7
9	A	597	GOL	C1-C2-C3-O3
9	A	597	GOL	O1-C1-C2-C3
9	A	597	GOL	O1-C1-C2-O2
9	A	597	GOL	O2-C2-C3-O3
10	A	598	EDO	O1-C1-C2-O2
3	A	605	NAG	C4-C5-C6-O6
3	A	605	NAG	O5-C5-C6-O6
5	A	618	HEM	CAD-CBD-CGD-O2D
5	A	618	HEM	CAD-CBD-CGD-O1D
5	A	618	HEM	CAA-CBA-CGA-O2A
5	A	618	HEM	CAA-CBA-CGA-O1A

There are no ring outliers.

3 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	6951	PZE	6	0
5	A	618	HEM	3	0
9	A	597	GOL	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	594/595 (99%)	0.52	32 (5%) 31 26	22, 42, 79, 99	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	390	GLY	6.0
1	A	4	VAL	4.9
1	A	265	VAL	4.9
1	A	174	SER	4.0
1	A	595	ASN	3.8
1	A	7	GLY	3.8
1	A	12	LEU	3.6
1	A	392	ILE	3.5
1	A	8	ALA	3.3
1	A	173	GLN	3.3
1	A	175	LEU	3.1
1	A	171	PRO	2.9
1	A	13	VAL	2.9
1	A	564	LEU	2.8
1	A	10	VAL	2.8
1	A	11	PRO	2.7
1	A	2	TRP	2.5
1	A	423	GLN	2.5
1	A	117	THR	2.4
1	A	172	TYR	2.4
1	A	303	PHE	2.4
1	A	391	GLY	2.3
1	A	137	ASP	2.3
1	A	5	GLY	2.3
1	A	118	GLU	2.2
1	A	494	ILE	2.2
1	A	229	PHE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	170	PRO	2.1
1	A	6	CYS	2.1
1	A	167	CYS	2.1
1	A	54	GLY	2.1
1	A	40	ASN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	SEP	A	198	10/11	0.83	0.14	45,48,49,51	0

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	B	2	14/15	0.68	0.16	79,80,81,81	0
2	NAG	B	1	14/15	0.85	0.11	60,61,63,63	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	A	605	14/15	0.66	0.18	77,78,79,79	0
9	GOL	A	597	6/6	0.72	0.18	45,50,51,52	0
8	SCN	A	6788	3/3	0.77	0.18	47,47,48,50	0
3	NAG	A	599	14/15	0.84	0.13	68,71,72,73	0
7	PZE	A	6951	6/6	0.84	0.33	35,35,36,36	6
10	EDO	A	598	4/4	0.92	0.12	44,44,45,46	0
6	IOD	A	611	1/1	0.95	0.06	78,78,78,78	0
6	IOD	A	610	1/1	0.96	0.08	82,82,82,82	0
6	IOD	A	1618	1/1	0.97	0.06	80,80,80,80	0
5	HEM	A	618	43/43	0.97	0.08	17,22,29,32	0
6	IOD	A	615	1/1	0.97	0.05	54,54,54,54	0
6	IOD	A	616	1/1	0.97	0.09	83,83,83,83	0
6	IOD	A	617	1/1	0.97	0.07	64,64,64,64	1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	CA	A	607	1/1	0.98	0.05	36,36,36,36	0
6	IOD	A	619	1/1	0.98	0.05	73,73,73,73	0
6	IOD	A	612	1/1	0.99	0.03	58,58,58,58	0
6	IOD	A	620	1/1	0.99	0.06	47,47,47,47	1
6	IOD	A	609	1/1	1.00	0.03	46,46,46,46	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.