



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 2, 2026 – 02:39 AM UTC

PDB ID : 4QJO / pdb_00004qjo
Title : Crystal structure of catalytic domain of human carbonic anhydrase isozyme XII with inhibitor
Authors : Smirnov, A.; Manakova, E.; Grazulis, S.
Deposited on : 2014-06-04
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	263	3% 86% 12% ..
1	B	263	% 84% 14% ..
1	C	263	% 81% 16% ..
1	D	263	% 85% 12% ..

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9590 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Carbonic anhydrase 12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	261	Total	C	N	O	S	4	7	0
			2161	1371	372	410	8			
1	B	260	Total	C	N	O	S	0	6	0
			2153	1366	369	409	9			
1	C	261	Total	C	N	O	S	0	8	0
			2158	1368	367	416	7			
1	D	261	Total	C	N	O	S	0	7	0
			2156	1367	369	412	8			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP O43570
B	1	MET	-	expression tag	UNP O43570
C	1	MET	-	expression tag	UNP O43570
D	1	MET	-	expression tag	UNP O43570

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		
3	B	1	Total	Zn	0	0
			1	1		
3	C	1	Total	Zn	0	0
			1	1		
3	D	1	Total	Zn	0	0
			1	1		

- Molecule 4 is 3-(benzylamino)-2,5,6-trifluoro-4-[(2-phenylethyl)sulfonyl]benzenesulfonamide (CCD ID: V1F) (formula: C₂₁H₁₉F₃N₂O₄S₂).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total 32	C 21	F 3	N 2	O 4	S 2	0	0
4	B	1	Total 32	C 21	F 3	N 2	O 4	S 2	0	0
4	C	1	Total 32	C 21	F 3	N 2	O 4	S 2	0	0
4	D	1	Total 32	C 21	F 3	N 2	O 4	S 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	210	Total	O	0	0
			210	210		
5	B	236	Total	O	0	0
			236	236		
5	C	197	Total	O	0	0
			197	197		
5	D	175	Total	O	0	0
			175	175		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Carbonic anhydrase 12




- Molecule 1: Carbonic anhydrase 12




- Molecule 1: Carbonic anhydrase 12



- Molecule 1: Carbonic anhydrase 12





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	46.50Å 66.56Å 80.32Å 81.98° 84.31° 86.45°	Depositor
Resolution (Å)	23.59 – 1.80 23.59 – 1.80	Depositor EDS
% Data completeness (in resolution range)	93.3 (23.59-1.80) 93.3 (23.59-1.80)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.10 (at 1.80Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.161 , 0.206 0.159 , 0.202	Depositor DCC
R_{free} test set	8032 reflections (9.15%)	wwPDB-VP
Wilson B-factor (Å ²)	16.7	Xtriage
Anisotropy	0.330	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 40.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9590	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.89 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.9657e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: V1F, EDO, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.27	2/2225 (0.1%)	1.09	3/3027 (0.1%)
1	B	1.27	2/2216 (0.1%)	1.15	1/3013 (0.0%)
1	C	1.30	5/2222 (0.2%)	1.17	3/3024 (0.1%)
1	D	1.28	2/2220 (0.1%)	1.12	7/3021 (0.2%)
All	All	1.28	11/8883 (0.1%)	1.13	14/12085 (0.1%)

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	200	PRO	CA-C	7.78	1.56	1.51
1	B	174	VAL	CA-C	7.22	1.57	1.52
1	C	111	HIS	CA-C	-6.67	1.44	1.52
1	C	116	LEU	C-O	6.40	1.31	1.24
1	D	141	VAL	C-O	5.79	1.29	1.24
1	C	93	HIS	CE1-NE2	5.40	1.38	1.32
1	A	255	ARG	CA-C	5.34	1.59	1.52
1	C	161	HIS	CE1-NE2	5.29	1.37	1.32
1	C	59	PHE	CA-C	-5.29	1.46	1.52
1	D	256	LEU	N-CA	5.16	1.52	1.45
1	B	117	HIS	CD2-NE2	-5.00	1.32	1.37

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	44	THR	CA-C-N	-7.54	112.23	119.85
1	D	44	THR	C-N-CA	-7.54	112.23	119.85
1	B	198	THR	N-CA-C	-7.19	104.07	112.92
1	A	46	LEU	N-CA-C	-6.74	100.50	110.48
1	A	79	GLN	N-CA-C	-6.43	99.42	109.72
1	C	253[A]	ASP	CA-C-O	6.37	127.86	120.98

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	253[B]	ASP	CA-C-O	6.37	127.86	120.98
1	A	12	GLU	N-CA-C	5.78	119.43	112.38
1	C	12	GLU	N-CA-C	5.37	117.89	111.71
1	D	256	LEU	N-CA-C	5.34	117.94	109.50
1	D	72	LEU	CA-C-N	-5.27	115.15	120.31
1	D	72	LEU	C-N-CA	-5.27	115.15	120.31
1	D	96	ASN	CA-C-N	-5.03	113.75	119.28
1	D	96	ASN	C-N-CA	-5.03	113.75	119.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2161	0	2048	27	0
1	B	2153	0	2042	43	0
1	C	2158	0	2033	41	0
1	D	2156	0	2036	33	0
2	A	4	0	6	0	0
2	B	8	0	12	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	32	0	19	1	0
4	B	32	0	19	5	0
4	C	32	0	19	4	0
4	D	32	0	18	8	0
5	A	210	0	0	1	0
5	B	236	0	0	4	0
5	C	197	0	0	4	0
5	D	175	0	0	6	0
All	All	9590	0	8252	141	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 8.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:252[A]:PHE:CE1	1:C:255:ARG:HB2	1.74	1.22
1:C:253[B]:ASP:HA	5:C:570:HOH:O	1.61	0.99
1:A:201:PRO:HG2	1:A:203[B]:ASN:HD21	1.29	0.96
1:D:89:GLN:HE22	1:D:91:HIS:HD1	0.98	0.94
1:B:185[B]:GLU:OE2	1:B:185[B]:GLU:HA	1.67	0.94
1:C:252[A]:PHE:CE1	1:C:255:ARG:CB	2.52	0.92
1:D:89:GLN:NE2	1:D:91:HIS:HD1	1.68	0.90
1:C:252[A]:PHE:CD1	1:C:255:ARG:HB2	2.08	0.89
1:D:103:SER:O	1:D:111[A]:HIS:CE1	2.31	0.83
1:D:103:SER:O	1:D:111[A]:HIS:HE1	1.65	0.78
1:B:255:ARG:HD2	5:B:441:HOH:O	1.82	0.78
4:C:302:V1F:F12	4:C:302:V1F:N10	2.05	0.77
1:A:217[B]:ILE:HG22	1:A:221:GLN:HB2	1.66	0.76
1:B:27:GLN:HE22	1:B:202:CYS:HB3	1.50	0.74
1:B:134:ASN:O	1:B:135[B]:LYS:HD3	1.88	0.74
1:B:77:HIS:CD2	1:B:84[C]:ARG:HD2	2.24	0.72
1:C:248:GLN:HE21	1:D:251:LYS:HZ1	1.39	0.71
1:B:252:PHE:CZ	1:B:255:ARG:HB3	2.26	0.70
1:A:27:GLN:HE22	1:A:202:CYS:HB3	1.57	0.70
1:B:255:ARG:CD	5:B:441:HOH:O	2.40	0.69
1:D:148[B]:MET:HE3	5:D:430:HOH:O	1.94	0.68
1:D:27:GLN:HE22	1:D:202:CYS:HB3	1.57	0.68
1:C:26:LEU:HD22	1:C:255:ARG:HD3	1.75	0.67
1:A:47:GLU:OE2	1:A:49:GLN:NE2	2.25	0.66
1:A:197:LEU:HD12	1:A:203[B]:ASN:HD22	1.60	0.65
1:B:185[B]:GLU:OE2	1:B:185[B]:GLU:CA	2.44	0.65
1:B:51:TYR:HB3	1:B:180[B]:GLU:HG3	1.79	0.65
1:D:27:GLN:NE2	1:D:247:ARG:HH12	1.95	0.65
1:A:201:PRO:HG2	1:A:203[B]:ASN:ND2	2.07	0.64
1:C:252[B]:PHE:CZ	1:C:255:ARG:CB	2.82	0.63
1:C:27:GLN:HE22	1:C:202:CYS:HB3	1.64	0.63
1:C:252[A]:PHE:O	1:C:252[A]:PHE:HD1	1.82	0.62
1:C:232:THR:HG23	1:C:240:ARG:HB2	1.82	0.62
1:A:217[B]:ILE:HG22	1:A:221:GLN:CB	2.30	0.61
1:A:248:GLN:HE21	1:B:251:LYS:NZ	1.99	0.60
1:C:252[B]:PHE:CZ	1:C:255:ARG:HB2	2.37	0.60
1:B:84[B]:ARG:HG2	1:B:123:SER:OG	2.01	0.60
1:C:27:GLN:NE2	1:C:247:ARG:HH12	2.00	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:251:LYS:NZ	1:D:248:GLN:HE21	2.00	0.59
1:A:27:GLN:NE2	1:A:247:ARG:HH12	2.01	0.58
1:B:89:GLN:HE22	4:B:304:V1F:H9	1.67	0.58
1:A:217[B]:ILE:HG23	1:A:221:GLN:OE1	2.04	0.58
1:B:57:LYS:HE3	5:B:593:HOH:O	2.02	0.58
1:B:135[B]:LYS:HE3	5:C:476:HOH:O	2.04	0.58
1:C:252[B]:PHE:CZ	1:C:255:ARG:HB3	2.38	0.58
1:C:49:GLN:OE1	1:C:77:HIS:NE2	2.38	0.57
1:D:27:GLN:HE21	1:D:247:ARG:HH12	1.52	0.57
1:A:198:THR:OG1	4:A:303:V1F:N10	2.38	0.56
1:D:148[B]:MET:HG2	5:D:440:HOH:O	2.05	0.56
1:A:248:GLN:HE21	1:B:251:LYS:HZ2	1.52	0.56
1:B:77:HIS:ND1	1:B:84[C]:ARG:NH1	2.54	0.56
1:C:252[A]:PHE:CD1	1:C:252[A]:PHE:O	2.58	0.56
1:A:79:GLN:HE22	1:A:84:ARG:HE	1.54	0.56
1:A:252:PHE:CZ	1:A:255:ARG:HB3	2.40	0.56
1:C:252[A]:PHE:HE1	1:C:255:ARG:HB2	1.58	0.56
4:C:302:V1F:C14	4:C:302:V1F:F26	2.44	0.56
1:B:26:LEU:CD2	1:B:255:ARG:HD3	2.36	0.55
1:C:17:LYS:HE2	1:D:16:SER:O	2.07	0.55
1:A:81:LEU:O	1:A:82[B]:GLN:C	2.49	0.55
1:B:26:LEU:HD23	1:B:255:ARG:HD3	1.89	0.55
4:C:302:V1F:F26	4:C:302:V1F:H13	1.97	0.55
1:B:27:GLN:NE2	1:B:247:ARG:HH12	2.05	0.55
1:D:60:LEU:HD11	1:D:171:GLU:HB3	1.89	0.55
1:A:82[B]:GLN:HG2	5:A:552:HOH:O	2.09	0.53
1:B:51:TYR:CB	1:B:180[B]:GLU:HG3	2.38	0.53
1:B:89:GLN:HE22	4:B:304:V1F:C32	2.22	0.53
1:D:243[B]:ILE:H	1:D:243[B]:ILE:HD13	1.73	0.53
1:A:217[B]:ILE:CG2	1:A:221:GLN:OE1	2.57	0.53
1:C:60:LEU:HD11	1:C:171:GLU:HB3	1.91	0.52
1:C:148:MET:SD	1:C:219:GLN:HB2	2.50	0.52
4:D:302:V1F:H19	5:D:526:HOH:O	2.09	0.52
1:B:74:SER:O	1:B:84[C]:ARG:NH2	2.43	0.52
1:A:51:TYR:CD1	1:A:76:MET:HG2	2.44	0.51
4:B:304:V1F:H4	4:B:304:V1F:N25	2.26	0.51
1:B:148[A]:MET:HE3	5:B:483:HOH:O	2.08	0.51
1:A:159:PHE:HE2	1:A:217[B]:ILE:HG21	1.75	0.50
1:D:58:GLN:H	1:D:58:GLN:CD	2.18	0.50
1:A:159:PHE:HE2	1:A:217[B]:ILE:HD13	1.75	0.50
1:C:27:GLN:HE21	1:C:247:ARG:HH22	1.60	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:181:GLU:O	2:B:302:EDO:H22	2.12	0.49
1:B:99:ASP:OD1	1:B:101:HIS:HD2	1.94	0.49
1:D:91:HIS:HE1	4:D:302:V1F:F26	1.85	0.49
1:B:89:GLN:NE2	4:B:304:V1F:H9	2.26	0.49
1:B:77:HIS:CG	1:B:84[C]:ARG:HD2	2.47	0.48
1:B:84[C]:ARG:NH2	1:B:86:SER:OG	2.46	0.48
1:A:251:LYS:NZ	1:B:248:GLN:HE21	2.10	0.48
1:C:78:ILE:HG13	1:C:120:HIS:CD2	2.49	0.48
1:B:77:HIS:CE1	1:B:84[C]:ARG:HH11	2.31	0.47
1:C:252[B]:PHE:CE1	1:C:255:ARG:HB2	2.49	0.47
1:D:111[B]:HIS:HE1	5:D:412:HOH:O	1.97	0.47
1:B:60:LEU:HD11	1:B:171:GLU:HB3	1.97	0.47
1:C:252[A]:PHE:HE1	1:C:255:ARG:CB	2.20	0.47
1:C:164:HIS:HD2	5:C:522:HOH:O	1.96	0.46
1:C:101:HIS:HB3	1:C:111:HIS:HB2	1.97	0.46
1:D:4:TRP:CH2	1:D:199:THR:HB	2.51	0.46
1:A:159:PHE:CE2	1:A:217[B]:ILE:HD13	2.50	0.46
1:B:135[B]:LYS:HD3	1:B:135[B]:LYS:HA	1.76	0.46
1:C:38:GLN:O	1:C:258:TYR:HA	2.16	0.46
1:B:135[B]:LYS:CE	5:C:476:HOH:O	2.63	0.46
1:C:119:VAL:HG11	4:C:302:V1F:H14	1.98	0.45
1:D:27:GLN:HE21	1:D:247:ARG:HH22	1.62	0.45
1:D:197:LEU:HB3	4:D:302:V1F:F12	2.06	0.45
1:A:60:LEU:HD11	1:A:171:GLU:HB3	1.99	0.45
1:A:154:SER:O	1:A:157:LYS:HG2	2.17	0.44
1:A:27:GLN:HE21	1:A:247:ARG:HH12	1.65	0.44
1:D:91:HIS:CE1	4:D:302:V1F:F26	2.60	0.44
1:B:134:ASN:C	1:B:135[B]:LYS:HD3	2.41	0.44
1:D:61:LEU:O	1:D:171:GLU:HA	2.18	0.44
1:C:30:ILE:HD13	1:C:252[B]:PHE:CE1	2.53	0.43
1:B:61:LEU:O	1:B:171:GLU:HA	2.17	0.43
1:D:58:GLN:NE2	5:D:402:HOH:O	2.50	0.43
1:A:253:ASP:C	1:A:255:ARG:H	2.25	0.43
1:B:27:GLN:HE21	1:B:247:ARG:HH22	1.66	0.43
1:C:27:GLN:HE21	1:C:247:ARG:HH12	1.62	0.43
1:B:27:GLN:HE21	1:B:247:ARG:HH12	1.67	0.43
1:C:46:LEU:HD12	1:C:46:LEU:N	2.34	0.43
1:C:252[A]:PHE:O	1:C:253[A]:ASP:OD1	2.36	0.43
1:C:252[B]:PHE:CE1	1:C:255:ARG:NE	2.87	0.43
1:D:119:VAL:HG21	4:D:302:V1F:F26	2.09	0.43
1:B:52:ASN:HA	1:B:178:ASN:HA	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:46:LEU:HD23	1:A:46:LEU:HA	1.79	0.42
1:C:252[A]:PHE:C	1:C:253[A]:ASP:OD1	2.61	0.42
1:D:133[A]:SER:HB2	4:D:302:V1F:H16	2.01	0.42
1:D:199:THR:OG1	4:D:302:V1F:F13	2.28	0.42
1:B:135[B]:LYS:NZ	1:C:38:GLN:OE1	2.52	0.42
1:D:101:HIS:HB3	1:D:111[A]:HIS:HB3	2.02	0.42
1:D:197:LEU:HD22	4:D:302:V1F:C3	2.49	0.42
1:B:253:ASP:C	1:B:255:ARG:H	2.28	0.41
1:C:132:ALA:O	1:C:138:GLY:HA3	2.19	0.41
1:D:255:ARG:O	1:D:256:LEU:HD23	2.20	0.41
1:C:52:ASN:HA	1:C:178:ASN:HA	2.01	0.41
1:C:149:GLY:O	1:C:218:SER:HA	2.20	0.41
1:B:4:TRP:CH2	1:B:199:THR:HB	2.56	0.41
1:D:230:TYR:CE2	1:D:241:GLU:HG3	2.56	0.41
1:D:219[B]:GLN:HG3	5:D:453:HOH:O	2.20	0.41
1:C:252[A]:PHE:CE1	1:C:255:ARG:HB3	2.51	0.40
1:B:199:THR:OG1	4:B:304:V1F:F13	2.28	0.40
1:C:251:LYS:HZ2	1:D:248:GLN:HE21	1.66	0.40
1:B:132:ALA:O	1:B:138:GLY:HA3	2.22	0.40
1:C:252[A]:PHE:CZ	1:C:257:VAL:HG23	2.57	0.40
1:D:85:TYR:HB3	1:D:120:HIS:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	266/263 (101%)	256 (96%)	10 (4%)	0	100	100
1	B	265/263 (101%)	257 (97%)	8 (3%)	0	100	100
1	C	267/263 (102%)	259 (97%)	8 (3%)	0	100	100
1	D	266/263 (101%)	259 (97%)	7 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1064/1052 (101%)	1031 (97%)	33 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	240/235 (102%)	231 (96%)	9 (4%)	29	17
1	B	239/235 (102%)	235 (98%)	4 (2%)	53	45
1	C	241/235 (103%)	230 (95%)	11 (5%)	24	12
1	D	240/235 (102%)	230 (96%)	10 (4%)	26	14
All	All	960/940 (102%)	926 (96%)	34 (4%)	34	19

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LYS
1	A	76	MET
1	A	78	ILE
1	A	82[A]	GLN
1	A	82[B]	GLN
1	A	89	GLN
1	A	156	ASP
1	A	235	ASP
1	A	263	GLN
1	B	89	GLN
1	B	156	ASP
1	B	253	ASP
1	B	254	GLU
1	C	3	LYS
1	C	18	LYS
1	C	25	LEU
1	C	26	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	89	GLN
1	C	135	LYS
1	C	156	ASP
1	C	219	GLN
1	C	253[A]	ASP
1	C	253[B]	ASP
1	C	263	GLN
1	D	89	GLN
1	D	111[A]	HIS
1	D	111[B]	HIS
1	D	156	ASP
1	D	219[A]	GLN
1	D	219[B]	GLN
1	D	241	GLU
1	D	253	ASP
1	D	254	GLU
1	D	263	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (38) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	13	ASN
1	A	27	GLN
1	A	77	HIS
1	A	79	GLN
1	A	101	HIS
1	A	110	GLN
1	A	219	GLN
1	A	233	HIS
1	A	248	GLN
1	A	250	GLN
1	B	13	ASN
1	B	27	GLN
1	B	56	ASN
1	B	58	GLN
1	B	82	GLN
1	B	89	GLN
1	B	111	HIS
1	B	203	ASN
1	B	219	GLN
1	B	248	GLN
1	B	250	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	27	GLN
1	C	101	HIS
1	C	164	HIS
1	C	213	ASN
1	C	219	GLN
1	C	233	HIS
1	C	248	GLN
1	C	250	GLN
1	D	13	ASN
1	D	27	GLN
1	D	56	ASN
1	D	58	GLN
1	D	66	HIS
1	D	82	GLN
1	D	89	GLN
1	D	101	HIS
1	D	248	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 4 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	EDO	B	301	-	3,3,3	0.41	0	2,2,2	0.72	0
4	V1F	C	302	3	34,34,34	2.84	11 (32%)	48,50,50	3.88	14 (29%)
4	V1F	D	302	3	34,34,34	3.05	9 (26%)	48,50,50	2.79	12 (25%)
2	EDO	A	301	-	3,3,3	0.59	0	2,2,2	0.13	0
2	EDO	B	302	-	3,3,3	0.49	0	2,2,2	0.35	0
4	V1F	B	304	3	34,34,34	2.63	10 (29%)	48,50,50	3.57	13 (27%)
4	V1F	A	303	3	34,34,34	2.82	6 (17%)	48,50,50	3.51	8 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	B	301	-	-	0/1/1/1	-
4	V1F	C	302	3	-	10/23/23/23	0/3/3/3
4	V1F	D	302	3	-	10/23/23/23	0/3/3/3
2	EDO	A	301	-	-	1/1/1/1	-
2	EDO	B	302	-	-	1/1/1/1	-
4	V1F	B	304	3	-	9/23/23/23	0/3/3/3
4	V1F	A	303	3	-	6/23/23/23	0/3/3/3

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	302	V1F	O22-S11	8.85	1.56	1.44
4	D	302	V1F	S7-N10	8.79	1.77	1.60
4	D	302	V1F	O23-S11	8.45	1.55	1.44
4	A	303	V1F	S7-N10	8.33	1.76	1.60
4	C	302	V1F	O23-S11	8.30	1.55	1.44
4	C	302	V1F	O22-S11	7.70	1.54	1.44
4	A	303	V1F	O23-S11	7.43	1.54	1.44
4	B	304	V1F	O23-S11	7.41	1.54	1.44
4	A	303	V1F	O22-S11	7.29	1.54	1.44
4	C	302	V1F	S7-N10	7.03	1.74	1.60
4	B	304	V1F	O22-S11	6.99	1.53	1.44
4	B	304	V1F	S7-N10	6.53	1.73	1.60
4	A	303	V1F	O8-S7	5.84	1.54	1.43
4	A	303	V1F	O9-S7	5.83	1.54	1.43
4	B	304	V1F	O9-S7	5.02	1.52	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	302	V1F	O8-S7	4.38	1.51	1.43
4	D	302	V1F	C4-S7	3.65	1.84	1.78
4	C	302	V1F	C4-S7	3.47	1.84	1.78
4	D	302	V1F	O9-S7	3.28	1.49	1.43
4	C	302	V1F	O9-S7	3.18	1.49	1.43
4	B	304	V1F	O8-S7	3.13	1.49	1.43
4	D	302	V1F	O8-S7	3.09	1.49	1.43
4	D	302	V1F	C2-C3	3.06	1.42	1.38
4	C	302	V1F	F13-C2	3.02	1.39	1.34
4	C	302	V1F	C2-C3	2.73	1.42	1.38
4	D	302	V1F	C21-S11	2.70	1.82	1.77
4	B	304	V1F	C2-C3	2.64	1.42	1.38
4	C	302	V1F	C21-S11	2.52	1.82	1.77
4	B	304	V1F	C4-S7	2.38	1.82	1.78
4	B	304	V1F	C28-C29	2.32	1.42	1.38
4	A	303	V1F	C21-S11	2.28	1.82	1.77
4	B	304	V1F	C21-S11	2.24	1.82	1.77
4	C	302	V1F	C14-C15	-2.22	1.46	1.51
4	B	304	V1F	C27-C31	2.14	1.42	1.38
4	D	302	V1F	C6-C5	2.03	1.42	1.39
4	C	302	V1F	C2-C1	2.01	1.42	1.39

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	304	V1F	O23-S11-O22	-20.33	96.66	118.45
4	C	302	V1F	O23-S11-O22	-20.16	96.84	118.45
4	A	303	V1F	O23-S11-O22	-18.51	98.61	118.45
4	D	302	V1F	O23-S11-O22	-15.36	101.98	118.45
4	A	303	V1F	O8-S7-O9	-11.01	101.86	118.80
4	C	302	V1F	O8-S7-C4	9.23	120.84	107.28
4	C	302	V1F	O9-S7-N10	7.85	118.66	107.35
4	B	304	V1F	C21-C24-C30	5.54	123.85	111.87
4	C	302	V1F	C4-S7-N10	-5.37	98.59	108.26
4	B	304	V1F	O23-S11-C21	5.19	116.68	108.18
4	B	304	V1F	O8-S7-C4	-5.12	99.75	107.28
4	A	303	V1F	C4-S7-N10	4.91	117.09	108.26
4	B	304	V1F	O8-S7-N10	4.86	114.36	107.35
4	A	303	V1F	C3-C4-C5	4.75	119.90	116.65
4	D	302	V1F	O8-S7-O9	-4.68	111.60	118.80
4	C	302	V1F	O8-S7-O9	-4.52	111.84	118.80
4	A	303	V1F	O9-S7-C4	4.48	113.86	107.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	304	V1F	O8-S7-O9	-4.37	112.08	118.80
4	A	303	V1F	C21-S11-C1	4.18	125.47	108.15
4	C	302	V1F	O8-S7-N10	-4.12	101.41	107.35
4	D	302	V1F	O9-S7-C4	3.90	113.01	107.28
4	A	303	V1F	O8-S7-C4	3.56	112.50	107.28
4	C	302	V1F	C3-C2-C1	-3.55	117.48	121.78
4	D	302	V1F	C21-S11-C1	3.49	122.62	108.15
4	C	302	V1F	F12-C3-C4	-3.36	114.71	120.76
4	C	302	V1F	C15-C14-N25	-3.25	104.58	113.60
4	D	302	V1F	O8-S7-N10	3.11	111.84	107.35
4	C	302	V1F	C21-S11-C1	3.10	120.99	108.15
4	D	302	V1F	C21-C24-C30	2.94	118.22	111.87
4	C	302	V1F	C16-C15-C20	2.93	122.59	118.23
4	D	302	V1F	O8-S7-C4	-2.89	103.02	107.28
4	B	304	V1F	C4-S7-N10	2.88	113.44	108.26
4	B	304	V1F	O23-S11-C1	2.84	113.78	106.59
4	C	302	V1F	C5-C6-C1	2.65	120.65	115.97
4	C	302	V1F	C3-C4-C5	2.52	118.38	116.65
4	D	302	V1F	C5-C6-C1	2.49	120.36	115.97
4	D	302	V1F	C16-C15-C20	2.43	121.84	118.23
4	D	302	V1F	F13-C2-C1	-2.38	116.48	120.76
4	D	302	V1F	O22-S11-C1	2.38	112.61	106.59
4	B	304	V1F	O9-S7-C4	2.37	110.76	107.28
4	B	304	V1F	C5-C6-C1	2.34	120.10	115.97
4	B	304	V1F	C3-C4-C5	2.20	118.16	116.65
4	B	304	V1F	F13-C2-C1	-2.12	116.95	120.76
4	C	302	V1F	F26-C5-C4	-2.11	116.96	120.76
4	A	303	V1F	C1-C6-N25	-2.07	119.07	122.52
4	D	302	V1F	C2-C1-S11	-2.02	115.91	120.87
4	B	304	V1F	O22-S11-C21	-2.01	104.89	108.18

There are no chirality outliers.

All (37) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	303	V1F	C3-C4-S7-N10
4	A	303	V1F	C6-C1-S11-O23
4	A	303	V1F	C24-C21-S11-C1
4	B	304	V1F	C2-C1-S11-O23
4	B	304	V1F	C2-C1-S11-C21
4	B	304	V1F	C6-C1-S11-O23
4	B	304	V1F	C6-C1-S11-C21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	B	304	V1F	S11-C21-C24-C30
4	C	302	V1F	C3-C4-S7-N10
4	C	302	V1F	C3-C4-S7-O8
4	C	302	V1F	C2-C1-S11-C21
4	C	302	V1F	C6-C1-S11-O22
4	C	302	V1F	C24-C21-S11-C1
4	D	302	V1F	C2-C1-S11-O22
4	D	302	V1F	C6-C1-S11-O22
4	D	302	V1F	C6-C1-S11-O23
4	D	302	V1F	C6-C1-S11-C21
4	D	302	V1F	S11-C21-C24-C30
4	B	304	V1F	C5-C4-S7-N10
4	B	304	V1F	C15-C14-N25-C6
4	C	302	V1F	C5-C4-S7-O8
4	D	302	V1F	C5-C4-S7-N10
2	B	302	EDO	O1-C1-C2-O2
4	B	304	V1F	C5-C6-N25-C14
4	A	303	V1F	C24-C21-S11-O22
4	C	302	V1F	C24-C21-S11-O23
4	C	302	V1F	C6-C1-S11-O23
4	B	304	V1F	C24-C21-S11-O23
4	C	302	V1F	C6-C1-S11-C21
4	C	302	V1F	C2-C1-S11-O22
4	A	303	V1F	C5-C4-S7-O9
4	A	303	V1F	C3-C4-S7-O9
4	D	302	V1F	C15-C14-N25-C6
4	D	302	V1F	C5-C6-N25-C14
2	A	301	EDO	O1-C1-C2-O2
4	D	302	V1F	C3-C4-S7-O9
4	D	302	V1F	C2-C1-S11-C21


There are no ring outliers.

5 monomers are involved in 19 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	302	V1F	4	0
4	D	302	V1F	8	0
2	B	302	EDO	1	0
4	B	304	V1F	5	0
4	A	303	V1F	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,


bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand V1F D 302




Bond lengths



Bond angles





Torsions



Rings

Ligand V1F B 304





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	261/263 (99%)	-0.34	8 (3%)	51	51	5, 16, 35, 50	12 (4%)
1	B	260/263 (98%)	-0.52	2 (0%)	82	83	6, 14, 29, 60	6 (2%)
1	C	261/263 (99%)	-0.50	2 (0%)	82	83	5, 15, 33, 51	9 (3%)
1	D	261/263 (99%)	-0.39	2 (0%)	82	83	5, 17, 32, 59	8 (3%)
All	All	1043/1052 (99%)	-0.44	14 (1%)	75	75	5, 15, 33, 60	35 (3%)

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	237	PRO	6.6
1	A	238	SER	4.6
1	C	252[A]	PHE	4.2
1	D	254	GLU	4.1
1	A	235	ASP	3.3
1	D	253	ASP	3.2
1	B	84[A]	ARG	3.0
1	C	7	PHE	2.4
1	A	7	PHE	2.4
1	B	253	ASP	2.3
1	A	135	LYS	2.3
1	A	254	GLU	2.2
1	A	217[A]	ILE	2.0
1	A	263	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	EDO	B	302	4/4	0.82	0.14	48,53,55,57	0
4	V1F	A	303	32/32	0.84	0.18	16,54,64,68	0
4	V1F	D	302	32/32	0.89	0.17	16,50,56,67	0
4	V1F	C	302	32/32	0.91	0.13	16,46,60,62	0
4	V1F	B	304	32/32	0.92	0.12	14,35,44,45	0
2	EDO	B	301	4/4	0.94	0.06	22,25,27,29	0
2	EDO	A	301	4/4	0.98	0.04	23,24,24,24	0
3	ZN	A	302	1/1	1.00	0.01	10,10,10,10	0
3	ZN	B	303	1/1	1.00	0.02	10,10,10,10	0
3	ZN	C	301	1/1	1.00	0.01	9,9,9,9	0
3	ZN	D	301	1/1	1.00	0.01	11,11,11,11	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around V1F A 303:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around V1F D 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around V1F C 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around V1F B 304:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.