



wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 6, 2026 – 01:34 PM EDT

PDB ID : 7RQE / pdb_00007rqe
Title : Crystal structure of the Thermus thermophilus 70S ribosome in complex with protein Y, A-site deacylated tRNA analog CACCA, P-site MAI-tripeptidyl-tRNA analog ACCA-IAM, and chloramphenicol at 2.40Å resolution
Authors : Syroegin, E.A.; Flemmich, L.; Klepacki, D.; Vazquez-Laslop, N.; Micura, R.; Polikanov, Y.S.
Deposited on : 2021-08-06
Resolution : 2.40 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.









Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)
RNA backbone	3983	1155 (2.70-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1A	2915	5% 65% 28% 6%
1	2A	2915	5% 59% 32% 7%
2	1B	121	2% 69% 26% .
2	2B	121	3% 55% 40% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	1D	276	
3	2D	276	
4	1E	206	
4	2E	206	
5	1F	210	
5	2F	210	
6	1G	182	
6	2G	182	
7	1H	180	
7	2H	180	
8	1I	148	
8	2I	148	
9	1N	140	
9	2N	140	
10	1O	122	
10	2O	122	
11	1P	150	
11	2P	150	
12	1Q	141	
12	2Q	141	
13	1R	118	
13	2R	118	
14	1S	112	
14	2S	112	
15	1T	146	






Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	2T	146	
16	1U	118	
16	2U	118	
17	1V	101	
17	2V	101	
18	1W	113	
18	2W	113	
19	1X	96	
19	2X	96	
20	1Y	110	
20	2Y	110	
21	1Z	206	
21	2Z	206	
22	10	85	
22	20	85	
23	11	98	
23	21	98	
24	12	72	
24	22	72	
25	13	60	
25	23	60	
26	14	71	
26	24	71	
27	15	60	
27	25	60	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
28	16	54	
28	26	54	
29	17	49	
29	27	49	
30	18	65	
30	28	65	
31	19	37	
31	29	37	
32	1a	1521	
32	2a	1521	
33	1b	256	
33	2b	256	
34	1c	239	
34	2c	239	
35	1d	209	
35	2d	209	
36	1e	162	
36	2e	162	
37	1f	101	
37	2f	101	
38	1g	156	
38	2g	156	
39	1h	138	
39	2h	138	
40	1i	128	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
40	2i	128	
41	1j	105	
41	2j	105	
42	1k	129	
42	2k	129	
43	1l	132	
43	2l	132	
44	1m	126	
44	2m	126	
45	1n	61	
45	2n	61	
46	1o	89	
46	2o	89	
47	1p	88	
47	2p	88	
48	1q	105	
48	2q	105	
49	1r	88	
49	2r	88	
50	1s	93	
50	2s	93	
51	1t	106	
51	2t	106	
52	1u	27	
52	2u	27	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
53	1y	113	
53	2y	113	
54	1w	5	
54	2w	5	
55	1x	4	
55	2x	4	
56	1v	3	
56	2v	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
57	MG	1A	3323	-	-	-	X
57	MG	2a	3050	-	-	-	X

2 Entry composition

There are 63 unique types of molecules in this entry. The entry contains 297868 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	1A	2872	Total	C	N	O	P	0	0	0
			61869	27540	11574	19884	2871			
1	2A	2867	Total	C	N	O	P	0	0	0
			61758	27491	11552	19850	2865			

- Molecule 2 is a RNA chain called 5S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	1B	120	Total	C	N	O	P	0	0	0
			2572	1145	476	832	119			
2	2B	120	Total	C	N	O	P	0	0	0
			2573	1146	476	832	119			

- Molecule 3 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	1D	275	Total	C	N	O	S	0	0	0
			2131	1346	422	360	3			
3	2D	275	Total	C	N	O	S	0	0	0
			2136	1349	423	361	3			

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	1E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			
4	2E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			

- Molecule 5 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	1F	203	Total	C	N	O	S	0	0	1
			1584	1009	298	275	2			
5	2F	203	Total	C	N	O	S	0	0	1
			1580	1007	297	274	2			

- Molecule 6 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	1G	181	Total	C	N	O	S	0	0	0
			1426	916	253	253	4			
6	2G	181	Total	C	N	O	S	0	0	0
			1424	912	259	249	4			

- Molecule 7 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	1H	174	Total	C	N	O	S	0	0	0
			1330	845	248	236	1			
7	2H	173	Total	C	N	O	S	0	0	0
			1324	842	247	234	1			

- Molecule 8 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	1I	147	Total	C	N	O	S	0	0	0
			1094	699	191	203	1			
8	2I	146	Total	C	N	O	S	0	0	0
			1076	687	186	202	1			

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	1N	140	Total	C	N	O	S	0	0	0
			1121	722	208	187	4			
9	2N	140	Total	C	N	O	S	0	0	0
			1117	719	207	187	4			

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	1O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	2O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	1P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			
11	2P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	1Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			
12	2Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	1R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			
13	2R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
14	1S	110	Total	C	N	O	0	0	0
			877	553	175	149			
14	2S	110	Total	C	N	O	0	0	0
			870	549	173	148			

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	1T	131	Total	C	N	O	S	0	0	0
			1091	680	225	185	1			
15	2T	131	Total	C	N	O	S	0	0	0
			1083	675	224	183	1			

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	1U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			
16	2U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	1V	101	Total	C	N	O	S	0	0	0
			775	498	141	135	1			
17	2V	101	Total	C	N	O	S	0	0	0
			771	495	140	135	1			

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	1W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			
18	2W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	1X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			
19	2X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	1Y	107	Total	C	N	O	S	0	0	0
			810	520	153	131	6			
20	2Y	107	Total	C	N	O	S	0	0	0
			810	519	153	132	6			

- Molecule 21 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	1Z	203	Total	C	N	O	S	0	0	0
			1587	1011	282	292	2			
21	2Z	201	Total	C	N	O	S	0	0	0
			1557	995	274	286	2			

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	10	83	Total	C	N	O	S	0	0	0
			653	404	139	109	1			
22	20	83	Total	C	N	O	S	0	0	0
			650	401	139	109	1			

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	11	97	Total	C	N	O	S	0	0	0
			754	475	148	130	1			
23	21	97	Total	C	N	O	S	0	0	0
			759	478	149	131	1			

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	12	70	Total	C	N	O	S	0	0	0
			588	365	118	103	2			
24	22	70	Total	C	N	O	S	0	0	0
			592	368	119	103	2			

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
25	13	59	Total	C	N	O	0	0	0
			469	298	90	81			
25	23	59	Total	C	N	O	0	0	0
			464	296	90	78			

- Molecule 26 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	14	69	Total	C	N	O	S	0	0	0
			546	346	96	99	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	24	69	Total	C	N	O	S	0	0	0
			536	342	98	91	5			

- Molecule 27 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	15	59	Total	C	N	O	S	0	0	0
			459	288	90	76	5			
27	25	59	Total	C	N	O	S	0	0	0
			455	285	89	76	5			

- Molecule 28 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	16	53	Total	C	N	O	S	0	0	0
			453	281	91	77	4			
28	26	53	Total	C	N	O	S	0	0	0
			449	279	91	75	4			

- Molecule 29 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	17	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			
29	27	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			

- Molecule 30 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	18	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			
30	28	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			

- Molecule 31 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	19	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			
31	29	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			

- Molecule 32 is a RNA chain called 16S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	1a	1500	Total	C	N	O	P	0	0	0
			32246	14358	5975	10413	1500			
32	2a	1504	Total	C	N	O	P	0	0	0
			32331	14396	5990	10441	1504			

- Molecule 33 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	1b	231	Total	C	N	O	S	0	0	0
			1842	1175	330	332	5			
33	2b	231	Total	C	N	O	S	0	0	0
			1825	1167	326	327	5			

- Molecule 34 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	1c	206	Total	C	N	O	S	0	0	0
			1558	979	305	273	1			
34	2c	206	Total	C	N	O	S	0	0	0
			1542	968	300	273	1			

- Molecule 35 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	1d	208	Total	C	N	O	S	0	0	0
			1665	1043	329	286	7			
35	2d	208	Total	C	N	O	S	0	0	0
			1668	1047	330	284	7			

- Molecule 36 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	1e	148	Total	C	N	O	S	0	0	0
			1133	716	214	199	4			
36	2e	148	Total	C	N	O	S	0	0	0
			1133	716	214	199	4			

- Molecule 37 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	1f	100	Total	C	N	O	S	0	0	0
			814	516	144	151	3			
37	2f	100	Total	C	N	O	S	0	0	0
			816	516	146	151	3			

- Molecule 38 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	1g	155	Total	C	N	O	S	0	0	0
			1235	769	244	216	6			
38	2g	155	Total	C	N	O	S	0	0	0
			1229	766	241	216	6			

- Molecule 39 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	1h	137	Total	C	N	O	S	0	0	0
			1098	694	210	192	2			
39	2h	137	Total	C	N	O	S	0	0	0
			1088	689	206	191	2			

- Molecule 40 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
40	1i	127	Total	C	N	O	0	0	0
			986	625	193	168			
40	2i	126	Total	C	N	O	0	0	0
			966	613	186	167			

- Molecule 41 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
41	1j	97	Total	C	N	O	0	0	0
			719	446	142	131			
41	2j	96	Total	C	N	O	0	0	0
			710	442	137	131			

- Molecule 42 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	1k	114	Total	C	N	O	S	0	0	0
			834	520	156	155	3			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	2k	114	Total	C	N	O	S	0	0	0
			833	519	156	155	3			

- Molecule 43 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	1l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			
43	2l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			

- Molecule 44 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	1m	116	Total	C	N	O	S	0	0	0
			914	564	189	159	2			
44	2m	114	Total	C	N	O	S	0	0	0
			895	550	186	157	2			

- Molecule 45 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	1n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			
45	2n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 46 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	1o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			
46	2o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			

- Molecule 47 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	1p	82	Total	C	N	O	S	0	0	0
			681	433	134	113	1			
47	2p	82	Total	C	N	O	S	0	0	0
			677	430	133	113	1			

- Molecule 48 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	1q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			
48	2q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			

- Molecule 49 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	1r	68	Total	C	N	O		0	0	0
			555	355	108	92				
49	2r	68	Total	C	N	O		0	0	0
			555	355	108	92				

- Molecule 50 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	1s	83	Total	C	N	O	S	0	0	0
			648	415	120	111	2			
50	2s	83	Total	C	N	O	S	0	0	0
			645	410	118	115	2			

- Molecule 51 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	1t	96	Total	C	N	O	S	0	0	0
			732	449	157	124	2			
51	2t	98	Total	C	N	O	S	0	0	0
			733	451	154	126	2			

- Molecule 52 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
52	1u	23	Total	C	N	O		0	0	0
			199	122	48	29				
52	2u	23	Total	C	N	O		0	0	0
			199	122	48	29				

- Molecule 53 is a protein called Ribosome-associated inhibitor A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	1y	97	Total	C	N	O	S	0	0	0
			764	478	144	139	3			
53	2y	96	Total	C	N	O	S	0	0	0
			749	468	141	137	3			

- Molecule 54 is a RNA chain called A-site Deacylated tRNA Analog.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
54	1w	4	Total	C	N	O	P	0	0	1
			63	28	11	21	3			
54	2w	4	Total	C	N	O	P	0	0	1
			63	28	11	21	3			

- Molecule 55 is a RNA chain called P-site Peptidyl-tRNA Analog RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
55	1x	4	Total	C	N	O	P	0	0	1
			63	28	12	20	3			
55	2x	4	Total	C	N	O	P	0	0	1
			63	28	12	20	3			

- Molecule 56 is a protein called P-site Peptidyl-tRNA Analog Peptide.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
56	1v	3	Total	C	N	O	S	0	0	0
			21	14	3	3	1			
56	2v	3	Total	C	N	O	S	0	0	0
			21	14	3	3	1			

- Molecule 57 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	1A	1016	Total	Mg	0	0
			1016	1016		
57	1B	30	Total	Mg	0	0
			30	30		
57	1D	21	Total	Mg	0	0
			21	21		
57	1E	8	Total	Mg	0	0
			8	8		
57	1F	18	Total	Mg	0	0
			18	18		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	1G	4	Total 4	Mg 4	0	0
57	1H	2	Total 2	Mg 2	0	0
57	1N	4	Total 4	Mg 4	0	0
57	1O	1	Total 1	Mg 1	0	0
57	1P	5	Total 5	Mg 5	0	0
57	1Q	5	Total 5	Mg 5	0	0
57	1R	5	Total 5	Mg 5	0	0
57	1T	7	Total 7	Mg 7	0	0
57	1U	6	Total 6	Mg 6	0	0
57	1V	7	Total 7	Mg 7	0	0
57	1W	3	Total 3	Mg 3	0	0
57	1X	1	Total 1	Mg 1	0	0
57	1Y	2	Total 2	Mg 2	0	0
57	1Z	1	Total 1	Mg 1	0	0
57	10	8	Total 8	Mg 8	0	0
57	11	5	Total 5	Mg 5	0	0
57	13	3	Total 3	Mg 3	0	0
57	15	7	Total 7	Mg 7	0	0
57	17	5	Total 5	Mg 5	0	0
57	18	3	Total 3	Mg 3	0	0
57	19	3	Total 3	Mg 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	1a	266	Total 266	Mg 266	0	0
57	1b	1	Total 1	Mg 1	0	0
57	1d	4	Total 4	Mg 4	0	0
57	1e	2	Total 2	Mg 2	0	0
57	1f	2	Total 2	Mg 2	0	0
57	1g	2	Total 2	Mg 2	0	0
57	1h	2	Total 2	Mg 2	0	0
57	1i	1	Total 1	Mg 1	0	0
57	1l	2	Total 2	Mg 2	0	0
57	1m	1	Total 1	Mg 1	0	0
57	1n	3	Total 3	Mg 3	0	0
57	1o	2	Total 2	Mg 2	0	0
57	1t	2	Total 2	Mg 2	0	0
57	1y	2	Total 2	Mg 2	0	0
57	1x	2	Total 2	Mg 2	0	0
57	2A	746	Total 746	Mg 746	0	0
57	2B	19	Total 19	Mg 19	0	0
57	2D	8	Total 8	Mg 8	0	0
57	2E	8	Total 8	Mg 8	0	0
57	2F	4	Total 4	Mg 4	0	0
57	2G	3	Total 3	Mg 3	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	2I	1	Total 1	Mg 1	0	0
57	2N	1	Total 1	Mg 1	0	0
57	2O	2	Total 2	Mg 2	0	0
57	2P	2	Total 2	Mg 2	0	0
57	2Q	3	Total 3	Mg 3	0	0
57	2R	2	Total 2	Mg 2	0	0
57	2T	4	Total 4	Mg 4	0	0
57	2U	1	Total 1	Mg 1	0	0
57	2V	3	Total 3	Mg 3	0	0
57	2W	3	Total 3	Mg 3	0	0
57	2X	1	Total 1	Mg 1	0	0
57	2Y	1	Total 1	Mg 1	0	0
57	20	2	Total 2	Mg 2	0	0
57	21	1	Total 1	Mg 1	0	0
57	23	1	Total 1	Mg 1	0	0
57	25	3	Total 3	Mg 3	0	0
57	27	1	Total 1	Mg 1	0	0
57	28	2	Total 2	Mg 2	0	0
57	2a	190	Total 190	Mg 190	0	0
57	2e	1	Total 1	Mg 1	0	0
57	2f	1	Total 1	Mg 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	2j	2	Total	Mg	0	0
			2	2		
57	2r	1	Total	Mg	0	0
			1	1		
57	2t	1	Total	Mg	0	0
			1	1		
57	2x	1	Total	Mg	0	0
			1	1		

- Molecule 58 is CHLORAMPHENICOL (CCD ID: CLM) (formula: $C_{11}H_{12}Cl_2N_2O_5$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
58	1A	1	Total	C	Cl	N	O	0	0
			20	11	2	2	5		
58	2A	1	Total	C	Cl	N	O	0	0
			20	11	2	2	5		

- Molecule 59 is ARGinine (CCD ID: ARG) (formula: $C_6H_{15}N_4O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
59	1A	1	Total	C	N	O	0	0
			12	6	4	2		
59	1B	1	Total	C	N	O	0	0
			12	6	4	2		

- Molecule 60 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
60	1A	1	Total	C	O	0	0
			8	6	2		
60	1T	1	Total	C	O	0	0
			8	6	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
60	18	1	Total	C	O	0	0
			8	6	2		
60	1a	1	Total	C	O	0	0
			8	6	2		
60	2A	1	Total	C	O	0	0
			8	6	2		
60	2B	1	Total	C	O	0	0
			8	6	2		

- Molecule 61 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	1Y	1	Total	Zn	0	0
			1	1		
61	14	1	Total	Zn	0	0
			1	1		
61	15	1	Total	Zn	0	0
			1	1		
61	16	1	Total	Zn	0	0
			1	1		
61	19	1	Total	Zn	0	0
			1	1		
61	1n	1	Total	Zn	0	0
			1	1		
61	2Y	1	Total	Zn	0	0
			1	1		
61	24	1	Total	Zn	0	0
			1	1		
61	25	1	Total	Zn	0	0
			1	1		
61	26	1	Total	Zn	0	0
			1	1		
61	29	1	Total	Zn	0	0
			1	1		
61	2n	1	Total	Zn	0	0
			1	1		

- Molecule 62 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe₄S₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
62	1d	1	Total	Fe	S	0	0
			8	4	4		
62	2d	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 63 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
63	1A	4023	Total	O	0	0
			4023	4023		
63	1B	93	Total	O	0	0
			93	93		
63	1D	112	Total	O	0	0
			112	112		
63	1E	81	Total	O	0	0
			81	81		
63	1F	61	Total	O	0	0
			61	61		
63	1G	20	Total	O	0	0
			20	20		
63	1H	12	Total	O	0	0
			12	12		
63	1I	6	Total	O	0	0
			6	6		
63	1N	51	Total	O	0	0
			51	51		
63	1O	24	Total	O	0	0
			24	24		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
63	1P	71	Total 71	O 71	0	0
63	1Q	41	Total 41	O 41	0	0
63	1R	33	Total 33	O 33	0	0
63	1S	16	Total 16	O 16	0	0
63	1T	34	Total 34	O 34	0	0
63	1U	54	Total 54	O 54	0	0
63	1V	42	Total 42	O 42	0	0
63	1W	29	Total 29	O 29	0	0
63	1X	23	Total 23	O 23	0	0
63	1Y	16	Total 16	O 16	0	0
63	1Z	12	Total 12	O 12	0	0
63	10	25	Total 25	O 25	0	0
63	11	22	Total 22	O 22	0	0
63	12	13	Total 13	O 13	0	0
63	13	21	Total 21	O 21	0	0
63	14	2	Total 2	O 2	0	0
63	15	26	Total 26	O 26	0	0
63	16	20	Total 20	O 20	0	0
63	17	16	Total 16	O 16	0	0
63	18	30	Total 30	O 30	0	0
63	19	6	Total 6	O 6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
63	1a	378	Total 378	O 378	0	0
63	1b	1	Total 1	O 1	0	0
63	1d	3	Total 3	O 3	0	0
63	1e	3	Total 3	O 3	0	0
63	1f	2	Total 2	O 2	0	0
63	1h	1	Total 1	O 1	0	0
63	1j	1	Total 1	O 1	0	0
63	1l	6	Total 6	O 6	0	0
63	1o	2	Total 2	O 2	0	0
63	1p	3	Total 3	O 3	0	0
63	1t	1	Total 1	O 1	0	0
63	1y	2	Total 2	O 2	0	0
63	1w	5	Total 5	O 5	0	0
63	1x	3	Total 3	O 3	0	0
63	2A	2284	Total 2284	O 2284	0	0
63	2B	46	Total 46	O 46	0	0
63	2D	57	Total 57	O 57	0	0
63	2E	32	Total 32	O 32	0	0
63	2F	27	Total 27	O 27	0	0
63	2G	6	Total 6	O 6	0	0
63	2H	3	Total 3	O 3	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
63	2I	4	Total 4	O 4	0	0
63	2N	6	Total 6	O 6	0	0
63	2O	21	Total 21	O 21	0	0
63	2P	24	Total 24	O 24	0	0
63	2Q	17	Total 17	O 17	0	0
63	2R	16	Total 16	O 16	0	0
63	2S	5	Total 5	O 5	0	0
63	2T	13	Total 13	O 13	0	0
63	2U	16	Total 16	O 16	0	0
63	2V	5	Total 5	O 5	0	0
63	2W	17	Total 17	O 17	0	0
63	2X	8	Total 8	O 8	0	0
63	2Y	5	Total 5	O 5	0	0
63	2Z	11	Total 11	O 11	0	0
63	20	11	Total 11	O 11	0	0
63	21	20	Total 20	O 20	0	0
63	22	1	Total 1	O 1	0	0
63	23	3	Total 3	O 3	0	0
63	25	13	Total 13	O 13	0	0
63	26	5	Total 5	O 5	0	0
63	27	9	Total 9	O 9	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
63	28	11	Total 11	O 11	0	0
63	29	2	Total 2	O 2	0	0
63	2a	317	Total 317	O 317	0	0
63	2d	2	Total 2	O 2	0	0
63	2e	1	Total 1	O 1	0	0
63	2f	3	Total 3	O 3	0	0
63	2j	2	Total 2	O 2	0	0
63	2l	2	Total 2	O 2	0	0
63	2n	2	Total 2	O 2	0	0
63	2o	4	Total 4	O 4	0	0
63	2p	2	Total 2	O 2	0	0
63	2r	3	Total 3	O 3	0	0
63	2t	2	Total 2	O 2	0	0
63	2y	3	Total 3	O 3	0	0
63	2w	3	Total 3	O 3	0	0
63	2x	3	Total 3	O 3	0	0


U2615	G2505	G2396	G2299	G2182	C2026	A1913	G1772	G1642	G1525	U1396	U1266	A1126
C2616	G2506	G2397	A2305	C2183	A2030	A1914	A1773	G1643	G1526	C1399	G1267	A1127
G2617	G2507	C2404	C2306	C2185	A2031	U1915	U1778	C1644	A1528	U1405	U1268	A1128
G2618	G2508	G2405	G2307	G2186	G2032	U1916	U1779	C1645	U1406	U1406	U1269	U1130
C2619	G2515	U2406	G2308	G2187	A2033	A1917	U1780	G1646	G1530	G1416	G1266	C1135
G2620	G2516	G2407	A2309	G2188	G2034	A1918	C1781	G1647	C1531	G1417	U1267	G1136
G2621	G2517	G2408	G2310	U2189	G2035	A1919	C1782	A1654	C1532	G1418	A1268	C1137
G2622	G2518	G2409	G2311	G2190	C2036	A1920	A1783	A1655	G	G1419	G1270	G1139
G2623	G2519	G2410	C2312	G2191	C2037	U1921	A1784	A1656	U	A1419	G1271	C1140
G2624	G2520	G2411	U2192	G2192	C2038	U1922	A1785	A1657	C	U1420	U1272	U1141
G2625	G2521	G2412	U2193	G2193	C2039	C1924	A1786	A1658	G1537	G1421	U1273	A1143
G2626	G2522	G2413	G2194	G2194	C2040	G1925	A1791	A1659	U1540	C1428	C1297	A1144
G2627	G2523	G2414	U2195	G2195	A2051	G1926	C1792	A1660	U1541	G1429	C1298	C1150
G2628	G2524	G2415	G2196	G2196	C2052	G1927	C1793	U1671	U1542	A1430	G1299	C1151
G2629	G2525	G2416	G2197	G2197	G2053	A1928	U1794	G1672	C1543	U1431	U1300	A1155
G2630	G2526	G2417	G2198	G2198	A2054	A1929	C1795	G1673	C1544	G1441	A1301	C1156
G2631	G2527	G2418	G2199	G2199	G2055	A1930	U1796	G1674	C1545	G1442	A1302	C1157
G2632	G2528	G2419	G2200	G2200	G2056	A1931	C1797	G1675	C1546	A1445	A1303	G1164
G2633	G2529	G2420	G2201	G2201	A2056	A1932	U1798	G1676	C1547	G1446	G1304	C1165
G2634	G2530	G2421	G2202	G2202	G2057	A1933	U1799	G1677	C1548	G1447	G1305	G1166
G2635	G2531	G2422	G2203	G2203	C2058	U1934	U1800	G1678	A1566	G1448	G1306	G1167
G2636	G2532	G2423	G2204	G2204	C2059	U1935	G1801	U1688	A1567	G1449	C1315	G1168
G2637	G2533	G2424	G2205	G2205	G2060	U1936	A1802	U1689	G1568	G1450	C1316	G1169
G2638	G2534	G2425	G2206	G2206	G2061	G1937	A1803	U1690	G1569	C1450A	G1317	G1170
G2639	G2535	G2426	G2207	G2207	G2062	A1938	U1804	G1691	A1570	C1451	G1318	A1173
G2640	G2536	G2427	G2208	G2208	C2063	U1939	C1805	G1692	A1571	A1452	U1329	U1174
G2641	G2537	G2428	G2209	G2209	G2064	U1940	U1806	G1693	A1572	U1453	G1330	U1175
G2642	G2538	G2429	G2210	G2210	G2065	U1941	U1807	G1694	U1573	G1454	G1331	G1176
G2643	G2539	G2430	G2211	G2211	C2066	C1942	G1808	G1695	U1574	G1455	U1332	A1177
G2644	G2540	G2431	G2212	G2212	G2067	U1942	A1809	G1696	U1575	G1456	U1333	G1178
G2645	G2541	G2432	G2213	G2213	G2068	U1943	G1810	G1697	A1576	A1457	U1334	C1179
G2646	G2542	G2433	G2214	G2214	G2069	U1944	A1811	U1688	G1567	G1458	G1335	C1180
G2647	G2543	G2434	G2215	G2215	G2070	U1945	U1812	U1689	G1568	C1459	G1336	G1181
G2648	G2544	G2435	G2216	G2216	G2071	U1946	U1813	G1690	G1569	A1460	U1337	G1182
G2649	G2545	G2436	G2217	G2217	G2072	U1947	G1814	G1691	A1570	G1461	U1338	G1183
G2650	G2546	G2437	G2218	G2218	G2073	U1948	G1815	G1692	A1571	C1462	U1339	G1184
G2651	G2547	G2438	G2219	G2219	G2074	U1949	A1816	G1693	A1572	G1463	U1340	G1185
G2652	G2548	G2439	G2220	G2220	U2075	U1950	G1817	G1694	A1573	C1464	U1341	G1186
G2653	G2549	G2440	G2221	G2221	G2076	U1951	U1818	G1695	U1574	G1465	U1342	G1187
G2654	G2550	G2441	G2222	G2222	G2077	U1952	U1819	G1696	U1575	A1466	U1343	G1188
G2655	G2551	G2442	G2223	G2223	G2078	U1953	G1820	G1697	A1576	G1467	U1344	G1189
G2656	G2552	G2443	G2224	G2224	G2079	U1954	C1821	G1698	A1577	C1468	U1345	G1190
G2657	G2553	G2444	G2225	G2225	G2080	U1955	G1822	G1699	A1578	G1469	G1355	G1191
G2658	G2554	G2445	G2226	G2226	G2081	U1956	G1823	G1700	U1579	A1470	U1356	G1192
G2659	G2555	G2446	G2227	G2227	G2082	U1957	G1824	G1701	A1580	G1471	G1357	A1210
G2660	G2556	G2447	G2228	G2228	G2083	U1958	G1825	G1702	A1581	G1472	U1358	U1211
G2661	G2557	G2448	G2229	G2229	G2084	U1959	G1826	G1703	C1582	G1473	G1359	G1212
G2662	G2558	G2449	G2230	G2230	G2085	U1960	G1827	G1704	A1583	G1474	A1360	U1213
G2663	G2559	G2450	G2231	G2231	G2086	U1961	G1828	G1705	A1584	A1486	G1361	C1218
G2664	G2560	G2451	G2232	G2232	G2087	U1962	G1829	G1706	A1585	G1487	G1362	G1219
G2665	G2561	G2452	G2233	G2233	G2088	U1963	G1830	G1707	A1586	C1488	A1363	U1220
G2666	G2562	G2453	G2234	G2234	G2089	U1964	G1831	G1708	A1587	G1489	U1372	C1221
G2667	G2563	G2454	G2235	G2235	G2090	U1965	G1832	G1709	A1588	U1503	G1373	G1222
G2668	G2564	G2455	G2236	G2236	G2091	U1966	G1833	G1710	C1589	G1504	U1374	C1223
G2669	G2565	G2456	G2237	G2237	G2092	U1967	G1834	G1711	A1590	A1487	U1375	A1224
G2670	G2566	G2457	G2238	G2238	G2093	U1968	G1835	G1712	A1591	G1505	U1376	A1225
G2671	G2567	G2458	G2239	G2239	G2094	U1969	G1836	G1713	A1592	G1506	U1377	G1226
G2672	G2568	G2459	G2240	G2240	G2095	U1970	G1837	G1714	A1593	A1508	A1379	G1227
G2673	G2569	G2460	G2241	G2241	G2096	U1971	G1838	G1715	A1594	C1509	G1380	G1228
G2674	G2570	G2461	G2242	G2242	G2097	U1972	G1839	G1716	C1604	A1509A	G1381	G1229
G2675	G2571	G2462	G2243	G2243	G2098	U1973	G1840	G1717	A1605	A1509B	G1382	U1230
G2676	G2572	G2463	G2244	G2244	G2099	U1974	G1841	G1718	A1606	G1510	G1383	A1241
G2677	G2573	G2464	G2245	G2245	G2100	U1975	G1842	G1719	A1607	C1511	G1384	G1242
G2678	G2574	G2465	G2246	G2246	G2101	U1976	G1843	G1720	A1608	G1512	G1385	G1243
G2679	G2575	G2466	G2247	G2247	G2102	U1977	G1844	G1721	A1609	G1513	G1386	G1244
G2680	G2576	G2467	G2248	G2248	G2103	U1978	G1845	G1722	A1610	A1514	C1387	U1251
G2681	G2577	G2468	G2249	G2249	G2104	U1979	G1846	G1723	G1626	G1515	G1388	G1252
G2682	G2578	G2469	G2250	G2250	G2105	U1980	G1847	G1724	A1634	G1516	C1389	A1253
G2683	G2579	G2470	G2251	G2251	G2106	U1981	G1848	G1725	A1635	G1517	G1390	G1254
G2684	G2580	G2471	G2252	G2252	G2107	U1982	G1849	G1726	A1636	G1518	G1391	G1255
G2685	G2581	G2472	G2253	G2253	G2108	U1983	G1850	G1727	A1637	G1519	G1392	G1256
G2686	G2582	G2473	G2254	G2254	G2109	U1984	G1851	G1728	G1638	G1520	G1393	G1257
G2687	G2583	G2474	G2255	G2255	G2110	U1985	G1852	G1729	U1639	G1521	G1394	G1258
G2688	G2584	G2475	G2256	G2256	G2111	U1986	G1853	G1730	A1640	G1522	G1395	G1259
G2689	G2585	G2476	G2257	G2257	G2112	U1987	G1854	G1731	A1641	G1523	G1396	G1260
G2690	G2586	G2477	G2258	G2258	G2113	U1988	G1855	G1732	G1642	G1524	G1397	G1261
G2691	G2587	G2478	G2259	G2259	G2114	U1989	G1856	G1733	G1643	G1525	G1398	G1262
G2692	G2588	G2479	G2260	G2260	G2115	U1990	G1857	G1734	G1644	G1526	G1399	G1263
G2693	G2589	G2480	G2261	G2261	G2116	U1991	G1858	G1735	G1645	G1527	G1400	G1264
G2694	G2590	G2481	G2262	G2262	G2117	U1992	G1859	G1736	G1646	G1528	G1401	G1265
G2695	G2591	G2482	G2263	G2263	G2118	U1993	G1860	G1737	G1647	G1529	G1402	G1266
G2696	G2592	G2483	G2264	G2264	G2119	U1994	G1861	G1738	G1648	G1530	G1403	G1267
G2697	G2593	G2484	G2265	G2265	G2120	U1995	G1862	G1739	G1649	G1531	G1404	G1268
G2698	G2594	G2485	G2266	G2266	G2121	U1996	G1863	G1740	G1650	G1532	G1405	G1269
G2699	G2595	G2486	G2267	G2267	G2122	U1997	G1864	G1741	G1651	G1533	G1406	G1270
G2700	G2596	G2487	G2268	G2268	G2123	U1998	G1865	G1742	G1652	G1534	G1407	G1271
G2701	G2597	G2488	G2269	G2269	G2124	U1999	G1866	G1743	G1653	G1535	G1408	G1272
G2702	G2598	G2489	G2270	G2270	G2125	U2000	G1867	G1744	G1654	G1536	G1409	G1273
G2703	G2599	G2490	G2271	G2271	G2126	U2001	G1868	G1745	G1655	G1537	G1410	G1274
G2704	G2600	G2491	G2272	G2272	G2127	U2002	G1869	G1746	G1656	G1538	G1411	G1275
G2705	G2601	G2492	G2273	G2273	G2128	U2003	G1870	G1747	G1657	G1539	G1412	G1276
G2706	G2602	G2493	G2274	G2274	G2129	U2004	G1871	G1748	G1658	G1540	G1413	G1277
G2707	G2603	G2494	G2275	G2275	G2130	U2005	G1872	G1749	G1659	G1541	G1414	G1278
G2708	G2604	G2495	G2276	G2276	G2131	U2006	G1873	G1750	G1660	G1542	G1415	G1279
G2709	G2605	G2496	G2277	G2277	G2132	U2007	G1874	G1751	G1661	G1543	G1416	G1280
G2710	G2606	G2497	G2278	G2278	G2133	U2008	G1875	G1752	G1662	G1544	G1417	G1281
G2711	G2607	G2498	G2279	G2279	G2134	U2009	G1876	G1753	G1663	G1545	G1418	G1282
G2712	G2608	G2499	G2280	G2280	G2135	U2010	G1877	G1754	G1664	G1546	G1419	G1283
G2713	G2609	G2500	G2281	G2281	G2136	U2011	G1878	G1755	G1665	G1547	G1420	G1284
G2714	G2610											




• Molecule 1: 23S Ribosomal RNA




C2441	C2350	A2273	A2171	C2111	A1755	G1591	C1498	A1384	A1269	C1147	U1078
G2351	G2351	A2274	U2172	G2112	G1756	G1592	U1503	G1385	A1270	A1148	C1079
A2352	A2352	C2275	A2173	U2113	A1762	G1593	C1504	C1386	C1270	C1163	U1080
G2353	G2353	G2276	C2174	A2114	A1763	G1594	U1505	C1399	G1271	C1153	U1081
C2354	C2354	G2277	C2175	G2115	G1764	G1595	C1506	C1400	A1272	A1155	U1082
C2355	C2355	A2278	A2176	U2021	G1769	G1596	U1507	G1401	A1278	G1160	U1083
A2360	A2360	G2279	C2177	G2023	G1770	U1602	A1508	C1402	A1284	G1161	A1084
C2361	C2361	C2283	C2178	G2029	G1771	A1603	C1509	G1410	A1287	G1162	A1085
A2362	A2362	A2180	U2181	A2031	G1772	C1604	A1509A	G1411	C1291	U1165	A1086
G2363	G2363	G2182	C2182	G2032	A1773	C1607	U1514	A1412	U1292	U1167	A1087
A2364	A2364	A2183	G2183	A2033	U1778	A1608	G1515	G1416	C1297	G1170	A1088
G2365	G2365	G2185	U1915	C2036	U1779	A1609	G1519	C1417	C1298	G1171	U1089
A2366	A2366	G2186	A1916	G2037	A1780	C1611	U1525	G1418	C1299	G	U1090
G2370	G2370	G2187	U1917	G2038	C1781	G1614	G1526	U1420	U1300	A	G1091
C2371	C2371	G2188	A1918	G2039	C1782	U1622	G1529	A1421	U1301	U	U1092
A2376	A2376	C2189	A1919	C2040	A1783	C1638	C1530	G1422	A1302	G	U1093
A2377	A2377	U2189	U1920	G2043	A1784	U1639	C1531	U1423	A1303	A	A1094
G2378	G2378	U2190	G1921	A2051	A1785	C1640	U	C1428	G1309	C1178	A1095
C2379	C2379	G2191	U1922	C2055	A1786	C1646	A	U1439	C1314	C1179	A1096
C2380	C2380	G2192	U1923	G2056	U1794	G1647	C1536	G1442	C1315	C1180	U1097
G2381	G2381	C2196	U1926	A2060	U1796	C1648	G1541	A1445	U1316	C1181	G1104
A2382	A2382	A2197	G1929	G2061	U1797	C1657	G1542	U1449	A1317	G1187	U1105
C2383	C2383	U2197	U1930	G2064	U1798	C1658	C1543	G1450	A1321	U1188	G1106
G2384	G2384	G2198	U1931	G2069	C1800	A1664	C1546	G1455	G1324	A1189	U1107
C2385	C2385	C2199	U1932	U2074	G1801	A1665	G1552	G1459	G1332	G1191	G1108
U2390	U2390	G2203	U1933	U2075	A1802	G1666	A1553	A1460	G1333	C1201	G1109
C2391	C2391	C2205	G1934	U2076	A1803	G1667	A1554	G1461	G1334	G1202	A1110
A2396	A2396	G2206	U1935	U2079	G1814	A1668	U1557	C1462	U1340	G1203	A1111
G2400	G2400	C2207	U1936	G2080	A1815	A1669	A1558	C1463	U1341	A1204	G1112
U2401	U2401	G2208	U1937	U2086	G1816	G1674	G1559	C1464	A1342	U1205	G1113
C2404	C2404	U2218	C1942	G2087	U1817	G1696	U1560	G1465	A1354	A1210	G1114
G2405	G2405	G2219	U1942	U2087	U1818	U1996	A1566	G1466	G1355	U1211	G1115
U2406	U2406	G2220	A1952	U2075	G1819	A1700	A1567	C1467	G1356	G1216	G1116
C2407	C2407	A2225	U1955	U2079	A1815	G1721	G1568	A1468	U1359	G1250	G1117
G2408	G2408	G2226	U1956	G2080	G1816	U1722	U1569	G1469	A1359	A1220	G1120
C2409	C2409	A2227	C1962	U2096	U1817	U1739	A1576	A1471	G1364	A1226	G1125
G2410	G2410	G2228	U1963	U2096	U1818	A1741	U1577	G1479	A1365	G1236	G1129
C2417	C2417	G2237	U1967	U2099	G1827	G1742	U1578	G1482	G1368	G1250	U1130
U2418	U2418	G2238	C1968	G2093	G1828	U1747	A1580	G1491	G1371	C1140	G1131
G2420	G2420	G2239	A1969	G2094	A1829	G1747	A1584	G1492	U1372	A1263	U1141
A2421	A2421	G2242	U1970	C2095	G1830	G1747A	C1585	C1493	A1264	U1255	A1142A
C2422	C2422	U2243	A1971	U2096	G1833	G1750	A1587	A1494	A1378	G1256	A1143
A2425	A2425	U2244	A1972	U2099	U1834	G1753	U1590	A1495	A1380	G1266	U1101
C2426	C2426	U2245	U1981	G2100	G1835	C1764	U1579	A1496	G1384	G1266	U1102
G2427	G2427	G2246	C1982	G2101	U1835	G1743	A1580	G1497	G1371	G1266	U1103
A2428	A2428	G2251	U1983	U2102	C1843	G1747	A1584	G1498	U1372	A1263	G1104
C2429	C2429	G2252	C1996	G2103	A1847	G1747A	C1585	A1499	A1378	U1255	U1105
G2430	G2430	G2253	G1997	G2104	A1848	G1747A	A1587	A1495	A1379	G1256	U1106
U2431	U2431	G2254	G1998	C2105	A1876	G1750	U1590	A1496	A1380	G1266	U1107
A2435	A2435	U2262	C1999	G2106	A1877	G1753	U1590	A1496	A1380	G1266	U1108
G2436	G2436	G2267	G2000	C2107	A1878	G1754	U1590	A1496	A1380	G1266	U1109
C2437	C2437	A2267	A2001	C2108	A1877	G1754	U1590	A1496	A1380	G1266	U1110
A2438	A2438	A2268	G2002	G2109	A1878	G1754	U1590	A1496	A1380	G1266	U1111
U2439	U2439	A2269	G2002	G2110	A1878	G1754	U1590	A1496	A1380	G1266	U1112
C2440	C2440	G2269	G2002	G2110	A1878	G1754	U1590	A1496	A1380	G1266	U1113





• Molecule 2: 5S Ribosomal RNA




• Molecule 2: 5S Ribosomal RNA




• Molecule 3: 50S ribosomal protein L2




• Molecule 3: 50S ribosomal protein L2






• Molecule 4: 50S ribosomal protein L3

Chain 1E: 80% 17% ..




• Molecule 4: 50S ribosomal protein L3

Chain 2E: 70% 25% ..




• Molecule 5: 50S ribosomal protein L4


Chain 1F: 76% 17% ..



• Molecule 5: 50S ribosomal protein L4

Chain 2F: 62% 29% 6% .







• Molecule 6: 50S ribosomal protein L5




• Molecule 6: 50S ribosomal protein L5




• Molecule 7: 50S ribosomal protein L6




• Molecule 7: 50S ribosomal protein L6








• Molecule 8: 50S ribosomal protein L9





• Molecule 8: 50S ribosomal protein L9





• Molecule 9: 50S ribosomal protein L13




• Molecule 9: 50S ribosomal protein L13




- Molecule 10: 50S ribosomal protein L14




- Molecule 10: 50S ribosomal protein L14




- Molecule 11: 50S ribosomal protein L15



- Molecule 11: 50S ribosomal protein L15



- Molecule 12: 50S ribosomal protein L16




- Molecule 12: 50S ribosomal protein L16









- Molecule 13: 50S ribosomal protein L17



- Molecule 13: 50S ribosomal protein L17



- Molecule 14: 50S ribosomal protein L18




- Molecule 14: 50S ribosomal protein L18




- Molecule 15: 50S ribosomal protein L19




- Molecule 15: 50S ribosomal protein L19






- Molecule 16: 50S ribosomal protein L20



- Molecule 16: 50S ribosomal protein L20




- Molecule 17: 50S ribosomal protein L21




- Molecule 17: 50S ribosomal protein L21



- Molecule 18: 50S ribosomal protein L22




- Molecule 18: 50S ribosomal protein L22








- Molecule 19: 50S ribosomal protein L23





- Molecule 19: 50S ribosomal protein L23




- Molecule 20: 50S ribosomal protein L24




- Molecule 20: 50S ribosomal protein L24




- Molecule 21: 50S ribosomal protein L25




- Molecule 21: 50S ribosomal protein L25




• Molecule 22: 50S ribosomal protein L27




• Molecule 22: 50S ribosomal protein L27



• Molecule 23: 50S ribosomal protein L28




• Molecule 23: 50S ribosomal protein L28



• Molecule 24: 50S ribosomal protein L29






- Molecule 24: 50S ribosomal protein L29



- Molecule 25: 50S ribosomal protein L30





- Molecule 25: 50S ribosomal protein L30




- Molecule 26: 50S ribosomal protein L31




- Molecule 26: 50S ribosomal protein L31




- Molecule 27: 50S ribosomal protein L32




- Molecule 27: 50S ribosomal protein L32




- Molecule 28: 50S ribosomal protein L33




- Molecule 28: 50S ribosomal protein L33




- Molecule 29: 50S ribosomal protein L34




- Molecule 29: 50S ribosomal protein L34




- Molecule 30: 50S ribosomal protein L35



- Molecule 30: 50S ribosomal protein L35



- Molecule 31: 50S ribosomal protein L36

Chain 19:  92% 8%






- Molecule 31: 50S ribosomal protein L36


Chain 29:  3% 65% 32% .




- Molecule 32: 16S Ribosomal RNA


Chain 1a:  3% 58% 34% 7% .







• Molecule 32: 16S Ribosomal RNA









• Molecule 33: 30S ribosomal protein S2




• Molecule 34: 30S ribosomal protein S3




• Molecule 34: 30S ribosomal protein S3







• Molecule 35: 30S ribosomal protein S4




• Molecule 35: 30S ribosomal protein S4




• Molecule 36: 30S ribosomal protein S5




• Molecule 36: 30S ribosomal protein S5




- Molecule 37: 30S ribosomal protein S6




- Molecule 37: 30S ribosomal protein S6




- Molecule 38: 30S ribosomal protein S7




- Molecule 38: 30S ribosomal protein S7




- Molecule 39: 30S ribosomal protein S8




- Molecule 39: 30S ribosomal protein S8



- Molecule 40: 30S ribosomal protein S9




- Molecule 40: 30S ribosomal protein S9




- Molecule 41: 30S ribosomal protein S10







• Molecule 41: 30S ribosomal protein S10




• Molecule 42: 30S ribosomal protein S11




• Molecule 42: 30S ribosomal protein S11




• Molecule 43: 30S ribosomal protein S12




- Molecule 43: 30S ribosomal protein S12




- Molecule 44: 30S ribosomal protein S13




- Molecule 44: 30S ribosomal protein S13




- Molecule 45: 30S ribosomal protein S14 type Z




- Molecule 45: 30S ribosomal protein S14 type Z




- Molecule 46: 30S ribosomal protein S15




- Molecule 46: 30S ribosomal protein S15




- Molecule 47: 30S ribosomal protein S16




- Molecule 47: 30S ribosomal protein S16



- Molecule 48: 30S ribosomal protein S17



- Molecule 48: 30S ribosomal protein S17




- Molecule 49: 30S ribosomal protein S18




• Molecule 49: 30S ribosomal protein S18




• Molecule 50: 30S ribosomal protein S19



• Molecule 50: 30S ribosomal protein S19




• Molecule 51: 30S ribosomal protein S20



• Molecule 51: 30S ribosomal protein S20






- Molecule 52: 30S ribosomal protein Thx



- Molecule 52: 30S ribosomal protein Thx




- Molecule 53: Ribosome-associated inhibitor A



- Molecule 53: Ribosome-associated inhibitor A



- Molecule 54: A-site Deacylated tRNA Analog



- Molecule 54: A-site Deacylated tRNA Analog

Chain 2w:  80% 20%



- Molecule 55: P-site Peptidyl-tRNA Analog RNA

Chain 1x:  25% 75% 25%



- Molecule 55: P-site Peptidyl-tRNA Analog RNA

Chain 2x:  25% 75% 25%



- Molecule 56: P-site Peptidyl-tRNA Analog Peptide

Chain 1v:  67% 33%



- Molecule 56: P-site Peptidyl-tRNA Analog Peptide

Chain 2v:  100%

There are no outlier residues recorded for this chain.

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	209.81Å 449.56Å 621.47Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	211.38 – 2.40 211.38 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.7 (211.38-2.40) 99.7 (211.38-2.40)	Depositor EDS
R_{merge}	0.25	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.12 (at 2.40Å)	Xtriage
Refinement program	PHENIX 1.8.2	Depositor
R, R_{free}	0.225 , 0.269 0.228 , 0.272	Depositor DCC
R_{free} test set	112792 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	44.8	Xtriage
Anisotropy	0.136	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 62.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.38$, $\langle L^2 \rangle = 0.20$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	297868	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MPD, MG, 4OC, PSU, MA6, OMG, SF4, CLM, 5MU, 2MA, 5MC, OMU, 0TD, 8AN, 2MG, OMC, UR3, G7M, M2G, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1A	0.28	1/69031 (0.0%)	0.48	4/107754 (0.0%)
1	2A	0.22	0/68903	0.42	3/107552 (0.0%)
2	1B	0.23	0/2876	0.43	0/4486
2	2B	0.19	0/2878	0.36	0/4490
3	1D	0.27	0/2181	0.53	0/2940
3	2D	0.22	0/2186	0.47	0/2944
4	1E	0.26	0/1592	0.48	0/2149
4	2E	0.21	0/1592	0.43	0/2149
5	1F	0.25	0/1619	0.47	0/2193
5	2F	0.21	0/1615	0.47	2/2188 (0.1%)
6	1G	0.21	0/1451	0.45	0/1961
6	2G	0.20	0/1449	0.44	0/1957
7	1H	0.21	0/1356	0.41	0/1834
7	2H	0.20	0/1350	0.42	0/1826
8	1I	0.19	0/1109	0.47	1/1512 (0.1%)
8	2I	0.19	0/1091	0.41	0/1490
9	1N	0.24	0/1148	0.47	0/1547
9	2N	0.19	0/1144	0.38	0/1543
10	1O	0.24	0/943	0.46	0/1269
10	2O	0.21	0/943	0.40	0/1269
11	1P	0.26	0/1152	0.50	0/1533
11	2P	0.22	0/1152	0.47	0/1533
12	1Q	0.26	0/1143	0.48	0/1527
12	2Q	0.21	0/1143	0.43	0/1527
13	1R	0.27	0/982	0.50	0/1312
13	2R	0.21	0/982	0.47	0/1312
14	1S	0.22	0/887	0.49	0/1180
14	2S	0.20	0/880	0.43	0/1172
15	1T	0.25	0/1105	0.49	0/1477
15	2T	0.21	0/1097	0.44	0/1468
16	1U	0.29	0/977	0.50	0/1301

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
16	2U	0.19	0/977	0.39	0/1301
17	1V	0.29	0/786	0.49	0/1053
17	2V	0.19	0/782	0.40	0/1049
18	1W	0.29	0/897	0.47	0/1205
18	2W	0.20	0/897	0.41	0/1205
19	1X	0.27	0/764	0.49	0/1025
19	2X	0.20	0/764	0.42	0/1025
20	1Y	0.23	0/823	0.50	0/1099
20	2Y	0.19	0/823	0.44	0/1100
21	1Z	0.21	0/1620	0.44	0/2200
21	2Z	0.19	0/1590	0.43	0/2162
22	10	0.27	0/662	0.49	0/881
22	20	0.21	0/659	0.49	0/877
23	11	0.25	0/761	0.43	0/1013
23	21	0.22	0/766	0.44	0/1018
24	12	0.22	0/590	0.46	0/781
24	22	0.22	0/594	0.47	0/785
25	13	0.25	0/474	0.49	0/635
25	23	0.17	0/469	0.39	0/630
26	14	0.23	0/559	0.59	0/754
26	24	0.27	0/549	0.67	0/741
27	15	0.27	0/473	0.52	0/639
27	25	0.21	0/469	0.43	0/635
28	16	0.24	0/460	0.46	0/613
28	26	0.20	0/456	0.40	0/608
29	17	0.30	0/426	0.54	0/561
29	27	0.24	0/426	0.46	0/561
30	18	0.26	0/525	0.51	0/691
30	28	0.20	0/525	0.38	0/691
31	19	0.28	0/310	0.49	0/407
31	29	0.21	0/310	0.45	0/407
32	1a	0.20	0/35795	0.38	0/55864
32	2a	0.19	0/35890	0.38	2/56012 (0.0%)
33	1b	0.22	0/1876	0.47	0/2533
33	2b	0.23	0/1860	0.52	0/2518
34	1c	0.19	0/1582	0.42	0/2137
34	2c	0.20	0/1566	0.40	0/2119
35	1d	0.20	0/1695	0.46	0/2274
35	2d	0.19	0/1698	0.45	0/2277
36	1e	0.20	0/1149	0.43	0/1548
36	2e	0.20	0/1149	0.41	0/1548
37	1f	0.19	0/827	0.39	0/1120
37	2f	0.18	0/829	0.39	0/1123

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
38	1g	0.19	0/1254	0.40	0/1683
38	2g	0.20	0/1248	0.38	0/1676
39	1h	0.18	0/1118	0.42	0/1506
39	2h	0.17	0/1108	0.40	0/1494
40	1i	0.19	0/1005	0.43	0/1351
40	2i	0.24	0/985	0.50	0/1329
41	1j	0.19	0/732	0.39	0/993
41	2j	0.22	0/723	0.45	0/984
42	1k	0.19	0/849	0.44	0/1150
42	2k	0.19	0/848	0.48	2/1149 (0.2%)
43	1l	0.20	0/937	0.46	0/1260
43	2l	0.19	0/937	0.41	0/1260
44	1m	0.21	0/924	0.46	0/1242
44	2m	0.22	0/905	0.46	0/1217
45	1n	0.18	0/501	0.40	0/664
45	2n	0.21	0/501	0.41	0/664
46	1o	0.18	0/739	0.36	0/985
46	2o	0.18	0/739	0.37	0/985
47	1p	0.22	0/697	0.50	0/939
47	2p	0.20	0/693	0.43	0/935
48	1q	0.19	0/836	0.41	0/1117
48	2q	0.18	0/836	0.42	0/1117
49	1r	0.19	0/560	0.42	0/746
49	2r	0.19	0/560	0.42	0/746
50	1s	0.17	0/663	0.44	0/895
50	2s	0.24	0/660	0.46	0/893
51	1t	0.19	0/734	0.43	0/969
51	2t	0.20	0/736	0.44	0/976
52	1u	0.19	0/203	0.40	0/266
52	2u	0.21	0/203	0.45	0/266
53	1y	0.18	0/776	0.37	0/1048
53	2y	0.22	0/761	0.43	0/1030
54	1w	0.30	0/69	0.57	0/106
54	2w	0.18	0/69	0.30	0/106
55	1x	0.29	0/44	0.54	0/67
55	2x	0.20	0/44	0.44	0/67
56	1v	0.31	0/20	0.33	0/25
56	2v	0.18	0/20	0.31	0/25
All	All	0.23	1/310296 (0.0%)	0.43	14/463751 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a

sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
21	2Z	0	1
26	24	0	1
All	All	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	1A	2552	OMU	O3'-P	5.09	1.61	1.56

The worst 5 of 14 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1A	1042	G	OP1-P-O3'	-9.51	79.46	108.00
1	1A	1042	G	OP2-P-O3'	-6.82	87.55	108.00
1	2A	752	A	C2'-C3'-O3'	6.32	118.98	109.50
1	2A	1992	G	C2'-C3'-O3'	6.16	118.74	109.50
1	1A	2689	U	C4'-C3'-O3'	5.68	117.92	109.40

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
26	24	18	CYS	Peptide
21	2Z	136	PHE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1A	61869	0	31205	608	0
1	2A	61758	0	31153	738	0
2	1B	2572	0	1305	29	0
2	2B	2573	0	1306	41	0
3	1D	2131	0	2207	47	0
3	2D	2136	0	2218	46	0
4	1E	1559	0	1618	24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	2E	1559	0	1618	37	0
5	1F	1584	0	1625	29	0
5	2F	1580	0	1619	51	0
6	1G	1426	0	1445	49	0
6	2G	1424	0	1441	56	0
7	1H	1330	0	1407	31	0
7	2H	1324	0	1402	37	0
8	1I	1094	0	1127	27	0
8	2I	1076	0	1094	35	0
9	1N	1121	0	1195	23	0
9	2N	1117	0	1184	23	0
10	1O	933	0	996	21	0
10	2O	933	0	996	20	0
11	1P	1135	0	1212	28	0
11	2P	1135	0	1212	34	0
12	1Q	1122	0	1177	28	0
12	2Q	1122	0	1177	29	0
13	1R	968	0	1033	14	0
13	2R	968	0	1033	19	0
14	1S	877	0	938	17	0
14	2S	870	0	923	31	0
15	1T	1091	0	1151	29	0
15	2T	1083	0	1136	28	0
16	1U	959	0	1019	15	0
16	2U	959	0	1019	25	0
17	1V	775	0	841	12	0
17	2V	771	0	830	20	0
18	1W	886	0	940	11	0
18	2W	886	0	940	13	0
19	1X	750	0	814	15	0
19	2X	750	0	814	15	0
20	1Y	810	0	892	23	0
20	2Y	810	0	887	27	0
21	1Z	1587	0	1598	35	0
21	2Z	1557	0	1564	49	0
22	10	653	0	674	17	0
22	20	650	0	665	13	0
23	11	754	0	823	16	0
23	21	759	0	837	33	0
24	12	588	0	643	14	0
24	22	592	0	654	14	0
25	13	469	0	518	12	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
25	23	464	0	514	16	0
26	14	546	0	522	25	0
26	24	536	0	514	27	0
27	15	459	0	476	9	0
27	25	455	0	465	7	0
28	16	453	0	473	12	0
28	26	449	0	469	5	0
29	17	418	0	467	13	0
29	27	418	0	467	10	0
30	18	517	0	582	14	0
30	28	517	0	582	13	0
31	19	307	0	335	2	0
31	29	307	0	335	9	0
32	1a	32246	0	16293	396	0
32	2a	32331	0	16337	449	0
33	1b	1842	0	1862	59	0
33	2b	1825	0	1828	67	0
34	1c	1558	0	1557	32	0
34	2c	1542	0	1517	63	0
35	1d	1665	0	1687	45	0
35	2d	1668	0	1703	43	0
36	1e	1133	0	1191	28	0
36	2e	1133	0	1191	32	0
37	1f	814	0	808	23	0
37	2f	816	0	808	19	0
38	1g	1235	0	1249	22	0
38	2g	1229	0	1238	27	0
39	1h	1098	0	1143	31	0
39	2h	1088	0	1126	30	0
40	1i	986	0	990	43	0
40	2i	966	0	953	51	0
41	1j	719	0	672	28	0
41	2j	710	0	661	33	0
42	1k	834	0	838	15	0
42	2k	833	0	836	17	0
43	1l	932	0	981	22	0
43	2l	932	0	981	20	0
44	1m	914	0	954	33	0
44	2m	895	0	920	25	0
45	1n	492	0	529	21	0
45	2n	492	0	529	22	0
46	1o	728	0	760	14	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
46	2o	728	0	760	15	0
47	1p	681	0	697	11	0
47	2p	677	0	686	16	0
48	1q	823	0	891	21	0
48	2q	823	0	891	17	0
49	1r	555	0	618	16	0
49	2r	555	0	618	10	0
50	1s	648	0	658	23	0
50	2s	645	0	635	29	0
51	1t	732	0	809	21	0
51	2t	733	0	795	18	0
52	1u	199	0	208	5	0
52	2u	199	0	208	1	0
53	1y	764	0	786	15	0
53	2y	749	0	757	30	0
54	1w	63	0	34	0	0
54	2w	63	0	34	0	0
55	1x	63	0	33	0	0
55	2x	63	0	33	1	0
56	1v	21	0	27	0	0
56	2v	21	0	27	0	0
57	10	8	0	0	0	0
57	11	5	0	0	0	0
57	13	3	0	0	0	0
57	15	7	0	0	0	0
57	17	5	0	0	0	0
57	18	3	0	0	0	0
57	19	3	0	0	0	0
57	1A	1016	0	0	0	0
57	1B	30	0	0	0	0
57	1D	21	0	0	0	0
57	1E	8	0	0	0	0
57	1F	18	0	0	0	0
57	1G	4	0	0	0	0
57	1H	2	0	0	0	0
57	1N	4	0	0	0	0
57	1O	1	0	0	0	0
57	1P	5	0	0	0	0
57	1Q	5	0	0	0	0
57	1R	5	0	0	0	0
57	1T	7	0	0	0	0
57	1U	6	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
57	1V	7	0	0	0	0
57	1W	3	0	0	0	0
57	1X	1	0	0	0	0
57	1Y	2	0	0	0	0
57	1Z	1	0	0	0	0
57	1a	266	0	0	0	0
57	1b	1	0	0	0	0
57	1d	4	0	0	0	0
57	1e	2	0	0	0	0
57	1f	2	0	0	0	0
57	1g	2	0	0	0	0
57	1h	2	0	0	0	0
57	1i	1	0	0	0	0
57	1l	2	0	0	0	0
57	1m	1	0	0	0	0
57	1n	3	0	0	0	0
57	1o	2	0	0	0	0
57	1t	2	0	0	0	0
57	1x	2	0	0	0	0
57	1y	2	0	0	0	0
57	20	2	0	0	0	0
57	21	1	0	0	0	0
57	23	1	0	0	0	0
57	25	3	0	0	0	0
57	27	1	0	0	0	0
57	28	2	0	0	0	0
57	2A	746	0	0	0	0
57	2B	19	0	0	0	0
57	2D	8	0	0	0	0
57	2E	8	0	0	0	0
57	2F	4	0	0	0	0
57	2G	3	0	0	0	0
57	2I	1	0	0	0	0
57	2N	1	0	0	0	0
57	2O	2	0	0	0	0
57	2P	2	0	0	0	0
57	2Q	3	0	0	0	0
57	2R	2	0	0	0	0
57	2T	4	0	0	0	0
57	2U	1	0	0	0	0
57	2V	3	0	0	0	0
57	2W	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
57	2X	1	0	0	0	0
57	2Y	1	0	0	0	0
57	2a	190	0	0	0	0
57	2e	1	0	0	0	0
57	2f	1	0	0	0	0
57	2j	2	0	0	0	0
57	2r	1	0	0	0	0
57	2t	1	0	0	0	0
57	2x	1	0	0	0	0
58	1A	20	0	11	0	0
58	2A	20	0	11	0	0
59	1A	12	0	12	2	0
59	1B	12	0	12	2	0
60	18	8	0	14	1	0
60	1A	8	0	14	1	0
60	1T	8	0	14	0	0
60	1a	8	0	11	5	0
60	2A	8	0	14	0	0
60	2B	8	0	14	1	0
61	14	1	0	0	0	0
61	15	1	0	0	0	0
61	16	1	0	0	0	0
61	19	1	0	0	0	0
61	1Y	1	0	0	0	0
61	1n	1	0	0	0	0
61	24	1	0	0	0	0
61	25	1	0	0	0	0
61	26	1	0	0	0	0
61	29	1	0	0	0	0
61	2Y	1	0	0	0	0
61	2n	1	0	0	0	0
62	1d	8	0	0	0	0
62	2d	8	0	0	0	0
63	10	25	0	0	0	0
63	11	22	0	0	0	0
63	12	13	0	0	2	0
63	13	21	0	0	1	0
63	14	2	0	0	0	0
63	15	26	0	0	1	0
63	16	20	0	0	2	0
63	17	16	0	0	2	0
63	18	30	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
63	19	6	0	0	0	0
63	1A	4023	0	0	127	0
63	1B	93	0	0	6	0
63	1D	112	0	0	5	0
63	1E	81	0	0	2	0
63	1F	61	0	0	0	0
63	1G	20	0	0	0	0
63	1H	12	0	0	1	0
63	1I	6	0	0	0	0
63	1N	51	0	0	1	0
63	1O	24	0	0	3	0
63	1P	71	0	0	5	0
63	1Q	41	0	0	4	0
63	1R	33	0	0	1	0
63	1S	16	0	0	0	0
63	1T	34	0	0	2	0
63	1U	54	0	0	6	0
63	1V	42	0	0	1	0
63	1W	29	0	0	1	0
63	1X	23	0	0	1	0
63	1Y	16	0	0	1	0
63	1Z	12	0	0	1	0
63	1a	378	0	0	13	0
63	1b	1	0	0	0	0
63	1d	3	0	0	0	0
63	1e	3	0	0	1	0
63	1f	2	0	0	0	0
63	1h	1	0	0	0	0
63	1j	1	0	0	0	0
63	1l	6	0	0	1	0
63	1o	2	0	0	1	0
63	1p	3	0	0	0	0
63	1t	1	0	0	0	0
63	1w	5	0	0	0	0
63	1x	3	0	0	0	0
63	1y	2	0	0	0	0
63	20	11	0	0	0	0
63	21	20	0	0	3	0
63	22	1	0	0	0	0
63	23	3	0	0	1	0
63	25	13	0	0	0	0
63	26	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
63	27	9	0	0	1	0
63	28	11	0	0	1	0
63	29	2	0	0	0	0
63	2A	2284	0	0	124	0
63	2B	46	0	0	3	0
63	2D	57	0	0	3	0
63	2E	32	0	0	3	0
63	2F	27	0	0	0	0
63	2G	6	0	0	1	0
63	2H	3	0	0	0	0
63	2I	4	0	0	2	0
63	2N	6	0	0	0	0
63	2O	21	0	0	2	0
63	2P	24	0	0	3	0
63	2Q	17	0	0	2	0
63	2R	16	0	0	3	0
63	2S	5	0	0	2	0
63	2T	13	0	0	0	0
63	2U	16	0	0	3	0
63	2V	5	0	0	1	0
63	2W	17	0	0	0	0
63	2X	8	0	0	1	0
63	2Y	5	0	0	0	0
63	2Z	11	0	0	3	0
63	2a	317	0	0	26	0
63	2d	2	0	0	0	0
63	2e	1	0	0	0	0
63	2f	3	0	0	0	0
63	2j	2	0	0	0	0
63	2l	2	0	0	0	0
63	2n	2	0	0	0	0
63	2o	4	0	0	1	0
63	2p	2	0	0	0	0
63	2r	3	0	0	0	0
63	2t	2	0	0	0	0
63	2w	3	0	0	0	0
63	2x	3	0	0	1	0
63	2y	3	0	0	0	0
All	All	297868	0	194800	4145	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 4145 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:1A:1082:U:H3	1:1A:1086:A:N6	1.35	1.24
1:2A:2139:C:H42	1:2A:2152:G:H1	0.96	0.96
1:1A:1082:U:O4	1:1A:1086:A:N1	1.99	0.94
1:1A:2137:C:N4	1:1A:2154:G:H1	1.67	0.93
1:2A:2319:G:H22	14:2S:3:ARG:HD3	1.34	0.92

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	1D	273/276 (99%)	261 (96%)	12 (4%)	0	100	100
3	2D	273/276 (99%)	255 (93%)	18 (7%)	0	100	100
4	1E	202/206 (98%)	192 (95%)	9 (4%)	1 (0%)	24	37
4	2E	202/206 (98%)	193 (96%)	8 (4%)	1 (0%)	24	37
5	1F	201/210 (96%)	195 (97%)	6 (3%)	0	100	100
5	2F	201/210 (96%)	187 (93%)	13 (6%)	1 (0%)	24	37
6	1G	179/182 (98%)	155 (87%)	22 (12%)	2 (1%)	11	18
6	2G	179/182 (98%)	157 (88%)	18 (10%)	4 (2%)	5	6
7	1H	172/180 (96%)	164 (95%)	5 (3%)	3 (2%)	7	10
7	2H	171/180 (95%)	150 (88%)	17 (10%)	4 (2%)	5	6
8	1I	145/148 (98%)	126 (87%)	18 (12%)	1 (1%)	18	28
8	2I	144/148 (97%)	128 (89%)	14 (10%)	2 (1%)	9	13
9	1N	138/140 (99%)	134 (97%)	4 (3%)	0	100	100
9	2N	138/140 (99%)	132 (96%)	6 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
10	1O	120/122 (98%)	114 (95%)	6 (5%)	0	100	100
10	2O	120/122 (98%)	112 (93%)	8 (7%)	0	100	100
11	1P	147/150 (98%)	139 (95%)	8 (5%)	0	100	100
11	2P	147/150 (98%)	138 (94%)	6 (4%)	3 (2%)	6	7
12	1Q	139/141 (99%)	132 (95%)	7 (5%)	0	100	100
12	2Q	139/141 (99%)	131 (94%)	8 (6%)	0	100	100
13	1R	116/118 (98%)	114 (98%)	2 (2%)	0	100	100
13	2R	116/118 (98%)	113 (97%)	3 (3%)	0	100	100
14	1S	108/112 (96%)	98 (91%)	9 (8%)	1 (1%)	14	22
14	2S	108/112 (96%)	99 (92%)	9 (8%)	0	100	100
15	1T	129/146 (88%)	125 (97%)	4 (3%)	0	100	100
15	2T	129/146 (88%)	123 (95%)	6 (5%)	0	100	100
16	1U	114/118 (97%)	114 (100%)	0	0	100	100
16	2U	114/118 (97%)	111 (97%)	3 (3%)	0	100	100
17	1V	99/101 (98%)	94 (95%)	4 (4%)	1 (1%)	12	20
17	2V	99/101 (98%)	88 (89%)	9 (9%)	2 (2%)	6	7
18	1W	110/113 (97%)	109 (99%)	1 (1%)	0	100	100
18	2W	110/113 (97%)	110 (100%)	0	0	100	100
19	1X	93/96 (97%)	89 (96%)	3 (3%)	1 (1%)	11	18
19	2X	93/96 (97%)	89 (96%)	3 (3%)	1 (1%)	11	18
20	1Y	105/110 (96%)	96 (91%)	9 (9%)	0	100	100
20	2Y	105/110 (96%)	98 (93%)	7 (7%)	0	100	100
21	1Z	201/206 (98%)	186 (92%)	14 (7%)	1 (0%)	24	37
21	2Z	199/206 (97%)	179 (90%)	19 (10%)	1 (0%)	24	37
22	10	81/85 (95%)	78 (96%)	3 (4%)	0	100	100
22	20	81/85 (95%)	76 (94%)	5 (6%)	0	100	100
23	11	95/98 (97%)	92 (97%)	2 (2%)	1 (1%)	11	18
23	21	95/98 (97%)	93 (98%)	1 (1%)	1 (1%)	11	18
24	12	68/72 (94%)	68 (100%)	0	0	100	100
24	22	68/72 (94%)	67 (98%)	0	1 (2%)	8	12
25	13	57/60 (95%)	55 (96%)	2 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
25	23	57/60 (95%)	54 (95%)	3 (5%)	0	100	100
26	14	67/71 (94%)	51 (76%)	13 (19%)	3 (4%)	2	1
26	24	67/71 (94%)	49 (73%)	12 (18%)	6 (9%)	0	0
27	15	57/60 (95%)	56 (98%)	1 (2%)	0	100	100
27	25	57/60 (95%)	54 (95%)	3 (5%)	0	100	100
28	16	51/54 (94%)	49 (96%)	2 (4%)	0	100	100
28	26	51/54 (94%)	49 (96%)	2 (4%)	0	100	100
29	17	46/49 (94%)	46 (100%)	0	0	100	100
29	27	46/49 (94%)	46 (100%)	0	0	100	100
30	18	62/65 (95%)	61 (98%)	1 (2%)	0	100	100
30	28	62/65 (95%)	62 (100%)	0	0	100	100
31	19	35/37 (95%)	35 (100%)	0	0	100	100
31	29	35/37 (95%)	32 (91%)	3 (9%)	0	100	100
33	1b	229/256 (90%)	183 (80%)	39 (17%)	7 (3%)	3	3
33	2b	229/256 (90%)	185 (81%)	34 (15%)	10 (4%)	2	1
34	1c	204/239 (85%)	180 (88%)	24 (12%)	0	100	100
34	2c	204/239 (85%)	175 (86%)	25 (12%)	4 (2%)	6	7
35	1d	206/209 (99%)	189 (92%)	17 (8%)	0	100	100
35	2d	206/209 (99%)	185 (90%)	19 (9%)	2 (1%)	12	20
36	1e	146/162 (90%)	143 (98%)	2 (1%)	1 (1%)	18	28
36	2e	146/162 (90%)	135 (92%)	11 (8%)	0	100	100
37	1f	98/101 (97%)	94 (96%)	4 (4%)	0	100	100
37	2f	98/101 (97%)	94 (96%)	4 (4%)	0	100	100
38	1g	153/156 (98%)	144 (94%)	9 (6%)	0	100	100
38	2g	153/156 (98%)	136 (89%)	13 (8%)	4 (3%)	4	4
39	1h	135/138 (98%)	127 (94%)	7 (5%)	1 (1%)	18	28
39	2h	135/138 (98%)	122 (90%)	11 (8%)	2 (2%)	8	12
40	1i	125/128 (98%)	114 (91%)	11 (9%)	0	100	100
40	2i	124/128 (97%)	110 (89%)	11 (9%)	3 (2%)	4	5
41	1j	95/105 (90%)	82 (86%)	9 (10%)	4 (4%)	2	2
41	2j	94/105 (90%)	79 (84%)	11 (12%)	4 (4%)	2	1

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
42	1k	112/129 (87%)	100 (89%)	12 (11%)	0	100	100
42	2k	112/129 (87%)	101 (90%)	9 (8%)	2 (2%)	6	9
43	1l	119/132 (90%)	110 (92%)	8 (7%)	1 (1%)	16	25
43	2l	119/132 (90%)	108 (91%)	10 (8%)	1 (1%)	16	25
44	1m	114/126 (90%)	104 (91%)	8 (7%)	2 (2%)	6	9
44	2m	112/126 (89%)	94 (84%)	17 (15%)	1 (1%)	14	22
45	1n	58/61 (95%)	57 (98%)	1 (2%)	0	100	100
45	2n	58/61 (95%)	55 (95%)	3 (5%)	0	100	100
46	1o	86/89 (97%)	80 (93%)	5 (6%)	1 (1%)	10	16
46	2o	86/89 (97%)	79 (92%)	5 (6%)	2 (2%)	5	6
47	1p	80/88 (91%)	71 (89%)	9 (11%)	0	100	100
47	2p	80/88 (91%)	70 (88%)	9 (11%)	1 (1%)	9	14
48	1q	97/105 (92%)	88 (91%)	8 (8%)	1 (1%)	12	20
48	2q	97/105 (92%)	89 (92%)	7 (7%)	1 (1%)	12	20
49	1r	66/88 (75%)	62 (94%)	3 (4%)	1 (2%)	8	12
49	2r	66/88 (75%)	60 (91%)	6 (9%)	0	100	100
50	1s	81/93 (87%)	73 (90%)	6 (7%)	2 (2%)	4	5
50	2s	81/93 (87%)	66 (82%)	15 (18%)	0	100	100
51	1t	94/106 (89%)	83 (88%)	10 (11%)	1 (1%)	11	18
51	2t	96/106 (91%)	86 (90%)	6 (6%)	4 (4%)	2	2
52	1u	21/27 (78%)	20 (95%)	1 (5%)	0	100	100
52	2u	21/27 (78%)	19 (90%)	2 (10%)	0	100	100
53	1y	95/113 (84%)	90 (95%)	5 (5%)	0	100	100
53	2y	94/113 (83%)	82 (87%)	11 (12%)	1 (1%)	11	18
56	1v	1/3 (33%)	1 (100%)	0	0	100	100
56	2v	1/3 (33%)	1 (100%)	0	0	100	100
All	All	11643/12360 (94%)	10729 (92%)	808 (7%)	106 (1%)	14	22

5 of 106 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	1G	49	ASP
14	1S	59	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	14	61	ARG
33	1b	21	ARG
33	1b	124	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	1D	214/218 (98%)	194 (91%)	20 (9%)	8	14
3	2D	215/218 (99%)	196 (91%)	19 (9%)	9	15
4	1E	164/166 (99%)	156 (95%)	8 (5%)	22	39
4	2E	164/166 (99%)	150 (92%)	14 (8%)	10	16
5	1F	160/166 (96%)	145 (91%)	15 (9%)	8	13
5	2F	159/166 (96%)	137 (86%)	22 (14%)	3	4
6	1G	144/156 (92%)	128 (89%)	16 (11%)	6	9
6	2G	142/156 (91%)	126 (89%)	16 (11%)	5	8
7	1H	144/148 (97%)	129 (90%)	15 (10%)	7	10
7	2H	143/148 (97%)	128 (90%)	15 (10%)	6	10
8	1I	111/124 (90%)	92 (83%)	19 (17%)	2	2
8	2I	108/124 (87%)	86 (80%)	22 (20%)	1	1
9	1N	119/119 (100%)	104 (87%)	15 (13%)	4	6
9	2N	118/119 (99%)	110 (93%)	8 (7%)	14	25
10	1O	100/100 (100%)	97 (97%)	3 (3%)	36	58
10	2O	100/100 (100%)	96 (96%)	4 (4%)	28	47
11	1P	115/116 (99%)	109 (95%)	6 (5%)	21	36
11	2P	115/116 (99%)	107 (93%)	8 (7%)	14	24
12	1Q	111/111 (100%)	100 (90%)	11 (10%)	7	11
12	2Q	111/111 (100%)	104 (94%)	7 (6%)	16	29
13	1R	101/101 (100%)	92 (91%)	9 (9%)	9	15

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
13	2R	101/101 (100%)	94 (93%)	7 (7%)	14	24
14	1S	87/88 (99%)	78 (90%)	9 (10%)	7	11
14	2S	85/88 (97%)	80 (94%)	5 (6%)	18	31
15	1T	115/127 (91%)	105 (91%)	10 (9%)	9	16
15	2T	113/127 (89%)	107 (95%)	6 (5%)	20	36
16	1U	93/94 (99%)	86 (92%)	7 (8%)	12	21
16	2U	93/94 (99%)	87 (94%)	6 (6%)	15	27
17	1V	81/82 (99%)	72 (89%)	9 (11%)	6	9
17	2V	80/82 (98%)	68 (85%)	12 (15%)	3	3
18	1W	90/92 (98%)	85 (94%)	5 (6%)	19	33
18	2W	90/92 (98%)	83 (92%)	7 (8%)	11	20
19	1X	77/78 (99%)	73 (95%)	4 (5%)	21	36
19	2X	77/78 (99%)	75 (97%)	2 (3%)	40	63
20	1Y	86/91 (94%)	82 (95%)	4 (5%)	23	41
20	2Y	86/91 (94%)	71 (83%)	15 (17%)	2	2
21	1Z	169/179 (94%)	153 (90%)	16 (10%)	8	13
21	2Z	165/179 (92%)	141 (86%)	24 (14%)	3	4
22	10	65/67 (97%)	61 (94%)	4 (6%)	16	29
22	20	64/67 (96%)	60 (94%)	4 (6%)	16	29
23	11	79/83 (95%)	73 (92%)	6 (8%)	12	21
23	21	81/83 (98%)	73 (90%)	8 (10%)	7	11
24	12	65/67 (97%)	60 (92%)	5 (8%)	12	20
24	22	66/67 (98%)	63 (96%)	3 (4%)	24	42
25	13	51/52 (98%)	45 (88%)	6 (12%)	5	7
25	23	50/52 (96%)	47 (94%)	3 (6%)	17	31
26	14	58/63 (92%)	52 (90%)	6 (10%)	7	11
26	24	54/63 (86%)	44 (82%)	10 (18%)	1	2
27	15	51/52 (98%)	44 (86%)	7 (14%)	3	5
27	25	50/52 (96%)	45 (90%)	5 (10%)	7	11
28	16	51/52 (98%)	45 (88%)	6 (12%)	5	7
28	26	50/52 (96%)	47 (94%)	3 (6%)	17	31

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
29	17	41/42 (98%)	38 (93%)	3 (7%)	13	22
29	27	41/42 (98%)	37 (90%)	4 (10%)	7	12
30	18	54/55 (98%)	48 (89%)	6 (11%)	6	9
30	28	54/55 (98%)	49 (91%)	5 (9%)	8	14
31	19	34/34 (100%)	34 (100%)	0	100	100
31	29	34/34 (100%)	31 (91%)	3 (9%)	9	15
33	1b	191/220 (87%)	168 (88%)	23 (12%)	5	7
33	2b	187/220 (85%)	160 (86%)	27 (14%)	3	4
34	1c	144/188 (77%)	134 (93%)	10 (7%)	14	24
34	2c	140/188 (74%)	119 (85%)	21 (15%)	3	3
35	1d	171/181 (94%)	147 (86%)	24 (14%)	3	4
35	2d	172/181 (95%)	152 (88%)	20 (12%)	5	8
36	1e	114/123 (93%)	101 (89%)	13 (11%)	5	8
36	2e	114/123 (93%)	103 (90%)	11 (10%)	8	12
37	1f	85/90 (94%)	71 (84%)	14 (16%)	2	3
37	2f	85/90 (94%)	77 (91%)	8 (9%)	8	13
38	1g	120/127 (94%)	111 (92%)	9 (8%)	12	21
38	2g	119/127 (94%)	107 (90%)	12 (10%)	7	11
39	1h	116/119 (98%)	103 (89%)	13 (11%)	6	9
39	2h	114/119 (96%)	101 (89%)	13 (11%)	5	8
40	1i	91/99 (92%)	82 (90%)	9 (10%)	7	11
40	2i	88/99 (89%)	79 (90%)	9 (10%)	7	11
41	1j	68/92 (74%)	59 (87%)	9 (13%)	4	5
41	2j	68/92 (74%)	61 (90%)	7 (10%)	7	11
42	1k	83/99 (84%)	78 (94%)	5 (6%)	17	31
42	2k	83/99 (84%)	78 (94%)	5 (6%)	17	31
43	1l	96/108 (89%)	92 (96%)	4 (4%)	26	45
43	2l	96/108 (89%)	86 (90%)	10 (10%)	7	10
44	1m	90/101 (89%)	84 (93%)	6 (7%)	15	26
44	2m	87/101 (86%)	74 (85%)	13 (15%)	3	3
45	1n	49/50 (98%)	42 (86%)	7 (14%)	3	4

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
45	2n	49/50 (98%)	45 (92%)	4 (8%)	10	18
46	1o	78/80 (98%)	74 (95%)	4 (5%)	21	37
46	2o	78/80 (98%)	71 (91%)	7 (9%)	9	15
47	1p	69/74 (93%)	59 (86%)	10 (14%)	3	4
47	2p	68/74 (92%)	61 (90%)	7 (10%)	7	11
48	1q	94/97 (97%)	89 (95%)	5 (5%)	20	36
48	2q	94/97 (97%)	89 (95%)	5 (5%)	20	36
49	1r	59/77 (77%)	54 (92%)	5 (8%)	10	16
49	2r	59/77 (77%)	57 (97%)	2 (3%)	32	54
50	1s	68/80 (85%)	60 (88%)	8 (12%)	5	7
50	2s	67/80 (84%)	54 (81%)	13 (19%)	1	2
51	1t	71/82 (87%)	64 (90%)	7 (10%)	7	11
51	2t	70/82 (85%)	60 (86%)	10 (14%)	3	4
52	1u	18/22 (82%)	18 (100%)	0	100	100
52	2u	18/22 (82%)	18 (100%)	0	100	100
53	1y	82/98 (84%)	75 (92%)	7 (8%)	10	16
53	2y	79/98 (81%)	70 (89%)	9 (11%)	5	8
56	1v	2/2 (100%)	1 (50%)	1 (50%)	0	0
56	2v	2/2 (100%)	2 (100%)	0	100	100
All	All	9535/10264 (93%)	8612 (90%)	923 (10%)	8	12

5 of 923 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	2E	27	LEU
48	2q	16	GLN
12	2Q	60	ARG
47	2p	5	ARG
38	2g	15	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 142 such sidechains are listed below:

Mol	Chain	Res	Type
36	2e	130	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
38	2g	64	GLN
43	2l	99	HIS
38	1g	56	GLN
38	1g	37	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1A	2865/2915 (98%)	413 (14%)	30 (1%)
1	2A	2858/2915 (98%)	476 (16%)	29 (1%)
2	1B	119/121 (98%)	11 (9%)	0
2	2B	119/121 (98%)	11 (9%)	0
32	1a	1497/1521 (98%)	248 (16%)	0
32	2a	1501/1521 (98%)	289 (19%)	0
54	1w	2/5 (40%)	0	0
54	2w	2/5 (40%)	0	0
55	1x	1/4 (25%)	0	0
55	2x	1/4 (25%)	0	0
All	All	8965/9132 (98%)	1448 (16%)	59 (0%)

5 of 1448 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1A	23	G
1	1A	34	C
1	1A	45	C
1	1A	71	A
1	1A	74	A

5 of 59 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	1A	2756	U
1	2A	2172	U
1	2A	752	A
1	2A	2171	A
1	2A	1420	U

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

50 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
32	5MC	1a	1404	32	19,22,23	1.66	3 (15%)	26,32,35	1.13	2 (7%)
32	UR3	1a	1498	32	19,22,23	0.99	1 (5%)	26,32,35	1.77	4 (15%)
32	5MC	2a	967	32	19,22,23	1.75	3 (15%)	26,32,35	1.09	3 (11%)
1	5MC	1A	1942	1	19,22,23	1.42	3 (15%)	26,32,35	1.10	2 (7%)
55	8AN	1x	76	57,56,55	21,24,25	1.38	3 (14%)	26,35,38	2.40	9 (34%)
1	PSU	1A	2605	1	18,21,22	1.47	4 (22%)	21,30,33	1.99	4 (19%)
1	OMC	2A	1920	1	19,22,23	0.82	0	25,31,34	1.08	2 (8%)
32	5MC	1a	967	32	19,22,23	1.65	3 (15%)	26,32,35	1.12	2 (7%)
32	MA6	1a	1518	32	23,26,27	0.38	0	33,38,41	2.00	10 (30%)
43	0TD	1l	92	43	8,9,10	4.61	2 (25%)	6,11,13	2.73	3 (50%)
32	2MG	2a	1207	32	23,26,27	1.23	3 (13%)	33,38,41	2.15	8 (24%)
32	PSU	1a	516	32	18,21,22	1.36	2 (11%)	21,30,33	1.94	5 (23%)
55	8AN	2x	76	57,56,55	21,24,25	1.38	3 (14%)	26,35,38	2.29	10 (38%)
32	M2G	1a	966	32	24,27,28	1.29	3 (12%)	33,40,43	1.84	5 (15%)
1	PSU	2A	1911	1	18,21,22	1.39	2 (11%)	21,30,33	2.02	4 (19%)
32	MA6	2a	1519	32	23,26,27	0.45	0	33,38,41	2.14	10 (30%)
1	2MA	2A	2503	57,1	22,25,26	1.47	4 (18%)	32,37,40	2.36	9 (28%)
1	PSU	1A	1917	1	18,21,22	1.36	2 (11%)	21,30,33	2.02	3 (14%)
1	OMU	1A	2552	57,1	19,22,23	1.31	3 (15%)	25,31,34	1.83	6 (24%)
1	OMC	1A	1920	1	19,22,23	0.83	0	25,31,34	0.98	1 (4%)
1	5MC	2A	1962	57,1	19,22,23	1.69	3 (15%)	26,32,35	1.12	2 (7%)
32	PSU	2a	516	57,32	18,21,22	1.33	2 (11%)	21,30,33	2.10	5 (23%)
32	5MC	1a	1407	32	19,22,23	1.72	2 (10%)	26,32,35	1.17	3 (11%)
32	5MC	2a	1400	53,32	19,22,23	1.53	2 (10%)	26,32,35	1.27	3 (11%)
32	UR3	2a	1498	32	19,22,23	1.02	2 (10%)	26,32,35	1.64	2 (7%)
32	MA6	1a	1519	32	23,26,27	0.43	0	33,38,41	2.02	9 (27%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	OMG	2A	2251	57,55,1,12	23,26,27	1.22	3 (13%)	32,38,41	1.98	7 (21%)
32	5MC	1a	1400	32	19,22,23	1.70	3 (15%)	26,32,35	1.11	2 (7%)
1	PSU	1A	1911	1	18,21,22	1.38	2 (11%)	21,30,33	2.10	5 (23%)
32	2MG	1a	1207	32	23,26,27	1.26	3 (13%)	33,38,41	2.18	6 (18%)
32	M2G	2a	966	57,32	24,27,28	1.33	3 (12%)	33,40,43	1.82	5 (15%)
1	5MC	2A	1942	1	19,22,23	1.69	3 (15%)	26,32,35	1.15	2 (7%)
1	5MU	2A	1915	1	19,22,23	1.44	4 (21%)	27,32,35	2.12	8 (29%)
1	PSU	2A	1917	57,1	18,21,22	1.37	2 (11%)	21,30,33	2.01	3 (14%)
32	G7M	2a	527	32	23,26,27	1.49	3 (13%)	34,39,42	1.69	5 (14%)
1	2MA	1A	2503	57,1	22,25,26	1.49	5 (22%)	32,37,40	2.33	8 (25%)
1	5MC	1A	1962	57,1	19,22,23	1.64	3 (15%)	26,32,35	1.13	4 (15%)
1	PSU	2A	2605	1	18,21,22	1.35	2 (11%)	21,30,33	1.92	4 (19%)
32	G7M	1a	527	57,32	23,26,27	1.52	3 (13%)	34,39,42	1.65	5 (14%)
32	4OC	2a	1402	32	20,23,24	0.76	0	25,32,35	0.96	0
32	MA6	2a	1518	32	23,26,27	0.39	0	33,38,41	2.08	9 (27%)
1	5MU	2A	1939	1	19,22,23	1.48	5 (26%)	27,32,35	2.16	8 (29%)
32	5MC	2a	1404	32	19,22,23	1.77	3 (15%)	26,32,35	1.23	4 (15%)
1	OMG	1A	2251	57,55,1,12	23,26,27	1.23	3 (13%)	32,38,41	2.06	6 (18%)
32	5MC	2a	1407	32	19,22,23	1.62	2 (10%)	26,32,35	1.12	3 (11%)
1	5MU	1A	1939	57,1	19,22,23	1.43	5 (26%)	27,32,35	2.19	8 (29%)
43	0TD	2l	92	43	8,9,10	4.54	1 (12%)	6,11,13	5.96	3 (50%)
1	5MU	1A	1915	1	19,22,23	1.44	4 (21%)	27,32,35	2.19	9 (33%)
1	OMU	2A	2552	57,1	19,22,23	1.23	3 (15%)	25,31,34	1.91	6 (24%)
32	4OC	1a	1402	32	20,23,24	0.75	0	25,32,35	1.01	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	5MC	1a	1404	32	-	0/7/25/26	0/2/2/2
32	UR3	1a	1498	32	-	0/7/25/26	0/2/2/2
32	5MC	2a	967	32	-	0/7/25/26	0/2/2/2
1	5MC	1A	1942	1	-	0/7/25/26	0/2/2/2
55	8AN	1x	76	57,56,55	-	1/7/25/26	0/3/3/3
1	PSU	1A	2605	1	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMC	2A	1920	1	-	1/9/27/28	0/2/2/2
32	5MC	1a	967	32	-	0/7/25/26	0/2/2/2
32	MA6	1a	1518	32	-	0/11/29/30	0/3/3/3
43	0TD	1l	92	43	-	2/7/12/14	-
32	2MG	2a	1207	32	-	2/9/27/28	0/3/3/3
32	PSU	1a	516	32	-	1/7/25/26	0/2/2/2
55	8AN	2x	76	57,56,55	-	1/7/25/26	0/3/3/3
32	M2G	1a	966	32	-	0/11/29/30	0/3/3/3
1	PSU	2A	1911	1	-	0/7/25/26	0/2/2/2
32	MA6	2a	1519	32	-	2/11/29/30	0/3/3/3
1	2MA	2A	2503	57,1	-	1/7/25/26	0/3/3/3
1	PSU	1A	1917	1	-	0/7/25/26	0/2/2/2
1	OMU	1A	2552	57,1	-	0/9/27/28	0/2/2/2
1	OMC	1A	1920	1	-	1/9/27/28	0/2/2/2
1	5MC	2A	1962	57,1	-	0/7/25/26	0/2/2/2
32	PSU	2a	516	57,32	-	0/7/25/26	0/2/2/2
32	5MC	1a	1407	32	-	0/7/25/26	0/2/2/2
32	5MC	2a	1400	53,32	-	0/7/25/26	0/2/2/2
32	UR3	2a	1498	32	-	0/7/25/26	0/2/2/2
32	MA6	1a	1519	32	-	2/11/29/30	0/3/3/3
1	OMG	2A	2251	57,55,1,12	-	0/9/27/28	0/3/3/3
32	5MC	1a	1400	32	-	0/7/25/26	0/2/2/2
1	PSU	1A	1911	1	-	0/7/25/26	0/2/2/2
32	2MG	1a	1207	32	-	0/9/27/28	0/3/3/3
32	M2G	2a	966	57,32	-	0/11/29/30	0/3/3/3
1	5MC	2A	1942	1	-	0/7/25/26	0/2/2/2
1	5MU	2A	1915	1	-	2/7/25/26	0/2/2/2
1	PSU	2A	1917	57,1	-	0/7/25/26	0/2/2/2
32	G7M	2a	527	32	-	2/7/25/26	0/3/3/3
1	2MA	1A	2503	57,1	-	1/7/25/26	0/3/3/3
1	5MC	1A	1962	57,1	-	0/7/25/26	0/2/2/2
1	PSU	2A	2605	1	-	0/7/25/26	0/2/2/2
32	G7M	1a	527	57,32	-	2/7/25/26	0/3/3/3
32	4OC	2a	1402	32	-	0/9/29/30	0/2/2/2
32	MA6	2a	1518	32	-	0/11/29/30	0/3/3/3
1	5MU	2A	1939	1	-	0/7/25/26	0/2/2/2
32	5MC	2a	1404	32	-	0/7/25/26	0/2/2/2
1	OMG	1A	2251	57,55,1,12	-	0/9/27/28	0/3/3/3
32	5MC	2a	1407	32	-	0/7/25/26	0/2/2/2
1	5MU	1A	1939	57,1	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
43	0TD	2l	92	43	-	2/7/12/14	-
1	5MU	1A	1915	1	-	2/7/25/26	0/2/2/2
1	OMU	2A	2552	57,1	-	0/9/27/28	0/2/2/2
32	4OC	1a	1402	32	-	2/9/29/30	0/2/2/2

The worst 5 of 120 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
43	1l	92	0TD	CB-SB	-12.34	1.69	1.82
43	2l	92	0TD	CB-SB	-12.33	1.69	1.82
32	2a	1404	5MC	C5-C4	6.49	1.49	1.44
32	2a	967	5MC	C5-C4	6.44	1.49	1.44
32	1a	1407	5MC	C5-C4	6.29	1.48	1.44

The worst 5 of 247 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
43	2l	92	0TD	CSB-SB-CB	-13.86	77.44	102.36
1	2A	2503	2MA	C5-C4-N3	-8.11	118.64	127.18
1	1A	2503	2MA	C5-C4-N3	-7.81	118.95	127.18
32	1a	1498	UR3	C4-N3-C2	-7.19	118.79	124.58
32	1a	1207	2MG	C2-N3-C4	7.13	120.92	112.00

There are no chirality outliers.

5 of 27 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	1A	1915	5MU	O4'-C1'-N1-C2
1	1A	1915	5MU	O4'-C1'-N1-C6
43	1l	92	0TD	CG-CB-SB-CSB
1	2A	1915	5MU	O4'-C1'-N1-C2
1	2A	1915	5MU	O4'-C1'-N1-C6

There are no ring outliers.

17 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	2A	1920	OMC	1	0
32	1a	1518	MA6	2	0
55	2x	76	8AN	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
32	2a	1519	MA6	2	0
1	1A	1920	OMC	1	0
32	2a	1400	5MC	3	0
32	1a	1519	MA6	1	0
32	1a	1400	5MC	2	0
1	2A	1917	PSU	1	0
32	2a	1402	4OC	1	0
32	2a	1518	MA6	1	0
1	2A	1939	5MU	2	0
32	2a	1404	5MC	1	0
1	1A	2251	OMG	1	0
43	2l	92	0TD	2	0
1	2A	2552	OMU	1	0
32	1a	1402	4OC	3	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2517 ligands modelled in this entry, 2505 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
59	ARG	1A	4018	57	10,11,11	0.76	1 (10%)	9,13,13	0.90	1 (11%)
60	MPD	2A	3748	-	7,7,7	0.29	0	9,10,10	0.18	0
58	CLM	2A	3747	-	20,20,20	0.85	0	23,27,27	1.25	2 (8%)
60	MPD	2B	220	-	7,7,7	0.31	0	9,10,10	0.19	0
58	CLM	1A	4017	-	20,20,20	1.10	2 (10%)	23,27,27	1.96	7 (30%)
60	MPD	18	104	-	7,7,7	0.29	0	9,10,10	0.22	0
60	MPD	1A	4019	-	7,7,7	0.31	0	9,10,10	0.16	0
62	SF4	1d	305	35	0,12,12	-	-	-	-	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
59	ARG	1B	231	-	10,11,11	0.78	1 (10%)	9,13,13	1.01	1 (11%)
62	SF4	2d	501	35	0,12,12	-	-	-	-	-
60	MPD	1a	1867	32	7,7,7	0.37	0	9,10,10	0.41	0
60	MPD	1T	208	-	7,7,7	0.31	0	9,10,10	0.24	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
59	ARG	1A	4018	57	-	2/11/11/11	-
60	MPD	2A	3748	-	-	2/5/5/5	-
58	CLM	2A	3747	-	-	0/20/22/22	0/1/1/1
60	MPD	2B	220	-	-	4/5/5/5	-
58	CLM	1A	4017	-	-	2/20/22/22	0/1/1/1
60	MPD	18	104	-	-	1/5/5/5	-
60	MPD	1A	4019	-	-	3/5/5/5	-
62	SF4	1d	305	35	-	-	0/6/5/5
59	ARG	1B	231	-	-	3/11/11/11	-
62	SF4	2d	501	35	-	-	0/6/5/5
60	MPD	1a	1867	32	-	4/5/5/5	-
60	MPD	1T	208	-	-	1/5/5/5	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
58	1A	4017	CLM	C6-C5	-2.97	1.47	1.51
58	1A	4017	CLM	C9-N9	-2.47	1.39	1.45
59	1B	231	ARG	OXT-C	-2.26	1.23	1.30
59	1A	4018	ARG	OXT-C	-2.15	1.23	1.30

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
58	1A	4017	CLM	C8-C9-N9	4.57	123.33	119.34
58	1A	4017	CLM	C10-C9-N9	-4.56	115.35	119.34
58	1A	4017	CLM	C6-C5-C3	3.44	117.89	111.72
58	2A	3747	CLM	C6-C5-C3	3.04	117.17	111.72
58	1A	4017	CLM	O5-C5-C6	-2.72	105.30	111.20

There are no chirality outliers.

5 of 22 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
59	1B	231	ARG	O-C-CA-N
60	1A	4019	MPD	C2-C3-C4-O4
60	1A	4019	MPD	C2-C3-C4-C5
60	2B	220	MPD	C2-C3-C4-C5
59	1B	231	ARG	CA-CB-CG-CD


There are no ring outliers.

6 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
59	1A	4018	ARG	2	0
60	2B	220	MPD	1	0
60	18	104	MPD	1	0
60	1A	4019	MPD	1	0
59	1B	231	ARG	2	0
60	1a	1867	MPD	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	1A	2861/2915 (98%)	-0.49	139 (4%) 35 31	19, 36, 84, 95	0
1	2A	2856/2915 (97%)	0.04	148 (5%) 33 29	32, 53, 85, 95	0
2	1B	120/121 (99%)	-0.25	2 (1%) 69 65	30, 48, 62, 74	0
2	2B	120/121 (99%)	0.76	4 (3%) 49 45	58, 70, 78, 82	0
3	1D	275/276 (99%)	-0.11	1 (0%) 88 86	21, 36, 49, 61	0
3	2D	275/276 (99%)	0.27	2 (0%) 84 81	29, 48, 60, 71	0
4	1E	204/206 (99%)	-0.05	0 100 100	18, 40, 57, 66	0
4	2E	204/206 (99%)	0.42	3 (1%) 72 68	32, 53, 66, 75	0
5	1F	203/210 (96%)	0.05	2 (0%) 79 76	19, 41, 64, 77	0
5	2F	203/210 (96%)	0.70	4 (1%) 65 60	31, 62, 71, 78	0
6	1G	181/182 (99%)	0.88	14 (7%) 19 16	45, 59, 70, 79	0
6	2G	181/182 (99%)	1.76	63 (34%) 1 1	63, 73, 80, 84	0
7	1H	174/180 (96%)	0.39	1 (0%) 85 83	37, 52, 62, 66	0
7	2H	173/180 (96%)	1.41	35 (20%) 3 2	58, 71, 77, 80	0
8	1I	147/148 (99%)	1.04	14 (9%) 14 11	41, 66, 73, 78	0
8	2I	146/148 (98%)	1.30	21 (14%) 6 4	54, 68, 77, 84	0
9	1N	140/140 (100%)	0.04	3 (2%) 63 59	25, 38, 57, 72	0
9	2N	140/140 (100%)	0.75	6 (4%) 40 36	44, 60, 69, 71	0
10	1O	122/122 (100%)	-0.06	1 (0%) 82 80	28, 41, 56, 64	0
10	2O	122/122 (100%)	0.46	0 100 100	42, 51, 62, 68	0
11	1P	149/150 (99%)	0.09	0 100 100	19, 45, 65, 74	0
11	2P	149/150 (99%)	0.70	8 (5%) 31 28	37, 61, 72, 78	0
12	1Q	141/141 (100%)	0.02	0 100 100	25, 39, 50, 60	0
12	2Q	141/141 (100%)	0.97	10 (7%) 22 18	43, 60, 68, 72	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	1R	118/118 (100%)	-0.17	0 100 100	25, 34, 48, 54	0
13	2R	118/118 (100%)	0.33	2 (1%) 69 65	37, 49, 58, 65	0
14	1S	110/112 (98%)	0.47	4 (3%) 46 42	37, 48, 59, 63	0
14	2S	110/112 (98%)	1.48	21 (19%) 3 2	59, 66, 71, 71	0
15	1T	131/146 (89%)	0.22	5 (3%) 44 40	33, 45, 64, 80	0
15	2T	131/146 (89%)	0.53	3 (2%) 61 57	42, 55, 68, 77	0
16	1U	116/118 (98%)	-0.28	1 (0%) 81 78	21, 30, 45, 59	0
16	2U	116/118 (98%)	0.68	4 (3%) 48 44	40, 56, 67, 72	0
17	1V	101/101 (100%)	0.03	1 (0%) 79 76	22, 40, 55, 63	0
17	2V	101/101 (100%)	0.87	4 (3%) 42 38	40, 64, 71, 77	0
18	1W	112/113 (99%)	-0.18	1 (0%) 81 78	24, 31, 50, 72	0
18	2W	112/113 (99%)	0.48	3 (2%) 56 52	35, 49, 63, 81	0
19	1X	95/96 (98%)	0.03	2 (2%) 63 59	27, 38, 57, 64	0
19	2X	95/96 (98%)	0.91	8 (8%) 17 14	45, 56, 68, 75	0
20	1Y	107/110 (97%)	0.31	2 (1%) 66 62	34, 47, 59, 71	0
20	2Y	107/110 (97%)	1.20	12 (11%) 10 7	55, 65, 73, 78	0
21	1Z	203/206 (98%)	0.65	4 (1%) 65 60	39, 55, 67, 75	0
21	2Z	201/206 (97%)	1.40	30 (14%) 5 4	61, 69, 76, 80	0
22	10	83/85 (97%)	0.18	6 (7%) 21 18	27, 36, 55, 69	0
22	20	83/85 (97%)	1.15	8 (9%) 13 10	45, 58, 68, 70	0
23	11	97/98 (98%)	0.19	1 (1%) 79 76	27, 43, 63, 68	0
23	21	97/98 (98%)	0.53	1 (1%) 79 76	38, 52, 68, 73	0
24	12	70/72 (97%)	0.29	2 (2%) 53 50	37, 48, 58, 68	0
24	22	70/72 (97%)	1.06	6 (8%) 16 13	55, 64, 69, 71	0
25	13	59/60 (98%)	0.00	0 100 100	24, 35, 57, 63	0
25	23	59/60 (98%)	0.67	3 (5%) 33 30	53, 58, 70, 76	0
26	14	69/71 (97%)	1.34	17 (24%) 2 1	54, 70, 80, 85	0
26	24	69/71 (97%)	2.22	38 (55%) 0 0	72, 78, 82, 84	0
27	15	59/60 (98%)	-0.26	1 (1%) 69 65	22, 32, 45, 54	0
27	25	59/60 (98%)	0.20	1 (1%) 69 65	33, 48, 60, 66	0
28	16	53/54 (98%)	-0.00	0 100 100	33, 42, 52, 57	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
28	26	53/54 (98%)	0.58	1 (1%) 66 62	47, 56, 63, 67	0
29	17	48/49 (97%)	-0.19	3 (6%) 26 22	21, 28, 52, 61	0
29	27	48/49 (97%)	0.07	3 (6%) 26 22	34, 39, 60, 66	0
30	18	64/65 (98%)	-0.21	0 100 100	27, 34, 40, 54	0
30	28	64/65 (98%)	0.57	2 (3%) 51 47	40, 51, 58, 63	0
31	19	37/37 (100%)	-0.00	0 100 100	30, 39, 51, 58	0
31	29	37/37 (100%)	1.03	1 (2%) 56 52	51, 60, 71, 71	0
32	1a	1488/1521 (97%)	0.32	45 (3%) 52 48	35, 64, 82, 95	0
32	2a	1492/1521 (98%)	0.62	64 (4%) 40 36	44, 69, 84, 95	0
33	1b	231/256 (90%)	1.40	44 (19%) 3 2	60, 70, 77, 82	0
33	2b	231/256 (90%)	1.69	77 (33%) 1 1	66, 75, 80, 84	0
34	1c	206/239 (86%)	1.01	14 (6%) 23 20	56, 67, 75, 80	0
34	2c	206/239 (86%)	1.72	71 (34%) 1 1	65, 75, 79, 81	0
35	1d	208/209 (99%)	1.15	22 (10%) 11 8	54, 65, 73, 79	0
35	2d	208/209 (99%)	1.32	28 (13%) 7 5	56, 66, 73, 75	0
36	1e	148/162 (91%)	0.79	3 (2%) 65 60	43, 61, 68, 74	0
36	2e	148/162 (91%)	1.07	13 (8%) 15 12	58, 66, 73, 81	0
37	1f	100/101 (99%)	0.72	5 (5%) 34 30	50, 59, 68, 70	0
37	2f	100/101 (99%)	0.73	1 (1%) 79 76	56, 64, 72, 77	0
38	1g	155/156 (99%)	0.93	11 (7%) 22 18	53, 65, 71, 77	0
38	2g	155/156 (99%)	1.61	46 (29%) 1 1	66, 73, 78, 80	0
39	1h	137/138 (99%)	0.86	10 (7%) 21 17	52, 62, 67, 72	0
39	2h	137/138 (99%)	1.09	6 (4%) 39 34	61, 68, 73, 75	0
40	1i	127/128 (99%)	1.53	30 (23%) 2 1	56, 69, 75, 77	0
40	2i	126/128 (98%)	2.31	78 (61%) 0 0	68, 76, 80, 83	0
41	1j	97/105 (92%)	1.48	23 (23%) 2 1	57, 71, 76, 78	0
41	2j	96/105 (91%)	2.51	68 (70%) 0 0	68, 76, 81, 84	0
42	1k	114/129 (88%)	0.69	2 (1%) 67 63	42, 59, 68, 71	0
42	2k	114/129 (88%)	1.11	11 (9%) 13 10	56, 67, 73, 76	0
43	1l	121/132 (91%)	0.72	5 (4%) 41 37	48, 57, 65, 70	0
43	2l	121/132 (91%)	0.91	9 (7%) 20 17	53, 61, 68, 71	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
44	1m	116/126 (92%)	1.23	16 (13%) 6 5	56, 67, 73, 77	0
44	2m	114/126 (90%)	1.87	43 (37%) 1 0	69, 74, 79, 80	0
45	1n	60/61 (98%)	1.23	6 (10%) 12 9	58, 64, 72, 74	0
45	2n	60/61 (98%)	2.48	38 (63%) 0 0	66, 74, 79, 84	0
46	1o	88/89 (98%)	0.89	3 (3%) 48 44	43, 60, 70, 73	0
46	2o	88/89 (98%)	1.02	7 (7%) 18 15	58, 67, 72, 76	0
47	1p	82/88 (93%)	1.51	18 (21%) 2 2	55, 66, 73, 82	0
47	2p	82/88 (93%)	1.30	13 (15%) 5 4	57, 64, 69, 74	0
48	1q	99/105 (94%)	0.99	5 (5%) 33 30	49, 62, 71, 73	0
48	2q	99/105 (94%)	0.82	2 (2%) 65 60	54, 65, 71, 74	0
49	1r	68/88 (77%)	0.75	3 (4%) 39 34	52, 59, 71, 73	0
49	2r	68/88 (77%)	1.17	8 (11%) 9 6	61, 67, 74, 77	0
50	1s	83/93 (89%)	1.29	11 (13%) 7 5	59, 69, 74, 77	0
50	2s	83/93 (89%)	2.10	44 (53%) 0 0	63, 75, 80, 81	0
51	1t	96/106 (90%)	1.34	17 (17%) 4 3	59, 65, 73, 76	0
51	2t	98/106 (92%)	1.00	5 (5%) 33 30	54, 64, 72, 74	0
52	1u	23/27 (85%)	1.56	6 (26%) 1 1	61, 66, 69, 71	0
52	2u	23/27 (85%)	2.65	15 (65%) 0 0	71, 74, 76, 79	0
53	1y	97/113 (85%)	0.90	6 (6%) 26 23	49, 60, 70, 77	0
53	2y	96/113 (84%)	2.59	69 (71%) 0 0	69, 78, 84, 85	0
54	1w	4/5 (80%)	-0.17	0 100 100	28, 31, 44, 61	0
54	2w	4/5 (80%)	0.21	0 100 100	39, 46, 55, 70	0
55	1x	3/4 (75%)	0.38	1 (33%) 1 1	29, 29, 34, 51	0
55	2x	3/4 (75%)	0.53	1 (33%) 1 1	43, 43, 45, 60	0
56	1v	3/3 (100%)	-0.06	0 100 100	23, 23, 29, 38	0
56	2v	3/3 (100%)	0.94	0 100 100	46, 46, 51, 57	0
All	All	20798/21492 (96%)	0.49	1705 (8%) 17 14	18, 59, 79, 95	0

The worst 5 of 1705 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
45	2n	2	ALA	9.3
1	1A	1087	G	7.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
41	2j	37	PRO	6.7
1	1A	2804	C	6.6
45	1n	2	ALA	6.5

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	5MU	2A	1915	21/22	0.82	0.12	71,79,86,100	0
32	2MG	2a	1207	24/25	0.82	0.15	70,77,81,86	0
1	5MU	1A	1915	21/22	0.86	0.13	63,71,76,84	0
32	M2G	2a	966	25/26	0.88	0.16	64,70,83,97	0
1	PSU	2A	1911	20/21	0.89	0.11	66,71,78,83	0
1	PSU	2A	1917	20/21	0.89	0.10	65,74,85,87	0
32	5MC	2a	1400	21/22	0.90	0.18	62,74,78,82	0
43	0TD	1l	92	10/11	0.91	0.12	50,56,60,61	0
43	0TD	2l	92	10/11	0.91	0.13	58,63,69,74	0
32	5MC	1a	967	21/22	0.92	0.13	57,63,72,79	0
1	PSU	1A	1917	20/21	0.92	0.10	55,59,65,69	0
32	5MC	2a	967	21/22	0.92	0.14	65,69,75,77	0
32	PSU	2a	516	20/21	0.93	0.10	65,70,72,79	0
1	OMC	2A	1920	21/22	0.93	0.11	58,64,68,72	0
32	2MG	1a	1207	24/25	0.94	0.10	61,67,72,73	0
32	PSU	1a	516	20/21	0.94	0.09	56,61,65,68	0
32	M2G	1a	966	25/26	0.94	0.11	48,57,63,70	0
32	5MC	2a	1404	21/22	0.94	0.10	51,61,65,69	0
1	PSU	1A	1911	20/21	0.94	0.09	54,60,63,67	0
32	MA6	1a	1519	24/25	0.95	0.10	39,45,50,52	0
32	5MC	1a	1400	21/22	0.95	0.10	49,53,58,60	0
32	4OC	1a	1402	22/23	0.95	0.10	44,50,59,63	0
32	4OC	2a	1402	22/23	0.95	0.10	52,60,68,70	0
32	G7M	2a	527	24/25	0.95	0.09	55,60,64,67	0
32	5MC	2a	1407	21/22	0.95	0.10	52,62,64,65	0
32	UR3	2a	1498	21/22	0.95	0.10	55,61,67,72	0
32	MA6	2a	1518	24/25	0.95	0.11	54,62,66,67	0
32	5MC	1a	1407	21/22	0.95	0.11	42,51,57,59	0
32	5MC	1a	1404	21/22	0.96	0.09	45,48,52,54	0
32	G7M	1a	527	24/25	0.96	0.10	41,53,58,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
32	UR3	1a	1498	21/22	0.96	0.09	46,51,54,62	0
32	MA6	1a	1518	24/25	0.96	0.10	38,47,50,52	0
1	5MC	1A	1942	21/22	0.96	0.08	31,40,45,49	0
32	MA6	2a	1519	24/25	0.96	0.12	52,59,63,67	0
1	5MC	2A	1942	21/22	0.96	0.09	47,50,52,62	0
55	8AN	2x	76	22/23	0.96	0.09	39,45,50,54	0
1	OMG	1A	2251	24/25	0.97	0.08	20,26,31,38	0
1	5MC	2A	1962	21/22	0.97	0.08	39,45,49,56	0
1	OMG	2A	2251	24/25	0.97	0.08	33,40,44,48	0
1	2MA	2A	2503	23/24	0.97	0.07	28,33,38,40	0
1	OMC	1A	1920	21/22	0.97	0.09	42,53,58,60	0
1	5MU	2A	1939	21/22	0.97	0.07	32,38,42,45	0
1	2MA	1A	2503	23/24	0.98	0.06	19,23,25,27	0
1	OMU	1A	2552	21/22	0.98	0.07	22,28,34,35	0
1	PSU	1A	2605	20/21	0.98	0.07	22,27,31,33	0
1	5MC	1A	1962	21/22	0.98	0.07	26,34,38,40	0
1	5MU	1A	1939	21/22	0.98	0.07	23,29,33,36	0
1	OMU	2A	2552	21/22	0.98	0.07	33,38,42,43	0
55	8AN	1x	76	22/23	0.98	0.06	21,30,34,34	0
1	PSU	2A	2605	20/21	0.98	0.07	31,36,43,43	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3686	1/1	0.48	0.18	76,76,76,76	0
57	MG	1A	3747	1/1	0.55	0.18	66,66,66,66	0
57	MG	1B	230	1/1	0.63	0.18	74,74,74,74	0
57	MG	2G	203	1/1	0.63	0.28	76,76,76,76	0
57	MG	2I	101	1/1	0.63	0.21	69,69,69,69	0
57	MG	2O	202	1/1	0.64	0.23	80,80,80,80	0
57	MG	2A	3340	1/1	0.64	0.19	68,68,68,68	0
57	MG	1A	3414	1/1	0.66	0.20	72,72,72,72	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3545	1/1	0.66	0.23	73,73,73,73	0
57	MG	2A	3419	1/1	0.70	0.20	54,54,54,54	0
57	MG	1A	3808	1/1	0.70	0.14	79,79,79,79	0
57	MG	2a	3134	1/1	0.70	0.26	82,82,82,82	0
57	MG	2A	3546	1/1	0.71	0.20	79,79,79,79	0
57	MG	1A	3588	1/1	0.72	0.17	51,51,51,51	0
57	MG	1A	3644	1/1	0.72	0.25	73,73,73,73	0
57	MG	1A	3867	1/1	0.72	0.19	67,67,67,67	0
57	MG	2A	3457	1/1	0.72	0.12	78,78,78,78	0
57	MG	2Q	202	1/1	0.72	0.32	56,56,56,56	0
57	MG	2A	3506	1/1	0.72	0.20	69,69,69,69	0
57	MG	1B	229	1/1	0.72	0.16	66,66,66,66	0
57	MG	1a	1774	1/1	0.73	0.27	69,69,69,69	0
57	MG	2A	3456	1/1	0.73	0.24	68,68,68,68	0
57	MG	1A	3651	1/1	0.73	0.16	65,65,65,65	0
57	MG	1A	3438	1/1	0.74	0.25	67,67,67,67	0
57	MG	1A	3519	1/1	0.75	0.14	52,52,52,52	0
57	MG	2A	3588	1/1	0.75	0.17	46,46,46,46	0
57	MG	1A	3638	1/1	0.75	0.29	37,37,37,37	0
57	MG	2A	3254	1/1	0.75	0.29	76,76,76,76	0
57	MG	1A	3978	1/1	0.76	0.16	35,35,35,35	0
57	MG	1t	3102	1/1	0.76	0.21	64,64,64,64	0
57	MG	2A	3234	1/1	0.76	0.16	65,65,65,65	0
57	MG	2A	3246	1/1	0.76	0.21	70,70,70,70	0
57	MG	2A	3592	1/1	0.76	0.17	58,58,58,58	0
57	MG	1A	3988	1/1	0.76	0.19	55,55,55,55	0
57	MG	1A	4011	1/1	0.76	0.15	33,33,33,33	0
57	MG	2A	3418	1/1	0.76	0.18	58,58,58,58	0
57	MG	1B	218	1/1	0.76	0.18	64,64,64,64	0
57	MG	1A	3602	1/1	0.76	0.13	44,44,44,44	0
57	MG	1A	3924	1/1	0.76	0.15	48,48,48,48	0
57	MG	1A	3420	1/1	0.77	0.21	72,72,72,72	0
57	MG	1A	3571	1/1	0.77	0.14	65,65,65,65	0
57	MG	1A	3855	1/1	0.77	0.13	56,56,56,56	0
57	MG	1A	3861	1/1	0.77	0.17	49,49,49,49	0
57	MG	1A	3578	1/1	0.77	0.14	45,45,45,45	0
57	MG	1A	3323	1/1	0.77	0.45	79,79,79,79	0
57	MG	2a	3022	1/1	0.77	0.36	73,73,73,73	0
57	MG	2a	3050	1/1	0.77	0.41	86,86,86,86	0
57	MG	1a	1745	1/1	0.77	0.18	70,70,70,70	0
59	ARG	1A	4018	12/12	0.77	0.20	41,65,74,75	0
57	MG	2B	211	1/1	0.78	0.21	67,67,67,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1a	1700	1/1	0.78	0.22	74,74,74,74	0
57	MG	1A	3624	1/1	0.78	0.15	38,38,38,38	0
57	MG	2A	3330	1/1	0.78	0.14	57,57,57,57	0
57	MG	1A	3709	1/1	0.78	0.17	54,54,54,54	0
57	MG	1d	304	1/1	0.78	0.19	71,71,71,71	0
57	MG	1A	3712	1/1	0.78	0.15	69,69,69,69	0
57	MG	2a	3065	1/1	0.78	0.39	74,74,74,74	0
57	MG	1T	202	1/1	0.78	0.21	67,67,67,67	0
57	MG	2A	3713	1/1	0.78	0.14	61,61,61,61	0
57	MG	2A	3436	1/1	0.79	0.14	70,70,70,70	0
57	MG	2B	207	1/1	0.79	0.22	70,70,70,70	0
57	MG	2A	3200	1/1	0.79	0.29	73,73,73,73	0
57	MG	2G	201	1/1	0.79	0.14	74,74,74,74	0
57	MG	1A	3264	1/1	0.79	0.23	69,69,69,69	0
57	MG	2A	3463	1/1	0.79	0.20	63,63,63,63	0
57	MG	2A	3472	1/1	0.79	0.17	57,57,57,57	0
57	MG	1A	3937	1/1	0.79	0.13	65,65,65,65	0
57	MG	1a	1769	1/1	0.79	0.16	69,69,69,69	0
57	MG	1A	3944	1/1	0.79	0.14	80,80,80,80	0
57	MG	1a	1797	1/1	0.79	0.25	77,77,77,77	0
57	MG	1A	3462	1/1	0.79	0.22	63,63,63,63	0
57	MG	1A	3147	1/1	0.79	0.13	80,80,80,80	0
57	MG	2A	3387	1/1	0.80	0.17	51,51,51,51	0
57	MG	1a	1846	1/1	0.80	0.21	73,73,73,73	0
57	MG	1a	1601	1/1	0.80	0.16	68,68,68,68	0
57	MG	1A	3095	1/1	0.80	0.17	63,63,63,63	0
57	MG	2A	3128	1/1	0.80	0.21	67,67,67,67	0
57	MG	2A	3134	1/1	0.80	0.32	70,70,70,70	0
57	MG	1a	1724	1/1	0.80	0.19	69,69,69,69	0
57	MG	1A	3346	1/1	0.80	0.19	50,50,50,50	0
57	MG	1A	3432	1/1	0.80	0.13	29,29,29,29	0
57	MG	1a	1772	1/1	0.80	0.16	69,69,69,69	0
57	MG	2a	3027	1/1	0.80	0.28	67,67,67,67	0
57	MG	1A	3916	1/1	0.80	0.11	57,57,57,57	0
57	MG	1A	3918	1/1	0.80	0.12	23,23,23,23	0
57	MG	2a	3086	1/1	0.80	0.20	64,64,64,64	0
57	MG	2A	3383	1/1	0.80	0.18	66,66,66,66	0
57	MG	2A	3636	1/1	0.80	0.15	70,70,70,70	0
57	MG	1a	1671	1/1	0.81	0.18	62,62,62,62	0
57	MG	2A	3709	1/1	0.81	0.18	57,57,57,57	0
57	MG	2A	3445	1/1	0.81	0.14	51,51,51,51	0
57	MG	1a	1686	1/1	0.81	0.20	67,67,67,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1a	1789	1/1	0.81	0.19	70,70,70,70	0
57	MG	1A	3790	1/1	0.81	0.14	53,53,53,53	0
57	MG	1a	1813	1/1	0.81	0.23	73,73,73,73	0
57	MG	1a	1841	1/1	0.81	0.12	61,61,61,61	0
57	MG	2A	3525	1/1	0.81	0.13	62,62,62,62	0
57	MG	1a	1709	1/1	0.81	0.31	65,65,65,65	0
57	MG	1A	3536	1/1	0.81	0.17	56,56,56,56	0
57	MG	2a	3026	1/1	0.81	0.29	75,75,75,75	0
57	MG	2A	3581	1/1	0.81	0.15	70,70,70,70	0
57	MG	2a	3048	1/1	0.81	0.36	69,69,69,69	0
57	MG	1A	3522	1/1	0.81	0.15	53,53,53,53	0
57	MG	2A	3053	1/1	0.81	0.20	60,60,60,60	0
57	MG	2A	3594	1/1	0.81	0.15	73,73,73,73	0
57	MG	2a	3129	1/1	0.81	0.15	67,67,67,67	0
57	MG	2a	3132	1/1	0.81	0.17	59,59,59,59	0
57	MG	1a	1622	1/1	0.81	0.18	61,61,61,61	0
57	MG	2A	3658	1/1	0.81	0.18	75,75,75,75	0
57	MG	1a	1697	1/1	0.82	0.26	62,62,62,62	0
57	MG	1a	1823	1/1	0.82	0.17	61,61,61,61	0
57	MG	1a	1828	1/1	0.82	0.28	75,75,75,75	0
57	MG	2A	3732	1/1	0.82	0.16	68,68,68,68	0
57	MG	2A	3740	1/1	0.82	0.17	71,71,71,71	0
57	MG	2A	3430	1/1	0.82	0.18	67,67,67,67	0
57	MG	1a	1699	1/1	0.82	0.42	78,78,78,78	0
57	MG	2B	213	1/1	0.82	0.26	70,70,70,70	0
57	MG	1A	3464	1/1	0.82	0.15	37,37,37,37	0
57	MG	1E	304	1/1	0.82	0.12	29,29,29,29	0
57	MG	1n	102	1/1	0.82	0.11	55,55,55,55	0
57	MG	1A	3502	1/1	0.82	0.15	62,62,62,62	0
57	MG	1W	203	1/1	0.82	0.12	67,67,67,67	0
57	MG	2A	3081	1/1	0.82	0.19	61,61,61,61	0
57	MG	2a	3025	1/1	0.82	0.22	69,69,69,69	0
57	MG	1a	1754	1/1	0.82	0.15	60,60,60,60	0
57	MG	1A	3269	1/1	0.82	0.18	56,56,56,56	0
57	MG	1A	3332	1/1	0.82	0.12	26,26,26,26	0
57	MG	2A	3577	1/1	0.82	0.17	73,73,73,73	0
57	MG	2a	3060	1/1	0.82	0.30	81,81,81,81	0
57	MG	1a	1638	1/1	0.82	0.34	70,70,70,70	0
57	MG	1a	1775	1/1	0.82	0.13	67,67,67,67	0
57	MG	1a	1787	1/1	0.82	0.17	61,61,61,61	0
57	MG	1A	3836	1/1	0.82	0.09	44,44,44,44	0
57	MG	1a	1792	1/1	0.82	0.22	65,65,65,65	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3535	1/1	0.82	0.16	58,58,58,58	0
57	MG	1A	3559	1/1	0.83	0.15	59,59,59,59	0
57	MG	1A	3852	1/1	0.83	0.11	58,58,58,58	0
57	MG	1A	3952	1/1	0.83	0.18	58,58,58,58	0
57	MG	2A	3173	1/1	0.83	0.29	74,74,74,74	0
57	MG	1A	3708	1/1	0.83	0.36	63,63,63,63	0
57	MG	2A	3541	1/1	0.83	0.18	58,58,58,58	0
57	MG	1A	3619	1/1	0.83	0.20	58,58,58,58	0
57	MG	2P	202	1/1	0.83	0.17	73,73,73,73	0
57	MG	1a	1650	1/1	0.83	0.22	72,72,72,72	0
57	MG	2A	3547	1/1	0.83	0.20	60,60,60,60	0
57	MG	2a	3010	1/1	0.83	0.43	73,73,73,73	0
57	MG	2A	3548	1/1	0.83	0.13	61,61,61,61	0
57	MG	1A	3185	1/1	0.83	0.18	62,62,62,62	0
57	MG	1A	4014	1/1	0.83	0.15	61,61,61,61	0
57	MG	1a	1688	1/1	0.83	0.25	59,59,59,59	0
57	MG	1B	211	1/1	0.83	0.17	68,68,68,68	0
57	MG	1A	3881	1/1	0.83	0.11	66,66,66,66	0
57	MG	1B	225	1/1	0.83	0.20	55,55,55,55	0
57	MG	2a	3063	1/1	0.83	0.27	71,71,71,71	0
57	MG	2A	3643	1/1	0.83	0.16	68,68,68,68	0
57	MG	1A	3625	1/1	0.83	0.16	54,54,54,54	0
57	MG	2a	3112	1/1	0.83	0.24	74,74,74,74	0
57	MG	1A	3513	1/1	0.83	0.10	20,20,20,20	0
57	MG	1a	1730	1/1	0.83	0.18	63,63,63,63	0
57	MG	1A	3085	1/1	0.83	0.16	66,66,66,66	0
57	MG	1N	204	1/1	0.83	0.09	52,52,52,52	0
57	MG	2A	3715	1/1	0.84	0.15	59,59,59,59	0
57	MG	2A	3722	1/1	0.84	0.14	66,66,66,66	0
57	MG	2A	3728	1/1	0.84	0.18	55,55,55,55	0
57	MG	1A	3897	1/1	0.84	0.14	55,55,55,55	0
57	MG	2A	3449	1/1	0.84	0.17	58,58,58,58	0
57	MG	1a	1776	1/1	0.84	0.15	59,59,59,59	0
57	MG	1A	3528	1/1	0.84	0.21	63,63,63,63	0
57	MG	19	102	1/1	0.84	0.15	65,65,65,65	0
57	MG	2B	215	1/1	0.84	0.16	66,66,66,66	0
57	MG	1A	3664	1/1	0.84	0.09	21,21,21,21	0
57	MG	2A	3476	1/1	0.84	0.20	62,62,62,62	0
57	MG	1A	3256	1/1	0.84	0.17	67,67,67,67	0
57	MG	2A	3520	1/1	0.84	0.16	60,60,60,60	0
57	MG	1a	1628	1/1	0.84	0.25	64,64,64,64	0
57	MG	1A	3437	1/1	0.84	0.10	59,59,59,59	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2a	3002	1/1	0.84	0.17	73,73,73,73	0
57	MG	1A	3431	1/1	0.84	0.16	61,61,61,61	0
57	MG	2A	3264	1/1	0.84	0.15	62,62,62,62	0
57	MG	2A	3271	1/1	0.84	0.40	54,54,54,54	0
57	MG	2A	3318	1/1	0.84	0.16	66,66,66,66	0
57	MG	2A	3560	1/1	0.84	0.12	37,37,37,37	0
57	MG	1a	1832	1/1	0.84	0.20	56,56,56,56	0
57	MG	1a	1839	1/1	0.84	0.14	72,72,72,72	0
57	MG	2a	3051	1/1	0.84	0.34	72,72,72,72	0
57	MG	2A	3373	1/1	0.84	0.20	69,69,69,69	0
57	MG	2a	3061	1/1	0.84	0.20	61,61,61,61	0
57	MG	1a	1756	1/1	0.84	0.15	48,48,48,48	0
57	MG	1a	1757	1/1	0.84	0.12	53,53,53,53	0
57	MG	2a	3073	1/1	0.84	0.30	71,71,71,71	0
57	MG	2a	3077	1/1	0.84	0.16	74,74,74,74	0
57	MG	2A	3403	1/1	0.84	0.12	62,62,62,62	0
57	MG	1a	1866	1/1	0.84	0.18	70,70,70,70	0
57	MG	1A	3737	1/1	0.84	0.12	46,46,46,46	0
57	MG	2A	3423	1/1	0.84	0.12	61,61,61,61	0
57	MG	1A	3746	1/1	0.84	0.17	65,65,65,65	0
57	MG	2j	201	1/1	0.84	0.34	66,66,66,66	0
57	MG	1A	3617	1/1	0.84	0.24	55,55,55,55	0
57	MG	2A	3132	1/1	0.85	0.19	65,65,65,65	0
57	MG	1a	1806	1/1	0.85	0.14	70,70,70,70	0
57	MG	2A	3147	1/1	0.85	0.20	59,59,59,59	0
57	MG	2A	3451	1/1	0.85	0.29	46,46,46,46	0
57	MG	2A	3151	1/1	0.85	0.17	67,67,67,67	0
57	MG	1A	3893	1/1	0.85	0.13	56,56,56,56	0
57	MG	2A	3462	1/1	0.85	0.12	70,70,70,70	0
57	MG	1a	1751	1/1	0.85	0.26	82,82,82,82	0
57	MG	2A	3227	1/1	0.85	0.18	65,65,65,65	0
57	MG	1A	3393	1/1	0.85	0.11	32,32,32,32	0
57	MG	2A	3477	1/1	0.85	0.13	65,65,65,65	0
57	MG	1a	1829	1/1	0.85	0.21	71,71,71,71	0
57	MG	1A	3690	1/1	0.85	0.10	55,55,55,55	0
57	MG	1a	1834	1/1	0.85	0.22	69,69,69,69	0
57	MG	1A	3691	1/1	0.85	0.13	65,65,65,65	0
57	MG	2A	3302	1/1	0.85	0.14	58,58,58,58	0
57	MG	2T	203	1/1	0.85	0.15	74,74,74,74	0
57	MG	2A	3317	1/1	0.85	0.18	64,64,64,64	0
57	MG	1A	3703	1/1	0.85	0.18	64,64,64,64	0
57	MG	1A	3472	1/1	0.85	0.10	60,60,60,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2a	3011	1/1	0.85	0.34	75,75,75,75	0
57	MG	2A	3553	1/1	0.85	0.18	76,76,76,76	0
57	MG	2A	3558	1/1	0.85	0.13	61,61,61,61	0
57	MG	1A	3557	1/1	0.85	0.10	46,46,46,46	0
57	MG	2A	3568	1/1	0.85	0.13	57,57,57,57	0
57	MG	2A	3345	1/1	0.85	0.23	69,69,69,69	0
57	MG	1A	3643	1/1	0.85	0.17	64,64,64,64	0
57	MG	2A	3584	1/1	0.85	0.15	43,43,43,43	0
57	MG	1A	3481	1/1	0.85	0.11	30,30,30,30	0
57	MG	1A	3330	1/1	0.85	0.17	62,62,62,62	0
57	MG	17	104	1/1	0.85	0.23	56,56,56,56	0
57	MG	2A	3600	1/1	0.85	0.15	55,55,55,55	0
57	MG	2A	3618	1/1	0.85	0.13	48,48,48,48	0
57	MG	2A	3626	1/1	0.85	0.12	45,45,45,45	0
57	MG	2A	3629	1/1	0.85	0.16	40,40,40,40	0
57	MG	2A	3634	1/1	0.85	0.16	36,36,36,36	0
57	MG	1A	3993	1/1	0.85	0.14	65,65,65,65	0
57	MG	2A	3089	1/1	0.85	0.19	63,63,63,63	0
57	MG	2A	3100	1/1	0.85	0.17	60,60,60,60	0
57	MG	2a	3179	1/1	0.85	0.11	67,67,67,67	0
57	MG	2a	3181	1/1	0.85	0.21	77,77,77,77	0
57	MG	2a	3189	1/1	0.85	0.28	66,66,66,66	0
57	MG	2A	3662	1/1	0.85	0.10	53,53,53,53	0
57	MG	1A	3886	1/1	0.85	0.23	60,60,60,60	0
57	MG	2A	3730	1/1	0.86	0.13	59,59,59,59	0
57	MG	2A	3494	1/1	0.86	0.10	68,68,68,68	0
57	MG	1A	3486	1/1	0.86	0.09	23,23,23,23	0
57	MG	2A	3742	1/1	0.86	0.17	71,71,71,71	0
57	MG	2A	3743	1/1	0.86	0.23	62,62,62,62	0
57	MG	2B	201	1/1	0.86	0.22	71,71,71,71	0
57	MG	2A	3517	1/1	0.86	0.13	67,67,67,67	0
57	MG	1A	3935	1/1	0.86	0.09	57,57,57,57	0
57	MG	1A	3795	1/1	0.86	0.14	69,69,69,69	0
57	MG	2A	3527	1/1	0.86	0.18	65,65,65,65	0
57	MG	1a	1842	1/1	0.86	0.19	74,74,74,74	0
57	MG	1A	3942	1/1	0.86	0.12	43,43,43,43	0
57	MG	1A	3796	1/1	0.86	0.16	61,61,61,61	0
57	MG	1A	3692	1/1	0.86	0.12	65,65,65,65	0
57	MG	1a	1768	1/1	0.86	0.12	67,67,67,67	0
57	MG	1A	3425	1/1	0.86	0.17	41,41,41,41	0
57	MG	2A	3348	1/1	0.86	0.15	64,64,64,64	0
57	MG	2A	3024	1/1	0.86	0.13	62,62,62,62	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3706	1/1	0.86	0.26	44,44,44,44	0
57	MG	2A	3572	1/1	0.86	0.28	61,61,61,61	0
57	MG	1A	3507	1/1	0.86	0.17	61,61,61,61	0
57	MG	2A	3391	1/1	0.86	0.16	69,69,69,69	0
57	MG	1A	3653	1/1	0.86	0.17	58,58,58,58	0
57	MG	2A	3404	1/1	0.86	0.17	76,76,76,76	0
57	MG	2A	3092	1/1	0.86	0.23	64,64,64,64	0
57	MG	1A	3656	1/1	0.86	0.19	56,56,56,56	0
57	MG	2A	3422	1/1	0.86	0.21	56,56,56,56	0
57	MG	2A	3616	1/1	0.86	0.10	64,64,64,64	0
57	MG	1A	3721	1/1	0.86	0.10	36,36,36,36	0
57	MG	2a	3062	1/1	0.86	0.26	75,75,75,75	0
57	MG	2A	3131	1/1	0.86	0.17	66,66,66,66	0
57	MG	1A	3381	1/1	0.86	0.13	51,51,51,51	0
57	MG	1a	1694	1/1	0.86	0.31	68,68,68,68	0
57	MG	1A	3681	1/1	0.86	0.19	68,68,68,68	0
57	MG	1B	227	1/1	0.86	0.11	59,59,59,59	0
57	MG	2A	3650	1/1	0.86	0.14	65,65,65,65	0
57	MG	2a	3120	1/1	0.86	0.16	69,69,69,69	0
57	MG	2a	3121	1/1	0.86	0.22	82,82,82,82	0
57	MG	1A	3344	1/1	0.86	0.08	28,28,28,28	0
57	MG	1A	3768	1/1	0.86	0.17	52,52,52,52	0
57	MG	2A	3460	1/1	0.86	0.23	77,77,77,77	0
57	MG	2a	3147	1/1	0.86	0.20	77,77,77,77	0
57	MG	2a	3167	1/1	0.86	0.11	64,64,64,64	0
57	MG	2A	3223	1/1	0.86	0.27	70,70,70,70	0
57	MG	1a	1717	1/1	0.86	0.39	73,73,73,73	0
57	MG	2a	3182	1/1	0.86	0.17	73,73,73,73	0
57	MG	2a	3185	1/1	0.86	0.21	69,69,69,69	0
57	MG	1a	1721	1/1	0.86	0.23	65,65,65,65	0
57	MG	2A	3244	1/1	0.86	0.15	46,46,46,46	0
57	MG	1A	3788	1/1	0.86	0.22	57,57,57,57	0
60	MPD	1T	208	8/8	0.86	0.18	59,64,68,69	0
57	MG	1A	3183	1/1	0.87	0.12	56,56,56,56	0
57	MG	2A	3739	1/1	0.87	0.18	68,68,68,68	0
57	MG	2A	3096	1/1	0.87	0.22	76,76,76,76	0
57	MG	1A	3885	1/1	0.87	0.14	43,43,43,43	0
57	MG	1A	3418	1/1	0.87	0.13	27,27,27,27	0
57	MG	1A	3723	1/1	0.87	0.13	59,59,59,59	0
57	MG	1A	3537	1/1	0.87	0.13	60,60,60,60	0
57	MG	1A	3554	1/1	0.87	0.14	49,49,49,49	0
57	MG	1T	205	1/1	0.87	0.16	59,59,59,59	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3419	1/1	0.87	0.13	31,31,31,31	0
57	MG	2B	216	1/1	0.87	0.09	77,77,77,77	0
57	MG	10	106	1/1	0.87	0.15	56,56,56,56	0
57	MG	2A	3514	1/1	0.87	0.15	61,61,61,61	0
57	MG	2A	3193	1/1	0.87	0.20	66,66,66,66	0
57	MG	2A	3197	1/1	0.87	0.28	49,49,49,49	0
57	MG	15	105	1/1	0.87	0.11	48,48,48,48	0
57	MG	2T	201	1/1	0.87	0.17	64,64,64,64	0
57	MG	2A	3210	1/1	0.87	0.11	60,60,60,60	0
57	MG	2T	204	1/1	0.87	0.17	56,56,56,56	0
57	MG	2A	3214	1/1	0.87	0.14	61,61,61,61	0
57	MG	1a	1781	1/1	0.87	0.25	71,71,71,71	0
57	MG	1a	1782	1/1	0.87	0.20	71,71,71,71	0
57	MG	1A	3751	1/1	0.87	0.10	26,26,26,26	0
57	MG	1A	3762	1/1	0.87	0.22	62,62,62,62	0
57	MG	2A	3550	1/1	0.87	0.15	62,62,62,62	0
57	MG	1A	3144	1/1	0.87	0.20	60,60,60,60	0
57	MG	1a	1616	1/1	0.87	0.19	59,59,59,59	0
57	MG	1A	3659	1/1	0.87	0.10	47,47,47,47	0
57	MG	1A	3367	1/1	0.87	0.19	72,72,72,72	0
57	MG	1a	1821	1/1	0.87	0.21	67,67,67,67	0
57	MG	1A	3948	1/1	0.87	0.09	24,24,24,24	0
57	MG	1A	3951	1/1	0.87	0.13	49,49,49,49	0
57	MG	1A	3088	1/1	0.87	0.16	53,53,53,53	0
57	MG	1a	1672	1/1	0.87	0.13	53,53,53,53	0
57	MG	1A	3974	1/1	0.87	0.11	50,50,50,50	0
57	MG	1A	3160	1/1	0.87	0.23	62,62,62,62	0
57	MG	2A	3366	1/1	0.87	0.13	58,58,58,58	0
57	MG	1A	3982	1/1	0.87	0.22	74,74,74,74	0
57	MG	2a	3110	1/1	0.87	0.29	77,77,77,77	0
57	MG	1A	3598	1/1	0.87	0.18	63,63,63,63	0
57	MG	1A	3397	1/1	0.87	0.10	44,44,44,44	0
57	MG	1a	1858	1/1	0.87	0.19	67,67,67,67	0
57	MG	2a	3127	1/1	0.87	0.12	62,62,62,62	0
57	MG	1A	3994	1/1	0.87	0.19	62,62,62,62	0
57	MG	1a	1704	1/1	0.87	0.24	62,62,62,62	0
57	MG	2a	3133	1/1	0.87	0.19	64,64,64,64	0
57	MG	2A	3415	1/1	0.87	0.12	37,37,37,37	0
57	MG	2a	3138	1/1	0.87	0.20	52,52,52,52	0
57	MG	2a	3144	1/1	0.87	0.14	65,65,65,65	0
57	MG	1e	202	1/1	0.87	0.15	65,65,65,65	0
57	MG	1A	3409	1/1	0.87	0.11	60,60,60,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3447	1/1	0.87	0.12	64,64,64,64	0
57	MG	2A	3016	1/1	0.87	0.20	73,73,73,73	0
57	MG	1B	203	1/1	0.87	0.14	59,59,59,59	0
57	MG	1A	3456	1/1	0.87	0.13	55,55,55,55	0
57	MG	2A	3065	1/1	0.87	0.29	63,63,63,63	0
57	MG	2A	3446	1/1	0.87	0.12	57,57,57,57	0
57	MG	2j	202	1/1	0.87	0.10	80,80,80,80	0
57	MG	1A	3533	1/1	0.87	0.12	48,48,48,48	0
60	MPD	1A	4019	8/8	0.87	0.22	50,54,62,65	0
57	MG	1A	3870	1/1	0.87	0.16	58,58,58,58	0
60	MPD	2A	3748	8/8	0.87	0.22	56,60,66,66	0
60	MPD	2B	220	8/8	0.87	0.19	59,60,67,75	0
57	MG	2A	3664	1/1	0.88	0.10	57,57,57,57	0
57	MG	2A	3676	1/1	0.88	0.10	64,64,64,64	0
57	MG	2A	3678	1/1	0.88	0.10	68,68,68,68	0
57	MG	1a	1734	1/1	0.88	0.10	66,66,66,66	0
57	MG	2A	3390	1/1	0.88	0.14	48,48,48,48	0
57	MG	1y	202	1/1	0.88	0.38	71,71,71,71	0
57	MG	2A	3400	1/1	0.88	0.15	63,63,63,63	0
57	MG	2A	3716	1/1	0.88	0.17	69,69,69,69	0
57	MG	1A	3616	1/1	0.88	0.22	58,58,58,58	0
57	MG	1A	3459	1/1	0.88	0.21	45,45,45,45	0
57	MG	2A	3413	1/1	0.88	0.12	53,53,53,53	0
57	MG	1A	3825	1/1	0.88	0.27	35,35,35,35	0
57	MG	2A	3055	1/1	0.88	0.21	63,63,63,63	0
57	MG	2A	3060	1/1	0.88	0.12	51,51,51,51	0
57	MG	1A	3377	1/1	0.88	0.12	54,54,54,54	0
57	MG	2A	3067	1/1	0.88	0.13	57,57,57,57	0
57	MG	1A	3851	1/1	0.88	0.10	52,52,52,52	0
57	MG	2A	3435	1/1	0.88	0.13	35,35,35,35	0
57	MG	1a	1759	1/1	0.88	0.22	64,64,64,64	0
57	MG	2A	3091	1/1	0.88	0.19	63,63,63,63	0
57	MG	1a	1767	1/1	0.88	0.17	63,63,63,63	0
57	MG	18	101	1/1	0.88	0.36	57,57,57,57	0
57	MG	1A	3199	1/1	0.88	0.30	51,51,51,51	0
57	MG	2G	202	1/1	0.88	0.18	66,66,66,66	0
57	MG	2A	3127	1/1	0.88	0.16	55,55,55,55	0
57	MG	1A	3466	1/1	0.88	0.11	63,63,63,63	0
57	MG	1a	1603	1/1	0.88	0.15	64,64,64,64	0
57	MG	1A	3422	1/1	0.88	0.10	61,61,61,61	0
57	MG	1A	3477	1/1	0.88	0.10	21,21,21,21	0
57	MG	1a	1780	1/1	0.88	0.23	71,71,71,71	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3387	1/1	0.88	0.09	24,24,24,24	0
57	MG	2A	3165	1/1	0.88	0.18	58,58,58,58	0
57	MG	2A	3479	1/1	0.88	0.13	65,65,65,65	0
57	MG	2a	3005	1/1	0.88	0.17	62,62,62,62	0
57	MG	2A	3480	1/1	0.88	0.12	62,62,62,62	0
57	MG	2A	3490	1/1	0.88	0.09	61,61,61,61	0
57	MG	2a	3016	1/1	0.88	0.15	59,59,59,59	0
57	MG	1a	1637	1/1	0.88	0.20	73,73,73,73	0
57	MG	2A	3186	1/1	0.88	0.20	61,61,61,61	0
57	MG	2A	3192	1/1	0.88	0.12	58,58,58,58	0
57	MG	1A	3880	1/1	0.88	0.09	25,25,25,25	0
57	MG	2a	3035	1/1	0.88	0.37	72,72,72,72	0
57	MG	2a	3037	1/1	0.88	0.16	71,71,71,71	0
57	MG	2a	3041	1/1	0.88	0.21	65,65,65,65	0
57	MG	1A	3200	1/1	0.88	0.17	65,65,65,65	0
57	MG	2A	3523	1/1	0.88	0.15	63,63,63,63	0
57	MG	1A	3343	1/1	0.88	0.12	41,41,41,41	0
57	MG	2A	3209	1/1	0.88	0.20	63,63,63,63	0
57	MG	1A	3286	1/1	0.88	0.12	72,72,72,72	0
57	MG	1a	1675	1/1	0.88	0.16	80,80,80,80	0
57	MG	1a	1679	1/1	0.88	0.11	59,59,59,59	0
57	MG	1B	207	1/1	0.88	0.17	55,55,55,55	0
57	MG	2a	3067	1/1	0.88	0.29	69,69,69,69	0
57	MG	2A	3228	1/1	0.88	0.13	62,62,62,62	0
57	MG	2A	3549	1/1	0.88	0.12	67,67,67,67	0
57	MG	2a	3084	1/1	0.88	0.22	75,75,75,75	0
57	MG	1A	3412	1/1	0.88	0.21	51,51,51,51	0
57	MG	2a	3090	1/1	0.88	0.14	68,68,68,68	0
57	MG	2a	3104	1/1	0.88	0.43	71,71,71,71	0
57	MG	2A	3551	1/1	0.88	0.15	68,68,68,68	0
57	MG	2A	3552	1/1	0.88	0.14	58,58,58,58	0
57	MG	2A	3240	1/1	0.88	0.22	58,58,58,58	0
57	MG	2A	3241	1/1	0.88	0.18	70,70,70,70	0
57	MG	2a	3122	1/1	0.88	0.18	75,75,75,75	0
57	MG	1a	1693	1/1	0.88	0.35	73,73,73,73	0
57	MG	1A	3758	1/1	0.88	0.15	54,54,54,54	0
57	MG	2A	3248	1/1	0.88	0.23	52,52,52,52	0
57	MG	1A	3903	1/1	0.88	0.11	25,25,25,25	0
57	MG	1A	3591	1/1	0.88	0.19	63,63,63,63	0
57	MG	2a	3137	1/1	0.88	0.15	65,65,65,65	0
57	MG	1A	3672	1/1	0.88	0.14	51,51,51,51	0
57	MG	2A	3296	1/1	0.88	0.34	67,67,67,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3919	1/1	0.88	0.12	45,45,45,45	0
57	MG	2a	3162	1/1	0.88	0.15	59,59,59,59	0
57	MG	2A	3306	1/1	0.88	0.32	62,62,62,62	0
57	MG	1a	1708	1/1	0.88	0.26	45,45,45,45	0
57	MG	2a	3180	1/1	0.88	0.16	64,64,64,64	0
57	MG	1A	3303	1/1	0.88	0.17	66,66,66,66	0
57	MG	2A	3617	1/1	0.88	0.08	40,40,40,40	0
57	MG	2A	3319	1/1	0.88	0.12	34,34,34,34	0
57	MG	1A	3035	1/1	0.88	0.20	50,50,50,50	0
57	MG	1R	205	1/1	0.88	0.17	44,44,44,44	0
57	MG	1T	201	1/1	0.88	0.17	67,67,67,67	0
57	MG	1e	201	1/1	0.88	0.18	60,60,60,60	0
57	MG	1a	1726	1/1	0.88	0.14	60,60,60,60	0
57	MG	1h	202	1/1	0.88	0.15	63,63,63,63	0
57	MG	1A	3608	1/1	0.88	0.10	60,60,60,60	0
57	MG	2A	3385	1/1	0.88	0.12	75,75,75,75	0
57	MG	1A	3342	1/1	0.89	0.11	51,51,51,51	0
57	MG	2A	3143	1/1	0.89	0.18	63,63,63,63	0
57	MG	1a	1793	1/1	0.89	0.11	61,61,61,61	0
57	MG	2A	3717	1/1	0.89	0.24	44,44,44,44	0
57	MG	2A	3718	1/1	0.89	0.08	76,76,76,76	0
57	MG	2A	3425	1/1	0.89	0.12	45,45,45,45	0
57	MG	1a	1795	1/1	0.89	0.23	68,68,68,68	0
57	MG	2A	3159	1/1	0.89	0.08	44,44,44,44	0
57	MG	1A	3435	1/1	0.89	0.13	66,66,66,66	0
57	MG	2A	3734	1/1	0.89	0.16	63,63,63,63	0
57	MG	2A	3172	1/1	0.89	0.16	64,64,64,64	0
57	MG	1a	1800	1/1	0.89	0.11	76,76,76,76	0
57	MG	2A	3447	1/1	0.89	0.15	54,54,54,54	0
57	MG	2A	3181	1/1	0.89	0.22	64,64,64,64	0
57	MG	2A	3185	1/1	0.89	0.25	51,51,51,51	0
57	MG	2A	3452	1/1	0.89	0.15	61,61,61,61	0
57	MG	1A	3817	1/1	0.89	0.16	62,62,62,62	0
57	MG	1A	3663	1/1	0.89	0.13	41,41,41,41	0
57	MG	2A	3458	1/1	0.89	0.13	51,51,51,51	0
57	MG	1A	3301	1/1	0.89	0.21	51,51,51,51	0
57	MG	2E	305	1/1	0.89	0.16	63,63,63,63	0
57	MG	2A	3194	1/1	0.89	0.16	64,64,64,64	0
57	MG	2A	3195	1/1	0.89	0.18	60,60,60,60	0
57	MG	1A	3735	1/1	0.89	0.14	54,54,54,54	0
57	MG	1a	1698	1/1	0.89	0.27	59,59,59,59	0
57	MG	1A	3670	1/1	0.89	0.09	57,57,57,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3032	1/1	0.89	0.18	53,53,53,53	0
57	MG	1A	3311	1/1	0.89	0.30	49,49,49,49	0
57	MG	2A	3221	1/1	0.89	0.18	54,54,54,54	0
57	MG	1A	3684	1/1	0.89	0.14	71,71,71,71	0
57	MG	2Y	201	1/1	0.89	0.22	61,61,61,61	0
57	MG	2A	3501	1/1	0.89	0.11	55,55,55,55	0
57	MG	1A	3354	1/1	0.89	0.17	57,57,57,57	0
57	MG	2A	3508	1/1	0.89	0.14	53,53,53,53	0
57	MG	1A	3595	1/1	0.89	0.14	67,67,67,67	0
57	MG	1T	206	1/1	0.89	0.13	70,70,70,70	0
57	MG	2a	3014	1/1	0.89	0.17	69,69,69,69	0
57	MG	2A	3239	1/1	0.89	0.21	59,59,59,59	0
57	MG	1A	3976	1/1	0.89	0.13	53,53,53,53	0
57	MG	1a	1859	1/1	0.89	0.19	73,73,73,73	0
57	MG	2A	3242	1/1	0.89	0.25	62,62,62,62	0
57	MG	2A	3530	1/1	0.89	0.13	69,69,69,69	0
57	MG	2a	3034	1/1	0.89	0.24	63,63,63,63	0
57	MG	1A	3767	1/1	0.89	0.07	33,33,33,33	0
57	MG	1A	3883	1/1	0.89	0.10	47,47,47,47	0
57	MG	2A	3247	1/1	0.89	0.11	59,59,59,59	0
57	MG	2a	3043	1/1	0.89	0.30	59,59,59,59	0
57	MG	2a	3047	1/1	0.89	0.14	60,60,60,60	0
57	MG	1a	1731	1/1	0.89	0.11	48,48,48,48	0
57	MG	1A	3884	1/1	0.89	0.08	44,44,44,44	0
57	MG	2A	3257	1/1	0.89	0.14	63,63,63,63	0
57	MG	2A	3260	1/1	0.89	0.14	57,57,57,57	0
57	MG	1g	202	1/1	0.89	0.14	61,61,61,61	0
57	MG	1A	3989	1/1	0.89	0.23	49,49,49,49	0
57	MG	2A	3273	1/1	0.89	0.17	57,57,57,57	0
57	MG	2A	3292	1/1	0.89	0.12	45,45,45,45	0
57	MG	1m	201	1/1	0.89	0.09	72,72,72,72	0
57	MG	2a	3071	1/1	0.89	0.13	59,59,59,59	0
57	MG	1a	1747	1/1	0.89	0.22	64,64,64,64	0
57	MG	1a	1749	1/1	0.89	0.11	60,60,60,60	0
57	MG	2a	3080	1/1	0.89	0.17	61,61,61,61	0
57	MG	2A	3574	1/1	0.89	0.10	52,52,52,52	0
57	MG	1A	3990	1/1	0.89	0.09	53,53,53,53	0
57	MG	1A	3487	1/1	0.89	0.11	54,54,54,54	0
57	MG	1A	3362	1/1	0.89	0.10	39,39,39,39	0
57	MG	1a	1611	1/1	0.89	0.29	66,66,66,66	0
57	MG	1A	4005	1/1	0.89	0.13	56,56,56,56	0
57	MG	1A	4010	1/1	0.89	0.19	66,66,66,66	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3062	1/1	0.89	0.13	57,57,57,57	0
57	MG	1A	3887	1/1	0.89	0.14	53,53,53,53	0
57	MG	1A	3652	1/1	0.89	0.12	30,30,30,30	0
57	MG	1B	201	1/1	0.89	0.16	60,60,60,60	0
57	MG	2A	3621	1/1	0.89	0.10	53,53,53,53	0
57	MG	2A	3624	1/1	0.89	0.14	40,40,40,40	0
57	MG	2A	3082	1/1	0.89	0.10	69,69,69,69	0
57	MG	1a	1639	1/1	0.89	0.28	69,69,69,69	0
57	MG	1a	1642	1/1	0.89	0.24	63,63,63,63	0
57	MG	1B	202	1/1	0.89	0.13	49,49,49,49	0
57	MG	2A	3641	1/1	0.89	0.18	58,58,58,58	0
57	MG	2A	3393	1/1	0.89	0.14	62,62,62,62	0
57	MG	1a	1778	1/1	0.89	0.22	62,62,62,62	0
57	MG	1a	1660	1/1	0.89	0.18	62,62,62,62	0
57	MG	1A	3793	1/1	0.89	0.15	55,55,55,55	0
57	MG	2A	3408	1/1	0.89	0.12	61,61,61,61	0
57	MG	2A	3666	1/1	0.89	0.09	50,50,50,50	0
57	MG	2A	3670	1/1	0.89	0.13	37,37,37,37	0
57	MG	1B	206	1/1	0.89	0.11	47,47,47,47	0
57	MG	2A	3677	1/1	0.89	0.09	72,72,72,72	0
57	MG	2A	3414	1/1	0.89	0.10	34,34,34,34	0
57	MG	1A	3340	1/1	0.89	0.10	49,49,49,49	0
57	MG	2A	3695	1/1	0.89	0.12	41,41,41,41	0
57	MG	2A	3697	1/1	0.89	0.12	58,58,58,58	0
60	MPD	1a	1867	8/8	0.89	0.15	52,59,62,64	0
57	MG	2A	3708	1/1	0.89	0.11	51,51,51,51	0
57	MG	1a	1677	1/1	0.89	0.09	51,51,51,51	0
57	MG	2A	3731	1/1	0.90	0.25	51,51,51,51	0
57	MG	1A	3779	1/1	0.90	0.07	30,30,30,30	0
57	MG	2A	3467	1/1	0.90	0.14	45,45,45,45	0
57	MG	2A	3735	1/1	0.90	0.16	52,52,52,52	0
57	MG	2A	3738	1/1	0.90	0.15	64,64,64,64	0
57	MG	1A	3468	1/1	0.90	0.10	43,43,43,43	0
57	MG	1d	302	1/1	0.90	0.17	57,57,57,57	0
57	MG	1A	3943	1/1	0.90	0.14	62,62,62,62	0
57	MG	1A	3683	1/1	0.90	0.09	69,69,69,69	0
57	MG	1a	1733	1/1	0.90	0.12	41,41,41,41	0
57	MG	2B	202	1/1	0.90	0.09	71,71,71,71	0
57	MG	2B	206	1/1	0.90	0.13	61,61,61,61	0
57	MG	1A	3011	1/1	0.90	0.10	56,56,56,56	0
57	MG	2B	208	1/1	0.90	0.19	57,57,57,57	0
57	MG	2A	3243	1/1	0.90	0.15	52,52,52,52	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3498	1/1	0.90	0.14	54,54,54,54	0
57	MG	2A	3500	1/1	0.90	0.17	68,68,68,68	0
57	MG	1A	3304	1/1	0.90	0.25	70,70,70,70	0
57	MG	2B	218	1/1	0.90	0.15	74,74,74,74	0
57	MG	13	102	1/1	0.90	0.11	59,59,59,59	0
57	MG	1A	3063	1/1	0.90	0.13	55,55,55,55	0
57	MG	2A	3511	1/1	0.90	0.12	61,61,61,61	0
57	MG	15	106	1/1	0.90	0.09	57,57,57,57	0
57	MG	2I	201	1/1	0.90	0.17	65,65,65,65	0
57	MG	1A	3969	1/1	0.90	0.15	47,47,47,47	0
57	MG	2A	3005	1/1	0.90	0.12	63,63,63,63	0
57	MG	1A	3973	1/1	0.90	0.10	52,52,52,52	0
57	MG	2A	3261	1/1	0.90	0.11	51,51,51,51	0
57	MG	1A	3552	1/1	0.90	0.09	37,37,37,37	0
57	MG	2A	3529	1/1	0.90	0.10	51,51,51,51	0
57	MG	2A	3265	1/1	0.90	0.17	55,55,55,55	0
57	MG	2A	3539	1/1	0.90	0.16	39,39,39,39	0
57	MG	2A	3032	1/1	0.90	0.34	59,59,59,59	0
57	MG	2A	3043	1/1	0.90	0.27	68,68,68,68	0
57	MG	2A	3279	1/1	0.90	0.13	50,50,50,50	0
57	MG	2A	3285	1/1	0.90	0.25	55,55,55,55	0
57	MG	2A	3047	1/1	0.90	0.10	68,68,68,68	0
57	MG	1A	3697	1/1	0.90	0.19	63,63,63,63	0
57	MG	2A	3299	1/1	0.90	0.27	61,61,61,61	0
57	MG	1A	3698	1/1	0.90	0.11	53,53,53,53	0
57	MG	1a	1607	1/1	0.90	0.11	67,67,67,67	0
57	MG	2A	3308	1/1	0.90	0.26	65,65,65,65	0
57	MG	2a	3028	1/1	0.90	0.14	74,74,74,74	0
57	MG	2a	3029	1/1	0.90	0.17	62,62,62,62	0
57	MG	2a	3032	1/1	0.90	0.18	72,72,72,72	0
57	MG	1A	3833	1/1	0.90	0.11	40,40,40,40	0
57	MG	1A	3701	1/1	0.90	0.12	42,42,42,42	0
57	MG	1A	3077	1/1	0.90	0.13	62,62,62,62	0
57	MG	2a	3040	1/1	0.90	0.13	64,64,64,64	0
57	MG	2A	3078	1/1	0.90	0.17	55,55,55,55	0
57	MG	1A	3449	1/1	0.90	0.07	38,38,38,38	0
57	MG	2a	3044	1/1	0.90	0.14	71,71,71,71	0
57	MG	1A	3494	1/1	0.90	0.11	32,32,32,32	0
57	MG	1A	3645	1/1	0.90	0.15	59,59,59,59	0
57	MG	2A	3357	1/1	0.90	0.11	48,48,48,48	0
57	MG	2A	3587	1/1	0.90	0.11	43,43,43,43	0
57	MG	2a	3059	1/1	0.90	0.14	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3863	1/1	0.90	0.07	62,62,62,62	0
57	MG	1A	3648	1/1	0.90	0.12	36,36,36,36	0
57	MG	1A	3715	1/1	0.90	0.10	38,38,38,38	0
57	MG	1A	3396	1/1	0.90	0.08	28,28,28,28	0
57	MG	2A	3120	1/1	0.90	0.20	72,72,72,72	0
57	MG	1A	3275	1/1	0.90	0.10	37,37,37,37	0
57	MG	1a	1791	1/1	0.90	0.14	61,61,61,61	0
57	MG	1A	3582	1/1	0.90	0.26	42,42,42,42	0
57	MG	1a	1674	1/1	0.90	0.10	55,55,55,55	0
57	MG	2A	3625	1/1	0.90	0.08	52,52,52,52	0
57	MG	1A	3461	1/1	0.90	0.07	31,31,31,31	0
57	MG	1B	204	1/1	0.90	0.08	48,48,48,48	0
57	MG	2A	3631	1/1	0.90	0.15	51,51,51,51	0
57	MG	1a	1798	1/1	0.90	0.13	62,62,62,62	0
57	MG	2a	3107	1/1	0.90	0.27	54,54,54,54	0
57	MG	2A	3635	1/1	0.90	0.14	49,49,49,49	0
57	MG	1A	3517	1/1	0.90	0.11	42,42,42,42	0
57	MG	2a	3113	1/1	0.90	0.11	73,73,73,73	0
57	MG	2a	3119	1/1	0.90	0.16	59,59,59,59	0
57	MG	2A	3640	1/1	0.90	0.14	54,54,54,54	0
57	MG	1a	1804	1/1	0.90	0.23	67,67,67,67	0
57	MG	2A	3642	1/1	0.90	0.19	54,54,54,54	0
57	MG	2a	3126	1/1	0.90	0.21	62,62,62,62	0
57	MG	1A	3165	1/1	0.90	0.10	41,41,41,41	0
57	MG	2A	3416	1/1	0.90	0.12	50,50,50,50	0
57	MG	1a	1809	1/1	0.90	0.13	65,65,65,65	0
57	MG	1a	1812	1/1	0.90	0.21	56,56,56,56	0
57	MG	1A	3216	1/1	0.90	0.07	57,57,57,57	0
57	MG	1A	3754	1/1	0.90	0.23	57,57,57,57	0
57	MG	2A	3424	1/1	0.90	0.16	61,61,61,61	0
57	MG	1A	3434	1/1	0.90	0.11	38,38,38,38	0
57	MG	2A	3427	1/1	0.90	0.22	68,68,68,68	0
57	MG	2a	3150	1/1	0.90	0.09	55,55,55,55	0
57	MG	1A	3759	1/1	0.90	0.08	34,34,34,34	0
57	MG	1A	3531	1/1	0.90	0.09	56,56,56,56	0
57	MG	2a	3168	1/1	0.90	0.15	55,55,55,55	0
57	MG	1A	3763	1/1	0.90	0.14	42,42,42,42	0
57	MG	1D	301	1/1	0.90	0.17	59,59,59,59	0
57	MG	2A	3699	1/1	0.90	0.19	46,46,46,46	0
57	MG	2A	3196	1/1	0.90	0.18	71,71,71,71	0
57	MG	2a	3183	1/1	0.90	0.22	75,75,75,75	0
57	MG	1A	3673	1/1	0.90	0.08	36,36,36,36	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2a	3188	1/1	0.90	0.16	57,57,57,57	0
57	MG	1E	307	1/1	0.90	0.12	54,54,54,54	0
57	MG	2A	3201	1/1	0.90	0.27	59,59,59,59	0
57	MG	1A	3674	1/1	0.90	0.16	60,60,60,60	0
57	MG	2x	101	1/1	0.90	0.10	57,57,57,57	0
57	MG	1P	205	1/1	0.90	0.14	67,67,67,67	0
57	MG	1a	1856	1/1	0.90	0.23	68,68,68,68	0
57	MG	2A	3720	1/1	0.90	0.09	65,65,65,65	0
57	MG	1a	1857	1/1	0.90	0.08	65,65,65,65	0
57	MG	1A	3776	1/1	0.90	0.08	25,25,25,25	0
57	MG	2A	3225	1/1	0.90	0.18	65,65,65,65	0
57	MG	1V	205	1/1	0.91	0.13	57,57,57,57	0
57	MG	2A	3481	1/1	0.91	0.13	59,59,59,59	0
57	MG	2A	3486	1/1	0.91	0.20	47,47,47,47	0
57	MG	1A	3306	1/1	0.91	0.17	32,32,32,32	0
57	MG	1a	1719	1/1	0.91	0.11	57,57,57,57	0
57	MG	1a	1863	1/1	0.91	0.12	63,63,63,63	0
57	MG	1a	1864	1/1	0.91	0.20	62,62,62,62	0
57	MG	1Y	201	1/1	0.91	0.12	59,59,59,59	0
57	MG	1b	301	1/1	0.91	0.23	66,66,66,66	0
57	MG	10	101	1/1	0.91	0.16	39,39,39,39	0
57	MG	1A	3987	1/1	0.91	0.19	39,39,39,39	0
57	MG	1a	1729	1/1	0.91	0.10	54,54,54,54	0
57	MG	10	107	1/1	0.91	0.10	50,50,50,50	0
57	MG	2E	304	1/1	0.91	0.10	36,36,36,36	0
57	MG	2A	3518	1/1	0.91	0.15	44,44,44,44	0
57	MG	1f	202	1/1	0.91	0.14	49,49,49,49	0
57	MG	1g	201	1/1	0.91	0.12	47,47,47,47	0
57	MG	1l	104	1/1	0.91	0.13	48,48,48,48	0
57	MG	1A	3475	1/1	0.91	0.08	20,20,20,20	0
57	MG	1A	3773	1/1	0.91	0.06	23,23,23,23	0
57	MG	1a	1742	1/1	0.91	0.13	61,61,61,61	0
57	MG	2Q	201	1/1	0.91	0.11	56,56,56,56	0
57	MG	1A	3205	1/1	0.91	0.07	52,52,52,52	0
57	MG	1A	3480	1/1	0.91	0.08	24,24,24,24	0
57	MG	1A	3390	1/1	0.91	0.08	40,40,40,40	0
57	MG	1A	3789	1/1	0.91	0.09	25,25,25,25	0
57	MG	1A	4007	1/1	0.91	0.10	59,59,59,59	0
57	MG	1A	4009	1/1	0.91	0.11	35,35,35,35	0
57	MG	2A	3034	1/1	0.91	0.19	65,65,65,65	0
57	MG	1A	3483	1/1	0.91	0.08	26,26,26,26	0
57	MG	1a	1608	1/1	0.91	0.12	58,58,58,58	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1a	1761	1/1	0.91	0.18	62,62,62,62	0
57	MG	1A	3610	1/1	0.91	0.19	42,42,42,42	0
57	MG	2A	3555	1/1	0.91	0.16	55,55,55,55	0
57	MG	2A	3556	1/1	0.91	0.15	65,65,65,65	0
57	MG	2a	3024	1/1	0.91	0.26	68,68,68,68	0
57	MG	1A	3668	1/1	0.91	0.10	50,50,50,50	0
57	MG	1a	1619	1/1	0.91	0.21	57,57,57,57	0
57	MG	2A	3563	1/1	0.91	0.13	32,32,32,32	0
57	MG	1A	3911	1/1	0.91	0.17	55,55,55,55	0
57	MG	2A	3322	1/1	0.91	0.08	48,48,48,48	0
57	MG	1a	1626	1/1	0.91	0.28	65,65,65,65	0
57	MG	1a	1627	1/1	0.91	0.33	67,67,67,67	0
57	MG	1A	3122	1/1	0.91	0.19	55,55,55,55	0
57	MG	1a	1631	1/1	0.91	0.15	63,63,63,63	0
57	MG	2A	3585	1/1	0.91	0.15	49,49,49,49	0
57	MG	1A	3801	1/1	0.91	0.09	48,48,48,48	0
57	MG	2a	3042	1/1	0.91	0.24	68,68,68,68	0
57	MG	1A	3217	1/1	0.91	0.09	54,54,54,54	0
57	MG	2A	3368	1/1	0.91	0.09	48,48,48,48	0
57	MG	1A	3809	1/1	0.91	0.12	23,23,23,23	0
57	MG	1A	3813	1/1	0.91	0.10	46,46,46,46	0
57	MG	2A	3604	1/1	0.91	0.12	55,55,55,55	0
57	MG	2A	3606	1/1	0.91	0.09	50,50,50,50	0
57	MG	2a	3054	1/1	0.91	0.26	62,62,62,62	0
57	MG	2a	3055	1/1	0.91	0.33	59,59,59,59	0
57	MG	2A	3607	1/1	0.91	0.09	48,48,48,48	0
57	MG	2A	3611	1/1	0.91	0.10	67,67,67,67	0
57	MG	2A	3612	1/1	0.91	0.09	63,63,63,63	0
57	MG	2A	3384	1/1	0.91	0.08	41,41,41,41	0
57	MG	2A	3098	1/1	0.91	0.17	57,57,57,57	0
57	MG	1B	208	1/1	0.91	0.33	66,66,66,66	0
57	MG	2a	3066	1/1	0.91	0.19	68,68,68,68	0
57	MG	2A	3116	1/1	0.91	0.17	72,72,72,72	0
57	MG	2a	3070	1/1	0.91	0.17	60,60,60,60	0
57	MG	1A	3729	1/1	0.91	0.14	58,58,58,58	0
57	MG	1a	1661	1/1	0.91	0.17	64,64,64,64	0
57	MG	1a	1662	1/1	0.91	0.29	59,59,59,59	0
57	MG	2a	3078	1/1	0.91	0.23	74,74,74,74	0
57	MG	1a	1794	1/1	0.91	0.14	59,59,59,59	0
57	MG	1A	3251	1/1	0.91	0.15	58,58,58,58	0
57	MG	2a	3085	1/1	0.91	0.11	60,60,60,60	0
57	MG	1A	3498	1/1	0.91	0.07	57,57,57,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2a	3089	1/1	0.91	0.24	63,63,63,63	0
57	MG	2A	3410	1/1	0.91	0.11	66,66,66,66	0
57	MG	2a	3091	1/1	0.91	0.12	66,66,66,66	0
57	MG	2a	3094	1/1	0.91	0.25	55,55,55,55	0
57	MG	2a	3097	1/1	0.91	0.42	71,71,71,71	0
57	MG	2a	3098	1/1	0.91	0.16	54,54,54,54	0
57	MG	1A	3676	1/1	0.91	0.07	61,61,61,61	0
57	MG	2A	3146	1/1	0.91	0.21	57,57,57,57	0
57	MG	1A	3842	1/1	0.91	0.09	54,54,54,54	0
57	MG	1A	3402	1/1	0.91	0.11	21,21,21,21	0
57	MG	2A	3153	1/1	0.91	0.13	47,47,47,47	0
57	MG	1A	3505	1/1	0.91	0.08	44,44,44,44	0
57	MG	2A	3420	1/1	0.91	0.10	40,40,40,40	0
57	MG	2A	3164	1/1	0.91	0.11	60,60,60,60	0
57	MG	2A	3663	1/1	0.91	0.08	66,66,66,66	0
57	MG	2a	3125	1/1	0.91	0.18	73,73,73,73	0
57	MG	1a	1683	1/1	0.91	0.18	63,63,63,63	0
57	MG	2A	3171	1/1	0.91	0.12	53,53,53,53	0
57	MG	1D	315	1/1	0.91	0.20	39,39,39,39	0
57	MG	2A	3674	1/1	0.91	0.07	75,75,75,75	0
57	MG	1A	3954	1/1	0.91	0.11	64,64,64,64	0
57	MG	1a	1689	1/1	0.91	0.21	64,64,64,64	0
57	MG	2A	3433	1/1	0.91	0.17	55,55,55,55	0
57	MG	2A	3682	1/1	0.91	0.10	64,64,64,64	0
57	MG	1A	3958	1/1	0.91	0.11	49,49,49,49	0
57	MG	2A	3694	1/1	0.91	0.08	67,67,67,67	0
57	MG	1a	1825	1/1	0.91	0.13	74,74,74,74	0
57	MG	2a	3153	1/1	0.91	0.13	69,69,69,69	0
57	MG	2a	3160	1/1	0.91	0.12	68,68,68,68	0
57	MG	2A	3188	1/1	0.91	0.11	61,61,61,61	0
57	MG	1a	1827	1/1	0.91	0.13	59,59,59,59	0
57	MG	1A	3639	1/1	0.91	0.09	34,34,34,34	0
57	MG	1A	3972	1/1	0.91	0.10	46,46,46,46	0
57	MG	1A	3364	1/1	0.91	0.09	53,53,53,53	0
57	MG	1A	3572	1/1	0.91	0.14	45,45,45,45	0
57	MG	2A	3454	1/1	0.91	0.12	79,79,79,79	0
57	MG	1a	1838	1/1	0.91	0.09	49,49,49,49	0
57	MG	1A	3193	1/1	0.91	0.22	60,60,60,60	0
57	MG	1a	1702	1/1	0.91	0.18	63,63,63,63	0
57	MG	2A	3202	1/1	0.91	0.32	64,64,64,64	0
57	MG	2e	201	1/1	0.91	0.26	68,68,68,68	0
57	MG	2A	3725	1/1	0.91	0.18	52,52,52,52	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3202	1/1	0.91	0.30	59,59,59,59	0
57	MG	1a	1705	1/1	0.91	0.21	57,57,57,57	0
57	MG	2A	3466	1/1	0.91	0.14	67,67,67,67	0
57	MG	1a	1851	1/1	0.91	0.16	55,55,55,55	0
57	MG	1a	1852	1/1	0.91	0.10	60,60,60,60	0
57	MG	2A	3222	1/1	0.91	0.11	56,56,56,56	0
57	MG	1a	1855	1/1	0.91	0.14	58,58,58,58	0
57	MG	1A	3980	1/1	0.91	0.06	65,65,65,65	0
57	MG	1A	3704	1/1	0.92	0.16	34,34,34,34	0
57	MG	1B	216	1/1	0.92	0.14	48,48,48,48	0
57	MG	1A	3606	1/1	0.92	0.13	37,37,37,37	0
57	MG	2A	3359	1/1	0.92	0.08	38,38,38,38	0
57	MG	2A	3689	1/1	0.92	0.14	73,73,73,73	0
57	MG	2A	3691	1/1	0.92	0.08	53,53,53,53	0
57	MG	2A	3363	1/1	0.92	0.11	39,39,39,39	0
57	MG	1a	1707	1/1	0.92	0.35	67,67,67,67	0
57	MG	2A	3367	1/1	0.92	0.08	33,33,33,33	0
57	MG	1y	201	1/1	0.92	0.12	57,57,57,57	0
57	MG	2A	3700	1/1	0.92	0.07	54,54,54,54	0
57	MG	2A	3702	1/1	0.92	0.10	51,51,51,51	0
57	MG	1A	3500	1/1	0.92	0.10	53,53,53,53	0
57	MG	2A	3374	1/1	0.92	0.07	33,33,33,33	0
57	MG	2A	3001	1/1	0.92	0.29	61,61,61,61	0
57	MG	1A	3872	1/1	0.92	0.09	49,49,49,49	0
57	MG	1a	1710	1/1	0.92	0.11	56,56,56,56	0
57	MG	1a	1715	1/1	0.92	0.16	72,72,72,72	0
57	MG	1A	3283	1/1	0.92	0.19	54,54,54,54	0
57	MG	2A	3719	1/1	0.92	0.14	67,67,67,67	0
57	MG	1A	3615	1/1	0.92	0.18	34,34,34,34	0
57	MG	2A	3039	1/1	0.92	0.14	60,60,60,60	0
57	MG	2A	3395	1/1	0.92	0.12	62,62,62,62	0
57	MG	2A	3727	1/1	0.92	0.10	64,64,64,64	0
57	MG	1A	3882	1/1	0.92	0.06	32,32,32,32	0
57	MG	1D	312	1/1	0.92	0.24	44,44,44,44	0
57	MG	2A	3048	1/1	0.92	0.13	62,62,62,62	0
57	MG	2A	3050	1/1	0.92	0.19	59,59,59,59	0
57	MG	2A	3733	1/1	0.92	0.10	51,51,51,51	0
57	MG	1A	3713	1/1	0.92	0.10	56,56,56,56	0
57	MG	1a	1727	1/1	0.92	0.23	57,57,57,57	0
57	MG	2A	3056	1/1	0.92	0.20	62,62,62,62	0
57	MG	1A	3285	1/1	0.92	0.08	63,63,63,63	0
57	MG	1E	306	1/1	0.92	0.10	24,24,24,24	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3741	1/1	0.92	0.17	56,56,56,56	0
57	MG	2A	3064	1/1	0.92	0.14	51,51,51,51	0
57	MG	1A	3718	1/1	0.92	0.08	66,66,66,66	0
57	MG	2A	3744	1/1	0.92	0.25	69,69,69,69	0
57	MG	2A	3746	1/1	0.92	0.08	52,52,52,52	0
57	MG	1G	202	1/1	0.92	0.12	51,51,51,51	0
57	MG	2A	3075	1/1	0.92	0.12	63,63,63,63	0
57	MG	2B	204	1/1	0.92	0.18	70,70,70,70	0
57	MG	2B	205	1/1	0.92	0.24	68,68,68,68	0
57	MG	2A	3077	1/1	0.92	0.12	66,66,66,66	0
57	MG	1A	3155	1/1	0.92	0.19	46,46,46,46	0
57	MG	1a	1738	1/1	0.92	0.10	62,62,62,62	0
57	MG	2B	209	1/1	0.92	0.14	57,57,57,57	0
57	MG	1A	3512	1/1	0.92	0.12	28,28,28,28	0
57	MG	1A	3158	1/1	0.92	0.32	41,41,41,41	0
57	MG	2B	214	1/1	0.92	0.08	82,82,82,82	0
57	MG	1a	1746	1/1	0.92	0.11	61,61,61,61	0
57	MG	1A	3372	1/1	0.92	0.12	63,63,63,63	0
57	MG	1a	1748	1/1	0.92	0.07	62,62,62,62	0
57	MG	2D	304	1/1	0.92	0.15	51,51,51,51	0
57	MG	1A	3901	1/1	0.92	0.12	33,33,33,33	0
57	MG	1A	3629	1/1	0.92	0.10	43,43,43,43	0
57	MG	2A	3115	1/1	0.92	0.11	60,60,60,60	0
57	MG	2A	3448	1/1	0.92	0.08	53,53,53,53	0
57	MG	1A	3906	1/1	0.92	0.10	27,27,27,27	0
57	MG	1T	207	1/1	0.92	0.19	60,60,60,60	0
57	MG	1U	203	1/1	0.92	0.16	60,60,60,60	0
57	MG	1A	3302	1/1	0.92	0.16	61,61,61,61	0
57	MG	1W	201	1/1	0.92	0.12	42,42,42,42	0
57	MG	1a	1763	1/1	0.92	0.23	71,71,71,71	0
57	MG	2R	201	1/1	0.92	0.12	40,40,40,40	0
57	MG	1A	3443	1/1	0.92	0.11	43,43,43,43	0
57	MG	2A	3139	1/1	0.92	0.14	63,63,63,63	0
57	MG	2A	3141	1/1	0.92	0.11	49,49,49,49	0
57	MG	2V	201	1/1	0.92	0.15	66,66,66,66	0
57	MG	1A	3748	1/1	0.92	0.18	57,57,57,57	0
57	MG	2A	3464	1/1	0.92	0.20	61,61,61,61	0
57	MG	1A	3379	1/1	0.92	0.09	39,39,39,39	0
57	MG	10	103	1/1	0.92	0.10	45,45,45,45	0
57	MG	1A	3031	1/1	0.92	0.13	50,50,50,50	0
57	MG	1A	3926	1/1	0.92	0.10	57,57,57,57	0
57	MG	2a	3012	1/1	0.92	0.30	67,67,67,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3934	1/1	0.92	0.16	53,53,53,53	0
57	MG	1A	3106	1/1	0.92	0.08	42,42,42,42	0
57	MG	1a	1779	1/1	0.92	0.15	56,56,56,56	0
57	MG	2A	3169	1/1	0.92	0.20	69,69,69,69	0
57	MG	2A	3170	1/1	0.92	0.27	62,62,62,62	0
57	MG	2A	3488	1/1	0.92	0.11	59,59,59,59	0
57	MG	1A	3388	1/1	0.92	0.08	21,21,21,21	0
57	MG	2A	3491	1/1	0.92	0.08	57,57,57,57	0
57	MG	1A	3389	1/1	0.92	0.05	28,28,28,28	0
57	MG	2A	3495	1/1	0.92	0.10	67,67,67,67	0
57	MG	1A	3014	1/1	0.92	0.11	49,49,49,49	0
57	MG	2A	3177	1/1	0.92	0.18	56,56,56,56	0
57	MG	2A	3179	1/1	0.92	0.19	57,57,57,57	0
57	MG	2a	3039	1/1	0.92	0.13	72,72,72,72	0
57	MG	1a	1784	1/1	0.92	0.11	60,60,60,60	0
57	MG	2A	3184	1/1	0.92	0.10	52,52,52,52	0
57	MG	1A	3544	1/1	0.92	0.08	35,35,35,35	0
57	MG	1a	1788	1/1	0.92	0.14	70,70,70,70	0
57	MG	1A	3547	1/1	0.92	0.09	44,44,44,44	0
57	MG	2a	3045	1/1	0.92	0.14	64,64,64,64	0
57	MG	2a	3046	1/1	0.92	0.20	55,55,55,55	0
57	MG	1A	3229	1/1	0.92	0.22	42,42,42,42	0
57	MG	1A	3662	1/1	0.92	0.06	14,14,14,14	0
57	MG	2a	3049	1/1	0.92	0.20	65,65,65,65	0
57	MG	2A	3521	1/1	0.92	0.10	62,62,62,62	0
57	MG	1A	3777	1/1	0.92	0.12	43,43,43,43	0
57	MG	2a	3052	1/1	0.92	0.33	59,59,59,59	0
57	MG	1A	3322	1/1	0.92	0.12	46,46,46,46	0
57	MG	1A	3960	1/1	0.92	0.18	72,72,72,72	0
57	MG	1A	3962	1/1	0.92	0.09	44,44,44,44	0
57	MG	2A	3198	1/1	0.92	0.18	57,57,57,57	0
57	MG	1a	1617	1/1	0.92	0.14	55,55,55,55	0
57	MG	1a	1799	1/1	0.92	0.16	65,65,65,65	0
57	MG	2A	3544	1/1	0.92	0.13	67,67,67,67	0
57	MG	1a	1618	1/1	0.92	0.13	56,56,56,56	0
57	MG	2A	3203	1/1	0.92	0.27	67,67,67,67	0
57	MG	1a	1803	1/1	0.92	0.13	54,54,54,54	0
57	MG	1A	3967	1/1	0.92	0.13	60,60,60,60	0
57	MG	2A	3213	1/1	0.92	0.23	65,65,65,65	0
57	MG	2a	3072	1/1	0.92	0.14	71,71,71,71	0
57	MG	1a	1805	1/1	0.92	0.15	59,59,59,59	0
57	MG	1A	3785	1/1	0.92	0.09	44,44,44,44	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1a	1808	1/1	0.92	0.13	59,59,59,59	0
57	MG	1A	3239	1/1	0.92	0.29	60,60,60,60	0
57	MG	1A	3558	1/1	0.92	0.12	46,46,46,46	0
57	MG	1A	3327	1/1	0.92	0.14	56,56,56,56	0
57	MG	1a	1817	1/1	0.92	0.08	56,56,56,56	0
57	MG	1A	3792	1/1	0.92	0.07	52,52,52,52	0
57	MG	2A	3235	1/1	0.92	0.26	54,54,54,54	0
57	MG	2A	3237	1/1	0.92	0.15	58,58,58,58	0
57	MG	2a	3092	1/1	0.92	0.31	69,69,69,69	0
57	MG	2A	3569	1/1	0.92	0.07	58,58,58,58	0
57	MG	2a	3096	1/1	0.92	0.28	68,68,68,68	0
57	MG	1A	3136	1/1	0.92	0.11	46,46,46,46	0
57	MG	1A	3979	1/1	0.92	0.08	33,33,33,33	0
57	MG	2A	3575	1/1	0.92	0.08	35,35,35,35	0
57	MG	1A	3189	1/1	0.92	0.12	49,49,49,49	0
57	MG	1a	1641	1/1	0.92	0.14	54,54,54,54	0
57	MG	1A	3258	1/1	0.92	0.08	41,41,41,41	0
57	MG	1a	1643	1/1	0.92	0.19	59,59,59,59	0
57	MG	2a	3115	1/1	0.92	0.12	63,63,63,63	0
57	MG	2a	3118	1/1	0.92	0.13	63,63,63,63	0
57	MG	1a	1648	1/1	0.92	0.25	68,68,68,68	0
57	MG	1A	3581	1/1	0.92	0.13	55,55,55,55	0
57	MG	1a	1655	1/1	0.92	0.09	61,61,61,61	0
57	MG	2A	3253	1/1	0.92	0.13	57,57,57,57	0
57	MG	2A	3599	1/1	0.92	0.08	43,43,43,43	0
57	MG	1A	3806	1/1	0.92	0.09	50,50,50,50	0
57	MG	1A	3191	1/1	0.92	0.16	59,59,59,59	0
57	MG	1A	3682	1/1	0.92	0.08	60,60,60,60	0
57	MG	1a	1669	1/1	0.92	0.14	61,61,61,61	0
57	MG	1A	3587	1/1	0.92	0.07	38,38,38,38	0
57	MG	1A	3027	1/1	0.92	0.13	64,64,64,64	0
57	MG	2a	3136	1/1	0.92	0.22	61,61,61,61	0
57	MG	2A	3615	1/1	0.92	0.07	32,32,32,32	0
57	MG	1A	4004	1/1	0.92	0.16	50,50,50,50	0
57	MG	1A	3823	1/1	0.92	0.13	65,65,65,65	0
57	MG	1A	3040	1/1	0.92	0.13	56,56,56,56	0
57	MG	2a	3149	1/1	0.92	0.09	60,60,60,60	0
57	MG	2A	3280	1/1	0.92	0.13	49,49,49,49	0
57	MG	1A	3345	1/1	0.92	0.10	43,43,43,43	0
57	MG	2A	3287	1/1	0.92	0.18	58,58,58,58	0
57	MG	1a	1860	1/1	0.92	0.12	62,62,62,62	0
57	MG	2A	3627	1/1	0.92	0.10	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3294	1/1	0.92	0.41	65,65,65,65	0
57	MG	2a	3172	1/1	0.92	0.15	68,68,68,68	0
57	MG	2A	3295	1/1	0.92	0.22	59,59,59,59	0
57	MG	1A	3834	1/1	0.92	0.07	41,41,41,41	0
57	MG	2A	3298	1/1	0.92	0.31	56,56,56,56	0
57	MG	1A	3835	1/1	0.92	0.09	25,25,25,25	0
57	MG	2A	3639	1/1	0.92	0.06	78,78,78,78	0
57	MG	1A	3278	1/1	0.92	0.13	57,57,57,57	0
57	MG	1A	3599	1/1	0.92	0.11	59,59,59,59	0
57	MG	2A	3307	1/1	0.92	0.18	55,55,55,55	0
57	MG	1a	1690	1/1	0.92	0.24	70,70,70,70	0
57	MG	1A	3848	1/1	0.92	0.11	27,27,27,27	0
57	MG	1A	3600	1/1	0.92	0.08	31,31,31,31	0
57	MG	1A	3700	1/1	0.92	0.11	40,40,40,40	0
57	MG	1A	3426	1/1	0.92	0.07	22,22,22,22	0
57	MG	1A	3859	1/1	0.92	0.10	46,46,46,46	0
57	MG	2A	3331	1/1	0.92	0.19	66,66,66,66	0
57	MG	1A	3603	1/1	0.92	0.11	37,37,37,37	0
57	MG	2A	3341	1/1	0.92	0.15	47,47,47,47	0
57	MG	2A	3344	1/1	0.92	0.14	59,59,59,59	0
57	MG	1A	3515	1/1	0.93	0.07	59,59,59,59	0
57	MG	1A	3213	1/1	0.93	0.09	54,54,54,54	0
57	MG	1A	3455	1/1	0.93	0.11	56,56,56,56	0
57	MG	2A	3453	1/1	0.93	0.21	51,51,51,51	0
57	MG	1a	1822	1/1	0.93	0.09	53,53,53,53	0
57	MG	2A	3737	1/1	0.93	0.12	67,67,67,67	0
57	MG	1A	3921	1/1	0.93	0.11	61,61,61,61	0
57	MG	1a	1681	1/1	0.93	0.10	59,59,59,59	0
57	MG	1A	3034	1/1	0.93	0.17	53,53,53,53	0
57	MG	1a	1685	1/1	0.93	0.10	53,53,53,53	0
57	MG	1A	3086	1/1	0.93	0.07	35,35,35,35	0
57	MG	1A	3529	1/1	0.93	0.07	37,37,37,37	0
57	MG	1A	3609	1/1	0.93	0.11	50,50,50,50	0
57	MG	1A	3695	1/1	0.93	0.09	54,54,54,54	0
57	MG	1a	1691	1/1	0.93	0.16	64,64,64,64	0
57	MG	1a	1840	1/1	0.93	0.07	58,58,58,58	0
57	MG	2A	3474	1/1	0.93	0.06	61,61,61,61	0
57	MG	1A	3404	1/1	0.93	0.07	25,25,25,25	0
57	MG	1F	315	1/1	0.93	0.08	33,33,33,33	0
57	MG	1a	1695	1/1	0.93	0.13	55,55,55,55	0
57	MG	2A	3207	1/1	0.93	0.13	53,53,53,53	0
57	MG	1A	3614	1/1	0.93	0.12	48,48,48,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2B	210	1/1	0.93	0.23	66,66,66,66	0
57	MG	1G	203	1/1	0.93	0.08	51,51,51,51	0
57	MG	2B	212	1/1	0.93	0.17	64,64,64,64	0
57	MG	1H	202	1/1	0.93	0.07	41,41,41,41	0
57	MG	1A	3407	1/1	0.93	0.09	45,45,45,45	0
57	MG	2A	3217	1/1	0.93	0.10	60,60,60,60	0
57	MG	2A	3492	1/1	0.93	0.12	48,48,48,48	0
57	MG	2A	3493	1/1	0.93	0.10	62,62,62,62	0
57	MG	2D	303	1/1	0.93	0.16	52,52,52,52	0
57	MG	1a	1701	1/1	0.93	0.18	59,59,59,59	0
57	MG	2D	307	1/1	0.93	0.08	35,35,35,35	0
57	MG	1O	201	1/1	0.93	0.09	54,54,54,54	0
57	MG	1P	204	1/1	0.93	0.12	39,39,39,39	0
57	MG	1A	3811	1/1	0.93	0.09	29,29,29,29	0
57	MG	1a	1862	1/1	0.93	0.12	60,60,60,60	0
57	MG	2A	3504	1/1	0.93	0.10	64,64,64,64	0
57	MG	1a	1706	1/1	0.93	0.12	56,56,56,56	0
57	MG	2N	201	1/1	0.93	0.11	70,70,70,70	0
57	MG	2O	201	1/1	0.93	0.10	62,62,62,62	0
57	MG	1Q	205	1/1	0.93	0.11	54,54,54,54	0
57	MG	1a	1865	1/1	0.93	0.12	60,60,60,60	0
57	MG	1R	204	1/1	0.93	0.11	48,48,48,48	0
57	MG	1A	3045	1/1	0.93	0.17	55,55,55,55	0
57	MG	2Q	203	1/1	0.93	0.10	57,57,57,57	0
57	MG	1A	3465	1/1	0.93	0.10	49,49,49,49	0
57	MG	2R	202	1/1	0.93	0.13	55,55,55,55	0
57	MG	1d	303	1/1	0.93	0.32	55,55,55,55	0
57	MG	1a	1711	1/1	0.93	0.14	59,59,59,59	0
57	MG	1a	1714	1/1	0.93	0.44	63,63,63,63	0
57	MG	2U	201	1/1	0.93	0.24	68,68,68,68	0
57	MG	1A	3154	1/1	0.93	0.10	38,38,38,38	0
57	MG	1a	1716	1/1	0.93	0.24	63,63,63,63	0
57	MG	20	102	1/1	0.93	0.16	69,69,69,69	0
57	MG	2A	3528	1/1	0.93	0.17	67,67,67,67	0
57	MG	23	101	1/1	0.93	0.13	59,59,59,59	0
57	MG	25	101	1/1	0.93	0.38	52,52,52,52	0
57	MG	1A	3621	1/1	0.93	0.12	18,18,18,18	0
57	MG	2a	3003	1/1	0.93	0.18	64,64,64,64	0
57	MG	1A	3240	1/1	0.93	0.21	53,53,53,53	0
57	MG	2a	3006	1/1	0.93	0.17	63,63,63,63	0
57	MG	2a	3009	1/1	0.93	0.07	66,66,66,66	0
57	MG	2A	3533	1/1	0.93	0.09	67,67,67,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3534	1/1	0.93	0.09	60,60,60,60	0
57	MG	2A	3535	1/1	0.93	0.08	69,69,69,69	0
57	MG	2A	3250	1/1	0.93	0.10	59,59,59,59	0
57	MG	2a	3015	1/1	0.93	0.16	51,51,51,51	0
57	MG	2A	3251	1/1	0.93	0.22	48,48,48,48	0
57	MG	2a	3019	1/1	0.93	0.19	57,57,57,57	0
57	MG	1A	3010	1/1	0.93	0.13	51,51,51,51	0
57	MG	1l	201	1/1	0.93	0.13	54,54,54,54	0
57	MG	2A	3256	1/1	0.93	0.11	53,53,53,53	0
57	MG	1a	1723	1/1	0.93	0.21	64,64,64,64	0
57	MG	1A	3963	1/1	0.93	0.08	51,51,51,51	0
57	MG	1A	3966	1/1	0.93	0.09	37,37,37,37	0
57	MG	2A	3262	1/1	0.93	0.11	52,52,52,52	0
57	MG	1A	3626	1/1	0.93	0.12	53,53,53,53	0
57	MG	2a	3033	1/1	0.93	0.20	68,68,68,68	0
57	MG	1A	3627	1/1	0.93	0.06	26,26,26,26	0
57	MG	1A	3551	1/1	0.93	0.15	33,33,33,33	0
57	MG	1A	3365	1/1	0.93	0.08	21,21,21,21	0
57	MG	1A	3197	1/1	0.93	0.12	53,53,53,53	0
57	MG	10	105	1/1	0.93	0.07	39,39,39,39	0
57	MG	2A	3025	1/1	0.93	0.11	52,52,52,52	0
57	MG	1A	3641	1/1	0.93	0.10	33,33,33,33	0
57	MG	1a	1739	1/1	0.93	0.08	58,58,58,58	0
57	MG	1A	3257	1/1	0.93	0.11	63,63,63,63	0
57	MG	1A	3423	1/1	0.93	0.11	27,27,27,27	0
57	MG	2A	3573	1/1	0.93	0.09	59,59,59,59	0
57	MG	1A	3373	1/1	0.93	0.14	52,52,52,52	0
57	MG	1A	3862	1/1	0.93	0.10	48,48,48,48	0
57	MG	1A	3984	1/1	0.93	0.07	24,24,24,24	0
57	MG	2A	3580	1/1	0.93	0.07	54,54,54,54	0
57	MG	2A	3301	1/1	0.93	0.19	53,53,53,53	0
57	MG	1A	3985	1/1	0.93	0.20	48,48,48,48	0
57	MG	2A	3305	1/1	0.93	0.31	63,63,63,63	0
57	MG	2A	3586	1/1	0.93	0.10	71,71,71,71	0
57	MG	1A	3738	1/1	0.93	0.08	30,30,30,30	0
57	MG	18	103	1/1	0.93	0.18	39,39,39,39	0
57	MG	1a	1755	1/1	0.93	0.19	61,61,61,61	0
57	MG	2A	3315	1/1	0.93	0.13	58,58,58,58	0
57	MG	2A	3598	1/1	0.93	0.10	58,58,58,58	0
57	MG	2a	3064	1/1	0.93	0.24	66,66,66,66	0
57	MG	1A	3742	1/1	0.93	0.14	49,49,49,49	0
57	MG	1A	3868	1/1	0.93	0.07	40,40,40,40	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1a	1602	1/1	0.93	0.15	70,70,70,70	0
57	MG	2a	3069	1/1	0.93	0.08	61,61,61,61	0
57	MG	1A	3869	1/1	0.93	0.08	38,38,38,38	0
57	MG	2A	3070	1/1	0.93	0.15	56,56,56,56	0
57	MG	2A	3072	1/1	0.93	0.13	51,51,51,51	0
57	MG	2A	3334	1/1	0.93	0.09	41,41,41,41	0
57	MG	2a	3075	1/1	0.93	0.13	59,59,59,59	0
57	MG	1A	3560	1/1	0.93	0.17	71,71,71,71	0
57	MG	1A	3562	1/1	0.93	0.10	53,53,53,53	0
57	MG	1A	3996	1/1	0.93	0.09	15,15,15,15	0
57	MG	2A	3079	1/1	0.93	0.08	49,49,49,49	0
57	MG	2A	3620	1/1	0.93	0.12	70,70,70,70	0
57	MG	2A	3080	1/1	0.93	0.14	54,54,54,54	0
57	MG	2A	3350	1/1	0.93	0.13	43,43,43,43	0
57	MG	1a	1614	1/1	0.93	0.10	65,65,65,65	0
57	MG	1A	3998	1/1	0.93	0.10	43,43,43,43	0
57	MG	2A	3083	1/1	0.93	0.16	61,61,61,61	0
57	MG	1A	4003	1/1	0.93	0.07	48,48,48,48	0
57	MG	1A	3879	1/1	0.93	0.09	44,44,44,44	0
57	MG	1A	3564	1/1	0.93	0.08	49,49,49,49	0
57	MG	1A	3374	1/1	0.93	0.12	45,45,45,45	0
57	MG	2a	3100	1/1	0.93	0.30	60,60,60,60	0
57	MG	1A	3319	1/1	0.93	0.14	52,52,52,52	0
57	MG	2a	3105	1/1	0.93	0.09	76,76,76,76	0
57	MG	2A	3637	1/1	0.93	0.10	59,59,59,59	0
57	MG	2A	3379	1/1	0.93	0.11	41,41,41,41	0
57	MG	2a	3111	1/1	0.93	0.09	51,51,51,51	0
57	MG	2A	3382	1/1	0.93	0.07	43,43,43,43	0
57	MG	1A	3576	1/1	0.93	0.07	50,50,50,50	0
57	MG	2a	3114	1/1	0.93	0.11	68,68,68,68	0
57	MG	2A	3101	1/1	0.93	0.12	51,51,51,51	0
57	MG	1A	3661	1/1	0.93	0.09	46,46,46,46	0
57	MG	2A	3649	1/1	0.93	0.12	71,71,71,71	0
57	MG	1A	3101	1/1	0.93	0.15	37,37,37,37	0
57	MG	2A	3653	1/1	0.93	0.07	52,52,52,52	0
57	MG	2A	3657	1/1	0.93	0.11	55,55,55,55	0
57	MG	2a	3123	1/1	0.93	0.10	64,64,64,64	0
57	MG	2A	3388	1/1	0.93	0.07	43,43,43,43	0
57	MG	2A	3118	1/1	0.93	0.12	48,48,48,48	0
57	MG	2A	3119	1/1	0.93	0.14	55,55,55,55	0
57	MG	1a	1783	1/1	0.93	0.10	45,45,45,45	0
57	MG	2A	3122	1/1	0.93	0.12	50,50,50,50	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3123	1/1	0.93	0.11	83,83,83,83	0
57	MG	2A	3402	1/1	0.93	0.09	50,50,50,50	0
57	MG	2a	3135	1/1	0.93	0.21	66,66,66,66	0
57	MG	1a	1634	1/1	0.93	0.17	58,58,58,58	0
57	MG	1a	1635	1/1	0.93	0.29	56,56,56,56	0
57	MG	2A	3406	1/1	0.93	0.07	32,32,32,32	0
57	MG	2a	3142	1/1	0.93	0.07	62,62,62,62	0
57	MG	2A	3681	1/1	0.93	0.10	56,56,56,56	0
57	MG	2A	3129	1/1	0.93	0.21	41,41,41,41	0
57	MG	1A	4016	1/1	0.93	0.10	42,42,42,42	0
57	MG	1A	3070	1/1	0.93	0.06	37,37,37,37	0
57	MG	2A	3690	1/1	0.93	0.09	65,65,65,65	0
57	MG	2a	3158	1/1	0.93	0.11	62,62,62,62	0
57	MG	1a	1790	1/1	0.93	0.15	67,67,67,67	0
57	MG	2a	3161	1/1	0.93	0.09	66,66,66,66	0
57	MG	1A	3268	1/1	0.93	0.11	45,45,45,45	0
57	MG	1a	1640	1/1	0.93	0.17	68,68,68,68	0
57	MG	1A	3038	1/1	0.93	0.07	37,37,37,37	0
57	MG	2a	3171	1/1	0.93	0.16	66,66,66,66	0
57	MG	1A	3273	1/1	0.93	0.07	55,55,55,55	0
57	MG	1B	205	1/1	0.93	0.07	47,47,47,47	0
57	MG	2A	3421	1/1	0.93	0.10	42,42,42,42	0
57	MG	2A	3704	1/1	0.93	0.10	34,34,34,34	0
57	MG	2A	3705	1/1	0.93	0.11	48,48,48,48	0
57	MG	1A	3898	1/1	0.93	0.10	64,64,64,64	0
57	MG	1A	3180	1/1	0.93	0.22	49,49,49,49	0
57	MG	2a	3187	1/1	0.93	0.20	55,55,55,55	0
57	MG	2A	3154	1/1	0.93	0.13	56,56,56,56	0
57	MG	1A	3902	1/1	0.93	0.07	18,18,18,18	0
57	MG	2a	3190	1/1	0.93	0.14	67,67,67,67	0
57	MG	1a	1657	1/1	0.93	0.14	57,57,57,57	0
57	MG	2f	201	1/1	0.93	0.17	60,60,60,60	0
57	MG	1B	210	1/1	0.93	0.10	53,53,53,53	0
57	MG	1A	3211	1/1	0.93	0.28	68,68,68,68	0
57	MG	1B	215	1/1	0.93	0.11	54,54,54,54	0
57	MG	1a	1667	1/1	0.93	0.29	62,62,62,62	0
57	MG	2A	3442	1/1	0.93	0.06	38,38,38,38	0
57	MG	1A	3597	1/1	0.93	0.10	33,33,33,33	0
57	MG	1A	3448	1/1	0.93	0.14	54,54,54,54	0
57	MG	2A	3175	1/1	0.93	0.21	49,49,49,49	0
57	MG	1B	219	1/1	0.93	0.08	44,44,44,44	0
57	MG	2A	3167	1/1	0.94	0.25	64,64,64,64	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1a	1810	1/1	0.94	0.10	54,54,54,54	0
57	MG	2A	3450	1/1	0.94	0.12	61,61,61,61	0
57	MG	1A	3376	1/1	0.94	0.09	38,38,38,38	0
57	MG	1a	1670	1/1	0.94	0.19	53,53,53,53	0
57	MG	1a	1815	1/1	0.94	0.08	54,54,54,54	0
57	MG	1a	1816	1/1	0.94	0.09	64,64,64,64	0
57	MG	2A	3174	1/1	0.94	0.07	59,59,59,59	0
57	MG	1A	3501	1/1	0.94	0.08	55,55,55,55	0
57	MG	1B	220	1/1	0.94	0.07	30,30,30,30	0
57	MG	1A	3030	1/1	0.94	0.06	34,34,34,34	0
57	MG	2A	3461	1/1	0.94	0.11	62,62,62,62	0
57	MG	1A	3765	1/1	0.94	0.10	56,56,56,56	0
57	MG	1a	1824	1/1	0.94	0.10	67,67,67,67	0
57	MG	1B	228	1/1	0.94	0.16	70,70,70,70	0
57	MG	2A	3465	1/1	0.94	0.07	37,37,37,37	0
57	MG	1a	1826	1/1	0.94	0.12	52,52,52,52	0
57	MG	1A	3586	1/1	0.94	0.15	56,56,56,56	0
57	MG	2A	3469	1/1	0.94	0.06	58,58,58,58	0
57	MG	1a	1680	1/1	0.94	0.10	56,56,56,56	0
57	MG	2A	3473	1/1	0.94	0.15	59,59,59,59	0
57	MG	1A	3904	1/1	0.94	0.06	28,28,28,28	0
57	MG	1a	1830	1/1	0.94	0.15	62,62,62,62	0
57	MG	1a	1831	1/1	0.94	0.09	57,57,57,57	0
57	MG	2A	3478	1/1	0.94	0.15	53,53,53,53	0
57	MG	1A	3108	1/1	0.94	0.06	58,58,58,58	0
57	MG	1a	1833	1/1	0.94	0.09	59,59,59,59	0
57	MG	1A	3909	1/1	0.94	0.15	44,44,44,44	0
57	MG	2D	306	1/1	0.94	0.20	44,44,44,44	0
57	MG	2A	3483	1/1	0.94	0.17	53,53,53,53	0
57	MG	2A	3484	1/1	0.94	0.07	39,39,39,39	0
57	MG	1A	3770	1/1	0.94	0.06	25,25,25,25	0
57	MG	2F	301	1/1	0.94	0.21	41,41,41,41	0
57	MG	1A	3121	1/1	0.94	0.09	39,39,39,39	0
57	MG	1A	3774	1/1	0.94	0.08	43,43,43,43	0
57	MG	1A	3590	1/1	0.94	0.06	53,53,53,53	0
57	MG	2A	3206	1/1	0.94	0.09	46,46,46,46	0
57	MG	1A	3442	1/1	0.94	0.10	50,50,50,50	0
57	MG	1a	1844	1/1	0.94	0.08	57,57,57,57	0
57	MG	1F	317	1/1	0.94	0.18	47,47,47,47	0
57	MG	2P	201	1/1	0.94	0.11	57,57,57,57	0
57	MG	1A	3923	1/1	0.94	0.06	59,59,59,59	0
57	MG	1A	3384	1/1	0.94	0.12	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1G	204	1/1	0.94	0.10	41,41,41,41	0
57	MG	2A	3503	1/1	0.94	0.08	31,31,31,31	0
57	MG	2A	3220	1/1	0.94	0.07	46,46,46,46	0
57	MG	1A	3329	1/1	0.94	0.13	37,37,37,37	0
57	MG	1A	3064	1/1	0.94	0.09	45,45,45,45	0
57	MG	1A	3272	1/1	0.94	0.08	53,53,53,53	0
57	MG	2A	3512	1/1	0.94	0.12	25,25,25,25	0
57	MG	1A	3520	1/1	0.94	0.07	23,23,23,23	0
57	MG	2A	3516	1/1	0.94	0.14	56,56,56,56	0
57	MG	1A	3939	1/1	0.94	0.09	42,42,42,42	0
57	MG	1Q	202	1/1	0.94	0.08	31,31,31,31	0
57	MG	2A	3230	1/1	0.94	0.16	43,43,43,43	0
57	MG	2A	3232	1/1	0.94	0.07	48,48,48,48	0
57	MG	1Q	204	1/1	0.94	0.07	35,35,35,35	0
57	MG	25	102	1/1	0.94	0.15	45,45,45,45	0
57	MG	28	3800	1/1	0.94	0.09	55,55,55,55	0
57	MG	1A	3941	1/1	0.94	0.11	45,45,45,45	0
57	MG	1A	3791	1/1	0.94	0.07	29,29,29,29	0
57	MG	1A	3680	1/1	0.94	0.15	62,62,62,62	0
57	MG	1A	3601	1/1	0.94	0.08	40,40,40,40	0
57	MG	2a	3007	1/1	0.94	0.10	53,53,53,53	0
57	MG	2a	3008	1/1	0.94	0.15	53,53,53,53	0
57	MG	1d	301	1/1	0.94	0.11	65,65,65,65	0
57	MG	1A	3521	1/1	0.94	0.19	37,37,37,37	0
57	MG	1A	3333	1/1	0.94	0.12	45,45,45,45	0
57	MG	1a	1712	1/1	0.94	0.36	55,55,55,55	0
57	MG	1a	1713	1/1	0.94	0.28	54,54,54,54	0
57	MG	1A	3799	1/1	0.94	0.07	31,31,31,31	0
57	MG	1f	201	1/1	0.94	0.33	74,74,74,74	0
57	MG	1A	3953	1/1	0.94	0.08	56,56,56,56	0
57	MG	2a	3020	1/1	0.94	0.23	67,67,67,67	0
57	MG	1U	201	1/1	0.94	0.20	47,47,47,47	0
57	MG	1A	3337	1/1	0.94	0.10	13,13,13,13	0
57	MG	1a	1718	1/1	0.94	0.34	62,62,62,62	0
57	MG	1V	204	1/1	0.94	0.09	47,47,47,47	0
57	MG	1l	202	1/1	0.94	0.10	67,67,67,67	0
57	MG	1A	3688	1/1	0.94	0.08	46,46,46,46	0
57	MG	1A	3168	1/1	0.94	0.10	47,47,47,47	0
57	MG	2a	3030	1/1	0.94	0.13	58,58,58,58	0
57	MG	1n	103	1/1	0.94	0.18	62,62,62,62	0
57	MG	1t	3101	1/1	0.94	0.10	50,50,50,50	0
57	MG	1A	3460	1/1	0.94	0.06	16,16,16,16	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3557	1/1	0.94	0.09	62,62,62,62	0
57	MG	2A	3268	1/1	0.94	0.14	54,54,54,54	0
57	MG	1A	3174	1/1	0.94	0.13	50,50,50,50	0
57	MG	1A	3693	1/1	0.94	0.09	37,37,37,37	0
57	MG	2A	3566	1/1	0.94	0.07	61,61,61,61	0
57	MG	2A	3278	1/1	0.94	0.29	50,50,50,50	0
57	MG	1A	3534	1/1	0.94	0.11	48,48,48,48	0
57	MG	2A	3002	1/1	0.94	0.10	50,50,50,50	0
57	MG	1A	3818	1/1	0.94	0.08	23,23,23,23	0
57	MG	1A	3123	1/1	0.94	0.27	59,59,59,59	0
57	MG	2A	3291	1/1	0.94	0.11	51,51,51,51	0
57	MG	2A	3022	1/1	0.94	0.26	49,49,49,49	0
57	MG	2A	3023	1/1	0.94	0.20	58,58,58,58	0
57	MG	1A	3824	1/1	0.94	0.06	12,12,12,12	0
57	MG	2A	3582	1/1	0.94	0.11	57,57,57,57	0
57	MG	1A	3182	1/1	0.94	0.20	39,39,39,39	0
57	MG	2A	3027	1/1	0.94	0.11	60,60,60,60	0
57	MG	1a	1737	1/1	0.94	0.14	57,57,57,57	0
57	MG	1A	3830	1/1	0.94	0.13	47,47,47,47	0
57	MG	2A	3037	1/1	0.94	0.24	66,66,66,66	0
57	MG	2A	3591	1/1	0.94	0.07	50,50,50,50	0
57	MG	1A	3831	1/1	0.94	0.12	48,48,48,48	0
57	MG	1a	1740	1/1	0.94	0.12	62,62,62,62	0
57	MG	1A	3227	1/1	0.94	0.12	38,38,38,38	0
57	MG	1A	3618	1/1	0.94	0.07	26,26,26,26	0
57	MG	1A	3125	1/1	0.94	0.14	51,51,51,51	0
57	MG	2A	3052	1/1	0.94	0.08	41,41,41,41	0
57	MG	1A	3620	1/1	0.94	0.06	41,41,41,41	0
57	MG	1A	3841	1/1	0.94	0.15	55,55,55,55	0
57	MG	19	103	1/1	0.94	0.08	54,54,54,54	0
57	MG	2A	3327	1/1	0.94	0.12	58,58,58,58	0
57	MG	2A	3059	1/1	0.94	0.22	50,50,50,50	0
57	MG	1A	3238	1/1	0.94	0.11	63,63,63,63	0
57	MG	1A	3844	1/1	0.94	0.11	42,42,42,42	0
57	MG	2A	3063	1/1	0.94	0.13	47,47,47,47	0
57	MG	2a	3079	1/1	0.94	0.12	47,47,47,47	0
57	MG	1A	3622	1/1	0.94	0.08	26,26,26,26	0
57	MG	2a	3081	1/1	0.94	0.34	56,56,56,56	0
57	MG	1a	1605	1/1	0.94	0.10	52,52,52,52	0
57	MG	2A	3623	1/1	0.94	0.07	39,39,39,39	0
57	MG	2A	3066	1/1	0.94	0.10	50,50,50,50	0
57	MG	2a	3087	1/1	0.94	0.23	59,59,59,59	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3347	1/1	0.94	0.10	35,35,35,35	0
57	MG	1A	3850	1/1	0.94	0.12	51,51,51,51	0
57	MG	2A	3068	1/1	0.94	0.10	48,48,48,48	0
57	MG	2A	3355	1/1	0.94	0.07	52,52,52,52	0
57	MG	2A	3630	1/1	0.94	0.10	61,61,61,61	0
57	MG	2A	3356	1/1	0.94	0.11	38,38,38,38	0
57	MG	2A	3632	1/1	0.94	0.12	57,57,57,57	0
57	MG	1A	3357	1/1	0.94	0.07	26,26,26,26	0
57	MG	2a	3099	1/1	0.94	0.32	51,51,51,51	0
57	MG	1A	3710	1/1	0.94	0.07	49,49,49,49	0
57	MG	2A	3360	1/1	0.94	0.11	55,55,55,55	0
57	MG	2A	3361	1/1	0.94	0.08	45,45,45,45	0
57	MG	2A	3362	1/1	0.94	0.07	46,46,46,46	0
57	MG	2a	3108	1/1	0.94	0.41	63,63,63,63	0
57	MG	1A	3473	1/1	0.94	0.08	39,39,39,39	0
57	MG	1a	1764	1/1	0.94	0.07	49,49,49,49	0
57	MG	1a	1766	1/1	0.94	0.07	55,55,55,55	0
57	MG	1a	1615	1/1	0.94	0.14	61,61,61,61	0
57	MG	2A	3647	1/1	0.94	0.09	54,54,54,54	0
57	MG	2A	3370	1/1	0.94	0.09	33,33,33,33	0
57	MG	1A	3997	1/1	0.94	0.09	50,50,50,50	0
57	MG	1A	3358	1/1	0.94	0.06	20,20,20,20	0
57	MG	1a	1771	1/1	0.94	0.11	55,55,55,55	0
57	MG	2A	3380	1/1	0.94	0.12	73,73,73,73	0
57	MG	1A	3999	1/1	0.94	0.10	63,63,63,63	0
57	MG	1a	1773	1/1	0.94	0.18	58,58,58,58	0
57	MG	1A	4002	1/1	0.94	0.07	24,24,24,24	0
57	MG	1A	3128	1/1	0.94	0.09	36,36,36,36	0
57	MG	2A	3668	1/1	0.94	0.08	54,54,54,54	0
57	MG	1A	3479	1/1	0.94	0.08	27,27,27,27	0
57	MG	1a	1777	1/1	0.94	0.20	55,55,55,55	0
57	MG	1A	3719	1/1	0.94	0.26	33,33,33,33	0
57	MG	1A	3865	1/1	0.94	0.09	35,35,35,35	0
57	MG	2A	3104	1/1	0.94	0.17	53,53,53,53	0
57	MG	2A	3111	1/1	0.94	0.15	53,53,53,53	0
57	MG	2A	3397	1/1	0.94	0.19	66,66,66,66	0
57	MG	1A	3632	1/1	0.94	0.08	21,21,21,21	0
57	MG	2a	3139	1/1	0.94	0.08	56,56,56,56	0
57	MG	2a	3141	1/1	0.94	0.13	63,63,63,63	0
57	MG	2A	3688	1/1	0.94	0.08	50,50,50,50	0
57	MG	1a	1632	1/1	0.94	0.08	42,42,42,42	0
57	MG	1a	1633	1/1	0.94	0.14	48,48,48,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3047	1/1	0.94	0.15	43,43,43,43	0
57	MG	2A	3405	1/1	0.94	0.09	58,58,58,58	0
57	MG	1A	3728	1/1	0.94	0.09	43,43,43,43	0
57	MG	2a	3157	1/1	0.94	0.10	50,50,50,50	0
57	MG	1A	3094	1/1	0.94	0.11	44,44,44,44	0
57	MG	1A	3871	1/1	0.94	0.08	26,26,26,26	0
57	MG	1A	3640	1/1	0.94	0.09	29,29,29,29	0
57	MG	1A	3875	1/1	0.94	0.08	51,51,51,51	0
57	MG	1A	3255	1/1	0.94	0.08	43,43,43,43	0
57	MG	1A	3563	1/1	0.94	0.08	60,60,60,60	0
57	MG	2A	3706	1/1	0.94	0.09	56,56,56,56	0
57	MG	2A	3707	1/1	0.94	0.08	51,51,51,51	0
57	MG	2a	3174	1/1	0.94	0.09	64,64,64,64	0
57	MG	2a	3176	1/1	0.94	0.10	73,73,73,73	0
57	MG	1A	3370	1/1	0.94	0.07	24,24,24,24	0
57	MG	1A	3566	1/1	0.94	0.16	47,47,47,47	0
57	MG	2A	3711	1/1	0.94	0.09	46,46,46,46	0
57	MG	2A	3135	1/1	0.94	0.14	54,54,54,54	0
57	MG	2A	3137	1/1	0.94	0.10	51,51,51,51	0
57	MG	1A	3646	1/1	0.94	0.13	34,34,34,34	0
57	MG	1a	1654	1/1	0.94	0.09	56,56,56,56	0
57	MG	1A	3071	1/1	0.94	0.08	32,32,32,32	0
57	MG	2A	3144	1/1	0.94	0.11	51,51,51,51	0
57	MG	2A	3145	1/1	0.94	0.10	62,62,62,62	0
57	MG	2A	3721	1/1	0.94	0.14	57,57,57,57	0
57	MG	1a	1656	1/1	0.94	0.23	51,51,51,51	0
57	MG	1A	3650	1/1	0.94	0.08	47,47,47,47	0
57	MG	1A	3752	1/1	0.94	0.17	42,42,42,42	0
57	MG	2r	101	1/1	0.94	0.13	74,74,74,74	0
57	MG	1B	212	1/1	0.94	0.06	51,51,51,51	0
57	MG	2A	3729	1/1	0.94	0.10	52,52,52,52	0
59	ARG	1B	231	12/12	0.94	0.10	29,39,47,50	0
57	MG	2A	3437	1/1	0.94	0.07	43,43,43,43	0
57	MG	1A	3316	1/1	0.94	0.10	45,45,45,45	0
60	MPD	18	104	8/8	0.94	0.13	30,35,42,46	0
57	MG	1a	1663	1/1	0.94	0.21	53,53,53,53	0
57	MG	1a	1665	1/1	0.94	0.14	50,50,50,50	0
57	MG	1A	3056	1/1	0.94	0.11	48,48,48,48	0
61	ZN	24	501	1/1	0.94	0.14	120,120,120,120	0
57	MG	1A	3368	1/1	0.95	0.10	37,37,37,37	0
57	MG	1A	3082	1/1	0.95	0.24	35,35,35,35	0
57	MG	2A	3389	1/1	0.95	0.11	32,32,32,32	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3228	1/1	0.95	0.07	39,39,39,39	0
57	MG	1U	206	1/1	0.95	0.21	36,36,36,36	0
57	MG	2A	3712	1/1	0.95	0.07	51,51,51,51	0
57	MG	1A	3450	1/1	0.95	0.11	45,45,45,45	0
57	MG	1A	3927	1/1	0.95	0.08	35,35,35,35	0
57	MG	1A	3928	1/1	0.95	0.07	56,56,56,56	0
57	MG	2A	3084	1/1	0.95	0.08	46,46,46,46	0
57	MG	1W	202	1/1	0.95	0.07	41,41,41,41	0
57	MG	1A	3929	1/1	0.95	0.08	54,54,54,54	0
57	MG	1A	3931	1/1	0.95	0.10	45,45,45,45	0
57	MG	2A	3093	1/1	0.95	0.10	45,45,45,45	0
57	MG	1a	1758	1/1	0.95	0.18	59,59,59,59	0
57	MG	2A	3097	1/1	0.95	0.15	47,47,47,47	0
57	MG	2A	3409	1/1	0.95	0.07	48,48,48,48	0
57	MG	1A	3649	1/1	0.95	0.06	35,35,35,35	0
57	MG	10	102	1/1	0.95	0.15	36,36,36,36	0
57	MG	1A	3452	1/1	0.95	0.06	25,25,25,25	0
57	MG	1A	3454	1/1	0.95	0.08	51,51,51,51	0
57	MG	2A	3106	1/1	0.95	0.26	57,57,57,57	0
57	MG	2A	3417	1/1	0.95	0.07	50,50,50,50	0
57	MG	2A	3107	1/1	0.95	0.09	64,64,64,64	0
57	MG	1A	3305	1/1	0.95	0.32	40,40,40,40	0
57	MG	1A	3002	1/1	0.95	0.13	57,57,57,57	0
57	MG	10	108	1/1	0.95	0.08	54,54,54,54	0
57	MG	2A	3117	1/1	0.95	0.18	49,49,49,49	0
57	MG	11	101	1/1	0.95	0.11	39,39,39,39	0
57	MG	1A	3308	1/1	0.95	0.07	38,38,38,38	0
57	MG	1A	3786	1/1	0.95	0.08	45,45,45,45	0
57	MG	1A	3657	1/1	0.95	0.20	47,47,47,47	0
57	MG	2A	3428	1/1	0.95	0.06	41,41,41,41	0
57	MG	2A	3745	1/1	0.95	0.30	59,59,59,59	0
57	MG	2A	3429	1/1	0.95	0.06	34,34,34,34	0
57	MG	1A	3176	1/1	0.95	0.10	52,52,52,52	0
57	MG	15	107	1/1	0.95	0.10	66,66,66,66	0
57	MG	1A	3315	1/1	0.95	0.17	36,36,36,36	0
57	MG	1A	3380	1/1	0.95	0.07	47,47,47,47	0
57	MG	1A	3567	1/1	0.95	0.06	46,46,46,46	0
57	MG	2A	3438	1/1	0.95	0.18	64,64,64,64	0
57	MG	2A	3440	1/1	0.95	0.14	66,66,66,66	0
57	MG	1A	3041	1/1	0.95	0.12	47,47,47,47	0
57	MG	2A	3443	1/1	0.95	0.11	48,48,48,48	0
57	MG	2A	3133	1/1	0.95	0.13	43,43,43,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3957	1/1	0.95	0.11	51,51,51,51	0
57	MG	1A	3794	1/1	0.95	0.07	58,58,58,58	0
57	MG	1A	3666	1/1	0.95	0.07	48,48,48,48	0
57	MG	1A	3065	1/1	0.95	0.17	52,52,52,52	0
57	MG	2A	3140	1/1	0.95	0.28	61,61,61,61	0
57	MG	1a	1604	1/1	0.95	0.15	55,55,55,55	0
57	MG	1A	3797	1/1	0.95	0.07	74,74,74,74	0
57	MG	1A	3798	1/1	0.95	0.07	42,42,42,42	0
57	MG	1A	3669	1/1	0.95	0.06	50,50,50,50	0
57	MG	2A	3455	1/1	0.95	0.07	41,41,41,41	0
57	MG	2D	308	1/1	0.95	0.20	54,54,54,54	0
57	MG	1a	1610	1/1	0.95	0.22	52,52,52,52	0
57	MG	1A	3968	1/1	0.95	0.09	52,52,52,52	0
57	MG	1A	3573	1/1	0.95	0.11	46,46,46,46	0
57	MG	2F	303	1/1	0.95	0.12	52,52,52,52	0
57	MG	2A	3459	1/1	0.95	0.08	36,36,36,36	0
57	MG	1A	3970	1/1	0.95	0.07	22,22,22,22	0
57	MG	1A	3802	1/1	0.95	0.08	33,33,33,33	0
57	MG	2A	3156	1/1	0.95	0.08	69,69,69,69	0
57	MG	2A	3157	1/1	0.95	0.13	44,44,44,44	0
57	MG	1A	3805	1/1	0.95	0.06	44,44,44,44	0
57	MG	2A	3162	1/1	0.95	0.09	50,50,50,50	0
57	MG	1a	1796	1/1	0.95	0.13	58,58,58,58	0
57	MG	1A	3127	1/1	0.95	0.07	49,49,49,49	0
57	MG	1A	3807	1/1	0.95	0.24	47,47,47,47	0
57	MG	1A	3577	1/1	0.95	0.09	22,22,22,22	0
57	MG	1a	1624	1/1	0.95	0.21	58,58,58,58	0
57	MG	1a	1801	1/1	0.95	0.09	55,55,55,55	0
57	MG	1a	1802	1/1	0.95	0.07	57,57,57,57	0
57	MG	1A	3066	1/1	0.95	0.09	33,33,33,33	0
57	MG	2T	202	1/1	0.95	0.09	60,60,60,60	0
57	MG	1A	3325	1/1	0.95	0.08	30,30,30,30	0
57	MG	1A	3981	1/1	0.95	0.10	43,43,43,43	0
57	MG	1a	1630	1/1	0.95	0.08	41,41,41,41	0
57	MG	2A	3178	1/1	0.95	0.09	52,52,52,52	0
57	MG	2V	203	1/1	0.95	0.15	62,62,62,62	0
57	MG	2W	201	1/1	0.95	0.24	49,49,49,49	0
57	MG	1A	3677	1/1	0.95	0.09	62,62,62,62	0
57	MG	1A	3678	1/1	0.95	0.07	37,37,37,37	0
57	MG	1A	3326	1/1	0.95	0.11	34,34,34,34	0
57	MG	2A	3487	1/1	0.95	0.07	66,66,66,66	0
57	MG	1a	1811	1/1	0.95	0.13	60,60,60,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3820	1/1	0.95	0.09	36,36,36,36	0
57	MG	1A	3822	1/1	0.95	0.17	29,29,29,29	0
57	MG	2A	3191	1/1	0.95	0.13	44,44,44,44	0
57	MG	1A	3583	1/1	0.95	0.15	45,45,45,45	0
57	MG	1A	3584	1/1	0.95	0.12	51,51,51,51	0
57	MG	1A	3391	1/1	0.95	0.07	43,43,43,43	0
57	MG	2A	3496	1/1	0.95	0.11	53,53,53,53	0
57	MG	1A	3828	1/1	0.95	0.08	47,47,47,47	0
57	MG	1A	3392	1/1	0.95	0.06	30,30,30,30	0
57	MG	1A	3685	1/1	0.95	0.13	20,20,20,20	0
57	MG	1A	3478	1/1	0.95	0.07	28,28,28,28	0
57	MG	2A	3199	1/1	0.95	0.17	50,50,50,50	0
57	MG	2a	3013	1/1	0.95	0.09	50,50,50,50	0
57	MG	1a	1644	1/1	0.95	0.24	56,56,56,56	0
57	MG	1a	1646	1/1	0.95	0.14	41,41,41,41	0
57	MG	1A	3129	1/1	0.95	0.15	41,41,41,41	0
57	MG	1a	1649	1/1	0.95	0.14	63,63,63,63	0
57	MG	2A	3513	1/1	0.95	0.07	35,35,35,35	0
57	MG	2a	3021	1/1	0.95	0.10	53,53,53,53	0
57	MG	2A	3204	1/1	0.95	0.11	52,52,52,52	0
57	MG	1A	3395	1/1	0.95	0.10	24,24,24,24	0
57	MG	1a	1652	1/1	0.95	0.15	51,51,51,51	0
57	MG	1a	1653	1/1	0.95	0.11	36,36,36,36	0
57	MG	1A	3593	1/1	0.95	0.07	19,19,19,19	0
57	MG	2A	3211	1/1	0.95	0.09	42,42,42,42	0
57	MG	2A	3212	1/1	0.95	0.09	57,57,57,57	0
57	MG	1A	3594	1/1	0.95	0.09	48,48,48,48	0
57	MG	2a	3031	1/1	0.95	0.13	55,55,55,55	0
57	MG	1A	3328	1/1	0.95	0.10	47,47,47,47	0
57	MG	2A	3215	1/1	0.95	0.22	57,57,57,57	0
57	MG	2A	3216	1/1	0.95	0.14	55,55,55,55	0
57	MG	1A	3190	1/1	0.95	0.10	43,43,43,43	0
57	MG	2A	3532	1/1	0.95	0.10	62,62,62,62	0
57	MG	2a	3038	1/1	0.95	0.08	63,63,63,63	0
57	MG	2A	3219	1/1	0.95	0.14	62,62,62,62	0
57	MG	1a	1658	1/1	0.95	0.09	60,60,60,60	0
57	MG	1a	1659	1/1	0.95	0.12	54,54,54,54	0
57	MG	2A	3536	1/1	0.95	0.07	52,52,52,52	0
57	MG	1A	3847	1/1	0.95	0.10	46,46,46,46	0
57	MG	1A	3398	1/1	0.95	0.06	33,33,33,33	0
57	MG	2A	3224	1/1	0.95	0.13	44,44,44,44	0
57	MG	1a	1843	1/1	0.95	0.15	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3849	1/1	0.95	0.10	53,53,53,53	0
57	MG	1a	1845	1/1	0.95	0.14	62,62,62,62	0
57	MG	1A	3130	1/1	0.95	0.28	37,37,37,37	0
57	MG	1a	1848	1/1	0.95	0.07	35,35,35,35	0
57	MG	1A	3488	1/1	0.95	0.09	25,25,25,25	0
57	MG	1A	3702	1/1	0.95	0.14	43,43,43,43	0
57	MG	1a	1854	1/1	0.95	0.16	60,60,60,60	0
57	MG	1a	1668	1/1	0.95	0.13	52,52,52,52	0
57	MG	2a	3057	1/1	0.95	0.20	63,63,63,63	0
57	MG	2A	3554	1/1	0.95	0.08	51,51,51,51	0
57	MG	1A	3854	1/1	0.95	0.09	24,24,24,24	0
57	MG	1A	3491	1/1	0.95	0.07	63,63,63,63	0
57	MG	1A	3858	1/1	0.95	0.06	53,53,53,53	0
57	MG	1A	3331	1/1	0.95	0.07	23,23,23,23	0
57	MG	1A	3497	1/1	0.95	0.10	26,26,26,26	0
57	MG	2A	3561	1/1	0.95	0.07	44,44,44,44	0
57	MG	1A	3707	1/1	0.95	0.05	44,44,44,44	0
57	MG	1a	1676	1/1	0.95	0.11	46,46,46,46	0
57	MG	1A	3406	1/1	0.95	0.17	58,58,58,58	0
57	MG	1A	3864	1/1	0.95	0.07	28,28,28,28	0
57	MG	2A	3571	1/1	0.95	0.07	76,76,76,76	0
57	MG	1A	3192	1/1	0.95	0.09	59,59,59,59	0
57	MG	1A	3028	1/1	0.95	0.22	28,28,28,28	0
57	MG	1A	3711	1/1	0.95	0.08	27,27,27,27	0
57	MG	1A	3096	1/1	0.95	0.11	33,33,33,33	0
57	MG	2A	3576	1/1	0.95	0.07	24,24,24,24	0
57	MG	1A	3270	1/1	0.95	0.09	44,44,44,44	0
57	MG	1A	3097	1/1	0.95	0.13	53,53,53,53	0
57	MG	1A	3148	1/1	0.95	0.12	47,47,47,47	0
57	MG	1A	3873	1/1	0.95	0.11	29,29,29,29	0
57	MG	2A	3263	1/1	0.95	0.24	58,58,58,58	0
57	MG	1B	226	1/1	0.95	0.08	32,32,32,32	0
57	MG	1a	1692	1/1	0.95	0.22	55,55,55,55	0
57	MG	1A	3020	1/1	0.95	0.26	30,30,30,30	0
57	MG	1A	3876	1/1	0.95	0.10	40,40,40,40	0
57	MG	2A	3272	1/1	0.95	0.15	30,30,30,30	0
57	MG	1A	3421	1/1	0.95	0.04	29,29,29,29	0
57	MG	1i	201	1/1	0.95	0.11	54,54,54,54	0
57	MG	2a	3095	1/1	0.95	0.07	53,53,53,53	0
57	MG	2A	3596	1/1	0.95	0.12	50,50,50,50	0
57	MG	1a	1696	1/1	0.95	0.37	57,57,57,57	0
57	MG	1A	3074	1/1	0.95	0.13	41,41,41,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3022	1/1	0.95	0.10	38,38,38,38	0
57	MG	2A	3286	1/1	0.95	0.14	53,53,53,53	0
57	MG	2a	3101	1/1	0.95	0.42	62,62,62,62	0
57	MG	2a	3103	1/1	0.95	0.19	54,54,54,54	0
57	MG	1A	3349	1/1	0.95	0.10	25,25,25,25	0
57	MG	1A	3350	1/1	0.95	0.09	53,53,53,53	0
57	MG	2a	3106	1/1	0.95	0.17	64,64,64,64	0
57	MG	2A	3609	1/1	0.95	0.07	46,46,46,46	0
57	MG	1o	102	1/1	0.95	0.17	54,54,54,54	0
57	MG	2A	3293	1/1	0.95	0.25	52,52,52,52	0
57	MG	1D	319	1/1	0.95	0.07	61,61,61,61	0
57	MG	1A	3429	1/1	0.95	0.05	13,13,13,13	0
57	MG	1a	1703	1/1	0.95	0.38	62,62,62,62	0
57	MG	1A	3353	1/1	0.95	0.06	30,30,30,30	0
57	MG	1x	101	1/1	0.95	0.09	33,33,33,33	0
57	MG	2a	3116	1/1	0.95	0.07	49,49,49,49	0
57	MG	2a	3117	1/1	0.95	0.10	55,55,55,55	0
57	MG	1A	3740	1/1	0.95	0.06	24,24,24,24	0
57	MG	2A	3622	1/1	0.95	0.07	52,52,52,52	0
57	MG	1E	308	1/1	0.95	0.08	36,36,36,36	0
57	MG	1F	311	1/1	0.95	0.20	38,38,38,38	0
57	MG	2A	3008	1/1	0.95	0.07	37,37,37,37	0
57	MG	2A	3010	1/1	0.95	0.14	58,58,58,58	0
57	MG	1F	312	1/1	0.95	0.10	49,49,49,49	0
57	MG	2A	3309	1/1	0.95	0.25	58,58,58,58	0
57	MG	2A	3017	1/1	0.95	0.12	56,56,56,56	0
57	MG	2a	3128	1/1	0.95	0.10	48,48,48,48	0
57	MG	2A	3019	1/1	0.95	0.28	49,49,49,49	0
57	MG	2a	3130	1/1	0.95	0.13	61,61,61,61	0
57	MG	1F	314	1/1	0.95	0.32	42,42,42,42	0
57	MG	1A	3113	1/1	0.95	0.14	37,37,37,37	0
57	MG	2A	3320	1/1	0.95	0.15	50,50,50,50	0
57	MG	1A	3114	1/1	0.95	0.19	31,31,31,31	0
57	MG	2A	3326	1/1	0.95	0.05	36,36,36,36	0
57	MG	1G	201	1/1	0.95	0.09	58,58,58,58	0
57	MG	1A	3896	1/1	0.95	0.06	43,43,43,43	0
57	MG	1A	3288	1/1	0.95	0.07	51,51,51,51	0
57	MG	1A	3289	1/1	0.95	0.10	52,52,52,52	0
57	MG	2A	3338	1/1	0.95	0.13	64,64,64,64	0
57	MG	1A	3900	1/1	0.95	0.08	54,54,54,54	0
57	MG	2a	3145	1/1	0.95	0.07	57,57,57,57	0
57	MG	2A	3648	1/1	0.95	0.06	64,64,64,64	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1N	202	1/1	0.95	0.11	36,36,36,36	0
57	MG	2A	3041	1/1	0.95	0.16	46,46,46,46	0
57	MG	2A	3651	1/1	0.95	0.08	60,60,60,60	0
57	MG	2A	3652	1/1	0.95	0.07	63,63,63,63	0
57	MG	2A	3042	1/1	0.95	0.05	25,25,25,25	0
57	MG	1N	203	1/1	0.95	0.06	48,48,48,48	0
57	MG	2A	3046	1/1	0.95	0.15	60,60,60,60	0
57	MG	1A	3750	1/1	0.95	0.10	28,28,28,28	0
57	MG	1a	1720	1/1	0.95	0.15	60,60,60,60	0
57	MG	1A	3635	1/1	0.95	0.10	45,45,45,45	0
57	MG	2a	3170	1/1	0.95	0.12	54,54,54,54	0
57	MG	1P	202	1/1	0.95	0.19	48,48,48,48	0
57	MG	2A	3667	1/1	0.95	0.10	47,47,47,47	0
57	MG	1A	3637	1/1	0.95	0.08	37,37,37,37	0
57	MG	2A	3669	1/1	0.95	0.12	36,36,36,36	0
57	MG	2a	3177	1/1	0.95	0.08	54,54,54,54	0
57	MG	1a	1725	1/1	0.95	0.18	54,54,54,54	0
57	MG	1A	3298	1/1	0.95	0.07	48,48,48,48	0
57	MG	2A	3057	1/1	0.95	0.14	50,50,50,50	0
57	MG	1A	3755	1/1	0.95	0.10	44,44,44,44	0
57	MG	1A	3907	1/1	0.95	0.05	26,26,26,26	0
57	MG	1A	3440	1/1	0.95	0.11	54,54,54,54	0
57	MG	1R	203	1/1	0.95	0.09	32,32,32,32	0
57	MG	2A	3684	1/1	0.95	0.07	40,40,40,40	0
57	MG	2A	3369	1/1	0.95	0.10	38,38,38,38	0
57	MG	1A	3910	1/1	0.95	0.12	25,25,25,25	0
57	MG	2A	3372	1/1	0.95	0.11	50,50,50,50	0
57	MG	1A	3167	1/1	0.95	0.12	45,45,45,45	0
57	MG	1A	3219	1/1	0.95	0.12	46,46,46,46	0
57	MG	2A	3692	1/1	0.95	0.07	33,33,33,33	0
57	MG	2A	3377	1/1	0.95	0.14	63,63,63,63	0
57	MG	1A	3545	1/1	0.95	0.10	47,47,47,47	0
58	CLM	2A	3747	20/20	0.95	0.10	33,38,53,58	0
57	MG	1T	203	1/1	0.95	0.07	48,48,48,48	0
57	MG	2A	3698	1/1	0.95	0.07	62,62,62,62	0
57	MG	2A	3381	1/1	0.95	0.11	44,44,44,44	0
57	MG	2A	3069	1/1	0.95	0.30	57,57,57,57	0
57	MG	2A	3701	1/1	0.95	0.08	60,60,60,60	0
57	MG	1A	3764	1/1	0.95	0.06	27,27,27,27	0
57	MG	2A	3703	1/1	0.95	0.06	49,49,49,49	0
57	MG	1A	3920	1/1	0.95	0.06	54,54,54,54	0
57	MG	1a	1744	1/1	0.95	0.08	54,54,54,54	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3723	1/1	0.96	0.23	51,51,51,51	0
57	MG	1A	3845	1/1	0.96	0.07	55,55,55,55	0
57	MG	2A	3726	1/1	0.96	0.07	38,38,38,38	0
57	MG	1a	1645	1/1	0.96	0.18	54,54,54,54	0
57	MG	2A	3434	1/1	0.96	0.07	56,56,56,56	0
57	MG	1A	3846	1/1	0.96	0.07	41,41,41,41	0
57	MG	2A	3158	1/1	0.96	0.28	55,55,55,55	0
57	MG	1A	4013	1/1	0.96	0.09	40,40,40,40	0
57	MG	1A	3401	1/1	0.96	0.05	17,17,17,17	0
57	MG	2A	3439	1/1	0.96	0.08	42,42,42,42	0
57	MG	2A	3163	1/1	0.96	0.05	62,62,62,62	0
57	MG	2A	3441	1/1	0.96	0.08	50,50,50,50	0
57	MG	1A	4015	1/1	0.96	0.07	50,50,50,50	0
57	MG	1a	1651	1/1	0.96	0.06	39,39,39,39	0
57	MG	2A	3444	1/1	0.96	0.07	46,46,46,46	0
57	MG	1A	3112	1/1	0.96	0.16	34,34,34,34	0
57	MG	1A	3589	1/1	0.96	0.07	44,44,44,44	0
57	MG	1A	3699	1/1	0.96	0.17	39,39,39,39	0
57	MG	1A	3089	1/1	0.96	0.10	32,32,32,32	0
57	MG	1A	3280	1/1	0.96	0.12	33,33,33,33	0
57	MG	1A	3482	1/1	0.96	0.08	44,44,44,44	0
57	MG	1A	3281	1/1	0.96	0.12	25,25,25,25	0
57	MG	1A	3484	1/1	0.96	0.09	26,26,26,26	0
57	MG	1A	3408	1/1	0.96	0.08	25,25,25,25	0
57	MG	2B	203	1/1	0.96	0.24	65,65,65,65	0
57	MG	1B	209	1/1	0.96	0.07	38,38,38,38	0
57	MG	1a	1835	1/1	0.96	0.09	55,55,55,55	0
57	MG	1a	1837	1/1	0.96	0.14	55,55,55,55	0
57	MG	1A	3132	1/1	0.96	0.27	40,40,40,40	0
57	MG	1A	3410	1/1	0.96	0.07	19,19,19,19	0
57	MG	1a	1664	1/1	0.96	0.24	55,55,55,55	0
57	MG	1A	3050	1/1	0.96	0.23	43,43,43,43	0
57	MG	2A	3189	1/1	0.96	0.13	59,59,59,59	0
57	MG	1a	1666	1/1	0.96	0.09	64,64,64,64	0
57	MG	1A	3347	1/1	0.96	0.05	38,38,38,38	0
57	MG	1A	3495	1/1	0.96	0.07	46,46,46,46	0
57	MG	1B	217	1/1	0.96	0.11	61,61,61,61	0
57	MG	1A	3866	1/1	0.96	0.10	40,40,40,40	0
57	MG	1A	3415	1/1	0.96	0.05	32,32,32,32	0
57	MG	1a	1849	1/1	0.96	0.07	55,55,55,55	0
57	MG	2A	3470	1/1	0.96	0.06	50,50,50,50	0
57	MG	1A	3604	1/1	0.96	0.17	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1B	222	1/1	0.96	0.09	42,42,42,42	0
57	MG	1A	3605	1/1	0.96	0.07	46,46,46,46	0
57	MG	2E	301	1/1	0.96	0.13	38,38,38,38	0
57	MG	1A	3716	1/1	0.96	0.20	27,27,27,27	0
57	MG	1A	3717	1/1	0.96	0.08	37,37,37,37	0
57	MG	1a	1678	1/1	0.96	0.20	55,55,55,55	0
57	MG	1A	3416	1/1	0.96	0.10	48,48,48,48	0
57	MG	1A	3607	1/1	0.96	0.15	31,31,31,31	0
57	MG	1A	3417	1/1	0.96	0.07	24,24,24,24	0
57	MG	2A	3482	1/1	0.96	0.06	51,51,51,51	0
57	MG	1A	3181	1/1	0.96	0.16	38,38,38,38	0
57	MG	1D	306	1/1	0.96	0.08	52,52,52,52	0
57	MG	1A	3726	1/1	0.96	0.06	71,71,71,71	0
57	MG	1a	1687	1/1	0.96	0.11	54,54,54,54	0
57	MG	1D	314	1/1	0.96	0.08	50,50,50,50	0
57	MG	1A	3727	1/1	0.96	0.07	35,35,35,35	0
57	MG	1D	316	1/1	0.96	0.13	49,49,49,49	0
57	MG	1A	3221	1/1	0.96	0.07	39,39,39,39	0
57	MG	1D	321	1/1	0.96	0.12	51,51,51,51	0
57	MG	1A	3611	1/1	0.96	0.17	27,27,27,27	0
57	MG	1A	3733	1/1	0.96	0.06	35,35,35,35	0
57	MG	1A	3734	1/1	0.96	0.08	50,50,50,50	0
57	MG	2A	3497	1/1	0.96	0.09	68,68,68,68	0
57	MG	1A	3613	1/1	0.96	0.10	26,26,26,26	0
57	MG	2A	3499	1/1	0.96	0.11	58,58,58,58	0
57	MG	1F	308	1/1	0.96	0.12	34,34,34,34	0
57	MG	1F	309	1/1	0.96	0.07	36,36,36,36	0
57	MG	1A	3139	1/1	0.96	0.07	37,37,37,37	0
57	MG	2A	3226	1/1	0.96	0.06	46,46,46,46	0
57	MG	2W	202	1/1	0.96	0.17	50,50,50,50	0
57	MG	2X	101	1/1	0.96	0.08	47,47,47,47	0
57	MG	1h	201	1/1	0.96	0.20	49,49,49,49	0
57	MG	20	101	1/1	0.96	0.08	60,60,60,60	0
57	MG	2A	3507	1/1	0.96	0.12	66,66,66,66	0
57	MG	1A	3292	1/1	0.96	0.05	34,34,34,34	0
57	MG	1F	313	1/1	0.96	0.10	32,32,32,32	0
57	MG	1A	3739	1/1	0.96	0.07	45,45,45,45	0
57	MG	2A	3233	1/1	0.96	0.08	55,55,55,55	0
57	MG	25	103	1/1	0.96	0.09	55,55,55,55	0
57	MG	1A	3894	1/1	0.96	0.07	50,50,50,50	0
57	MG	28	3801	1/1	0.96	0.09	48,48,48,48	0
57	MG	1F	316	1/1	0.96	0.10	46,46,46,46	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3236	1/1	0.96	0.09	39,39,39,39	0
57	MG	2a	3004	1/1	0.96	0.10	61,61,61,61	0
57	MG	1A	3509	1/1	0.96	0.08	57,57,57,57	0
57	MG	1F	318	1/1	0.96	0.12	46,46,46,46	0
57	MG	1o	101	1/1	0.96	0.10	49,49,49,49	0
57	MG	1A	3741	1/1	0.96	0.09	48,48,48,48	0
57	MG	1A	3356	1/1	0.96	0.05	22,22,22,22	0
57	MG	2A	3526	1/1	0.96	0.07	47,47,47,47	0
57	MG	1A	3899	1/1	0.96	0.09	54,54,54,54	0
57	MG	1A	3743	1/1	0.96	0.07	38,38,38,38	0
57	MG	1A	3744	1/1	0.96	0.17	54,54,54,54	0
57	MG	1A	3294	1/1	0.96	0.08	42,42,42,42	0
57	MG	1A	3514	1/1	0.96	0.05	34,34,34,34	0
57	MG	1A	3296	1/1	0.96	0.07	38,38,38,38	0
57	MG	2a	3017	1/1	0.96	0.07	58,58,58,58	0
57	MG	1A	3359	1/1	0.96	0.08	31,31,31,31	0
57	MG	2A	3252	1/1	0.96	0.31	44,44,44,44	0
57	MG	1A	3428	1/1	0.96	0.11	24,24,24,24	0
57	MG	2A	3537	1/1	0.96	0.11	53,53,53,53	0
57	MG	2A	3538	1/1	0.96	0.07	48,48,48,48	0
57	MG	1A	3908	1/1	0.96	0.06	19,19,19,19	0
57	MG	2A	3540	1/1	0.96	0.05	48,48,48,48	0
57	MG	2A	3255	1/1	0.96	0.13	39,39,39,39	0
57	MG	2A	3542	1/1	0.96	0.06	34,34,34,34	0
57	MG	2A	3014	1/1	0.96	0.08	59,59,59,59	0
57	MG	1A	3361	1/1	0.96	0.09	46,46,46,46	0
57	MG	1A	3115	1/1	0.96	0.07	33,33,33,33	0
57	MG	2A	3018	1/1	0.96	0.19	36,36,36,36	0
57	MG	1A	3117	1/1	0.96	0.18	30,30,30,30	0
57	MG	2A	3021	1/1	0.96	0.05	34,34,34,34	0
57	MG	1A	3914	1/1	0.96	0.12	35,35,35,35	0
57	MG	1A	3757	1/1	0.96	0.06	37,37,37,37	0
57	MG	1A	3524	1/1	0.96	0.10	58,58,58,58	0
57	MG	1A	3628	1/1	0.96	0.08	53,53,53,53	0
57	MG	1A	3526	1/1	0.96	0.04	22,22,22,22	0
57	MG	1A	3231	1/1	0.96	0.16	38,38,38,38	0
57	MG	2A	3275	1/1	0.96	0.12	58,58,58,58	0
57	MG	1A	3232	1/1	0.96	0.12	27,27,27,27	0
57	MG	2A	3035	1/1	0.96	0.20	52,52,52,52	0
57	MG	2A	3559	1/1	0.96	0.06	54,54,54,54	0
57	MG	2A	3036	1/1	0.96	0.08	50,50,50,50	0
57	MG	2A	3281	1/1	0.96	0.12	41,41,41,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3282	1/1	0.96	0.31	68,68,68,68	0
57	MG	1A	3436	1/1	0.96	0.08	48,48,48,48	0
57	MG	1A	3120	1/1	0.96	0.08	35,35,35,35	0
57	MG	1A	3369	1/1	0.96	0.05	26,26,26,26	0
57	MG	2A	3288	1/1	0.96	0.21	66,66,66,66	0
57	MG	2A	3289	1/1	0.96	0.15	54,54,54,54	0
57	MG	1A	3769	1/1	0.96	0.09	55,55,55,55	0
57	MG	2a	3056	1/1	0.96	0.13	58,58,58,58	0
57	MG	1A	3151	1/1	0.96	0.07	44,44,44,44	0
57	MG	2A	3045	1/1	0.96	0.09	59,59,59,59	0
57	MG	1A	3081	1/1	0.96	0.10	46,46,46,46	0
57	MG	1A	3642	1/1	0.96	0.16	34,34,34,34	0
57	MG	2A	3578	1/1	0.96	0.07	52,52,52,52	0
57	MG	2A	3579	1/1	0.96	0.07	61,61,61,61	0
57	MG	1A	3775	1/1	0.96	0.05	37,37,37,37	0
57	MG	2A	3049	1/1	0.96	0.12	55,55,55,55	0
57	MG	1A	3936	1/1	0.96	0.06	41,41,41,41	0
57	MG	2A	3300	1/1	0.96	0.10	51,51,51,51	0
57	MG	2a	3068	1/1	0.96	0.20	67,67,67,67	0
57	MG	2A	3051	1/1	0.96	0.11	48,48,48,48	0
57	MG	1A	3250	1/1	0.96	0.07	42,42,42,42	0
57	MG	2A	3303	1/1	0.96	0.14	43,43,43,43	0
57	MG	2A	3304	1/1	0.96	0.26	58,58,58,58	0
57	MG	1A	3539	1/1	0.96	0.08	51,51,51,51	0
57	MG	2a	3074	1/1	0.96	0.24	51,51,51,51	0
57	MG	2A	3054	1/1	0.96	0.15	57,57,57,57	0
57	MG	2a	3076	1/1	0.96	0.07	54,54,54,54	0
57	MG	1A	3540	1/1	0.96	0.05	23,23,23,23	0
57	MG	1A	3782	1/1	0.96	0.11	38,38,38,38	0
57	MG	2A	3597	1/1	0.96	0.09	39,39,39,39	0
57	MG	1A	3542	1/1	0.96	0.07	37,37,37,37	0
57	MG	2A	3311	1/1	0.96	0.09	51,51,51,51	0
57	MG	2a	3083	1/1	0.96	0.28	60,60,60,60	0
57	MG	1A	3647	1/1	0.96	0.12	65,65,65,65	0
57	MG	2A	3601	1/1	0.96	0.09	58,58,58,58	0
57	MG	1A	3947	1/1	0.96	0.11	25,25,25,25	0
57	MG	2A	3061	1/1	0.96	0.08	47,47,47,47	0
57	MG	2a	3088	1/1	0.96	0.10	55,55,55,55	0
57	MG	1a	1753	1/1	0.96	0.08	53,53,53,53	0
57	MG	1A	3543	1/1	0.96	0.06	32,32,32,32	0
57	MG	1A	3949	1/1	0.96	0.06	44,44,44,44	0
57	MG	2A	3324	1/1	0.96	0.07	36,36,36,36	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2a	3093	1/1	0.96	0.26	52,52,52,52	0
57	MG	1A	3445	1/1	0.96	0.15	40,40,40,40	0
57	MG	1A	3446	1/1	0.96	0.11	44,44,44,44	0
57	MG	1A	3546	1/1	0.96	0.08	31,31,31,31	0
57	MG	1A	3008	1/1	0.96	0.06	36,36,36,36	0
57	MG	2A	3332	1/1	0.96	0.07	54,54,54,54	0
57	MG	15	101	1/1	0.96	0.15	43,43,43,43	0
57	MG	2A	3335	1/1	0.96	0.06	41,41,41,41	0
57	MG	2A	3337	1/1	0.96	0.06	35,35,35,35	0
57	MG	2a	3102	1/1	0.96	0.08	55,55,55,55	0
57	MG	15	104	1/1	0.96	0.14	26,26,26,26	0
57	MG	2A	3339	1/1	0.96	0.09	49,49,49,49	0
57	MG	1A	3549	1/1	0.96	0.09	44,44,44,44	0
57	MG	2A	3073	1/1	0.96	0.07	32,32,32,32	0
57	MG	2A	3342	1/1	0.96	0.09	42,42,42,42	0
57	MG	1a	1765	1/1	0.96	0.10	52,52,52,52	0
57	MG	1A	3550	1/1	0.96	0.11	42,42,42,42	0
57	MG	2A	3346	1/1	0.96	0.16	52,52,52,52	0
57	MG	2A	3633	1/1	0.96	0.09	49,49,49,49	0
57	MG	1A	3312	1/1	0.96	0.17	30,30,30,30	0
57	MG	1A	3252	1/1	0.96	0.10	44,44,44,44	0
57	MG	1A	3553	1/1	0.96	0.06	49,49,49,49	0
57	MG	2A	3353	1/1	0.96	0.08	52,52,52,52	0
57	MG	2A	3638	1/1	0.96	0.07	50,50,50,50	0
57	MG	1a	1770	1/1	0.96	0.09	59,59,59,59	0
57	MG	1A	3378	1/1	0.96	0.09	48,48,48,48	0
57	MG	19	101	1/1	0.96	0.10	58,58,58,58	0
57	MG	1A	3556	1/1	0.96	0.12	53,53,53,53	0
57	MG	2A	3085	1/1	0.96	0.17	58,58,58,58	0
57	MG	2A	3645	1/1	0.96	0.08	67,67,67,67	0
57	MG	2a	3124	1/1	0.96	0.14	59,59,59,59	0
57	MG	2A	3087	1/1	0.96	0.36	47,47,47,47	0
57	MG	2A	3088	1/1	0.96	0.10	41,41,41,41	0
57	MG	1A	3253	1/1	0.96	0.06	45,45,45,45	0
57	MG	2A	3364	1/1	0.96	0.11	34,34,34,34	0
57	MG	1A	3453	1/1	0.96	0.09	58,58,58,58	0
57	MG	1A	3060	1/1	0.96	0.17	37,37,37,37	0
57	MG	1A	3194	1/1	0.96	0.10	34,34,34,34	0
57	MG	2A	3094	1/1	0.96	0.10	48,48,48,48	0
57	MG	2A	3095	1/1	0.96	0.18	65,65,65,65	0
57	MG	1A	3382	1/1	0.96	0.07	45,45,45,45	0
57	MG	1A	3196	1/1	0.96	0.13	48,48,48,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3975	1/1	0.96	0.05	42,42,42,42	0
57	MG	2A	3099	1/1	0.96	0.06	53,53,53,53	0
57	MG	1A	3033	1/1	0.96	0.07	34,34,34,34	0
57	MG	1A	3977	1/1	0.96	0.05	48,48,48,48	0
57	MG	1A	3810	1/1	0.96	0.08	42,42,42,42	0
57	MG	1a	1613	1/1	0.96	0.10	49,49,49,49	0
57	MG	2A	3673	1/1	0.96	0.06	19,19,19,19	0
57	MG	2a	3146	1/1	0.96	0.09	71,71,71,71	0
57	MG	1a	1786	1/1	0.96	0.08	61,61,61,61	0
57	MG	2A	3108	1/1	0.96	0.08	52,52,52,52	0
57	MG	2A	3110	1/1	0.96	0.12	57,57,57,57	0
57	MG	2a	3152	1/1	0.96	0.06	56,56,56,56	0
57	MG	2A	3386	1/1	0.96	0.11	43,43,43,43	0
57	MG	2a	3154	1/1	0.96	0.05	65,65,65,65	0
57	MG	2a	3156	1/1	0.96	0.06	53,53,53,53	0
57	MG	1A	3565	1/1	0.96	0.09	56,56,56,56	0
57	MG	2A	3113	1/1	0.96	0.07	46,46,46,46	0
57	MG	2A	3683	1/1	0.96	0.08	58,58,58,58	0
57	MG	2A	3114	1/1	0.96	0.13	63,63,63,63	0
57	MG	1A	3675	1/1	0.96	0.17	38,38,38,38	0
57	MG	2a	3164	1/1	0.96	0.12	63,63,63,63	0
57	MG	1A	3260	1/1	0.96	0.21	33,33,33,33	0
57	MG	2A	3392	1/1	0.96	0.16	59,59,59,59	0
57	MG	1A	3262	1/1	0.96	0.13	25,25,25,25	0
57	MG	1A	3983	1/1	0.96	0.06	55,55,55,55	0
57	MG	1A	3819	1/1	0.96	0.10	37,37,37,37	0
57	MG	2a	3173	1/1	0.96	0.07	64,64,64,64	0
57	MG	1a	1621	1/1	0.96	0.17	58,58,58,58	0
57	MG	1A	3569	1/1	0.96	0.07	14,14,14,14	0
57	MG	2A	3696	1/1	0.96	0.06	37,37,37,37	0
57	MG	1A	3679	1/1	0.96	0.07	55,55,55,55	0
57	MG	2A	3125	1/1	0.96	0.07	36,36,36,36	0
57	MG	1A	3463	1/1	0.96	0.12	54,54,54,54	0
57	MG	1A	3198	1/1	0.96	0.09	41,41,41,41	0
57	MG	1A	3265	1/1	0.96	0.10	39,39,39,39	0
57	MG	2a	3184	1/1	0.96	0.16	72,72,72,72	0
57	MG	1a	1629	1/1	0.96	0.13	47,47,47,47	0
57	MG	1A	3827	1/1	0.96	0.05	18,18,18,18	0
57	MG	2A	3411	1/1	0.96	0.11	61,61,61,61	0
57	MG	1A	3161	1/1	0.96	0.08	46,46,46,46	0
57	MG	1A	3829	1/1	0.96	0.07	38,38,38,38	0
57	MG	1A	3164	1/1	0.96	0.05	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3136	1/1	0.96	0.14	58,58,58,58	0
57	MG	1A	3471	1/1	0.96	0.08	39,39,39,39	0
57	MG	2A	3710	1/1	0.96	0.06	64,64,64,64	0
57	MG	1A	3687	1/1	0.96	0.11	32,32,32,32	0
57	MG	2t	201	1/1	0.96	0.13	40,40,40,40	0
57	MG	1A	3087	1/1	0.96	0.11	37,37,37,37	0
57	MG	1a	1807	1/1	0.96	0.07	45,45,45,45	0
57	MG	2A	3714	1/1	0.96	0.08	47,47,47,47	0
57	MG	1A	3004	1/1	0.96	0.10	45,45,45,45	0
57	MG	1A	3474	1/1	0.96	0.07	52,52,52,52	0
57	MG	1A	3336	1/1	0.96	0.04	32,32,32,32	0
57	MG	1A	4006	1/1	0.96	0.17	32,32,32,32	0
57	MG	1A	3206	1/1	0.96	0.24	43,43,43,43	0
57	MG	2A	3150	1/1	0.96	0.10	50,50,50,50	0
57	MG	1A	3694	1/1	0.96	0.08	54,54,54,54	0
57	MG	1a	1814	1/1	0.96	0.15	58,58,58,58	0
57	MG	1A	3837	1/1	0.97	0.05	37,37,37,37	0
57	MG	2A	3044	1/1	0.97	0.14	44,44,44,44	0
57	MG	1a	1752	1/1	0.97	0.11	37,37,37,37	0
57	MG	1A	3839	1/1	0.97	0.06	43,43,43,43	0
57	MG	1A	3508	1/1	0.97	0.06	46,46,46,46	0
57	MG	1A	3204	1/1	0.97	0.09	36,36,36,36	0
57	MG	2A	3502	1/1	0.97	0.05	62,62,62,62	0
57	MG	2B	217	1/1	0.97	0.08	57,57,57,57	0
57	MG	2A	3259	1/1	0.97	0.06	51,51,51,51	0
57	MG	2B	219	1/1	0.97	0.08	61,61,61,61	0
57	MG	2D	302	1/1	0.97	0.41	44,44,44,44	0
57	MG	17	102	1/1	0.97	0.05	31,31,31,31	0
57	MG	2A	3505	1/1	0.97	0.06	61,61,61,61	0
57	MG	2D	305	1/1	0.97	0.05	34,34,34,34	0
57	MG	1A	3714	1/1	0.97	0.05	30,30,30,30	0
57	MG	17	105	1/1	0.97	0.08	50,50,50,50	0
57	MG	1A	3039	1/1	0.97	0.09	37,37,37,37	0
57	MG	2A	3510	1/1	0.97	0.06	51,51,51,51	0
57	MG	2E	302	1/1	0.97	0.05	37,37,37,37	0
57	MG	2E	303	1/1	0.97	0.15	45,45,45,45	0
57	MG	1a	1760	1/1	0.97	0.11	60,60,60,60	0
57	MG	18	102	1/1	0.97	0.05	35,35,35,35	0
57	MG	2E	306	1/1	0.97	0.06	42,42,42,42	0
57	MG	2E	308	1/1	0.97	0.08	54,54,54,54	0
57	MG	2A	3266	1/1	0.97	0.15	39,39,39,39	0
57	MG	1A	3062	1/1	0.97	0.06	26,26,26,26	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3270	1/1	0.97	0.16	44,44,44,44	0
57	MG	1A	3274	1/1	0.97	0.05	54,54,54,54	0
57	MG	1A	3348	1/1	0.97	0.08	50,50,50,50	0
57	MG	2A	3519	1/1	0.97	0.05	38,38,38,38	0
57	MG	2A	3058	1/1	0.97	0.10	38,38,38,38	0
57	MG	2A	3274	1/1	0.97	0.23	50,50,50,50	0
57	MG	2A	3522	1/1	0.97	0.04	59,59,59,59	0
57	MG	1A	3991	1/1	0.97	0.08	35,35,35,35	0
57	MG	2A	3276	1/1	0.97	0.14	40,40,40,40	0
57	MG	1A	3516	1/1	0.97	0.07	19,19,19,19	0
57	MG	1A	3720	1/1	0.97	0.17	47,47,47,47	0
57	MG	1A	3995	1/1	0.97	0.09	44,44,44,44	0
57	MG	1A	3208	1/1	0.97	0.07	33,33,33,33	0
57	MG	1A	3424	1/1	0.97	0.11	42,42,42,42	0
57	MG	2A	3531	1/1	0.97	0.10	44,44,44,44	0
57	MG	1a	1606	1/1	0.97	0.11	48,48,48,48	0
57	MG	1A	3853	1/1	0.97	0.06	28,28,28,28	0
57	MG	1A	3007	1/1	0.97	0.07	29,29,29,29	0
57	MG	1a	1609	1/1	0.97	0.10	55,55,55,55	0
57	MG	1A	3352	1/1	0.97	0.03	18,18,18,18	0
57	MG	2V	202	1/1	0.97	0.14	49,49,49,49	0
57	MG	1A	3856	1/1	0.97	0.13	35,35,35,35	0
57	MG	2A	3071	1/1	0.97	0.22	46,46,46,46	0
57	MG	1a	1612	1/1	0.97	0.12	28,28,28,28	0
57	MG	1A	3427	1/1	0.97	0.07	26,26,26,26	0
57	MG	2A	3074	1/1	0.97	0.08	42,42,42,42	0
57	MG	1A	3001	1/1	0.97	0.06	29,29,29,29	0
57	MG	2A	3543	1/1	0.97	0.06	49,49,49,49	0
57	MG	2A	3297	1/1	0.97	0.12	40,40,40,40	0
57	MG	1A	3214	1/1	0.97	0.07	18,18,18,18	0
57	MG	1A	3355	1/1	0.97	0.07	31,31,31,31	0
57	MG	1A	3016	1/1	0.97	0.12	36,36,36,36	0
57	MG	1A	3284	1/1	0.97	0.10	49,49,49,49	0
57	MG	27	101	1/1	0.97	0.13	41,41,41,41	0
57	MG	1a	1785	1/1	0.97	0.05	64,64,64,64	0
57	MG	1A	3532	1/1	0.97	0.11	26,26,26,26	0
57	MG	2a	3001	1/1	0.97	0.06	40,40,40,40	0
57	MG	1A	3124	1/1	0.97	0.07	34,34,34,34	0
57	MG	1A	3630	1/1	0.97	0.07	29,29,29,29	0
57	MG	1a	1623	1/1	0.97	0.05	47,47,47,47	0
57	MG	1A	3090	1/1	0.97	0.15	25,25,25,25	0
57	MG	1a	1625	1/1	0.97	0.06	44,44,44,44	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3287	1/1	0.97	0.11	31,31,31,31	0
57	MG	2A	3310	1/1	0.97	0.07	51,51,51,51	0
57	MG	2A	3090	1/1	0.97	0.04	38,38,38,38	0
57	MG	2A	3312	1/1	0.97	0.09	46,46,46,46	0
57	MG	2A	3313	1/1	0.97	0.06	52,52,52,52	0
57	MG	2A	3314	1/1	0.97	0.09	51,51,51,51	0
57	MG	2A	3562	1/1	0.97	0.08	37,37,37,37	0
57	MG	1A	3636	1/1	0.97	0.07	46,46,46,46	0
57	MG	2A	3564	1/1	0.97	0.09	58,58,58,58	0
57	MG	1A	3220	1/1	0.97	0.11	30,30,30,30	0
57	MG	1A	3745	1/1	0.97	0.07	50,50,50,50	0
57	MG	2a	3018	1/1	0.97	0.10	46,46,46,46	0
57	MG	1A	3170	1/1	0.97	0.11	34,34,34,34	0
57	MG	2A	3570	1/1	0.97	0.07	47,47,47,47	0
57	MG	1A	3222	1/1	0.97	0.15	40,40,40,40	0
57	MG	2A	3321	1/1	0.97	0.08	37,37,37,37	0
57	MG	2a	3023	1/1	0.97	0.10	50,50,50,50	0
57	MG	1A	3366	1/1	0.97	0.06	18,18,18,18	0
57	MG	1A	3878	1/1	0.97	0.10	59,59,59,59	0
57	MG	1A	3444	1/1	0.97	0.03	26,26,26,26	0
57	MG	1A	3293	1/1	0.97	0.08	53,53,53,53	0
57	MG	2A	3328	1/1	0.97	0.12	42,42,42,42	0
57	MG	1a	1636	1/1	0.97	0.06	38,38,38,38	0
57	MG	1A	3224	1/1	0.97	0.15	33,33,33,33	0
57	MG	2A	3103	1/1	0.97	0.13	51,51,51,51	0
57	MG	1A	3126	1/1	0.97	0.06	66,66,66,66	0
57	MG	2A	3105	1/1	0.97	0.19	53,53,53,53	0
57	MG	2A	3336	1/1	0.97	0.05	33,33,33,33	0
57	MG	1A	3297	1/1	0.97	0.10	42,42,42,42	0
57	MG	2a	3036	1/1	0.97	0.07	43,43,43,43	0
57	MG	1A	3371	1/1	0.97	0.05	29,29,29,29	0
57	MG	1A	3005	1/1	0.97	0.09	26,26,26,26	0
57	MG	1A	3179	1/1	0.97	0.26	38,38,38,38	0
57	MG	1A	3761	1/1	0.97	0.10	47,47,47,47	0
57	MG	1A	3888	1/1	0.97	0.11	31,31,31,31	0
57	MG	2A	3593	1/1	0.97	0.05	60,60,60,60	0
57	MG	1A	3890	1/1	0.97	0.03	34,34,34,34	0
57	MG	2A	3595	1/1	0.97	0.03	44,44,44,44	0
57	MG	1A	3230	1/1	0.97	0.18	28,28,28,28	0
57	MG	1a	1647	1/1	0.97	0.12	54,54,54,54	0
57	MG	1A	3069	1/1	0.97	0.10	24,24,24,24	0
57	MG	1A	3036	1/1	0.97	0.07	24,24,24,24	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3349	1/1	0.97	0.06	47,47,47,47	0
57	MG	1A	3235	1/1	0.97	0.17	34,34,34,34	0
57	MG	2A	3603	1/1	0.97	0.04	45,45,45,45	0
57	MG	1A	3766	1/1	0.97	0.10	34,34,34,34	0
57	MG	2a	3053	1/1	0.97	0.15	55,55,55,55	0
57	MG	2A	3121	1/1	0.97	0.06	45,45,45,45	0
57	MG	1a	1819	1/1	0.97	0.10	54,54,54,54	0
57	MG	1A	3053	1/1	0.97	0.17	30,30,30,30	0
57	MG	1A	3655	1/1	0.97	0.07	46,46,46,46	0
57	MG	2A	3126	1/1	0.97	0.10	40,40,40,40	0
57	MG	2A	3613	1/1	0.97	0.05	65,65,65,65	0
57	MG	1A	3307	1/1	0.97	0.13	26,26,26,26	0
57	MG	1D	303	1/1	0.97	0.14	35,35,35,35	0
57	MG	1A	3072	1/1	0.97	0.12	37,37,37,37	0
57	MG	1A	3184	1/1	0.97	0.10	54,54,54,54	0
57	MG	2A	3619	1/1	0.97	0.08	42,42,42,42	0
57	MG	1D	313	1/1	0.97	0.13	29,29,29,29	0
57	MG	1A	3660	1/1	0.97	0.04	20,20,20,20	0
57	MG	1A	3383	1/1	0.97	0.07	48,48,48,48	0
57	MG	1A	3241	1/1	0.97	0.15	33,33,33,33	0
57	MG	1D	317	1/1	0.97	0.16	32,32,32,32	0
57	MG	1D	318	1/1	0.97	0.06	53,53,53,53	0
57	MG	2A	3138	1/1	0.97	0.10	24,24,24,24	0
57	MG	1A	3385	1/1	0.97	0.10	35,35,35,35	0
57	MG	1D	320	1/1	0.97	0.07	47,47,47,47	0
57	MG	2A	3378	1/1	0.97	0.06	40,40,40,40	0
57	MG	1A	3244	1/1	0.97	0.14	46,46,46,46	0
57	MG	1E	302	1/1	0.97	0.18	39,39,39,39	0
57	MG	1A	3780	1/1	0.97	0.11	43,43,43,43	0
57	MG	1A	3781	1/1	0.97	0.16	33,33,33,33	0
57	MG	1A	3912	1/1	0.97	0.04	18,18,18,18	0
57	MG	1A	3467	1/1	0.97	0.06	45,45,45,45	0
57	MG	2a	3082	1/1	0.97	0.27	61,61,61,61	0
57	MG	2A	3149	1/1	0.97	0.19	46,46,46,46	0
57	MG	1F	305	1/1	0.97	0.10	35,35,35,35	0
57	MG	1a	1673	1/1	0.97	0.09	44,44,44,44	0
57	MG	2A	3152	1/1	0.97	0.14	41,41,41,41	0
57	MG	1A	3915	1/1	0.97	0.12	35,35,35,35	0
57	MG	1A	3784	1/1	0.97	0.11	42,42,42,42	0
57	MG	2A	3155	1/1	0.97	0.05	44,44,44,44	0
57	MG	1A	3667	1/1	0.97	0.10	24,24,24,24	0
57	MG	2A	3646	1/1	0.97	0.06	69,69,69,69	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3246	1/1	0.97	0.16	34,34,34,34	0
57	MG	1A	3787	1/1	0.97	0.04	21,21,21,21	0
57	MG	2A	3396	1/1	0.97	0.06	49,49,49,49	0
57	MG	1A	3317	1/1	0.97	0.09	34,34,34,34	0
57	MG	2A	3160	1/1	0.97	0.10	49,49,49,49	0
57	MG	2A	3401	1/1	0.97	0.14	56,56,56,56	0
57	MG	2A	3161	1/1	0.97	0.13	46,46,46,46	0
57	MG	2A	3656	1/1	0.97	0.05	68,68,68,68	0
57	MG	1A	3249	1/1	0.97	0.09	42,42,42,42	0
57	MG	1A	3570	1/1	0.97	0.08	33,33,33,33	0
57	MG	2A	3659	1/1	0.97	0.10	45,45,45,45	0
57	MG	1A	3320	1/1	0.97	0.07	34,34,34,34	0
57	MG	1A	3321	1/1	0.97	0.08	26,26,26,26	0
57	MG	1A	3133	1/1	0.97	0.07	51,51,51,51	0
57	MG	2A	3665	1/1	0.97	0.06	56,56,56,56	0
57	MG	2A	3168	1/1	0.97	0.07	45,45,45,45	0
57	MG	1A	3574	1/1	0.97	0.15	33,33,33,33	0
57	MG	1A	3930	1/1	0.97	0.13	35,35,35,35	0
57	MG	1A	3575	1/1	0.97	0.12	53,53,53,53	0
57	MG	1H	201	1/1	0.97	0.08	53,53,53,53	0
57	MG	2A	3671	1/1	0.97	0.05	37,37,37,37	0
57	MG	2A	3672	1/1	0.97	0.06	33,33,33,33	0
57	MG	1A	3394	1/1	0.97	0.06	18,18,18,18	0
57	MG	1N	201	1/1	0.97	0.06	36,36,36,36	0
57	MG	1A	3186	1/1	0.97	0.10	32,32,32,32	0
57	MG	1A	3104	1/1	0.97	0.09	34,34,34,34	0
57	MG	1A	3579	1/1	0.97	0.08	25,25,25,25	0
57	MG	1A	3105	1/1	0.97	0.13	30,30,30,30	0
57	MG	2A	3180	1/1	0.97	0.05	47,47,47,47	0
57	MG	1A	3141	1/1	0.97	0.07	36,36,36,36	0
57	MG	2A	3183	1/1	0.97	0.07	41,41,41,41	0
57	MG	1A	3803	1/1	0.97	0.14	31,31,31,31	0
57	MG	2A	3687	1/1	0.97	0.09	58,58,58,58	0
57	MG	1A	3804	1/1	0.97	0.07	51,51,51,51	0
57	MG	2A	3426	1/1	0.97	0.13	55,55,55,55	0
57	MG	1A	3399	1/1	0.97	0.07	18,18,18,18	0
57	MG	1A	3945	1/1	0.97	0.06	21,21,21,21	0
57	MG	1A	3400	1/1	0.97	0.08	25,25,25,25	0
57	MG	2a	3131	1/1	0.97	0.07	63,63,63,63	0
57	MG	2A	3693	1/1	0.97	0.07	64,64,64,64	0
57	MG	2A	3190	1/1	0.97	0.07	51,51,51,51	0
57	MG	1A	3585	1/1	0.97	0.12	38,38,38,38	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3073	1/1	0.97	0.05	37,37,37,37	0
57	MG	1A	3145	1/1	0.97	0.06	38,38,38,38	0
57	MG	1A	3403	1/1	0.97	0.04	19,19,19,19	0
57	MG	1A	3054	1/1	0.97	0.08	34,34,34,34	0
57	MG	1A	3489	1/1	0.97	0.06	24,24,24,24	0
57	MG	1A	3955	1/1	0.97	0.12	42,42,42,42	0
57	MG	1A	3816	1/1	0.97	0.06	39,39,39,39	0
57	MG	1A	3490	1/1	0.97	0.06	31,31,31,31	0
57	MG	1n	101	1/1	0.97	0.29	56,56,56,56	0
57	MG	1A	3259	1/1	0.97	0.07	49,49,49,49	0
57	MG	1U	202	1/1	0.97	0.22	33,33,33,33	0
57	MG	2a	3148	1/1	0.97	0.08	62,62,62,62	0
57	MG	1A	3961	1/1	0.97	0.13	44,44,44,44	0
57	MG	1U	204	1/1	0.97	0.16	33,33,33,33	0
57	MG	2a	3151	1/1	0.97	0.07	53,53,53,53	0
57	MG	1A	3492	1/1	0.97	0.04	27,27,27,27	0
57	MG	1A	3493	1/1	0.97	0.06	22,22,22,22	0
57	MG	2A	3208	1/1	0.97	0.07	52,52,52,52	0
57	MG	2a	3155	1/1	0.97	0.06	60,60,60,60	0
57	MG	1A	3964	1/1	0.97	0.08	46,46,46,46	0
57	MG	1V	206	1/1	0.97	0.08	53,53,53,53	0
57	MG	1A	3821	1/1	0.97	0.12	36,36,36,36	0
57	MG	2a	3159	1/1	0.97	0.08	60,60,60,60	0
57	MG	1x	102	1/1	0.97	0.04	38,38,38,38	0
57	MG	1A	3055	1/1	0.97	0.12	43,43,43,43	0
57	MG	1A	3150	1/1	0.97	0.06	40,40,40,40	0
57	MG	2A	3003	1/1	0.97	0.06	52,52,52,52	0
57	MG	2a	3166	1/1	0.97	0.05	69,69,69,69	0
57	MG	1X	101	1/1	0.97	0.10	33,33,33,33	0
57	MG	2A	3006	1/1	0.97	0.07	48,48,48,48	0
57	MG	2a	3169	1/1	0.97	0.05	51,51,51,51	0
57	MG	1A	3335	1/1	0.97	0.06	23,23,23,23	0
57	MG	1A	3263	1/1	0.97	0.07	47,47,47,47	0
57	MG	2A	3012	1/1	0.97	0.21	58,58,58,58	0
57	MG	2A	3724	1/1	0.97	0.08	38,38,38,38	0
57	MG	2A	3013	1/1	0.97	0.06	23,23,23,23	0
57	MG	2a	3175	1/1	0.97	0.07	71,71,71,71	0
57	MG	1A	3971	1/1	0.97	0.05	26,26,26,26	0
57	MG	1a	1728	1/1	0.97	0.15	52,52,52,52	0
57	MG	1A	3499	1/1	0.97	0.06	39,39,39,39	0
57	MG	10	104	1/1	0.97	0.08	57,57,57,57	0
57	MG	1A	3021	1/1	0.97	0.06	39,39,39,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3705	1/1	0.97	0.08	55,55,55,55	0
57	MG	2A	3229	1/1	0.97	0.07	47,47,47,47	0
57	MG	2A	3471	1/1	0.97	0.07	61,61,61,61	0
57	MG	1A	3339	1/1	0.97	0.06	31,31,31,31	0
57	MG	2A	3231	1/1	0.97	0.07	54,54,54,54	0
57	MG	2A	3736	1/1	0.97	0.15	46,46,46,46	0
57	MG	1a	1735	1/1	0.97	0.06	56,56,56,56	0
57	MG	1A	3058	1/1	0.97	0.12	46,46,46,46	0
57	MG	1A	3503	1/1	0.97	0.06	44,44,44,44	0
57	MG	11	102	1/1	0.97	0.06	34,34,34,34	0
57	MG	2A	3030	1/1	0.97	0.05	18,18,18,18	0
57	MG	2A	3031	1/1	0.97	0.12	55,55,55,55	0
57	MG	11	103	1/1	0.97	0.08	43,43,43,43	0
57	MG	2A	3033	1/1	0.97	0.14	47,47,47,47	0
57	MG	1A	3084	1/1	0.97	0.33	38,38,38,38	0
57	MG	11	105	1/1	0.97	0.06	36,36,36,36	0
57	MG	13	101	1/1	0.97	0.11	31,31,31,31	0
57	MG	1A	3506	1/1	0.97	0.04	22,22,22,22	0
57	MG	2A	3245	1/1	0.97	0.06	51,51,51,51	0
57	MG	2A	3038	1/1	0.97	0.09	48,48,48,48	0
57	MG	13	103	1/1	0.97	0.06	40,40,40,40	0
57	MG	2A	3040	1/1	0.97	0.16	50,50,50,50	0
57	MG	2A	3249	1/1	0.97	0.21	59,59,59,59	0
57	MG	1A	3157	1/1	0.97	0.11	29,29,29,29	0
61	ZN	14	501	1/1	0.97	0.07	108,108,108,108	0
61	ZN	2Y	202	1/1	0.97	0.05	88,88,88,88	0
57	MG	15	103	1/1	0.97	0.13	30,30,30,30	0
57	MG	1A	3135	1/1	0.98	0.20	31,31,31,31	0
57	MG	2F	304	1/1	0.98	0.20	45,45,45,45	0
57	MG	1A	3555	1/1	0.98	0.07	41,41,41,41	0
57	MG	1A	3242	1/1	0.98	0.14	35,35,35,35	0
57	MG	1A	3080	1/1	0.98	0.09	26,26,26,26	0
57	MG	1A	3245	1/1	0.98	0.35	40,40,40,40	0
57	MG	1A	3654	1/1	0.98	0.10	38,38,38,38	0
57	MG	1B	213	1/1	0.98	0.04	36,36,36,36	0
57	MG	2A	3102	1/1	0.98	0.07	39,39,39,39	0
57	MG	1B	214	1/1	0.98	0.06	43,43,43,43	0
57	MG	1A	3137	1/1	0.98	0.07	45,45,45,45	0
57	MG	1A	3247	1/1	0.98	0.14	40,40,40,40	0
57	MG	1A	3889	1/1	0.98	0.04	33,33,33,33	0
57	MG	2A	3316	1/1	0.98	0.08	42,42,42,42	0
57	MG	1A	3138	1/1	0.98	0.20	42,42,42,42	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3892	1/1	0.98	0.06	42,42,42,42	0
57	MG	1A	3658	1/1	0.98	0.04	34,34,34,34	0
57	MG	1B	221	1/1	0.98	0.06	35,35,35,35	0
57	MG	2A	3112	1/1	0.98	0.08	47,47,47,47	0
57	MG	1A	3107	1/1	0.98	0.14	35,35,35,35	0
57	MG	2A	3323	1/1	0.98	0.12	18,18,18,18	0
57	MG	1B	223	1/1	0.98	0.07	44,44,44,44	0
57	MG	1B	224	1/1	0.98	0.04	42,42,42,42	0
57	MG	1A	3188	1/1	0.98	0.07	41,41,41,41	0
57	MG	1A	3771	1/1	0.98	0.04	37,37,37,37	0
57	MG	1A	3049	1/1	0.98	0.28	44,44,44,44	0
57	MG	2W	203	1/1	0.98	0.05	54,54,54,54	0
57	MG	1a	1818	1/1	0.98	0.04	67,67,67,67	0
57	MG	1A	3142	1/1	0.98	0.05	28,28,28,28	0
57	MG	2A	3333	1/1	0.98	0.04	36,36,36,36	0
57	MG	2A	3565	1/1	0.98	0.06	47,47,47,47	0
57	MG	1a	1820	1/1	0.98	0.09	57,57,57,57	0
57	MG	2A	3567	1/1	0.98	0.07	56,56,56,56	0
57	MG	1A	3110	1/1	0.98	0.14	21,21,21,21	0
57	MG	1A	3568	1/1	0.98	0.16	38,38,38,38	0
57	MG	1A	3665	1/1	0.98	0.04	52,52,52,52	0
57	MG	1A	3778	1/1	0.98	0.05	26,26,26,26	0
57	MG	1D	305	1/1	0.98	0.06	39,39,39,39	0
57	MG	1A	3029	1/1	0.98	0.08	35,35,35,35	0
57	MG	1D	307	1/1	0.98	0.07	34,34,34,34	0
57	MG	2A	3130	1/1	0.98	0.12	46,46,46,46	0
57	MG	2A	3343	1/1	0.98	0.03	21,21,21,21	0
57	MG	1D	308	1/1	0.98	0.16	48,48,48,48	0
57	MG	1D	310	1/1	0.98	0.05	41,41,41,41	0
57	MG	1A	3037	1/1	0.98	0.10	45,45,45,45	0
57	MG	1A	3019	1/1	0.98	0.14	28,28,28,28	0
57	MG	1A	3195	1/1	0.98	0.12	33,33,33,33	0
57	MG	1A	3783	1/1	0.98	0.09	40,40,40,40	0
57	MG	2A	3583	1/1	0.98	0.06	54,54,54,54	0
57	MG	1A	3334	1/1	0.98	0.06	24,24,24,24	0
57	MG	2A	3351	1/1	0.98	0.10	49,49,49,49	0
57	MG	2A	3352	1/1	0.98	0.06	43,43,43,43	0
57	MG	1A	3671	1/1	0.98	0.04	43,43,43,43	0
57	MG	1a	1836	1/1	0.98	0.06	39,39,39,39	0
57	MG	2A	3589	1/1	0.98	0.04	47,47,47,47	0
57	MG	2A	3590	1/1	0.98	0.08	31,31,31,31	0
57	MG	1A	3149	1/1	0.98	0.16	30,30,30,30	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3913	1/1	0.98	0.06	41,41,41,41	0
57	MG	2A	3142	1/1	0.98	0.08	39,39,39,39	0
57	MG	1A	3485	1/1	0.98	0.07	25,25,25,25	0
57	MG	1A	3261	1/1	0.98	0.20	36,36,36,36	0
57	MG	1A	3067	1/1	0.98	0.18	32,32,32,32	0
57	MG	1E	303	1/1	0.98	0.05	31,31,31,31	0
57	MG	1A	3917	1/1	0.98	0.05	51,51,51,51	0
57	MG	2A	3365	1/1	0.98	0.07	30,30,30,30	0
57	MG	2A	3148	1/1	0.98	0.08	36,36,36,36	0
57	MG	1A	3068	1/1	0.98	0.23	30,30,30,30	0
57	MG	2A	3602	1/1	0.98	0.04	46,46,46,46	0
57	MG	1A	3152	1/1	0.98	0.18	42,42,42,42	0
57	MG	1A	3411	1/1	0.98	0.03	35,35,35,35	0
57	MG	2A	3605	1/1	0.98	0.09	44,44,44,44	0
57	MG	1a	1847	1/1	0.98	0.07	59,59,59,59	0
57	MG	2A	3371	1/1	0.98	0.09	34,34,34,34	0
57	MG	1F	302	1/1	0.98	0.09	29,29,29,29	0
57	MG	2A	3610	1/1	0.98	0.07	67,67,67,67	0
57	MG	1F	303	1/1	0.98	0.14	25,25,25,25	0
57	MG	1F	304	1/1	0.98	0.10	35,35,35,35	0
57	MG	2A	3375	1/1	0.98	0.04	35,35,35,35	0
57	MG	2A	3376	1/1	0.98	0.04	36,36,36,36	0
57	MG	1A	3341	1/1	0.98	0.05	22,22,22,22	0
57	MG	1a	1853	1/1	0.98	0.04	58,58,58,58	0
57	MG	1F	306	1/1	0.98	0.09	35,35,35,35	0
57	MG	1F	307	1/1	0.98	0.12	27,27,27,27	0
57	MG	1A	3922	1/1	0.98	0.06	52,52,52,52	0
57	MG	1A	3153	1/1	0.98	0.26	36,36,36,36	0
57	MG	1F	310	1/1	0.98	0.06	31,31,31,31	0
57	MG	1A	3201	1/1	0.98	0.14	40,40,40,40	0
57	MG	1A	3119	1/1	0.98	0.07	29,29,29,29	0
57	MG	1a	1861	1/1	0.98	0.12	52,52,52,52	0
57	MG	2A	3166	1/1	0.98	0.13	49,49,49,49	0
57	MG	1A	3013	1/1	0.98	0.07	16,16,16,16	0
57	MG	1A	3496	1/1	0.98	0.07	53,53,53,53	0
57	MG	1A	3156	1/1	0.98	0.11	25,25,25,25	0
57	MG	1a	1682	1/1	0.98	0.13	42,42,42,42	0
57	MG	1A	3800	1/1	0.98	0.13	46,46,46,46	0
57	MG	1a	1684	1/1	0.98	0.10	44,44,44,44	0
57	MG	2a	3058	1/1	0.98	0.14	45,45,45,45	0
57	MG	1A	3009	1/1	0.98	0.06	30,30,30,30	0
57	MG	1A	3932	1/1	0.98	0.06	50,50,50,50	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3933	1/1	0.98	0.10	58,58,58,58	0
57	MG	2A	3398	1/1	0.98	0.04	32,32,32,32	0
57	MG	1A	3207	1/1	0.98	0.13	37,37,37,37	0
57	MG	1A	3015	1/1	0.98	0.05	37,37,37,37	0
57	MG	1A	3592	1/1	0.98	0.15	49,49,49,49	0
57	MG	1A	3210	1/1	0.98	0.23	32,32,32,32	0
57	MG	1A	3938	1/1	0.98	0.04	61,61,61,61	0
57	MG	2A	3182	1/1	0.98	0.06	45,45,45,45	0
57	MG	2A	3644	1/1	0.98	0.05	53,53,53,53	0
57	MG	1A	3351	1/1	0.98	0.05	51,51,51,51	0
57	MG	1A	3940	1/1	0.98	0.10	41,41,41,41	0
57	MG	1A	3279	1/1	0.98	0.03	23,23,23,23	0
57	MG	1A	3596	1/1	0.98	0.04	34,34,34,34	0
57	MG	2A	3187	1/1	0.98	0.14	56,56,56,56	0
57	MG	2A	3412	1/1	0.98	0.04	52,52,52,52	0
57	MG	1A	3696	1/1	0.98	0.12	43,43,43,43	0
57	MG	1P	201	1/1	0.98	0.20	31,31,31,31	0
57	MG	1A	3504	1/1	0.98	0.05	43,43,43,43	0
57	MG	1A	3159	1/1	0.98	0.06	32,32,32,32	0
57	MG	1A	3946	1/1	0.98	0.03	27,27,27,27	0
57	MG	1A	3812	1/1	0.98	0.09	45,45,45,45	0
57	MG	1Q	203	1/1	0.98	0.08	46,46,46,46	0
57	MG	2A	3660	1/1	0.98	0.06	43,43,43,43	0
57	MG	2A	3661	1/1	0.98	0.10	58,58,58,58	0
57	MG	1A	3212	1/1	0.98	0.20	28,28,28,28	0
57	MG	1A	3814	1/1	0.98	0.05	42,42,42,42	0
57	MG	1R	201	1/1	0.98	0.09	32,32,32,32	0
57	MG	1A	3950	1/1	0.98	0.07	35,35,35,35	0
57	MG	1A	3815	1/1	0.98	0.06	37,37,37,37	0
57	MG	1A	3282	1/1	0.98	0.21	41,41,41,41	0
57	MG	1A	3093	1/1	0.98	0.04	13,13,13,13	0
57	MG	1A	3059	1/1	0.98	0.08	37,37,37,37	0
57	MG	1A	3510	1/1	0.98	0.07	16,16,16,16	0
57	MG	1T	204	1/1	0.98	0.12	53,53,53,53	0
57	MG	2A	3205	1/1	0.98	0.06	46,46,46,46	0
57	MG	2A	3431	1/1	0.98	0.10	45,45,45,45	0
57	MG	2A	3432	1/1	0.98	0.05	35,35,35,35	0
57	MG	1A	3956	1/1	0.98	0.07	53,53,53,53	0
57	MG	2A	3004	1/1	0.98	0.06	38,38,38,38	0
57	MG	1A	3511	1/1	0.98	0.04	20,20,20,20	0
57	MG	2A	3679	1/1	0.98	0.05	55,55,55,55	0
57	MG	1A	3430	1/1	0.98	0.07	37,37,37,37	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3007	1/1	0.98	0.06	40,40,40,40	0
57	MG	1A	3959	1/1	0.98	0.06	41,41,41,41	0
57	MG	1A	3215	1/1	0.98	0.06	25,25,25,25	0
57	MG	2A	3011	1/1	0.98	0.05	36,36,36,36	0
57	MG	1A	3162	1/1	0.98	0.07	27,27,27,27	0
57	MG	1A	3433	1/1	0.98	0.04	26,26,26,26	0
57	MG	2a	3109	1/1	0.98	0.04	64,64,64,64	0
57	MG	1A	3163	1/1	0.98	0.11	40,40,40,40	0
57	MG	1a	1722	1/1	0.98	0.12	47,47,47,47	0
57	MG	2A	3218	1/1	0.98	0.17	47,47,47,47	0
57	MG	1V	201	1/1	0.98	0.15	25,25,25,25	0
57	MG	1V	202	1/1	0.98	0.17	26,26,26,26	0
57	MG	1V	203	1/1	0.98	0.06	42,42,42,42	0
57	MG	2A	3020	1/1	0.98	0.17	39,39,39,39	0
57	MG	1A	3826	1/1	0.98	0.06	25,25,25,25	0
57	MG	1A	3965	1/1	0.98	0.04	27,27,27,27	0
57	MG	1A	3218	1/1	0.98	0.12	28,28,28,28	0
57	MG	1V	207	1/1	0.98	0.04	52,52,52,52	0
57	MG	1A	3518	1/1	0.98	0.04	51,51,51,51	0
57	MG	2A	3026	1/1	0.98	0.06	42,42,42,42	0
57	MG	1A	3612	1/1	0.98	0.13	32,32,32,32	0
57	MG	2A	3029	1/1	0.98	0.03	29,29,29,29	0
57	MG	1a	1732	1/1	0.98	0.06	33,33,33,33	0
57	MG	1A	3363	1/1	0.98	0.04	13,13,13,13	0
57	MG	1A	3012	1/1	0.98	0.05	35,35,35,35	0
57	MG	1A	3291	1/1	0.98	0.07	16,16,16,16	0
57	MG	1Y	202	1/1	0.98	0.04	63,63,63,63	0
57	MG	1Z	301	1/1	0.98	0.11	60,60,60,60	0
57	MG	1A	3439	1/1	0.98	0.04	12,12,12,12	0
57	MG	2A	3238	1/1	0.98	0.20	44,44,44,44	0
57	MG	1A	3523	1/1	0.98	0.05	20,20,20,20	0
57	MG	1A	3061	1/1	0.98	0.04	36,36,36,36	0
57	MG	1a	1743	1/1	0.98	0.04	40,40,40,40	0
57	MG	1A	3525	1/1	0.98	0.06	42,42,42,42	0
57	MG	1A	3441	1/1	0.98	0.09	30,30,30,30	0
57	MG	1A	3840	1/1	0.98	0.04	41,41,41,41	0
57	MG	1A	3166	1/1	0.98	0.20	27,27,27,27	0
57	MG	2a	3140	1/1	0.98	0.08	51,51,51,51	0
57	MG	1A	3722	1/1	0.98	0.04	24,24,24,24	0
57	MG	2A	3475	1/1	0.98	0.04	53,53,53,53	0
57	MG	2a	3143	1/1	0.98	0.10	61,61,61,61	0
57	MG	1A	3843	1/1	0.98	0.04	19,19,19,19	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1a	1750	1/1	0.98	0.05	49,49,49,49	0
57	MG	1A	3075	1/1	0.98	0.20	29,29,29,29	0
57	MG	1A	3724	1/1	0.98	0.10	31,31,31,31	0
57	MG	1A	3725	1/1	0.98	0.05	39,39,39,39	0
57	MG	1A	3295	1/1	0.98	0.07	31,31,31,31	0
57	MG	1A	3223	1/1	0.98	0.08	33,33,33,33	0
57	MG	1A	3986	1/1	0.98	0.07	38,38,38,38	0
57	MG	1A	3098	1/1	0.98	0.26	37,37,37,37	0
57	MG	2A	3485	1/1	0.98	0.09	48,48,48,48	0
57	MG	1A	3225	1/1	0.98	0.23	37,37,37,37	0
57	MG	15	102	1/1	0.98	0.15	27,27,27,27	0
57	MG	2A	3258	1/1	0.98	0.12	45,45,45,45	0
57	MG	2A	3489	1/1	0.98	0.06	28,28,28,28	0
57	MG	1A	3731	1/1	0.98	0.07	49,49,49,49	0
57	MG	1A	3732	1/1	0.98	0.05	20,20,20,20	0
57	MG	1a	1762	1/1	0.98	0.06	52,52,52,52	0
57	MG	1A	3300	1/1	0.98	0.11	30,30,30,30	0
57	MG	1A	3992	1/1	0.98	0.05	47,47,47,47	0
57	MG	2a	3163	1/1	0.98	0.05	64,64,64,64	0
57	MG	1A	3226	1/1	0.98	0.05	29,29,29,29	0
57	MG	2a	3165	1/1	0.98	0.05	60,60,60,60	0
57	MG	17	101	1/1	0.98	0.07	34,34,34,34	0
57	MG	1A	3169	1/1	0.98	0.08	43,43,43,43	0
57	MG	2A	3267	1/1	0.98	0.04	37,37,37,37	0
57	MG	17	103	1/1	0.98	0.12	38,38,38,38	0
57	MG	2A	3269	1/1	0.98	0.14	27,27,27,27	0
57	MG	1A	3736	1/1	0.98	0.10	37,37,37,37	0
57	MG	1A	3857	1/1	0.98	0.05	34,34,34,34	0
57	MG	1A	3631	1/1	0.98	0.07	33,33,33,33	0
57	MG	1A	3538	1/1	0.98	0.20	27,27,27,27	0
57	MG	1A	3860	1/1	0.98	0.11	41,41,41,41	0
57	MG	1A	4000	1/1	0.98	0.04	44,44,44,44	0
57	MG	1A	3633	1/1	0.98	0.08	45,45,45,45	0
57	MG	2a	3178	1/1	0.98	0.04	50,50,50,50	0
57	MG	2A	3277	1/1	0.98	0.04	29,29,29,29	0
57	MG	2A	3509	1/1	0.98	0.04	32,32,32,32	0
57	MG	1A	3634	1/1	0.98	0.05	37,37,37,37	0
57	MG	1A	3451	1/1	0.98	0.04	23,23,23,23	0
57	MG	1A	3100	1/1	0.98	0.04	46,46,46,46	0
57	MG	1A	3172	1/1	0.98	0.12	23,23,23,23	0
57	MG	2A	3076	1/1	0.98	0.09	46,46,46,46	0
57	MG	2a	3186	1/1	0.98	0.11	57,57,57,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3284	1/1	0.98	0.13	53,53,53,53	0
57	MG	1A	3076	1/1	0.98	0.10	29,29,29,29	0
57	MG	1A	4008	1/1	0.98	0.14	34,34,34,34	0
57	MG	1A	3175	1/1	0.98	0.13	28,28,28,28	0
57	MG	1A	3131	1/1	0.98	0.12	25,25,25,25	0
57	MG	1A	3457	1/1	0.98	0.05	43,43,43,43	0
57	MG	2D	301	1/1	0.98	0.13	38,38,38,38	0
57	MG	2A	3290	1/1	0.98	0.06	44,44,44,44	0
57	MG	1A	4012	1/1	0.98	0.17	42,42,42,42	0
57	MG	2A	3524	1/1	0.98	0.05	30,30,30,30	0
57	MG	1A	3458	1/1	0.98	0.06	51,51,51,51	0
58	CLM	1A	4017	20/20	0.98	0.06	18,23,33,39	0
57	MG	1A	3548	1/1	0.98	0.12	34,34,34,34	0
57	MG	1A	3178	1/1	0.98	0.13	29,29,29,29	0
57	MG	2A	3086	1/1	0.98	0.05	39,39,39,39	0
57	MG	1A	3017	1/1	0.98	0.13	31,31,31,31	0
57	MG	1A	3753	1/1	0.98	0.10	39,39,39,39	0
57	MG	1A	3079	1/1	0.98	0.06	41,41,41,41	0
57	MG	1A	3877	1/1	0.98	0.04	25,25,25,25	0
57	MG	1A	3314	1/1	0.98	0.04	16,16,16,16	0
57	MG	1A	3756	1/1	0.98	0.04	39,39,39,39	0
57	MG	1A	3134	1/1	0.98	0.14	26,26,26,26	0
61	ZN	15	108	1/1	0.98	0.04	43,43,43,43	0
57	MG	1a	1620	1/1	0.98	0.05	39,39,39,39	0
57	MG	2F	302	1/1	0.98	0.05	40,40,40,40	0
61	ZN	29	501	1/1	0.98	0.05	65,65,65,65	0
61	ZN	2n	501	1/1	0.98	0.05	86,86,86,86	0
62	SF4	1d	305	8/8	0.98	0.05	59,64,67,72	0
62	SF4	2d	501	8/8	0.98	0.04	63,75,82,85	0
57	MG	1A	3530	1/1	0.99	0.04	25,25,25,25	0
57	MG	1a	1741	1/1	0.99	0.04	36,36,36,36	0
57	MG	1A	3209	1/1	0.99	0.12	36,36,36,36	0
57	MG	1A	3146	1/1	0.99	0.06	29,29,29,29	0
57	MG	2A	3685	1/1	0.99	0.04	34,34,34,34	0
57	MG	1A	3469	1/1	0.99	0.06	42,42,42,42	0
57	MG	1A	3470	1/1	0.99	0.03	31,31,31,31	0
57	MG	1D	302	1/1	0.99	0.18	33,33,33,33	0
57	MG	1A	3177	1/1	0.99	0.09	30,30,30,30	0
57	MG	1D	304	1/1	0.99	0.09	38,38,38,38	0
57	MG	1A	3299	1/1	0.99	0.14	31,31,31,31	0
57	MG	1A	3118	1/1	0.99	0.04	19,19,19,19	0
57	MG	2A	3354	1/1	0.99	0.04	46,46,46,46	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3413	1/1	0.99	0.02	28,28,28,28	0
57	MG	1A	3891	1/1	0.99	0.03	40,40,40,40	0
57	MG	1D	309	1/1	0.99	0.04	16,16,16,16	0
57	MG	2A	3358	1/1	0.99	0.06	39,39,39,39	0
57	MG	2A	3468	1/1	0.99	0.05	32,32,32,32	0
57	MG	1A	3044	1/1	0.99	0.06	20,20,20,20	0
57	MG	1D	311	1/1	0.99	0.08	32,32,32,32	0
57	MG	1a	1850	1/1	0.99	0.07	51,51,51,51	0
57	MG	1A	3254	1/1	0.99	0.16	25,25,25,25	0
57	MG	1A	3541	1/1	0.99	0.03	28,28,28,28	0
57	MG	1A	3895	1/1	0.99	0.03	27,27,27,27	0
57	MG	1A	3018	1/1	0.99	0.07	27,27,27,27	0
57	MG	1A	3046	1/1	0.99	0.02	19,19,19,19	0
57	MG	1A	3006	1/1	0.99	0.02	21,21,21,21	0
57	MG	1A	3360	1/1	0.99	0.03	20,20,20,20	0
57	MG	1A	3749	1/1	0.99	0.05	23,23,23,23	0
57	MG	1A	3078	1/1	0.99	0.24	32,32,32,32	0
57	MG	1A	3048	1/1	0.99	0.09	41,41,41,41	0
57	MG	1E	301	1/1	0.99	0.09	25,25,25,25	0
57	MG	1A	3099	1/1	0.99	0.18	28,28,28,28	0
57	MG	1A	3309	1/1	0.99	0.07	19,19,19,19	0
57	MG	1A	3905	1/1	0.99	0.04	49,49,49,49	0
57	MG	1E	305	1/1	0.99	0.10	39,39,39,39	0
57	MG	1A	3310	1/1	0.99	0.06	35,35,35,35	0
57	MG	1A	3023	1/1	0.99	0.18	32,32,32,32	0
57	MG	1A	3187	1/1	0.99	0.10	27,27,27,27	0
57	MG	1F	301	1/1	0.99	0.15	23,23,23,23	0
57	MG	1A	3686	1/1	0.99	0.03	33,33,33,33	0
57	MG	1A	3313	1/1	0.99	0.13	34,34,34,34	0
57	MG	2A	3176	1/1	0.99	0.09	42,42,42,42	0
57	MG	1A	3832	1/1	0.99	0.07	49,49,49,49	0
57	MG	1A	3024	1/1	0.99	0.06	15,15,15,15	0
57	MG	1A	3760	1/1	0.99	0.07	33,33,33,33	0
57	MG	2A	3608	1/1	0.99	0.06	34,34,34,34	0
57	MG	1A	3689	1/1	0.99	0.03	37,37,37,37	0
57	MG	1A	3102	1/1	0.99	0.09	29,29,29,29	0
57	MG	2A	3283	1/1	0.99	0.06	37,37,37,37	0
57	MG	1A	3103	1/1	0.99	0.20	26,26,26,26	0
57	MG	1A	3838	1/1	0.99	0.05	33,33,33,33	0
57	MG	2A	3614	1/1	0.99	0.04	50,50,50,50	0
57	MG	1A	3623	1/1	0.99	0.07	29,29,29,29	0
57	MG	1A	3266	1/1	0.99	0.14	23,23,23,23	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	2A	3394	1/1	0.99	0.08	39,39,39,39	0
57	MG	1A	3318	1/1	0.99	0.04	36,36,36,36	0
57	MG	1A	4001	1/1	0.99	0.06	40,40,40,40	0
57	MG	1A	3267	1/1	0.99	0.17	30,30,30,30	0
57	MG	1A	3375	1/1	0.99	0.05	27,27,27,27	0
57	MG	2A	3399	1/1	0.99	0.04	36,36,36,36	0
57	MG	1A	3561	1/1	0.99	0.09	33,33,33,33	0
57	MG	1A	3051	1/1	0.99	0.13	30,30,30,30	0
57	MG	1A	3925	1/1	0.99	0.06	49,49,49,49	0
57	MG	1A	3083	1/1	0.99	0.19	34,34,34,34	0
57	MG	1A	3772	1/1	0.99	0.03	41,41,41,41	0
57	MG	2A	3628	1/1	0.99	0.03	21,21,21,21	0
57	MG	2A	3515	1/1	0.99	0.07	46,46,46,46	0
57	MG	1A	3052	1/1	0.99	0.14	30,30,30,30	0
57	MG	1A	3271	1/1	0.99	0.07	34,34,34,34	0
57	MG	2A	3407	1/1	0.99	0.06	49,49,49,49	0
57	MG	1A	3324	1/1	0.99	0.07	22,22,22,22	0
57	MG	1A	3025	1/1	0.99	0.14	33,33,33,33	0
57	MG	1A	3026	1/1	0.99	0.12	30,30,30,30	0
57	MG	1A	3109	1/1	0.99	0.14	31,31,31,31	0
57	MG	1A	3003	1/1	0.99	0.05	21,21,21,21	0
57	MG	1A	3276	1/1	0.99	0.20	40,40,40,40	0
57	MG	1A	3386	1/1	0.99	0.03	32,32,32,32	0
57	MG	1A	3277	1/1	0.99	0.03	27,27,27,27	0
57	MG	1P	203	1/1	0.99	0.17	23,23,23,23	0
57	MG	1A	3111	1/1	0.99	0.06	34,34,34,34	0
57	MG	1A	3233	1/1	0.99	0.03	32,32,32,32	0
57	MG	2A	3009	1/1	0.99	0.03	34,34,34,34	0
57	MG	1Q	201	1/1	0.99	0.03	36,36,36,36	0
57	MG	2A	3109	1/1	0.99	0.05	33,33,33,33	0
57	MG	1A	3234	1/1	0.99	0.05	33,33,33,33	0
57	MG	1A	3042	1/1	0.99	0.07	17,17,17,17	0
57	MG	1A	3236	1/1	0.99	0.20	27,27,27,27	0
57	MG	1A	3237	1/1	0.99	0.13	28,28,28,28	0
57	MG	2A	3015	1/1	0.99	0.14	33,33,33,33	0
57	MG	1A	3580	1/1	0.99	0.08	26,26,26,26	0
57	MG	1R	202	1/1	0.99	0.09	34,34,34,34	0
57	MG	2A	3655	1/1	0.99	0.08	35,35,35,35	0
57	MG	1A	3057	1/1	0.99	0.07	19,19,19,19	0
57	MG	1A	3338	1/1	0.99	0.09	37,37,37,37	0
57	MG	1A	3043	1/1	0.99	0.05	24,24,24,24	0
57	MG	1A	3091	1/1	0.99	0.04	36,36,36,36	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	1A	3203	1/1	0.99	0.19	42,42,42,42	0
57	MG	2A	3325	1/1	0.99	0.04	40,40,40,40	0
57	MG	2E	307	1/1	0.99	0.08	33,33,33,33	0
57	MG	1A	3171	1/1	0.99	0.16	35,35,35,35	0
57	MG	1A	3243	1/1	0.99	0.15	28,28,28,28	0
57	MG	2A	3124	1/1	0.99	0.07	42,42,42,42	0
57	MG	2A	3329	1/1	0.99	0.18	47,47,47,47	0
57	MG	1A	3290	1/1	0.99	0.10	20,20,20,20	0
57	MG	1A	3143	1/1	0.99	0.03	22,22,22,22	0
57	MG	1A	3874	1/1	0.99	0.06	31,31,31,31	0
57	MG	2A	3028	1/1	0.99	0.03	27,27,27,27	0
57	MG	1A	3173	1/1	0.99	0.12	23,23,23,23	0
57	MG	1A	3116	1/1	0.99	0.11	31,31,31,31	0
57	MG	1A	3405	1/1	0.99	0.04	24,24,24,24	0
57	MG	1A	3527	1/1	0.99	0.21	20,20,20,20	0
57	MG	1U	205	1/1	0.99	0.12	26,26,26,26	0
61	ZN	16	501	1/1	0.99	0.05	39,39,39,39	0
61	ZN	19	104	1/1	0.99	0.04	40,40,40,40	0
61	ZN	1n	104	1/1	0.99	0.03	63,63,63,63	0
57	MG	2A	3675	1/1	0.99	0.06	50,50,50,50	0
57	MG	1a	1736	1/1	0.99	0.07	39,39,39,39	0
61	ZN	25	104	1/1	0.99	0.05	56,56,56,56	0
61	ZN	26	501	1/1	0.99	0.04	57,57,57,57	0
57	MG	1A	3730	1/1	0.99	0.07	24,24,24,24	0
57	MG	1A	3092	1/1	0.99	0.08	28,28,28,28	0
57	MG	1A	3248	1/1	0.99	0.09	28,28,28,28	0
57	MG	2A	3680	1/1	0.99	0.03	35,35,35,35	0
57	MG	1A	3140	1/1	1.00	0.07	23,23,23,23	0
57	MG	2A	3654	1/1	1.00	0.05	37,37,37,37	0
61	ZN	1Y	203	1/1	1.00	0.03	56,56,56,56	0
57	MG	1A	3476	1/1	1.00	0.06	41,41,41,41	0

6.5 Other polymers

There are no such residues in this entry.