



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 04:47 PM UTC

PDB ID : 3S8G / pdb_00003s8g
Title : 1.8 Å structure of ba3 cytochrome c oxidase mutant (A120F) from *Thermus thermophilus* in lipid environment
Authors : Tiefenbrunn, T.; Liu, W.; Chen, Y.; Katritch, V.; Stout, C.D.; Fee, J.A.; Cherezov, V.
Deposited on : 2011-05-27
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	569	5% 89% 7% ..
2	B	168	3% 92% 7% ..
3	C	34	76% 9% 6% 9%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	HAS	A	801	X	-	-	-

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 6695 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	554	Total	C	N	O	S	0	7	0
			4399	2988	700	694	17			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	MET	-	expression tag	UNP Q5SJ79
A	-5	HIS	-	expression tag	UNP Q5SJ79
A	-4	HIS	-	expression tag	UNP Q5SJ79
A	-3	HIS	-	expression tag	UNP Q5SJ79
A	-2	HIS	-	expression tag	UNP Q5SJ79
A	-1	HIS	-	expression tag	UNP Q5SJ79
A	0	HIS	-	expression tag	UNP Q5SJ79
A	1	HIS	-	expression tag	UNP Q5SJ79
A	120	PHE	ALA	conflict	UNP Q5SJ79

- Molecule 2 is a protein called Cytochrome c oxidase subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	166	Total	C	N	O	S	0	5	0
			1307	846	219	238	4			

- Molecule 3 is a protein called Cytochrome c oxidase polypeptide 2A.


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	31	Total	C	N	O	0	0	0
			241	169	37	35			

- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 5 is HEME-AS (CCD ID: HAS) (formula: $C_{54}H_{64}FeN_4O_6$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	Fe	N	O	0	0
			65	54	1	4	6		

- Molecule 6 is COPPER (II) ION (CCD ID: CU) (formula: Cu).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Cu	0	0
			1	1		

- Molecule 7 is PEROXIDE ION (CCD ID: PER) (formula: O₂).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	O	0	0
			2	2		

- Molecule 8 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (CCD ID: OLC) (formula: C₂₁H₄₀O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			25	21	4		
8	A	1	Total	C	O	0	0
			25	21	4		
8	A	1	Total	C	O	0	0
			25	21	4		
8	A	1	Total	C	O	0	0
			23	19	4		
8	A	1	Total	C	O	0	0
			25	21	4		
8	A	1	Total	C	O	0	0
			18	14	4		
8	A	1	Total	C	O	0	0
			17	13	4		
8	A	1	Total	C	O	0	0
			8	4	4		
8	A	1	Total	C	O	0	0
			15	11	4		
8	A	1	Total	C	O	0	0
			20	16	4		
8	A	1	Total	C	O	0	0
			25	21	4		
8	A	1	Total	C	O	0	0
			21	17	4		
8	A	1	Total	C	O	0	0
			16	12	4		
8	A	1	Total	C	O	0	0
			25	21	4		
8	A	1	Total	C	O	0	0
			12	8	4		
8	B	1	Total	C	O	0	0
			25	21	4		
8	B	1	Total	C	O	0	0
			25	21	4		
8	B	1	Total	C	O	0	0
			25	21	4		
8	B	1	Total	C	O	0	0
			21	19	2		
8	C	1	Total	C	O	0	0
			14	10	4		

- Molecule 9 is DINUCLEAR COPPER ION (CCD ID: CUA) (formula: Cu₂).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	B	1	Total	Cu	0	0
			2	2		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	137	Total	O	0	0
			137	137		
10	B	81	Total	O	0	0
			81	81		
10	C	7	Total	O	0	0
			7	7		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cytochrome c oxidase subunit 1



- Molecule 2: Cytochrome c oxidase subunit 2



- Molecule 3: Cytochrome c oxidase polypeptide 2A



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	144.96Å 98.64Å 95.06Å 90.00° 128.07° 90.00°	Depositor
Resolution (Å)	39.48 – 1.80 39.48 – 1.80	Depositor EDS
% Data completeness (in resolution range)	97.8 (39.48-1.80) 97.8 (39.48-1.80)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.16 (at 1.79Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.175 , 0.196 0.175 , 0.197	Depositor DCC
R_{free} test set	4759 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	21.3	Xtriage
Anisotropy	0.131	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 52.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.017 for -h+k-l,-l,-k 0.002 for -h-k-l,l,k 0.018 for -h-2*l,-k,l	Xtriage
F_o , F_c correlation	0.96	EDS
Total number of atoms	6695	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CUA, OLC, HEM, PER, HAS, CU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.82	1/4584 (0.0%)	0.87	1/6292 (0.0%)
2	B	0.81	0/1364	0.77	0/1862
3	C	0.81	0/247	0.85	0/335
All	All	0.82	1/6195 (0.0%)	0.85	1/8489 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	381	VAL	CA-CB	5.60	1.57	1.54

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	233	HIS	N-CA-CB	10.16	120.04	110.39

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4399	0	4496	22	0
2	B	1307	0	1277	9	0
3	C	241	0	267	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	43	0	30	3	0
5	A	65	0	62	0	0
6	A	1	0	0	0	0
7	A	2	0	0	0	0
8	A	300	0	434	8	0
8	B	96	0	153	7	0
8	C	14	0	17	0	0
9	B	2	0	0	0	0
10	A	137	0	0	2	0
10	B	81	0	0	1	1
10	C	7	0	0	2	0
All	All	6695	0	6736	39	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (39) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:141:ARG:HH12	8:B:170:OLC:H24A	1.19	1.05
1:A:168:ARG:HH22	8:A:572:OLC:H6A	1.26	0.97
2:B:158[B]:GLN:HG2	2:B:159[B]:ASN:OD1	1.80	0.80
3:C:33:ARG:HD2	10:C:36:HOH:O	1.89	0.72
1:A:168:ARG:NH2	8:A:572:OLC:H6A	2.02	0.72
8:B:170:OLC:H6	3:C:33:ARG:HE	1.55	0.71
2:B:141:ARG:NH1	8:B:170:OLC:H24A	2.02	0.68
1:A:198:LEU:HA	1:A:201[B]:VAL:HG22	1.75	0.66
2:B:93:ASN:O	10:B:1083:HOH:O	2.15	0.64
1:A:254[A]:GLN:HE22	1:A:403:TRP:CD1	2.18	0.61
8:A:578:OLC:H21A	8:B:170:OLC:H14	1.83	0.60
3:C:33:ARG:CD	10:C:36:HOH:O	2.48	0.59
4:A:800:HEM:CMC	4:A:800:HEM:HBC2	2.36	0.56
1:A:517:ASP:CG	1:A:520:LEU:HB2	2.31	0.56
4:A:800:HEM:HBC2	4:A:800:HEM:HMC2	1.90	0.53
1:A:254[B]:GLN:OE1	10:A:1077:HOH:O	2.19	0.51
2:B:58:VAL:HG22	2:B:64:TRP:HB2	1.92	0.51
1:A:282:HIS:CD2	1:A:283:HIS:CD2	3.00	0.50
1:A:400:SER:HA	1:A:403:TRP:NE1	2.27	0.49
1:A:517:ASP:HA	1:A:519:ARG:HE	1.78	0.49
1:A:19:LYS:HZ1	8:A:576:OLC:H21A	1.79	0.48
1:A:476:VAL:HG22	8:A:566:OLC:H16A	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:230:TRP:C	1:A:230:TRP:CD1	2.93	0.46
2:B:32:LEU:HD21	8:B:169:OLC:H7A	1.97	0.45
3:C:13:LEU:HD22	3:C:17:LEU:HD22	1.98	0.45
1:A:321:GLU:HA	1:A:335:TRP:CE3	2.53	0.44
1:A:33:ILE:O	1:A:37:LEU:HD13	2.18	0.43
8:A:575:OLC:H8	8:A:575:OLC:H11	1.85	0.43
1:A:76:ASN:HB3	4:A:800:HEM:CAC	2.49	0.43
1:A:441:TRP:HB3	1:A:466:PRO:HB3	2.01	0.43
2:B:141:ARG:HH12	8:B:170:OLC:C24	2.07	0.43
2:B:17:GLY:HA3	8:B:171:OLC:H3	2.01	0.42
1:A:307:VAL:N	1:A:308:PRO:HD2	2.34	0.42
1:A:548:GLN:NE2	10:A:1201:HOH:O	2.52	0.42
1:A:241:LEU:N	1:A:242:PRO:CD	2.83	0.41
8:A:574:OLC:H8A	8:A:574:OLC:H13A	2.03	0.41
1:A:341:TRP:HB3	8:A:567:OLC:H24A	2.03	0.41
1:A:512:ILE:HG21	2:B:8:HIS:HB2	2.01	0.41
1:A:343:ASN:HA	1:A:344:PRO:HD2	1.99	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:B:1062:HOH:O	10:B:1063:HOH:O[2_556]	1.54	0.66

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	558/569 (98%)	542 (97%)	15 (3%)	1 (0%)	43	31
2	B	169/168 (101%)	167 (99%)	2 (1%)	0	100	100
3	C	29/34 (85%)	29 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	756/771 (98%)	738 (98%)	17 (2%)	1 (0%)	48 34

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	516	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	453/464 (98%)	437 (96%)	16 (4%)	32 19
2	B	138/138 (100%)	133 (96%)	5 (4%)	31 18
3	C	24/27 (89%)	20 (83%)	4 (17%)	2 0
All	All	615/629 (98%)	590 (96%)	25 (4%)	28 15

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	LEU
1	A	54	LEU
1	A	58	LEU
1	A	195	LEU
1	A	215	LEU
1	A	230	TRP
1	A	262	ASP
1	A	274	LEU
1	A	326	LEU
1	A	332	LEU
1	A	401	LEU
1	A	425	VAL
1	A	495	ARG
1	A	518	ARG
1	A	519	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	520	LEU
2	B	26	LEU
2	B	37	LEU
2	B	158[A]	GLN
2	B	158[B]	GLN
2	B	167	LYS
3	C	13	LEU
3	C	17	LEU
3	C	20	LEU
3	C	24	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	8	HIS
2	B	40	HIS
2	B	91	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 25 ligands modelled in this entry, 1 is monoatomic - leaving 24 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	CUA	B	802	2	0,1,1	-	-	-		
8	OLC	A	567	-	22,22,24	0.48	0	23,23,25	0.73	0
8	OLC	A	569	-	17,17,24	0.57	0	18,18,25	0.63	0
8	OLC	A	577	-	24,24,24	0.43	0	25,25,25	0.62	0
8	OLC	A	564	-	24,24,24	0.44	0	25,25,25	0.66	0
8	OLC	B	169	-	24,24,24	0.46	0	25,25,25	0.62	0
8	OLC	A	574	-	24,24,24	0.41	0	25,25,25	0.69	0
8	OLC	B	170	-	24,24,24	0.54	0	25,25,25	0.64	1 (4%)
5	HAS	A	801	7,1	72,72,72	2.09	26 (36%)	87,109,109	1.60	17 (19%)
8	OLC	A	570	-	16,16,24	0.52	0	17,17,25	0.58	0
8	OLC	A	578	-	11,11,24	0.63	0	12,12,25	0.57	0
8	OLC	B	172	-	20,20,24	0.48	0	20,20,25	0.60	0
8	OLC	A	572	-	14,14,24	0.59	0	15,15,25	0.52	0
8	OLC	A	573	-	19,19,24	0.52	0	20,20,25	0.70	0
7	PER	A	563	6,5	1,1,1	0.67	0	-		
8	OLC	A	575	-	20,20,24	0.48	0	21,21,25	0.70	0
8	OLC	A	576	-	15,15,24	0.55	0	16,16,25	0.61	0
8	OLC	C	35	-	13,13,24	0.60	0	14,14,25	0.64	0
8	OLC	A	566	-	24,24,24	0.45	0	25,25,25	0.59	0
8	OLC	A	571	-	7,7,24	0.45	0	6,7,25	0.47	0
8	OLC	A	568	-	24,24,24	0.46	0	25,25,25	0.55	0
4	HEM	A	800	1	50,50,50	2.96	28 (56%)	67,82,82	2.08	19 (28%)
8	OLC	B	171	-	24,24,24	0.47	0	25,25,25	0.53	0
8	OLC	A	565	-	24,24,24	0.44	0	25,25,25	0.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	OLC	A	567	-	-	8/22/22/24	-
8	OLC	A	569	-	-	6/17/17/24	-
8	OLC	A	577	-	-	8/24/24/24	-
8	OLC	A	564	-	-	14/24/24/24	-
8	OLC	B	169	-	-	9/24/24/24	-
8	OLC	A	574	-	-	16/24/24/24	-
8	OLC	B	170	-	-	10/24/24/24	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HAS	A	801	7,1	1/1/8/18	4/42/82/82	-
8	OLC	A	570	-	-	4/16/16/24	-
8	OLC	A	578	-	-	5/11/11/24	-
8	OLC	B	172	-	-	9/19/19/24	-
8	OLC	A	572	-	-	7/14/14/24	-
8	OLC	A	573	-	-	10/19/19/24	-
8	OLC	A	575	-	-	8/20/20/24	-
8	OLC	A	576	-	-	8/15/15/24	-
8	OLC	C	35	-	-	8/13/13/24	-
8	OLC	A	566	-	-	10/24/24/24	-
8	OLC	A	571	-	-	2/6/6/24	-
8	OLC	A	568	-	-	13/24/24/24	-
4	HEM	A	800	1	-	2/14/54/54	-
8	OLC	B	171	-	-	14/24/24/24	-
8	OLC	A	565	-	-	13/24/24/24	-

All (54) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	800	HEM	C3C-C4C	-6.53	1.34	1.46
4	A	800	HEM	C1C-C2C	-5.99	1.33	1.45
4	A	800	HEM	C3B-C2B	5.49	1.48	1.37
5	A	801	HAS	CHB-C1D	5.28	1.49	1.38
4	A	800	HEM	FE-NB	5.17	2.10	1.94
5	A	801	HAS	CHC-C1C	5.04	1.50	1.39
4	A	800	HEM	CHA-C1A	4.93	1.50	1.39
4	A	800	HEM	CAB-C3B	-4.85	1.34	1.47
4	A	800	HEM	CHD-C4C	4.82	1.47	1.38
4	A	800	HEM	C3C-C2C	4.75	1.46	1.37
4	A	800	HEM	CHB-C1B	4.73	1.48	1.38
4	A	800	HEM	CHC-C1C	4.42	1.47	1.38
5	A	801	HAS	CAC-C3C	-4.38	1.35	1.47
4	A	800	HEM	CBB-CAB	4.34	1.51	1.30
5	A	801	HAS	CHA-C4D	4.08	1.48	1.39
5	A	801	HAS	CBC-CAC	4.06	1.49	1.30
4	A	800	HEM	C1B-C2B	-3.79	1.36	1.44
5	A	801	HAS	CHD-C4C	3.71	1.47	1.39
5	A	801	HAS	C4B-C3B	3.62	1.51	1.44
5	A	801	HAS	C1C-C2C	-3.49	1.34	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	800	HEM	C4D-ND	-3.32	1.34	1.40
5	A	801	HAS	C2D-C1D	3.30	1.51	1.44
5	A	801	HAS	C4D-ND	3.30	1.45	1.38
5	A	801	HAS	O1D-CGD	3.14	1.32	1.22
5	A	801	HAS	CHD-C4A	-3.10	1.32	1.38
5	A	801	HAS	FE-NA	3.04	2.05	1.95
4	A	800	HEM	FE-ND	2.89	2.03	1.94
4	A	800	HEM	C4D-C3D	2.88	1.49	1.45
5	A	801	HAS	FE-NB	2.84	2.03	1.94
4	A	800	HEM	C1A-NA	2.83	1.45	1.39
4	A	800	HEM	C4A-NA	-2.83	1.34	1.39
5	A	801	HAS	C1D-ND	2.76	1.45	1.40
5	A	801	HAS	C4B-NB	-2.72	1.35	1.40
5	A	801	HAS	C4D-C3D	2.72	1.49	1.45
4	A	800	HEM	FE-NC	2.69	2.04	1.95
4	A	800	HEM	CHD-C1D	-2.66	1.33	1.39
4	A	800	HEM	CHB-C4A	-2.64	1.33	1.39
5	A	801	HAS	C1C-NC	-2.61	1.34	1.39
4	A	800	HEM	CHA-C4D	-2.56	1.33	1.38
4	A	800	HEM	C1A-C2A	2.42	1.49	1.44
4	A	800	HEM	FE-NA	2.40	2.03	1.95
5	A	801	HAS	CHB-C1B	-2.39	1.33	1.39
5	A	801	HAS	C3C-C2C	2.38	1.49	1.41
5	A	801	HAS	O2D-CGD	-2.36	1.23	1.30
5	A	801	HAS	CHA-C1A	-2.34	1.33	1.38
4	A	800	HEM	CHC-C4B	-2.33	1.33	1.39
5	A	801	HAS	C4A-NA	-2.33	1.35	1.39
5	A	801	HAS	C4C-NC	2.32	1.44	1.39
4	A	800	HEM	C1B-NB	-2.31	1.36	1.40
5	A	801	HAS	FE-NC	2.30	2.02	1.95
5	A	801	HAS	C1A-C2A	2.18	1.49	1.45
4	A	800	HEM	C4A-C3A	2.05	1.47	1.43
4	A	800	HEM	C1C-NC	-2.04	1.35	1.39
4	A	800	HEM	C4B-NB	-2.01	1.34	1.38

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	800	HEM	CHC-C4B-NB	6.57	131.50	124.42
5	A	801	HAS	C4C-C3C-C2C	-6.13	99.68	107.30
4	A	800	HEM	C1B-NB-C4B	5.67	111.92	105.21
4	A	800	HEM	CHA-C4D-ND	5.07	130.64	124.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	800	HEM	CHD-C1D-ND	4.74	129.52	124.42
4	A	800	HEM	C4D-ND-C1D	4.23	110.22	105.21
4	A	800	HEM	C3B-C4B-NB	-4.22	106.44	109.47
5	A	801	HAS	CHB-C1D-ND	-3.93	119.51	124.37
5	A	801	HAS	C2C-C1C-NC	3.69	116.06	110.14
5	A	801	HAS	CHA-C1A-NA	3.67	128.44	124.45
4	A	800	HEM	C2A-C1A-NA	-3.41	106.37	110.15
5	A	801	HAS	C1D-ND-C4D	-3.36	101.23	105.21
5	A	801	HAS	C3C-C4C-NC	3.18	112.47	109.80
5	A	801	HAS	CHA-C1A-C2A	-3.13	119.92	124.86
5	A	801	HAS	CHB-C1B-NB	2.99	127.64	124.42
4	A	800	HEM	C4B-C3B-C2B	-2.89	104.62	107.28
4	A	800	HEM	C3C-C2C-C1C	-2.87	104.33	107.05
5	A	801	HAS	CHA-C4D-ND	-2.71	121.51	124.42
5	A	801	HAS	CHB-C1B-C2B	-2.62	120.89	125.03
5	A	801	HAS	CHD-C4A-C3A	-2.60	120.09	125.49
4	A	800	HEM	C1A-CHA-C4D	-2.56	120.23	126.25
4	A	800	HEM	CMB-C2B-C1B	2.48	128.91	125.03
4	A	800	HEM	O2D-CGD-O1D	-2.45	117.03	123.33
4	A	800	HEM	C3D-C4D-ND	-2.43	107.50	110.17
5	A	801	HAS	O2D-CGD-CBD	2.34	121.40	114.00
5	A	801	HAS	CMB-C2B-C3B	-2.33	125.77	130.28
5	A	801	HAS	CHC-C1C-NC	-2.33	119.64	123.86
4	A	800	HEM	O2D-CGD-CBD	2.30	121.28	114.00
5	A	801	HAS	CAA-CBA-CGA	-2.30	107.57	113.67
4	A	800	HEM	CHA-C4D-C3D	-2.27	121.04	125.23
4	A	800	HEM	CHA-C1A-NA	2.26	127.96	123.86
5	A	801	HAS	CHD-C4A-NA	2.26	126.91	124.45
8	B	170	OLC	O20-C21-C22	2.22	116.30	105.85
5	A	801	HAS	C3D-C4D-ND	2.15	112.43	110.35
4	A	800	HEM	C2D-C1D-ND	-2.08	107.50	109.90
4	A	800	HEM	CHB-C1B-NB	2.02	126.86	124.37
4	A	800	HEM	CHC-C4B-C3B	-2.01	121.06	125.07

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	A	801	HAS	NA

All (188) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	800	HEM	C2B-C3B-CAB-CBB
8	A	565	OLC	O20-C21-C22-C24
8	A	567	OLC	C21-C22-C24-O25
8	A	567	OLC	O23-C22-C24-O25
8	A	571	OLC	O19-C1-O20-C21
8	A	572	OLC	C21-C22-C24-O25
8	A	575	OLC	C21-C22-C24-O25
8	A	576	OLC	O20-C21-C22-O23
8	A	577	OLC	O20-C21-C22-C24
8	A	577	OLC	O20-C21-C22-O23
8	A	578	OLC	O20-C21-C22-C24
8	A	569	OLC	O19-C1-O20-C21
8	A	568	OLC	O19-C1-O20-C21
8	A	578	OLC	C2-C1-O20-C21
8	A	568	OLC	C2-C1-O20-C21
8	A	569	OLC	C2-C1-O20-C21
8	A	574	OLC	C2-C1-O20-C21
8	A	576	OLC	O19-C1-O20-C21
8	A	578	OLC	O19-C1-O20-C21
8	B	172	OLC	C2-C1-O20-C21
8	C	35	OLC	C2-C1-O20-C21
8	A	565	OLC	O20-C21-C22-O23
8	A	576	OLC	C2-C1-O20-C21
8	C	35	OLC	O19-C1-O20-C21
8	A	574	OLC	O19-C1-O20-C21
8	B	172	OLC	O19-C1-O20-C21
8	A	573	OLC	C2-C1-O20-C21
8	B	170	OLC	C2-C1-O20-C21
8	B	171	OLC	C2-C1-O20-C21
8	A	573	OLC	O19-C1-O20-C21
8	B	170	OLC	O19-C1-O20-C21
8	A	578	OLC	O20-C21-C22-O23
8	B	171	OLC	O20-C21-C22-O23
8	A	564	OLC	C2-C1-O20-C21
8	A	565	OLC	C1-C2-C3-C4
8	A	564	OLC	C1-C2-C3-C4
8	A	577	OLC	C1-C2-C3-C4
8	A	568	OLC	C1-C2-C3-C4
8	A	575	OLC	C1-C2-C3-C4
8	B	171	OLC	O19-C1-O20-C21
8	A	564	OLC	O19-C1-O20-C21
8	A	567	OLC	O20-C21-C22-O23
8	A	567	OLC	O20-C21-C22-C24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	A	576	OLC	O20-C21-C22-C24
8	B	171	OLC	O20-C21-C22-C24
8	A	574	OLC	C1-C2-C3-C4
8	A	574	OLC	C2-C3-C4-C5
8	A	568	OLC	C21-C22-C24-O25
8	A	574	OLC	C4-C5-C6-C7
8	A	565	OLC	C4-C5-C6-C7
8	B	172	OLC	C11-C12-C13-C14
8	A	564	OLC	C3-C4-C5-C6
8	B	169	OLC	C3-C4-C5-C6
8	A	568	OLC	O23-C22-C24-O25
8	A	572	OLC	O23-C22-C24-O25
8	A	575	OLC	O23-C22-C24-O25
8	B	169	OLC	C14-C15-C16-C17
8	B	170	OLC	C1-C2-C3-C4
8	A	568	OLC	C11-C12-C13-C14
8	A	574	OLC	C11-C12-C13-C14
8	A	575	OLC	C3-C4-C5-C6
8	B	169	OLC	C11-C12-C13-C14
8	A	565	OLC	C12-C13-C14-C15
8	A	567	OLC	C11-C12-C13-C14
8	B	171	OLC	C12-C13-C14-C15
8	B	171	OLC	C3-C4-C5-C6
8	B	172	OLC	C13-C14-C15-C16
8	A	564	OLC	C5-C6-C7-C8
8	A	565	OLC	C11-C12-C13-C14
8	B	171	OLC	C2-C3-C4-C5
8	A	574	OLC	C5-C6-C7-C8
8	A	576	OLC	C3-C4-C5-C6
8	B	170	OLC	C12-C13-C14-C15
8	B	170	OLC	C2-C3-C4-C5
8	B	170	OLC	C10-C11-C12-C13
8	B	171	OLC	C5-C6-C7-C8
8	A	564	OLC	C14-C15-C16-C17
8	A	565	OLC	C6-C7-C8-C9
8	B	169	OLC	C6-C7-C8-C9
8	C	35	OLC	C3-C4-C5-C6
8	B	170	OLC	C3-C4-C5-C6
8	A	566	OLC	C5-C6-C7-C8
8	A	568	OLC	C13-C14-C15-C16
8	A	564	OLC	C10-C11-C12-C13
8	A	573	OLC	C6-C7-C8-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	A	577	OLC	C6-C7-C8-C9
8	A	567	OLC	C12-C13-C14-C15
8	A	564	OLC	C11-C12-C13-C14
8	B	169	OLC	C2-C1-O20-C21
8	B	169	OLC	C1-C2-C3-C4
8	B	169	OLC	C13-C14-C15-C16
8	A	568	OLC	C10-C11-C12-C13
8	A	574	OLC	C10-C11-C12-C13
8	B	170	OLC	C6-C7-C8-C9
8	A	565	OLC	C13-C14-C15-C16
8	A	568	OLC	C2-C3-C4-C5
8	C	35	OLC	C2-C3-C4-C5
8	A	568	OLC	C6-C7-C8-C9
8	A	578	OLC	C2-C3-C4-C5
8	A	574	OLC	C13-C14-C15-C16
8	A	564	OLC	C15-C16-C17-C18
8	A	565	OLC	C15-C16-C17-C18
8	A	576	OLC	C6-C7-C8-C9
8	A	573	OLC	C2-C3-C4-C5
8	B	171	OLC	C4-C5-C6-C7
8	C	35	OLC	C4-C5-C6-C7
8	A	575	OLC	C2-C1-O20-C21
8	A	566	OLC	C15-C16-C17-C18
8	A	575	OLC	C10-C11-C12-C13
8	A	572	OLC	C3-C4-C5-C6
8	B	169	OLC	O19-C1-O20-C21
8	B	171	OLC	C14-C15-C16-C17
8	A	577	OLC	C12-C13-C14-C15
8	B	170	OLC	C13-C14-C15-C16
8	A	565	OLC	C5-C6-C7-C8
8	A	566	OLC	C6-C7-C8-C9
8	A	572	OLC	O20-C21-C22-C24
8	A	568	OLC	C3-C4-C5-C6
8	A	569	OLC	C6-C7-C8-C9
8	A	574	OLC	C12-C13-C14-C15
8	A	576	OLC	C1-C2-C3-C4
8	B	171	OLC	C11-C12-C13-C14
8	A	575	OLC	O19-C1-O20-C21
8	A	573	OLC	O20-C21-C22-O23
8	A	564	OLC	C12-C13-C14-C15
8	A	577	OLC	C15-C16-C17-C18
8	A	565	OLC	C10-C11-C12-C13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	A	577	OLC	C14-C15-C16-C17
8	A	566	OLC	C12-C13-C14-C15
8	A	570	OLC	O23-C22-C24-O25
8	A	569	OLC	C2-C3-C4-C5
8	A	572	OLC	C5-C6-C7-C8
8	A	565	OLC	C14-C15-C16-C17
8	A	566	OLC	C2-C3-C4-C5
8	B	171	OLC	C1-C2-C3-C4
8	A	566	OLC	C4-C5-C6-C7
8	A	568	OLC	C4-C5-C6-C7
8	A	567	OLC	C7-C8-C9-C10
8	A	573	OLC	C9-C10-C11-C12
8	A	564	OLC	C4-C5-C6-C7
8	A	569	OLC	C3-C4-C5-C6
8	B	171	OLC	C9-C10-C11-C12
8	B	172	OLC	C2-C3-C4-C5
8	A	572	OLC	O20-C21-C22-O23
8	C	35	OLC	O20-C21-C22-O23
8	A	566	OLC	O20-C21-C22-C24
8	A	570	OLC	C21-C22-C24-O25
8	A	573	OLC	C4-C5-C6-C7
5	A	801	HAS	CAA-CBA-CGA-O1A
8	A	572	OLC	C4-C5-C6-C7
5	A	801	HAS	CAA-CBA-CGA-O2A
8	A	564	OLC	C6-C7-C8-C9
8	A	574	OLC	C3-C4-C5-C6
8	A	573	OLC	O20-C21-C22-C24
8	A	574	OLC	C6-C7-C8-C9
8	B	169	OLC	C7-C8-C9-C10
8	A	566	OLC	C14-C15-C16-C17
8	A	565	OLC	C9-C10-C11-C12
8	A	566	OLC	C9-C10-C11-C12
5	A	801	HAS	CAD-CBD-CGD-O1D
8	A	576	OLC	C4-C5-C6-C7
8	B	172	OLC	C10-C11-C12-C13
8	A	577	OLC	C7-C8-C9-C10
8	B	170	OLC	C9-C10-C11-C12
8	B	172	OLC	C7-C8-C9-C10
8	A	568	OLC	C9-C10-C11-C12
8	A	569	OLC	C7-C8-C9-C10
4	A	800	HEM	C4B-C3B-CAB-CBB
8	A	574	OLC	C7-C8-C9-C10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	A	571	OLC	C22-C21-O20-C1
8	A	567	OLC	C13-C14-C15-C16
8	B	171	OLC	C7-C8-C9-C10
8	A	564	OLC	C9-C10-C11-C12
8	A	566	OLC	C10-C11-C12-C13
5	A	801	HAS	CAD-CBD-CGD-O2D
8	A	574	OLC	O20-C1-C2-C3
8	A	573	OLC	O20-C1-C2-C3
8	C	35	OLC	O20-C1-C2-C3
8	A	570	OLC	O20-C1-C2-C3
8	B	172	OLC	O20-C1-C2-C3
8	A	564	OLC	C13-C14-C15-C16
8	A	573	OLC	O19-C1-C2-C3
8	A	574	OLC	O19-C1-C2-C3
8	A	575	OLC	C4-C5-C6-C7
8	A	570	OLC	O19-C1-C2-C3
8	B	172	OLC	O19-C1-C2-C3
8	C	35	OLC	O19-C1-C2-C3
8	A	574	OLC	C15-C16-C17-C18


There are no ring outliers.


11 monomers are involved in 17 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	567	OLC	1	0
8	B	169	OLC	1	0
8	A	574	OLC	1	0
8	B	170	OLC	5	0
8	A	578	OLC	1	0
8	A	572	OLC	2	0
8	A	575	OLC	1	0
8	A	576	OLC	1	0
8	A	566	OLC	1	0
4	A	800	HEM	3	0
8	B	171	OLC	1	0




The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be




highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	554/569 (97%)	0.01	26 (4%) 36 35	11, 21, 43, 67	6 (1%)
2	B	166/168 (98%)	-0.01	5 (3%) 52 52	11, 22, 38, 53	5 (3%)
3	C	31/34 (91%)	-0.08	0 100 100	16, 21, 31, 41	0
All	All	751/771 (97%)	0.00	31 (4%) 41 41	11, 21, 42, 67	11 (1%)

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	513	SER	5.3
1	A	517	ASP	5.0
1	A	520	LEU	4.0
1	A	516	GLU	3.9
1	A	512	ILE	3.6
1	A	333	PHE	3.4
1	A	492	LEU	3.3
1	A	514	GLY	3.1
1	A	496	GLU	3.1
1	A	519	ARG	3.0
1	A	515	PRO	2.9
1	A	493	LEU	2.9
1	A	402[A]	TYR	2.9
2	B	168	GLU	2.8
2	B	5	HIS	2.7
1	A	12	TYR	2.6
1	A	490	SER	2.5
1	A	9	SER	2.4
1	A	494	SER	2.4
1	A	491	VAL	2.3
1	A	332	LEU	2.3
2	B	50	LEU	2.2
1	A	173	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	518	ARG	2.2
1	A	521	VAL	2.2
2	B	7	ALA	2.2
1	A	495	ARG	2.1
1	A	486	TYR	2.1
2	B	3	ASP	2.1
1	A	401	LEU	2.0
1	A	10	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	OLC	A	578	12/25	0.70	0.23	74,76,77,78	0
8	OLC	A	576	16/25	0.72	0.26	67,70,72,72	0
8	OLC	A	570	17/25	0.72	0.26	63,65,74,74	0
8	OLC	B	170	25/25	0.73	0.26	60,65,68,69	0
8	OLC	C	35	14/25	0.74	0.23	77,78,79,79	0
8	OLC	B	172	21/25	0.76	0.22	59,61,65,66	0
8	OLC	A	568	25/25	0.77	0.22	74,75,83,83	0
8	OLC	A	572	15/25	0.78	0.22	54,59,65,65	0
8	OLC	A	577	25/25	0.78	0.20	52,55,58,59	0
8	OLC	A	566	25/25	0.79	0.19	54,64,73,73	0
8	OLC	A	565	25/25	0.79	0.20	66,70,79,80	0
8	OLC	A	573	20/25	0.79	0.22	59,63,64,64	0
8	OLC	A	571	8/25	0.80	0.16	59,61,63,64	0
8	OLC	B	171	25/25	0.81	0.19	59,61,66,67	0
8	OLC	A	564	25/25	0.81	0.17	37,46,64,65	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	OLC	A	569	18/25	0.81	0.21	56,61,70,70	0
8	OLC	A	575	21/25	0.82	0.18	57,63,71,72	0
8	OLC	B	169	25/25	0.83	0.18	56,59,61,62	0
8	OLC	A	574	25/25	0.84	0.19	53,56,57,57	0
8	OLC	A	567	23/25	0.85	0.14	28,36,54,55	0
7	PER	A	563	2/2	0.96	0.06	14,14,14,15	0
5	HAS	A	801	65/65	0.99	0.05	8,13,26,30	0
4	HEM	A	800	43/43	0.99	0.04	6,11,14,20	0
9	CUA	B	802	2/2	0.99	0.02	14,14,14,14	0
6	CU	A	803	1/1	1.00	0.01	15,15,15,15	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around OLC A 576:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 570:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC B 170:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC C 35:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC B 172:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 568:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 572:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 577:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 566:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 565:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 573:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 571:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC B 171:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 564:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 569:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 575:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC B 169:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 574:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around OLC A 567:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around HAS A 801:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.