



Full wwPDB NMR Structure Validation Report ⓘ

Mar 9, 2026 – 09:16 PM UTC

PDB ID : 5T0X / pdb_00005t0x
BMRB ID : 30156
Title : Solution NMR-derived structure of calmodulin bound with ER alpha peptides
Authors : Zhang, Y.; Ames, J.B.
Deposited on : 2016-08-16

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
wwPDB-RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
wwPDB-ShiftChecker : v1.2
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 47%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	229148	14424
Ramachandran outliers	224038	12848
Sidechain outliers	223484	12823

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	148	70% 26% .
2	B	19	58% 42%
2	C	19	58% 42%

2 Ensemble composition and analysis

This entry contains 10 models. Model 2 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:1-A:148, B:287-B:305, C:287-C:305 (186)	1.03	2

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters. No single-model clusters were found.

Cluster number	Models
1	1, 3, 4, 6, 7, 9
2	2, 8
3	5, 10

3 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2914 atoms, of which 1436 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Calmodulin.

Mol	Chain	Residues	Atoms						Trace
1	A	148	Total	C	H	N	O	S	0
			2262	714	1096	188	255	9	

- Molecule 2 is a protein called Estrogen receptor peptide.

Mol	Chain	Residues	Atoms						Trace
2	B	19	Total	C	H	N	O	S	0
			324	97	170	31	25	1	
2	C	19	Total	C	H	N	O	S	0
			324	97	170	31	25	1	

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	
3	A	4	Total	Ca
			4	4

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

• Molecule 1: Calmodulin



• Molecule 2: Estrogen receptor peptide



• Molecule 2: Estrogen receptor peptide





4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1

• Molecule 1: Calmodulin






- Molecule 2: Estrogen receptor peptide




- Molecule 2: Estrogen receptor peptide



4.2.2 Score per residue for model 2 (medoid)


- Molecule 1: Calmodulin



- Molecule 2: Estrogen receptor peptide




- Molecule 2: Estrogen receptor peptide



4.2.3 Score per residue for model 3

- Molecule 1: Calmodulin



- Molecule 2: Estrogen receptor peptide




- Molecule 2: Estrogen receptor peptide




4.2.4 Score per residue for model 4


- Molecule 1: Calmodulin



- Molecule 2: Estrogen receptor peptide




- Molecule 2: Estrogen receptor peptide



4.2.5 Score per residue for model 5


- Molecule 1: Calmodulin



- Molecule 2: Estrogen receptor peptide




- Molecule 2: Estrogen receptor peptide



4.2.6 Score per residue for model 6

- Molecule 1: Calmodulin




- Molecule 2: Estrogen receptor peptide



- Molecule 2: Estrogen receptor peptide






4.2.7 Score per residue for model 7

- Molecule 1: Calmodulin

Chain A: 56% 39% 5%



- Molecule 2: Estrogen receptor peptide

Chain B: 58% 42%



- Molecule 2: Estrogen receptor peptide



Chain C: 47% 42% 11%



4.2.8 Score per residue for model 8

- Molecule 1: Calmodulin

Chain A: 55% 42%




- Molecule 2: Estrogen receptor peptide

Chain B: 42% 53% 5%



- Molecule 2: Estrogen receptor peptide


Chain C:  63% 26% 11%



4.2.9 Score per residue for model 9

- Molecule 1: Calmodulin

Chain A:  66% 30% 4%




- Molecule 2: Estrogen receptor peptide

Chain B:  53% 42% 5%



- Molecule 2: Estrogen receptor peptide


Chain C:  63% 32% 5%



4.2.10 Score per residue for model 10


- Molecule 1: Calmodulin

Chain A:  66% 28% 6%



- Molecule 2: Estrogen receptor peptide

Chain B:  58% 32% 11%



● Molecule 2: Estrogen receptor peptide



5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 200 calculated structures, 10 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
NMRPipe	refinement	
HADDOCK	structure calculation	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	1182
Number of shifts mapped to atoms	1182
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	47%

6 Model quality ⓘ

6.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section:
CA

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1166	1096	1096	29±3
2	B	154	170	167	6±1
2	C	154	170	167	15±3
All	All	14780	14360	14300	391

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:C:291:LEU:O	2:C:295:PRO:HD2	0.87	1.70	10	8
2:B:291:LEU:O	2:B:295:PRO:HD2	0.85	1.72	9	9
1:A:105:LEU:HD12	2:C:292:TRP:CZ3	0.81	2.11	6	2
1:A:18:LEU:HD12	2:B:299:LYS:HD2	0.77	1.54	9	2
2:C:289:ALA:O	2:C:293:PRO:HD2	0.72	1.84	3	5
1:A:82:GLU:O	1:A:86:ARG:HB3	0.72	1.84	5	2
1:A:145:MET:SD	2:C:293:PRO:HA	0.72	2.25	9	8
1:A:105:LEU:HD11	2:C:292:TRP:CZ3	0.71	2.21	10	6
1:A:100:ILE:HD13	1:A:105:LEU:HD21	0.70	1.63	2	3
1:A:36:MET:HE2	1:A:51:MET:HE1	0.70	1.60	9	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:36:MET:HE3	1:A:51:MET:HE1	0.69	1.63	6	1
1:A:88:ALA:HB2	2:C:299:LYS:HG2	0.65	1.67	1	2
1:A:125:ILE:HG23	1:A:136:VAL:HG22	0.65	1.67	8	2
1:A:82:GLU:O	1:A:86:ARG:HB2	0.65	1.91	4	5
1:A:121:VAL:HA	1:A:124:MET:SD	0.64	2.32	2	3
1:A:85:ILE:HB	1:A:138:TYR:OH	0.64	1.91	7	1
1:A:105:LEU:HD11	2:C:292:TRP:CH2	0.64	2.28	8	2
2:C:289:ALA:O	2:C:293:PRO:HD3	0.64	1.93	5	4
1:A:109:MET:HE2	1:A:124:MET:HE1	0.63	1.70	10	3
1:A:85:ILE:O	1:A:89:PHE:HB2	0.63	1.93	9	2
1:A:93:ASP:O	1:A:104:GLU:HG2	0.62	1.94	7	7
1:A:15:ALA:O	1:A:19:PHE:HB3	0.62	1.93	1	2
2:B:289:ALA:O	2:B:293:PRO:HG2	0.62	1.94	8	3
1:A:125:ILE:HG12	2:C:292:TRP:CZ2	0.62	2.30	10	2
2:C:292:TRP:HB3	2:C:293:PRO:HD3	0.61	1.71	3	8
1:A:55:VAL:HG11	2:B:292:TRP:CE2	0.61	2.30	3	6
1:A:120:GLU:OE2	2:C:287:ARG:HA	0.61	1.95	8	2
2:C:289:ALA:O	2:C:292:TRP:HB2	0.61	1.95	10	3
1:A:105:LEU:HD11	1:A:125:ILE:HD11	0.60	1.72	1	2
2:C:291:LEU:O	2:C:295:PRO:HD3	0.60	1.95	5	1
2:B:287:ARG:HD2	2:B:290:ASN:OD1	0.60	1.96	8	1
1:A:128:ALA:HB2	2:C:292:TRP:NE1	0.60	2.12	8	2
1:A:105:LEU:HB2	1:A:109:MET:SD	0.60	2.36	3	1
1:A:4:LEU:HD13	1:A:4:LEU:H	0.59	1.56	5	2
1:A:16:PHE:O	1:A:20:ASP:HB2	0.58	1.99	9	4
2:C:292:TRP:CB	2:C:293:PRO:HD3	0.57	2.30	10	4
2:C:290:ASN:O	2:C:293:PRO:HD2	0.57	2.00	5	4
1:A:100:ILE:CG2	1:A:125:ILE:HD13	0.57	2.29	6	5
2:B:288:ALA:HB1	2:B:292:TRP:CD1	0.57	2.35	4	4
1:A:55:VAL:HG11	2:B:292:TRP:CZ2	0.56	2.35	3	3
1:A:86:ARG:O	1:A:90:ARG:HG2	0.56	2.00	5	1
1:A:71:MET:HE1	2:B:292:TRP:HB2	0.56	1.76	7	1
1:A:54:GLU:OE1	2:B:287:ARG:HA	0.56	1.99	9	1
1:A:84:GLU:OE1	2:C:300:ARG:HA	0.55	2.01	5	2
1:A:105:LEU:HD23	1:A:125:ILE:HD11	0.55	1.78	10	1
2:C:290:ASN:C	2:C:293:PRO:HD2	0.55	2.27	4	3
2:C:292:TRP:HB3	2:C:293:PRO:CD	0.54	2.32	9	5
1:A:136:VAL:HG21	2:C:292:TRP:CZ2	0.54	2.37	4	4
1:A:125:ILE:HA	2:C:292:TRP:CZ2	0.54	2.37	10	2
1:A:100:ILE:HG23	1:A:125:ILE:HD13	0.54	1.80	4	1
1:A:63:ILE:HA	1:A:67:GLU:OE1	0.54	2.01	2	4

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:82:GLU:HG3	1:A:138:TYR:CE1	0.54	2.38	2	1
1:A:82:GLU:O	1:A:86:ARG:N	0.54	2.41	1	7
1:A:83:GLU:O	1:A:86:ARG:HB3	0.54	2.03	8	2
1:A:124:MET:HE2	2:C:292:TRP:CD2	0.53	2.38	10	2
1:A:102:ALA:HA	1:A:125:ILE:HD12	0.53	1.80	6	1
1:A:121:VAL:O	1:A:124:MET:HG2	0.53	2.03	8	2
1:A:124:MET:HE2	2:C:292:TRP:CE3	0.53	2.39	9	4
1:A:144:MET:HE1	2:C:292:TRP:CD1	0.53	2.38	3	6
1:A:84:GLU:OE2	2:C:300:ARG:HA	0.52	2.04	3	1
1:A:105:LEU:HD13	2:C:292:TRP:HZ3	0.52	1.64	1	1
1:A:121:VAL:O	1:A:125:ILE:HG13	0.52	2.05	5	6
1:A:63:ILE:HA	1:A:67:GLU:OE2	0.52	2.04	9	1
1:A:125:ILE:HG12	2:C:292:TRP:CH2	0.52	2.39	10	3
1:A:72:MET:SD	2:B:293:PRO:HG3	0.52	2.44	6	2
1:A:128:ALA:HB1	2:C:292:TRP:CE2	0.51	2.41	9	1
2:C:291:LEU:O	2:C:295:PRO:CD	0.51	2.59	2	5
1:A:31:GLU:H	1:A:31:GLU:CD	0.51	2.13	4	3
1:A:125:ILE:HG23	1:A:136:VAL:CG2	0.51	2.36	2	1
1:A:51:MET:HG3	2:B:288:ALA:HB2	0.51	1.83	2	1
1:A:105:LEU:O	1:A:109:MET:HB2	0.50	2.07	8	2
1:A:124:MET:O	1:A:127:GLU:HB3	0.50	2.06	10	1
1:A:15:ALA:O	1:A:19:PHE:HB2	0.50	2.06	7	1
1:A:51:MET:HE3	2:B:291:LEU:HB3	0.50	1.81	7	1
1:A:105:LEU:HD12	1:A:124:MET:HE2	0.49	1.83	7	1
1:A:82:GLU:HB3	1:A:138:TYR:CE1	0.49	2.42	6	3
1:A:145:MET:HG3	2:C:296:LEU:HD23	0.49	1.84	10	1
1:A:124:MET:CB	2:C:288:ALA:HB3	0.49	2.38	3	2
1:A:82:GLU:O	1:A:86:ARG:CB	0.49	2.61	7	2
1:A:26:THR:HG23	1:A:62:THR:HG23	0.49	1.82	4	1
1:A:125:ILE:HG23	1:A:136:VAL:HG23	0.48	1.85	3	1
1:A:105:LEU:HD12	2:C:292:TRP:CH2	0.48	2.43	6	1
1:A:51:MET:SD	2:B:291:LEU:HD13	0.48	2.48	8	1
1:A:128:ALA:HB1	2:C:292:TRP:NE1	0.48	2.23	9	1
1:A:124:MET:HB3	2:C:288:ALA:HB3	0.48	1.85	2	5
1:A:32:LEU:HD21	1:A:51:MET:SD	0.48	2.48	5	1
1:A:79:THR:O	1:A:80:ASP:HB3	0.48	2.08	9	1
1:A:118:ASP:O	1:A:121:VAL:HG12	0.48	2.09	2	3
2:C:289:ALA:O	2:C:293:PRO:CD	0.48	2.62	4	3
1:A:100:ILE:HB	1:A:136:VAL:CG2	0.48	2.38	9	2
1:A:145:MET:SD	2:C:296:LEU:HD23	0.48	2.49	1	2
1:A:74:ARG:HD2	1:A:76:MET:SD	0.48	2.49	2	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:109:MET:HE2	1:A:124:MET:CE	0.48	2.39	3	2
1:A:6:GLU:HA	1:A:9:ILE:HG22	0.48	1.84	1	2
1:A:65:PHE:N	1:A:66:PRO:HD2	0.48	2.24	8	7
2:C:294:SER:HB2	2:C:295:PRO:HD3	0.47	1.87	4	3
1:A:105:LEU:CD2	1:A:125:ILE:HD11	0.47	2.39	10	1
1:A:55:VAL:HG13	1:A:71:MET:HE2	0.47	1.86	1	1
1:A:105:LEU:HD11	1:A:125:ILE:CD1	0.47	2.40	1	2
1:A:27:ILE:HD13	2:B:292:TRP:CZ3	0.47	2.44	8	1
1:A:54:GLU:CD	2:B:288:ALA:H	0.47	2.18	9	1
2:B:291:LEU:O	2:B:295:PRO:CD	0.47	2.63	7	7
1:A:105:LEU:CD1	2:C:292:TRP:CZ3	0.47	2.97	4	3
1:A:108:VAL:HG23	1:A:109:MET:SD	0.47	2.50	10	2
1:A:105:LEU:HD21	2:C:292:TRP:CZ3	0.47	2.44	9	1
1:A:100:ILE:HG21	1:A:105:LEU:HD21	0.47	1.86	1	1
1:A:137:ASN:HB3	1:A:139:GLU:OE1	0.47	2.10	7	1
1:A:42:ASN:H	1:A:43:PRO:CD	0.46	2.23	10	5
1:A:22:ASP:OD2	1:A:24:ASP:HB3	0.46	2.10	10	1
1:A:89:PHE:CE1	1:A:98:GLY:HA2	0.46	2.45	4	3
2:C:288:ALA:O	2:C:291:LEU:HB2	0.46	2.10	4	7
1:A:84:GLU:O	1:A:87:GLU:HB2	0.46	2.10	4	1
1:A:52:ILE:HA	1:A:55:VAL:HG23	0.46	1.87	1	3
2:B:292:TRP:N	2:B:293:PRO:HD2	0.46	2.26	4	1
1:A:145:MET:CG	2:C:296:LEU:HD23	0.46	2.41	10	1
1:A:27:ILE:HD13	2:B:292:TRP:CH2	0.45	2.45	4	1
1:A:33:GLY:O	1:A:37:ARG:HB2	0.45	2.11	2	1
1:A:82:GLU:O	1:A:83:GLU:C	0.45	2.60	2	2
1:A:4:LEU:HD13	1:A:4:LEU:N	0.45	2.27	6	3
2:B:299:LYS:O	2:B:303:LYS:HB2	0.45	2.12	5	1
1:A:82:GLU:HB3	1:A:138:TYR:CZ	0.45	2.46	5	1
1:A:105:LEU:HD11	2:C:292:TRP:CE3	0.45	2.46	10	1
1:A:105:LEU:HD22	1:A:109:MET:SD	0.45	2.52	4	1
2:C:294:SER:HB3	2:C:295:PRO:HD3	0.45	1.88	1	1
1:A:27:ILE:HG21	2:B:292:TRP:CH2	0.45	2.47	4	1
1:A:120:GLU:OE1	2:C:287:ARG:HA	0.45	2.12	7	1
2:B:291:LEU:O	2:B:294:SER:HB3	0.44	2.11	2	5
1:A:52:ILE:HA	1:A:55:VAL:CG2	0.44	2.42	3	2
1:A:63:ILE:HG21	2:B:292:TRP:CH2	0.44	2.47	6	3
1:A:109:MET:HG2	1:A:124:MET:HE1	0.44	1.89	5	1
1:A:89:PHE:CZ	1:A:98:GLY:HA2	0.44	2.47	4	2
1:A:47:GLU:O	1:A:51:MET:HB3	0.44	2.13	5	1
2:B:290:ASN:C	2:B:293:PRO:HD2	0.44	2.37	6	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:105:LEU:HD21	2:C:292:TRP:CH2	0.44	2.48	3	1
1:A:40:GLY:O	1:A:41:GLN:HG2	0.44	2.12	7	1
1:A:107:HIS:O	1:A:110:THR:HG22	0.44	2.13	7	1
1:A:52:ILE:O	1:A:55:VAL:HG23	0.44	2.12	7	3
1:A:125:ILE:HD13	1:A:136:VAL:CG2	0.44	2.43	10	1
1:A:19:PHE:CE2	2:B:295:PRO:HB2	0.44	2.47	1	1
1:A:55:VAL:HG21	2:B:292:TRP:CZ2	0.44	2.47	9	3
1:A:100:ILE:O	1:A:136:VAL:HG23	0.44	2.13	10	1
1:A:4:LEU:H	1:A:4:LEU:CD1	0.43	2.26	9	1
1:A:122:ASP:OD2	1:A:126:ARG:HD3	0.43	2.12	5	1
1:A:22:ASP:OD1	1:A:24:ASP:HB3	0.43	2.14	3	1
1:A:55:VAL:HB	1:A:63:ILE:HD12	0.43	1.89	6	1
1:A:108:VAL:HG22	1:A:109:MET:SD	0.43	2.54	1	1
1:A:125:ILE:HD13	1:A:136:VAL:HG21	0.43	1.91	10	1
1:A:129:ASP:HA	1:A:140:GLU:OE2	0.43	2.14	1	1
2:C:292:TRP:O	2:C:295:PRO:HD2	0.43	2.14	5	1
1:A:144:MET:HE1	2:C:292:TRP:NE1	0.43	2.28	7	1
1:A:42:ASN:H	1:A:43:PRO:HD2	0.42	1.74	3	1
1:A:127:GLU:OE1	2:C:289:ALA:HB2	0.42	2.14	5	1
1:A:106:ARG:O	1:A:110:THR:HB	0.42	2.13	7	1
1:A:56:ASP:HA	1:A:67:GLU:OE2	0.42	2.15	1	1
1:A:87:GLU:CG	2:C:299:LYS:HE3	0.42	2.45	7	1
1:A:87:GLU:O	2:C:299:LYS:HE3	0.42	2.14	2	1
1:A:131:ASP:HB2	1:A:133:ASP:OD2	0.42	2.14	3	1
1:A:83:GLU:HA	1:A:86:ARG:NH2	0.42	2.29	4	1
1:A:18:LEU:HD12	2:B:299:LYS:CD	0.42	2.37	9	1
1:A:124:MET:HE3	2:C:292:TRP:CZ3	0.42	2.50	6	1
2:C:290:ASN:O	2:C:293:PRO:HG2	0.42	2.15	6	1
1:A:32:LEU:HD21	1:A:51:MET:HE2	0.42	1.91	8	1
2:C:294:SER:HB2	2:C:295:PRO:CD	0.42	2.44	10	1
1:A:85:ILE:O	1:A:89:PHE:HB3	0.42	2.15	8	1
1:A:86:ARG:HG2	1:A:87:GLU:N	0.42	2.29	5	1
1:A:31:GLU:O	1:A:35:VAL:HG23	0.42	2.14	8	1
1:A:100:ILE:HB	1:A:136:VAL:HB	0.42	1.92	10	1
1:A:105:LEU:HD21	2:C:292:TRP:CZ2	0.41	2.50	3	1
1:A:128:ALA:CB	2:C:292:TRP:CZ2	0.41	3.03	6	1
1:A:20:ASP:O	1:A:21:LYS:HB2	0.41	2.15	8	1
1:A:55:VAL:HB	1:A:63:ILE:CD1	0.41	2.46	10	1
1:A:142:VAL:O	1:A:146:THR:HB	0.41	2.16	2	1
1:A:124:MET:HG3	1:A:125:ILE:N	0.41	2.29	10	1
1:A:93:ASP:O	1:A:104:GLU:HG3	0.41	2.16	3	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:14:GLU:C	2:B:299:LYS:HD2	0.41	2.40	2	1
2:B:293:PRO:HA	2:B:296:LEU:HB3	0.41	1.93	2	1
1:A:6:GLU:O	1:A:9:ILE:HG22	0.41	2.16	4	1
2:C:292:TRP:CB	2:C:293:PRO:CD	0.41	2.98	8	1
1:A:82:GLU:H	1:A:82:GLU:CD	0.40	2.24	6	1
1:A:105:LEU:CG	2:C:292:TRP:HZ3	0.40	2.29	9	1
2:B:294:SER:HB3	2:B:295:PRO:HD3	0.40	1.94	5	1
1:A:86:ARG:HA	1:A:89:PHE:HB3	0.40	1.92	1	1
1:A:105:LEU:HD22	2:C:292:TRP:CZ3	0.40	2.51	1	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	146/148 (99%)	121±20 (83±14%)	13±3 (9±2%)	5±1 (3±1%)	4	34
2	B	17/19 (89%)	14±5 (84±28%)	1±1 (5±4%)	0±0 (1±2%)	13	61
2	C	17/19 (89%)	15±4 (86±21%)	1±1 (6±6%)	0±0 (0±0%)	100	100
All	All	1697/1860 (91%)	1495 (88%)	151 (9%)	51 (3%)	5	38

All 12 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	102	ALA	10
1	A	42	ASN	9
1	A	83	GLU	9
1	A	80	ASP	8
1	A	96	GLY	3
1	A	113	GLY	3
1	A	40	GLY	2
1	A	97	ASN	2
2	B	289	ALA	2
1	A	94	LYS	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	104	GLU	1
1	A	2	ASP	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	126/126 (100%)	88±27 (69±21%)	27±9 (21±7%)	3	31
2	B	17/17 (100%)	13±2 (78±10%)	3±1 (19±6%)	3	35
2	C	17/17 (100%)	15±1 (86±5%)	2±1 (14±5%)	5	44
All	All	1477/1600 (92%)	1154 (78%)	323 (22%)	2	30

All 102 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	55	VAL	10
2	B	299	LYS	10
2	B	303	LYS	9
1	A	4	LEU	9
1	A	5	THR	8
1	A	28	THR	8
1	A	95	ASP	8
1	A	11	GLU	7
1	A	24	ASP	7
1	A	29	THR	7
1	A	101	SER	7
1	A	125	ILE	7
1	A	36	MET	6
1	A	54	GLU	6
1	A	117	THR	6
1	A	26	THR	6
1	A	62	THR	6
2	C	302	LYS	5
1	A	31	GLU	5
1	A	58	ASP	5
1	A	70	THR	5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	108	VAL	5
1	A	77	LYS	5
1	A	82	GLU	5
1	A	146	THR	5
2	C	300	ARG	4
1	A	21	LYS	4
1	A	94	LYS	4
1	A	105	LEU	4
2	C	291	LEU	4
1	A	148	LYS	4
1	A	39	LEU	4
1	A	110	THR	4
2	B	302	LYS	4
1	A	131	ASP	4
1	A	91	VAL	3
2	B	296	LEU	3
1	A	30	LYS	3
1	A	67	GLU	3
1	A	114	GLU	3
1	A	53	ASN	3
1	A	81	SER	3
1	A	89	PHE	3
1	A	109	MET	3
1	A	116	LEU	3
1	A	127	GLU	3
2	C	292	TRP	3
2	C	303	LYS	2
1	A	52	ILE	2
1	A	121	VAL	2
2	B	291	LEU	2
1	A	2	ASP	2
1	A	79	THR	2
1	A	97	ASN	2
1	A	42	ASN	2
1	A	44	THR	2
1	A	87	GLU	2
1	A	139	GLU	2
1	A	145	MET	2
2	C	304	ASN	2
1	A	17	SER	2
1	A	86	ARG	2
1	A	12	PHE	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	80	ASP	2
1	A	92	PHE	2
2	C	299	LYS	2
1	A	69	LEU	2
1	A	71	MET	2
1	A	74	ARG	2
1	A	118	ASP	2
1	A	136	VAL	2
2	B	293	PRO	2
2	B	300	ARG	1
1	A	76	MET	1
1	A	65	PHE	1
2	B	287	ARG	1
2	C	293	PRO	1
1	A	78	ASP	1
1	A	100	ILE	1
1	A	119	GLU	1
1	A	129	ASP	1
1	A	140	GLU	1
1	A	51	MET	1
1	A	107	HIS	1
1	A	3	GLN	1
1	A	120	GLU	1
2	C	305	SER	1
1	A	20	ASP	1
1	A	72	MET	1
1	A	111	ASN	1
1	A	37	ARG	1
1	A	47	GLU	1
1	A	135	GLN	1
1	A	138	TYR	1
1	A	14	GLU	1
1	A	64	ASP	1
1	A	126	ARG	1
1	A	48	LEU	1
1	A	75	LYS	1
1	A	83	GLU	1
1	A	99	TYR	1
1	A	143	GLN	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 47% for the well-defined parts and 47% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *camer287_chemicalshifts.str*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1182
Number of shifts mapped to atoms	1182
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	2

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	142	-0.37 ± 0.11	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	131	0.19 ± 0.12	None needed (< 0.5 ppm)
$^{13}\text{C}'$	134	-0.60 ± 0.12	Should be applied
^{15}N	145	0.15 ± 0.32	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 47%, i.e. 1182 atoms were assigned a chemical shift out of a possible 2499. 0 out of 20 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	712/929 (77%)	291/377 (77%)	276/372 (74%)	145/180 (81%)
Sidechain	470/1441 (33%)	309/924 (33%)	161/457 (35%)	0/60 (0%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	0/129 (0%)	0/64 (0%)	0/62 (0%)	0/3 (0%)
Overall	1182/2499 (47%)	600/1365 (44%)	437/891 (49%)	145/243 (60%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 47%, i.e. 1182 atoms were assigned a chemical shift out of a possible 2499. 0 out of 20 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	712/929 (77%)	291/377 (77%)	276/372 (74%)	145/180 (81%)
Sidechain	470/1441 (33%)	309/924 (33%)	161/457 (35%)	0/60 (0%)
Aromatic	0/129 (0%)	0/64 (0%)	0/62 (0%)	0/3 (0%)
Overall	1182/2499 (47%)	600/1365 (44%)	437/891 (49%)	145/243 (60%)

7.1.4 Statistically unusual chemical shifts ⓘ

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	125	ILE	CG2	10.21	10.93 – 24.12	-5.5
1	A	85	ILE	CG1	19.20	19.24 – 36.26	-5.0

7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:

