



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 12:17 PM UTC

PDB ID : 1URA / pdb_00001ura
Title : ALKALINE PHOSPHATASE (D51ZN)
Authors : Tibbitts, T.T.; Murphy, J.E.; Kantrowitz, E.R.
Deposited on : 1996-02-03
Resolution : 2.04 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	446	 79% 18% •
1	B	446	 82% 15% •

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6916 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALKALINE PHOSPHATASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	446	Total	C	N	O	S	0	0	0
			3281	2028	579	662	12			
1	B	446	Total	C	N	O	S	0	0	0
			3281	2028	579	662	12			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	51	ASN	ASP	engineered mutation	UNP P00634
B	51	ASN	ASP	engineered mutation	UNP P00634

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Zn	0	0
			2	2		
2	B	2	Total	Zn	0	0
			2	2		

- Molecule 3 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	A	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	204	Total	O	0	0
			204	204		
4	B	126	Total	O	0	0
			126	126		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: ALKALINE PHOSPHATASE



• Molecule 1: ALKALINE PHOSPHATASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	194.81Å 166.87Å 76.39Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 2.04	Depositor
% Data completeness (in resolution range)	(Not available) (8.00-2.04)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.203 , 0.234	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6916	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.49	17/3335 (0.5%)	1.50	30/4526 (0.7%)
1	B	0.99	11/3335 (0.3%)	1.19	31/4526 (0.7%)
All	All	1.27	28/6670 (0.4%)	1.36	61/9052 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	3
All	All	0	5

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	29	GLN	N-CA	50.05	2.12	1.46
1	B	406	GLU	C-N	-31.66	0.89	1.33
1	A	406	GLU	C-N	-30.07	0.90	1.33
1	A	293	ASN	C-N	29.76	1.74	1.33
1	B	293	ASN	C-N	27.24	1.71	1.33
1	A	197	ASN	CA-CB	19.24	1.83	1.53
1	A	28	ASP	C-N	18.93	1.61	1.33
1	A	197	ASN	CG-ND2	-17.73	0.96	1.33
1	A	197	ASN	CB-CG	16.02	1.92	1.52
1	A	197	ASN	CG-OD1	15.28	1.52	1.23
1	A	197	ASN	N-CA	-14.84	1.29	1.46
1	B	129	HIS	N-CA	-12.95	1.27	1.46
1	B	129	HIS	CA-C	12.17	1.68	1.52
1	B	443	LYS	CG-CD	-11.30	1.18	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	188	LYS	CE-NZ	-10.68	1.17	1.49
1	A	188	LYS	CB-CG	9.30	1.80	1.52
1	B	443	LYS	CD-CE	8.35	1.77	1.52
1	B	248	GLU	CD-OE2	8.16	1.40	1.25
1	B	129	HIS	CA-CB	-8.01	1.40	1.53
1	A	29	GLN	CA-C	7.91	1.63	1.52
1	A	27	GLY	C-N	-7.49	1.23	1.33
1	A	408	ASP	C-N	7.44	1.44	1.33
1	B	130	PRO	CG-CD	-6.59	1.28	1.50
1	A	197	ASN	CA-C	-6.21	1.45	1.52
1	A	293	ASN	N-CA	6.13	1.54	1.46
1	B	29	GLN	CD-OE1	5.37	1.33	1.23
1	B	248	GLU	CD-OE1	5.30	1.35	1.25
1	A	29	GLN	CD-NE2	-5.24	1.22	1.33

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	28	ASP	O-C-N	33.30	162.00	123.04
1	A	408	ASP	O-C-N	-29.28	83.65	122.59
1	A	28	ASP	CA-C-N	-27.03	73.46	122.38
1	A	28	ASP	C-N-CA	-27.03	73.46	122.38
1	A	408	ASP	CA-C-N	25.14	169.56	121.54
1	A	408	ASP	C-N-CA	25.14	169.56	121.54
1	B	406	GLU	O-C-N	20.13	149.34	122.36
1	A	197	ASN	N-CA-C	18.89	134.06	111.02
1	B	406	GLU	CA-C-N	-18.54	86.13	121.54
1	B	406	GLU	C-N-CA	-18.54	86.13	121.54
1	B	129	HIS	N-CA-CB	13.47	134.35	110.37
1	A	29	GLN	N-CA-C	12.73	128.94	113.16
1	A	293	ASN	CA-C-N	-10.02	104.57	120.60
1	A	293	ASN	C-N-CA	-10.02	104.57	120.60
1	B	130	PRO	CA-N-CD	-9.51	98.68	112.00
1	B	248	GLU	CB-CG-CD	-9.35	96.71	112.60
1	B	130	PRO	N-CD-CG	8.87	116.51	103.20
1	B	291	GLN	CA-C-N	-8.45	106.35	122.06
1	B	291	GLN	C-N-CA	-8.45	106.35	122.06
1	A	197	ASN	CA-C-O	8.30	130.20	121.07
1	B	292	ARG	CA-C-N	7.46	135.79	121.54
1	B	292	ARG	C-N-CA	7.46	135.79	121.54
1	B	129	HIS	CA-C-O	-7.41	110.02	120.16
1	A	324	ALA	N-CA-C	7.40	119.13	111.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	188	LYS	N-CA-CB	7.32	123.20	110.39
1	B	65	ALA	N-CA-C	7.18	119.19	111.36
1	B	409	SER	CA-C-N	-7.13	111.54	122.09
1	B	409	SER	C-N-CA	-7.13	111.54	122.09
1	A	406	GLU	CA-C-N	-7.08	110.18	121.86
1	A	406	GLU	C-N-CA	-7.08	110.18	121.86
1	A	188	LYS	CB-CA-C	-6.94	96.02	110.17
1	B	324	ALA	N-CA-C	6.91	118.60	111.14
1	B	293	ASN	N-CA-C	6.77	125.21	110.80
1	B	373	ALA	N-CA-C	6.72	119.60	111.40
1	B	248	GLU	OE1-CD-OE2	-6.70	106.83	122.90
1	B	98	TYR	N-CA-C	6.67	119.38	111.71
1	A	98	TYR	N-CA-C	6.67	119.38	111.71
1	B	293	ASN	CA-C-N	-6.54	109.80	120.72
1	B	293	ASN	C-N-CA	-6.54	109.80	120.72
1	A	373	ALA	N-CA-C	6.49	119.67	111.69
1	A	291	GLN	CA-C-N	6.46	129.77	120.79
1	A	291	GLN	C-N-CA	6.46	129.77	120.79
1	B	325	SER	N-CA-C	6.43	120.58	112.87
1	A	325	SER	N-CA-C	6.28	120.40	112.87
1	A	292	ARG	NE-CZ-NH2	5.81	124.43	119.20
1	B	13	GLN	N-CA-C	5.76	119.57	112.54
1	B	323	GLY	N-CA-C	-5.66	99.76	113.18
1	A	374	SER	N-CA-C	5.63	118.17	110.24
1	A	29	GLN	N-CA-CB	-5.52	102.00	110.44
1	B	374	SER	N-CA-C	5.41	117.92	110.35
1	A	13	GLN	N-CA-C	5.37	119.09	112.54
1	A	65	ALA	N-CA-C	5.31	118.22	111.69
1	B	291	GLN	O-C-N	5.29	130.87	122.41
1	B	416	GLN	N-CA-C	-5.29	103.16	110.35
1	B	78	LEU	CA-C-N	5.25	124.58	118.85
1	B	78	LEU	C-N-CA	5.25	124.58	118.85
1	A	75	ILE	N-CA-C	5.18	115.80	110.36
1	A	407	GLU	CA-C-N	5.18	131.44	121.54
1	A	407	GLU	C-N-CA	5.18	131.44	121.54
1	A	323	GLY	N-CA-C	-5.17	100.94	113.18
1	B	75	ILE	N-CA-C	5.06	115.67	110.36

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	406	GLU	Mainchain
1	A	408	ASP	Peptide
1	B	248	GLU	Sidechain
1	B	406	GLU	Mainchain
1	B	409	SER	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3281	0	3226	74	0
1	B	3281	0	3226	48	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	10	0	0	1	0
3	B	10	0	0	0	0
4	A	204	0	0	13	0
4	B	126	0	0	4	0
All	All	6916	0	6452	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:443:LYS:CD	1:B:443:LYS:CE	1.77	1.59
1:A:188:LYS:CB	1:A:188:LYS:CG	1.80	1.54
1:A:197:ASN:CA	1:A:197:ASN:CB	1.83	1.54
1:B:293:ASN:C	1:B:294:ASP:N	1.71	1.44
1:A:293:ASN:C	1:A:294:ASP:N	1.74	1.43
1:A:197:ASN:CB	1:A:197:ASN:CG	1.92	1.41
1:A:29:GLN:CA	1:A:29:GLN:N	2.12	1.13
1:A:28:ASP:C	1:A:29:GLN:CA	2.27	1.08
1:A:28:ASP:C	1:A:29:GLN:HA	1.97	0.90
1:A:226:ARG:HD2	4:A:575:HOH:O	1.73	0.87
1:A:29:GLN:N	1:B:428:ASN:OD1	2.08	0.85

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:443:LYS:CE	1:B:443:LYS:CG	2.52	0.81
1:A:293:ASN:C	1:A:294:ASP:CA	2.54	0.80
1:B:446:LEU:HB3	1:B:448:LEU:HD13	1.66	0.75
1:A:5:PRO:HG3	4:A:541:HOH:O	1.85	0.75
1:A:449:LYS:HA	4:A:479:HOH:O	1.87	0.75
1:A:92:LYS:HE3	4:A:572:HOH:O	1.86	0.74
1:B:293:ASN:C	1:B:294:ASP:CA	2.60	0.74
1:A:446:LEU:HB3	1:A:448:LEU:HD13	1.70	0.73
1:A:292:ARG:O	1:A:293:ASN:HB2	1.88	0.72
1:B:408:ASP:OD1	1:B:409:SER:N	2.23	0.72
1:A:188:LYS:CB	1:A:188:LYS:CD	2.66	0.71
1:A:197:ASN:CB	1:A:197:ASN:C	2.61	0.71
1:A:382:LYS:HD2	1:B:407:GLU:OE2	1.90	0.71
1:A:188:LYS:CG	1:A:188:LYS:CA	2.71	0.68
1:A:23:ARG:HD3	1:B:440:TYR:CD1	2.28	0.67
1:B:293:ASN:HB3	1:B:295:SER:H	1.60	0.67
1:B:443:LYS:CD	1:B:443:LYS:NZ	2.54	0.66
1:A:197:ASN:CB	1:A:197:ASN:ND2	2.46	0.65
1:A:365:ILE:HD13	1:A:438:LEU:HD11	1.79	0.64
1:B:365:ILE:HD13	1:B:438:LEU:HD11	1.82	0.62
1:A:288:PRO:HB3	1:A:292:ARG:NH2	2.17	0.60
1:B:359:GLU:HG3	1:B:361:ASN:H	1.67	0.60
1:A:293:ASN:HB3	1:A:296:VAL:H	1.67	0.59
1:A:359:GLU:HG3	1:A:361:ASN:H	1.67	0.59
1:A:23:ARG:HD2	4:B:523:HOH:O	2.03	0.59
1:B:154:ALA:HB3	4:B:473:HOH:O	2.04	0.58
1:A:16:ILE:HG22	1:B:89:LEU:HD21	1.87	0.57
1:A:291:GLN:HG2	4:A:659:HOH:O	2.04	0.57
1:B:15:ASP:O	1:B:21:GLY:HA3	2.06	0.55
1:A:89:LEU:HD21	1:B:16:ILE:HG22	1.89	0.55
1:A:289:ASN:O	1:A:292:ARG:HG2	2.07	0.54
1:A:168:CYS:SG	1:A:177:LYS:HB2	2.49	0.53
1:B:293:ASN:CA	1:B:294:ASP:N	2.65	0.53
1:A:28:ASP:O	1:A:29:GLN:HA	2.08	0.52
1:A:287:THR:HG22	4:A:462:HOH:O	2.09	0.52
1:B:168:CYS:SG	1:B:177:LYS:HB2	2.50	0.52
1:B:359:GLU:HG2	1:B:362:THR:OG1	2.11	0.51
1:B:5:PRO:HB3	4:B:484:HOH:O	2.11	0.51
1:A:199:ARG:HA	1:A:234:TYR:OH	2.10	0.50
1:A:197:ASN:CB	1:A:197:ASN:N	2.60	0.50
1:B:379:PRO:HA	1:B:399:VAL:HG21	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:199:ARG:HA	1:B:234:TYR:OH	2.11	0.49
1:B:149:ALA:HB2	1:B:324:ALA:CB	2.42	0.49
1:A:440:TYR:CD2	1:B:23:ARG:HD3	2.47	0.49
4:A:645:HOH:O	1:B:17:THR:HG21	2.12	0.49
1:A:15:ASP:O	1:A:21:GLY:HA3	2.13	0.49
1:A:149:ALA:HB2	1:A:324:ALA:CB	2.43	0.49
1:A:359:GLU:HG2	1:A:362:THR:OG1	2.13	0.48
1:B:48:LEU:HD13	1:B:321:VAL:HB	1.95	0.48
1:B:103:ALA:HB1	1:B:119:ALA:O	2.13	0.48
1:B:7:LEU:HD12	4:B:487:HOH:O	2.13	0.48
1:A:379:PRO:HA	1:A:399:VAL:HG21	1.94	0.48
1:A:449:LYS:CA	4:A:479:HOH:O	2.55	0.48
1:B:78:LEU:HB2	1:B:420:ALA:HB1	1.96	0.48
1:A:234:TYR:HA	1:A:254:PRO:HG2	1.96	0.48
1:A:23:ARG:HD3	1:B:440:TYR:CG	2.49	0.47
1:A:123:ASP:HB2	4:A:493:HOH:O	2.15	0.47
1:A:174:THR:HG23	1:A:178:CYS:HB2	1.97	0.46
1:A:48:LEU:HG	1:A:349:VAL:HG22	1.98	0.46
1:B:289:ASN:O	1:B:292:ARG:HG2	2.14	0.46
1:B:137:LYS:HE3	1:B:198:ALA:O	2.16	0.46
1:A:48:LEU:HD13	1:A:321:VAL:HB	1.98	0.46
1:A:78:LEU:HB2	1:A:420:ALA:HB1	1.98	0.46
1:B:291:GLN:O	1:B:293:ASN:ND2	2.48	0.46
1:B:111:THR:OG1	1:B:113:VAL:HG12	2.16	0.46
1:B:449:LYS:H	1:B:449:LYS:HD3	1.80	0.46
1:B:407:GLU:HB3	1:B:408:ASP:H	1.55	0.45
1:B:426:ALA:O	1:B:429:VAL:HG22	2.16	0.45
1:B:234:TYR:HA	1:B:254:PRO:HG2	1.97	0.45
1:B:379:PRO:HA	1:B:399:VAL:CG2	2.47	0.45
1:A:379:PRO:HA	1:A:399:VAL:CG2	2.47	0.45
1:A:426:ALA:O	1:A:429:VAL:HG22	2.17	0.44
1:B:402:TYR:HB3	1:B:410:GLN:HG3	1.98	0.44
1:A:280:ASP:HA	4:A:647:HOH:O	2.17	0.44
1:A:16:ILE:CG2	1:B:89:LEU:HD21	2.47	0.43
1:A:337:GLY:O	1:A:341:GLU:HG2	2.18	0.43
1:B:33:LEU:HD23	1:B:33:LEU:HA	1.89	0.43
1:A:292:ARG:HG3	1:A:293:ASN:H	1.84	0.43
1:A:402:TYR:HB3	1:A:410:GLN:HG3	2.00	0.43
1:A:137:LYS:HE2	1:A:251:GLN:OE1	2.19	0.43
1:B:374:SER:HB3	1:B:402:TYR:CE2	2.53	0.43
1:A:103:ALA:HB1	1:A:119:ALA:O	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:208:ALA:HB1	1:A:226:ARG:HH12	1.84	0.43
1:A:291:GLN:NE2	4:A:505:HOH:O	2.52	0.42
1:A:449:LYS:C	4:A:479:HOH:O	2.63	0.42
1:A:116:TYR:CZ	1:A:119:ALA:HB2	2.55	0.42
1:A:137:LYS:HE3	1:A:198:ALA:O	2.19	0.42
1:A:78:LEU:HA	1:A:79:PRO:HD2	1.95	0.42
1:B:45:ILE:HD12	1:B:446:LEU:HD22	2.00	0.41
1:A:224:THR:HG1	1:A:227:GLU:HG3	1.84	0.41
1:A:374:SER:HB3	1:A:402:TYR:CE2	2.55	0.41
1:A:292:ARG:HG3	1:A:293:ASN:N	2.34	0.41
1:A:33:LEU:HD23	1:A:33:LEU:HA	1.87	0.41
1:A:177:LYS:C	1:A:179:PRO:HD3	2.46	0.41
1:A:111:THR:OG1	1:A:113:VAL:HG12	2.20	0.41
1:A:292:ARG:NH2	3:A:457:PO4:O1	2.54	0.41
1:A:100:THR:HG22	4:A:652:HOH:O	2.20	0.41
1:A:449:LYS:H	1:A:449:LYS:HD3	1.86	0.41
1:B:297:PRO:HA	1:B:301:GLN:OE1	2.21	0.41
1:B:337:GLY:O	1:B:341:GLU:HG2	2.21	0.40
1:A:293:ASN:CA	1:A:294:ASP:N	2.72	0.40
1:A:434:ASP:O	1:A:437:ASP:HB2	2.21	0.40
1:B:177:LYS:C	1:B:179:PRO:HD3	2.47	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	444/446 (100%)	428 (96%)	15 (3%)	1 (0%)	43	37
1	B	444/446 (100%)	430 (97%)	12 (3%)	2 (0%)	24	16
All	All	888/892 (100%)	858 (97%)	27 (3%)	3 (0%)	36	30

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	293	ASN
1	B	407	GLU
1	A	293	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	337/337 (100%)	324 (96%)	13 (4%)	28	23
1	B	337/337 (100%)	325 (96%)	12 (4%)	31	26
All	All	674/674 (100%)	649 (96%)	25 (4%)	30	25

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	LEU
1	A	37	LEU
1	A	47	LEU
1	A	84	TYR
1	A	151	LEU
1	A	255	LEU
1	A	304	ASP
1	A	310	LEU
1	A	314	GLU
1	A	386	LEU
1	A	411	GLU
1	A	446	LEU
1	A	449	LYS
1	B	7	LEU
1	B	37	LEU
1	B	47	LEU
1	B	84	TYR
1	B	151	LEU
1	B	255	LEU
1	B	310	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	314	GLU
1	B	386	LEU
1	B	411	GLU
1	B	446	LEU
1	B	449	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	13	GLN
1	A	291	GLN
1	A	375	GLN
1	A	391	ASN
1	A	410	GLN
1	B	83	GLN
1	B	291	GLN
1	B	329	GLN
1	B	375	GLN
1	B	388	GLN
1	B	391	ASN
1	B	410	GLN
1	B	425	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PO4	B	453	2	4,4,4	1.21	0	6,6,6	0.65	0
3	PO4	A	457	-	4,4,4	1.31	0	6,6,6	0.45	0
3	PO4	A	453	2	4,4,4	1.31	0	6,6,6	0.76	0
3	PO4	B	457	-	4,4,4	1.29	0	6,6,6	0.39	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	457	PO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	3
1	B	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	293:ASN	C	294:ASP	N	1.74

Continued on next page...

Continued from previous page...

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	293:ASN	C	294:ASP	N	1.71
1	A	28:ASP	C	29:GLN	N	1.61
1	A	406:GLU	C	407:GLU	N	0.90
1	B	406:GLU	C	407:GLU	N	0.89

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.